

泌尿器科紀要

第34卷

1988年

ACTA UROLOGICA JAPONICA

Vol. 34

1988

編 集 委 員

石神 襄次 前川 正信 宮崎 重

新谷 浩 園田 孝夫 友吉 唯夫

吉田 修 (主幹)

Editor: Prof. Osamu YOSHIDA, M. D.

Department of Urology, Faculty of Medicine,

Kyoto University, Kyoto Japan 606

京都大学医学部泌尿器科学教室

泌尿紀要

Acta Urol. Jpn.

泌尿器科紀要 第34巻(1988)

目 次

| 第34巻 第1号 | 1988年1月 |
|---|---------|
| 男性不妊と亜鉛に関する基礎的研究……………岡 伸俊・ほか… | 1 |
| 膀胱移行上皮の細胞構築的微細構造 | |
| 第1報：収縮および伸展による影響について……………小西 平… | 11 |
| 膀胱移行上皮の細胞構築的微細構造 | |
| 第2報：正常および炎症膀胱の収縮・伸展による尿・血液関門の 変化について……………小西 平… | 23 |
| コロニー形成試験および [³ H] サイミジン取り込み試験を用いた 膀胱癌細胞株の放射線感受性に関する検討……………李 南奎・ほか… | 32 |
| Cisplatin の腎毒性に関する実験的研究 (持続静注法の腎障害予防効果について)……………和泉 孝… | 37 |
| 腎機能と微量元素に関する臨床的研究……………細川 進一・ほか… | 46 |
| 進行性睾丸腫瘍化学療法時における低マグネシウム血症について……………飛田 収一・ほか… | 52 |
| 進行性尿路上皮癌に対する補助化学療法の検討……………青田 泰博・ほか… | 61 |
| 一般健康人における腎疾患の頻度……………伊藤 晴夫・ほか… | 66 |
| 上部尿路結石症に対する ESWL の経験……………山本 啓介・ほか… | 69 |
| 体外衝撃波による上部尿路結石破砕術 (ESWL) の経験……………下 在和・ほか… | 73 |
| 硬性尿管鏡による腎盂結石の治療経験……………仲山 實… | 79 |
| 膀胱腫瘍のレクチン結合糖鎖……………角谷 秀典・ほか… | 86 |
| 尿失禁と陰部膀胱瘤に対する Stamey 法の経験……………坂本 亘・ほか… | 90 |
| 二分脊椎に起因する神経因性膀胱に伴う VUR についての考察……………岡村 清・ほか… | 95 |
| 夜尿症に対する薬物療法と膀胱訓練の比較……………山西 友典・ほか… | 102 |
| Noble ラット前立腺癌に対するジエチルステロールの影響 (英文) ……脇坂 正美… | 107 |
| 前立腺癌の組織学的悪化度と予後 | |
| 一前立腺癌取扱い規約分類と Gleason 分類の比較検討……………内田 豊昭・ほか… | 116 |
| 本邦における前立腺癌の治療動向—最近5年間における9施設の統計—…赤倉功一郎・ほか… | 123 |
| 男子尿道炎患者から分離された Penicillinase-producing <i>Neisseria gonorrhoeae</i> について……………大川 光央・ほか… | 130 |
| 両側副腎にみられた Non-Hodgkin リンパ腫の1例……………伊藤 康久・ほか… | 137 |
| 副腎 Myelolipoma の2例……………大森 孝平・ほか… | 141 |
| 甲状腺へ単独転移をきたした腎細胞癌の1例……………北村 雅哉・ほか… | 147 |
| 腎保存的手術にて治療した両側腎血管筋脂肪腫の1例……………松宮 清美・ほか… | 151 |
| 腎部分切除術を施行し残腎機能を保ち得た腎血管筋脂肪腫の1例……………竹山 政美・ほか… | 155 |
| 尿閉をきたした骨盤腔内嚢胞の1例……………若林 賢彦・ほか… | 159 |
| 高カルシウム血症を伴った膀胱癌の3例……………平川 和志・ほか… | 162 |
| 結腸憩室炎に起因したS状結腸および回腸膀胱瘻に合併した膀胱腫瘍例……………三品 輝男… | 168 |
| 急性発疹性疾患 (麻疹?) に合併した神経因性膀胱の1例……………村山 和夫・ほか… | 175 |
| 夜尿を主訴とした自己臭症の1例……………水尾 敏之・安藤 正夫… | 178 |

| | | |
|---|----------|-----|
| 女子傍尿道平滑筋腫の1例 | 松宮 清美・ほか | 181 |
| 絞扼された尿道脱の2例 | 土井 康裕・ほか | 184 |
| 交叉性睾丸転位症の1例 | 京 昌弘・ほか | 188 |
| XYY 症候群の3例 | 岡本 英一・ほか | 191 |
| 頻尿, 残尿感を主訴とする排尿障害に対する 塩酸テロジリン (TD-758) の臨床効果 | 中野 優・ほか | 196 |
| 尿路感染症に対するオフロキサシン (OFLX) の臨床効果の再評価 | 秋山 隆弘・ほか | 201 |

第34巻 第2号

1988年2月

| | | |
|---|-------------|-----|
| 抗ヒト N-myc タンパク抗体を用いたヒト胎児中腎の免疫組織化学 | 川原 昌巳・ほか | 207 |
| 薬物起因性急性腎不全発症に関する実験的研究: 水欠乏性脱水時の低分子デキストランおよび Kanamycin 併用による 腎障害とその回復力 | 石川 英二 | 215 |
| 尿中尿酸測定キット (Sigma) の改良使用方法 | 戎野 庄一・大川 順正 | 225 |
| 上部尿路結石に対する ESWL: X線陰性結石 | 田部 茂・ほか | 231 |
| 三樹会病院における経皮的尿管結石摘出術の経験 —ESWL・PNL 併用療法を中心として— | 中嶋 久雄・ほか | 237 |
| 三樹会病院における経皮的尿管結石摘出術の経験 —PNL 単独療法を中心として— | 中嶋 久雄・ほか | 240 |
| 上部尿路疾患に対する Endourology による治療経験 | 山口 聡・ほか | 243 |
| 先天性腎盂尿管移行部狭窄に対する腎盂形成術の手術成績 | 田島 和洋・ほか | 249 |
| 膀胱腫瘍におけるモノクローナル抗体を用いたT抗原の検索 (英文) | 横山 雅好・ほか | 255 |
| 膀胱腫瘍における Thomsen-Friedenreich Antigen の研究 | 深津 英捷・ほか | 260 |
| 尿管皮膚瘻術後のストーマケアについて | 和志田裕人・ほか | 268 |
| Kock 回腸膀胱による尿路変更術 —合併症と問題点について— | 荒井 陽一・ほか | 272 |
| 男性頤髄完全損傷患者の尿路管理における経尿道的外括約筋切除術に 関する考察 | 百瀬 均・ほか | 280 |
| 前立腺肥大症に対する経尿道的切除術標本よりの前立腺偶発癌の診断法 | 村上 信乃・ほか | 287 |
| <i>Chlamydia trachomatis</i> 男子尿道炎の臨床的検討 | 松田 公志・ほか | 292 |
| 陰茎癌の臨床統計 | 松尾 康滋・ほか | 297 |
| インポテンツに対する血管拡張剤の使用経験 | 安本 亮二・ほか | 301 |
| 鼠径部停留睾丸の超音波診断 | 小嶺信一郎・ほか | 305 |
| 精索静脈瘤の臨床的観察 第1報: 臨床的観察 | 安本 亮二・ほか | 309 |
| 精索静脈瘤の臨床的観察 第2報: X線造影と内精索静脈圧について | 安本 亮二・ほか | 312 |
| 精索静脈瘤の臨床的観察 第3報: Santorini 静脈叢を介した 静脈還流がみられた精索静脈瘤の1例 | 安本 亮二・ほか | 316 |
| 線溶療法を試みた腎動脈塞栓症の1例 | 谷口 隆信・ほか | 318 |
| 脾, 膀胱尾部, 左横隔膜約1/3の合併切除を要した左腎細胞癌の1例 | 田 理裕・ほか | 322 |
| 腎偽腫瘍の1例 | 山中 吉郎・ほか | 326 |
| 後腹膜過誤腫の1例 | 河原 優・ほか | 330 |
| 後腹膜神経節腫の3例 | 岩佐 厚・ほか | 334 |
| 尿道血管腫の1例 | 玉井 秀亀・西山 直樹 | 340 |
| 女子尿道憩室の13例 | 三品 輝男・渡辺 康介 | 343 |
| 肝転移をきたした非セミノーマ睾丸腫瘍の治療 | 増田富士男・ほか | 351 |
| 単精巣の3例 | 酒本 護・ほか | 356 |

京都市立病院泌尿器科における5年6ヵ月間

(1981年7月~1986年12月)の入院患者および手術統計……………小松 洋輔・ほか… 359

神戸市立中央市民病院泌尿器科における入院患者臨床統計

(1982年1月~1986年12月)……………松尾 光雄・ほか… 366

徐放型 LH-RH analogue, ICI 118630 (Zoladex®) による

前立腺癌内分泌療法……………宇佐美道之・ほか… 369

性器ヘルペスの臨床的検討とアシクロビル錠による治療成績……………熊本 悦明・ほか… 383

Ofloxacin による複雑性尿路感染症の治療……………吉田謙一郎・ほか… 394

前立腺肥大症術後の血尿に対するトロンビンの効果について……………松垣 昌夫・ほか… 403

第34巻 第3号

1988年3月

尿路性器悪性腫瘍における血清 Immunosuppressive Acid Protein

(IAP) の臨床的意義……………岡田 茂樹・ほか… 411

蔞酸酸化酵素を用いた尿中蔞酸定量法について

—Gas-chromatography 法との比較—……………山本 逸夫・ほか… 419

Adrenal incidentaloma 8例の治療経験……………森本 鎮義・ほか… 423

腎盂尿管腫瘍の臨床的観察……………川島 清隆・ほか… 429

一般病院における経皮的腎尿管切石術102例の経験……………阿部 昌弘・ほか… 436

Reflux nephropathy の病理学的検討……………石井 徳味・ほか… 440

慢性前立腺炎と前立腺炎様症候群の臨床的研究

第1報:臨床統計的観察……………池内 隆夫… 446

慢性前立腺炎と前立腺炎様症候群の臨床的研究

第2報:治療効果の検討……………池内 隆夫… 453

非淋菌性尿道炎患者の性パートナーにおける

Chlamydia trachomatis 感染……………長田 尚夫・ほか… 461

停留睪丸の危険因子……………森 満・ほか… 466

非チフス性サルモネラ感染症による急性腎不全の2例……………鈴木 裕志・ほか… 473

腎莖部リンパ節にも併発病理所見をみた両側腎血管筋脂肪腫の1例……………黒田 淳・ほか… 478

腎盂原発の mucinous adenocarcinoma の1例……………高田 仁・ほか… 482

尿管皮膚瘻術後5年目にみられた腎盂尿管腫瘍の1例……………浅川 正純・ほか… 487

Endometriosis により尿管通過障害をきたした1例……………川端 岳・ほか… 490

腸骨動脈瘤による尿管通過障害の1例……………朴 勺・ほか… 496

尿管閉塞をきたした傍尿管神経鞘腫の1例……………山本 新吾・ほか… 502

共通尿生殖洞を伴う尿管異所開口の1例

—本邦尿管異所開口648例についての統計的観察—……………寺田 為義・ほか… 508

陰莖絞扼症の1例……………上水流雅人・ほか… 514

Kallmann 症候群の1例……………小出 卓也・ほか… 517

精巣女性化症候群の1例……………荒木 富雄・ほか… 521

精索転移をきたした腎癌の1例……………入澤 千晴・ほか… 524

尿路性器癌の骨転移症例に対する Etidronate Disodium

(EHDP) の効果検討……………川村 寿一・ほか… 528

進行腎細胞癌における UFT の臨床効果……………星野眞希夫・ほか… 538

不安定膀胱, 神経因性膀胱に対する塩酸オキシブチエンの

長期投与における有効性と安全性……………後藤 百万・ほか… 541

サンセフェール® (cefpiramide) の前立腺および膀胱壁移行に

関する検討……………置塩 則彦・ほか… 551

| | | |
|---|----------|-----|
| 前立腺癌に対する徐放型 LH-RH analog | 布施 秀樹・ほか | 555 |
| 慢性前立腺炎に対する Cernilton® の長期使用経験 | 城代 明仁・ほか | 561 |
| Chlamydia trachomatis 尿道炎に対する Ofloxacin の使用経験 | 松田 公志・ほか | 569 |
| 表在性膀胱癌に対するペフロマイシン注入療法: | | |
| 直接抗腫瘍効果と再発予防効果について | 園田 孝夫・ほか | 574 |

第34巻 第4号

1988年4月

| | | |
|--|-------------|-----|
| 組織培養系を用いた幼若家兎代償性辜丸肥大の実験的考察 | 実藤 健 | 585 |
| 褐色細胞腫30例の治療経験 | 越田 潔・ほか | 592 |
| 原発性アルドステロン症の5例 | | |
| 一腫瘍局在診断に関する各種検査法の有用性について | 松下 全己・ほか | 598 |
| EDAP, LT-01 装置による体外衝撃波腎・尿管結石破碎術の経験 | 荒木 徹・ほか | 605 |
| Percutaneous Nephrolithotomy (PNL) のための | | |
| 逆行性腎瘻造設術 | 岡田 茂樹・ほか | 613 |
| 単腎に発生した腎癌の5例—治療法の選択について— | 香川 征・ほか | 619 |
| 腎細胞癌の転移巣に対する手術的治療 | 新井 豊・ほか | 623 |
| マウス膀胱腫瘍 (MBT-2) に対する CDDP 投与と | | |
| 温熱療法併用効果の検討 | 清水 功基 | 627 |
| 女子神経因性膀胱に対する経尿道的手術の経験 | 村山 和夫・勝見 哲郎 | 633 |
| 前立腺特異抗原 (PA) の前立腺癌における検討 | 秋元 晋・ほか | 636 |
| Gossypol 投与下雌性ラットに対する HCG 負荷の影響について | 馬場 良和 | 643 |
| 精管精管吻合術における閉鎖孔バイパス術: 死体解剖での検討 | 松田 公志・ほか | 648 |
| 腎悪性リンパ腫の1例 | 石川 泰章・ほか | 652 |
| Adenine phosphoribosyltransferase 部分欠損症による | | |
| 2,8-dihydroxyadenine 結石症の1例 | 上島 成也・ほか | 656 |
| 腎杯憩室内 Milk of Calcium Renal Stone の1例 | 松崎 章二 | 661 |
| PNL による動脈損傷に対する超選択的腎動脈塞栓術の経験 | 篠田 育男・ほか | 665 |
| 経皮的に治療した腎盂腎杯憩室の1例 | 谷口 隆信・ほか | 669 |
| 水腎症を契機に発見された小腸悪性リンパ腫の1例 | 石田 章・ほか | 673 |
| 右膀胱尿管逆流を合併した膀胱平滑筋腫の1例 | 高橋 義人・ほか | 679 |
| 膀胱褐色細胞腫の1例 | 日原 徹・ほか | 683 |
| 尿閉をきたした巨大膀胱憩室の1例 | 前田 修・ほか | 688 |
| S 状結腸膀胱瘻の1例 | 杉山 高秀・門脇 照雄 | 692 |
| 女子傍尿道平滑筋腫による尿閉の1例 | 永井 信夫・ほか | 696 |
| 後部尿道乳頭腫の1例 | 北野 喜彦・ほか | 701 |
| 陰茎根部皮下の著明な好酸球浸潤を伴う肉芽腫 | 細見 昌弘・ほか | 705 |
| レックリングハウゼン病に合併した陰茎悪性黒色腫の1例 | 宮内 武彦・ほか | 710 |
| 全身転移を来した外陰部 Paget 病の1例 | 奥野 博・ほか | 714 |
| 胃癌の精索転移例 | 近藤 泉・ほか | 718 |
| 総鞘膜より発生した陰囊内平滑筋腫の1例 | 中村 直博・ほか | 721 |
| 頻尿・尿失禁患者に対する塩酸テロジリンの長期投与試験 | 辻本 幸夫・ほか | 724 |
| 頻尿・残尿感などに対する塩酸テロジリンの臨床効果 | 藤原 英祐・ほか | 733 |
| 頻尿・残尿感に対する塩酸テロジリンの臨床薬効評価 | | |
| 一塩酸フラボキサートを対照とした二重盲検比較試験 | 小川 秋實・ほか | 739 |
| 塩酸テロジリンの神経因性膀胱患者に対する長期投与試験 | 石堂 哲郎・宮崎 一興 | 754 |
| Cefoperazone の手術後創部浸出液への移行について | 安本 亮二・ほか | 759 |

第34巻 第5号

1988年5月

| | | |
|--|-------------|-----|
| 尿路結石症に対する ESWL (Extracorporeal shock wave lithotripsy) の治療経験 | 大西 規夫・ほか | 765 |
| 体外衝撃波 (ESWL) による腎・尿管結石破碎術の臨床経験 (第 IV 報): | | |
| 治療開始より3年間の治療経験 | 丹田 均・ほか | 770 |
| 電気水圧衝撃波による上部尿路結石破碎手術の経験 | 絹川 常郎・ほか | 777 |
| CDDP 腎毒性に対する FOM の軽減効果に関する臨床的検討 | 斎藤 雅昭・ほか | 782 |
| 腎機能評価における α -microglobulin の意義 | | |
| —CDDP 使用例の検討— | 氏家 徹・ほか | 790 |
| 膀胱尿管新吻合術に関する臨床的検討 | | |
| 第1報: primary VUR 65例 (100尿管) の手術成績 | 斎藤 誠一・ほか | 797 |
| 膀胱尿管新吻合術に関する臨床的検討 | | |
| 第2報: Boari 法8例, Psoas-Hitch 法8例の手術成績 | 斎藤 誠一・ほか | 805 |
| 急性膀胱炎に対する Single Day Treatment の検討 | 山口 一洋・川口 光平 | 811 |
| 前立腺癌の臨床的検討 | | |
| —中国白求恩医科大学第三臨床学院における経験— | 肖 連陞・ほか | 814 |
| 尿道下裂の手術的治療について | 高橋 剛 | 819 |
| インポテンス患者における夜間睡眠時勃起現象 (NPT) と Artificial Full Erection の比較検討 | 青木 正治・ほか | 825 |
| 睾丸腫瘍の患者対照研究 | 森 満・ほか | 832 |
| 市立貝塚病院における男性不妊症の治療 | 永井 信夫・ほか | 839 |
| 特発性男子不妊症に対するクエン酸クロミフェン投与の治療成績 | 林 宣男・ほか | 847 |
| 精索静脈瘤高位結紮術後の合併症: 特に術後陰囊水腫3例の検討 | 影山 幸雄・ほか | 851 |
| 副腎骨髄脂肪腫の2例 | 壽美 周平・ほか | 855 |
| 両側腎摘除術を行った囊胞腎の1例 | 飯田 宜志・ほか | 862 |
| 右肺扁平上皮癌と左腎盂移行上皮癌の重複癌の1例 | 窪田 理裕・ほか | 866 |
| 嚢胞性尿管炎の1例 | 仲谷 達也・ほか | 870 |
| Tranilast が原因と考えられる薬剤性膀胱炎の8例 | 桑原 孝・ほか | 874 |
| 転移性膀胱悪性リンパ腫の1例 | 三宅 修・ほか | 879 |
| VAB-6 療法が著効を呈した extragonadal germ cell tumor の1例 | 岩崎 雅志・ほか | 883 |
| 精管精管吻合術と副睾丸精管吻合術により精液の正常化をみた | | |
| 閉塞性無精子症の1例 | 松田 公志・ほか | 889 |
| 胃癌の精索転移 | 香川 征・ほか | 892 |
| 陰囊類表皮嚢胞の1例 | 日原 徹・ほか | 895 |
| 大阪大学泌尿器科学教室における最近5年間 (1982年1月~1986年12月) の手術統計 | 多田 安温・ほか | 898 |
| 尿路結石症に対するクエン酸製剤 (CG-120) 療法の多施設共同臨床試験: | | |
| 1. 臨床成績 | 大川 順正・ほか | 905 |
| 尿路結石症に対するクエン酸製剤 (CG-120) 療法の多施設共同臨床試験: | | |
| 2. 尿および血液化学検査成績 | 大川 順正・ほか | 918 |
| Cefbuperazone (CBPZ) の前立腺組織内移行に関する検討 | 藤井 敬三・ほか | 932 |
| 複雑性尿路感染症に対する Ceftriaxone の臨床的・基礎的検討 | 西尾 正一・吉原 秀高 | 937 |

第34卷 第6号

1988年6月

- ヒト精巢 FSH レセプター測定法について並木 幹夫・ほか... 945
- 特発性男子不妊症における精巢 FSH レセプターについて並木 幹夫・ほか... 951
- 特発性男子不妊症に対する hMG-hCG 療法の有効性と
精巢 FSH レセプターの相関について並木 幹夫・ほか... 957
- 小児尿路結石の ESWL による治療若林 昭・ほか... 963
- 膀胱腫瘍の異所性再発例の検討岩室 紳也・ほか... 967
- 過去10年間の膀胱全摘術の検討湯浅 誠・ほか... 975
- 再発性表在性膀胱腫瘍に対する BCG 膀胱内注入療法中野 勝・ほか... 983
- 前立腺癌における腫瘍マーカーの臨床的検討
—Prostatic acid phosphatase, Prostatic antigen, γ -Seminoprotein の
同時測定による検討—塚本 泰司・ほか... 987
- 過去5年間の前立腺癌新来患者の傾向森山 信男・ほか... 997
- 経尿道前立腺切除術でみつかった偶発前立腺癌浅川 正純・ほか...1003
- 陰茎背神経伝導速度の測定法際本 宏・ほか...1007
- 副甲状腺癌の1例中野 勝・ほか...1011
- 転移性腎腫瘍(食道原発)の1例岡本 英一・ほか...1017
- 腎細胞癌を伴う微小腎囊胞の1例宇都宮正登・ほか...1023
- ステロイドが著効した後腹膜線維症の1例三宅 修・ほか...1027
- 限局性腺性尿管炎 —尿管腺癌と関連して—高橋 義人・ほか...1031
- 若年者にみられた原発性膀胱腺癌の1例斎藤 清・高橋 俊博...1035
- S状結腸に浸潤した尿管移行上皮癌の1例斎藤 和男・ほか...1039
- 膀胱全摘除術後に亀頭および尿道舟状窩に再発した膀胱腫瘍の1例長田 恵弘・ほか...1043
- ネオスタグミンクモ膜下腔内注入による人工射精で
女子を得た男子脊損患者の1例羽間 稔・ほか...1047
- 集学的治療により完全寛解が得られた進行陰茎癌の1例郭 俊逸・ほか...1051
- 陰茎転移により発見された性腺外精上皮腫の1例堀井 康弘・ほか...1057
- 染色体異常をとまう男性不妊 第3報:46, XYq-羽間 稔・ほか...1063
- 陰囊 Paget 病の1例高橋 義人・ほか...1069
- 蓚酸カルシウム結晶形成, 成長, 凝集に対する CG-120 の阻止効果鈴木 孝治・ほか...1073
- 血液透析における抗凝固剤としての蛋白分解酵素
阻害剤 FUT-175 の有用性朴 勺・ほか...1077
- 腎不全患者の高血圧に対する Guanabenz の臨床的・
基礎的検討西尾 正一・ほか...1083
- 慢性前立腺炎における八味地黄丸と ST 合済との併用療法金子 茂男・ほか...1091
- オフロキサシンの前立腺組織への移行について(英文)浅川 正純・安本 亮二...1097
- 前立腺炎症例におけるエノキサシンの精液内濃度について安本 亮二・浅川 正純...1101
- Cefpiramide (CPM) の前立腺組織内移行に関する検討高田 耕・ほか...1105
- Oligozoospermia に対する Mecobalamin の臨床効果
一二重盲検比較試験による検討—熊本 悦明・ほか...1109

第34卷 第7号

1988年7月

- ラットにおける蓚酸の生体内動態杉本 俊門・ほか...1135
- 複雑性尿路感染症患者における血中 *Candida* 抗体の測定意義西尾 正一・ほか...1141
- 感染結石に対する Solution G 腎盂内灌流による結石溶解療法細見 昌弘・ほか...1145

黄色肉芽腫性腎盂腎炎の臨床的検討

| | | | |
|--|-------------------------|----------|------|
| —特に腎細胞癌との鑑別診断について— | 横尾 彰文・ほか | 1151 | |
| 腎盂・尿管腫瘍の臨床的観察 | 上田 陽彦・ほか | 1161 | |
| 外傷性脊髄損傷患者における膀胱変形について | 小川 隆敏・ほか | 1173 | |
| Kock 回腸膀胱75例の手術成績：手技の改良と晩期合併症について | 岡田 裕作・ほか | 1179 | |
| パペベリンテストは動脈性インポテンスを診断し得るか？(英文) | 今川 章夫・川西 泰夫 | 1185 | |
| テトラサイクリン注入による睾丸水腫の治療 | 増田富士男・ほか | 1191 | |
| 右心房内腫瘍血栓摘出術を行った成人神経芽細胞腫の1例 | 大西 周平・ほか | 1195 | |
| 嚢胞状変化を伴った副腎褐色細胞腫の1例 | 児島 康行・ほか | 1201 | |
| 副腎 Myelolipoma の1手術例 | 川嶋 秀紀・ほか | 1207 | |
| 黄色肉芽腫性腎盂腎炎 8例の検討 | 西村 昌則・ほか | 1211 | |
| 自然腎盂外溢流の1例 | 浅川 正純・ほか | 1217 | |
| 小児先天性膀胱憩室の1例 | 岩佐 厚・ほか | 1221 | |
| 尿管管癌の2例 | 松尾 康滋・ほか | 1227 | |
| 放射線療法を主体に治療した女子尿道癌の2例 | 斉藤 政彦・ほか | 1231 | |
| 女子尿道憩室結石の1例 | 江原 英俊・ほか | 1235 | |
| 女子尿道憩室腫瘍の1例 | 山際 健司・ほか | 1239 | |
| 陰茎 Mondor 病の1例 | 土井 康裕・ほか | 1245 | |
| 46,XX 真性半陰陽の1例 | 児玉 光正・ほか | 1249 | |
| 比較的大きな両側精液瘤の1例 | 水尾 敏之・ほか | 1253 | |
| 原発性睾丸カルチノイドの1例 | 篠田 育男・ほか | 1257 | |
| 睾丸類表皮嚢胞の2例 | 佐藤 滋・ほか | 1265 | |
| 原発巣(膀胱癌)の診断に先行し発見された | | | |
| 転移性精索腫瘍の1例(英文) | 石田 章・ほか | 1269 | |
| 尿路性器癌骨転移の骨性疼痛に対するエルシトニン®の検討 | 徳中 荘平・ほか | 1273 | |
| 複雑性尿路感染症に対する Ofloxacin の臨床的検討 | 赤沢 信幸・ほか | 1279 | |
| 尿路感染症に対する Enoxacin (ENX) の臨床的検討 | 永井 信夫・ほか | 1283 | |
| エノキサシン3日間連続投与後の前立腺組織内濃度について | 森田 昌良・ほか | 1293 | |
| 前立腺癌に対する Buserelin (Hoe 766) の有効性および安全性に関する臨床的検討 | 一単回、連続投与時の内分泌学的検討を中心にして | 新島 端夫・ほか | 1297 |
| 前立腺癌に対する Buserelin (Hoe 766) の有効性および安全性に関する臨床的検討 | 一鼻腔内投与用量の検討を中心にして | 新島 端夫・ほか | 1309 |

第34巻 第8号

1988年8月

MRI による腎癌における Staging および鑑別診断：

| | | |
|--|----------|------|
| 特に CT との比較について(英文) | 西村 一男・ほか | 1323 |
| 前立腺癌の MRI: <i>In Vivo</i> および <i>In Vitro</i> MRI と病理標本の比較(英文) | 西村 一男・ほか | 1333 |
| Flow cytometry による Bromodeoxyuridine (BrdU)/DNA 同時解析法の応用 | | |
| 1. その基礎的・技術的検討 | 島袋 智之 | 1339 |
| Flow cytometry による Bromodeoxyuridine (BrdU)/DNA 同時解析法の応用 | | |
| 2. 制癌剤感受性試験への応用のための基礎的研究 | 島袋 智之 | 1349 |
| 尿管結石による疼痛と血中白血球増多症(英文) | 豊田 泰・ほか | 1357 |
| 膀胱癌患者における細胞性免疫能の検討： | | |
| 加齢と膀胱癌細胞 T24 に対するリンパ球細胞障害性 | 加藤 幹雄 | 1363 |

| | | |
|---|-------------|------|
| 進行期尿路上皮癌に対する M-VAC (Methotrexate, Vinblastine, Adriamycin および Cisplatin) 療法の経験 | 西尾 恭規・ほか | 1371 |
| 根治的膀胱全摘除術を施行した膀胱癌症例における 予後因子の解析と術後補助化学療法の有効性の評価 | 高士 宗久・ほか | 1377 |
| オキシブチニンの下部尿路機能に対する作用 | 西沢 理・ほか | 1383 |
| 前立腺癌における腫瘍マーカー (前立腺性酸性ホスファターゼ, γ -セミノプロテイン, 前立腺特異抗原) の検討 | 秋元 晋・ほか | 1389 |
| 前立腺癌に対する術中照射術 | 児島 真一・ほか | 1397 |
| 神経保存的前立腺全摘術の手術成績 | 荒井 陽一・ほか | 1403 |
| 経尿道的前立腺切除術の臨床的検討 | 中嶋 久雄・ほか | 1411 |
| ペースメーカー装着尿路結石患者に対する ESWL の治療経験 | 金澤 利直・ほか | 1415 |
| 20歳女子にみられた腎細胞癌の1例 | 長野 賢一・ほか | 1421 |
| 腎結石を合併した交叉性腎変位の1例 | 岩崎 雅志・ほか | 1425 |
| 分娩を契機に発症したと考えられる腎杯憩室破裂の1例 一経皮的腎保存療法の経験一 | 夏目 修・ほか | 1431 |
| 異所性尿管瘤に伴い憩室様拡張を示した 女児 wide urethra の1例 (英文) | 神波 照夫・ほか | 1437 |
| 化学療法が著効を示した膀胱小細胞癌の1例 (英文) | 伊藤喜一郎・ほか | 1443 |
| 膀胱原発印環細胞癌の1例 | 妻谷 憲一・ほか | 1449 |
| 男子幼児にみられた前部尿道憩室の1例 | 上田 陽彦・ほか | 1455 |
| Mayer-Rokitansky 症候群の1例 | 小川 修・ほか | 1461 |
| Y染色体の構造異常 (ring Y) を伴った男性仮性半陰陽の1例 | 渡辺 秀輝・ほか | 1469 |
| 小脳転移を伴った睾丸 Pure Choriocarcinoma の1例 | 山本 直樹・ほか | 1475 |
| 精索平滑筋腫の1例 | 川島 清隆・ほか | 1479 |
| 癌化学療法後の白血球, 顆粒球減少症に対する CSF-HU (colony-stimulating factor human urine) の臨床試験成績 一各種尿路性器癌における二重盲検試験一 | 新島 端夫・ほか | 1483 |
| 前立腺癌に対する Estracyt® の Phase IV Study | 大堀 勉・ほか | 1493 |
| 尿路感染症における β -ラクタマーゼ産生菌の動向と スルペラゾンの臨床的効果の検討 | 川村 寿一・ほか | 1503 |
| 尿路感染症に対する CS-807 の臨床評価 | 中嶋 和喜・ほか | 1515 |
| ピリドンカルボン酸合成抗菌剤の前立腺組織移行について | 安本 亮二・浅川 正純 | 1519 |

第34巻 第9号

1988年9月

| | | |
|--|-------------|------|
| ヒト膀胱癌由来培養細胞株, KK-47 に対する 抗癌剤と温熱の併用殺細胞効果 | 新田 政博・ほか | 1525 |
| 尿酸結石, とくに尿酸カルシウムとの混合結石の構築 一薄切標本の偏光顕微鏡による観察一 | 竹内 秀雄・ほか | 1529 |
| 尿路結石再発に関する臨床的検討 (3) Na 摂取と尿中 Ca, 尿酸, 尿酸, P, Mg 排泄について | 村山 鉄郎・田口 裕功 | 1537 |
| 尿路結石再発に関する臨床的検討 (4)尿中結晶と尿路結石再発について | 村山 鉄郎・田口 裕功 | 1543 |
| 上部尿路結石の再発について | 三橋 慎一・ほか | 1549 |
| 腎結石開腹手術例における超音波検査および排泄性 腎盂造影法の診断力についての検討 | 井関 達男・結城 清之 | 1557 |

| | | |
|---|-------------|----------|
| 腎動脈塞栓術後の腎癌患者にみられる傍糸球体細胞, 腎髄質間質細胞の過形成 (英文) | 中田 瑛浩・ほか | 1561 |
| 尿路結石症以外の上部尿路疾患に対する内視鏡的手術の検討 | 藤沢 真・ほか | 1569 |
| エコーガイド下経皮的腎嚢胞穿刺に対するエタノール注入療法 —とくに副作用を中心として— | 古田 秀勝・ほか | 1575 |
| 腎盂尿管腫瘍33例の臨床的検討 | 山口 聡・ほか | 1579 |
| 琉球大学における膀胱腫瘍の治療法とその臨床効果について —86症例の治療経験— | 佐藤 健・ほか | 1589 |
| 膀胱全摘除術後に上部尿路腫瘍の発生をみた膀胱移行上皮癌の4例 | 西尾 恭規・ほか | 1593 |
| 尿道膀胱鏡検査後の尿路性器感染症に対する予防と対策 | 大石 幸彦・ほか | 1601 |
| 経尿道的前立腺切除術の手術成績 | 中島 洋介・ほか | 1607 |
| 増大傾向を示した内分泌非活性性副腎皮質腺腫の1例 | 佐藤 信夫・ほか | 1613 |
| 手術中に偶然発見した腎腫瘍の2例 | 倉内 洋文・ほか | 1617 |
| Von Hippel-Lindau 病に合併した両側腎腫瘍の1例 | 小松 和人・ほか | 1621 |
| 腎盂自然破裂の1例 | 水尾 敏之・谷澤 晶子 | 1627 |
| 腎周囲リンパ管遮断術後腎動脈血栓症の1例 | 滝川 浩・ほか | 1631 |
| 腎被膜より発生したと思われる平滑筋芽細胞腫 (Leiomyoblastoma) の1例 | 大石 隆夫・ほか | 1635 |
| 術後乳糜腹水を生じた後腹膜 benign cystic teratoma の1例 | 横山 修・ほか | 1639 |
| 低カルシウム血症を伴った原発性尿管腺癌の1例 | 菅尾 英木・ほか | 1645 |
| 異所性骨形成を伴った膀胱移行上皮癌の1例 | 仲地 研吾・ほか | 1651 |
| 石灰化を伴った尿管癌の1例 | 諸角 誠人・ほか | 1657 |
| 進行陰茎癌に対する集学的治療の1例 —大腿筋膜張筋弁併用例— | 稲垣 尚人・ほか | 1661 |
| 膿瘍形成を伴う化膿性睾丸炎の1例 | 沼 秀親・ほか | 1665 |
| 腎性高血圧における Metoprolol (Seloken®) の臨床的効果 | 安本 亮二・ほか | 1669 |
| 複雑性尿路感染症に対する Piperacillin の臨床的再検討 | 上野 学・ほか | 1675 |
| カンジダによる尿路感染症におけるフルリシンの臨床効果 | 安本 亮二・ほか | 1679 |
| Minocycline の前立腺組織移行に関する検討 | 川嶋 秀紀・ほか | 1683 |
| クラミジア尿道炎に対する Ofloxacin の治療効果 | 由利 和也・ほか | 1687 |
| 第34巻 第10号 | | 1988年10月 |
| 進行性尿路腫瘍に対する Interleukin 2 (IL-2) による治療 | 原 眞・ほか | 1693 |
| 進行性尿路上皮癌に対する化学療法の治療成績 | 小松原秀一・ほか | 1697 |
| 泌尿器科疾患における尿中ポリアミン測定の臨床的意義 | 松田 稔・ほか | 1703 |
| 尿路結石再発に関する臨床的検討 (5)結石組成と 尿 pH 日内変動および結石構成物質の尿中排泄の関係について | 村山 鉄郎・田口 裕功 | 1711 |
| 経皮的尿管結石摘出術の腎機能に及ぼす影響 — ^{99m} Tc-DTPA Renoscintigram による検討— | 坪井 成美・ほか | 1717 |
| Ciclosporin の腎毒性に関する研究 第2報: Ciclosporin および Sulfamethoxazole-Trimethoprim 合剤 併用投与によるラットの腎毒性について | 朴 勺・ほか | 1723 |
| ドブラ断層法による移植腎血流評価 (英文) | 秋山 隆弘・ほか | 1733 |
| 腎嚢胞に対する経皮的 povidone iodine 注入療法—臨床成績の検討— | 篠田 育男・ほか | 1741 |
| われわれの <i>Ureaplasma urealyticum</i> 検出率について (英文) | 河村 信夫・ほか | 1747 |
| 非無菌的間歇的自己導尿法の経験 | 平野 昭彦・ほか | 1751 |
| 睾丸腫瘍の臨床的観察 | 松木 尚・ほか | 1757 |

| | | |
|--|-------------|------|
| ヒト精巣機能に及ぼす高温環境の影響 | 並木 幹夫・ほか | 1767 |
| ラットおよびヒト精巣 hCG レセプターの hCG による down-regulation | 並木 幹夫・ほか | 1771 |
| 経皮的針生検後、術前化学療法を施行した副腎皮質癌の1例 | 寺島 保典・ほか | 1777 |
| 小腸転移切除とインターフェロンが奏功した進行性腎細胞癌の1例 | 宮田 昌伸・ほか | 1783 |
| 両側非同時発生腎盂腫瘍の1例 | 柴原 伸久・ほか | 1789 |
| 腎異物の1例 | 曲 人保・ほか | 1795 |
| 総腸骨動脈瘤による尿管狭窄の1例： 本邦報告例の臨床病理学的検討（英文） | 郷司 和男・ほか | 1799 |
| 骨溶解像が主体となった前立腺癌骨転移の1例 | 福岡 洋・ほか | 1805 |
| 腹部腫瘍を主訴とした前立腺癌の1例 | 中川 泰始・ほか | 1811 |
| Chlormadinone acetate が著効を示した 非特異性肉芽腫性前立腺炎の1例 | 米田 尚生・ほか | 1815 |
| 原発性男子尿道癌の2例 | 桜井 正樹・ほか | 1819 |
| VAB-6 療法により著明な転移巣縮小が認められた 両側セミノーマの1例 | 中嶋 孝夫・ほか | 1823 |
| 副睾丸アデノマトイド腫瘍の1例 | 本城 充・ほか | 1829 |
| Fournier's gangrene の1例 | 米津 昌宏・置塩 則彦 | 1833 |
| 慢性腎不全患者に対する人参湯合大黃甘草湯の使用経験 | 西尾 正一・ほか | 1837 |
| 遊走腎症、腹圧性尿失禁に対する補中益気湯の効果 | 村上 泰秀 | 1841 |
| 排泄性尿路造影におけるイオパミロン® 370 の使用経験 —アレルギー歴あるいは イオン性造影剤による副作用の既往を有する患者に対する有用性— | 近藤 兼安・ほか | 1845 |
| 前立腺癌内分泌療法 —LH-RH analogue, ICI 118630 (Zoladex®) と 去勢術あるいはエストロゲン療法との臨床比較試験— | 宇佐美道之・ほか | 1853 |
| 前立腺肥大症症例に対する Astromicin 投与後の 前立腺組織内および血清中濃度について | 森田 昌良・蓮田 精之 | 1865 |

第34巻 第11号

1988年11月

第37回 日本泌尿器科学会中部総会

ラウンド・テーブル・ディスカッション

| | | | |
|--|------------|------|------|
| I. 実験操作による抗癌剤効果判定 | 司会のことば | 吉田 修 | 1871 |
| 尿路性器癌に対する各種抗癌剤感受性試験の検討 | 打林 忠雄・ほか | 1873 | |
| 腎細胞癌に対する化学療法 —基礎的検討と臨床効果— | 神田 英憲・ほか | 1879 | |
| 実験的膀胱腫瘍モデルを用いた抗癌剤効果判定 | 平尾 佳彦・ほか | 1885 | |
| ラット膀胱癌における各種抗癌剤膀胱内注入の影響 | 岡村 武彦 | 1895 | |
| スードマウス移植ヒト睪丸腫瘍を用いた抗癌剤感受性試験と臨床成績 | 三木 恒治・ほか | 1903 | |
| 前立腺癌および睪丸腫瘍の化学療法： より有効な治療法を目指した <i>in vitro</i> および <i>in vivo</i> 実験での検討 | 岡田謙一郎・ほか | 1911 | |
| Human tumor colony forming assay による 抗癌剤感受性試験について | 金丸 洋史・ほか | 1917 | |
| 膀胱癌の動物モデル —抗癌剤効果判定試験へのアプローチ— | 福島 昭治 | 1923 | |
| II. Male fertility の諸問題 | 司会のことば | 片山 喬 | 1929 |
| 精子濃度算定における Makler 精子濃度計算盤の効用 | 友吉 唯夫・ほか | 1931 | |
| 精索静脈瘤診断上の問題点 | 友吉 唯夫・ほか | 1935 | |
| 両側精巣生検組織像の比較検討 | 友吉 唯夫・石田 章 | 1939 | |

| | |
|--|------------------|
| 精子形成障害の内分泌学的背景 —ライディヒおよび | |
| セルトリ細胞機能の <i>in vivo</i> および <i>in vitro</i> での評価— | 奥山 明彦・ほか…1943 |
| Male fertility の諸問題 —組織学的考察— | 三宅 弘治…1949 |
| 男子不妊症患者の精巣生検組織像と造精機能評価 | 山口 安三・ほか…1953 |
| 精子からみた問題点 | |
| —とくに精液検査の正常値と妊孕力の評価に関する検討— | 松本 修・ほか…1959 |
| 受精能獲得用培地におけるヒト射出精子の運動性におよぼす精漿の影響 | |
| —全精液および分割精液から得た精漿による検討— | 眞田 俊吾・ほか…1965 |
| 男子不妊症における精漿中銅濃度 | |
| —特にホルモン療法による影響について— | 渡瀬 秀樹・大田黒和生…1973 |
| 男子不妊症治療面からの問題点 | 寺田 為義…1979 |
| 精索静脈瘤を伴う乏精子症患者の治療の検討 | 篠田 正幸・ほか…1989 |
| 特発性男子不妊症の精巣の形態学的研究 | |
| —Leydig 細胞の定量化およびその超微細構造について— | 橋本 純一・ほか…1995 |
| Test Size による睾丸計測 | 田島 政晴…2013 |
| 副腎骨髄脂肪腫の1例 | 桑原 孝・ほか…2021 |
| 同時に発見された稀な重複癌(無症候性副腎皮質癌と尿管癌)の1例 | 引地 功侃・ほか…2025 |
| 成人にみられた後腹膜腔原発の良性奇形腫の1例 | |
| —超音波断層法, CT および核磁気共鳴をもちいた | |
| 断層法による画像(英文) | 平野 章治・ほか…2031 |
| 膀胱印環細胞癌の1例 | 北村 雅哉・ほか…2035 |
| 尿道平滑筋腫の2例 | 遠坂 顕・ほか…2041 |
| 兵庫医科大学泌尿器科学教室における1986年の臨床統計 | 生駒 文彦・ほか…2047 |
| 膀胱腫瘍に対する制癌剤膀胱注療法および OK-432 | |
| (全身投与)の併用療法による再発防止効果の比較検討 | 西尾 正一・ほか…2053 |
| LH-RH analogue ICI 118630 (Zoladex®) の | |
| 前立腺癌患者に対する長期投与時の臨床効果の検討 | 宇佐美道之・ほか…2059 |
| 慢性前立腺炎患者におけるエノキサシンの前立腺液移行について | 田中 国晃・ほか…2067 |
| 第34巻 第12号 | 1988年12月 |
| 体外衝撃波による腎尿管結石破砕術(Extracorporeal Shock-wave Lithotripsy: | |
| ESWL)の臨床的検討 第1報:ESWL 1,000例の治療成績 | 東 義人…2073 |
| 泌尿器科悪性腫瘍における MRI の臨床的位置づけ | |
| 第1報. 前立腺癌の local staging における各種画像診断の位置づけ: | |
| MRI, CT, 経直腸的超音波検査の比較 | 西村 一男・ほか…2083 |
| 泌尿器科悪性腫瘍における MRIの臨床的位置づけ | |
| 第2報. 膀胱癌の staging における各種画像診断の位置づけ: | |
| MRI, CT, 経尿道的超音波検査の比較 | 西村 一男・ほか…2091 |
| 泌尿器科悪性腫瘍における MRI の臨床的位置づけ | |
| 第3報. 膀胱癌, 前立腺癌に対する MRI の新しい試み. | |
| Surface coil と MRI 用造影剤 Gadolinium diethylaminetriaminepentaacetic | |
| acid (DTPA) の使用 | 西村 一男・ほか…2097 |
| 尿路上皮癌における尿中 Tissue Polypeptide Antigen (TPA) | |
| 濃度測定 of 臨床応用 | 大森 弘之・ほか…2101 |
| 表在性膀胱腫瘍に対する OK432 皮内投与の経験 | 辻橋 宏典・ほか…2111 |
| 表在性膀胱腫瘍に対する遺伝子組み換えインターロイキン2の局注効果 | 藤岡 知昭・ほか…2115 |

| | | |
|---|-------------|------|
| 切除重量 100 g 以上の経尿道的前立腺切除術の検討 | 中嶋 久雄・ほか | 2121 |
| γ -Seminoprotein の前立腺癌血清マーカーとしての有用性 | 杉村 芳樹・ほか | 2129 |
| 前立腺癌血清マーカー, γ -Sm, PAP の意義 | 渡辺 学・ほか | 2135 |
| 前立腺癌における前立腺特異抗原測定キットの比較 | 秋元 晋・ほか | 2143 |
| 副腎原発神経節芽腫の 1 例 | 高橋 義人・ほか | 2149 |
| Cushing 症候群を呈した副腎 Black Adenoma の 1 例 | 藤田 良一・ほか | 2155 |
| 多房性腎嚢胞を疑わしめた腎細胞癌の 1 例 | 前田 真一・ほか | 2161 |
| 術後肺転移像の自然退縮を認めた腎細胞癌の 1 例 | 吉野 修司・和久井 守 | 2167 |
| 結石を有する機能的片腎に発生した腎盂扁平上皮癌の 1 例 | 伊藤 博・ほか | 2171 |
| 黄色肉芽腫性腎盂腎炎の 1 例 | | |
| —その診断法としての aspiration biopsy の経験— | 小林 克寿・ほか | 2175 |
| 空置回腸膀胱吻合術後に発生した巨大膀胱結石の 1 例 | 榊原 敏彦・ほか | 2181 |
| 子宮癌術後放射線治療を施行し長期間経過後膀胱自然破裂を来した 1 例 | 石井 徳味・ほか | 2185 |
| 前立腺特異抗原 γ -Seminoprotein (γ -Sm) が異常高値を示した | | |
| 前立腺肥大症の 2 例 | 浅川 正純・ほか | 2189 |
| 透明中隔の神経膠腫に続発したゴナドトロピン単独欠損の 1 例 | 北村 雅哉・ほか | 2193 |
| 精索に発生した線維性偽腫瘍 (Fibrous pseudotumor) の 1 例 | 近藤 宣幸・ほか | 2197 |
| 出血をきたした精巣鞘膜腔内嚢胞の 1 例 | 平野 章治・ほか | 2201 |
| 泌尿器科単独標榜病院の 15 年の歩み | | |
| —原泌尿器科病院における手術統計 (1971~1986年)— | 原 信二・大前 博志 | 2205 |
| 三樹会病院における臨床統計 (第 8 報) —1987 年度外来新患統計— | 丹田 均・ほか | 2213 |
| 非イオン性低浸透圧造影剤イオハミロン [®] による静脈性尿路造影 | | |
| —高齢者における検討— | 田中 寛・ほか | 2219 |
| 複雑性尿路感染症に対する Aztreonam の使用経験 | 吉田謙一郎・ほか | 2225 |
| 複雑性尿路感染症に対する Enoxacin の使用経験 | 富樫 正樹・ほか | 2233 |
| 尿路不定愁訴に対する猪苓湯, 猪苓湯合四物湯の効果 | 堀井 明範・前川 正信 | 2227 |
| 腎下垂に対する補中益気湯の臨床的効果について | 堀井 明策・前川 正信 | 2243 |

Acta Urologica Japonica Vol. 34, 1988

Vol. 34, No. 1

January 1988

| | | |
|---|-------------------------|-----|
| Experimental Studies of Male Infertility and Zinc | N. Oka et al. | 1 |
| Architectural Ultrastructure of the Urinary Bladder Epithelium | | |
| I. The Influence of the Contracted and Distended State | T. Konishi ... | 11 |
| Architectural Ultrastructure of the Urinary Bladder Epithelium | | |
| II. The Changes of the Urine-Blood Barrier at the Contracted and | | |
| Distended State in Normal and Inflammatory Bladder | T. Konishi ... | 23 |
| Assessment of the Response of Human Bladder Cancer Cell Lines to | | |
| Radiation Using Colony Formation Assay and [³ H] Thymidine | | |
| Incorporation Assay | Lee Nam Kyu et al. ... | 32 |
| Experimental Studies on Nephrotoxicity of Cisplatin | | |
| —Amelioration of Nephrotoxicity by Continuous Infusion— | T. Izumi ... | 37 |
| Clinical Studies on Renal Function and Trace Elements | S. Hosokawa et al. ... | 46 |
| Hypomagnesemia Following Chemotherapy of Disseminated | | |
| Testicular Tumors | S. Hida et al. ... | 52 |
| A Study of Postoperative Adjuvant Chemotherapy for Advanced | | |
| Urinary Epithelial Cancer | Y. Aota et al. ... | 61 |
| Incidence of Renal Diseases in General Population | H. Ito et al. ... | 66 |
| Experience of Extracorporeal Shock Wave Lithotripsy for Upper | | |
| Urinary Tract Stones | K. Yamamoto et al. ... | 69 |
| Clinical Experience of Upper Urinary Tract Stone by Extracorporeal | | |
| Shock Wave Lithotripsy (ESWL) | A. Ben et al. ... | 73 |
| Treatment of Renal Pelvic Calculi Using Rigid Ureterorenoscope ... | M. Nakayama ... | 79 |
| Lectin-Binding Sugar Chain of Bladder Tumor | H. Sumiya et al. ... | 86 |
| Experience of Stamey Method for Stress Incontinence and | | |
| Cystocele Vaginalis | W. Sakamoto et al. ... | 90 |
| The Management of Vesicoureteral Reflux with Neurogenic Bladder | | |
| due to Spina Bifida | K. Okamura et al. ... | 95 |
| A Comparative Study of the Effects of Drug Therapy and Bladder | | |
| Training Therapy | T. Yamanishi et al. ... | 102 |
| Growth Inhibition by Diethylstilbestrol and Relapse of the Noble | | |
| Rat Prostatic Tumor | M. Wakisaka et al. ... | 107 |
| Correlation between Histological Grading and Prognosis of Prostatic Carcinoma | | |
| —A Comparative Study of Japanese General Rules of Prostatic | | |
| Cancer (JGRPC) and Gleason's Classification— | T. Uchida et al. ... | 116 |
| Trends in Patterns of Care for Prostatic Cancer in Japan: | | |
| Statistics of 9 Institutions in These 5 Years | K. Akakura et al. ... | 123 |
| Detection of Penicillinase-Producing <i>Neisseria Gonorrhoeae</i> from | | |
| Males with Urethritis Patients | M. Ohkawa et al. ... | 130 |
| A Case of Bilateral Adrenal Non-Hodgkin Lymphoma | Y. Ito et al. ... | 137 |
| Two Cases of Adrenal Myelolipoma | K. Ohmori et al. ... | 141 |

| | | |
|--|-------------------------------|---------------|
| A Case of Solitary Metastasis of Renal Cell Carcinoma to the Thyroid Gland..... | M. Kitamura et al. | 147 |
| Bilateral Renal Angiomyolipoma: Report of a Case..... | K. Matsumiya et al. | 151 |
| A Case of Renal Angiomyolipoma Treated by Partial Nephrectomy —the Management of Renal Angiomyolipoma from the Conservative Point of View— | M. Takeyama et al. | 155 |
| Intrapelvic Cyst Presenting with Urinary Retention: A Case Report | Y. Wakabayashi et al. | 159 |
| Bladder Carcinoma Associated with Hypercalcemia: Report of 3 Cases | K. Hirakawa et al. | 162 |
| A Case of Sigmoidovesical and Ileovesical Fistula with Bladder Papilloma Complicating Colonic Diverticulitis..... | T. Mishina | 168 |
| A Case of Neurogenic Bladder Complicated with Acute Rash Syndrome (Measles?)..... | K. Murayama et al. | 175 |
| A Case of Olfactive Halluciation Complaining of Adult Enuresis..... | T. Mizuo and M. Ando | 178 |
| Paraurethral Leiomyoma in Females: Report of a Case | K. Matsumiya et al. | 181 |
| Two Cases of Strangulated Urethral Prolapse..... | Y. Doi et al. | 184 |
| Transverse Ectopia of the Testis A Case Report..... | M. Kyo et al. | 188 |
| XXX Syndrome: Report of Three Cases | E. Okamoto et al. | 191 |
| Clinical Effect of Terodiline Hydro-Chloride (TD-758) in Patients with Urinary Disturbance | M. Nakano et al. | 196 |
| Clinical Reevaluation of Ofloxacin (OFLX) on Urinary Tract infections | T. Akiyama et al. | 201 |
| Vol. 34, No. 2 | | February 1988 |
| Immunohistochemistry of Human Fetal Mesonephros with Anti-Human N-myc Protein Antibody..... | M. Kawahara et al. | 207 |
| Experimental Study of Drug-Induced Acute Renal Failure: The Renal Impairment and Recovery Caused by the Administration of Low Molecular Weight Dextran and Kanamycin in Water-Deprived Rats | E. Ishikawa | 215 |
| A Modification of Estimation of Urinary Oxalate Using Sigma Kit..... | S. Ebisuno and T. Ohkawa | 225 |
| Extracorporeal Shock-Wave Lithotripsy for Radiolucent Calculi in the Upper Urinary Tract | S. Tanabe et al. | 231 |
| Clinical Results of Extracorporeal Shock-Wave Lithotripsy (ESWL) and Percutaneous Nephroureterolithotripsy (PNL) in Combination | H. Nakajima et al. | 237 |
| Clinical Results of Percutaneous Nephroureterolithotripsy | H. Nakajima et al. | 240 |
| A Clinical Experience of Upper Urinary Tract Disease Using Endourological Technique..... | S. Yamaguchi et al. | 243 |
| Clinical Evaluation of Pyeloplasty for Ureteropelvic Junction Obstruction..... | K. Tajima et al. | 249 |
| Thomsen-Friedenreich Antigen in Bladder Cancer Tissues Detected by Monoclonal Antibody..... | M. Yokoyama et al. | 255 |

| | | |
|--|--------------------------------|-----|
| The Study on Thomsen-Friedenreich Antigen in Bladder Tumor..... | H. Fukatsu et al. | 260 |
| Evaluation of the Free Nipple Method in Cutaneous Ureterostomy | H. Washida et al. | 268 |
| Clinical Experience of Kock Continent Ileal Urinary Reservoir | Y. Arai et al. | 272 |
| Transurethral Electroresection of External Urethral Sphincter in the Urological Management of Male Tetraplegics | H. Momose et al. | 280 |
| Diagnosis of Adenocarcinoma in Transurethral Resection of the Prostate: How Much Sampling is Adequate | S. Murakami et al. | 287 |
| Clinical Studies of Male Urethritis Caused by <i>Chlamydia Trachomatis</i> | T. Matsuda et al. | 292 |
| Statistical Study for Penile Cancer..... | Y. Matsuo et al. | 297 |
| Intracavernous Injection of Vasoactive Drugs for Treating Erectile Impotence | R. Yasumoto et al. | 301 |
| High Resolution Ultrasound Examination in Diagnosis of the Undescended Testes in Inguinal Region | S. Komine et al. | 305 |
| Clinical Studies of Varicocele | | |
| Report 1: Clinical Statistical Analysis of Varicocele | R. Yasumoto et al. | 309 |
| Clinical Studies of Varicocele | | |
| Report 2: Radiographic Examination and Measurement of Spermatic vein Pressure on Varicocele Patients | R. Yasumoto et al. | 312 |
| Clinical Studies of Varicocele | | |
| Report 3: A Rare Venous Return via Santorini's Plexus in a Varicocele Patient. Report of a Case..... | R. Yasumoto et al. | 316 |
| A Case of Renal Artery Embolism Treated with Urokinase ... | T. Taniguchi et al. | 318 |
| Left Side Renal Cell Carcinoma Removed with the Spleen, Pancreas Body, Pancreas Tail, and about One Third of the Left Diaphragm: A Case Report | M. Kubota et al. | 322 |
| A Case of Renal Pseudotumor | Y. Yamanaka et al. | 326 |
| A Case of Hamartoma of the Retroperitoneal Space | M. Gobara et al. | 330 |
| Retroperitoneal Ganglioneuroma: Report of 3 Cases | A. Iwasa et al. | 334 |
| Venous Hemangioma of the Urethra: | | |
| A Case Report..... | H. Tamai and N. Nishiyama ... | 340 |
| Thirteen Cases of the Female Urethral Diverticula..... | T. Mishina and K. Watanabe ... | 343 |
| Treatment of Nonseminomatous Testicular Tumor with Liver Metastases | F. Masuda et al. | 351 |
| Three Case Reports of Monorchism | M. Sakamoto et al. | 356 |
| Clinical Statistics of the Patients Admitted to the Department of Urology, Kyoto City Hospital, July, 1981 to December, 1986..... | Y. Komatz et al. | 359 |
| Clinical Statistics of the Patients Admitted to the Department of Urology, Kobe General Hospital, 1982-1986 | M. Matsuo et al. | 366 |
| Endocrine Therapy for Prostatic Carcinoma with Slow Release (Depot) Formulation of the LH-RH Analogue ICI 118630 (Zoladex®) | M. Usami et al. | 369 |
| A Clinical Study of Genital Herpes and the Clinical Efficacy of the Acyclovir Tablet | Y. Kumamoto et al. | 383 |

| | | |
|---|--------------------------|------------|
| Treatment of Complicated Urinary Tract Infections by Ofloxacin..... | K. Yoshida et al. | 394 |
| Effect of Thrombin on Hematuria after Operation for Benign Prostatic Hyperplasia | Y. Higaki et al. | 403 |
| Vol. 34, No. 3 | | March 1988 |
| Evaluation of Immunosuppressive Acid Protein in Genitourinary Malignant Diseases | S. Okada et al. | 411 |
| The Determination of Oxalate in Urine by Enzymatic Method Using Oxalate Oxidase: Comparison Between Enzymatic and Gas-Chromatographic Methods | I. Yamamoto et al. | 419 |
| Adrenal Incidentaloma: Report of Eight Cases | S. Morimoto et al. | 423 |
| A Clinical Study on Tumor of the Renal Pelvis and the Ureter | K. Kawashima et al. | 429 |
| Percutaneous Nephroureterolithotomy in Two City Hospitals: Review of 102 Cases | M. Abe et al. | 436 |
| Pathological Study on Reflux Nephropathy | T. Ishii et al. | 440 |
| Clinical Studies Against Chronic Prostatitis and Prostatitis-Like Syndrome (1) Clinico-Statistical Observation | T. Ikeuchi | 446 |
| Clinical Studies Against Chronic Prostatitis and Prostatitis-Like Syndrome (2) Evaluation of Therapeutic Effect | T. Ikeuchi | 453 |
| <i>Chlamydia Trachomatis</i> Infection Among Sexual Partners of the Patients with Non-Gonococcal Urethritis..... | T. Osada et al. | 461 |
| Risk Factors for Undescended Testis | M. Mori et al. | 466 |
| Two Cases of Acute Renal Failure Associated with Non-Typhoid <i>Salmonella</i> Infection | Y. Suzuki et al. | 473 |
| Angiomyolipoma of the Kidney with Regional Lymph Node Involvement | A. Kuroda et al. | 478 |
| The Primary Mucinous Adenocarcinoma of Renal Pelvis: A Case Report..... | H. Takada et al. | 482 |
| Pelvic-Ureteral Tumor after Uretero-Cutaneostomy 5 Years Earlier | M. Asakawa et al. | 487 |
| A Case of Ureteral Stenosis Caused by Ureteral Endometriosis | G. Kawabata et al. | 490 |
| Ureteral Obstruction Secondary to Iliac Artery Aneurysm | K. Pak et al. | 496 |
| A Case of Paraureteral Neurilemoma Causing Ureteral Obstruction: Report of a Case | S. Yamamoto | 502 |
| Ectopic Ureteral Opening with Common Urogenital Sinus Review of the Literature of 648 Cases in Japan | T. Terada et al. | 508 |
| A Case of Incarceration of the Penis | M. Kamizuru et al. | 514 |
| A Case of Kallmann's Syndrome | T. Koide et al. | 517 |
| A Case of Testicular Feminization | T. Araki et al. | 521 |
| Metastatic Tumor of the Spermatic Cord from Renal Cell Carcinoma | C. Irisawa et al. | 524 |
| Effects of Etidronate Disodium (EHDP) on Urogenital Malignancies with Bone Metastasis: A Multicentered Collaborative Evaluation..... | J. Kawamura et al. | 528 |

| | | |
|--|--------------------------------|------------|
| Clinical Effect of UFT in Advanced Renal Cell Carcinoma | M. Hoshino et al. ... | 538 |
| Clinical Effects of Oxybutynin Hydrochloride for Treatment of Unstable Bladder and Overactive Neurogenic Bladder: A Long-Term Clinical Trial | M. Goto et al. ... | 541 |
| Clinical Studies on Suncefal® (Cefpiramide) Concentration in Prostatic Tissue and Bladder Wall | N. Okishio et al. ... | 551 |
| Treatment of Prostatic Cancer with Slow-Release Formulation of Luteinizing Hormone Releasing Hormone (LH-RH) Analog | H. Fuse et al. ... | 555 |
| A Long-Term Therapeutic Experience with Cernilton® in Chronic Prostatitis | A. Jodai et al. ... | 561 |
| Studies of Clinical Efficacy of Ofloxacin Against Male Urethritis Caused by <i>Chlamydia Trachomatis</i> | T. Matsuda et al. ... | 569 |
| Instillation Chemotherapy with Peplomycin for Superficial Bladder Cancer: Clinical Study on the Effects of the Direct Antitumor Activity and of the Prophylaxis of Recurrence..... | T. Sonoda et al. ... | 574 |
| Vol. 34, No. 4 | | April 1988 |
| Tissue Culture Studies on Compensatory Testicular Hypertrophy of the Young Rabbit After Hemicastration | T. Sanefuji ... | 585 |
| A Clinical Review of 30 Pheochromocytoma Patients | K. Koshida et al. ... | 592 |
| Five Cases of Primary Aldosteronism: A Comparative Study on Diagnosis for Localization of Adrenal Tumor..... | M. Matsushita et al. ... | 598 |
| Extracorporeal Shock Wave Lithotripsy with EDAP LT-01 Lithotripter | T. Araki et al. ... | 605 |
| Retrograde Nephrostomy for Percutaneous Nephrolithotomy | S. Okada et al. ... | 613 |
| Renal Cell Carcinoma in the Solitary Kidney | S. Kagawa et al. ... | 619 |
| Surgical Treatment for Metastatic Lesions from Renal Cell Carcinoma | Y. Arai et al. ... | 623 |
| Combination Effects of CDDP and Hyperthermia in Mouse Bladder Tumor (MBT-2)..... | K. Shimizu ... | 627 |
| Transurethral Resection of Bladder Neck in Female Patients with Neurogenic Bladder | K. Murayama and T. Katsumi ... | 633 |
| Prostate Specific Antigen in Serum of the Patients with Prostatic Cancer | S. Akimoto et al. ... | 636 |
| Effect of HCG Administration in the Gossypol-Treated Male Rats | Y. Baba ... | 643 |
| Obturator Foramen Approach in Vasovasostomy: Studies on a Cadaver | T. Matsuda et al. ... | 648 |
| A Case of Renal Malignant Lymphoma | Y. Ishikawa et al. ... | 652 |
| A Case of 2,8-Dihydroxyadenine Stones with a Partial Deficiency of Adenine Phosphoribosyltransferase | S. Uejima et al. ... | 656 |
| A Case Report of Milk of Calcium in a Renal Calyceal Diverticulum..... | S. Matsuzaki ... | 661 |
| A Case of Superselective Transcatheter Embolization for Injured Renal Segmental Artery Associated with Percutaneous Nephroureterolithotomy (PNL)..... | I. Shinoda et al. ... | 665 |

| | |
|--|-------------------------------------|
| A Case of Stone-Containing Pyelocaliceal Diverticulum Managed by Percutaneous Technique | T. Taniguchi et al. ... 669 |
| Hydronephrosis Presenting as the First Sign of Malignant Lymphoma of the Small Intestine: Report of A Case | A. Ishida et al. ... 673 |
| Leiomyoma of the Urinary Bladder Associated with Right Vesicoureteral Reflux | Y. Takahashi et al. ... 679 |
| A Case of Pheochromocytoma of the Urinary Bladder | T. Hihara et al. ... 683 |
| Giant Vesical Diverticulum: A Case Report | O. Maeda et al. ... 688 |
| A Case of Vesicosigmoidal Fistula | T. Sugiyama and T. Kadowaki ... 692 |
| A Case of Urinary Retention Due to a Female Paraurethral Leiomyoma | N. Nagai et al. ... 696 |
| A Case of Adenomatous Polyps with Prostatic Type Epithelium | Y. Kitano et al. ... 701 |
| Lipogranuloma with Marked Eosinophile Infiltration in Male Genitalia | M. Hosomi et al. ... 705 |
| Malignant Melanoma of the Penis Associated with Von Recklinghausen's Neurofibromatosis — Report of a Case | T. Miyauchi et al. ... 710 |
| Genital Paget's Disease with General Metastasis: A Case Report | H. Okuno et al. ... 714 |
| A Case of Metastasis of Gastric Cancer to Spermatic Cord | I. Kondo et al. ... 718 |
| A Case of Intrascrotal Leiomyoma Originating from Tunica Vaginalis | N. Nakamura et al. ... 721 |
| Clinical Evaluation of Long-Term Administration of Terodiline Hydrochloride for the Treatment of Patients with Pollakisuria and Incontinence | Y. Tsujimoto et al. ... 724 |
| Clinical Effects of Terodiline Hydrochloride for Urinary Frequency and Sense of Residual Urine | E. Fujiwara et al. ... 733 |
| Clinical Effects of Terodiline Hydrochloride on Urinary Frequency and Sense of Residual Urine —A Double Blind Clinical Trial Using Flavoxate Hydrochloride as a Control— | A. Ogawa et al. ... 739 |
| Clinical Evaluation of Long-Term Administration with Terodiline Hydrochloride for the Treatment of Patients with Neurogenic Bladder | T. Ishido and K. Miyazaki ... 754 |
| Transfer of Cefoperazone into Exudate from Postoperative Wound | R. Yasumoto et al. ... 759 |
| Vol. 34, No. 5 | |
| May 1988 | |
| Clinical Study of Extracorporeal Shock Wave Lithotripsy | N. Ohnishi et al. ... 765 |
| Clinical Experiences of Renal and Ureteral Stones by Extracorporeal Shock-Wave Lithotripsy (ESWL) IV: 3-Year Clinical Experiences of Cases Treated with ESWL | H. Tanda et al. ... 770 |
| Electrohydraulic Lithotripsy of upper Urinary Tract Calculi | T. Kinukawa et al. ... 777 |
| A Clinical Evaluation of the Protective Effect of Fosfomycin (FOM) Against the Cis-diamminedichloroplatinum (CDDP)-Induced Nephrotoxicity | M. Saito et al. ... 782 |

| | | |
|--|-----------------------------------|-----------|
| Studies on Serum and Urinary α_1 -Microglobulin Levels as Parameter of the Renal Function —Renal Function Observed after CDDP Administration— | T. Ujiie et al. ... | 790 |
| Clinical Evaluation of Vesicoureteroneostomy I. Efficacy of Surgery in 65 Cases (100 Ureters) of Primary Vesicoureteral Reflux | S. Saito et al. ... | 797 |
| Clinical Evaluation of Vesicoureteroneostomy II. Efficacy of Surgery by Boari's Method in Eight Cases and the Psoas-Hitch Method in Eight | S. Saito et al. ... | 805 |
| Single Day Treatment for Acute Cystitis | K. Yamaguchi and K. Kawaguchi ... | 811 |
| Clinical Investigation of Prostate Carcinoma in the Third Teaching Hospital of Norman Bethune University of Medical Sciences | Xiao Lian Sheng et al. ... | 814 |
| The Surgical Treatment of Hypospadias and Related Problems..... | G. Takahashi ... | 819 |
| Comparison Between Nocturnal Penile Tumescence (NPT) and Artificial Full Erection | M. Aoki et al. ... | 825 |
| A Case-Control Study of Testicular Cancer..... | M. Mori et al. ... | 832 |
| Treatment in Male Infertile Clinic of Kaizuka Municipal Hospital... | N. Nagai et al. ... | 839 |
| Clomiphene Citrate Therapy for Idiopathic Male Infertility | N. Hayashi et al. ... | 847 |
| Postoperative Hydrocele Testis as a Complication of High Ligation of Internal Spermatic Vein | Y. Kageyama et al. ... | 851 |
| Adrenal Myelolipoma: Two Case Reports | S. Sumi et al. ... | 855 |
| A Case of Polycystic Kidney with Bilateral Nephrectomy..... | T. Iida et al. ... | 862 |
| A Case of Double Cancer: Renal Pelvic Transitional Cell Carcinoma and Lung Squamous Cell Carcinoma | M. Kubota et al. ... | 866 |
| Ureteritis Cystica: A Case Report | T. Nakatani et al. ... | 870 |
| Cystitis in 8 Patients Treated with Tranilast..... | T. Kuwabara et al. ... | 874 |
| A Case of Secondary Malignant Lymphoma of the Urinary Bladder | O. Miyake et al. ... | 879 |
| A Case Report of Extragonadal Germ Cell Tumor with Special Reference to VAB-6 Therapy..... | M. Iwasaki et al. ... | 883 |
| Obstructive Azoospermia Treated by Epididymovasostomy Following Vasovasostomy: A Case Report | T. Matsuda et al. ... | 889 |
| Metastatic Tumor of the Spermatic Cord from Gastric Cancer ... | S. Kagawa et al. ... | 892 |
| Epidermoid Cyst of the Scrotum: Report of a Case..... | T. Hihara et al. ... | 895 |
| Operations During a Five-Year Period (1982-1986) at Our Department..... | Y. Tada et al. ... | 898 |
| Citrate (CG-120) Therapy for Urolithiasis 1. Clinical Effects | T. Ohkawa et al. ... | 905 |
| Citrate (CG-120) Therapy for Urolithiasis 2. Effect on Urinary and Serum Biochemistries | T. Ohkawa et al. ... | 918 |
| Study of the Prostatic Tissue Cefbuperazone (CBPZ) Level..... | H. Fujii et al. ... | 932 |
| Clinical and Fundamental Studies on Ceftriaxone (CTRX) Against Urinary Tract Infections | S. Nishio and H. Yoshihara ... | 937 |
| Vol. 34, No. 6 | | June 1988 |
| A Method of Measurement of Human Testicular Follicle-Stimulating Hormone Receptors | M. Namiki et al. ... | 945 |

| | | |
|---|---------------------------------|------|
| Testicular Follicle-Stimulating Hormone Receptors in Idiopathic Male Infertility | M. Namiki et al. | 951 |
| Testicular Follicle-Stimulating Hormone Receptors and Effectiveness of Human Menopausal Gonadotropin-Human Chorionic Gonadotropin Treatment in Idiopathic Male Infertility | M. Namiki et al. | 957 |
| Extracorporeal Shock-Wave Lithotripsy for Children | A. Wakabayashi et al. | 963 |
| Intravesical Ectopic Recurrence of Bladder Tumors | S. Iwamuro et al. | 967 |
| Clinical Evaluation of Total Cystectomy for Bladder Carcinoma: Ten-Year Experience | M. Yuasa et al. | 975 |
| Intravesical Bacillus Calmette-Guerin in the Treatment of Recurrent Superficial Bladder Tumors | M. Nakano et al. | 983 |
| Clinical Study of Tumor Marker in Prostatic Carcinoma—An Investigation in the Simultaneous Measurement of Prostatic Acid Phosphatase (PAP), Prostatic Antigen (PA) Gamma-Seminoprotein (γ -Sm)— | T. Tsukamoto et al. | 987 |
| Five Years' Trend of the New Patients with Prostatic Carcinoma | N. Moriyama et al. | 997 |
| Transurethral Resection of the Prostatic Gland (TUR-P) Incidental Carcinoma | M. Asakawa et al. | 1003 |
| Measurement of Nerve Conduction Velocity of the Dorsal Nerve of Penis | H. Kiwamoto et al. | 1007 |
| A Case of Parathyroid Carcinoma | M. Nakano et al. | 1011 |
| Metastatic Renal Tumor Originated from Esophageal Carcinoma: A Case Report | E. Okamoto et al. | 1017 |
| A Case of Small Simple Renal Cyst Associated with Renal Cell Carcinoma | M. Utsunomiya et al. | 1023 |
| A Case of Retroperitoneal Fibrosis Demonstrating a Remarkable Response to Steroids | O. Miyake et al. | 1027 |
| Ureteritis Glandularis: A Case Report | Y. Takahashi et al. | 1031 |
| Primary Bladder Adenocarcinoma in a Young Girl | K. Saito and T. Takahashi | 1035 |
| Urachal Transitional Cell Carcinoma Invading the Sigmoid Colon | K. Saito et al. | 1039 |
| The Recurrence of Bladder Cancer in the Glans and Fossa Navicularis of Urethra Following Cystectomy | Y. Nagata et al. | 1043 |
| A Case of a Complete Paraplegic Fathering a Girl Following Artificial Insemination after an Intrathecal Neostigmine Injection | M. Hazama et al. | 1047 |
| Complete Remission of Stage III Penile Cancer by Multidisciplinary Treatment: Report of a Case | J. Y. Kuo et al. | 1051 |
| Metastatic Penile Tumor of the Extragonadal Seminoma—A Case Report— | Y. Horii et al. | 1057 |
| Male Infertility with Chromosomal Abnormalities III. 46, XYq | M. Hazama et al. | 1063 |
| Paget's Disease of the Scrotum | Y. Takahashi et al. | 1069 |
| Inhibitory Effect of CG-120 on the Formation, Growth and Aggregation of Calcium Oxalate Crystals <i>In Vitro</i> | K. Suzuki et al. | 1073 |
| Effectiveness of FUT-175, Protease Inhibitor, as an Anticoagulant to Hemodialysis | K. Pak et al. | 1077 |

| | |
|--|--------------------------------------|
| Clinical and Fundamental Study of Guanabenz in Hypertensive Patients with Renal Failure | S. Nishio et al.1083 |
| Combined Treatment of Chronic Prostatitis with Sulfamethoxazole- Trimethoprim and Hachimi-ji-oh-gan | S. Kaneko et al.1091 |
| Ofloxacin Concentration in Human Benign Prostatic Tissue after Oral Administration | M. Asakawa and R. Yasumoto1097 |
| Enoxacin in the Seminal Fluid of Prostatitis Patients | R. Yasumoto and M. Asakawa1101 |
| Prostatic Tissue Levels of Cefpiramide (GPM) | K. Takata et al.1105 |
| Clinical Efficacy of Mecobalamin in Treatment of Oligozoospermia —Results of Double-Blind Comparative Clinical Study— | Y. Kumamoto et al.1109 |
| Vol. 34, No. 7 | July 1988 |
| Pharmacokinetic Study on Oxalate in Rats | T. Sugimoto et al.1135 |
| Evaluation of <i>Candida</i> HA Titer in Patients with Urinary Tract Infections | S. Nishio et al.1141 |
| Dissolution Therapy of Struvite Calculi with Solution G | M. Hosomi et al.1145 |
| A Clinical Study of Xanthogranulomatous Pyelonephritis with Special Emphasis on the Differential Preoperative Diagnosis Between Xanthogranulomatous Pyelonephritis and Renal Cell Carcinoma | A. Yokoo et al.1151 |
| A Clinical Study on Renal Pelvic and Ureteral Tumors | H. Ueda et al.1161 |
| Bladder Deformity in Traumatic Spinal Cord Injury Patients | T. Ogawa et al.1173 |
| Urinary Diversion with Kock Pouch: Clinical Results in 75 Cases Focusing on Late Complications | Y. Okada et al.1179 |
| Can an Intracavernous Papaverine Injection be Used to Diagnose Arteriogenic Impotence? | A. Imagawa and Y. Kawanishi1185 |
| Treatment of Hydrocele Testis by Injection of Tetracycline Solution | F. Masuda et al.1191 |
| Adult Neuroblastoma of the Adrenal with Intraatrial Tumor Thrombus: Report of a Case | S. Onishi et al.1195 |
| A Case of Cystic Pheochromocytoma | Y. Kojima et al.1201 |
| Myelolipoma of the Adrenal Gland: Report of a Case | H. Kawashima et al.1207 |
| Xanthogranulomatous Pyelonephritis: Clinical Experience of 8 Cases | M. Nishimura et al.1211 |
| Spontaneous Peripelvic Extravasation: A Case Report | M. Asakawa et al.1217 |
| Congenital Vesical Diverticulum in a Child | A. Iwasa et al.1221 |
| Two Cases of Urachal Carcinoma | Y. Matsuo et al.1227 |
| Female Urethral Carcinoma: Results of Irradiation in 2 Patients | M. Saitoh et al.1231 |
| A Case of Female Urethral Diverticulum Calculi | H. Ehara et al.1235 |
| Adenocarcinoma Arising in Diverticulum of Female Urethra —A Case Report and Review of the Literature— | K. Yamagiwa et al.1239 |
| A Case of Mondor's Disease of the Penis | Y. Doi et al.1245 |
| True Hermaphroditism with 46, XX Karyo-type: Report of a Case | M. Kodama et al.1249 |

| | | |
|---|--------------------------|-------------|
| A Case of Bilateral Spermatocele | T. Mizuo et al. | 1253 |
| Primary Carcinoid Tumor of the Testis: A Case Report | I. Shinoda et al. | 1257 |
| Epidermoid Cyst of the Testis: A Report of 2 Cases | S. Satoh et al. | 1265 |
| Metastasis to the Spermatic Cord as the First Sign of Bladder Carcinoma | A. Ishida et al. | 1269 |
| Experience of Elcitonin® Treatment for Metastatic Bony Pain of Urological Tumors | S. Tokunaka et al. | 1273 |
| Clinical Study of Ofloxacin in Complicated Urinary Tract Infection | N. Akazawa et al. | 1279 |
| Clinical Studies on Enoxacin in Urinary Tract Infection..... | N. Nagai et al. | 1283 |
| Enoxacin Concentration in Human Prostatic Tissue after 3-Days Administration | M. Morita et al. | 1293 |
| Clinical Experience with Single and Multiple Subcutaneous Administration of LHRH Analog Buserelin (Hoe 766) in Prostatic Carcinoma: Endocrinological Study of Optimum Subcutaneous Doses | T. Niijima et al. | 1297 |
| Treatment of Prostatic Cancer with Intranasal Administration of LHRH Analog, Buserelin (Hoe 766) Study of the Optimum Dosage of Intranasal Application | T. Niijima et al. | 1309 |
| Vol. 34, No. 8 | | August 1988 |
| Staging and Differential Diagnosis of Renal Cell Carcinoma: | | |
| A Comparison of Magnetic Resonance Imaging (MRI) and Computed Tomography (CT)..... | K. Nishimura et al. | 1323 |
| MRI of the Prostatic Cancer: <i>In Vivo</i> and <i>In Vitro</i> MRI Results Compared to Pathological Findings | K. Nishimura et al. | 1333 |
| Application of Simultaneous Flow Cytometric Bromodeoxyuridine (BrdU)/DNA Analysis 1. Basic and Technical Studies | T. Shimabukuro.... | 1339 |
| Application of Simultaneous Flow Cytometric Bromodeoxyuridine (BrdU)/DNA Analysis 2. Basic Study to Apply as a Chemosensitivity Test..... | T. Shimabukuro.... | 1349 |
| Leucocytosis and Severe Pain due to Ureteral Calculi | Y. Toyoda et al. | 1357 |
| Cellular Immune Response of Bladder Tumor Patients: | | |
| Effects of Aging on Cytotoxic Activity Against T24..... | M. Kato.... | 1363 |
| Experience of Combination Chemotherapy Consisting of Methotrexate, Vinblastine, Adriamycin and Cisplatin (M-VAC) for Advanced Urothelial Cancer | Y. Nishio et al. | 1371 |
| Multivariate Evaluation of Survival Factors and Postoperative Adjuvant Chemotherapy for Bladder Cancer Patients Treated by Radical Cystectomy..... | M. Takashi et al. | 1377 |
| Effect of Oxybutynin on Lower Urinary Tract Function | O. Nishizawa et al. | 1383 |
| Prostatic Acid Phosphatase (PAP), γ -Seminoprotein (γ -Sm) and Prostate Specific Antigen (PA) in Prostatic Cancer | S. Akimoto et al. | 1389 |
| Intraoperative Radiotherapy (IORT) for Prostatic Cancer | S. Kojima et al. | 1397 |
| Clinical Experience of Nerve-Sparing Radical Prostatectomy..... | Y. Arai et al. | 1403 |

| | | |
|---|----------------------------------|------|
| Clinical Studies on Transurethral Resection in Patients with Benign Prostatic Hypertrophy | H. Nakajima et al. | 1411 |
| A Case of Stone Former with Pacemaker Treated by Extracorporeal Shock Wave Lithotripsy | T. Kanazawa et al. | 1415 |
| Adenocarcinoma of the Kidney in a 20-Year-Old Female | K. Nagano et al. | 1421 |
| A Case Report of Crossed Renal Ectopia with Renal Stone | M. Iwasaki et al. | 1425 |
| Percutaneous Management for Perinatal Spontaneous Rupture of a Calyceal Diverticulum | O. Natsume et al. | 1431 |
| Female Wide Urethra Masquerading as a Urethral Diverticulum in Association with Ectopic Ureterocele | T. Konami et al. | 1437 |
| Small Cell Carcinoma of the Urinary Bladder: A Case of Remarkable Remission with Combined Chemotherapy | K. Itoh et al. | 1443 |
| Primary Signet-Ring Cell Carcinoma of the Urinary Bladder: Report of a Case | K. Tsumatani et al. | 1449 |
| Congenital Anterior Urethral Diverticulum: Report of a Case | H. Ueda et al. | 1455 |
| A Case of Mayer-Rokitansky Syndrome | O. Ogawa et al. | 1461 |
| A Case of Male Pseudohermaphroditism with Structural Abnormalities of Y Chromosome (Ring Y) | H. Watanabe et al. | 1469 |
| A Case of Pure Choriocarcinoma of the Testis with Cerebellar Metastasis | N. Yamamoto et al. | 1475 |
| A Case of Leiomyoma of the Spermatic Cord | K. Kawashima et al. | 1479 |
| Results of a Clinical Study on the Effect of CSF-HU (Colony-Stimulating Factor Human Urine) on Leukopenia and Granulocytopenia Induced by Cancer Chemotherapy —A Double-Blind Study in Patients with Genito-Urinary Cancer— | T. Niijima et al. | 1483 |
| The Phase IV Studies with Estracyt® in Prostatic Cancer | T. Ohhori et al. | 1493 |
| Microorganisms Isolated from Urinary Tract Infection and Their β -Lactamase Production and Evaluation of Clinical Efficacy of Sulperazone | J. Kawamura et al. | 1503 |
| A Clinical Evaluation of CS-807 in Patients with Urinary Tract Infections | K. Nakajima et al. | 1515 |
| Comparison of Enoxacin, Ofloxacin, and Norfloxacin Concentration in Human Benign Prostatic Tissue | R. Yasumoto and M. Asakawa | 1519 |

Vol. 34, No. 9

September 1988

| | | |
|--|----------------------------------|------|
| Combined Cell Killing Effects of Anticancer Drugs and Hyperthermia <i>In Vitro</i> | M. Nitta et al. | 1525 |
| An Architectural Study of Mixed Uric Acid and Calcium Oxalate Stones by Polarized Light Microscopy of Thin Section | H. Takeuchi et al. | 1529 |
| Clinical Studies on the Recurrence of Urolithiasis (3) Influence of Sodium Intake on Urinary Excretion of Calcium, Uric Acid, Oxalate, Phosphate and Magnesium | T. Murayama and H. Taguchi | 1537 |
| Clinical Studies on the Recurrence of Urolithiasis (4) Crystal Formation in Urine and Stone Recurrence | T. Murayama and H. Taguchi | 1543 |
| Recurrence of Upper Urinary Tract Calculi | S. Mitsuhashi et al. | 1549 |

| | | |
|---|--------------------------|------|
| Postoperative Consideration of Diagnostic Value of Ultrasonography and Excretory Urography on Seven Patients with Renal Calculi | T. Iseki et al. | 1557 |
| Hyperplasia of Juxtaglomerular Cells and Renomedullary Interstitial Cells after Renal Arterial Embolization in Patients with Renal Cell Carcinoma | T. Nakada et al. | 1561 |
| Management of Endourological Techniques with Upper Urinary Tract Diseases except Urolithiasis | M. Fujisawa et al. | 1569 |
| Renal Cyst Puncture Under Ultrasound Guidance: Complications of Ethanol Injection | H. Furuta et al. | 1575 |
| A Clinical Study on 33 Cases of Renal Pelvic and Ureteral Tumors | S. Yamaguchi et al. | 1579 |
| Clinical Studies on the Treatment of Bladder Tumor and its Effects —Experience in 86 Cases | K. Sato et al. | 1589 |
| Four Cases of Upper Urinary Tract Transitional Cell Carcinoma after Radical Cystectomy for Bladder Cancer | Y. Nishio et al. | 1593 |
| Treatment and Prophylaxis for Urogenital Infections Occurring after Urethrocytoscopy | Y. Ohishi et al. | 1601 |
| The Results of Transurethral Resection of the Prostate | Y. Nakajima et al. | 1607 |
| A Case of Non-Functional Adrenocortical Adenoma Showing Enlargement in Size During Follow-up Period | N. Sato et al. | 1613 |
| Unexpected Renal Cell Carcinomas Found During the Operation for Renal Calculus: Report of Two Cases | H. Kurauchi et al. | 1617 |
| A Case of von Hippel-Lindau Disease Associated with Bilateral Renal Cell Carcinoma | K. Komatsu et al. | 1621 |
| Spontaneous Rupture of the Renal Pelvis: A Case Report | T. Mizuo et al. | 1627 |
| Renal Artery Thrombosis Following Surgical Treatment of Chyluria | H. Takigawa et al. | 1631 |
| A Case of Leiomyoblastoma Probably Derived from the Renal Capsule | M. Ohishi et al. | 1635 |
| Benign Retroperitoneal Cystic Teratoma with Postoperative Chylous Ascites: A Case Report | O. Yokoyama et al. | 1639 |
| Primary Adenocarcinoma of the Ureter Associated with Hypocalcemia: Report of a Case | H. Sugao et al. | 1645 |
| A Case of Transitional Cell Carcinoma of the Bladder with Heterotopic Bone Formation | K. Nakachi et al. | 1651 |
| Urachal Carcinoma Accompanied with Calcification: Report of a Case | M. Morozumi et al. | 1657 |
| A Case of Advanced Penile Cancer Treated with Multimodal Therapy —Combination with Tensor Fascia Late Myocutaneous Flap— | N. Inagaki et al. | 1661 |
| A Case of Pyogenic Orchitis with Abscess Formation | H. Numa et al. | 1665 |
| Effect of Metoprolol in Patients with Renal Hypertension | R. Yasumoto et al. | 1669 |
| Reevaluation of Clinical Efficacy of Piperacillin against Complicated Urinary Tract Infections | M. Ueno et al. | 1675 |
| Clinical Efficacy of Flucytosine on Urinary Candidiasis | R. Yasumoto et al. | 1679 |

| | | |
|--|--------------------------|------|
| Minocycline Diffusion into Prostatic Tissue | H. Kawashima et al. | 1683 |
| Ofloxacin for the Treatment of Chlamydial Urethritis | K. Yuri et al. | 1687 |

Vol. 34, No. 10

October 1988

| | | |
|--|----------------------------------|------|
| Treatment of Advanced Cancer of Urinary Tract with Interleukin-2 (IL-2) | M. Hara et al. | 1693 |
| Results of Combination Chemotherapy for Advanced Urothelial Cancer | S. Komatsubara et al. | 1697 |
| The Clinical Value of Urinary Polyamine Analysis in Urological Disease | M. Matsuda et al. | 1703 |
| Clinical Studies on the Recurrence of Urolithiasis (5) Diurnal Variation in Urinary pH and Stone Compositions | T. Murayama and H. Taguchi | 1711 |
| The Influence of Percutaneous Nephrolithotomy on Renal Function Evaluated by ^{99m} Tc-DTPA Renoscintigram | N. Tsuboi et al. | 1717 |
| Studies on Nephrotoxicity of Ciclosporin II. Nephrotoxicity in Rats Receiving Ciclosporin and Sulfamethoxazole-Trimethoprim | K. Pak et al. | 1723 |
| Renal Transplant Blood Flow Evaluation by Ultrasonic Duplex Scanning | T. Akiyama et al. | 1733 |
| Ultrasound-Guided Puncture for Renal Cyst and Instillation of Povidone Iodine | I. Shinoda et al. | 1741 |
| Isolation of <i>Ureaplasma Urealyticum</i> from Urological Out Patients | N. Kawamura et al. | 1747 |
| Experience with Non-Aseptic Intermittent Self-catheterization | A. Hirano et al. | 1751 |
| A Clinical Study on Testicular Tumors | H. Matsuki et al. | 1757 |
| Influence of Temperature on the Function of the Human Testes | M. Namiki et al. | 1767 |
| Down-Regulation of Rat and Human Testicular hCG Receptors by hCG | M. Namiki et al. | 1771 |
| A Case Report of Non-Functioning Adrenal Carcinoma Diagnosed by Percutaneous Needle Biopsy and Which Responded to Preoperative Chemotherapy | Y. Terashima et al. | 1777 |
| A Case of Complete Resolution of Multiple Metastases of Advanced Renal Cell Carcinoma Following Partial Jejunectomy for Intestinal Metastases and Interferon Therapy | M. Miyata et al. | 1783 |
| Bilateral Asynchronous Renal Pelvic Tumors: A Case Report | N. Shibahara et al. | 1789 |
| Foreign Body in the Kidney: Report of a Case | I. Kyoku et al. | 1795 |
| Ureteral Stenosis Secondary to Common Iliac Aneurysm: A Case Report and Review of the Literature in Japan | K. Gohji et al. | 1799 |
| A Case of Prostatic Carcinoma with Osteolytic Bone Metastases | H. Fukuoka et al. | 1805 |
| A Case of Carcinoma of Prostate Presenting as Abdominal Mass | H. Nakagawa et al. | 1811 |
| A Case Report of Non-Specific Granulomatous Prostatitis: Successful Treatment with Chlormadinone Acetate | H. Komeda et al. | 1815 |

| | | |
|--|----------------------------|---------------|
| Primary Carcinoma of the Male Urethra: Report of Two Cases | M. Sakurai et al. | 1819 |
| A Case of Bilateral Testicular Tumors Showing a Remarkable Regression of Huge Metastatic Tumors after VAB-6 Combined Chemotherapy | T. Nakashima et al. | 1823 |
| Report of a Case of Adenomatoid Tumor in the Epididymis | M. Honjo et al. | 1829 |
| A Case of Fournier's Gangrene | M. Yonezu and N. Okishio | 1833 |
| The Effects of Ninzin-To with Daiokanso-To on the Patients with Chronic Renal Failure | S. Nishio et al. | 1837 |
| Clinical Effect of Hotyuekkito (Buzhongyiqitang) on Symptoms Due to Renal Ptosis and Stress Incontinence | Y. Murakami | 1841 |
| A Study of Iopamidol (Iopamiron®370) in Intravenous Urography in the Patients with Previous Adverse Reactions to Contrast Media and History of Allergy | K. Kondo et al. | 1845 |
| Endocrine Therapy for Prostatic Carcinoma—The Clinical Trial to Compare the Efficacy of LH-RH Analogue, ICI 118630 (Zoladex®) with Castration or Estrogen— | M. Usami et al. | 1853 |
| Astromicin Sulfate Concentration in Human Prostatic Tissue after an Intramuscular Injection | M. Morita and A. Hasuda | 1865 |
| Vol. 34, No. 11 | | November 1988 |
| The 37th Central Section Meeting of the Japanese Urological Association; | | |
| Round Table Discussion I: Experimental Studies for Evaluation of Chemotherapeutic Agents | | |
| Introduction | Moderator; O. Yoshida | 1871 |
| Chemosensitivity Studies of Urological Malignancies | T. Uchibayashi et al. | 1873 |
| Chemotherapy for Renal Cell Carcinoma: Experimental Study and Clinical Effect | H. Kanda et al. | 1879 |
| Experimental Model of Urinary Bladder Tumor in Rats for Evaluation of Chemotherapeutic Agents | Y. Hirao et al. | 1885 |
| Effect of Intrabladder Instillation of Various Anticancer Agents on Carcinogenesis in Rat Bladder | T. Okamura | 1895 |
| Anti-Cancer Drug Sensitivity Test against Human Testicular Cancer Xenograft —Comparison with Clinical Results of Chemotherapy— | T. Miki and T. Kotake | 1903 |
| Chemotherapy of Carcinoma of the Prostate and Testis: Experimental Study <i>in vivo</i> and <i>in vitro</i> | K. Okada et al. | 1911 |
| <i>In vitro</i> Chemosensitivity Test by Human Tumor Colony Forming Assay | H. Kanamaru et al. | 1917 |
| Animal Models of Bladder Cancer | S. Fukushima | 1923 |
| Round Table Discussion II: Several Problems in Male Fertility | | |
| Introduction | Moderator; T. Katayama | 1929 |
| Use of Makler Counting Chamber in Semen Analysis | T. Tomoyoshi et al. | 1931 |
| Importance of Lateral Inspection of the Scrotum and Value of Intraoperative Spermatic Phlebography in Varicocele | T. Tomoyoshi et al. | 1935 |
| Bilateral Testicular Biopsies and Histological Comparison of Both Testes | T. Tomoyoshi and A. Ishida | 1939 |

- Endocrinological Profile of Human Spermatogenic Impairment
—Evaluation of function of Leydig and Sertoli Cells in
in vivo or *in vitro* Studies—A. Okuyama et al.···1943
- Histological Findings of Testis in Male InfertilityK. Miyake···1949
- Analysis of Histological Findings of Testicular Biopsies in
Male InfertilityY. Yamaguchi et al.···1953
- Problems in Evaluating Male Fertility: Valuable Factors in Evaluating
Male Fertility and Normal Values of Seminal Parameters···O. Matsumoto et al.···1959
- Long Term Effects of Human Seminal Plasma from Whole Semen and
from Different Fractions of Split Ejaculate on Motility of Human
Ejaculated SpermatozoaS. Sanada et al.···1965
- Copper Concentration in Seminal Plasma of Infertile Men: Influence of
Hormone Therapy on Copper Concentration in Seminal Plasma
.....H. Watase and K. Ohtaguro···1973
- The Problems in the Treatment of Male InfertilityT. Terada···1979
- Treatment for Oligospermic Patients with varicoceleM. Shinoda et al.···1989
-
- A Morphological Study on the Testis of the Patients with Idiopathic
Male Infertility—Quantification and Ultrastructure of Leydig
Cells—J. Hashimoto et al.···1995
- Testicular Measurement by Test Size OrchidometerM. Tajima···2013
- A Case of Adrenal MyelolipomaT. Kuwahara et al.···2021
- Synchronously Occurring Transitional Cell Carcinoma of the Ureter
with Adrenocortical Carcinoma.....Y. Hikichi et al.···2025
- Primary Retroperitoneal Teratoma in an Adult: Ultrasonographic,
Computer Tomographic and Magnetic Resonance Imaging
DemonstrationsS. Hirano et al.···2031
- A Case of Signet Ring Cell Carcinoma of the Urinary
BladderM. Kitamura et al.···2035
- Two Cases of Urethral LeiomyomaA. Thosaka et al.···2041
- Clinical Statistics on Outpatients, Inpatients and Operations
in 1986F. Ikoma et al.···2047
- A Randomized Controlled Study to Compare Bladder Instillation
Therapy of Anticancer Agents and Combination Therapy with
OK-432 Injection for Prevention of Post-TUR Recurrence of
Bladder CancerS. Nishio et al.···2053
- Clinical Efficacy of Long-Term Treatment with LH-RH Analogue, ICI
118630 (Zoladex®), in Prostatic Cancer Patients.....M. Usami et al.···2059
- The Diffusion of Enoxacin into the Prostatic Fluid in the Chronic
Prostatitis Patient.....K. Tanaka et al.···2067
- Vol. 34, No. 12 December 1988
- Clinical Study of Extracorporeal Shock-wave Lithotripsy (ESWL)
for Renal and Ureteral Stones
The First Report: End-Results of 1,000 CasesY. Higashi···2073

| | |
|--|--------------------------------|
| Clinical Application of MRI for Urological Malignancy | |
| 1: Usefulness of Various Imaging Modalities for Local Staging of Prostatic Cancer; A Comparison between MRI, CT and Transrectal Ultrasonography..... | K. Nishimura et al...2083 |
| Clinical Application of MRI for Urological Malignancy | |
| 2: Usefulness of Various Imaging Modalities for Local Staging of Bladder Cancer; A Comparison between MRI, CT and Transurethral Ultrasonography | K. Nishimura et al...2091 |
| Clinical Application of MRI for Urological Malignancy | |
| 3: A New Trial of MRI for Bladder Cancer and Prostatic Cancer; Surface Coil and GD-DTPA..... | K. Nishimura et al...2097 |
| Clinical Studies on the Measurement of Urinary Tissue Polypeptide Antigen (TPA) Levels Using Prolifigen TPA Kit "Daiichi"-II in Urothelial Cancers | H. Ohmori et al...2101 |
| An Experience of OK432 Intradermal Administration for Superficial Bladder Tumors | H. Tsujihashi et al...2111 |
| The Efficacy of Recombinant Interleukin 2 in Local Treatment of Superficial Bladder Tumors..... | T. Fujioka et al...2115 |
| Transurethral Resection of Prostate Weighing over 100 g..... | H. Nakajima et al...2121 |
| Clinical Evaluation of γ -Seminoprotein as a Serum Marker of Prostate Carcinoma | Y. Sugimura et al...2129 |
| Role of γ -Seminoprotein (γ -Sm) and Prostatic Acid Phosphatase (PAP) as Tumor Markers of Prostatic Cancer | M. Watanabe et al...2135 |
| Comparison of 3 Assay Kits of Prostate Specific Antigen in Serum of Prostatic Cancer | S. Akimoto et al...2143 |
| Multimodality Treatment for Adrenal Ganglioneuroblastoma: | |
| A Case Report..... | Y. Takahashi et al...2149 |
| A Case of Adrenal Black Adenoma Associated with Cushing's Syndrome | R. Fujita et al...2155 |
| A Case of Renal Cell Carcinoma Suspected for Multilocular Cystic Nephroma..... | S. Maeda et al...2161 |
| Spontaneous Regression of Lung Metastasis of Renal Cell Carcinoma: | |
| A Case Report | S. Yoshino and M. Wakui...2167 |
| A Case of Squamous Cell Carcinoma of the Renal Pelvis Originating from a Functional Solitary Kidney Associated with Renal Stones... | H. Ito et al...2171 |
| A Case of Xanthogranulomatous Pyelonephritis —An Experience of Echo-guided Aspiration Biopsy for the Diagnosis— | K. Kobayashi et al...2175 |
| A Case of Giant Vesical Calculus after Ileocystostomy | T. Sakakibara et al...2181 |
| Intraperitoneal Spontaneous Rupture of the Bladder Subsequent to Irradiation for the Uterus: A Case Report | T. Ishii et al...2185 |
| Benign Prostatic Hypertrophy with High Levels of γ -Seminoprotein (γ -Sm), Prostate Specific Antigen: Report of Two Cases | M. Asakawa et al...2189 |
| A Case of Isolated Gonadotropin Deficiency Secondary to Glioma in Septum Pellucidum | M. Kitamura et al...2193 |
| A Case of Fibrous Pseudotumor of the Spermatic Cord | N. Kondoh et al...2197 |

| | |
|--|--------------------------------|
| Hemorrhagic Cyst of the Cavum Tunica Vaginalis Testis: A Case Report | S. Hirano et al.···2201 |
| Statistics on Operations at the Hara Genitourinary Hospital (1971~1986) | S. Hara and H. Omac···2205 |
| Clinical Statistics on Outpatients at the Urological Clinic of Sanjukai Hospital in 1987 | H. Tanda et al.···2213 |
| Intravenous Urography with a Nonionic Low Osmolarity Contrast Medium (Iopamidol) in Elderly Patients | H. Tanaka et al.···2219 |
| Clinical Efficacy of Aztreonam on Patients with Complicated Urinary Tract Infections..... | K. Yoshida et al.···2225 |
| Clinical Experience of Enoxacin Complicated Urinary Tract Infection..... | M. Togashi et al.···2233 |
| Clinical Evaluation of Chorei-to and Chorei-to-go-shimotsu-to on the Patients with Lower Urinary Tract Symptoms | A. Horii and M. Maekawa···2237 |
| Clinical Evaluation of Hochu-ekki-to on the Patients with Renal Ptosis | A. Horii and M. Maekawa···2243 |