

(2)

主論文の題目 悪性リンパ腫における $bcl-2$ 遺伝子と IgH 遺伝子
の動態に関する研究

尼川龍一

[CANCER RESEARCH 50, 2423–2428, April 15, 1990]

Amplified and Rearranged *bcl-2* Gene in Two Lymphoma Cell Lines, FL-218 and FL-318, Carrying a 14;18 Translocation¹

Ryuichi Amakawa, Shirou Fukuhara,² Hitoshi Ohno, Satoru Tanabe, Mitsuru Horii, Fumio Matsuyama, Isoroku Kato, Tokio Kakita, and Osamu Nagauchi

The First Division, Department of Internal Medicine, Faculty of Medicine, Kyoto University, Kyoto 606 [R. A., S. F., H. O., S. T., M. H., F. M., I. K., T. K.], and Department of Clinical Laboratory, Kyoto City Hospital, Kyoto 604 [O. N.], Japan

Genomic Organization of IgH Gene Compared With the Expression of Bcl-2 Gene in t(14;18)-Positive Lymphoma

By Ryuichi Amakawa, Shirou Fukuhara, Hitoshi Ohno, Fumino Matsuyama, Isoroku Kato, Satoru Tanabe,
Pascalis Sideras, Tatsunobu-Ryushin Mizuta, Tasuku Honjo, and Minoru Okuma