

KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume XVII



PUBLISHED BY THE LABORATORY
SIRAHAMA, WAKAYAMA-KEN, JAPAN
1969-1970

CONTENTS

No. 1 (May 30, 1969)

- Hatakezima Island will successfully be conserved for marine biological research. 1
1. **HOSHINO, Z.:** On the development of the circulatory system of the young ascidian, *Ciona robusta*. 7
 2. **OKIYAMA, M.:** A new species of *Gonatopsis* from the Japan Sea, with the record of a specimen referable to OKUTANI's *Gonatopsis* sp., 1967 (Cephalopoda: Oegopsida, Gonatidae). 19
 3. **TANAKA, O. and M. OMORI:** On *Euchirella* (Copepoda, Calanoida) collected chiefly by the U.S. Steamer *Albatross* from the Pacific Ocean. 33

No. 2 (September 30, 1969)

4. **NISHIMURA, S.:** The zoogeographical aspects of the Japan Sea. Part V. 67

No. 3 (November 29, 1969)

5. **FUJINO, T. and S. MIYAKE:** On two new species of palaemonid shrimps from Tanabe Bay, Kii Peninsula (Crustacea, Decapoda, Palaemonidae). 143
6. **TANAKA, O. and M. OMORI:** Additional report on calanoid copepods from the Izu Region. Part 2. *Euchirella* and *Pseudochirella*. 155
7. **HAMATANI, I.:** A new species of the rare shelled sacoglossan genus *Cylindrobulla* from Middle Japan (Opisthobranchiata). 171
8. **GAMÔ, S.:** *Symphodomma hatagumoana* sp. nov., a new cumacean Crustacea from Sagami Bay. 175
9. **TOKIOKA, T.:** Droplets from the plankton net XXIII. The predominant type of *Physalia* in the Japanese waters. 183
10. **TOKIOKA, T.:** On the stability of population composition in a fixed echinid colony on the rocky shore of Hatakezima Island. 187
11. **NISHIMURA, S. and R. MIZUSAWA:** On the possible natural interbreeding between *Chionoecetes opilio* (O. FABRICIUS) and *C. japonicus* RATHBUN (Crustacea: Decapoda), a preliminary report. 193

No. 4 (December 27, 1969)

12. **SAKAI, K.:** Revision of Japanese callianassids based on the variations of larger cheliped in *Callianassa petalura* STIMPSON and *C. japonica* ORTMANN (Decapoda: Anomura). 209

13. **TANAKA, O.:** Some calanoid copepods collected chiefly by the U.S. Steamer *Albatross* from the Pacific Ocean. 253
14. **TOKIOKA, T.:** A creeping ctenophore found on the sea cucumber, *Holothuria leucospilota* (BRANDT). 279
15. **UCHIDA, T.:** Medusae from the Arctic Ocean. 285

No. 5 (February 21, 1970)

16. **UCHIDA, T.:** Revision of Japanese Cubomedusae. 289
17. **UCHIDA, T.:** Medusan collection deposited in the Iwa Marine Biological Station, the Manazuru Peninsula. 299
18. **BIERI, R.:** Droplets from the plankton net XXIV. The predominant type of *Velella* in Japanese waters. 303
19. **BIERI, R.:** The food of *Porpita* and niche separation in three neuston coelenterates. 305
20. **NAKAUCHI, M.:** Asexual reproduction in *Amaroucium yamazii* (a colonial ascidian). 309
21. **HUMES, A. G.:** *Stellicola acanthasteris* n. sp. (Copepoda, Cyclopoida) associated with the starfish *Acanthaster planci* (L.) at Eniwetok Atoll. 329
22. **UTINOMI, H.:** Studies on the cirripedian fauna of Japan IX. Distributional survey of thoracic cirripeds in the southeastern part of the Japan Sea. 339

No. 6 (March 31, 1970)

23. **TAKEGAWA, Y. and H. MORINO:** Fishes from Wakasa Bay, Japan Sea. 373
24. **SAKAI, K.:** Supplementary description of *Callianassa (Callichirus) tridentata* VON MARTENS (Crustacea, Thalassinidae). (Noona Dan Papers No. 97). 393
25. **YOSHIDA, K.:** Studies on germling development and life history in Ulvaceae and Monostromaceae. Part I. 403
26. **TOKIOKA, T. and S. NISHIMURA:** Record of an unusually large specimen of *Thysanostoma thysanura* HAECKEL (Scyphozoa: Rhizostomae). 429

Record of works done at the Seto Marine Biological Laboratory (published in 1966). 439

RECORD OF WORKS
DONE AT THE SETO MARINE BIOLOGICAL LABORATORY

1966 (昭和41年)

Contribution
No. (Jap. No.)

- ARAGA, Chuichi and Hidetomo TANASE [荒賀忠一・田名瀬英朋]: Fish strand-
ing caused by a typhoon in the vicinity of Seto. Publ. Seto Mar. Biol.
Lab., **14**(2), 155-160.**453**
- *—————: 和歌山県の浅海魚類. 日本自然保護協会調査報告, **27**
(和歌山県海中公園学術調査報告), 81-95.
- [ARAGA, Ch. and H. TANASE: Shallow-water fishes of Wakayama
Prefecture. Res. Rep. Jap. Ass. Prot. Nature, **27** (Scientific Research
Report on Marine Park of Wakayama Prefecture), 81-95].(Jap. **175** f)
- BABA, Kikutaro: Record of *Herviella albida* n. sp. from Seto, Kii, Japan
(Nudibranchia-Eolidioidea). Publ. Seto Mar. Biol. Lab., **13**(5), 361-
363, pl. XV.**445**
- : The anatomy of *Herviella yatsui* (BABA 1930) and *H. affinis*
BABA 1960 (Nudibranchia-Eolidioidea). Ibid., **14**(1), 1-6, pls. I-II.
.....**447**
- BIERI, R.: Feeding preferences and rates of the snail, *Ianthina prolongata*,
the barnacle, *Lepas anserifera*, the nudibranchs, *Glaucus atlanticus* and
Fiona pinnata, and the food web in the marine neuston. Ibid., **14**(2),
161-170, pls. III-IV.**454**
- *遠藤善之他: 発生と分化. 現代の生物学, **4**, 275 pp. 岩波書店, 東京.
[ENDO, Yoshiyuki *et al.*: Development and differentiation. Current
Biology, **4**, 275 pp. Iwanami Shoten, Tokyo].
- FRAENKEL, G.: The heat resistance of intertidal snails at Shirahama, Waka-
yama-ken, Japan. Publ. Seto Mar. Biol. Lab., **14**(3), 185-195.**457**
- FUJIMOTO, Katsumi, YANASE, Takeshi, OKUNO, Yoshinobu and Katsuya IWATA:
Electrical response in the *Onchidium* eyes. Mem. Osaka Gakugei Univ.,
B, Nat. Sci., **15**, 98-108.
- FUKUMA, Toshihide and Koji SHIMIZU: Preliminary notes on the distribution
of *Aidanosagitta delicata* (TOKIOKA) in Tanabe Bay. Publ. Seto Mar. Biol.
Lab., **14**(3), 171-175.**455**
- FURUHASHI, Kenzo and Takasi TOKIOKA: Droplets from the plankton net.
XXII. Observation on a nine-individual chain of *Pegea confoederata*
bicaudata (Q. & G.). Ibid., **14**(2), 117-122.**452**
- *布施慎一郎・荒賀忠一・田名瀬英朋: 調査海域および潜水調査の概要. 日本自然

- 保護協会調査報告, **27** (和歌山県海中公園学術調査報告), 23—33.
 [FUSE, Shin-ichiro, ARAGA, Ch. and H. TANASE: Outline of the surveyed areas and diving observations. Res. Rep. Jap. Ass. Prot. Nature, **27** (Sci. Res. Rep. Mar. Park Wakayama Pref.), 23—33].(Jap. **175 b**)
- *波部忠重・荒賀忠一・田名瀬英朋: 勝浦・太地地区における海中景観. 同報告, **27** (和歌山県海中公園学術調査報告), 75—80.
 [HABE, Tadashige, ARAGA, Ch. and H. TANASE: Underwater views at Katuura and Taizi Regions. Ibid., **27** (Sci. Res. Rep. Mar. Park Wakayama Pref.), 75—80].(Jap. **175 e**)
- *浜田隆士: 南紀海岸への漂着ノーチラス. 南紀生物, **8** (1), 14—16.
 [HAMADA, Takashi: *Nautilus* stranded ashore on the coast of Nanki. Nanki Seibutu, **8**(1), 14—16].
- *原田英司: 紀州産イセエビ族とその動物地理補遺. 同誌, **8** (1), 17—18.
 [HARADA, Eishi: Supplement to zoogeographical aspects of *Palinura* in the Kii District. Ibid., **8**(1), 17—18].(Jap. **168**)
- IMAJIMA, Minoru: The Syllidae (polychaetous annelids) from Japan. Publ. Seto Mar. Biol. Lab., **13**(5), 385—404; **14**(1), 27—83; **14**(2), 85—116; **14**(3), 219—252; **14**(4), 253—294.
- KAWAGUTI, Siro: Electron microscopy on the fluorescent green of reef corals with a note on mucous cells. Biol. J. Okayama Univ., **12**(1—2), 11—21.
- NISHIMURA, Saburo [西村三郎]: Early life history of the deep-sea smelt, *Glossanodon semifasciatus* (KISHINOUE) (Teleostei: Clupeida). Part I. Publ. Seto Mar. Biol. Lab., **13**(5), 349—360, pls. XIII—XIV.**444**
- : The zoogeographical aspects of the Japan Sea. Part III. Ibid., **13**(5), 365—385.**446**
- : Notes on the occurrence and biology of the oceanic squid, *Thysanoteuthis rhombus* TROSCHEL, in Japan. Ibid., **14**(4), 327—349.**460**
- *—————: トラフグ属の由来. 南紀生物, **8** (1), 5—11.
 [NISHIMURA, S.: Origin and history of the teleostean genus *Fugu*. Nanki Seibutu, **8** (1), 5—11].(Jap. **167**)
- *—————: 日本海の動物相一発達史と関連したいくつかの問題点. 粕野義夫 (編), 日本海域の地学的諸問題, 135—143. 金沢.
 [NISHIMURA, S.: The fauna of the Japan Sea—Some problems bearing upon its geologic history. In KASENO, Y. (ed.), Geoscience problems of the Japan Sea, 135—143. Kanazawa].
- *—————: 布施慎一郎・田名瀬英朋・波部忠重: 由良地区における海中景観のあらまし. 日本自然保護協会調査報告, **27** (和歌山県海中公園学術調査報告), 35—40.
 [NISHIMURA, S., FUSE, Sh., TANASE, H. and T. HABE: Outline of underwater views at Yura Region. Res. Rep. Jap. Ass. Prot. Nature, **27** (Sci.

- Res. Rep. Mar. Park Wakayama Pref.), 35-40].(Jap. 175 c)
- *大山 桂: エビ網にかかる貝類について. 南紀生物, **8** (2), 52-53.
 [OYAMA, Katura: On the molluscan shells taken up by the set net for spiny lobster. Nanki Seibutu, **8**(2), 52-53].
- *田村 剛: 和歌山県海中公園調査. 総論. 日本自然保護協会調査報告, **27** (和歌山県海中公園学術調査報告), 1-33.
 [TAMURA, Tsuyoshi: Scientific survey of marine park of Wakayama Prefecture. General account. Res. Rep. Jap. Ass. Prot. Nature, **27** (Sci. Res. Rep. Mar. Park Wakayama Pref.), 1-33].(Jap. 175 a)
- TOKIOKA, Takasi [時岡 隆]: Recovery of the *Echinometra* population in the intertidal zone in the vicinity of Seto, with a preliminary note on the mass mortality of some sea urchins in the summer season. Publ. Seto Mar. Biol. Lab., **14**(1), 7-16.448
- : Droplets from the plankton net. XXI. White shells of *Ianthina prolongata* BLAINVILLE. Ibid., **14**(1), 17-19.449
- *————— : 白浜 (名勝地の生物 14). 遺伝, **20** (12), 42-46.
 [TOKIOKA, T.: Shirahama (Plants and animals at natural scenic beauty places 14). Iden, **20**(12), 42-46].
- and Robert BIERI: Juveniles of *Macrosetella gracilis* (DANA) from clumps of *Trichodesmium* in the vicinity of Seto. Publ. Seto Mar. Biol. Lab., **14**(3), 177-184.456
- and ————— : The colour pattern of *Spadella angulata* TOKIOKA. Ibid., **14**(4), 323-326.459
- *————— · 布施慎一郎 · 荒賀忠一 · 波部忠重: 田辺湾より潮岬に至る海中景観のあらまし. 日本自然保護協会調査報告, **27**, (和歌山県海中公園学術調査報告), 41-73.
 [TOKIOKA, T., FUSE, Sh., ARAGA, Ch. and T. HABA: Outline of underwater views from Tanabe Bay to Cape Siono-misaki. Res. Rep. Jap. Ass. Prot. Nature, **27** (Sci. Res. Rep. Mar. Park Wakayama Pref.), 41-73].(Jap. 175 d)
- *梅崎 勇: カモカシラノリの分類. 南紀生物, **8** (2), 47-53.
 [UMEZAKI, Isamu: Classification of the red alga *Nemalion pulvinatum* GRUNOW. Nanki Seibutu, **8**(2), 47-53].
- UTINOMI, Huzio [内海富士夫]: A revision of the nomenclature of the family Nephtheidae (Octocorallia: Alcyonacea). III. A new genus *Coronephthya* for a unique octocoral previously assigned to the genera *Dendronephthya* or *Stereonephthya*. Publ. Seto Mar. Biol. Lab., **14**(3), 207-218, pl. XI.458
- : 外国産フジツボの最近における日本への移入. 動物分類学会誌, **2**, 36-39.
 [UTINOMI, H.: Recent immigration of two foreign barnacles into

- Japanese waters. Proc. Jap. Soc. Syst. Zool., **2**, 36-39].(Jap. **169**)
- *————— : 尖胸蔓脚類の形態分類学的研究 (受賞講演要旨). 動雑, **75**, (11・12), 316-317.
- [UTINOMI, H.: Morphological and taxonomical studies on the Acrothoracic Cirripedia (Abstract of prized lecture). Zool. Mag., Tokyo, **75** (11-12), 316-317].
- *————— : 紀伊半島沿岸の浅海珊瑚相の概況. 日本自然保護協会調査報告, **27** (和歌山県海中公園学術調査報告), 97-102.
- [UTINOMI, H.: Outline of the shallow-water coral fauna around Kii Peninsula. Res. Rep. Jap. Ass. Prot. Nature, **27** (Sci. Res. Rep. Mar. Park Wakayama Pref.), 97-102].(Jap. **175 g**)
- *————— : 剣尾類. 内田 亨 (編), 動物系統分類学, **7** (中A), 10-20. 中山書店, 東京.
- [UTINOMI, H.: Subclass Xiphosura. In UCHIDA, T. (ed.), Systematic zoology, **7** (Mid A), 10-20. Nakayama Shoten, Tokyo].
- *————— : 海蜘蛛類. 同編書, **7** (中B), 1-14. 中山書店, 東京.
- [UTINOMI, H.: Subclass Pycnogonida. Ibid., **7** (Mid B), 1-14. Nakayama Shoten, Tokyo].
- *山本虎夫 : 紀南沿岸における藻類相の概況. 日本自然保護協会調査報告, **27** (和歌山県海中公園学術調査報告), 103-108.
- [YAMAMOTO, Torao: Outline of algal flora in the littorals of Nanki District. Res. Rep. Jap. Ass. Prot. Nature, **27** (Sci. Res. Rep. Mar. Park Wakayama Pref.), 103-108].(Jap. **175 h**)
- *————— : 白浜で採れたマツバガニ. 南紀生物, **8** (1), 38.
- [YAMAMOTO, T.: "Matsuba-gani", *Hypothalassia armata* (DE HAAN) (Decapoda, Brachyura), collected at Shirahama. Nanki Seibutu, **8**(1), 38].
- *————— : カセミミズの新産地. 同誌, **8** (2), 53.
- [YAMAMOTO, T.: New locality for *Epimения verrucosa* (NIERSTRASZ) (Mollusca, Solenogastres). Ibid., **8**(2), 53].
- *————— : マミズクラゲの新産地. 同誌, **8** (2), 66.
- [YAMAMOTO, T.: New locality for *Craspedacusta sowerbyi* LANCHESTER (Coelenterata, Hydrozoa, Hydromedusae). Ibid., **8**(2), 66].

* Japanese text only.