

KYOTO UNIVERSITY

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

Volume 44



Published by the
Seto Marine Biological Laboratory
Shirahama, Wakayama, Japan
AUGUST 2018

Online version: Kyoto University Research Information Repository
<https://repository.kulib.kyoto-u.ac.jp/dspace/handle/2433/72814>

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

EDITORIAL BOARD

Akira Asakura (Editor-in-Chief)

Shin Kubota

Katsumi Miyazaki

Shigeyuki Yamato

Tomoyuki Nakano

Volume 44 AUGUST 2018

Published online: <https://repository.kulib.kyoto-u.ac.jp/dspace/>

All communications intended for the Publications should be addressed to the Editorial Board;
Seto Marine Biological Laboratory, Kyoto University, Shirahama, Wakayama 649-2211, Japan.
E-mail: editor@seto.kyoto-u.ac.jp

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

- Volume 35 issued on Nov. 30, 1992
Volume 36 issued on July 31, 1995
Volume 37 issued on Dec.25, 1996
Volume 38 issued on Sept. 30, 1999
Volume 39 issued on Mar. 31, 2003
Volume 40 issued on Apr. 30, 2008
Volume 41 issued on Dec. 28, 2011
Volume 42 issued online on Apr.10, 2014; paper version on Aug. 30, 2014
Volume 43..... issued online on Jan. 10 – Sept. 30, 2015; paper version on Sept. 30, 2015
Volume 44..... issued online on Mar. 4 – Dec. 14, 2016; paper version on Aug. 30, 2018

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

Volume 44
AUGUST 2018

Published online: Kyoto University Research Information Repository

<https://repository.kulib.kyoto-u.ac.jp/dspace/handle/2433/72814>

CONTENTS

Ryan, W. H., and Kubota, S. : Morphotype distribution of the sea anemone <i>Diadumene lineata</i> in Tanabe Bay, Wakayama: a comparison with Uchida (1936) after 80 years	1
Okanishi, M., Sentoku, A., Fujimoto, S., Jimi, N., Nakayama, R., Yamana, Y., Yamauchi, H., Tanaka, H., Kato, T., Kashio, S., Uyeno, D., Yamamoto, K., Miyazaki, K., and Asakura, A. : Marine benthic community in Shirahama, southwestern Kii Peninsula, central Japan	7
Kostina, E. E., and Tsurpal, A. P. : Species composition and distribution of macrobenthos in the intertidal zone of Kunashir Island (South Kurile Islands), Russia	53