

## The Papers Published by the Staff Members of the Institute from July 1981 to June 1982

### Nuclear Chemistry

Four Particle Model for Three Body Breakup Reaction. K. Fukunaga, S. Kakigi, T. Ohsawa and A. Okihana. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 156 (1982).

Deuteron Breakup with  $^3\text{He}$  at 89.4 and 118.9 MeV. K. Fukunaga, S. Kakigi, T. Ohsawa, A. Okihana, S. Tanaka, T. Sekioka, H. Nakamura-Yokota and S. Kato. *Nuclear Physics*, **A369**, 289 (1981).

Level structure of  $^{76}\text{Kr}$  from the  $^{78}\text{Kr}(p, t)^{76}\text{Kr}$  reaction. S. Matsuki, N. Sakamoto, K. Ogino, Y. Kadota, T. Tanabe and Y. Okuma. *Nuclear Physics*, **A370**, 1 (1981).

Multi-Electron Processes in L-Shell Ionization of Atoms by Heavy Ions. L. Sarkadi and T. Mukoyama. *Abst. European Conf. on Atomic Physics, Heidelberg, 1981*, pp. 897-898.

Positron Annihilation with K-Shell Electrons. T. Mukoyama. *Akademie der Wissenschaften der DDR Zentralinstitut für Isotopen- und Strahlenforschung, ZFI-Mitteilungen*, Nr. 43, 1981, pp. 281-311, Review.

Relativistic Calculations of Direct Coulomb Ionization Cross Sections for Inner Shells. T. Mukoyama and L. Sarkadi. *Atomic Collision Research in Japan*, No. 7, 50 (1981).

Another Possible Mechanism for Internal Ionization in Beta Decay and Electron Capture. T. Mukoyama and G. Hock. *ATOMKI Közlemények*, **23**, 151 (1981).

Partial Destruction of the Meissner State in Multi-connected Josephson Network. T. Ishida and H. Mazaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 343 (1981).

Magnetic Susceptibility of a Microbridge-Coupled Superconductor in Non-Sinusoidal Periodic Fields. T. Ishida and H. Mazaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 61 (1982).

Two Computer Codes for K- and L-Shell Ionization Cross Sections in the Plane-Wave Born Approximation. T. Mukoyama and L. Sarkadi. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 67 (1982).

Superconducting Transition of Multiconnected Josephson Network. T. Ishida and H. Mazaki. *J. Appl. Phys.*, **52**, 6798 (1981).

K-Shell Ionization in Beta Decay. T. Mukoyama. *J. Phys. G: Nucl. Phys.*, **7**, 1675 (1981).

K-Shell Ionization by Heavy Ions. T. Mukoyama and L. Sarkadi. *Nuclear Instruments and Methods*, **186**, 641 (1981).

L-Shell Ionization by Low-Energy Protons and Alpha Particles. T. Mukoyama and L. Sarkadi. *Nuclear Instruments and Methods*, **190**, 619 (1981).

A Non-Iterative Method for Fitting Decay Curves with Background. T. Mukoyama. *Nuclear Instruments and Methods*, **197**, 397 (1982).

Relative Intensity Ratios for L-Shell X Rays by Low-Energy Proton Impact. T. Mukoyama and L. Sarkadi. *Nuclear Instruments and Methods*, **197**, 585 (1982).

A Convenient Method for Observation of Electrical Signals Obscured by Background Noise. M. Kurakado, R. Katano and H. Mazaki. *Nucl. Instr. and Methods*, **198**, 321 (1982).

Nuclear Excitation by Gamma Rays from  $^{60}\text{Co}$ . Y. Watanabe and T. Mukoyama. *Nuclear Science and Engineering*, **80**, 92 (1982).

Superconducting Transition Temperature in the Isoelectronic hcp Transition-Metal Alloy  $\text{Tc}_x\text{Re}_{x-1}$ . T. Ishida and H. Mazaki. *Physica*, **112B**, 411 (1982).

Electronic Relativistic Effects on L-Shell Ionization of Atoms by Light-Ion Impact. T. Mukoyama and L. Sarkadi. *Physical Review A*, **25**, 1411 (1982).

High-Harmonic Susceptibilities of Multiconnected Josephson Network in Superconducting Transition. T. Ishida and H. Mazaki. *Phys. Letters*, **87A**, 373 (1982).

Continuous Formation of Localized Moment in Ir-Pt(Fe). T. Takabatake, H. Mazaki and T. Shinjo. *Phys. Rev. B*, **25**, 4437 (1982).

### Analytical Chemistry

Solvent Extraction of Alkaline Earth Metals, and Lithium with 1-Phenyl-3-Methyl-4-Acylpyrazol-5-Ones and Trioctylphosphine Oxide. S. Umetani, K. Sasayama and M. Matsui. *Analytica Chimica Acta*, **134**, 327 (1982).

Nonaqueous Liquid-Liquid Extraction of Manganese from Ethylene Glycol Solution with Trioctylphosphine Oxide. T. Aoki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 191 (1981).

Forced-Flow Chromatography of Rare Earths Using Sensitive Spectrophotometry. M. Matsui, T. Aoki and T. Kumagai. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 207 (1981).

Atomic Absorption Spectrometry of Ytterbium Using Carbon Tube Atomizer; an Application to Phosphate Minerals. O. Fujino and M. Matsui. *Bunseki Kagaku*, **31**, 241 (1982), in Japanese.

Influence of Basicity of Axial Ligands on Reactions of Bis( $\alpha$ -furildioximato) Iron[II] with Carbon Monoxide. Y. Sasaki. *Chemistry Lett.*, 1117 (1981).

## Physical Chemistry

Dielectric Properties of Spherical Macroion Suspensions. I. Study on Mono-disperse Polystyrene Latex. S. Sasaki, A. Ishikawa and T. Hanai. *Biophysical Chemistry*, **14**, 45 (1981).

Evaluation of Relative Permittivity and Electrical conductivity of Ion-Exchange Beads by Analysis of High-Frequency Dielectric Relaxations. A. Ishikawa, T. Hanai and N. Koizumi. *Japan. J. Appl. Phys.*, **20**, 79 (1981).

Dielectric Behavior of Vinylidene Fluoride-Trifluoroethylene Copolymers. N. Koizumi, H. Habuka and J. Hagino. *Rep. Prog. Polym. Phys. Japan*, **24**, 403 (1981).

Dielectric Properties of Lightly Crosslinked Poly (Vinylidene Fluoride). N. Koizumi and Y. Nabata. *Rep. Prog. Poly J. Phys. Japan*, **24**, 407 (1981).

Environmental Effect on the Mechanical Strength of Glass. M. Tomozawa and Y. Oka. "Surfaces and Interfaces in Ceramic and Ceramic-metal Systems" Ed., J. Pask and A. Evans. Plenum Publishing, pp. 677-687, (1981).

High-Resolution TEM Images of Zinc Phthalocyanine Polymorphs in Thin Films. T. Kobayashi, Y. Fujiyoshi, F. Iwatsu and N. Uyeda. *Acta Crystallographica*, **A37**, 692 (1981).

Epitaxial Growth of Organic Semiconductors Bromanil and Iodanil on Potassium Chloride. N. Uyeda and Y. Murata. *J. Crystal Growth*, **57**, 551 (1982).

Adhesive Force and Fluidity of Powder in Heated State. M. Arakawa. *J. Soc. Materials Science*, **30**, 878 (1981).

Direct Imaging of a Double-Strand DNA Molecule. Y. Fujiyoshi and N. Uyeda. *Ultramicroscopy*, **7**, 189 (1981).

Observation of Charge Transfer Complex Orientational Phase Transition by Means of Fourier Transform Infrared Spectroscopy. D.G. Cameron, J. Umemura and D.F. Williams. *Applied Spectrosc.* **35**, 113 (1981).

Solvent Induced Frequency Shifts of the C-H Stretching Bands of n-Octane: a Fourier Transform Infrared Study. D.G. Cameron, S.C. Hsi, J. Umemura and H.H. Mantsch. *Can. J. Chem.* **59**, 1357 (1981).

A Fourier Transform Infrared Study of the Coagel to Micelle Transitions of Sodium Laurate and Sodium Oleate. D.G. Cameron, J. Umemura, P.T.T. Wong and H.H. Mantsch. *Colloid and Surfaces*, **4**, 131 (1982).

Light-driven Electron Transport through an Ansymmetric Photosynthetic Liquid Membrane. T. Sugimoto, J. Miyazaki, T. Kokubo, S. Tanimoto, M. Okano and M. Matsumoto. *J. Chem. Soc., Chem. Communications*, 186 (1982), Letter.

Micelle Formation in Aqueous n-Alkanoate Solutions: a Fourier Transform Infrared Study. J. Umemura, D.G. Cameron and H.H. Mantsch. *J. Colloid Interface Sci.*, **83**, 558 (1981).

Studies of Poly- $\gamma$ -Methyl-L-Glutamate Monolayers by Infrared ATR and Transmission Spectroscopy and Electron Microscopy. F. Takeda, M. Matsumoto, T. Takenaka and Y. Fujiyoshi. *J. Colloid Interface Sci.*, **84**, 220 (1981).

Vibrational Frequency Correlation and Vibrational Dephasing in Aqueous Nitrate Solutions. T. Kato and T. Takenaka. *Molecular Phys.*, **43**, 1083 (1981).

Resonance Raman Spectra of a Surface-Active Dye in Aqueous Solution and Adsorbed Monolayers at the Oil-Water Interface. T. Takenaka, J. Umemura and H. Takahashi. *Proceedings VIIIth International Conference Raman Spectrosc., Bordeaux*, 131 (1982).

Surface Enhanced Raman Scattering from Gold Sols Prepared by Sodium Citrate Method. M. Mabuchi and T. Takenaka. *Proceedings SERS Symposium, Tokyo*, 25 (1981).

Infrared and Raman Spectra of the Disordered Phase of the Anthracene- and Perdeuterioanthracene-Tetracyanobenzene Charge Transfer Complexes. J. Umemura, L.V. Haley, D.G. Cameron, W.F. Murphy, C.F. Ingold and D.F. Williams. *Spectrochim. Acta*, **37A**, 835 (1981).

Homologation of Methanol by Cobalt-Ruthenium Mixed Catalysts. H. Kudo and N. Sugita. *Nippon Kagaku Kaishi (J. of Chem. Soc. Japan, Chem. and Industrial Chem.)*, 462 (1982). in Japanese.

### Inorganic Chemistry

Alkali-Resistant BaO-TiO<sub>2</sub>-SiO<sub>2</sub> Glasses. T. Kokubo and H. Takagi. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 224 (1981).

Use of Magnesium-Aluminium and Zinc-Aluminium Hydroxycompounds as Adsorbents of Uranium Ions in Aqueous Solutions. T. Maki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 234 (1981).

An Experimental Study on CaO·P<sub>2</sub>O<sub>5</sub> ceramics for Bone Replacement Material. — 2nd Report: Bone Reaction and Crystallographic Characteristic of CaO·P<sub>2</sub>O<sub>5</sub> Ceramics —. T. Nakamura, T. Yamamuro, S. Higashi, S. Ito, T. Kokubo and M. Tashiro. *Chubunihon-Seikeigeka-Saigaikekagakkai-Zasshi (The Central Japan Journal of Orthopaedic and Traumatic Surgery)*, **24**, 462 (1981), in Japanese.

Glass-Ceramics. T. Kokubo. *Electronic Ceramics*, **13**, 20 (1982), Review in Japanese.

Stress Corrosion of Silica Glass. S. Ito and M. Tomozawa. *J. Am. Ceram. Soc.* **64**, C-160 (1981), Communication.

Bioceramics. — Artificial Bones and Related Materials. S. Sakka and T. Kokubo. *Ceramics*, **17**, 342 (1982), Review in Japanese.

An Experimental Study on CaO-P<sub>2</sub>O<sub>5</sub> Ceramics for Bone Replacement Material. — 3rd Report: Implants of New Glass-Ceramics, Bioglass, Aluminaceramics and Sintered Hydroxyapatite. T. Nakamura, T. Yamamuro, S. Higashi, S. Ito, T. Kokubo and M. Tashiro. *Chubunihon-Seikeigeka-Saigaigekagakkai-Zasshi (The Central Japan Journal of Orthopaedic and Prumatic Surgery)*, **24**, 1264 (1981), in Japanese.

Preparation of Fiber-oriented 3CaO·P<sub>2</sub>O<sub>5</sub>-CaO·SiO<sub>2</sub>-CaO·MgO·2SiO<sub>2</sub> Glass-ceramics. T. Kokubo, S. Ito and M. Tashiro. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **89**, 374 (1981), in Japanese.

Alkaline Durability of Na<sub>2</sub>O-BaO-Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> Glasses. H. Takagi, T. Kokubo and M. Tashiro. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **89**, 418 (1981), in Japanese.

Preparation of Grain-oriented PbTiO<sub>3</sub> Ceramics by Unidirectional Solidification of their Melts. T. Kokubo, H. Tanei, K. Kojima and M. Tashiro. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **89**, 507 (1981), in Japanese.

Preparation of Apatite-Containing Glass-Ceramics by Sintering and Crystallization of Glass Powders. T. Kokubo, Y. Nagashima and M. Tashiro. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **90**, 151 (1982), Note in Japanese.

Preparation of Grain-oriented Ba<sub>2</sub>(Zn,Fe<sup>2+</sup>)<sub>2</sub>Fe<sub>12</sub>O<sub>22</sub> Ceramics by Unidirectional Solidification of their Melts. T. Kokubo and K. Kitamura. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **90**, 187 (1982), in Japanese.

Unidirectional Solidification of the 2CaO·P<sub>2</sub>O<sub>5</sub>-3CaO·P<sub>2</sub>O<sub>5</sub> Eutectic. T. Kokubo, Y. Nagashima, S. Ito and M. Tashiro. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **90**, 295 (1982), in Japanese.

Alkaline Durability of TiO<sub>2</sub>-rich BaO-SiO<sub>2</sub>-TiO<sub>2</sub> Glasses. H. Takagi, T. Kokubo and M. Tashiro. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **90**, 305 (1982), in Japanese.

Recovery of Uranium from Aqueous Solutions Using Calcined Powders of CaO-Al<sub>2</sub>O<sub>3</sub>-SO<sub>3</sub> System. T. Maki and M. Yano. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **89**, 585 (1981), in Japanese.

Formation of Anatase Precipitates Containing Fe(III) by the Air Oxidation at 95°C of Strongly Acidic Solutions. M. Kiyama and T. Takada. *Bull. Chem. Soc. Japan*, **54**, 2960 (1981).

Effect of pH on the Polarographic Behavior of Pb(II) in the Presence of Acetates. H. Torii, M. Kiyama and T. Takada. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 55 (1982).

Preparation and Characteristics of Magnetic Fine Particles. Y. Bando and T. Takada. "Development and Dispersion Technique of Magnetic Materials" (Sogo Gijutsu Center), 1-14 (1982), Monograph in Japanese.

Mössbauer Studies of Cobalt Adsorbed  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> Particles Using <sup>57</sup>Co. A. Ochi, K. Watanabe, M. Kiyama, T. Shinjo, Y. Bando and T. Takada. *Ferrite (Proc. Intern'l Conf. 1980, Japan)* Ed. H. Watanabe, S. Iida and M. Sugimoto, Center for Academic Pub. Japan, 618 (1981).

The Formation of ZnFe<sub>2</sub>O<sub>4</sub> by the Air Oxidation of Aqueous Suspensions. M. Kiyama and T. Takada. *Ferrites: Proceedings of the International Conference, September-October 1980, Japan*, 11 (1981).

The Thermal Decomposition Intermediate Product of  $\beta$ -FeO(OH). N. Nagai, N. Hosoito, M. Kiyama, T. Shinjo and T. Takada. *Ferrites: Proceedings of the International Conference, September-October 1980, Japan*, 247 (1981).

On the Electronic State of Fe<sup>4+</sup>-Oxides. M. Takano and N. Nakanishi. *Ferrites: Proceedings of the International Conference September-October 1980, Japan*, 389 (1981).

Mössbauer Spectroscopic Studies on CaFeO<sub>3</sub>. T. Shinjo, N. Hosoito and T. Takada. *Ferrites: Proceedings of the International Conference September-October 1980, Japan*, 393 (1981).

Oxidation and Coercivity of Magnetite Thin Films by Reactive Condensation. Y. Bando, A. Mishima, T. Shigematsu, S. Horii, T. Takada and M. Takano. *Ferrite (Proc. Intern'l. Conf. 1980, Japan)* Ed. H. Watanabe, S. Iida and M. Sugimoto, Center for Academic Pub. Japan, 602 (1981).

Very Thin Oxide Layer on Fe Surface by Mössbauer Spectroscopy. T. Shinjo, T. Shigematsu, N. Hosoito, T. Iwasaki and T. Takada. *Japan. J. Appl. Phys.*, **21**, 1220 (1982), Letter.

Surface Magnetic Properties of  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> by <sup>57</sup>Fe Mössbauer Emission Spectroscopy. A. Ochi, K. Watanabe, M. Kiyama, T. Shinjo, Y. Bando and T. Takada. *J. Phys. Soc. Japan*, **50**, 2777 (1981), Letters.

Investigation of Solid Surface by Mössbauer Spectroscopy. T. Shigematsu and Y. Bando. *Kagaku (Chemistry)*, **36**, 755 (1981), Review in Japanese.

Characteristics and Application of Ultrafine Particles. Y. Bando. *Kōgyō Zairyo (Industrial Materials)*, **30**, 54 (1982), Review in Japanese.

Preparation by Reactive Deposition and Some Physical Properties of Amorphous Tin Oxide Films and Crystalline SnO<sub>2</sub> Films. S. Muranaka, Y. Bando and T. Takada. *Thin Solid Films*, **86**, 11 (1981).

Preparation and Design of Pigment Powder. Y. Bando. *Pigment (Journal of the Japan Pigment Technical Pssociation)*, **26**, 1561 (1982), Review in Japanese.

## Organic Chemistry

Stereochemistry of 1,3-eliminative Cyclopropanation. K. Nishiyama and Y. Inouye. *Agric. Biol. Chem.*, **46**, 1027 (1981).

Synthesis of Chiral NADH Model Compounds containing a Sulfur Atom and their Asymmetric Reduction. M. Amano, N. Baba, J. Oda and Y. Inouye. *Agric. Biol. Chem.*, **46**, 1689 (1982), Note.

Abhängigkeit der Enantioselektivität von der relativen Konzentration des Substrats bei einer NADH-Modelreaktion. N. Baba, J. Oda und Y. Inouye. *Angew. Chem.*, **94**, 465 (1982): *Angew. Chem. Int. Ed.*, **21**, 433 (1982): *Angew. Chem. Suppl.*, 1021 (1982).

High Enantioselectivity in Reductions with a Chiral bis (NADH) Model Compound. M. Seki, N. Baba, J. Oda and Y. Inouye. *J. Amer. Chem. Soc.*, **103**, 4631 (1981), Short communication.

<sup>13</sup>C Chemical Shifts of Symmetrically Substituted Biphenyls: Unambiguous Signal Assignment for the Carbons *ortho* and *para* to an Aryl Group. K. Fuji, T. Yamada and E. Fujita. *Org. Magn. Resonance*, **17**, 250 (1981).

Hard Acid and Soft Nucleophile Systems. 5. Ring-Opening Reaction of Lactones to  $\omega$ -Alkylthio or  $\omega$ -Arylthio Carboxylic Acids with Aluminum Halide and Thiol. M. Node, K. Nishide, M. Ochiai, K. Fuji and E. Fujita. *J. Org. Chem.*, **46**, 5163 (1981).

An Efficient Method for Selective Acetylation of Alcoholic Hydroxyl Groups. Y. Nagao, E. Fujita, T. Kohno and M. Yagi. *Chem. Pharm. Bull.*, **29**, 3202 (1981).

Antitumor Activity of Acylated Oridonin. E. Fujita, Y. Nagao, T. Kohno, M. Matsuda and M. Ozaki. *Chem. Pharm. Bull.*, **29**, 3208 (1981).

Studies of the Synthesis of ( $\pm$ )-Lythranidine, an Alkaloid of Lythranine Type. K. Fuji. *Yakugaku Zasshi*, **101**, 203 (1981), Review in Japanese.

The Chemistry on Diterpenoids in 1979. Part-II. E. Fujita, Y. Nagao, M. Node and M. Ochiai. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 381 (1981), Review.

New Peptide Antibiotics, Trichopolyns I and II, from *Trichoderma Polysporum*. T. Fujita, Y. Takaishi, A. Okamura, E. Fujita, K. Fuji, N. Hiratsuka, M. Komatsu and I. Arita. *J. Chem. Soc., Chem. Commun.*, 585 (1981), Letter.

The Structure of Trichorabdal B and its Transformation into a Novel Skeleton; X-Ray Crystal Structures. E. Fujita, K. Fuji, M. Sai, M. Node, W.H. Watson and V. Zabel. *J. Chem. Soc., Chem. Commun.*, 899 (1981), Letter.

Umpolung of Reactivity of Allylsilane, Allylgermane, and Allylstannane *via* their Reaction with Thallium(III) Salt: a New Allylation Reaction for Aromatic Compound. M. Ochiai, M. Arimoto and E. Fujita. *Tetrahedron Lett.*, **22**, 4491 (1981) Letter.

Antitumor Activity of *Rbdosia* and *Teucrium* Diterpenoids against P 388 Lymphocytic Leukemia in Mice. Y. Nagao, N. Ito, T. Kohno, H. Kuroda and E. Fujita. *Chem. Pharm. Bull.*, **30**, 727 (1982).

A New Practical Synthetic Method: Monitored Aminolysis of 3-Acyl-1,3-thiazolidine-2-thione. Y. Nagao and E. Fujita. *Heterocycles*, **17**, 537 (1982), Review.

Organic Synthesis Utilizing Allylsilanes: its Utility as Allyl Cation Equivalents. M. Ochiai and E. Fujita. *Yuki Gosei Kagaku Kyokaiishi (J. Synth. Org. Chem. Japan)*, **40**, 508 (1982), Review in Japanese.

Development of New Reaction utilizing Sulfur-containing Leaving Groups: its Application to the Synthesis of the Physiologically Active Amines. Y. Nagao. *Yakugaku Zasshi*, **102**, 401 (1982), Review in Japanese.

A New Chiral Recognition in Aminolysis of 3-Acyl-4(R)-methoxycarbonyl-1,3-thiazolidine-2-thione with Racemic Amines. Y. Nagao, M. Yagi, T. Ikeda and E. Fujita. *Tetrahedron Lett.*, **23**, 201 (1982), Letter.

A New Determination of the Absolute Configuration of the Chiral Amine. Y. Nagao, M. Yagi, T. Ikeda and E. Fujita. *Tetrahedron Lett.*, **23**, 205 (1982), Letter.

A Convenient Reduction of Functionalized Polycyclic Aromatics into Parent Hydrocarbons. M. Node, K. Nishide, K. Ohta and E. Fujita. *Tetrahedron Lett.*, **23**, 689 (1982), Letter.

A New Synthesis of 1,3-Dienes from Allyl Sulfides and Allyl Sulfones Using Tri-*n*-butylstannylmethyl Iodide. M. Ochiai, S. Tada, K. Sumi and E. Fujita. *Tetrahedron Lett.*, **23**, 2205 (1982), Letter.

Silicon-directed Elimination from  $\beta$ -Trimethylsilyl Sulphoxides and the Regio-specific Synthesis of Olefins. M. Ochiai, S. Tada, K. Sumi and E. Fujita. *J. Chem. Soc. Chem. Commun.*, 281 (1982), Letter.

Ring Opening of Cyclopropyl Ketones Assisted by the Trimethylsilyl Group. M. Ochiai, K. Sumi and E. Fujita. *Chemistry Lett.*, 79 (1982), Letter.

Regiospecific Synthesis of Bicyclic 6-Alkoxy-2-pyrones and their Use in the Production of Tetracyclic Intermediates for 11-Deoxyanthracycline Synthesis. M.E. Jung, M. Node, R.W. Pfluger, M.A. Lyster and J.A. Lowe, III. *J. Org. Chem.*, **47**, 1150 (1982), Letter.

A New Design for Chiral Induction: a Highly Regioselective Differentiation between Two Identical Groups in an Acyclic Compound Having a Prochiral Center. Y. Nagao, T. Ikeda, M. Yagi, E. Fujita and M. Shiro. *J. Am. Chem. Soc.*, **104**, 2079 (1982), Letter.

A Mild and Convenient Procedure for Conversion of Aromatic Compounds into their Iodides Using Ammonium Hexanitrocerate (IV). T. Sugiyama. *Bull. Chem. Soc. Japan*, **54**, 2847 (1981), Note.



Reaction of Thiobenzophenone S-Oxide(Diphenylsulfine) with Carbon Nucleophiles. A. Ohno, M. Uohama and S. Oka. *Bull. Chem. Soc. Japan*, **54**, 3231 (1981), Note.

Reduction by a Model of NAD(P)H. 32. Stereoselective Reduction of Camphoroquinone by a Chiral NAD(p)H Model. A. Ohno, T. Goto, J. Nakai and S. Oka. *Bull. Chem. Soc. Japan*, **54**, 3478 (1981).

Reduction by a Model of NAD(P)H. 33. Steric and Electronic Effects on Asymmetric Reduction of 2-Acetylpyridines. A. Ohno, J. Nakai, K. Nakamura, T. Goto and S. Oka. *Bull. Chem. Soc. Japan*, **54**, 3482 (1981).

Reduction by a Model of NAD(P)H. 34. Substituent Effect on Asymmetric Reduction of Trifluoroacetophenones. A. Ohno, J. Nakai, K. Nakamura, T. Goto and S. Oka. *Bull. Chem. Soc. Japan*, **54**, 3486 (1981).

Reduction by a Model of NAD(P)H. 35. Spectroscopic Detection of Charge-Transfer Intermediate. A. Ohno, H. Yamamoto and S. Oka. *Bull. Chem. Soc. Japan*, **54**, 3489 (1981).

Reduction by a Model of NAD(P)H. 36. First and Direct Evidence for the Multi-step Mechanism. S. Yasui, K. Nakamura, A. Ohno and S. Oka. *Bull. Chem. Soc. Japan*, **55**, 196 (1982).

The Reaction Involving One Electron Transfer in Key Step. NO<sub>2</sub>-Catalyzed Halogenation of Polycyclic Aromatic Compounds with Metal Halides. T. Sugiyama. *Bull. Chem. Soc. Japan*, **55**, 1504 (1982).

Reaction of Electrochemically Generated Radical Anion of Thioketone with Alkylating Agents. S. Yasui, K. Nakamura, A. Ohno and S. Oka. *Bull. Chem. Soc. Japan*, **55**, 1981 (1982), Note.

NAD(P)<sup>+</sup>-NAD(P)H Model. Reduction of Pyridinium Salts to 1,4-dihydropyridines using Glyceraldehyde. A. Ohno, S. Ushida and S. Oka. *Tetrahedron Lett.*, **23**, 2487 (1982), Letter.

Chlorination of Acetylenes with Sulfuryl Chloride. S. Uemura, C. Masaki, A. Toshimitsu and S. Sawada. *Bull. Chem. Soc. Japan*, **54**, 2843 (1981), Note.

The Reaction of 2-Ethoxy-1,3-oxathiolane with Carbonyl Compounds in the Presence of ZnCl<sub>2</sub> or HgCl<sub>2</sub>. S. Tanimoto, S. Jo, T. Sugimoto and M. Okano. *Bull. Chem. Soc. Japan*, **54**, 3237 (1981), Note.

Synthesis and Lithiation of 2-Alkylthio- and 2-Arylthio-1,3-dithiolanes. S. Tanimoto, T. Oida, H. Ikehira and M. Okano. *Bull. Chem. Soc. Japan*, **55**, 1977 (1982), Note.

The Reaction of Isocyanides with Halogens or N-Halosuccinimides and Alcohols. H. Yamada, Y. Wada, S. Tanimoto and M. Okano. *Bull. Chem. Soc. Japan*, **55**, 2480 (1982).

The Reaction of 2,2'-[1,2-Ethanediy]bis(thio)]bis-1,3-dithiolane with Carbonyl Compounds. S. Tanimoto, T. Oida, K. Hatanaka and M. Okano. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 332 (1981).

The Reaction of Cyclic Olefins with Chloromethyl Methyl Sulfide in Acetonitrile. T. Tagano, Y. Wada, S. Tanimoto and M. Okano. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 337 (1981).

Preparation and Characterization of Several New Palladium(II) Chloride Complexes of Alkyl and Aryl Selenocyanates. S. Uemura, A. Toshimitsu, Y. Kozawa and M. Okano. *Bull. Inst. Chem. Res. Kyoto Univ.*, **59**, 350 (1981), Note.

Selenodemercuration of Phenyl- and p-Tolylmercury(II) Compounds. S. Uemura, A. Toshimitsu, Y. Kozawa and M. Okano. *Bull. Inst. Chem. Res. Kyoto Univ.*, **59**, 354 (1981), Note.

Carbon-Carbon Bond Formation in Diolefin using the New Reagent 'Benzene-selenenyl Iodide'. A. Toshimitsu, S. Uemura and M. Okano. *J. Chem. Soc., Chem. Commun.*, 87 (1982), Letter.

Oxyselenation of Diolefins with Phenyl Selenocyanate and Copper(II) Chloride. Synthesis of Cyclic Ethers. A. Toshimitsu, T. Aoai, S. Uemura and M. Okano. *J. Org. Chem.*, **46**, 3021 (1981).

Amidoselenation of Olefins and its Utilization for Synthesis of Allylic Amides. A. Toshimitsu, T. Aoai, H. Owada, S. Uemura and M. Okano. *J. Org. Chem.*, **46**, 4727 (1981).

The Reaction of Five-Membered Cyclic Trithiocarbonates with *n*-Butyllithium. K. Hatanaka, S. Tanimoto, T. Oida and M. Okano. *Tetrahedron Lett.*, **22**, 5195 (1981), Letter.

Selective 1,4-Diacetoxylation of Conjugated Dienes with Tellurium(IV) Oxide. S. Uemura, S. Fukuzawa and M. Okano. *Tetrahedron Lett.*, **22**, 5331 (1981), Letter.

Palladium-catalyzed Allylic Oxidation of Olefins by *t*-Butyl Hydroperoxide and Tellurium(IV) Oxide. S. Uemura, S. Fukuzawa, A. Toshimitsu and M. Okano. *Tetrahedron Lett.*, **23**, 87 (1982), Letter.

A Facile Method for Oxytelluration of Olefins. S. Uemura, S. Fukuzawa, A. Toshimitsu and M. Okano. *Tetrahedron Lett.*, **23**, 1177 (1982); Letter.

Ni(II)- and Co(II)-Phosphine Complex Catalyzed Carbon-Carbon Bond Formation between Organic Tellurides and Grignard Reagents. S. Uemura and S. Fukuzawa. *Tetrahedron Lett.*, **23**, 1181 (1982), Letter.

Enone Synthesis via  $\alpha$ -Pyridylseleno Carbonyl Compounds. A. Toshimitsu, H. Owada, S. Uemura and M. Okano. *Tetrahedron Lett.*, **23**, 2105 (1982), Letter.

Oxyselenation Reactions. A. Toshimitsu and S. Uemura. *Yuki Gosei Kagaku Kyokaiishi (J. Synth. Org. Chem. Japan)*, **39**, 1210 (1981), Review in Japanese.

## Polymer Chemistry

Upper and Lower Critical Solution Temperatures in 2-Butanone Solutions of Cellulose Diacetate. H. Suzuki, Y. Muraoka, M. Saitoh and K. Kamide. *British Polymer J.*, **14**, 23 (1982).

Separation and Molecular Characterisation of Copolymers. H. Inagaki and T. Tanaka. *Developments in Polymer Characterisation*, **3**, 1-32 (1982), Review.

Lower Critical Solution Temperature Study on Cellulose Diacetate-Acetone Solutions. H. Suzuki, K. Kamide and M. Saitoh. *European Polymer J.*, **18**, 123 (1982).

An Estimation of the Temperature Dependence of the Excluded-Volume Integral. H. Suzuki, K. Ohno and H. Inagaki. *European Polymer J.*, **18**, 247 (1982).

Conformational Studies of the  $\alpha$ -helical Proteins from Wool Keratin by c.d. T. Amiya, K. Kajiwara, T. Miyamoto and H. Inagaki. *Int. J. Biol. Macromol.*, **4**, 165 (1982).

Biocompatibility of Denatured Keratins from Wool. H. Ito, T. Miyamoto, H. Inagaki and Y. Noishiki. *Kobunshi Ronbunshu* **39**, 249 (1982), In Japanese.

Application of Denatured Wool Keratin Derivatives to an Antithrombogenic Biomaterial — Vascular Graft Coated with a Heparinized Keratin Derivative — Y. Noishiki, H. Ito, T. Miyamoto and H. Inagaki. *Kobunshi Ronbunshu*, **39**, 221 (1982), in Japanese.

Feasibility of the Light Scattering Methods to Characterize Composition Heterogeneities of Copolymers. T. Tanaka, M. Omoto and H. Inagaki. *Makromol. Chem.* **182**, 2889 (1981).

Binding of Metal Ions to Wool Keratin. I. Comparison of Binding Data by Gel Filtration and Equilibrium Dialysis. S. Kadokura, T. Miyamoto, H. Ito and H. Inagaki. *Polymer J.*, **14**, 121 (1982).

Characterization of Copolymers by TLC, GPC and Other Methods. H. Inagaki and T. Tanaka. *Pure and Appl. Chem.*, **54**, No.2 309 (1982).

Analysis of Particle-Size Distributions by a Dynamic Light Scattering Apparatus with a Time Interval Digitizer. Y. Tsunashima, N. Nemoto, Y. Makita and M. Kurata. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 293 (1981).

Effect of Thermal History on Gas Transport in Atactic Polystyrene. H. Odani, N. Nagata, N. Kitamura, N. Nemoto and M. Kurata. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 12 (1982).

Topological Distribution Functions and the Second Virial Coefficients of Ring Polymers. K. Iwata and T. Kimura. *J. Chem. Phys.* **74**, 2039 (1981).

Stress Relaxation of a Polymer Solution in Double-Step Shear Deformations: a Separate Evaluation of the Stress Components due to Entangled Segments of Different Orientations. K. Osaki and M. Kurata. *J. Polm. Sci.: Polym. Phys. Ed.* **20**, 623 (1982).

Relaxation of Shear and Normal Stresses in Double-Step Shear Deformations for a Polystyrene Solution. A Test of the Doi-Edwards Theory for Polymer Rheology. K. Osaki, S. Kimura and M. Kurata. *J. Rheol.* **25**, 549 (1981).

Molecular Weight Distribution. M. Kurata. *Kobunshi (High Polymers)*, **30**, 921 (1981), Review in Japanese.

Permeation Apparatus for Mixed Gases and Vapors. M. Uchikura, H. Odani and M. Kurata. *Kobunshi Ronbunshu*, **39**, 149 (1982), in Japanese.

Intermolecular Interactions of Block Copolymers in Dilute Solutions. T. Kimura and M. Kurata. *Macromolecules*, **14**, 1104 (1981).

Rheology of Entangled Polymeric Systems Experimental Tests of the Tube-Model Theory of Doi and Edwards. K. Osaki. *Nihon Reoroji Gakkaishi (J. Soc. Rheol., Japan)*, **9**, 139 (1981), Collective paper in Japanese.

Dynamic Light Scattering Instrument with a Time Interval Digitizer. N. Nemoto, Y. Tsunashima and M. Kurata. *Polym. J.*, **13**, 827 (1981).

The Secondary Structure of Lysozyme in Organic Solvents I. Denaturation of Lysozyme in Acetic Acid. S. Utsumi, N. Nemoto and M. Kurata. *Prog. Polym. Phys. Japan*, **24**, 703 (1981).

The Secondary Structure of Lysozyme in Organic Solvents II. Denaturation of Lysozyme in 1-Propanol. S. Utsumi, N. Nemoto and M. Kurata. *Prog. Polym. Phys. Japan*, **24**, 707 (1981).

On Constitutive Equations for Polymers. Studies based on Stress and Birefringence Measurements on Application of Step-like Shear Strains. M. Kurata, K. Osaki and S. Kimura. *Rep. Asahi Glass Found. Ind. Technol.*, **37**, 327 (1980), in Japanese.

Rheology of Entangled Polymeric Systems. Experimental Tests of the Tube-Model Theory. M. Kurata and K. Osaki. *Rep. Asahi Glass Found. Ind. Technol.* **39**, 43 (1981), in Japanese.

Direct Observation of Polymer Chains with an Electron Microscope. S. Isoda, M. Tsuji, M. Ohara, A. Kawaguchi and K. Katayama. *Ann. Report of the Res. Inst. for Chemical Fibers, Japan*, **38**, 21 (1981), in Japanese.

A Practical Method for Correcting Astigmatism in a High-Voltage Electron Microscope. S. Isoda, M. Ohara, M. Tsuji, K. Katayama. *Japan J. Appl. Phys.*, **20**, 2437 (1981), Short Note.

Hydroxypropylcellulose, a Thermotropic Liquid Crystal: Characteristics and Structure Development in Continuous Extrusion and Melt Spinning. K. Shimamura, J.L. White, and John F. Fellers. *J. Appl. Polymer Sci.*, **26**, 2165 (1980).

Radiation-Induced Phase Transition of Paraffins. A. Kawaguchi, S. Isoda, M. Ohara and K. Katayama. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, No.4, 284 (1981).

Some Aspects of the Lattice Destruction of Polyethylene Due to Electron Irradiation. A. Kawaguchi, S. Isoda, M. Ohara and K. Katayama. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, No.1, 1 (1981).

Polymorphism in Lamellar Single Crystals of Nylon 11. A. Kawaguchi, T. Ikawa, Y. Fujiwara, M. Tabuchi and K. Monobe. *J. Macromol. Sci.-Phys.*, **B20**, 1 (1982).

Electron Diffraction Study of Pristine and Iodine Doped Polyacetylene. J.C.W. Chien, F.E. Karasz and K. Shimamura. *J. Polymer Sci.: Polymer Letters Ed.*, **20**, 97 (1982), Letter.

Microstructural Study of As-extruded and Heat-treated Ribbons of Poly(p-phenylene benzobisthiazole). J. Minter, K. Shimamura, E.L. Thomas. *J. Matr. Sci.*, **16**, 3303 (1981).

Crystal Structure of Trans-polyacetylene. K. Shimamura, F.E. Karasz, J.A. Hirsch and J.C.W. Chien. *Makromol. Chem., Rapid Commun.*, **2**, 473-480 (1981), Note.

Internal Morphology of Uniaxially Drawn Polyethylene. K. Shimamura, S. Murakami and K. Katayama. *Makromol. Chem., Rapid Commun.*, **3**, 199 (1982), Letter.

Structure of Iodine Doped Polyacetylene. K. Shimamura, J.A. Hirsch, F.E. Karasz and J.C.W. Chien. *Makromol. Chem., Rapid Commun.*, **3**, 269 (1982), Note.

Measurements of Neutron Incoherent Inelastic Scattering in Solid Polymers. Part 1. A Separation Method of Inelastic Scattering in Time-of-Flight Spectrum. R. Kitamaru, K. Kaji, H. Urakawa, T. Akiyoshi, M. Ono, F. Yoshida, S. Yamada, H. Yamaoka, T. Matsuyama and S. Okamoto. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 28 (1982).

Elastic Moduli and Structure of Low Density Polyethylene. I. Sakurada, K. Kaji and S. Wadano. *Colloid and Polymer Sci.*, **259**, 1208 (1981).

A New Method to Determine the Exact Values of the Fiber Identity Period of Polyamides. K. Kaji, H. Yamagishi and R. Kitamaru. *J. Appl. Cryst.* **14**, 223 (1981).

Study of Longitudinal Acoustic Modes and Other Low Frequency Vibrations in a Solid n-Alkane by Means of Incoherent Inelastic Neutron Scattering. K. Kaji, A. Kollmar, B. Ewen, R. Stockmeyer and E.W. Fischer. *J. Appl. Phys.*, **52**, 6137 (1981).

High-Resolution  $^{13}\text{C}$  NMR of Highly Oriented Polyethylene Films. R. Kitamaru, F. Horii, T. Terao, S. Maeda and A. Saika. *Nippon Kagaku Sen-i Kenkyusho Koenshu (Annual Report of the Research Institute for Chemical Fibers, Japan)*, **38**, 49 (1981), in Japanese.

### Biochemistry

Selective Determination of L-Methionine and L-Cysteine with Bacterial L-Methionine  $\gamma$ -Lyase and Antitumor Activity of the Enzyme. H. Tanaka, H. Imahara, N. Esaki and K. Soda. *J. Appl. Biochem.* **2**, 439 (1980), Letter.

Determination of L-Methionine with L-Methionine  $\gamma$ -Lyase. H. Tanaka, H. Imahara, N. Esaki and K. Soda. *Anal. Lett.* **14(B2)**, 111 (1981), Letter.

Properties of Crystalline L-Ornithine:  $\alpha$ -Ketoglutarate  $\delta$ -Aminotransferase from *Bacillus sphaericus*. M. Yasuda, K. Tanizawa, H. Misono, S. Toyama and K. Soda. *J. Bacteriol.*, **148**, 43 (1981), Letter.

Stereochemistry of *meso*- $\alpha$ ,  $\epsilon$ -Diaminopimelate Decarboxylase Reaction: the First Evidence for Pyridoxal 5'-Phosphate Dependent Decarboxylation with Inversion of Configuration. Y. Asada, K. Tanizawa, S. Sawada, T. Suzuki, H. Misono and K. Soda. *Biochemistry*, **20**, 6881 (1981), Letter.

Homocitrate Synthase of S-( $\beta$ -Aminoethyl)-L-Cysteine Resistant Mutant of *Candida pelliculosa*. E. Takenouchi, H. Tanaka and K. Soda. *J. Ferment. Technol.* **59**, 429 (1981), Letter.

L-Ornithine  $\delta$ -aminotransferase of *Corynebacterium sepeidonicum*. M. Yasuda, S. Toyama, K. Yonaha and K. Soda. *Bull. Coll. Agric, Univ. Ryukyus*, **28**, 101 (1981), Letter in Japanese.

Biochemistry of Methionine Metabolism. K. Soda, N. Esaki and H. Tanaka. *Sulfur Amino Acids*, **4**, 1 (1981), Review in Japanese.

Labelling of Amino Acids with Deuterium or Tritium with L-Methionine  $\gamma$ -Lyase. N. Esaki, K. Soda and H. Tanaka. *Sulfur Amino Acids*, **4**, 271 (1981), Letter in Japanese.

Enzymatic Degradation of Djenkolate with s-Alkyl-L-cysteine Lyase. H. Tanaka, K. Imahara, N. Esaki and K. Soda. *Sulfur Amino Acids*, **4**, 277 (1981), Letter in Japanese.

Lysine Biosynthesis in Yeasts. E. Takenouchi, D.K. Nikolova, H. Tanaka, T. Yamamoto and K. Soda. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 357 (1981), Review.

Further Characterization of L-Methionine  $\gamma$ -Lyase and Enzymatic Synthesis of Sulfur Amino Acids. N. Esaki, H. Tanaka, T. Yamamoto, and K. Soda. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 321 (1981), Letter.

Properties of Unducible Kynurenine of *Neurospora crassa*. K. Tanizawa, T. Yamamoto and K. Soda. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 311 (1981), Letter.

Kynurenine Aminotransferase with Low Substrate Specificity of *Hansenula schneggi*. K. Soda, Y. Sawa and K. Tanizawa. *IFS/ISY*, **4**, 441 (1981), Letter.

D-Glucosaminatase Dehydratase from *Agrobacterium radiobacter* Physicochemical and Enzymological Properties. R. Iwamoto, Y. Imahara and K. Soda. *J. Biochem.* **91**, 283 (1981), Letter.

Bacterial Assimilation of D- and L-2-Chloropropionates and Occurrence of a New Dehalogenase. K. Motosugi, N. Esaki and K. Soda. *Arch. Microbiol.*, **131**, 179 (1981), Letter.

Inactivation of Alanine Racemase with a Suicide Substrate, Trifluoroalanine. K. Inagaki and K. Soda. *Vitamin*, **56**, 275 (1982), Review in Japanese.

Reconstitution of Membrane Vesicle with D-Amino Acid Dehydrogenase. S. Nagata and K. Soda. *Protein, Nucleic Acid and Enzyme*, **27**, 594 (1982), Review in Japanese.

Synthesis of Amino Acids with Enzymes. K. Soda. *Kansai Bunken Center*, **35**, 2 (1982), Review in Japanese.

Enzymatic Formation of Trihalomethane. K. Motosugi and K. Soda. *Protein, Nucleic Acid and Enzyme*, **27**, 671 (1982), Review in Japanese.

Purification and Properties of 2-Halo Acid Dehalogenase from *Pseudomonas putida*. K. Motosugi, N. Esaki and K. Soda. *Agric. Biol. Chem.*, **46**, 837 (1982), Note.

Stereochemistry of Proton Abstraction Catalyzed by Lysine and Ornithine  $\omega$ -Aminotransferases. K. Tanizawa, T. Yoshimura, T. Asada, S. Sawada, H. Misono and K. Soda. *Biochemistry*, **21**, 1104 (1982), Letter.

Enzymatic Preparation of  $\alpha$ - and  $\beta$ -Deuterated or Tritiated Amino Acids with L-Methionine  $\gamma$ -Lyase. N. Esaki, S. Sawada, H. Tanaka and K. Soda. *Anal. Biochem.* **119**, 281 (1982), Letter.

Enzymes Related to Amino Acid Metabolism. K. Soda and T. Yoshimura. *Fermentation and Industry*, **40**, 301 (1982), Review in Japanese.

Synthesis of Organic Compounds with Enzymes. K. Soda. *Chemical Industry and Biotechnology*, **Ge** 153 (1982), Review in Japanese.

Selenocysteine Lyase, a Novel Enzyme That Specifically Acts on Selenocysteine. N. Esaki, T. Nakamura, H. Tanaka and K. Soda. *J. Biol. Chem.*, **257**, 4386 (1982), Letter.

Purification and Properties of a New Enzyme, DL-Haloacid Dehalogenase, from *Pseudomonas* sp. K. Motosugi, N. Esaki and K. Soda. *J. Bacteriol.*, **150**, 522 (1982), Letter.

Small-Angle X-ray Scattering Studies of L-Leucine Dehydrogenase. Y. Hiragi, K. Soda and T. Ohshima. *Makromol. Chem.* **183**, 745 (1982), Letter.

Nine unique repeating Sequences in a Region Essential for Replication and Incompatibility of the Mini-F Plasmid. T. Murotsu, K. Matsubara, H. Sugisaki and M. Takanami. *Gene*, **15**, 257 (1981).

New Restriction Endonucleases from *Flavobacterium okeanokoites* (*FokI*) and *Micrococcus luteus* (*MluI*). H. Sugisaki and S. Kanazawa. *Gene*, **16**, 73 (1981).

An *in vitro* Method Generating Base Substitution in Preselected Regions of Plasmid DNA: Application to Structural Analysis of the Replication Origin of the *Escherichia coli* K-12 Chromosome. A. Oka, K. Sugimoto, H. Sasaki and M. Takanami. *Gene*, **19**, 59 (1982).

Nucleotide Sequence of the *asnA* Gene Coding for Asparagine Synthetase of *E. coli* K-12. M. Nakamura, M. Yamada, Y. Hirota, K. Sugimoto, A. Oka and M. Takanami. *Nucleic Acids Res.*, **9**, 4669 (1981).

Nucleotide Sequence of the Transforming Early Region Elb of Adenovirus Type 12 DNA. T. Kimura, Y. Sawada, M. Shinagawa, Y. Shimizu, K. Shiroki, H. Shimojo, H. Sugisaki, M. Takanami, Y. Uemizu and K. Fujinaga. *Nucleic Acids Res.*, **9**, 6571 (1981).

Structure of Replication Origin of the *Escherichia coli* K-12 Chromosome: the Presence of Spacer Sequences in the *ori* Region Carrying Information for Autonomous Replication. K. Asada, K. Sugimoto, A. Oka, M. Takanami and Y. Hirota. *Nucleic Acids Res.*, **10**, 3745 (1982).

Homology in Protein Sequences Expressed by Correlation Coefficients. Y. Kubota, S. Takahashi, K. Nishikawa and T. Ooi, *J. Theoret. Biol.*, **91**, 347 (1981).

A Computer Method for Construction of Secondary Structure from Polynucleotide Sequence Possible Structure of the Bacterial Replication Origin. T. Ooi and M. Takanami. *Biochim. Biophys. Acta*, **655**, 221 (1981).

Monte Carlo Simulation Study of Thermal Fluctuations and Conformational Energy Surface of a Small Protein, Basic Pancreatic Trypsin Inhibitor. T. Noguti, N. Go, T. Ooi and K. Nishikawa, *Biochim. Biophys. Acta*, 93-98 (1981).

Correspondence of Homologies in Amino Acid Sequence and Tertiary Structure of Protein Molecules. Y. Kubota, K. Nishikawa, S. Takahashi and T. Ooi, *Biochim. Biophys. Acta*, **701**, 242 (1982).

Effects of Salts on the Nonequivalent Stability of the  $\alpha$ -Helices of Isomeric Block Copolypeptides. S. Ihara, T. Ooi and S. Takahashi, *Biopolymers*, **21**, 131 (1982).

Correlation of the Amino Acid Composition of a Protein to Its Structural and Biological Characters. K. Nishikawa and T. Ooi, *J. Biochem.*, **91**, 1821 (1982).

Cross-Linking Study on Skeletal Muscle Actin: Properties of Suberimidate-Treated Actin. O. Ohara, S. Takahashi, T. Ooi and Y. Fujiyoshi. *J. Biochem.*, **91**, 1999 (1982).