

The Papers Published by the Staff Members of the Institute from July 1986 to June 1987

Nuclear Chemistry

Preparation and Superconductivity of Multilayered V/Ag Films with Artificial Superstructure, N. Hosoito, T. Yamada, K. Kanoda, H. Mazaki and T. Shinjo, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 235, (1986).

Field Penetration into Proximity-Coupled Superconducting Multilayers, K. Kanoda, H. Mazaki, T. Yamada, N. Hosoito and T. Shinjo, *Phys. Rev. B*, **35**, 415, (1987).

Magnetic Properties of V/Ag Multilayered Superconductors, H. Mazaki, K. Kanoda, N. Hosoito and T. Shinjo, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65**, 1, (1987).

Upper Critical Field of V/Ag Multilayered Superconductors, K. Kanoda, H. Mazaki, N. Hosoito and T. Shinjo, *Phys. Rev. B*, **35**, 6736, (1987).

Magnetic-Field Penetration Depth and Material-Parameters of V/Ag Multilayered Superconductors, K. Kanoda, H. Mazaki, N. Hosoito and T. Shinjo, *Phys. Rev. B*, **35**, 8413, (1987).

Complex Susceptibility of $\text{La}_{1.9}\text{Sr}_{0.1}\text{CuO}_{4-x}$, H. Mazaki, M. Takano, R. Kanno and Y. Takeda, *Jpn. J. Appl. Phys.*, **26**, L780, (1987).

Complex Susceptibility of High- T_c Superconductor $\text{ErBa}_2\text{Cu}_3\text{O}_{6+x}$, T. Ishida and H. Mazaki, *Jpn. J. Appl. Phys.*, **26**, L1296, (1987).

Structural and Resistivity Changes in $\text{YBa}_2\text{Cu}_3\text{O}_x$ Ceramics by Heat-Treatment in Air, S. Leng, N. Narita, K. Higashida and H. Mazaki, *Jpn. J. Appl. Phys.*, **26**, L1394, (1987).

Superconducting Fluctuations and Transition Temperatures of Ultrathin V Films and V-Si Multilayered Systems, K. Kanoda, H. Mazaki, T. Mizutani, N. Hosoito and T. Shinjo, *Jpn. J. Appl. Phys. Supplement.*, **26**, 1433, (1987).

Superconductivity in V/Si Multilayered Films, N. Hosoito, T. Mizutani, K. Ohhashi, K. Kanoda, H. Mazaki and T. Shinjo, *Jpn. J. Appl. Phys. Supplement.*, **26**, 1435, (1987).

Analytical Functions for Fitting K X-Ray Doublet Peaks from Si(Li) Detectors, Y. Watanabe, T. Kubozoe and T. Mukoyama, *Nucl. Instr. and Meth. B*, **17**, 81, (1986).

Molecular Orbital Correlation Diagrams by the DVX α Method, H. Adachi, M. Gotoh, J. Yasui and T. Mukoyama, Abst. 10th International Conference of Atomic Physics, Tokyo, August 25–29, 1986, 263, (1986).

Excitation and Ionization of Atoms by Heavy Charged-Particle Impact, T. Mukoyama and K. Shima, Abst. 10th International Conference on Atomic Physics, Tokyo, August 25–29, 1986, 438, (1986)

Charge Exchange of Fast Heavy Ions In Carbon Foils —Small Angle Scattering—, K. Shima, T. Mukoyama, T. Ishihara, M. Kakuta, S. Nagai, T. Momoi, S. Fujioka, M. Yamanouchi and T. Mikumo, Abst. 10th International Conference on Atomic Physics, Tokyo, August 25–29, 1986, 456, (1986).

Chemical Effect on the K X-Ray Intensity Ratios for 4d Transition Metals, T. Mukoyama, H. Kaji and K. Yoshihara, *Phys. Letters A*, **118**, 44, (1986).

Monte Carlo Simulations of Vacancy Cascade in Xe, T. Mukoyama, *Journal of Phys. Soc. Japan*, **55**, 3054, (1986).

Chemical Effect on K β : K α X-Ray Intensity Ratios, T. Mukoyama, K. Taniguchi and H. Adachi, *Phys. Rev. B*, **34**, 3710, (1986).

The Mass of the Electron Neutrino using Electron Capture in ^{163}Ho , S. Yasumi, M. Ando, H. Maezawa, H. Kitamura, T. Ohta, F. Ochiai, A. Mikuni, M. Maruyama, M. Fujioka, K. Ishii, T. Shinozuka, K. Sera, T. Omori, G. Izawa, M. Yagi, K. Masumoto, K. Shima, T. Mukoyama, Y. Inagaki, I. Sugai, A. Masuda and O. Kawakami, *Phys. Lett. B*, **181**, 169, (1986).

Relativistic Molecular Orbital Calculations for Diatomic Molecules, T. Mukoyama and H. Adachi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 133, (1986).

Measurement of the Mass of the Electron Neutrino using Electron Capture in ^{163}Ho , S. Yasumi, M. Ando, H. Maezawa, H. Kitamura, T. Ohta, F. Ochiai, A. Mikuni, M. Maruyama, M. Fujioka, K. Ishii, T. Shinozuka, K. Sera, T. Omori, G. Izawa, M. Yagi, K. Masumoto, K. Shima, T. Mukoyama, Y. Inagaki, I. Sugai, A. Masuda and O. Kawakami, Photon Factory Activity Report 1986, National Laboratory for High Energy Physics, KEK, Tsukuba, 124, (1986).

Nuclear Excitation by Synchrotron Radiation, T. Mukoyama, H. Kaji, K. Yoshihara, T. Nakajima and H. Kobayakawa, Photon Factory Activity Report 1986, National Laboratory for High Energy Physics, KEK, Tsukuba, 283, (1986).

Approximate Continuum Wave Function for Inner-Shell Ionization in Ion-Atom Collisions, T. Mukoyama and L. Sarkadi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 307, (1987).

Multiple Photoionisation of Xe Atoms between 4.1 and 8.0 KeV: Mean Charge of Xe Ions, T. Tonuma, A. Yagishita, H. Shibata, T. Koizumi, T. Matsuo, K. Shima,

T. Mukoyama and H. Tawara, *J. Phys. B: Atom. Molec. Phys.*, **20**, L31, (1987).

Measurement of the Mass of the Electron Neutrino using Electron Capture in ^{163}Ho , S. Yasumi, M. Ando, H. Maezawa, H. Kitamura, T. Ohta, F. Ochiai, A. Mikuni, M. Maruyama, M. Fujioka, K. Ishii, T. Shinozuka, K. Sera, T. Omori, G. Izawa, M. Yagi, K. Masumoto, K. Shima, T. Mukoyama, Y. Inagaki, I. Sugai, A. Masuda and O. Kawakami, '86 Massive Neutrinos in Astrophysics and in Particle Physics, ed. by O. Fackler and J. Tran Thanh Van, Editions Frontieres, France, 1986, 579, (1986).

Exchange and Overlap Correction for Electron-Capture Decay of Ho, T. Mukoyama, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65**, 17, (1987).

Slater's Transition State Concept for the X-Ray Emission Rate, T. Mukoyama and H. Adachi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65**, 23, (1987).

Finite-Base-Set Expansion Method for Inner-Shell Ionization in Ion-Atom Collisions, T. Mukoyama and C.-D. Lin, Abst. U.S.-Japan Joint Seminar on Interaction of Highly Ionized Atoms Produced by Ion-Atom Collisions, Kobe, March 16-20, 1987, 29, (1987).

Finite-Basis-Set Approach to the Dirac Equation for Atoms in a Dirac-Fock-Slater Potential, T. Mukoyama and C.-D. Lin, *Phys. Rev. A*, **35**, 4942, (1987).

Helium-Filled Proportional Counter for Low-Temperature Operation (4.2–300 K) and Its Application to Cryogenic Resonance-Electron Mössbauer Spectroscopy, Y. Isozumi, S. Kishimoto, R. K. Katano and H. Takekoshi, *Rev. Sci. Instrum.*, **58**, 293, (1987).

Recent Developments in Low-Temperature Proportional Counters, S. Kishimoto, Y. Isozumi, R. Katano and S. Shimizu, *Nucl. Instru. Methods*, **A255**, 213, (1987).

The Operation of a Proportional Counter with the Penning Mixture Ne/Ar at Low Temperatures, S. Kishimoto, Y. Isozumi, R. Katano and H. Takekoshi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65**, 59, (1987).

Operation of Helium-Filled Proportional Counter at Low Temperatures (4.2–295 K), S. Kishimoto, Y. Isozumi, R. Katano and H. Takekoshi, *Nucl. Instru. Methods*, **A255**, in press, (1987).

Excitation of Isovector Giant Resonances in ^{27}Al by Heavy Ion Charge Exchange Reaction, S. Nakayama, T. Yamagata, K. Yuasa, M. Tanaka, M. Inoue and H. Ogata, *Physical Review C*, **34**, 366, (1986).

PIXE Measurement Applied to Trace Elemental Analysis of Human Tissues, M. Tanaka, E. Matsugi, K. Miyasaki, T. Yamagata, M. Inoue, H. Ogata and S. Shimoura, *Nuclear Instruments and Methods in Physics Research*, **B22**, 152, (1987).

Three-Body Breakup Reaction in FSI Region, K. Fukunaga, S. Kakigi, T. Ohsawa, A. Okihana and T. Sekioka, *Journal of the Physical Society of Japan*, **56-7**, 2357, (1987).

Elastic Scattering in Few Nucleon System, K. Fukunaga, S. Kakigi and T. Ohsawa, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65-1**, 46, (1987).

Four-Body Breakup in d+d Reaction at 56 MeV, T. Ohsawa, K. Fukunaga, S. Kakigi, A. Okihana, T. Sekioka, S. Seki and T. Murayama, Proceedings of the International Workshop on Few-Body Approaches to Nuclear Reactions in Tandem and Cyclotron Energy Regions, Tokyo, August 22-24, 1986, 138, (1986).

^3He Breakup Reaction by 65 MeV Protons in the FSI Region, A. Okihana, K. Fukunaga, S. Kakigi, T. Ohsawa, T. Sekioka, H. Yokota and R. Takashima, *Nuclear Physics*, **A463**, 423, (1987).

Design of 433.3-MHz Proton RFQ Linac, H. Okamoto, K. Fukunaga, Y. Iwashita, M. Sawamura, M. Inoue and H. Takekoshi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65-(1)**, 35, (1987).

Post Coupler Studies for Alvarez Tanks, M. Sawamura, Y. Iwashita and H. Takekoshi, *SLAC-Report*, **303**, 148, (1986).

Q Value of DAW Linac with Biperiodic T Stem, Y. Iwashita, S. Abe and H. Takekoshi, *SLAC-Report*, **303**, 151, (1986).

^3He Breakup Reactions by Deuterons, A. Okihana, K. Fukunaga, S. Kakigi, T. Ohsawa, T. Sekioka, S. Kato, H. Yokota, S. Tanaka, K. Takimoto, S. Shimoura and M. Fukada, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65-(1)**, 27, (1987).

Isotope Shift in Erbium I by Laser-atomic-beam Spectroscopy, H. Okamura and S. Matsuki, *Physical Review C.*, **35**, 1574, (1987).

On-Line Isotope Separation of Projectile Fragments Produced in Relativistic Heavy-Ion Reactions, Y. Nojiri, K. Matsuta, T. Minamisono, K. Sugimoto, K. Takeyama, H. Hamagaki, S. Nagamiya, K. Omata, Y. Shida, I. Tanihata, T. Kobayashi, S. Matsuki, S. Shimoura, J. R. Alonso, G. Krebs and T. J. M. Symons, *Hyperfine Interactions*, **34**, (1987).

Physical Chemistry

Polarized Fourier Transform Infrared Spectra and Molecular Orientation of a Water-Dioctadecyldimethylammonium Chloride System in the Coagel and Gel Phases, T. Kawai, J. Umemura, T. Takenaka, M. Kodama, Y. Ogawa and S. Seki, *Langmuir*, **2**, 739, (1986).

Polarized UV Resonance Raman and Absorption Spectra of Monolayers Adsorbed at the Aqueous Solution-Carbon Tetrachloride Interface, T. Takenaka, J.

Umemura and N. Isono, Tenth International Conference on Raman Spectroscopy, **3**, 13, (1986).

UV Resonance Raman and UV-VIS Absorption Spectra of Aqueous Solution of an Azobenzene-Containing Ammonium Amphiphile, N. Isono, J. Umemura, T. Takenaka, M. Shimomura and T. Kunitake, *J. Colloid Interface Sci.*, **117**, 400, (1987).

Holes in a Stearic Acid Monolayer Observed by Dark-Field Electron Microscopy, N. Uyeda, T. Takenaka, K. Aoyama, M. Matsumoto and Y. Fujiyoshi, *Nature*, **327**, 319, (1987).

Structure of Dodecyldimethylpropylammonium Bromide Hemihydrate, T. Taga, K. Machida, N. Kimura, S. Hayashi, J. Umemura and T. Takenaka, *Acta Cryst.*, **C43**, 1204, (1987).

Infrared and Raman Spectra of Organic Thin Films, T. Takenaka, *Maku (Membrane)*, **12**, 201, (1987).

Field Effect on the Transition State of the Proton Transfer in Crystalline Benzoic Acid, R. Nakamura and S. Hayashi, *J. Mol. Struct.*, **145**, 331, (1986).

Compression Effect on Structure and Proton Transfer in Crystalline Benzoic Acid, R. Nakamura, K. Machida and S. Hayashi, *J. Mol. Struct.*, **146**, 101, (1986).

Field Effect on the Proton Transfer in Crystalline Benzoic Acid, S. Hayashi, R. Nakamura and K. Machida, *Dynamics of Molecular Crystal*, ed. by J. Lascombe, Elsevier Science Publishers B. V., Amsterdam, 605, (1987).

Capillarity in Glass Tubes Coated with 6-Nylon, M. Tagawa, E. Uchida, S. Takechi and M. Matsumoto, *J. Jpn. Oil Chem. Soc.*, **36**, 110, (1987).

Electron Optical and Spectroscopic Structure Analyses of Organometallic Complexes, N. Uyeda, T. Kobayashi and H. Kurata, *China-Japan Joint Symposium on Conduction and Photoconduction in Organic Solids and Related Phenomena*, 15, (1986).

Application of Orientation Dependent ELNES to Potassium-benzene Graphite Intercalation Compound, H. Kurata, K. Ishizuka, T. Kobayashi and N. Uyeda, *Proc. XIth Int. Cong. on Electron Microscopy*, **1**, 533, (1986).

Structure of Potassium-benzene-graphite Intercalation Compound, H. Kurata, T. Kobayashi and N. Uyeda, *Synthetic Metals*, **20**, 109, (1987).

Development of Superfluid Helium Stage for HRTEM, K. Aoki, H. Kihara, Y. Harada, Y. Fujiyoshi, N. Uyeda, H. Yamagishi, K. Morikawa and T. Mizusaki, *Proc. XIth Int. Cong. on Electron Microscopy, Kyoto, 1986*, 1827.

Biological Macromolecules Observed with High Resolution Cryo-Electron Microscope, Y. Fujiyoshi, N. Uyeda, H. Yamagishi, K. Morikawa, T. Mizusaki, Y. Aoki, H. Kihara and Y. Harada, *Proc. XIth Int. Cong. on Electron Microscopy, Kyoto, 1986*, 1829.

Superfluid Cryostage for High-Resolution Electron Microscopy, Y. Fujiyoshi, *Proc. Electron Microscopy Society of America 44th. Annual Meeting (1986)*, 534.

Coherence Requirement for High-Resolution Electron Microscopy, K. Ishizuka, *Proc. XIth. Int. Cong. Electron Microscopy*, **1**, 771, (1986).

Quantitative Electron Energy Loss Spectroscopy Based on Microcomputer, K. Ishizuka, H. Kurata, T. Kobayashi and N. Uyeda, *J. Electron Microscopy*, **35**, 343 (1986).

Property of Emulsions I., Dielectric Property, T. Hanai, Emulsification-Dispersion Technology Handbook, edited by Kariyone et al., p. 65 (1987) Science Forum, in Japanese.

Development of Medaka Eggs as Monitored by Their Dielectric Behavior, K. Asami, A. Irimajiri and T. Hanai, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 33, (1986).

Preservation of Ultrastructure in Phosphatidylcholine Vesicles by Tannic Acid and OsO₄, K. Asami, *J. Ultrastructure and Molecular Structure Research*, **95**, 38, (1986).

Passive Electrical Properties of the Membrane and Cytoplasm of Cultured Rat Basophil Leukemia Cells. I. Dielectric Behavior of Cell Suspensions in 0.01–500 MHz and Its Simulation with a Single-Shell Model, A. Irimajiri, K. Asami, T. Ichinowatari and Y. Kinoshita, *Biochimica et Biophysica Acta*, **896**, 203, (1987).

Passive Electrical Properties of the Membrane and Cytoplasm of Cultured Rat Basophil Leukemia Cells, II. Effect of Osmotic Perturbation, A. Irimajiri, K. Asami, T. Ichinowatari and Y. Kinoshita, *Biochimica et Biophysica Acta*, **896**, 214, (1987).

Dielectric Study of Poly(methyl methacrylate) Microcapsules in Particular Reference to the Effect of the Frequency Dependence of the Permittivity of the Capsule Wall, K. Sekine, *Colloid Polym. Sci.*, **264**, 943–950, (1986).

Electrodialysis of Vinylidene Fluoride-Trifluoroethylene Copolymer, N. Koizumi and Y. Murata, *Reports on Progress in Polymer Physics in Japan*, **29**, 435–436, (1986).

Effects of Absorbed Benzene on Relaxation Behavior of Polytrifluoroethylene, Y. Murata and N. Koizumi, *Reports on Progress in Polymer Physics in Japan*, **29**, 437–440, (1986).

Ferroelectric Order and Phase Transition in Polytrifluoroethylene, Y. Oka, N. Koizumi and Y. Murata, *Journal of Polymer Science: Part B: Polymer Physics*, **24**, 2059–2072, (1986).

Curie Transition in Poled and Unpoled Copolymer of Vinylidene Fluoride and Tetrafluoroethylene, Y. Murata, *Polymer Journal*, **19**, 337–346, (1987).

Crystal Structures and Magnetic Properties of BaTi_{2-x}Sn_xFe₄O₁₁, M. Shiojiri, T. Maeda, T. Isshiki, Y. Hirota, S. Sekimoto, Y. Ikeda and K. Iwauchi, *Phys. Stat.*

Sol.(a), **97**, 231, (1986).

Observation of Magnetic Clusters and Crystal Structures of $\text{BaTi}_{2-x}\text{Sn}_x\text{Fe}_4\text{O}_{11}$, M. Shiojiri, T. Maeda, S. Sekimoto, K. Iwauchi and Y. Ikeda, Proceedings of the 7th International School Defects in Crystals Published by World Scientific Publishing Co Pte Ltd., 386, (1987).

Electrical Property and Microstructure of Semiconducting Glaze, K. Nakajima, M. Nakamura, T. Nagano and M. Arakawa, *Yogyo-Kyokai-Shi (J. Ceram. Soc. Japan)*, **95**, 365-368 (1987).

Analytical and Inorganic Chemistry

Determination of Scandium in Phosphate Minerals by Solvent Extraction-ICP-AES, O. Fujino, K. Hiraki and M. Matsui, *Bunseki Kagaku (Analytical Chemistry)*, **35**, 657-661, (1986).

The Synergistic Extraction of Alkaline Earth Metals with 4-Benzoyl-3-methyl-1-phenyl-5-pyrazolone and Bis(diphenylphosphinyl)-methane, S. Umetani, S. Kihara and M. Matsui, *Chemistry Letters*, 1545-1548, (1986).

Atomic Emission Spectrometry of Lanthanum and Europium Using Ultrahigh-Frequency(UHF) Plasma as Atomizer, O. Fujino, K. Hiraki, Y. Nakaguchi, T. Shigematsu and M. Matsui, *Kinki-Daigaku Rikou-gakubu Kenkyuhokoku*, **22**, 93-97, (1986).

The Transfer of Anions at the Aqueous/Organic Solutions Interface Studied by Current-Scan Polarography with the Electrolyte Dropping Electrode, S. Kihara, M. Suzuki, K. Maeda, K. Ogura and M. Matsui, *J. Electroanal. Chem.*, **210**, 147-159, (1986).

Fundamental Factors in the Polarographic Measurement of Iron Transfer at the Aqueous/Organic Solution Interface, S. Kihara, M. Suzuki, K. Maeda, K. Ogura, S. Umetani, M. Matsui and Z. Yoshida, *Analytical Chemistry*, **58**, 2954-2961, (1986).

Dynamical Movement of Interface and Oscillation of Interfacial Potential Accompanied with Ion Transfer at the Interface, S. Kihara, *Bunseki (Analytical)*, **12**, 885, (1986).

2, 6-Diacetylpyridine Bis(benzoyl hydrazone) and 2, 6-Diacetylpyridine Bis (2-hydroxybenzoyl hydrazone) as Spectrophotometric Reagents for Determinations of Iron (III) and Vanadium(V), Y. Sasaki, *Bull. Inst. Chem. Res., Kyoto Univ.*, **63**, 140-149, (1986).

Palladium Hydride pH Electrode Equipped with Electrolysis System for Continuous Hydrogen-Charging, S. Kihara, Z. Yoshida and M. Matsui, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 207-217, (1986).

Plutonium and Uranium Ion Determination and Differentiation Based on Twin Electrode Flow Coulometry, H. Aoyagi, Z. Yoshida and S. Kihara, *Analytical Chemistry*, **59**, 400-405 (1987).

International Symposium on New Sensors and Methods for Environmental Characterization, M. Matsui and S. Kihara, *Analytical Sciences*, **3**, 95-96, (1987).

New Sensors and Methods for Environmental Characterization, S. Kihara and M. Matsui, *TRAC*, **6**, X-XII (1987).

The Role of Non-Ionic Polyoxyethylene Ether Surfactants on Ion Transfer Across Aqueous/Organic Solution Interfaces Studied by Polarography with the Electrolyte Dropping Electrode, Z. Yoshida and S. Kihara, *J. Electroanal. Chem.*, **227**, 171-181, (1987).

Effect of Incorporation of Nitrogen on Physical Properties and Chemical Durability of Glass (in Japanese), S. Sakka, T. Kokubo, H. Kozuka, N. Sugimoto and K. Komori, *Rep. Asahi Glass Found. Ind. Technol.*, **48**, 61-69 (1986).

Structures of Alkali Niobium Gallate Glasses, K. Fukumi, T. Kokubo, K. Kamiya and S. Sakka, *J. Non-Crystal. Solids*, **84**, 100-104, (1986).

Formation of H_2O_2 at the Illuminated TiO_2 Film Electrode Prepared by the Sol-Gel Method and Its Chemical States, T. Yoko, K. Kamiya and A. Yuasa, *J. Electroanal. Chem.*, **209**, 399-404, (1986).

Surface Structure of a Load-Bearable Bioactive Glass-Ceramic A-W, T. Kokubo, T. Hayashi, S. Sakka, T. Kitsugi, T. Yamamuro, M. Takagi and T. Shibuya, *Ceramics in Clinical Applications (Materials science Monographs, 39)*, 175-184 (1987).

Photoelectrochemical Properties of TiO_2 Films Prepared by the Sol-Gel Method (in Japanese), T. Yoko, K. Kamiya and S. Sakka, *Yogyo-Kyokai-shi*, **95**, 150-155, (1987).

The Effect of Tetramethylammonium Ions on the Distribution of Silicate Species in the Methanolic Solutions, I. Hasegawa and S. Sakka, *J. Molecular Liquids*, **34**, 307-315, (1987).

Structure Analysis of $Na_2O \cdot 4GeO_2$ Glass Based on X-ray Diffraction, K. Kamiya, T. Yoko, Y. Miki, Y. Itoh and S. Sakka, *J. Non-Crystl. Solids*, **91**, 279-292, (1987).

Mixed-Alkali Effect in Fluorozirconate Glasses, Z. Xiujian, T. Kokubo and S. Sakka, *J. Mater. Sci. Lett.*, **6**, 143-144, (1987).

Improvement of Properties of Oxide Glasses by Incorporation of Nitrogen, S. Sakka, K. Komori, H. Kozuka, T. Kokubo and N. Sugimoto, *Rivista Della Staz. Sper. Vetro.*, **16**, 75-79, (1986).

Oxynitride Glasses, S. Sakka, *Ann. Rev. Mater. Sci.*, **16**, 29-46, (1986).

- Functional Glasses, S. Sakka, *Kinzoki*, **9**, 16, (1986).
- The Present State of New Glasses, S. Sakka, *O plus E*, **10**, 56-59, (1986).
- Photochromic Glass, S. Sakka, *O plus E*, **12**, 57-62 (1986).
- Formation of Oxide Fibers by Unidirectional Freezing of Gel, T. Maki, T. Kokubo and S. Sakka, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 292-305, (1986).
- New Method of Syntheses and New Glasses, S. Sakka, *New Glass*, **5**, 27-39, (1987).
- Sol-Gel Glasses and their Future Applications, S. Sakka, *Transactions of the Indian Ceramic Society*, **46**, 1, (1987).
- SEM-EPMA Observation of Three Type of Apatite-containing Glass-ceramics Implanted in Bone, T. Kitsugi, T. Yamamura, T. Nakamura, T. Kokubo, M. Takagi and T. Shibuya, *Rinshou Seikeigeka*, **21**, 1249, (1986).
- Bone Bonding Behavior of Three Kinds of Apatite Containing Glass Ceramic, T. Kitsugi, T. Yamamura, T. Nakamura, S. Higashi, Y. Kakutani, K. Hyakuna, S. Ito, T. Kokubo, M. Takagi and T. Shibuya, *J. Biomed. Mat. Res.*, **20**, 1295, (1986).
- Aging Test and Dynamic Fatigue Test of Apatite-wollastonite-containing Glass Ceramics and Dense Hydroxyapatite, T. Kitsugi, T. Yamamuro, T. Nakamura, Y. Kakutani, T. Hayashi, S. Ito, T. Kokubo, M. Takagi and T. Shibuya, *J. Biomed. Mat. Res.*, **21**, 467, (1987).
- Surface Structure of a Load-Bearable Bioactive Glass-Ceramic A-W, T. Kokubo, T. Hayashi, S. Sakka, T. Kitsugi, T. Yamamuro, M. Takagi and T. Shibuya, *Ceramics in Clinical Applications*, 175, (1987).
- The Change of Interface Between Bone and Three Kinds of Apatite-Containing Glass-Ceramics, T. Kitsugi, T. Yamamura, T. Nakamura, Y. Kakutani, K. Hyakuna, T. Kokubo, M. Takagi and T. Shibuya, *Ceramics in Clinical Applications*, 397, (1987).
- Artificial Bones, T. Kokubo, *Kagaku Kogaku (Chemical Engineering)*, **50**, 693, (1986).
- Development of Bioceramics, T. Kokubo, *FC Report*, **4** (12), 1, (1986).
- Artificial Bone of Glass-Ceramic, T. Kokubo, '87 Annual Report of Advanced Science and Technology, 152, (1986).
- Growth of Needle-like α -FeO(OH) Particles by Air Oxidation of Aqueous Suspensions Containing Iron(II) Precipitates, M. Kiyama, S. Shamoto, N. Horiishi, Y. Okuda and T. Takada, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**(4), 150, (1986).
- Formation Mechanism of Needle-like α -Fe₂O₃ Particles Grown Along the c Axis and Characterization of Precursorily Formed β -Fe₂O₃, Y. Ikeda, M. Takano and Y.

Bando, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 249, (1986).

Phase Relation and Oxygen-non-stoichiometry of Perovskite-like Compound SrCoO_x ($2.29 < x < 2.80$), Y. Takeda, R. Kanno, T. Takeda and O. Yamamoto, *Z. Anorg. Allg. Chem.*, **540/541**, 259, (1986).

Spectroscopic Evidence for the Formation of Catecholate- Fe^{III} and Semiquinonato- Fe^{II} Pyridine Complexes in the Oxygenation of Catechol by a Pyridineiron (III) Complex, T. Funabiki, S. Tada, T. Yoshioka, M. Takano and S. Yoshida, *J. Chem. Soc., Chem. Commun.*, 1699, (1986).

Intradiol Oxygenation of 3,5-Di-*t*-butylcatechol Catalyzed by Iron (III) Salts, M. Takano and S. Yoshida, *Chem. Lett.*, 719, (1987).

Characterization of Fine Particles of the $\alpha\text{-Fe}_2\text{O}_3\text{-SnO}_2$ System with Residual SO_4^{2-} Ions on the Surface, M. Takano, Y. Bando, N. Nakanishi, M. Sakai and H. Okinaka, *J. Solid State Chem.*, **68**, 153, (1987).

Structural and Magnetic Properties of the CoO/NiO Artificial Superlattices, M. Takano, T. Terashima, Y. Bando and H. Ikeda, Proc. World Conf. Adv. Mat. Innovat. energy, Transportation, & Commun. (IUPAC CHEMRAWN VI), IB13, (1987).

Complex Susceptibility of $\text{La}_{1.9}\text{Sr}_{0.1}\text{CuO}_{4-\delta}$, H. Mazaki, M. Takano, R. Kanno and Y. Takeda, *Japan. J. Appl. Phys.*, **26** (5), L780, (1987).

Neutron Diffraction Study of Artificial CoO-NiO Superlattices, M. Takano, T. Terashima and Y. Bando, *Appl. Phys. Lett.*, **51**(3), 205, (1987).

Preparation and Structural Analysis of a PbSe-SnSe Strained-layer Superlattice, Z. Hiroi, N. Nakayama and Y. Bando, *J. Appl. Phys.*, **61**, 206, (1987).

Structure of Artificial Superlattice of PbSe and SnSe, Z. Hiroi, N. Nakayama and Y. Bando, Proc. World Conf. Adv. Mat. Innovat. Energy, Transportation & Commun. (IUPAC CHEMRAWN VI), IA01, (1987)

Preparation and Properties of Sb-doped SnO_2 Films by Reactive Evaporation, S. Muranaka, Y. Bando and T. Takada, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 227, (1986).

Surface Magnetism of Fe_3O_4 Thin Films, T. Terashima and Y. Bando, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 267, (1986).

X-ray Diffraction Study of Bi-layer and Tri-layer PbSe-SnSe Superlattice, Z. Hiroi, N. Nakayama and Y. Bando, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 259, (1986).

Hydrogenation of Carbon Monoxide by Fe-Ni Alloy Catalyst, T. Shigematsu, N. Takewa, M. Ohtsuki, K. Watanabe, Y. Bando and N. Nakanishi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 277, (1986).

Structure and Magnetic Properties of Artificial Superlattice and Multilayered Films of Magnetic Oxides, Y. Bando and T. Terashima, *J. Mag. Soc. Japan (in Japanese)*, **10**, 462, (1986).

Upper Critical Field of V-Ag Multilayered Superconductors, K. Kanoda, H. Mazaki, N. Hosoito and T. Shinjo, *Physical Review B*, **35**, 6736, (1987).

Magnetic-field Penetration Depth and Material Parameters of V-Ag Multilayered Superconductors, K. Kanoda, H. Mazaki, N. Hosoito and T. Shinjo, *Physical Review B*, **35**, 8413, (1987).

Multilayers as New Materials, T. Shinjo, *Kagaku (Chemistry)*, **41**, 606, (1986).

Structural Characterization of Metallic Multilayered Films with Artificial Superstructure, N. Nakayama, *Kagaku to Kogyo (Chemistry and Industry)*, **40**, 128, (1987).

Interface Magnetism in Fe/Mn Artificial Metallic Superlattice Investigated by ^{55}Mn NMR, K. Takanashi, H. Yasuoka, N. Nakayama, T. Katamoto and T. Shinjo, *Journal of the Physical Society of Japan*, **55**, 2357, (1986).

Magnetic Properties of Fe-Mg Artificial Superstructure Films, K. Kawaguchi, R. Yamamoto, N. Hosoito, T. Shinjo and T. Takada, *Journal of the Physical Society of Japan*, **55**, 2375, (1986).

Monolayer of Ferromagnetic MnSb, T. Shinjo, N. Nakayama, I. Moritani and Y. Endoh, *Journal of the Physical Society of Japan*, **55**, 2512, (1986).

Interface Magnetism and Multilayered Films, T. Shinjo, *Applications of the Mössbauer Effect*, 233, (1986).

Preparation and Magnetic Properties of Artificial Metallic Superlattices, T. Shinjo, *Kotai buturi (Solid State Physics)*, **21**, 582, (1986).

Artificial Multilayers, T. Shinjo, *Gakujutsu-geppo (Japanese Scientific Monthly)*, **40**, 274, (1987).

Magnetic Properties of V/Ag Multilayered Superconductors, H. Mazaki, K. Kanoda, N. Hosoito and T. Shinjo, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65**, 1, (1987).

Field Penetration into Proximity-coupled Superconducting Multilayers, K. Kanoda, H. Mazaki, T. Yamada, N. Hosoito and T. Shinjo, *Physical Review B*, **35**, 415, (1987).

Structure of Fe-C Multilayered Films, N. Nakayama, T. Katamoto, T. Shinjo and T. Takada, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 170, (1986).

Substrate Temperature Dependence of the Atomic Configuration Near the Interface in Fe/V Artificial Metallic Superlattice, K. Takanashi, H. Yasuoka, K. Kawaguchi and T. Shinjo, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 181, (1986).

Preparation and Super Conductivity of Multilayered V/Ag Films with Artificial Superstructure, N. Hosoi, T. Yamada, K. Kanoda, H. Mazaki and T. Shinjo, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 235, (1986).

Magnetic Properties of 'Sub' Monolayered Superlattice of Fe/Mg, Y. Endoh, K. Kawaguchi, N. Hosoi and T. Shinjo, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 243, (1986).

Mössbauer Measurements at Milli-Kelvin Temperature Region, T. Shinjo and T. Kusuda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 282, (1986).

Organic Chemistry

Effect of Allyl Alcohol on Reduction of β -Keto Esters by Bakers' Yeast, K. Nakamura, K. Inoue, K. Ushio, S. Oka and A. Ohno, *Chemistry Letters*, 679, (1987).

Application of Lanthanids to Organic Chemistry. Direct Alkoxylation of Anthracene, T. Sugiyama, *Chemistry Letters*, 1013, (1987).

NAD(P)⁺-NAD(P)H Models. 59. 1,2-Versus 1,4-Reduction of β , γ -unsaturated α -keto Ester, A. Ohno, T. Yasuma, K. Nakamura and S. Oka, *Bull. Chem. Soc. Jpn.*, **59**, 2905, (1986).

NAD(P)⁺-NAD(P)H Models. 61. An Interconversion between Central and axial Chiralities as an Evidence for a Functional Model of Chemical Evolution of an Enzyme, A. Ohno, M. Ohara and S. Oka, *J. Am. Chem. Soc.*, **108**, 6438, (1986).

NAD(P)⁺-NAD(P)H Models. 62. The Mechanism of the Silica Gel-Catalyzed Reduction with an NAD(P)H Model, S. Yasui, M. Fujii, K. Nakamura and A. Ohno, *Bull. Chem. Soc. Jpn.*, **60**, 963, (1987).

Stereochemistry of the α -Sulfinyl Phenylmethyl Carbanion. Reevaluation of the Configuration, K. Nakamura, M. Higaki, S. Adachi, S. Oka and A. Ohno, *J. Org. Chem.*, **52**, 1414, (1987).

Selective Partial Hydrogenation of *N*-Substituted-3-carbamoyl Pyridinium Salts to Corresponding Dihydropyridines Catalyzed by Bis (dimethylglyoximate) chloro (pyridine) cobalt, T. Okamoto, S. Yamamoto and S. Oka, *J. of Molecular Catalysis*, **39**, 219-223, (1987).

Ethylene Formation from 1-Aminocyclopropanecarboxylic Acid by the Reaction of Molecular Oxygen and Dihydropyridine Mediated by Flavin Mononucleotide and Mn (II) Ion, T. Okamoto, M. Shimada and S. Oka, *Chemistry Letters*, 817-820, (1987).

Crystal Structure of a Novel 1:2 Adduct from [2.2] Paracyclophane and *N*-Methylmaleimide, K. Matsumoto, T. Okamoto, A. Sera, K. Ito and K. Hamada, *Chemistry Letters*, 805-806, (1987).

High-Pressure Ammonolysis of Lactones to Hydroxyamines, K. Matsumoto, S. Hashimoto, T. Okamoto, S. Otani and J. Hayami, *Chemistry Letters*, 803-804, (1987).

Vacuum Ultraviolet Absorption Cross Sections of SiH₄, GeH₄, Si₂H₆, and Si₃H₈, U. Itoh, Y. Toyoshima, H. Onuki, N. Washida and T. Ibuki, *J. Chem. Phys.*, **85**, 4867, (1986).

CCl₂(\dot{A}^1B_1) Radical Formation in VUV Photolyses of CCl₄ and CBrCl₃, T. Ibuki, N. Takahashi, A. Hiraya and K. Shobatake, *J. Chem. Phys.*, **85**, 5717, (1986).

Absorption Spectra of SiCl₄, Si₂Cl₆, SiF₃CH₃ and GeF₄ in the VUV Region, T. Ibuki, N. Washida, U. Itoh, Y. Toyoshima and H. Onuki, *Chem. Phys. Lett.*, **136**, 447, (1987).

Selective Formation of 2-Phenylethanol in the Homologation of Benzyl Alcohol, K. Watanabe, K. Kudo, S. Mori and N. Sugita, *Bull. Chem. Soc. Jpn.*, **59**, 2565, (1986).

Acid Catalyzed Carbonylation of Chloromethyl Methyl Ether, S. Mori, K. Kudo and N. Sugita, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 312, (1986).

Dominant *cis*-Diacytoxylation of Alkenes with Tellurium (IV) Oxide and Lithium Bromide in Acetic Acid, S. Uemura, K. Ohe, S. Fukuzawa, S. R. Patil and N. Sugita, *J. Organometal. Chem.*, **316**, 67 (1986).

Application of Oxidative Aryl Migration in Organo-selenium and -tellurium Compounds to the Synthesis of 2-Aryl-propanoic Acids, S. Uemura, S. Fukuzawa, T. Yamauchi, K. Hattori, S. Mizutaki and K. Tamaki, *J. Chem. Soc., Perkin I*, 1983, (1986).

Cobalt Salts-Catalyzed Carbonylation of Aromatic Halides under Photostimulation, K. Kudo, T. Shibata, T. Kashimura, S. Mori and N. Sugita, *Chem. Lett.*, 577, (1987).

Carbonylation of Aryl- and Vinyl-tellurium Compounds with Carbon Monoxide in the Presence of Palladium (II) Salts, K. Ohe, H. Takahashi, S. Uemura and N. Sugita, *J. Organometal. Chem.*, **326**, 35, (1987).

Synthesis of 4-Hydroxycoumarins from *o*-Hydroxyalkylphenones with Carbon Dioxide, K. Kudo, N. Mori and N. Sugita, *Chemistry Express*, **2**, 353, (1987).

Preparation and Use of Organothallium (III) Compounds in Organic Synthesis, S. Uemura, "The Chemistry of the Metal-Carbon Bond", F. R. Hartley (Ed.), John Wiley, England, Vol. 4, p. 473 (1987).

The Lithium Diisopropylamide-Induced Fragmentation of 2,2-Diphenyl-1,3-dithiolane *S*-Oxide and Several 2,2-Diaryl-1,3-dithiolane *S,S'*-Dioxides, Y. Inoue, S. Tanimoto and T. Oida, *Bull. Chem. Soc. Jpn.*, **59**, 3897, (1986).

Vilsmeier Formylation of *O*-Silylated Enolates of Carboxylic Esters. A New

Method for the Synthesis of α -Formylcarboxylic Esters, C. P. Reddy and S. Tanimoto, *Synthesis*, 575, (1987).

Cobalt-mediated Reduction of C=N Bond. Synthesis of Methyl *N*-*p*-Toluenesulfonyl-1-phenylglycinate Catalyzed by Bis (dioximato) cobalt-Quinine Complexes, K. Kobayashi, T. Okamoto, T. Oida and S. Tanimoto, *Chem. Lett.*, 2031, (1986).

Preparation of 2-(2*H*-Benzotriazol-2-yl)phenols by the Reduction of 2-[(2-Nitrophenyl)azo]phenols with Thiourea *S*, *S*-Dioxide, S. Tanimoto and T. Kamano, *Synthesis*, 647, (1986).

Ring Fragmentation of 2-Alkenyl- and 2-Benzyl-1,3-dithiolanes Induced by Bases. A Novel Method for the Preparation of 1,1-Bisalkylthio- or 1-Alkylthioalk-1-enes and -alka-1,3-dienes, T. Oida, S. Tanimoto, H. Terao and M. Okano, *J. Chem. Soc., Perkin Trans. 1*, 1715, (1986).

Intramolecular Amidoseleniation of *N*-Alkenyl Imidates to *N*-Heterocycles, K. Terao, A. Toshimitsu and S. Uemura, *J. Chem. Soc., Perkin Trans. 1*, 1837, (1986).

Preparation of α -(Phenylseleno) propionamide from Imidate, K. Terao, A. Toshimitsu and S. Uemura, *Chemistry Express*, 2 (3), 185, (1987).

Electrophilic Addition of Benzeneselenenyl Chloride to Alkenes Bearing an Electron-withdrawing Substituent, A. Toshimitsu, K. Terao and S. Uemura, *J. Chem. Soc., Perkin Trans. 1*, 1059, (1987).

Organoselenium-Induced Cyclization of Olefinic Imidates and Amides. Selective Synthesis of Lactams or Iminolactones, A. Toshimitsu, K. Terao and S. Uemura, *J. Org. Chem.*, 52, 2018, (1987).

An Asymmetric Synthesis of 2-Substituted Piperidines through Ozonolysis of Cyclopentenes and Reductive Aminocyclization, M. Kawaguchi, O. Hayashi, N. Sakai, M. Hamada, Y. Yamamoto and J. Oda, *Agric. Biol. Chem.*, 50, 3107, (1986).

Asymmetric Epoxidation of Cyclic Enones under Chiral Phase Transfer Conditions, N. Baba, J. Oda and M. Kawaguchi, *Agric. Biol. Chem.*, 50, 3113, (1986).

Analysis of Hydrophobic Effect in the Complex Formation of Beta-Cyclodextrin-mono-(6-deoxy-6-sulfonate) with Quarternary Ammonium Ions, H. Miyagawa, T. Nishioka and T. Fujita, *Bull. Inst. Chem. Res., Kyoto Univ.*, 64, 94, (1986).

Quantitative Analysis of Effects of Substituted Phenols on Membrane Characteristics of Lecithin Liposomes, H. Miyoshi, T. Nishioka and T. Fujita, *Bull. Chem. Soc. Jpn.*, 59, 1099, (1986).

Synthesis of Morpholine Derivatives of Amino Acids by Ozonolysis and Reductive *N*-Alkylation, M. Kanamoto, M. Hamada, M. Kawaguchi, Y. Yamamoto and J. Oda, *Chemistry Express*, 2, 17, (1987).

Synthesis of Piperazines and Thiomorpholines by Ozonolysis of Cyclic Olefins and Reductive *N*-Alkylation, M. Kawaguchi, O. Hayashi, M. Kanamoto, M. Hamada, Y. Yamamoto and J. Oda, *Agric. Biol. Chem.*, **51**, 435, (1987).

Quantitative Relationship between Protonophoric and Uncoupling Activities of Substituted Phenols, H. Miyoshi, T. Nishioka and T. Fujita, *Biochimica et Biophysica Acta*, **891**, 194, (1987).

Quantitative Relationship between Protonophoric and Uncoupling Activities of Analogs of SF6847(2, 6-di-*t*-butyl-4-(2', 2'-dicyano-vinyl) phenol), H. Miyoshi, T. Nishioka and T. Fujita, *Biochimica et Biophysica Acta*, **891**, 293, (1987).

Homology of *Escherichia coli* B Glutathione Synthetase with Dihydrofolate Reductase in Amino Acid Sequence and Substrate Binding Site, H. Kato, M. Chihara, T. Nishioka, K. Murata, A. Kimura and J. Oda, *J. Biochem.*, **101**, 207, (1987).

Enantiotopic-group Differentiation. Catalytic Asymmetric Ring-opening of Prochiral Cyclic Acid Anhydrides with Methanol, using Cinchona Alkaloids, J. Hiratake, M. Inagaki, Y. Yamamoto and J. Oda, *J. Chem. Soc. Perkin Trans. 1*, 1053, (1987).

Regioselective Hydroxylation in the B Ring of *ent*-Kaurene; Syntheses of *ent*-7 β - and 9 α -Hydroxykaur-16-enes, M. Node, T. Kajimoto, N. Ito, J. Tamada, E. Fujita and K. Fuji, *J. Chem. Soc., Chem. Commun.*, **15**, 1164-1166, (1986).

Does an Oxygen Function Stabilize the Sulfonyl Carbanion? Metalation of 1,3-Oxathian 3, 3-Dioxide, K. Fuji, Y. Usami, K. Sumi, M. Ueda and K. Kajiwara, *Chem. Lett.*, **10**, 1655, (1986).

Kinetic Resolution of Lactones by Enantioselective Protonation of the Corresponding Carboxylate with a chiral Acid, K. Fuji, M. Node, M. Murata, S. Terada and K. Hashimoto, *Tetrahedron Lett.*, **44**, 5381, (1986).

A New Method for the Preparation of γ -Hydroxy Ketones: a Formal Total Synthesis of (\pm)-Lanceol, K. Fuji, M. Node, Y. Usami and Y. Kiryu, *J. Chem. Soc., Chem. Commun.*, **6**, 449, (1987).

Bond-Cleavage Reaction with Hard Acid and Soft Nucleophile System, K. Fuji, *Advances in Chemistry Series 215*, 219-231, (1987).

The Structures of Four New Diterpene Alkaloids, Spiramines A, B, C and D., Xiaojiang Hao, M. Node, T. Taga, Y. Miwa, J. Zhou, S. Chen and K. Fuji, *Chem. Pharm. Bull.*, **35**, 1670, (1987).

Hard Acid and Soft Nucleophile System. Part 11. Hard-Soft Affinity Inversion: Dehalogenation of α -Halogeno Ketones with Aluminium Chloride and a Thiol, K. Fuji, M. Node, T. Kawabata and M. Fujimoto, *J. Chem. Soc., Perkin Trans. 1*, **5**, 1043, (1987).

Intramolecular Aromatic Cyclizations of Alkenyliodonim Tetrafluoroborates, M. Ochiai, Y. Takaoka, K. Sumi and Y. Nagao, *J. Chem. Soc., Chem. Commun.* 1382, (1986).

New Methylseleno-Promoted Ketene-Imine Cycloaddition Reaction. A Simplified Stereoselective Synthesis of Penam, Y. Nagao, T. Kumagai, S. Takao, T. Abe, M. Ochiai, Y. Inoue, T. Taga and E. Fujita, *J. Org. Chem.*, **51**, 4737, (1986).

Highly Diastereoselective Alkylation onto 4-Acetoxy-2-azetidinones Employing Tin (II) Enolates of C4-Chiral 3-Acyl-1, 3-thiazolidine-2-thiones, Y. Nagao, T. Kumagai, S. Tamai, T. Abe, Y. Kuramoto, T. Taga, S. Aoyagi, Y. Nagase, M. Ochiai, Y. Inoue and E. Fujita, *J. Am. Chem. Soc.*, **108**, 4673, (1986).

Tandem Michael-Carbene Insertion Reactions of Alkynyliodonium Salts. Extremely Efficient Cyclopentene Annulations, M. Ochiai, M. Kunishima, Y. Nagao, K. Fuji, M. Shiro and E. Fujita, *J. Am. Chem. Soc.*, **108**, 8281, (1986).

Reactions of Allylmetal (Group IVb) Compounds Derived from Isopulegol with Thallium (III) Acetate, M. Ochiai, M. Arimoto, Y. Nagao, H. Yamaguchi and E. Fujita, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 88, (1986).

Hypervalent Organoiodine-Promoted Oxidative Ring Expansions of Tributylstannyl Lactols. New and General Synthesis of Unsaturated Medium-Ring Lactones, M. Ochiai, S. Iwai, T. Ukita and Y. Nagao, *Chem. Lett.*, 133, (1987).

Synthesis of (+)-Carbacyclin Based on a New Chiral Induction Procedure, Y. Nagao, T. Nakamura, M. Ochiai, K. Fuji and E. Fujita, *J. Chem. Soc., Chem. Commun.*, 267, (1987).

Chiral Synthesis of a Useful Intermediate for (+)-Isocarbacyclin, Y. Nagao, T. Nakamura, M. Kume, M. Ochiai, K. Fuji and E. Fujita, *J. Chem. Soc., Chem. Commun.*, 269, (1987).

A General Synthesis of Chiral C-4-Alkylated Azetidin-2-ones which are of Potential Use as Intermediate for 1 β -Heteroatom-substituted Carbapenems, Y. Nagao, T. Kumagai, T. Abe, M. Ochiai, T. Taga, K. Machida and Y. Inoue, *J. Chem. Soc., Chem. Commun.*, 602, (1987).

Special Articles on Organic Chemistry of Heteroatoms. Convenient Synthesis of Penam-Type β -Lactams Utilizing Cycloaddition Reaction, Y. Nagao, T. Kumagai, S. Takao, T. Abe, M. Ochiai, T. Taga, Y. Inoue and E. Fujita, *Nippon Kagaku Kaishi*, 1447, (1987).

Effect of Modification of Sulfhydryl Groups in Soybean β -Amylase on the Interaction with Substrate and Inhibitors, K. Nomura, B. Mikami, Y. Nagao and Y. Morita, *J. Biochemistry*, **102**, 333, (1987).

Synthetic Development of Hypoxic Cell Sensitizers Having 3-Nitrotriazole Moie-

ty, Y. Nagao, S. Sano, M. Ochiai, K. Fuji, S. Nishimoto, T. Kagiya, Y. Shibamoto, M. Abe, C. Murayama and T. Mori, *J. Pharmacobio-Dyn.*, **10**, s-155, (1987).

Sulfur-Containing Heterocycles in New Synthetic Strategies for Chiral β -Lactam Antibiotics, Y. Nagao, *Studies in Organic Chemistry 28. "Perspectives in the Organic Chemistry of Sulfur"*, Eds. by B. Zwanenburg and A. J. H. Klunder; Elsevier, Amsterdam, 57, (1987).

Synthesis of 1β -Substituted Carbapenems, Y. Nagao, *Kagaku*, **42**, 190, (1987).

Polymer Chemistry

Birefringence of a Block Copolymer Solution in the Stress Relaxation Process, K. Osaki, E. Takatori, M. Kurata, H. Ohnuma and T. Kotaka, *Polymer Journal*, **18**, 947-954, (1986).

Nonlinear Viscoelasticity and Molecular Motion in Entangled Polymers. Effect of Molecular Weight Distribution, K. Osaki, Y. Nishimura and M. Kurata, "Current Topics in Polymer Science, Volume II", 98-108, (1987).

On the Universality of Viscoelastic Properties of Entangled Polymeric Systems, K. Osaki, E. Takatori, Y. Tsunashima and M. Kurata, *Macromolecules*, **20**, 525-529, (1987).

Diffusion Measurements of Poly(methyl methacrylate) in Semidilute Solutions of Polystyrene in Thiophenol with an Analytical Ultracentrifuge. Dynamics of Polymer-Polymer-Solvent Ternary Systems 3, N. Nemoto, S. Okada, T. Inoue, Y. Tsunashima and M. Kurata, *Macromolecules*, **19**, 2305-2306, (1986).

Size and Shape of Biological Polymers in Solution, M. Kurata and N. Nemoto, *Fundamentals of Life Science 4, Physical Measurements on Biological Polymer Systems* A. Wada, Eds., Gakkai Shuppan Center, Tokyo, 113-142, (1986), in Japanese.

Molecular Mechanism of Self Diffusion of Polymer in Melt and Solution, N. Nemoto, *Kaigai Kobunshi Kenkyu*, **32**, 173-174, (1986), in Japanese.

A Low Energy Peak in Benzoic Acid Crystals Measured by Neutron Scattering, K. Kaji, S. Hayashi, T. Kanaya and K. Inoue, *KENS Report*, **6**, 197, (1986).

Low Energy Peaks in Neutron Spectra from Various Amorphous Solids, K. Inoue, K. Kaji, T. Kanaya, S. Ikeda, M. Arai and M. Misawa, *KENS Report*, **6**, 193, (1986).

Low Energy Excitation Measurement on Epoxy Resin, M. Arai, K. Inoue and T. Kanaya, *KENS Report*, **6**, 200, (1986).

Neutron Quasielastic Scattering from Atactic Polystyrene, T. Ishida, T. Kanaya,

K. Kaji, R. Kitamaru and K. Inoue, *KENS Report*, **6**, 246, (1986).

Localized Motions of Polymers above Melting Temperature, K. Inoue, K. Kaji, T. Kanaya, K. Nishida and R. Kitamaru, *KENS Report*, **6**, 240, (1986).

Neutron Inelastic and Quasielastic Scattering from Cross-linked Polybutadiene, T. Kanaya, K. Kaji, K. Inoue and R. Kitamaru, *KENS Report*, **6**, 248, (1986).

Temperature Dependence of Neutron Quasielastic Scattering Spectra of Some Rubber Polymers, T. Kanaya, K. Kaji, K. Inoue and R. Kitamaru, *KENS Report*, **6**, 244, (1986).

Crystalline-Amorphous Interphase of Lamellar Crystalline Polyethylene, F. Horii, K. Murayama, M. Nakagawa, Q. R. Zhu, and R. Kitamaru, *Nippon Kagaku Sen-i Kenkyusho Koenshu (Annual Report of the Res. Inst. for Chem. Fibers, Japan)*, in Japanese, **43**, 11, (1986).

Immobilization of Collagen onto Polymer Surfaces Having Hydroxyl Groups, Y. Tabata, S. V. Lonikar, F. Horii and Y. Ikada, *Biomaterials*, **7**, 234, (1986).

^{13}C NMR Study of the α -Methyl Group Rotation in Solid Poly (methyl methacrylate): Detection of the ^{13}C T_1 Minimum, B. Gabrys, F. Horii and R. Kitamaru, *Macromolecules*, **20**, 175, (1987).

Cross-Polarization-Magic Angle Spinning Carbon-13 NMR Approach to the Structural Analysis of Cellulose, F. Horii, A. Hirai and R. Kitamaru, *ACS Symposium Series*, **340**, 119, (1987).

Structural Study of Amylose Polymorphs by Cross-Polarization-Magic-Angle Spinning, ^{13}C -N.M.R. Spectroscopy, F. Horii, H. Yamamoto, A. Hirai and R. Kitamaru, *Carbohydr. Res.*, **160**, 29-40, (1987).

Transformation of Native Cellulose Crystals from Cellulose I_b to I_a through Solid-State Chemical Reactions, A. Hirai, F. Horii and R. Kitamaru, *Macromolecules*, **20**, 1440-1442, (1987).

Sorption of Alcohol Vapors in a Disubstituted Polyacetylene, K. Nakanishi, H. Odani, M. Kurata, T. Masuda and T. Higashimaru, *Polymer Journal*, **19**, 293-296, (1987).

Permeation of Gases in Poly[1-(trimethylsilyl)-1-propyne], H. Shimomura, K. Nakanishi, H. Odani, M. Kurata, T. Masuda and T. Higashimaru, *Kobunshi Ronbunshu*, **43**, 747-753, (1986).

Unperturbed Dimensions of Polymers in Solution, Y. Tsunashima, "Kobunshi Data Handbook" (in Japanese), 1986, the Society of Polymer Science, Japan, ed., Baifukan, Tokyo, Chapter 4. 1, 511-524, (1986).

Dynamic Light Scattering Studies of Polymer Solutions. 5. Universal Behavior of

Highly Swollen Chains at Infinite Dilution Observed for Polyisoprenes in Cyclohexane, Y. Tsunashima, M. Hirata, N. Nemoto and M. Kurata, *Macromolecules*, **20**, 1992-1999, (1987).

Mechanism of Bilateral Staining of Merino Wool Fibers with Basic Dyes, H. Sakabe, H. Ito, T. Miyamoto and H. Inagaki, *Text. Res. J.*, **56**, 635, (1986).

Some Aspects for the Bilateral Structure of Wool Fibers, T. Miyamoto, H. Sakabe, H. Ito and H. Inagaki, *Ann. Report Res. Inst. Chem. Fiber Japan*, **43**, 37, (1986), in Japanese.

States of Water Sorbed on Wool as Studied by Differential Scanning Calorimeter, H. Sakabe, H. Ito, T. Miyamoto and H. Inagaki, *Text. Res. J.*, **57**, 66, (1987).

Artificial Crimping of Wool Fibers by Draft/Relaxation Process II. Effect on Mechanical Properties of Fibers, R. Umehara, Y. Shibata, Y. Masuda, H. Ito, T. Miyamoto and H. Inagaki, *Sen-i Gakkaishi*, **43**, 438, (1987), in Japanese.

Artificial Crimping of Wool Fibers by Draft/Relaxation Process III. Effect of Combination with Shrinkproofing Process, R. Umehara, Y. Shibata, Y. Masuda, H. Ito, T. Miyamoto and H. Inagaki, *Sen-i Gakkaishi*, **43**, 444, (1987), in Japanese.

The Phase Transition in α -Keratin Fibers, T. Miyamoto, H. Sakabe and H. Inagaki, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65**, 109, (1987).

In Vivo and In Vitro Blood Compatibility of Polyelectrolyte Complexes Formed between Cellulose Derivatives, H. Ito, T. Miyamoto, H. Inagaki and Y. Noishiki, *J. Appl. Polym. Sci.*, **32**, 3413, (1986).

¹³C-NMR Spectral Studies on the Distribution of Substituents in Some Cellulose Derivatives, S. Takahashi, T. Fujimoto, B. M. Barua, T. Miyamoto and H. Inagaki, *J. Polym. Sci. Polym. Chem. Ed.*, **24**, 2981, (1986).

Reaction of Cellulose with Formic Acid and Stability of Cellulose Formate, T. Fujimoto, S. Takahashi, M. Tsuji, T. Miyamoto and H. Inagaki, *J. Polym. Sci. Polym. Lett. Ed.*, **24**, 495, (1986).

Relationship between Distribution of Substituents and Water Solubility of O-Methyl Cellulose, S. Takahashi, T. Fujimoto, T. Miyamoto and H. Inagaki, *J. Polym. Sci. Polym. Chem. Ed.*, **25**, 987, (1987).

Biocompatibility of Cellulose-Containing Composite Materials, T. Miyamoto, H. Ito, S. Takahashi, H. Inagaki and Y. Noishiki, "Wood and Cellulosics", ed. by J. F. Kennedy, G. O. Phillips and P. A. Williams, p. 483, (1987).

¹³C-NMR Studies of Some Cellulose Derivatives, T. Miyamoto, T. Fujimoto, S. Takahashi, T. Yamagishi, O. Hasegawa and H. Inagaki, "Wood and Cellulosics", ed. By J. F. Kennedy, G. O. Phillips and P. A. Williams, Chap. 66, p. 597, Ellis Hoewood

(1987).

Aqueous Gel Permeation Chromatography of Electrolyte and Polyelectrolytes III. Determination of Selectivity in Counterion Binding to Polyelectrolytes, S. Kado-kura, T. Miyamoto and H. Inagaki, *Bull. Inst. Chem. Res., Kyoto Univ.*, **65**, 75, (1987).

Free-Radical Copolymerization V. Rate Constants of Propagation and Termination for a Styrene/Methyl Methacrylate/Toluene System -Dedicated to the Memory of the Late Professor Ichiro Sakurada-, T. Fukuda, K. Kubo, Y-D Ma, and H. Inagaki, *Polymer J.*, **19**, 523, (1987).

Light Scattering Characterization of Polymer Blends in Solution, T. Fukuda and H. Inagaki, "Proceedings of the 2nd Rolduc Polymer Meeting" (Limburg, the Netherlands, 1987) Elsevier, Amsterdam.

Light Scattering from Polymer Blend Solutions. 4. Data Analysis for Asymmetric-al Dilute Systems, T. Fukuda, M. Nagata and H. Inagaki, *Macromolecules*, **20**, 654, (1987).

Sedimentation Analysis of Proteins, H. Suzuki, "Physical Chemistry of Colloids and Macromolecules", B. Rånby, Ed. Blackwell Sci. Pub., 1987.

Molecular Characterization of Soluble Poly(1,4-divinylbenzene) Obtained by Anionic Polymerization of 1, 4-Divinylbenzene with Lithium Alkylamide as Initiator, K. Kajiwara, H. Suzuki, H. Inagaki, M. Maeda and T. Tsuruta, *Makromol. Chem.*, **187**, 2257 (1986).

Lyotropic Mesophase of Imogolite, 1, Effect of Polydispersity on Phase Diagram, K. Kajiwara, N. Donkai, Y. Hiragi and H. Inagaki, *Makromol. Chem.*, **187**, 2883, (1986).

Lyotropic Mesophase of Imogolite, 2, Microscopic Observation of Imogolite Mesophase, K. Kajiwara, N. Donkai, Y. Fujiyoshi and H. Inagaki, *Makromol. Chem.*, **187**, 2895, (1986).

Resolution Limit in Electron Microscopy of Polymer Crystals, M. Tsuji, S. Moriguchi, K. J. Ihn, A. Kawaguchi and K. Katayama, Proceedings of "XI-th International Congress on Electron Microscopy, Kyoto", 1749-1750 (1986).

Morphology of Solution-grown Crystals and Crystalline Thin Films of Poly(*p*-phenylene sulfide), A. Uemura, S. Isoda, M. Tsuji, M. Ohara, A. Kawaguchi and K. Katayama, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 66-77, (1986).

Reaction of Cellulose with Formic Acid and Stability of Cellulose Formate, T. Fujimoto, S. Takahashi, M. Tsuji, T. Miyamoto and H. Inagaki, *J. Polym. Sci.: Part C: Polym. Letters*, **24**, 495-501, (1986).

High Resolution Electron Microscopy of Thin Crystalline Films of Isotactic Polystyrene, M. Tsuji, A. Uemura, M. Ohara, A. Kawaguchi, K. Katayama and J.

Petermann, *Sen-i Gakkaishi*, **42**, T580-T583, (1986).

High Resolution Electron Microscopy of Polymers (in Japanese), K. Katayama, *Denshikenbikyo*, **21**, 181-189 (1987).

Direct Observation of Polymer Crystals by High-Resolution Electron Microscopy (in Japanese), M. Tsuji, *Kobunshikako*, **35**, 522-529, 574-578, (1986).

Electron Microscopical Studies on *p*-Polyphenyls, A. Kawaguchi, M. Tsuji, S. Moriguchi, A. Uemura, S. Isoda, M. Ohara, J. Petermann and K. Katayama, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 54-65, (1986).

Epitaxial Interfaces in Semi-crystalline Polymers and Their Applications, J. Petermann, G. Broza, U. Rieck and A. Kawaguchi, *J. Mater. Sci.*, **22**, 1477-1481, (1987).

Biochemistry

Prediction of Protein Structures by Database Analysis, M. Kanehisa, Proceedings of the International Symposium on Computer Analysis for Life Science (C. Kawabata and A. R. Bishop, eds.), 204, (1986).

Nonrandom Recurrence of Consecutive Repeats in Noncoding Mammalian Sequences, P. C. Greif, R. Nussinov, M. Kanehisa and C. DeLisi, *Math. Biosci.*, **81**, 43, (1986).

Molecular Characterization of Soluble Poly(1, 4-divinyl-benzene) obtained by Anionic Polymerization of 1, 4-divinylbenzene with Lithium Alkylamide as Initiator, K. Kajiwara, H. Suzuki, H. Inagaki, M. Maeda and T. Tsuruta, *Makromol. Chem.*, **187**, 2257, (1986).

Solution Properties of Xanthan. 1. Dynamic and Static Light Scattering from Native and Modified Xanthans in Dilute Solutions, T. Coviello, K. Kajiwara, W. Burchard, M. Dintini and V. Crescenzi, *Macromolecules*, **19**, 2826-2831, (1986).

Lyotropic Mesophase of Imogolite. 1. Effect of Polydispersity on Phase Diagram, K. Kajiwara, N. Donkai, Y. Hiragi and H. Inagaki, *Makromol. Chem.*, **187**, 2883-2893, (1986).

Lyotropic Mesophase of Imogolite. 2. Microscopic Observation of Imogolite Mesophase, K. Kajiwara, N. Donkai, Y. Fujiyoshi and H. Inagaki, *Makromol. Chem.*, **187**, 2895-2907 (1986)

Does an Oxygen Function Stabilize the Sulfonyl Carbanion? Metalation of 1, 3-oxathiane 3, 3-dioxides, K. Fuji, Y. Usami, K. Sumi, M. Ueda and K. Kajiwara, *Chemistry Letters*, 1986, 1655-1658.

Accessible Surface Areas as a Measure of the Thermodynamic Parameters of

Hydration of Peptides, T. Ooi, M. Oobatake, G. Némethy and H. A. Scheraga, *Proc. Natl. Acad. Sci. USA*, **84**, 3086-3090, (1987).

Examination of Protein Sequence Homologies: III. Ribosomal Protein YS25 from *Saccharomyces cerevisiae* and Its Counterparts from *Schizosaccharomyces pombe*, Rat Liver and *Escherichia coli*, E. Otaka, T. Ooi, T. Itoh and T. Kumazaki, *J. Mol. Evol.*, **23**, 337-342, (1986).

Information Analysis and Sequence Data Banks of DNA and Protein, T. Ooi, S. Tsuda and H. Nakashima, Proceedings of the International Symposium; Computer Analysis for Life Science. Hayashibara Forum 85, 212-219, (1986).

Accessible Surface Areas as a Measure of the Thermodynamic Parameters of Hydration of Peptides, T. Ooi, M. Oobatake, G. Némethy and H. A. Scheraga, *Proc. Natl. Acad. Sci., USA*, **84**, 3086-3090, (1987).

Separation of Skeletal Muscle Alpha- and Beta-tropomyosin by a New Method, Chromatofocusing, O. Ohara and S. Takahashi, *J. Mol. Sci.*, **3**, 229-233, (1985).

Phosphorylation of Amoeba G-actin and its Effect on Actin Polymerization, S. Sonobe, S. Takahashi, S. Hatano and K. Kuroda, *J. Biol. Chem.*, **261**, 14837-14843, (1986).

pH-Dependent Membrane Fusion Activity of a Synthetic Twenty Amino Acid Peptide with the Same Sequence as that of the Hydrophobic Segment of Influenza Virus Hemagglutinin, M. Murata, Y. Sugahara, S. Takahashi and S. Ohnishi, *J. Biochem.*, **102**, 957-962, (1987).

Radial Locations of Amino Acid Residues in a Globular Protein: Correlation with the Sequence. K. Nishikawa and T. Ooi, *J. Biochem.*, **100**, 1043-1047, (1986).

Homology between Mammalian DNA Polymerase β and Terminal Deoxynucleotidyltransferase, A. Matsukage, K. Nishikawa, T. Ooi, Y. Seto and M. Yamaguchi, *J. Biological Chem.*, **262**, 8960-8962, (1987).

A Dynamic Study of the Crystallization of Polyethylene from the Melt. II, Y. Izumi, I. Tomioka, Y. Miyake, T. Ueki, Y. Hiragi, H. Tagawa, M. Kataoka, Y. Muroga and Y. Amemiya, *Reports on Progress in Polymer Physics in Japan*, **24**, 145-146, (1986).

Lyotropic Mesophase of Imogolite, I. Effect of Polydispersity on Phase Diagram, K. Kajiwara, N. Donkai, Y. Hiragi and H. Inagaki, *Makromol. Chem.*, **187**, 2883-2893, (1986).

Temperature-Jump Solution Small-Angle X-ray Scattering Study of Aggregation Process of Tobacco Mosaic Virus Protein, Y. Hiragi, T. Ueki, H. Inoue, Y. Sano, K. Kajiwara and M. Kataoka, *Photon Factory Activity Report*, **4**, 212, (1986).

X-ray Solution Scattering Studies on Solubilized Bacteriorhodopsin. I, M.

Kataoka, M. Nakasako, F. Tokunaga, T. Ueki, Y. Hiragi and Y. Amemiya, *Photon Factory Activity Report*, **4**, 213, (1986).

Dynamic Study on Aggregation Process in α -Lactalbumin, Y. Izumi, I. Tomioka, Y. Miyake, T. Ueki, Y. Inoko, Y. Hiragi, M. Kataoka, Y. Muroga and Y. Amemiya, *Photon Factory Activity Report*, **4**, 214, (1986).

Dynamic Study of the Crystallization of Polyoxymethylene from the Melt, Y. Izumi, I. Tomioka, Y. Miyake, T. Ueki, Y. Hiragi, H. Tagawa, M. Kataoka, Y. Muroga and Y. Amemiya, *Photon Factory Activity Report*, **4**, 215, (1986).

Phase Separation Processes in a High Molecular Weight Polymer Blend, Y. Izumi, I. Tomioka, Y. Miyake, T. Ueki, H. Tagawa, Y. Hiragi, M. Kataoka, Y. Muroga and Y. Amemiya, *Photon Factory Activity Report*, **4**, 216, (1986).

Structural Studies on Aldolase by Means of Time-Resolved X-ray Scattering, Y. Morimoto, M. Sato, Y. Hata, N. Tanaka, Y. Katsube, T. Ueki, M. Kataoka, Y. Hiragi and Y. Amemiya, *Photon Factory Activity Report*, **4**, 224, (1986).

Alanine Racemase and Its suicide Substrate Reactions, N. Esaki and K. Soda, *Kagaku(Chemistry)*, **41**, 202, (1986).

Mechanism of α -Amino- ϵ -caprolactam Racemase Reaction, S. A. Ahmed, N. Esaki, H. Tanaka and K. Soda, *Biochemistry*, **253**, 385, (1986).

Production of a Novel Tryptophan Analog, β -l-indazole-L-alanine with Tryptophan Synthase of *Escherichia coli*, H. Tanaka, K. Tanizawa, T. Araki, K. Saito, T. Arai and K. Soda, *FEBS Lett.*, **196**(2), 357, (1986).

Purification and Characterization of Yeast L-Kynurenine Aminotransferase with Broad Substrate Specificity, Y. Asada, Y. Sawa, K. Tanizawa and K. Soda, *J. Biochem.*, **99**, 1101, (1986).

Pyridoxal 5'-phosphate Independent Hisline Decarboxylase, H. Tanaka, *Vitamin*, (in Japanese), **60**, 250, (1986).

New Purification Procedures and Utilization of Enzymes, T. Ohshima and K. Soda, *Chemical Engineering* (in Japanese), 67, (1986).

Stabilization of Enzymes in Blood by Their Chemical Modification, K. Soda, *Seitai-bunshi-kogaku Danwakai (Meeting of Technology for Biomolecules)*, 163, (1986).

Enzymes in Amino Acids Metabolism, K. Soda and T. Yoshimura, *Aminosan Hakko (Amino Acid Fermentation)*, 101, (1986).

Methionine Fermentation, K. Soda, N. Esaki and H. Tanaka, *Aminosan Hakko (Amino Acid Fermentation)*, 325, (1986).

Biosynthetic Alanine Racemase of *Salmonella typhimurium*: Purification and Char-

acterization of the Enzyme Encoded by the *alr* Gene, N. Esaki and C. T. Walsh, *Biochemistry*, **25**, 261, (1986).

Thermostable Alanine Racemase from *Bacillus stearothermophilus*: Molecular Cloning of the Gene, Enzyme Purification, and Characterization, K. Inagaki, K. Tanizawa, B. Badet, C. T. Walsh, H. Tanaka and K. Soda, *Biochemistry*, **25**, 3268, (1986).

Time-Dependent Inhibition of *Bacillus stearothermophilus* Alanine Racemase by (1-Aminoethyl)phosphonate Isomers by Isomerization to Noncovalent Slowly Dissociating Enzyme-(1-Aminoethyl) phosphonate Complexes, B. Badet, K. Inagaki, K. Soda and C. T. Walsh, *Biochemistry*, **25**, 3275, (1986).

Pyridoxal Phosphatate Enzymes Catalyzing Racemization, K. Soda, H. Takana and K. Tanizawa, Pyridoxal Phosphate: Chemical, Biochemical and Medical Aspects, Part B, 1B, 224, (1986).

Stereochemical Aspects of Vitamin B₆ Enzyme Reactions, T. Yoshimura and K. Soda, *Sei-kagaku (Biochemistry)*, **58**, 334, (1986).

Superoxide Dismutase of *Gluconobacter Cerinus*, K. Tsukuda, T. Kido, S. Ueda, Y. Shimasue and K. Soda, *Biology and Medicine*, 535, (1986).

Applications of Stereoselectivity of Enzymes: Synthesis of Optically Active Amino Acids and α -Hydroxy Acids, and Stereospecific Isotope-Labeling of Amino Acids, Amines and Coenzymes, K. Yonaha and K. Soda, *Advances in Biochemical Engineering Biotechnology*, **33**, 95, (1986).

Synthesis of Labeled (\pm)-2-Amino-3-butenoic Acids, S. Sawada, T. Nakayama, N. Esaki, H. Tanaka, K. Soda and R. K. Hill, *The Journal of Organic Chemistry*, **51**, 3384, (1986).

Cloning and Expression in *Escherichia coli* of the Glutamate Racemase Gene from *Pediococcus pentosaceus*, N. Nakajima, K. Tanizawa, H. Tanaka and K. Soda, *Agric. Biol. Chem.*, **50** (11), 2823, (1986).

Selenocystein β -lyase; Reaction and Regulation Mechanisms, N. Esaki, T. Nakamura, P. Chocat, N. Karai, H. Tanaka and K. Soda, *Biryō Eiyōso Kenkyū (Study of Trace Nutrients)*, **3**, 127, (1986).

Suicide Inactivation of L-Methionine γ -Lyase: Inactivation by S-(N-Methylthiocarbamoyl)-L-cysteine and Its Mechanism, T. Kimura, J. Goto, T. Nakayama, H. Tanaka and K. Soda, *Ganryū Aminosan (Sulfur Amino Acids)*, **9**, 281, (1986).

Methionine, H. Tanaka and K. Soda, *Prog. Ind. Microbial.*, **24**, 183, (1986).

Biosynthetic and Metabolic Enzymes of Amino Acids, K. Soda, *Prog. Ind. Microbial.*, **24**, 36, (1986).

The Codon for Selenocysteine Residue in Selenium-containing Enzyme is Opal Termination Codon, H. Tanaka, *Vitamin* (in Japanese), **61**, 27, (1987).

Purification and Characterization of Amino Acid Racemase with Very Broad Substrate Specificity from *Aeromonas caviae*, K. Inagaki, K. Tanizawa, H. Tanaka and K. Soda, *Agric. Biol. Chem.*, **51**, 173, (1987).

Specific Incorporation of Selenium into Biopolymers, H. Tanaka and K. Soda, *Kagaku (Chemistry)*, **42**, 214, (1987).

Enzymes and Trace Elements, K. Soda, *Biryō Genso to Seitai (Trace Elements and Organisms)*, 110, (1987).

A Simple Enzymatic Method for Microdetermination of D-glutamate, N. Nakajima, K. Tanizawa, H. Tanaka and K. Soda, *Anal. Lett.*, **20**(3), 471, (1987).

Enzymatic Synthesis of Optically Active Amino Acids from Racemic Starting Material, K. Soda and H. Tanaka, *Biotec.*, **1**, 93, (1987).

Affinity-labeling, T. Kumazaki, S. Ishii, Y. Kanaoka, E. Satou, K. Soda and K. Tanizawa, Laboratory Manual for Biochemistry 2nd Ed. -Protein Chemistry-, Vol.2, 2, 561, (1987).

Selenocysteine β -Lyase: An Enzymological Aspect of Mammalian Selenocysteine Metabolism, K. Soda, N. Esaki, T. Nakamura and H. Tanaka, *Selenium in Biology and Medicine Part A*, 160 (1987).

Microbial Selenocysteine Lyase, P. Chocat, N. Esaki, T. Nakamura, H. Tanaka and K. Soda, *Selenium in Biology and Medicine Part A*, 172, (1987).

Microbial Aspartate Aminotransferases, T. Yagi and K. Soda, *Hakko to Kogyo (Fermentation and Technology)*, **45**, 316, (1987).

Re-Investigation of the Protein Structure of Coenzyme B₁₂-Dependent Diol Dehydrase, K. Tanizawa, N. Nakajima, T. Toyama, H. Tanaka and K. Soda, *Z. Naturforsch.*, **42**, 353 (1987).

Occurrence of a New Enzyme, *meso*-Tartrate Dehydratase of *Pseudomonas putida*, S. Furuyoshi, H. Tanaka and K. Soda, *Agric. Biol. Chem.*, **51**, 1495, (1987).

Mathematical Modelling and Response Characteristics of Runaway Replication for Temperature Shift-up, S. Mizutani, S. Iijima, K. Shimizu, M. Matsubara, K. Soda and T. Kobayashi, *Biotechnology Progress*, **3**, 101, (1987).

Crystallization and Characterization of L-Pyrroline-5-carboxylate Dehydrogenase from *Bacillus sphaericus*, K. Isobe, T. Matsuzawa and K. Soda, *Agric. Biol. Chem.*, **51**, 1947, (1987).

Structure of the Hairy-root-inducing Plasmid and Identification of its Replicator Region, R. Nishiguchi and A. Oka, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 79-87,

(1986).

Characterization and Sequence Determination of the Replicator Region in the Hairy-root-inducing Plasmid pRiA4b, R. Nishiguchi, M. Takanami and A. Oka, *Mol. Gen. Genet.*, **206**, 1-8, (1987).

Essential Structure of *E.coli* Promoter, T. Aoyama, *Bull. Inst. Chem. Res., Kyoto Univ.*, **64**, 320-338, (1987).

Nuclease S1-sensitive Sites on superhelical DNA Molecules carrying the LTR Region of Moloney Murine Leukemia Virus, T. Kimura and T. Takeya, *Biochimica et Biophysica Acta*, **908**, 285, (1987).

Comparison of the Structural Organizations in the 3'-Terminal Regions of Five Avian Retrovirus Strains: RAV 7, RAV 50, B77, PR-B, and SR-B, Y. Onuki, A. Ohshima, Y. Kawarabayashi and T. Takeya, *Virology*, **156**, 163, (1987).

Amino Acid Substitutions Sufficient to Convert the Nontransforming p60^{c-src} Protein to a Transforming Protein, J. Kato, T. Takeya, C. Grandori, H. Iba, J. Levy and H. Hanafusa, *Molecular and Cellular Biology*, **6**, 4155, (1986).