

The Papers Published by the Staff Member of the Institute from July 1992 to June 1993

Nuclear Chemistry

Determination of Photopeak Efficiencies of Voluminal Samples for the Measurement of Environmental Radioactivities, T. Veronica, Y. Isozumi and T. Aoki, *Bull. Inst. Chem. Res. Kyoto Univ.*, **70**, 399, (1992).

Operation of a Proportional Counter at Low Temperature for Applying to CEMS, T. Kobayashi, K. Fukumura, A. Nakanishi, R. Katano and Y. Isozumi, *Bull. Inst. Chem. Res. Kyoto Univ.*, **70**, 408, (1992).

Construction of a Charge-State Analyzer for Ion-Atom Collisions, M. Tosaki, S. Ito, N. Maeda, N. Takahashi, R. Katano and Y. Isozumi, *Bull. Inst. Chem. Res. Kyoto Univ.*, **70**, 418, (1992).

A New Quantity to Determine the Best Model by Least-Squares Fit, Y. Isozumi, *Bull. Inst. Chem. Res. Kyoto Univ.*, **70**, 425, (1992).

Application of a Pressurized Position-Sensitive Proportional Counter to X-Ray Measurement, S. Ito, M. Tosaki, N. Maeda, N. Takahashi, R. Katano and Y. Isozumi, *Nucl. Instr. and Meth.*, **B75**, 112, (1993).

Operation of a Cryogenic Conversion Electron Proportional Counter under Strong Magnetic Fields, T. Fujii, N. Hosoito, R. Katano and Y. Isozumi, *Nucl. Instr. and Meth.*, **B76**, 207, (1993).

Behavior of the SQS Mode Observed as a Function of the Radial Distance of the Position of Primary Ionization, S. Ito, M. Tosaki, N. Maeda, R. Katano and Y. Isozumi, *Nucl. Instr. and Methods.*, **A329**, 564, (1993).

Mössbauer Spectroscopic Study on Surface and Interface Properties of Epitaxial Magnetite Films, T. Fujii, M. Takano, R. Katano, Y. Isozumi and Y. Bando, *Proceeding of the Sixth International Conference on Ferrites (ICF6)*, p. 666-669, 1992.

Multielectron Transitions in X-ray Absorption of Atoms, T. Mukoyama and Y. Ito, *Proc. Spring-8 Workshop on Atomic Physics at High Brilliance Synchrotron Radiation Facilities*, March 23-24, 1992, Himeji (RIKEN, Wako, 1992), p. 129.

Analytical Expression of the Hartree-Fock Wave Functions, T. Mukoyama and J. Yasui, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 385, (1992).

Applications of Relativistic Molecular Orbital Method to Materials for Nuclear Reactors, T. Mukoyama, *RIKEN Symposium on Quantum Chemistry Approach to Material Science (RIKEN, Wako, 1992)*, p. 17, in Japanese.

Model Potential for Atoms and Ions, T. Mukoyama and G. Hock, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 42, (1993).

DV- $X\alpha$ Molecular Orbital Method for X-Ray Absorption Near Edge Structure—Application to N_2 and CrO_4^{2-} , H. Nakamatsu, T. Mukoyama and H. Adachi, *Jpn. J. Appl. Phys.*, Suppl. **32-2**, 23, (1993).

Discrete-Variational Dirac-Slater Calculation on XPS for the Valence Levels of UF_6 , J. Onoe, K. Takeuchi, H. Nakamatsu, T. Mukoyama, R. Sekine and H. Adachi, *J. Electron Spectrosc.*, **60**, 29, (1992).

Calculation of XPS Valence Spectra for UF_6 with DV Dirac-Slater MO Method, J. Onoe, H. Nakamatsu, R. Sekine, T. Mukoyama, H. Adachi and K. Takeuchi, *Laser Kagaku Kenkyu.*, **14**, 134, (1992), in Japanese.

Final State Interaction in the $^2H(\bar{d}, pp)nn$ Reaction, T. Hayashi, K. Fukunaga, S. Kakigi, A. Okihana, T. Sekioka and T. Konishi, *RCNP Annual Report*, 1991, 29.

The $^6Li(\alpha, \alpha t)^3H$ Reaction at $E_\alpha=119$ MeV, A. Okihana, R. E. Warner, M. Fujiwara, N. Matsuoka, K. Fukunaga, S. Kakigi, T. Hayashi, J. Kasagi and M. Tosaki, *RCNP Annual Report*, 1991, 32.

Test of a Proton Detector Consisting of Stacks of CsI(Tl) Scintillators, S. Kakigi, K. Fukunaga, T. Hayashi, A. Okihana, T. Konishi, T. Sekioka and N. Koori, *RCNP Annual Report*, 1991, 52.

Evidence for Isovector Giant Resonances at $2\hbar\omega$ via the ($^7Li, ^7Be$) Reactions on ^{12}C and ^{28}Si , S. Nakayama, T. Yamagata, M. Tanaka, M. Inoue, K. Yuasa, T. Itahashi, H. Ogata, N. Koori, K. Shima and M. B. Greenfield, *Phys. Rev. C*, **46**, 1667, (1992).

Operating Characteristics of the ICR Proton LINAC, Y. Iwashita, T. Shirai, H. Dewa, H. Okamoto, A. Noda, H. Fujita, S. Kakigi and M. Inoue, "1992 Linear Accelerator Conference Proceedings, 1992 August 24–28 Ottawa, Ontario, Canada," v. 2, p. 624.

Half End-Cell Geometry of RFQ, Y. Iwashita and H. Fujisawa, "1992 Linear Accelerator Conference Proceedings, 1992 August 24–28 Ottawa, Ontario, Canada," v. 2, p. 698.

Disk-and-Washer LINAC Structure with T Supports, Y. Iwashita, "1992 Linear Accelerator Conference Proceedings, 1992 August 24–28 Ottawa, Ontario, Canada," v. 2, p. 701.

RF Characteristics of the 33.3 MHz 4-Rod RFQ, H. Fujisawa, M. Tamada, Y. Iwashita, A. Noda and M. Inoue, "1992 Linear Accelerator Conference Proceedings, 1992 August 24–28 Ottawa, Ontario, Canada," v. 2, p. 766.

Injection Method Using the Third Order Resonance at TARN II, M. Tomizawa, Y. Arakaki, K. Chida, S. Watanabe, T. Watanabe, T. Katayama, M. Yoshizawa and A. Noda, *INS-Rep.*, **980**, 1, (1993).

Design of the HIMAC Synchrotron Power Supply, M. Kumada, K. Sato, A. Itano, M. Kanazawa, E. Takada, K. Noda, M. Sudou, T. Kohno, H. Ogawa, S. Yamada, Y. Sato, T. Yamada, A. Kitagawa, J. Yoshizawa, T. Murakami, Y. Hirao, S. Matsumoto, H. Sato, T. Sueno, T. Kato, M. Endo, K. Utino, Y. Takada, A. Noda, T. Tanabe, S. Watanabe, S. Koseki and H. Kubo, "Proceedings of the Particle Accelerator Conference, May 17–20, 1993, Washington

D.C.,” 1993.

Quasifree Scattering in the ${}^6\text{Li}(\alpha, 2\alpha){}^2\text{H}$ Reaction at E_α between 77 and 119 MeV, A. Okihana, T. Konishi, R.E. Warner, D. Francis, M. Fujiwara, N. Matsuoka, K. Fukunaga, S. Kakigi, T. Hayashi, J. Kasagi, N. Koori, M. Tosaki and M. Greenfield, *Nucl. Phys.*, **A549**, 1, (1992).

High Power Circulator for the 433.3 MHz Proton Linac, T. Shirai, M. Inoue, Y. Iwashita, A. Noda, H. Takekoshi and S. Tsuruoka, *Nucl. Instrum. Methods Phys. Res.*, **A321**, 429, (1992).

Slow Beam Extraction at TARN II, M. Tomizawa, M. Yoshizawa, K. Chida, J. Yoshizawa, Y. Arakaki, R. Nagai, A. Mizobuchi, A. Noda, K. Noda, M. Kanazawa, A. Ando, H. Muto and T. Hattori, *Nucl. Instrum. Methods Phys. Res.*, **A326**, 399, (1993).

One-Dimensional Beam Stability Analysis Based on the Waterbag Model, H. Okamoto, *Nucl. Instrum. Methods Phys. Res.*, **A332**, 1, (1993).

Analysis of the Saturation of a High-Gain Free-Electron Laser, R.L. Gluckstern, S. Krinsky and H. Okamoto, *Phys. Rev. E*, **47**, 4412, (1993).

An Injector to the 33 MHz 4-Rod RFQ, H. Fujisawa, T. Matsumoto and M. Tamada, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 1, (1993).

Characteristics of the Ion Source and Low Energy Beam Transport of the Proton Linac at ICR, A. Noda, Y. Iwashita, H. Fujita, H. Okamoto, S. Kakigi, T. Shirai and M. Inoue, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 6, (1993).

Study of Beam Profile Monitor for the Proton Linac, T. Shirai, H. Dewa, Y. Iwashita, H. Okamoto, H. Fujita, S. Kakigi, A. Noda and M. Inoue, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 15, (1993).

Present Status of the Vacuum System for the 7 MeV Proton Linac, H. Fujita, M. Inoue, Y. Iwashita and A. Noda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 21, (1993).

Cold Model Test of a DTL with Transition from 4π to 2π -Mode Acceleration, K. Ikeda, T. Kan, K. Yoshizawa, H. Yokobori, J. Hirota, Y. Iwashita, H. Okamoto, A. Noda and M. Inoue, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 26, (1993).

Reaction Losses of 300 MeV Protons in a Stacked CsI(Tl) Detector, S. Kakigi, T. Hayashi, A. Okihana, T. Konishi, K. Fukunaga, T. Sekioka and N. Koori, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 48, (1993).

Commissioning of the 7 MeV Proton Linac at ICR Kyoto University, M. Inoue, H. Dewa, H. Fujita, Y. Iwashita, S. Kakigi, A. Noda, H. Okamoto and T. Shirai, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 57, (1993).

Continuum Spectra of Alpha Particles Scattered from ${}^6\text{Li}$ by Alpha Particles, A. Okihana, T. Konishi and S. Kakigi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 62, (1993).

Quasifree Scattering in the ${}^6\text{Li}(\alpha, 2\alpha){}^2\text{H}$ Reaction at $E_\alpha=118$ MeV, A. Okihana, R.E. Warner, M. Fujiwara, N. Matsuoka, K. Fukunaga, S. Kakigi, N. Koori and M. Tosaki, *Bull. Inst.*

Chem. Res., Kyoto Univ., **71**, 67, (1993).

Linear Accelerators at ICR Kyoto University, M. Inoue, H. Dewa, H. Fujisawa, H. Fujita, Y. Iwashita, S. Kakigi, A. Noda, H. Okamoto and T. Shirai, "Proceedings of the 17th Linear Accelerator Meeting in Japan, September 1-3, 1992 Sendai, Japan," p.13.

Study of Beam Monitors for the ICR-RFQ Linac, T. Shirai, H. Dewa, M. Ikegami, H. Okamoto, H. Fujita, S. Kakigi, Y. Iwashita, A. Noda and M. Inoue, *INS-T-521 (Accelerator-17)*, 55, (1993), in Japanese.

Radiation-Detected Optical Pumping in Solids, S. Matsuki, K. Shimomura, I. Ogawa, K. Suzuki, S. Hamada, T. Nakamura, H. Okuno, M. Koizumi, N. Inabe, Y. Fukashiro, H. Sunaoshi, M. Wada, T. Murayama, T. Kohmoto, M. Kitano, T. Kubo, T. Shinozuka, K. Asahi, Y. Kido, T.T. Inamura, T. Nomura, M. Ishihara, M. Fujioka, H.T. Duong, H. Haas and the ISOLDE Collaboration, *Hyp. Int.*, **74**, 223-239, (1992).

Nuclear Laser Spectroscopy Using a Laser-Microwave Double-Resonance Method with an Ion Trap, Y. Fukashiro, H. Sunaoshi, S. Hayashibe, T. Shinozuka, M. Fujioka, M. Yagi, I. Satoh, M. Wada and S. Matsuki, *Hyp. Int.*, **74**, 41-46, (1992).

Stimulated Conversion of Neutrinos: a New Method to Search for Radiative Decay of Neutrinos, S. Matsuki and K. Yamamoto, *Phys. Lett.*, B289, 194-198, (1992).

Velocity Distribution of RIKEN IGISOL Ion Beams, T. T. Inamura, M. Koizumi, K. Morita, A. Yoshida, M. Takami, T. Ishizuka, I. Nakamura, M. Nakaoka, T. Murayama, I. Sugai, M. Azuma, H. Katsuragawa, K. Shimomura, S. Matsuki, A. Iivonen and K. Valli, *Nucl. Instrum. Meth.*, **B70**, 226-232, (1992).

An Ion Trap for Nuclear Laser Spectroscopy at Tohoku ISOL, M. Wada, H. Sunaoshi, Y. Fukashiro, S. Hayashibe, T. Shinozuka, M. Fujioka, I. Satoh, M. Yagi and S. Matsuki, *Nucl. Instrum. Meth.*, **B70**, 500-508, (1992).

OPERA: an On-line System of Optical Pumping in Solids for Unstable Nuclei, K. Shimomura, I. Ogawa, K. Suzuki, S. Hamada, T. Nakamura, H. Okuno, M. Koizumi, N. Inabe, Y. Fukashiro, H. Sunaoshi, M. Wada, S. Hatori, T. Murayama, T. Kohmoto, Y. Fukuda, T. Kubo, T. Shinozuka, K. Asahi, S. Morinobu, T. T. Inamura, M. Ishihara, M. Fujioka, M. Kondo and S. Matsuki, *Nucl. Instrum. Meth.*, **B70**, 513-520, (1992).

Atomic Beam Magnetic Resonance Apparatus for Systematic Measurement of Hyperfine Structure Anomalies (Bohr-Weisskopf Effect), H.T. Duong, C. Ekström, M. Gustafsson, T.T. Inamura, P. Juncar, P. Lievens, I. Lindgren, S. Matsuki, T. Murayama, R. Neugart, T. Nilsson, T. Nomura, M. Pellarin, S. Penselin, J. Persson, J. Pinard, I. Ragnarsson, O. Redi, H.H. Stroke, J.L. Vialle and the ISOLDE Collaboration, *Nucl. Instrum. Meth.*, **A325**, 465-474, (1993).

Physical Chemistry

Dark-field Electron Microscopy of Langmuir-Blodgett Films of Fatty Acids and their Barium Salts, M. Matsumoto, N. Uyeda, Y. Fujiyoshi and K. Aoyama, *Thin Solid Films*, **203**, 358, (1993).

Monolayers of Amylose Ester Derivatives, T. Itoh, M. Matsumoto, T. Miyamoto and H. Suzuki, *Polym. Int.*, **30**, 345, (1993).

Simple Refraction Law for Uniaxial Anisotropic Absorbing Media, T. Hasegawa, J. Umemura and T. Takenaka, *Appl. Spectrosc.*, **47**, 338, (1993).

Convenient Method of Langmuir-Blodgett Film Setting for Metal-Overlayer Infrared ATR Measurements, T. Hasegawa, J. Umemura and T. Takenaka, *Appl. Spectrosc.*, **47**, 379, (1993).

Hydrogen Bond Dynamics in Dodecanoic Acid Studied by QNS and NMR, A. J. Horsewill, A. Heidemann and S. Hayashi, *Z. Physik*, B90, 319-324, (1993).

Extended Molecular Mechanics Simulation of Thermodynamic Quantities, Structures, and Vibrational Spectra of Fatty Acids, I. Yokoyama, Y. Miwa, K. Machida, J. Umemura and S. Hayashi, *Bull. Chem. Soc. Jpn.*, **66**, 400-413, (1993).

A New 1000KV HREM for the Organic Crystal Study, S. Isoda, S. Moriguchi, H. Kurata, T. Kobayashi and N. Uyeda, *Ultramicroscopy*, **39**, 247-253, (1991).

Interface Structure of Organic Double-layered Film (VOPc/GeOPc) Studied by Electron Microscopy, S. Isoda, I. Kubo, A. Hoshino and T. Kobayashi, *Mol. Cryst. and Liq. Cryst.*, **218**, 195-200, (1992).

Study on Dynamic Reaction Process in Solids by Electron Microscopy, T. Kobayashi, Bunshikessyou no Hannou, Realize Inc, 103-112, (1992), in Japanese.

Performance and Results of High-Voltage High-Resolution Electron Microscopy (I), S. Moriguchi, S. Isoda and T. Kobayashi, *Denshi-Kenbikyo*, **27**, 63-66, (1992), in Japanese.

Formation and Crystal Structures of Cyclotriphosphazene Clathrate Compounds, K. Kubono, N. Asaka, H. Kurata, S. Isoda and T. Kobayashi, "7th Intern. Sympo. on Molecular Recognition and Inclusion, Kyoto," 98, (1992).

Interface Structures of Phthalocyanines Double-layers by High Resolution Electron Microscopy, S. Isoda, A. Hoshino and T. Kobayashi, *Chemistry of Functional Dyes*, **2**, 252-257, (1993).

Lattice Images and Molecular Images of Organic Materials, T. Kobayashi and S. Isoda, *J. Mater. Chem.*, **3**, 1-14, (1993).

Formation of Cyclophosphazene Clathrate Compounds by Vapour-Solid Reaction: Four Crystalline Forms depending on Guest Molecules, K. Kubono, H. Kurata, S. Isoda and T. Kobayashi, *J. Mater. Chem.*, **3**, 615-621, (1993).

High Resolution Electron Spectro-microscope (HRESM), T. Kobayashi, S. Moriguchi, H. Kurata, T. Ogawa and S. Isoda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 451-461, (1993).

High Resolution Electron Spectromicroscope (HRESM), Applications, S. Moriguchi, A. Hoshino, S. Hashimoto, K. Kubono, K. Nagai, N. Asaka, T. Ogawa, H. Kurata, S. Isoda and T. Kobayashi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 462-481, (1993).

Structural Transitions in the Graphite- AlCl_3 - FeCl_3 System, K. Nagai, H. Kurata, S. Isoda and T. Kobayashi, *J. Phys. Chem. Solids*, **54**, 533–542, (1993).

EELS viewed as a spectroscopical tool in an electron microscope environment, C. Colliex, P. Ballongue, D. Bouchet, H. Gu, C. Jeanguillaume, H. Kurata, E. Lefevre, C. Mory, M. Tence, J. Thibault and D. Ugarte, *Electron Microscopy. Vol. 1 EUREM 92*, Granada, Spain, p. 237–240, (1992).

Electron-energy-loss near-edge structures in the oxygen K-edge spectra of transition-metal oxides, H. Kurata, E. Lefevre, C. Colliex and R. Brydson, *Phys. Rev. B*, **47**, 13763–13768, (1993).

Electron-energy-loss core-edge structures in manganese oxides, H. Kurata and C. Colliex, *Phys. Rev. B*, **48**, 2102–2108, (1993).

Structure of 3-Hydroxyphenalenone, T. Mochida, S. Matsumiya, A. Izuoka, N. Sato, T. Sugawara and Y. Sugawara, *Acta Cryst. C*, **48**, 680, (1992).

Refined Molecular Structure of Tetrabenzo [*de, hi, op, st*] pentacene, A. Izuoka, K. Wakui, T. Fukuda, N. Sato and T. Sugawara, *Acta Cryst. C*, **48**, 900, (1992).

Organic Parnaelectrics Resulting from Tautomerization Coupled with Proton-Transfer, T. Sugawara, T. Mochida, A. Miyazaki, A. Izuoka, N. Sato, Y. Sugawara, K. Deguchi, Y. Moritomo and Y. Tokura, *Sol. State Commun.*, **83**, 665, (1992).

Crystal Structure and Solid State Reactivity of Unsymmetrically Aryl-Substituted Diacetylene, T. Okuno, A. Izuoka, K. Kume, N. Sato and T. Sugawara, *Mol. Cryst. Liq. Cryst.*, **225**, 393, (1993).

Kinetic Feature of Nematic Phase Polymerization of Diacetylenes, A. Izuoka, T. Okuno, T. Ito, T. Sugawara, N. Sato, S. Kamei and K. Tohyama, *Mol. Cryst. Liq. Cryst.*, **226**, 201, (1993).

Dielectric Spectroscopy of Plant Protoplasts, K. Asami and T. Yamaguchi, *Biophys. J.*, **63**, 1493–1499, (1992).

Calculation and Measurement of the Dipole Moment of Small Proteins : Use of Protein Data Base, S. Takashima and K. Asami, *Biopolymers*, **33**, 59–68, (1993).

Preparation and Dielectric Properties of Cellulose Derivatives with High-polarity Substituents, T. Sato, Y. Tsujii, M. Minoda, Y. Kita and T. Miyamoto, *Makromol. Chem.*, **193**, 647–658, (1992).

Analysis of Microcapsule Structure by Dielectric Measurements, K. Sekine, *Funtai to Kogyo*, **25**, 64–71, (1993), in Japanese.

Analytical and Inorganic Chemistry

Voltammetry, S. Kihara and Z. Yoshida, *Bunseki*, **7**, 536, (1992), in Japanese.

X-Ray Structure of $[\text{Be}\{\text{B}(\text{pz})_4\}_2]$ and $[\text{Be}_3(\text{OH})_3\{\text{HB}(\text{pz})_3\}_3]$. Different Structures and Multiple-Point Bindings in Polypyrazolylborate Complexes, Y. Sohrin, H. Kokusen, S. Kihara,

M. Matsui, Y. Kushi and M. Shiro, *Chem. Lett.*, 1461, (1992).

Solvent Extraction of Alkaline-Earth Metals with 4-Acyl-5-pyrazolones and Polydentate Phosphine Oxides, S. Umetani and M. Matsui, *Anal. Chem.*, **64**, 2288, (1992).

Improved Separation in the Solvent Extraction of Lanthanides by β -Diketones through a Controlled Separation of the Two Donating Oxygens, S. Umetani, Y. Kawase, H. Takahara, Quyen Thi Hanh Le and M. Matsui, *J. Chem. Soc., Chem. Commun.*, 78, (1993).

Liquid-Liquid Extraction of Lanthanides with a Highly Acidic Extractant, 3-phenyl-4-benzoyl-5-isoxazolone, in the Presence and Absence of Tri-*n*-octylphosphine Oxide, Quyen Thi Hanh Le, S. Umetani, H. Takahara and M. Matsui, *Anal. Chim. Acta*, **272**, 293, (1993).

View to the Analytical Chemistry in the Future, S. Kihara, *Bunseki*, **4**, 295, (1993), in Japanese.

Analytical Science and Science, M. Matsui, *Bunseki*, **4**, 237, (1993), in Japanese.

Voltammetric Study on the Oscillation of Potential Difference or Current at an Aqueous/Organic (Membrane) Interface Accompanied by Ion Transfer, S. Kihara, K. Maeda, O. Shirai, Y. Yoshida and M. Matsui, "Bioelectroanalysis, 2; Proceedings of the 2nd Symposium on Bioelectroanalysis, Matrafured, Akademiai Kiado, Budapest," 331, (1993).

New Mode of Ion Size Discrimination for Group 2 Metals Using Poly(pyrazolyl)borate Ligands. Control of Stability and Structure of Chelate Complexes by Intraligand Contact, Y. Sohrin, H. Kokusen, S. Kihara, M. Matsui, Y. Kushi and M. Shiro, *J. Am. Chem. Soc.*, **115**, 4128, (1993).

Improvement of Separation in the Solvent Extraction of Alkaline Earths by the Use of 18-Crown-6 as a Masking Reagent, S. Umetani, M. Matsui and S. Tsurubou, *J. Chem. Soc., Chem. Commun.*, 914, (1993).

Voltammetric Study on the Transfer of Alkali and Alkaline Earth Metal Ions at the Aqueous/Organic Interface Facilitated by Phosphine Oxides, K. Ogura, S. Kihara, S. Umetani and M. Matsui, *Bull. Chem. Soc. Jpn.*, **66**, 1971, (1993).

Ion Transfer at the Interface between an Aqueous Solution in the Presence of Concentrated Salts and an Organic Solution Studied by Polarography at the Electrolyte Solution Dropping Electrode, K. Ogura, S. Kihara, M. Suzuki and M. Matsui, *J. Electroanal. Chem.*, **352**, 131, (1993).

Mixed Alkali Effect in Nonconventional Alkali Gallotitanate Glasses, F. Miyaji, S. Hasegawa, T. Yoko and S. Sakka, *J. Am. Ceram. Soc.*, **76**, 545-546, (1993).

Third Harmonic Generation from $\text{MO}_x\text{-PbO-GaO}_{1.5}$ Ternary Glasses, F. Miyaji, K. Tadanaga and S. Sakka, *Appl. Phys. Lett.*, **60**, 2060-61, (1992).

Structure and Properties of $\text{Bi}_2\text{O}_3\text{-BaO-CuO}$ Glasses, F. Miyaji, S. Fujimine, T. Yoko and S. Sakka, *J. Non-Cryst. Solids*, **150**, 107-111, (1992).

Crystallization Behavior of Bi-Ba-Cu-O Glasses, F. Miyaji, S. Fujimine, T. Yoko and S.

Sakka, *J. Soc. Mater. Sci. Jap.*, **42**, 478–483, (1993), in Japanese.

Preparation of Gold Colloid-Dispersed Silica Coating Films by the Sol-Gel Method, H. Kozuka and S. Sakka, *Chem. Mater.*, **5**, 222–228, (1993).

Preparation of Pb-Based Complex Perovskite Coating Films by Sol-Gel Method, J. Kang, T. Yoko, H. Kozuka and S. Sakka, *Proc. SPIE, Sol-Gel Optics II*, **1758**, 249–260, (1992).

Effects of Solvent on Properties of Sol-Gel-Derived TiO₂ Coating Films, Lili Hu, T. Yoko, H. Kozuka and S. Sakka, *Thin Solid Films*, **219**, 18–23, (1992).

Superconductivity of La_{2-x}Sr_xCuO₄ with High Strontium Concentration by Sulphur Doping, S. Fujihara, H. Kozuka, T. Yoko and S. Sakka, *J. Mater. Sci.*, **28**, 3874–3878, (1993).

Nonlinear Optical Properties of TeO₂-Based Glasses: La₂O₃-TeO₂ Binary Glasses, S. H. Kim, T. Yoko and S. Sakka, *J. Am. Ceram. Soc.*, **76**, 865–869, (1993).

Neutron Diffraction Study on the Structure of Na-Si-O-N Oxynitride Glasses, Jisun Jin, Y. Yoko, F. Miyaji, S. Sakka, T. Fukunaga and M. Misawa, *J. Am. Ceram. Soc.*, **76**, 630–634, (1993).

Third-Order Nonlinear Optical Susceptibility of α -Fe₂O₃ Thin Films Prepared by Sol-Gel Method, T. Hashimoto, T. Yoko and S. Sakka, *J. Ceram. Soc. Jap.*, **101**, 64–68, (1993).

Third Harmonic Generation in PbO-SiO₂ and PbO-B₂O₃ Glasses, V.V. Dimitrov, S. Kim, T. Yoko and S. Sakka, *J. Ceram. Soc. Jap.*, **101**, 59–63, (1993).

Synthesis and Photoelectrochemical Properties of NiFe_{2-x}O_{4+ δ} , T. Yoko, K. Nakanishi and S. Sakka, *Asahi Garasu Zaidan Kenkyu Hokoku*, **61**, 17–27, (1992), in Japanese.

A ²⁰⁷Pb MAS-NMR Study of Pb-Containing Glasses, T. Yoko, K. Tadanaga, F. Miyaji and S. Sakka, *J. Non-Cryst. Solids*, **150**, 192–196, (1992).

Properties and Structure of Binary PbO-GaO_{1.5} Glasses as the Base of Nonlinear Optical Multicomponent Glasses, F. Miyaji, K. Tadanaga and S. Sakka, *Bull. Inst. Chem. Res., Kyoto Univ.*, **69**, 495–510, (1992).

Structure Analysis of Sol-Gel-Derived SiO₂ Gels by Neutron Diffraction, M. Wada, K. Kamiya, H. Nasu, J. Matsuoka, T. Yoko, T. Fukunaga and M. Misawa, *J. Non-Cryst. Solids*, **149**, 203–208, (1992).

Structural Study of TeO₂ and LiCl-Li₂O-TeO₂ Glasses by Raman and ¹²⁵Te MAS NMR Spectroscopies, T. Yoko, F. Miyaji, M. Fujita and S. Sakka, *Trans. Ind. Ceram. Soc.*, **50**, 158–165, (1991).

Sol-Gel Synthesis of Silica Gel Disk as Applied to Supports of Organic Molecules with Optical Functions, S. Sakka, K. Aoki, H. Kozuka and J. Yamaguchi, *J. Mater. Sci.*, **28**, 4607–4616, (1993).

Effects of Ions Dissolved from Bioactive Glass-Ceramic on Surface Apatite Formation, T. Kokubo, H. Kushitani, C. Ohtsuki and S. Sakka, *J. Mater. Sci.: Mater. Med.*, **4**, 1–4, (1993).

Glass Research and Fiber Drawing by Sol-Gel Processes in Japan, T. Yoko and S. Sakka,

“Eurogel '91 : progress in research and development of processes and products from sols and gels : proceedings of the Second European Conference on Sol-Gel Technology, Saarbrücken, Germany, June 2-5, 1991”/edited by S. Vilminot, R. Nass, H. Schmidt, Amsterdam, North-Holland, 1992, p. 37-50.

Current Status of the Preparation of Optical Solids by the Sol-Gel Method, S. Sakka, *Proc. SPIE, Sol-Gel Optics II*, **1758**, 2-13, (1992).

Fibers from Gels, S. Sakka and T. Yoko, *J. Non-Cryst. Solids*, **147 & 148**, 394-403, (1992).

Fundamentals and Applications of Sol-Gel Method, S. Sakka, *Denki Kagaku*, **60**, 754-759, (1992), in Japanese.

Sol-Gel Synthesis of Inorganic Materials. Low Temperature Preparation of Shaped Materials, S. Sakka, *Kagaku to Kogyo*, **45**, 36-39, (1992), in Japanese.

Preparation of Porous Bodies and Functional Materials by the Sol-Gel Method, S. Sakka, T. Yoko, H. Kozuka and F. Miyaji, *New Functionality Materials C*, 739-744, (1993).

Superconducting Properties of $\text{La}_{2-x}\text{Bi}_x\text{CuO}_{4+\delta}$: Suppression of the Phase Separation Observed for $\text{La}_2\text{CuO}_{4+\delta}$, Z. Hiroi, M. Takano, Y. Bando, A. Sato and Y. Takeda, *Phys. Rev. B*, **46**, 14857, (1992).

Controlled-Valence Properties of $\text{La}_{1-x}\text{Sr}_x\text{FeO}_3$ and $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ Studied by Soft-x-ray Absorption Spectroscopy, M. Abbate, F. M. F. de Groot, J. C. Fuggle, A. Fujimori, O. Strebel, F. Lopez, M. Domke, G. Kaindl, G. A. Sawatzky, M. Takano, Y. Takeda, H. Eisaki and S. Uchida, *Phys. Rev. B*, **46**, 4511, (1992).

Charge Transfer and Superconductivity in $\text{Nd}(\text{Ba}_{1-x}\text{Nd}_x)_2\text{Cu}_3\text{O}_{7+x}$ Prepared in High Pressure Oxygen, K. Takita, H. Akinaga, T. Ohshima, Y. Takeda and M. Takano, *Physica C*, **191**, 509, (1992).

Application of High Pressure and High Oxygen Pressure to Copper Oxides, M. Takano, Z. Hiroi, M. Azuma and Y. Takeda, “JJAP Series 7: Mechanisms of Superconductivity 1992,” **3**, (1992).

Oxide Ion Conductivity in Perovskite Type $\text{Sr}_2\text{ScAlO}_5$ and Related Compounds, Y. Takeda, N. Imanishi, R. Kanno, T. Mizuno, H. Higuchi, O. Yamamoto and M. Takano, *Solid State Ionics*, **53-56**, 748, (1992).

X-Ray Absorption Study on the Local Structures of Fine Particles of $\alpha\text{-Fe}_2\text{O}_3\text{-SnO}_2$ Gas Sensors, H. Kanai, H. Mizutani, T. Tanaka, T. Funabiki, S. Yoshida and M. Takano, *J. Mater. Chem.*, **2**, 703, (1992).

Structure of Superconducting Infinite-layer Phase $\text{A}_{1-x}\text{CuO}_{2-z}$, Z. Hiroi, M. Azuma, M. Takano, Y. Bando and Y. Takeda, *Funtai oyobi Funmatsu Yakin*, **39**, 718, (1992), in Japanese.

The Electrochemical Oxidation of La_2CuO_4 and $\text{La}_{2-x}\text{A}_x\text{CuO}_4$ (A=Bi and Pb), Y. Takeda, H. Tomida, Y. Mukai, N. Imanishi, O. Yamamoto, M. Azuma and M. Takano, *Funtai oyobi Funmatsu Yakin*, **40**, 146, (1992), in Japanese.

Submillimeter Wave ESR of SrCuO₂ and Sr₂CuO₃, H. Ohta, N. Yamauchi, M. Motokawa, M. Azuma and M. Takano, *J. Phys. Soc. Jpn.*, **61**, 3370, (1992).

Preparation of Fine, Platelike SrFe₁₂O₁₉ Particles by Wet Method, M. Kiyama, N. Nagai, M. Maekawa, T. Honmyo and T. Takada, "Ferrites: Proc. of the 6th Inter. Conf. on Ferrites (ICF6)," Tokyo and Kyoto, 1992 (eds. T. Yamaguchi & M. Abe), *Jpn. Soc. Powder Metall.*, **86**, (1992).

The Formation of Needlelike α -Fe₂O₃ Particles without Micropores, M. Kiyama, T. Nakamura, T. Honmyo and T. Takada, "Ferrites: Proc. of the 6th Inter. Conf. on Ferrites (ICF6)," Tokyo and Kyoto, 1992 (eds. T. Yamaguchi & M. Abe), *Jpn. Soc. Powder Metall.*, **79**, (1992).

Magnetic and Dielectric Properties of α -Fe₂O₃ Fine Particles Prepared from Aqueous Solution, K. Iwauchi, M. Kiyama and T. Nakamura, "Ferrites: Proc. of the 6th Inter. Conf. on Ferrites (ICF6)," Tokyo and Kyoto, 1992 (eds. T. Yamaguchi & M. Abe), *Jpn. Soc. Powder Metall.*, **1019**, (1992).

Preparation and Magnetic Properties of BaFe₁₂O₁₉ Particles Coated with Epitaxially Grown Fe₃O₄ Layers: 6xFe₃O₄(1-x)BaFe₁₂O₁₉, M. Kiyama, T. Honmyo, N. Nakayama and T. Shinjo, *J. Solid State Chem.*, **99**, 329, (1992).

Structural Phase Transition of La₄BaCu₅O_y, M. Kato, N. Kojima, K. Yoshimura, Y. Ueda, N. Nakayama, K. Kosuge, Z. Hiroi and Y. Bando, *J. Solid State Chem.*, **103**, 253, (1993).

Synthesis of Infinite-layered Superconductor under High Pressure, M. Azuma, N. Ikeda, Z. Hiroi, M. Takano, Y. Bando, O. Ohtaka, T. Yamanaka and Y. Takeda, *Funtai oyobi Funmatsu Yakin*, **40**, 179, (1993), in Japanese.

Structure and Superconductivity of the Infinite-layer Compound (Ca_{1-y}Sr_y)_{1-x}CuO_{2-z}, Z. Hiroi, M. Azuma, M. Takano and Y. Takeda, *Physica C*, **208**, 286, (1993).

Synthesis and Superconducting Properties of the Infinite-layer Compounds Sr_{1-x}Ln_xCuO₂ (Ln=La, Nd, Sm, Gd), N. Ikeda, Z. Hiroi, M. Azuma, M. Takano, Y. Bando and Y. Takeda, *Physica C*, **210**, 367, (1993).

Superconductivity in the Alkaline Earth-Copper-Oxygen System with T_c=110 K, M. Takano, Z. Hiroi and M. Azuma, *Applied Superconductivity*, **1**, 479, (1993).

Superconductivity in the Infinite-Layer Phase Stabilized Under High Pressure, M. Takano, Z. Hiroi and M. Azuma, *Solid State Sci.*, **113**, 13, (1993).

Synthesis of Infinite-layered Superconductors under High Pressure, M. Azuma, N. Ikeda, Z. Hiroi, M. Takano, Y. Bando and Y. Takeda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 482, (1993).

Mechanism of Carrier Doping in the Superconducting Infinite-Layer Compound A_{1-x}CuO_{2-z} (A=Ca_{1-y}Sr_y), Z. Hiroi, M. Azuma, M. Takano and Y. Takeda, "Advances in Superconductivity V: proceedings of the 5th International Symposium on Superconductivity (ISS '92), November 16-19, 1992, Kobe / Y. Bando, H. Yamauchi, (eds.)," Berlin, Springer-Verlag, c1993, 211, (1993).

Surface Magnetism of α -FeOOH by Mössbauer Spectroscopy, A. Yamamoto, T. Honmyo, N. Hosoito, M. Kiyama and T. Shinjo, *Nucl. Instrum. Methods Phys. Res. B*, **76**, 202, (1993).

A New Family of Copper Oxide Superconductors $\text{Sr}_{n+1}\text{Cu}_n\text{O}_{2n+1+\delta}$ Stabilized at High Pressure, Z. Hiroi, M. Takano, M. Azuma and Y. Takeda, *Nature*, **364**, 315, (1993).

Oxygen Dope in Bismuth and Lead Substituted Lanthanum Copper Oxides by Electrochemical and Oxygen-Hip Methods, Y. Takeda, H. Tomita, Y. Mukai, A. Sato, N. Imanishi, O. Yamamoto, M. Azuma, Z. Hiroi and M. Takano, *Mat. Res. Bull.*, **28**, 775, (1993).

Structure of Alkaline-earth Cupric Oxide Superconductors, Z. Hiroi, *Kinzoku*, 19, (1993), in Japanese.

Search for New Cupric Oxide Superconductors, M. Takano, *Nippon Kesshou Gakkaishi*, **34**, 283, (1993), in Japanese.

Infinite-Layer Superconductor, M. Takano, *Nippon Kesshou Gakkaishi*, **34**, 331, (1992), in Japanese.

Stabilization of the Infinite-Layer Structure and Preparation of Superconductors Derived from It, M. Takano, *Nippon Kinzoku Gakkai Kaihou*, **32**, 500, (1993), in Japanese.

Cupric Oxide Superconductors Derived from the Infinite-Layer Phase, M. Takano, *ISTEC Journal*, **6**, 26, (1993).

Perovskite-type and Related Compounds, M. Takano and Y. Takeda, JIKKEN KAGAKU KOUZA, "Inorganic Chemistry," **16**, 391, (1993), in Japanese.

Search for New Superconductors, M. Takano, 21 SEIKI WO NINAU CHOUDENDOU, 46, (1993), in Japanese.

Dielectric Properties of Monocline Hollandite $\text{Ba}_x\text{Ti}_{4-2x}\text{Fe}_{2x}\text{O}_8$ ($x=0.67$), K. Iwauchi and Y. Ikeda, *Phys. Stat. Sol. (a)*, **130**, 449, (1992).

Recent Transport Studies of High Temperature Superconductors at ISSP, Y. Iye, C. Murayama, N. Môri, T. Enomoto, A. Fukushima, T. Tamegai, T. Matsumoto, Y. Yamada, Y. Kubo, Y. Shimakawa, T. Manako, T. Terashima and Y. Bando, "JJAP Series 7: Mechanisms of Superconductivity 1992," 236, (1992).

Superconducting Properties of Ultrathin $\text{YBa}_2\text{Cu}_3\text{O}_7$ Films, T. Terashima, K. Shimura, Y. Daitoh, Y. Yano, Y. Bando, Y. Matsuda and S. Komiyama, *Mat. Res. Soc. Symp. Proc.*, **275**, 49, (1992).

Structural Study of Epitaxial BaTiO_3 Crystals, H. Terauchi, Y. Watanabe, H. Kasatani, K. Kamigaki, Y. Yano, T. Terashima and Y. Bando, *J. Phys. Soc. Japan*, **61**, 2194, (1992).

Relationships between Oxygen Content, Modulation Period and Superconducting Property of Bi-Based Superconducting Oxides, Y. Deshimaru, Y. Shimizu, N. Miura, N. Yamazoe, Z. Hiroi and Y. Bando, *Nippon Kagaku Kaishi*, **9**, 938, (1992), in Japanese.

Superconductivity of Surface Layer of YBCO Film, K. Shimura, Y. Daitoh, Y. Yano, T.

Terashima and Y. Bando, *Funtai oyobi Funmatsu Yakin*, **39**, 736, (1992), in Japanese.

Solid-solution Range of the 30 Å-phase in the Bi-Sr-Ca-Cu-O System (1)—Formation Process and the Mechanical Stability—, Y. Ikeda, Y. Sano, K. Yamaura, M. Takano and Y. Bando, *Funtai oyobi Funmatsu Yakin*, **39**, 752, (1992), in Japanese.

Formation Process of the Li-addition High- T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System, T. Ohara, H. Ito, J. Takada, M. Fujiwara, K. Endo, T. Egi, T. Nanba, Y. Ikeda, Z. Hiroi, M. Takano and Y. Bando, *Funtai oyobi Funmatsu Yakin*, **39**, 767, (1992), in Japanese.

Effect of Ba Addition to the High- T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System (VI), Y. Kusano, T. Nanba, J. Takada, N. Kobayashi, K. Yamaguchi, M. Fukuhara, A. Doi, T. Takada, Y. Ikeda, M. Takano and H. Mazaki, *Funtai oyobi Funmatsu Yakin*, **39**, 771, (1992), in Japanese.

Wettability of the High- T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System, H. Ito, T. Ohara, Y. Ikeda, Z. Hiroi, M. Takano, Y. Bando, J. Takada, M. Fujiwara, Y. Sano and K. Yamaura, *Funtai oyobi Funmatsu Yakin*, **39**, 775, (1992), in Japanese.

Chemical and Mechanical Stability of the High- T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System (I)—Effects of Heat Treatment of Crushed Powder of the High- T_c Phase—, J. Takada, K. Hosotani, M. Fujiwara, Y. Kusano, T. Nanba, Y. Ikeda and M. Takano, *Funtai oyobi Funmatsu Yakin*, **39**, 779, (1992), in Japanese.

Chemical and Mechanical Stability of the High- T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System (II)—Effect of Annealing Atmosphere on T_c —, N. Kobayashi, K. Morikawa, M. Kanai, K. Shimizu, Y. Kusano, K. Yamaguchi, M. Fukuhara, A. Doi, T. Takada, J. Takada, Y. Ikeda and M. Takano, *Funtai oyobi Funmatsu Yakin*, **39**, 783, (1992), in Japanese.

Chemical and Mechanical Stability of the High- T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System (III)—Morphology and Reaction Process of Crushed Powder—, Y. Ikeda, K. Yamaura, Y. Sano, Y. Daitoh, M. Takano, Y. Bando, J. Takada, M. Fujiwara, Y. Kusano and K. Hosotani, *Funtai oyobi Funmatsu Yakin*, **39**, 787, (1992), in Japanese.

Preparation of Fe_3O_4 Single-crystalline Films by Reactive Evaporation Method, T. Fujii, M. Sakamoto, M. Asano, T. Nanba, A. Osaka, Y. Miura, J. Takada, K. Shimura, T. Terashima and Y. Bando, *Funtai oyobi Funmatsu Yakin*, **39**, 981, (1992), in Japanese.

Atomic Layer Growth of Oxide Thin Films with Perovskite-type Structure by Reactive Evaporation, K. Iijima, T. Terashima, Y. Bando, K. Kamigaki and H. Terauchi, *J. Appl. Phys.*, **72**, 2840, (1992).

Reactive Deposition of W-, Mo- and V-doped SnO_2 Films, S. Muranaka and Y. Bando, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 430, (1992).

Disappearance of Hall Resistance in One-Unit-Cell-Thick $YBa_2Cu_3O_{7-\delta}$: Evidence of Free Vortex-Antivortex Excitation, Y. Matsuda, S. Komiyama, T. Terashima, K. Shimura and Y. Bando, *Phys. Rev. Lett.*, **69**, 3228, (1992).

X-ray Studies on Single Crystal Films of $BaTiO_3$, H. Terauchi, Y. Watanabe, H. Kasatani, K. Kamigaki, T. Terashima and Y. Bando, *Ferroelectrics*, **137**, 33, (1992).

Synthesis and Formation Mechanism of Needle-Like α -Fe₂O₃ Particles Grown Along the *c* Axis, Y. Ikeda, M. Takano and Y. Bando, "Ferrites: Proc. of the 6th Inter. Conf. on Ferrites (ICF6), Tokyo and Kyoto, 1992 (eds. T. Yamaguchi & M. Abe)," Jpn. Soc. Powder Metall., 82, (1992).

Mössbauer Spectroscopic Study on Surface and Interface Properties of Epitaxial Magnetite Films, T. Fujii, M. Takano, R. Katano, Y. Isozumi and Y. Bando, "Ferrites: Proc. of the 6th Inter. Conf. on Ferrites (ICF6), Tokyo and Kyoto, 1992 (eds. T. Yamaguchi & M. Abe)," Jpn. Soc. Powder Metall., 666, (1992).

Crystal Growth and Structure of Oxide Superlattices, Y. Bando, K. Shimura, Y. Daitoh, Y. Yano and T. Terashima, "Ferrites: Proc. of the 6th Inter. Conf. on Ferrites (ICF6), Tokyo and Kyoto, 1992 (eds. T. Yamaguchi & M. Abe)," Jpn. Soc. Powder Metall., 849, (1992).

Superconducting Transition of YBa₂Cu₃O₇/PrBa₂Cu₃O₇ Superlattices in Magnetic Fields, K. Shimura, T. Terashima, Y. Bando, Y. Matsuda, S. Komiyama, K. Kamigaki and H. Terauchi, "Ferrites: Proc. of the 6th Inter. Conf. on Ferrites (ICF6), Tokyo and Kyoto, 1992 (eds. T. Yamaguchi & M. Abe)," Jpn. Soc. Powder Metall., 882, (1992).

A TEM Study of Microstructures of the Growth Interface in Ultrathin YBa₂Cu₃O₇ Films, Y. Daitoh, K. Shimura, T. Terashima, Y. Bando and Y. Yano, *Funtai oyobi Funmatsu Yakin*, **40**, 171, (1993), in Japanese.

Mechanical Grinding and Reforming Process of the Bi-2201 Phase, Y. Ikeda, Y. Daitoh, M. Takano, Y. Bando, T. Niinae and J. Takada, *Funtai oyobi Funmatsu Yakin*, **40**, 183, (1993), in Japanese.

Chemical and Mechanical Stability of the High-T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System (IV)—Formation of the High-T_c Phase in Amorphous Powder Prepared by Mechanical Grinding—, Y. Kusano, T. Niinae, T. Nanba, J. Takada, Y. Ikeda and M. Takano, *Funtai oyobi Funmatsu Yakin*, **40**, 187, (1993), in Japanese.

Formation of the High-T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System in Various Atmospheres, N. Kobayashi, M. Fukuhara, A. Doi, T. Takada, Y. Kusano, J. Takada, Y. Ikeda and M. Takano, *Funtai oyobi Funmatsu Yakin*, **40**, 200, (1993), in Japanese.

Chemical and Mechanical Stability of the Ba-added High-T_c Phase in the Bi-Pb-Sr-Ca-Cu-O System, J. Takada, K. Fujisaka, K. Hosotani, T. Egi, Y. Kusano, T. Nanba, Y. Ikeda and M. Takano, *Funtai oyobi Funmatsu Yakin*, **40**, 204, (1993), in Japanese.

Synthesis and Magnetic Properties of ϵ' -Fe₂C Fine Particles (I), Y. Tomiku, H. Takano and Y. Bando, *Funtai oyobi Funmatsu Yakin*, **40**, 823, (1993), in Japanese.

Lorentz-force Dependence of Transport Critical Currents and Anisotropic Pinning Properties in YBa₂Cu₃O_{7- δ} Single-Crystalline Thin Films, T. Nishizaki, F. Ichikawa, T. Fukami, T. Aomine, T. Terashima and Y. Bando, *Physica C*, **204**, 305, (1993).

Growth Mechanism and Superconducting Properties of One-Unit-Cell YBa₂Cu₃O_{7-x} Layer, Y. Bando, T. Terashima, K. Shimura, Y. Daitoh, Y. Matsuda, S. Komiyama, K.

Kamigaki and H. Terauchi, Proc. 36th Japan Congress on Materials Research(Pub. by the Society of Materials Science, Japan), 21, (1993).

A TEM Study of Microstructures of Ultrathin $\text{YBa}_2\text{Cu}_3\text{O}_7$ Films on SrTiO_3 (100) and MgO (100), Y. Daitoh, K. Shimura, T. Terashima and Y. Bando, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 494, (1993).

Microstructures and Superconductivity of Ultrathin $\text{YBa}_2\text{Cu}_3\text{O}_7$ Films, K. Shimura, Y. Daitoh, Y. Yano, T. Terashima and Y. Bando, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 502, (1993).

Superconducting Nature of Ultrathin $\text{YBa}_2\text{Cu}_3\text{O}_7$ Films, T. Terashima, K. Shimura, Y. Daitoh, Y. Yano, Y. Bando, Y. Matsuda and S. Komiyama, "Advances in Superconductivity V : proceedings of the 5th International Symposium on Superconductivity (ISS '92), November 16-19, 1992, Kobe / Y. Bando, H. Yamauchi, (eds.)" Tokyo, Springer, 1993, p. 827.

Ion Channeling Study of SrTiO_3 Substrates and As-Deposited $\text{YBa}_2\text{Cu}_3\text{O}_x$ Thin Films, M. Watamori, F. Shoji, Y. Bando, T. Terashima and K. Oura, *Jpn. J. Appl. Phys.*, **32**, 42, (1993).

Polarization-Dependent EXAFS Study on Superconducting $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Thin Film, H. Kimura, H. Oyanagi, T. Terashima, H. Yamaguchi, Y. Bando and J. Mizuki, *Jpn. J. Appl. Phys.*, **32**, Suppl. 32-2, 584, (1993).

Ferroelectric Phase Transition in BaTiO_3 Films, Y. Yoneda, H. Kasatani, H. Terauchi, Y. Yano, T. Terashima and Y. Bando, *J. Phys. Soc. Jpn.*, **62**, 1840, (1993).

Growth Process of High- T_c Oxide Thin Films, T. Terashima and Y. Bando, *Nihon Ouyou Jiki Gakkaishi*, **16**, 747, (1992), in Japanese.

Crystal Growth and Properties of High T_c Superconductors Controlled in a One-Unit-Cell Scale, Y. Bando, *FED Journal*, **3**, 5, (1993), in Japanese.

Growth and Superconducting Properties of One-Unit-Cell Thick $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ in Contact with Various Oxides, Y. Bando, *FED Journal*, **3**, Suppl.2, 38, (1993).

Recent Progress on Magnetic Composite Materials, Y. Bando, *Erekutoroniku Seramikusu*, **37**, (1993), in Japanese.

Chemical Design and Processing of High T_c Superconductors, Y. Bando, *Gakujutsu Geppou*, **46**, 414, (1993), in Japanese.

Solid State Reaction, Y. Bando, "Text Book of Advanced Course Inorganic Materials," Koudansha, 212, (1992), in Japanese.

Spinel Type and Related Compounds, Y. Bando and T. Otani, "Jikken Kagaku Kouza, 16 : Inorganic Chemistry," 354, (1993), in Japanese.

Garnet type and Related Compounds, Y. Bando, "Jikken Kagaku Kouza, 16 : Inorganic Chemistry," 500, (1993), in Japanese.

Artificial Design of High- T_c Superconductors, Y. Bando, 21 Seiki wo Ninau Choudendou, **68**, (1993), in Japanese.

Magnetic Properties of Interfaces and Magnetoresistance in Multilayers, T. Shinjo, *Springer Ser. Mater. Sci.*, **17**, 305, (1992).

Influence of Structure on the Magnetic Anisotropy of Co/Pd(001) Epitaxial Superlattices, B.N. Engel, M.H. Wiedmann, R.A. Van Leeuwen, C.M. Falco, L. Wu, N. Nakayama and T. Shinjo, *Appl. Surf. Sci.*, **60/61**, 776, (1992).

Magnetism and Magnetoresistance of Metallic Multilayers, T. Shinjo, H. Yamamoto, T. Anno and T. Okuyama, *Appl. Surf. Sci.*, **60/61**, 798, (1992).

¹⁹⁷Au Mössbauer Study of Au/Ni Artificial Multilayers, S. Nasu, T. Shibatani, Y. Maeda, M. Seto, H. Dohnomae, N. Mima and T. Shinjo, *Hyper. Inter.*, **71**, 1359, (1992).

Spin Reorientation in Fe/Nd Multilayered Films from Neutron Diffraction Experiments, N. Hosoito, K. Mibu, T. Shinjo and Y. Endoh, *J. Phys. Soc. Jpn.*, **61**, 2477, (1992).

Magnetoresistance of Multilayers, H. Yamamoto and T. Shinjo, *IEEE Translation J. Magn. Jpn.*, **7**, 674, (1992).

Magneto-Transport Phenomena in Metallic Multilayers, T. Shinjo, *Nippon Kinzoku Gakkaihou*, **31**, 796, (1992), in Japanese.

Magnetism of Surface Atoms, T. Shinjo, *Hyomen Kagaku*, **13**, 558, (1992), in Japanese.

Recent Developments in Metallic Multilayer Studies, T. Shinjo, *Oyou Butsuri*, **61**, 1214, (1992), in Japanese.

Artificial Multilayers, T. Shinjo, "Hakumaku to sono Kiso," ed. by A. Kinbara, Nippon Kikaku Kyokai, 254, (1992), in Japanese.

Preparation and Properties of Metallic Multilayers, T. Shinjo, "Hyomen Shinbussitsu to Epitaxy," ed. by Nippon Butsuri Gakkai, 201, (1992), in Japanese.

A Simple Method to Examine Individual Magnetizations in Fe/Rare Earth Multilayer Films by Polarized Neutron Diffraction, N. Hosoito, K. Mibu and T. Shinjo, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 443, (1993).

Superconducting Characteristics of M_3C_{60} (M=K, Rb) under Magnetic Field, A. Otsuka, T. Ban, G. Saito, H. Ito, T. Ishiguro, N. Hosoito and T. Shinjo, *Synth. Metals*, **55-57**, 3148, (1993).

X-ray Diffraction Study of Lattice Strain in Fe/Au(001) Superlattice Films, N. Nakayama, T. Okuyama and T. Shinjo, *J. Phys.: Condens. Matter*, **5**, 1173, (1993).

NMR Investigation on the Spin Polarization Oscillation in Cu Layers of [Ni/Cu] Magnetic Superlattices, A. Goto, H. Yasuoka, H. Yamamoto and T. Shinjo, *J. Phys. Soc. Jpn.*, **62**, 2129, (1993).

Giant Magnetic Field Effect on Thermal Conductivity of Magnetic Multilayers, Cu/Co/Cu/Ni(Fe), H. Sato, Y. Aoki, Y. Kobayashi, H. Yamamoto and T. Shinjo, *J. Phys. Soc. Jpn.*, **62**, 431, (1993).

Interface Magnetic Properties for X/Co/Y Sandwich Films (X, Y = Pd, Au, Cu), M. Sakurai and T. Shinjo, *J. Phys. Soc. Jpn.*, **62**, 1853, (1993).

Ferromagnetic Resonance of Evaporated Fe/Cu/Fe Trilayers, H. Yamazaki, *J. Magn. and Magn. Mater.*, **125**, 272, (1993).

NMR Study of Copper in [Ni/Cu] Magnetic Superlattices, A. Goto, H. Yasuoka, H. Yamamoto and T. Shinjo, *J. Magn. and Magn. Mater.*, **124**, 285, (1993).

Oscillatory Magnetic Exchange Coupling of Cobalt Layers through Gold Layers in Co/Au(001) Superlattices, L. Wu and T. Shinjo, *J. Magn. and Magn. Mater.*, **125**, L14, (1993).

Oscillation in Magnetoresistance and Interlayer Exchange Coupling in Epitaxial Fe/Au Superlattices, K. Shintaku, N. Hosoito and T. Shinjo, *J. Magn. and Magn. Mater.*, **121**, 413, (1993).

Surface Magnetism of α -FeOOH by Mössbauer Spectroscopy, A. Yamamoto, T. Honmyo, N. Hosoito, M. Kiyama and T. Shinjo, *Nucl. Instrum. Methods Phys. Res.*, **B76**, 202, (1993).

Operation of a Cryogenic Conversion Electron Proportional Counter under Strong Magnetic Fields, T. Fujii, N. Hosoito, R. Katano and Y. Isozumi, *Nucl. Instrum. Methods Phys. Res.*, **B76**, 207, (1993).

Mössbauer Study of Spin Reorientation in Fe/rare-earth Multilayers, K. Mibu, N. Hosoito and T. Shinjo, *Nucl. Instrum. Methods Phys. Res.*, **B76**, 31, (1993).

Magnetic Hyperfine Studies of Neodymium-iron Oxides, S.P. Taneja, Y. Nakamura, V.K. Garg and N. Hosoito, *Nucl. Instrum. Methods Phys. Res.*, **B76**, 127, (1993).

Magnetoresistance effect and Interlayer Exchange Coupling in Epitaxial Fe/Au(100) and Fe/Au(111) Multilayers, K. Shintaku, Y. Daitoh and T. Shinjo, *Phys. Rev. B Condens. Matter*, **47**, 14584, (1993).

Organic Chemistry

An Unusual Property of Benzyl Diphenylphosphinothiite in the Reactions with Various Electrophilic Reagents, Y.A. Drozdova, A.R. Burilov, M.A. Pudovik, R.M. Gainullin and A.V. Il'yasov, *Bull. Chem. Soc. Jpn.*, **66**, 506, (1993).

Ammonium Cerium Nitrate Mediated Nitration of Carbon-Carbon Double Bond, T. Sugiyama, *Nippon Kagaku Kaishi*, 493-499, (1993), in Japanese.

Further Evidence to Understand the Stereochemistry of the Reactions of α -Sulfinyl Carbanions, A. Ohno, M. Higaki and M. Okamura, *Heteroatom Chem.*, **3**, 513, (1992).

The Properties of Thiobenzyl Esters of the P(III) Acids. Part I. The Study of the Reaction Mechanism of 2-Benzylthio-4, 5-benzo-1, 3, 2-dioxaphospholane with Ketones and Oxygen by CIDNP ^{31}P , Y.A. Drozdova, A.R. Burilov, M.A. Pudovik, R.M. Gainullin and A.V. Il'yasov, *Heteroatom Chem.*, **3**, 367, (1992).

NAD(P) $^{+}$ -NAD(P)H Models. 82. Effect of Magnesium Ion on the Stereospecificity and

Conformations at the Ground and Transition State of the Reaction, M. Okamura, Y. Mikata, N. Yamazaki, A. Tsutsumi and A. Ohno, *Bull. Chem. Soc. Jpn.*, **66**, 1197, (1993).

The Arbuzov Reaction of Alkyl Diphenylphosphinites with 10-Methylacridinium Ion. Kinetic Study on the Formation and the Decomposition of Phosphonium Intermediates, S. Yasui, K. Shioji, M. Yoshihara, T. Maeshima and A. Ohno, *Bull. Chem. Soc. Jpn.*, **66**, 2077, (1993).

Stereospecific Electrochemical Oxidation of NAD(P)H Analogs Mediated by Radical Cation of Anilines, M. Okamura, T. Kashiwagi, Y. Mikata, N. Yamazaki and A. Ohno, *Chem. Lett.*, 1247, (1992).

NAD(P)⁺-NAD(P)H Models. 81. Temperature-Dependent Stereospecificity in the Interconversion between Central and Axial Chiralities, M. Okamura, Y. Mikata, N. Yamazaki, A. Tsutsumi and A. Ohno, *Bull. Chem. Soc. Jpn.*, **66**, 1191, (1993).

Purification and Characterization of Aldehyde Reductase from *Leuconostoc dextranicum*, N. Nakajima, K. Nakamura, H. Sumi, A. Matsuyama, N. Esaki and K. Soda, *Biosci. Biotech. Biochem.*, **57**, 160, (1993).

Stereoselective Synthesis of (±)-Isonitramine and (±)-Sibirine, M. Fujii, K. Kawaguchi, K. Nakamura and A. Ohno, *Chem. Lett.*, 1493, (1992).

Lipase-Catalyzed Asymmetric Transesterification of 3-Hydroxydithiopentanoate in an Organic Solvent, K. Nakamura, H. Kondo, P. Metzner and A. Ohno, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 302, (1992).

Asymmetric Reduction of Ketopantolactone by Bakers' Yeast, K. Nakamura, S. Kondo, Y. Kawai and A. Ohno, *Tetrahedron: Asymm.*, **4**, 1253, (1993).

Transcarboxylation of Naphthalene using the Alkali Metal Salts of Benzene Carboxylic Acids under Carbon Dioxide Pressure, K. Kudo, S. Mori and N. Sugita, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 284, (1992).

Small Difference in Cation Stability in Controlling the Formation of Hydrocarbon Salt or Covalent Hydrocarbon, A. Miyabo, K. Takeuchi, K. Komatsu and T. Kitagawa, *Chem. Lett.*, 683, (1992).

Synthesis and Properties of Hydrocarbon Salts and Ionically Dissociative Hydrocarbons, T. Kitagawa, K. Takeuchi, K. Komatsu and T. Kinoshita, *J. Synth. Org. Chem. Jpn.*, **50**, 746, (1992), in Japanese.

The Chemistry of Cyclic π -Systems Surrounded by Rigid σ -Frameworks: Blending a σ -Flavor into the Aromatics, K. Komatsu, *Pure and Appl. Chem.*, **65**, 73, (1993).

Stabilization of the 1-Naphthyltropylium Ion by [2.2] Paracyclophane Fixed at the Face-to-Face Position to the Tropylium Ring, K. Komatsu, R. Tsuji, Y. Inoue and K. Takeuchi, *Tetrahedron Lett.*, **34**, 99, (1993).

Synthesis of Tris [5-(3, 5-di-*t*-butyl-4-hydroxyphenyl)-2-thienyl]-cyclopropenylium Ion and Its Transformation into the Fully π -Conjugated Dianion, K. Komatsu, R. Tsuji, Y. Murata and

K. Takeuchi, *Chem. Lett.*, 911, (1993).

Syntheses and Properties of a Butatriene and a [3] Radialene Having 2-Adamantylidene Units at Terminal Carbons, K. Komatsu, H. Kamo, R. Tsuji and K. Takeuchi, *J. Org. Chem.*, **58**, 3219, (1993).

A Typical Example of Rate Acceleration by F-strain in Solvolysis, K. Takeuchi, Y. Ohga and T. Kitagawa, *J. Chim. Phys.*, **89**, 1631, (1992).

Quantitative Treatment of Rate Enhancement Due to F-strain in the Solvolysis of (Z)-2-Ethylidene-1-adamantyl Mesylate and Halides, K. Takeuchi, Y. Ohga, M. Munakata, T. Kitagawa and T. Kinoshita, *Tetrahedron Lett.*, **33**, 3335, (1992).

Steric Deuterium Isotope Effect in the Solvolysis of (Z)-Methyl-*d*₃-2-ethylidene-1-adamantyl Iodide Accelerated by F-strain, Y. Ohga and K. Takeuchi, *J. Phys. Org. Chem.*, **6**, 293, (1993).

Stereochemistry of the Intramolecular Substitution of Phenylselenonyl Group by Nitrogen Atom in Amide, A. Toshimitsu and H. Fuji, *Chem. Lett.*, 2017–2018, (1992).

Formation of Carbocyclic Compounds from 1,5-Hexadiene by the Reaction with Benzeneselenenyl Chloride in the Presence of Acid, A. Toshimitsu, T. Kusumoto and S. Tanimoto, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 270–277, (1992).

Pyridylseleno Group in Organic Synthesis. Part 7. Asymmetric Reduction of (2-Pyridylseleno)methyl Aryl Ketones, A. Toshimitsu, M. Ito and S. Tanimoto, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 278–283, (1992).

Three-dimensional Structure of the Glutathione Synthetase from *Escherichia coli* B at 2.0 Å Resolution, H. Yamaguchi, H. Kato, Y. Hata, T. Nishioka, A. Kimura, J. Oda and Y. Katsube, *J. Mol. Biol.*, **229**, 1083–1100, (1993).

Use of Adenosine (5') polyphospho (5') pyridoxals To Study the Substrate-Binding Region of Glutathione Synthetase from *Escherichia coli* B, T. Hibi, H. Kato, T. Nishioka, J. Oda, H. Yamaguchi, Y. Katsube, K. Tanizawa and T. Fukui, *Biochemistry*, **32**, 1548–1554, (1993).

Searching for Amino Acid Sequence Motifs among Enzymes: the Enzyme-Reaction Database, M. Suyama, A. Ogiwara, T. Nishioka and J. Oda, *CABIOS*, **9**, 9–15, (1993).

Purification, Molecular Cloning, and Expression of Lipase from *Pseudomonas aeruginosa*, M. Chihara-Siomi, K. Yoshikawa, N. Oshima-Hirayama, K. Yamamoto, Y. Sogabe, T. Nakatani, T. Nishioka and J. Oda, *Archives of Biochemistry and Biophysics*, **296**, 505–513, (1992).

Lipase from *Pseudomonas aeruginosa*; Production in *Escherichia coli* and Activation *in vitro* with a Protein from the Downstream Gene, N. Oshima-Hirayama, K. Yoshikawa, T. Nishioka and J. Oda, *Eur. J. Biochem.*, **215**, 239–246, (1993).

Chemical Inactivation of Lipase in Organic Solvent: A Lipase from *Pseudomonas aeruginosa* TE3285 is More Like a Typical Serine Enzyme in an Organic Solvent than in Aqueous Media, T. Nakatani, J. Hiratake, K. Yoshikawa, T. Nishioka and J. Oda, *Biosci. Biotech. Biochem.*, **56**, 1118–1123, (1992).

One-Pot Synthesis of Optically Active Cyanohydrin Acetates from Aldehydes via Lipase-Catalyzed Kinetic Resolution Coupled with in Situ Formation and Racemization of Cyanohydrins, M. Inagaki, J. Hiratake, T. Nishioka and J. Oda, *J. Org. Chem.*, **57**, 5643–5649, (1992).

Kinetic Resolution of Racemic α -Aminonitriles via Stereoselective *N*-Acetylation Catalyzed by Lipase in Organic Solvent, K. Nakai, J. Hiratake and J. Oda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 333–337, (1992).

Structural Studies on Glutathione Synthetase from *Escherichia coli* B, H. Yamaguchi, H. Kato, Y. Hata, T. Nishioka, J. Oda and Y. Katsube, *Photon Activity Report*, **9**, 85, (1992).

Activation of DNA Cleavage by Dynemicin A in a B-Z Conformational Junction, A. Ichikawa, T. Kuboya, T. Aoyama and Y. Sugiura, *Biochemistry*, **31**[29], 6784, (1992).

Bilirubin Oxidase from *Trachyderma tsunodae* K-2593, a Multi-copper Enzyme, K. Hiromi, Y. Yamaguchi, Y. Sugiura, H. Iwamoto and J. Hirose, *Biosci. Biotech. Biochem.*, **56**[8], 1349, (1992).

Product Analyses in DNA Strand Scission by Antitumor Antibiotic Elsamicin A, M. Uesugi and Y. Sugiura, *Biochem. Biophys. Res. Commun.*, **186**[1], 580, (1992).

C-1' Hydrogen Abstraction of Deoxyribose in DNA Strand Scission by Dynemicin A, T. Shiraki, M. Uesugi and Y. Sugiura, *Biochem. Biophys. Res. Commun.*, **188**[2], 584, (1992).

Valence Anomaly of Hemoproteins, S. Neya and Y. Sugiura, *Kagaku Kogyo*, **20**, (1992), in Japanese.

DNA Cleaving Modes in Minor Groove of DNA Helix by Esperamicin and Calicheamicin Antitumor Antibiotics, M. Uesugi and Y. Sugiura, *Nucleic Acids Res. (Sym. Ser.)*, **27**, 1, (1992).

DNA Strand Scission by Bleomycin-Iron Complex, M. Uesugi and Y. Sugiura, *J. Act. Oxyg. Free Rad.*, **3**[6], 678, (1992), in Japanese.

Zn Finger, J. Kuwahara and Y. Sugiura, *Kagaku*, **48**[2], 121, (1993), in Japanese.

Chemical Cleavage of Long Chain DNA, Y. Sugiura, *Tanpakushitsu Kakusan Koso*, **38**[3], 516, (1993), in Japanese.

Synthesis of a Hybrid Molecule Containing Neocarzinostatin Chromophore Analogue and Minor Groove Binder, M. Tokuda, K. Fujiwara, T. Gomibuchi, M. Hiramata, M. Uesugi and Y. Sugiura, *Tetrahedron Letters*, **34**[4], 669, (1993).

DNA Binding and Cleavage of a Novel Antitumor Antibiotic Dynemicin A: Detection of Binding and Cleavage Sites by Exonuclease III Digestion and Alkali-Induced Cutting Reactions, T. Arakawa, T. Kusakabe, J. Kuwahara, M. Otsuka and Y. Sugiura, *Biochem. Biophys. Res. Commun.*, **190**[2], 362, (1993).

Cleavage of Yeast tRNA^{Phe} with Ni(III) and Co(III) Complexes of Bleomycin, L. L. Guan, R. Totsuka, J. Kuwahara, M. Otsuka and Y. Sugiura, *Biochem. Biophys. Res. Commun.*, **191**[3], 1338, (1993).

New Insights into Sequence Recognition Process of Esperamicin A₁ and Calicheamicin γ_1^I : Origin of Their Selectivities and "Induced Fit" Mechanism, M. Uesugi and Y. Sugiura, *Biochemistry*, **32**[17], 4622, (1993).

Some Characteristics of DNA Strand Scission by Macromolecular Antitumor Antibiotic C-1027 Containing a Novel Eneidyne Chromophore, Y. Sugiura and T. Matsumoto, *Biochemistry*, **32**[21], 5548, (1993).

Binding of Transcription Factor Spl to GC Box DNA Revealed by Footprinting Analysis: Different Contact of Three Zinc Fingers and Sequence Recognition Mode, J. Kuwahara, A. Yonezawa, M. Futamura and Y. Sugiura, *Biochemistry*, **32**[23], 5994, (1993).

Sequence-Specific Recognition and Cleavage of DNA by Anti-tumour Antibiotics, Y. Sugiura and L.L. Guan, *Supramolecular Chemistry*, **1**, 313, (1993).

Guanine-Specific Binding by Bleomycin-Nickel(III)Complex and Its Reactivity for Guanine-Quartet Telomeric DNA, L.L. Guan, J. Kuwahara and Y. Sugiura, *Biochemistry*, **32**[24], 6141, (1993).

2,2-Dimethyl-1,3-oxathiane 3,3-Dioxide: A γ -Hydroxypropyl Anion Equivalent, K. Fuji, Y. Usami, Y. Kryu and M. Node, *Synthesis*, 852, (1992).

Hard Acid and Soft Nucleophile Systems. Part 13. Aluminum Chloride-Sodium Iodide-Acetonitrile System: A Very Mild Reagent for Selective Dealkylation, M. Node, T. Kajimoto, K. Nishide, E. Fujita and K. Fuji, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 308, (1992).

Hard Acid and Soft Nucleophile Systems. Part 14. On the Reactivity of α -Nitroketones and Nitroolefins Toward a Aluminum Chloride and Ethanethiol System, K. Fuji, T. Kawabata, M. Ueda, M. Fujimoto, E. Fujita and M. Node, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 318, (1992).

Preparation of Nitroalkenes: Substitution Reaction via Addition-Elimination Using β -Nitrovinyl Sulfoxides, M. Node, A. Itoh, K. Nishida, H. Abe, T. Kawabata, Y. Masaki and K. Fuji, *Synthesis*, 1119-1124, (1992).

Stereochemistry of the Enolate from Methyl Phenylacetate, F. Tanaka and K. Fuji, *Tetrahedron Lett.*, **33**, 7885, (1992).

Taxchinin A: A Diterpenoid from *Taxus Chinensis*, K. Fuji, K. Tanaka, B. Li, T. Shingu, H. Sun and T. Taga, *Tetrahedron Lett.*, **33**, 7915, (1992).

Hydrochloride of Chiral Piperazine as a Chiral Proton Source, K. Fuji, K. Tanaka and H. Miyamoto, *Tetrahedron: Asymmetry*, **4**, 247-259, (1993).

The Structures of Spiramines E, F and G; The New Diterpene Alkaloids from *Spiraea japonica* var. *acuminata* Franch, X.-J. Hao, M. Node, J. Zhou, S.-Y. Chen, T. Taga, Y. Miwa and K. Fuji, *Heterocycles*, **36**, 825, (1993).

A New Entry for Deprotection of Monothioacetals and Dithioacetals: Silver Nitrite-Iodine System, K. Nishide, K. Yokota, D. Nakamura, T. Sumiya, M. Node, M. Ueda and K. Fuji, *Tetrahedron Lett.*, **34**, 3425, (1993).

Differentiation of Enantiotopic Carbonyl Groups by the Horner-Wadsworth-Emmons Reaction, K. Tanaka, Y. Ohta, K. Fuji and T. Taga, *Tetrahedron Lett.*, **34**, 4071, (1993).

Polymer Chemistry

Dynamic Light Scattering of Aqueous Solutions of Linear Aggregates Induced by Thermal Denaturation of Ovalbumin, N. Nemoto, A. Koike, K. Osaki, T. Koseki and E. Doi, *Biopolymers*, **33**, 551-559, (1993).

Dynamic Light Scattering of CTAB/NaSal Long Threadlike Micelles in the Semidilute Regime: Applicability of the Dynamic Scaling Law, N. Nemoto and M. Kuwahara, *Langmuir*, **9**, No. 2, 419-423, (1993).

Viscoelastic Properties of Semidilute Poly(methyl methacrylate) Solutions, K. Osaki, E. Takatori, H. Watanabe and T. Kotaka, *Rheologica Acta*, **32**, 132-139, (1993).

Polymer Structure and Dynamics at Surface and Interface, N. Nemoto, *Hyomen*, **31**, No. 2, 53-62, (1993), in Japanese.

Birefringence of Amorphous Polymers. V. Dynamic Measurements on Poly(α -methyl styrene) and Polycarbonate, T. Inoue, E.-J. Hwang and K. Osaki, *J. of Rheology*, **36**(8), 1737-1755, (1992).

Dynamic Birefringence of Bisphenol-AP Polycarbonate, T. Inoue, E.-J. Hwang and K. Osaki, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, No. 2, 161-168, (1992).

Viscoelasticity and Birefringence of Bisphenol A Polycarbonate 2. Stress Relaxation Measurement, H. Okamoto, E.-J. Hwang, T. Inoue and K. Osaki, *NIHON REOROJI GAKKAISHI*, **21**, No. 2, 86-90, (1993), in Japanese.

Large Deformation of Polycarbonate near the Glass Transition Temperature, T. Inoue, H. Okamoto and K. Osaki, *Macromolecules*, **25**, No. 25, 7069-7070, (1992).

Viscoelasticity and Birefringence of Bisphenol A Polycarbonate, E.-J. Hwang, T. Inoue and K. Osaki, *Polymer*, **34**, No. 8, 1661-1666, (1993).

Amorphous Structure, K. Kaji, "Kobunshi Kinouzairyo Series (Kobunshi Bussei no Kiso)," ed. by Society of Polymer Science, **3**, 241, (1993), in Japanese.

Neutron Scattering Analysis, K. Kaji, "Kobunshi Kinouzairyo Series (Kobunshi Bussei no Kiso)," ed. by Society of Polymer Science, **3**, 391, (1993), in Japanese.

Structural Formation of Poly(ethylene terephthalate) during the Induction Period of Crystallization: 1. Ordered Structure appearing before Crystal Nucleation, M. Imai, K. Mori, T. Mizukami, K. Kaji and T. Kanaya, *Polymer*, **33**, 4451-4456, (1992).

Structural Formation of Poly(ethylene terephthalate) during the Induction Period of Crystallization: 2. Kinetic Analysis Based on the Theories of Phase Separation, M. Imai, K. Mori, T. Mizukami, K. Kaji and T. Kanaya, *Polymer*, **33**, 4457-4462, (1992).

Gels of Poly(vinyl alcohol) from Dimethyl Sulphoxide/Water Solutions, M. Ohkura, T.

- Kanaya and K. Kaji, *Polymer*, **33**, 3686–3690, (1992).
- Gelation Rates of Poly(vinyl alcohol) Solution, M. Ohkura, T. Kanaya and K. Kaji, *Polymer*, **33**, 5044–5048, (1992).
- Dynamics of Polymers in the Bulk State by Neutron Scattering, T. Kanaya, K. Kaji, T. Kawaguchi and K. Inoue, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 236–256, (1992).
- Local Dynamics of cis-1,4-polybutadiene near the Glass Transition Temperature T_g , T. Kanaya, T. Kawaguchi and K. Kaji, *Physica B*, **182**, 403–408, (1992).
- Structure Change of PVA Gel upon Heating, M. Ohkura, T. Kanaya, K. Kaji and M. Furusaka, *KENS Report*, **9**, 133–135, (1991/1992).
- Dynamics of trans-1,4-polychloroprene near the Glass Transition, T. Kawaguchi, T. Kanaya and K. Kaji, *KENS Report*, **9**, 139–140, (1991/1992).
- Structure of Crosslinking Points of Poly(vinyl alcohol) Gel, T. Kanaya, M. Ohkura, K. Kaji and M. Misawa, *KENS Report*, **9**, 136–138, (1991/1992).
- A Crystal Analyzer Type Inelastic Spectrometer using the Pulsed Thermal Neutron Source, K. Inoue, T. Kanaya, Y. Kiyanagi, K. Shibata, K. Kaji, S. Ikeda, H. Iwasa and Y. Izumi, *Nucl. Instr. Methods Phys. Res. A*, **327**, 433–440, (1993).
- Low-energy Excitation and Fast Motion near T_g in Amorphous cis-1,4-polybutadiene, T. Kanaya, T. Kawaguchi and K. Kaji, *J. Chem. Phys.*, **98**, 8262–8270, (1993).
- Simulation and Analysis of NMR Lines Reflecting the Chemical Shift Anisotropy for the Characterization of Local Motions of Glassy Polymers, F. Horii, T. Uyeda, T. Beppu, T. Murata and H. Odani, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 198, (1992).
- NMR Measurements of Identical Polymer Samples by Round Robin Method III. Analysis of Frequency Dependences of ^{13}C Spin-Lattice Relaxation Times and Nuclear Overhauser Enhancements, F. Horii, M. Nakagawa, R. Kitamaru, R. Chujo, K. Hatada and Y. Tanaka, *Polym. J.*, **24**, 1155, (1992).
- CP/MAS ^{13}C NMR Analysis of the Crystal Transformation Induced for *Valonia* Cellulose by Annealing at High Temperatures, H. Yamamoto and F. Horii, *Macromolecules*, **26**, 1313, (1993).
- Dynamics of Polystyrene Subchains of a Styrene-Methyl Methacrylate Diblock Copolymer in Solution Measured by Dynamic Light Scattering with an Isorefractive Index Solvent. 1. Dilute Solution Region, Y. Tsunashima and Y. Kawamata, *Macromolecules*, **26**, 4899, (1993).
- Universal Ratios in Dynamics of Dilute Polymer Solutions, Y. Shiwa and Y. Tsunashima, *Physica A*, **197**, 47, (1993).
- Sorption and Transport of Water Vapor in Films of Alginic Acid, Sodium Alginate, and Alginate-Cobalt Complex with Three Different Uronic Acid Compositions, A. Hirai and H. Odani, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 213, (1992).
- Thermotropic Liquid Crystals Based on Chito-Oligosaccharides II. Discotic Columnar

Liquid Crystals in Chitobiose Octaalkanoates and Chitotriose Hendecaalkanoates, M. Sugiura, M. Minoda, T. Fukuda, T. Miyamoto and J. Watanabe, *Liq. Cryst.*, **12**, 603, (1992).

Columnar Liquid Crystals Based on Oligosaccharides, T. Miyamoto, T. Fukuda and M. Minoda, *Kasen Koenshu*, **49**, 9, (1992), in Japanese.

High-Performance Dielectric Polymers from Cellulose Derivatives, T. Sato, M. Minoda and T. Miyamoto, "Cellulosics, Chemical, biochemical, and material aspects" / editors, J.F. Kennedy, G.O. Phillips, P.A. Williams, New York, E. Horwood, 1993, p. 403.

Effects of the Substituent Distribution along the Main Chain on Some Properties of *O*-(2, 3-Dihydroxypropyl) Cellulose, T. Fukuda, T. Sato and T. Miyamoto, *Sen-i Gakkaishi*, **48**, 320, (1992), in Japanese.

Reversible Gelation of Short-Chain *O*-(2, 3-Dihydroxypropyl) cellulose / Borax Solutions. 1. $A^{11}B$ -NMR Study on Polymer-Ion Interactions, T. Sato, Y. Tsujii, T. Fukuda and T. Miyamoto, *Macromolecules*, **25**, 3890, (1992).

Reversible Gelation of Short-Chain *O*-(2, 3-Dihydroxypropyl) cellulose Borax Solutions. 2. Sol-Gel Transition, T. Sato, Y. Tsujii, T. Fukuda and T. Miyamoto, *Macromolecules*, **25**, 5970, (1992).

New Cellulosic Materials by Use of Its Chirality, T. Miyamoto, Y. Tsujii, A. Takada and T. Fukuda, *Asahi Garasu Zaidan Kenkyu Houkoku*, **61**, 227, (1992), in Japanese.

Mono- and Multilayer Langmuir-Blodgett Films of Cellulose Tri-*n*-alkyl Esters Studied by Transmission Electron Microscopy, T. Itoh, Y. Tsujii, H. Suzuki, T. Fukuda and T. Miyamoto, *Polymer J.*, **24**, 641, (1992).

Monolayers of Amylose Ester Derivatives, T. Itoh, M. Matsumoto and T. Miyamoto, *Polym. Int.*, **30**, 345, (1993).

Thermal Properties and Monolayer Films of Cellulose Alkyl Ethers, T. Itoh, H. Suzuki and T. Miyamoto, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 132, (1992).

Langmuir-Blodgett Films from Cellulose Ester Derivatives, Y. Tsujii, T. Itoh, S. Ito and T. Miyamoto, "Cellulosics, Chemical, biochemical, and material aspects" / editors, J.F. Kennedy, G.O. Phillips, P.A. Williams, New York, E. Horwood, 1993, p. 483.

Effect of Substituents on Water Absorbency of Lightly Modified Cotton Fibers, C. Mizutani, Y. Onogi, H. Inagaki, T. Sato and T. Miyamoto, *Sen-i Gakkaishi*, **48**, 326, (1992), in Japanese.

Water Absorbency of Lightly Carboxymethylated Cotton Fibers, C. Mizutani, Y. Onogi, H. Inagaki, T. Sato and T. Miyamoto, *Sen-i Gakkaishi*, **48**, 677, (1992), in Japanese.

Chemical Modifications of Cotton Fibers for Improved Water Absorbency, C. Mizutani, Y. Onogi, H. Inagaki and T. Miyamoto, "Cellulosics, Pulp, fibre, and environmental aspects" / editors, J.F. Kennedy, G.O. Phillips, P.A. Williams, New York, E. Horwood, 1993, p. 231.

Shrinkproofing Process of Wool Fiber without Damaging its Hydrophobic Nature, Y.

Muraoka, K. Ito, A. Umehara, Y. Shibata and T. Miyamoto, *J. Studies of Clothing for Everyday Life*, **19**, 4, (1992), in Japanese.

Preparation of Transparent Mullite-Silica Film by Heat-Treatment of Imogolite, N. Donkai, T. Miyamoto, T. Kokubo and H. Tanei, *J. Mater. Sci.*, **27**, 6193, (1992).

Lyotropic Mesophase of Imogolite, 3: Observation of Liquid Crystal Structure by Scanning Electron and Novel Polarized Optical Microscopy, N. Donkai, H. Hoshino, K. Kajiwara and T. Miyamoto, *Makromol. Chem.*, **194**, 559, (1993).

Microscopic Observation of Band Structure Found in Shear-Deformed Hydroxypropyl-cellulose Film, H. Hoshino, N. Donkai, K. Kajiwara and T. Miyamoto, *Sen-i Gakkaishi*, **48**, 407, (1992).

Prediction of Specific Volume and Refractive Index of Nondilute Polymer Solutions, T. Fukuda and K. Kawabata, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 229, (1992).

New Theory of Free Radical Copolymerization, T. Fukuda and Y.-D. Ma, *Kobunshi Kako*, **42**, 262, (1993), in Japanese.

Kinetics of Free Radical Copolymerization, T. Fukuda, K. Kubo and Y.-D. Ma, *Prog. Polym. Sci.*, **17**, 875, (1992).

Solution Properties of Multicomponent Polymer Systems, T. Fukuda, "Koubunshi Bussei no Kiso", Soc. Polym. Sci. Jpn., Published by Kyoritsu, 90, (1993).

Statistical Thermodynamics of Polymer Alloys, T. Fukuda, "Porima Aroi-2", Soc. Polym. Sci. Jpn., Published by Tokyo Kagakudojin, 79, (1993).

High-resolution Images of Uniaxially Oriented Thin Films of Polyethylene and Poly(4-methyl-1-pentene) with a Superconducting Cryo-TEM, M. Tsuji, M. Tosaka, A. Kawaguchi, K. Katayama and M. Iwatsuki, *Sen-i Gakkaishi*, **48**, 384-388, (1992), in Japanese.

X-ray Dynamic Observation of Deformation Behavior of Ultra-high Molecular Weight Polyethylene, A. Kawaguchi, S. Murakami, M. Tsuji, K. Katayama and T. Ohta, *SEN-I GAKKAISHI*, **48**, 427-430, (1992), in Japanese.

Precise Determination of Crystallite Size of Ultra-drawn Ultra-high Molecular Weight Polyethylene, A. Kawaguchi, S. Murakami, M. Tsuji and T. Ohta, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 188-197, (1992).

Applicability of High-resolution Electron Microscopy to the Study on Micro-structures of Crystalline Polymers, M. Tsuji and A. Kawaguchi, "4th SPSJ Int. Polym. Conf., Yokohama," 364, (1992).

Stacking Faults in Single Crystals of Syndiotactic Polystyrene, M. Tsuji, T. Okihara, M. Tosaka, A. Kawaguchi and K. Katayama, *MSA Bulletin*, **23**, 57-65, (1993).

Direct Observation of Polymers by High-resolution Transmission Electron Microscopy, M. Tsuji, *Kobunshi*, **42**, 37-38, (1993), in Japanese.

Electron Beam Radiation Damage and High-resolution Electron Microscopy of Poly(aryl-ether-ketone) Crystal, D. Yan, E. Zhou, M. Tsuji and A. Kawaguchi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 435–442, (1993).

Hydrophilization of Specimen Supports using Glow Discharge for Transmission Electron Microscopy, M. Tsuji, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 510–518, (1993).

A Bimodal Structure of Solution-Grown Isotactic Polypropylene with Orthogonally Crossed Lamellae, I. Masada, T. Okihara, S. Murakami, M. Ohara, A. Kawaguchi and K. Katayama, *J. Polym. Sci., Polym. Phys. Ed.*, **31**, 843–852, (1993).

Biochemistry

A Knowledge Base for Predicting Protein Localization Sites in Eukaryotic Cells, K. Nakai and Kanehisa, *Genomics*, **14**, 897–911, (1992).

Genome Information Analysis, M. Kanehisa and W. Fujibuchi, *AI Center Dayori*, **24**, 14–19, (1992), in Japanese.

Mutiple Sequence Alignment Methods, M. Ishikawa and M. Kanehisa, “Shin-Seikagaku Koza,” **16**, 323–342, (1993), in Japanese.

An Approach to Systematic Detection of Protein Structural Motifs, Y. Matsuo and M. Kanehisa, *CABIOS*, **9**, 153–159, (1993).

Multiple Sequence Alignment by Parallel Simulated Annealing, M. Ishikawa, T. Toya, M. Hoshida, K. Nitta, A. Ogiwara and M. Kanehisa, *CABIOS*, **9**, 267–273, (1993).

Identifying Function from Randomness, M. Kanehisa, *Butsuri*, **48**, 338–341, (1993), in Japanese.

Aligning and Comparing Sequences, M. Ishikawa and M. Kanehisa, *Butsuri*, **48**, 341–343, (1993), in Japanese.

Predicting Secondary Structures, Y. Akiyama and M. Kanehisa, *Butsuri*, **48**, 346–350, (1993); in Japanese.

Knowledge Processing of Genetic Information, M. Kanehisa, *BME*, **7**, 28–35, (1993), in Japanese.

Genome Information Analysis, M. Kanehisa, *Suuri Kagaku*, **362**, 66–71, (1993), in Japanese.

RNA Secondary Structure Prediction, Y. Akiyama, *bit*, **25**, 346–350, (1993), in Japanese.

Structure of Weight Parameters and Decision Boundary in Complex Back-Propagation Network, T. Nitta, S. Akaho, Y. Akiyama and T. Furuya, *Journal of Information Processing Society Japan*, **33**, 1306–1313, (1992), in Japanese.

Databases for Molecular Biology, A. Ogiwara, *bit*, **25**, 84–97, (1993), in Japanese.

Geometry Optimization of $[M(H_2O)_6]^{2+}$ by Self Consistent Nonlocal Density Functional Method. $M=Cr, Mn, Fe, Co, Ni, Cu$ and Zn , N. Fukushima and K. Waizumi, *Chemistry*

Express, **8**, 265–268, (1993).

Intrinsic Structures and Dissociation Energies of $[\text{Zn}(\text{NCS})_4]^{2-}$ and $[\text{Zn}(\text{SCN})\text{H}_4]^{2-}$ Ions Examined by Density Functional Calculations, N. Fukushima and K. Waizumi, *Chemistry Express*, **8**, 269–272, (1993).

Intrinsic Structures of $[\text{CuCl}_4]^{2-}$ and $[\text{CuBr}_4]^{2-}$ Anions by Ab Initio Density Functional Calculations, K. Waizumi, H. Masuda, H. Einaga and N. Fukushima, *Chemistry Letters*, 1145–1148, (1993).

Fluorescent Molecular Rotor Binding to Actin, T. Iio, S. Takahashi and S. Sawada, *J. Biochem.*, **113**, 196, (1993).

Specificity of Amphiphilic Anionic Peptides for Fusion of Phospho-lipid Vesicles, M. Murata, S. Takahashi, Y. Shirai, S. Kagiwada, R. Hishida and S. Ohnishi, *Biophys. J.*, **64**, 724, (1993).

Improved Synthesis of 4-[(*R,S*)-1-[1-(9*H*-fluoren-9yl)-methoxy-carbonylamino]-(2',4'-dimethoxybenzyl) phenoxyacetic Acid as a Peptide-resin Linker in the Solid-phase Synthesis of Peptide-amides, S. Sawada, K. Yasui and S. Takahashi, *Biosci. Biotech. Biochem.*, **56**, 1506, (1992).

A Facile Synthesis of ϵ -Pyridoxyl-L-lysine, S. Sawada, A. Ozaki, Y. Yamamoto and S. Takahashi, *Biosci. Biotech. Biochem.*, **56**, 2070, (1993).

Site-directed Mutagenesis at Aspartate and Glutamate Residues of Xylanase from *Bacillus pumilus*, E. P. Ko, H. Akatsuka, H. Moriyama, A. Shinmyo, Y. Hata, Y. Katsube, I. Urabe and H. Okada, *Biochem. J.*, **288**, 117–121, (1992).

Stabilization of Xylanase by Random Mutagenesis, A. Arase, T. Yomo, I. Urabe, Y. Hata, Y. Katsube and H. Okada, *FEBS Lett.*, **316**, 123–127, (1993).

Polypeptide Folding of *Bacillus cereus* ATCC7064 Oligo-1,6-Glucosidase Revealed by 3.0 Å Resolution X-Ray Analysis, H. Kizaki, Y. Hata, K. Watanabe, Y. Katsube and Y. Suzuki, *J. Biochem.*, **113**, 646–649, (1993).

New Functions of Enzymes Participating in Amino Acid Metabolism and Development of Their Applications, K. Soda, *Nippon Nougai Kagaku Kaisi*, **66**, 647–648, (1992), in Japanese.

B₆-Enzymes Participating in D-Amino Acid Metabolism, K. Soda, "Proceedings of the 1st International Congress on Vitamins and Biofactors in Life Science in Kobe, 1991 / edited by Tadashi Kobayashi," Tokyo, Center for Academic Pub., 1992, p. 212–215.

Structure and Function of Thermostable Amino Acid Dehydrogenases, N. Esaki, T. Ohshima and K. Soda, "Proceedings of the 1st International Congress on Vitamins and Biofactors in Life Science in Kobe, 1991 / edited by Tadashi Kobayashi," Tokyo, Center for Academic Pub., 1992, p. 465–468.

Leucine Dehydrogenase from *Bacillus stearothermophilus*: Identification of Active-Site Lysine by Modification with Pyridoxal Phosphate, T. Matsuyama, K. Soda, T. Fukui and K. Tanizawa, *J. Biochem.*, **112**, 258–265, (1992).

Characterization and Application of New Enzymes Related with Amino Acid Metabolism, K. Soda, *Nippon Nougeikagaku Kaisi*, **66**, 1309–1317, (1992), in Japanese.

Synthesis of L-Proline from the Racemate by Coupling of Enzymatic Enantiospecific Oxidation and Chemical Non-Enantiospecific Reduction, J.W. Huh, K. Yokoigawa, N. Esaki and K. Soda, *J. Ferment. Bioeng.*, **74**, 189–190, (1992).

Glutathione Peroxidase and Its Model Compounds, T. Oikawa and K. Soda, *Nippon Nougeikagaku Kaisi*, **66**, 1501–1504, (1992), in Japanese.

Structure and Function of Alanine Racemase, T. Yoshimura, N. Esaki and K. Soda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 378–384, (1992).

Properties of Aspartate Racemase, a Pyridoxal 5'-Phosphate-independent Amino Acid Racemase, T. Yamauchi, S-Y. Choi, H. Okada, M. Yohda, H. Kumagai, N. Esaki and K. Soda, *J. Biol. Chem.*, **267**, 18361–18364, (1992).

Partial Reactions of Bacterial D-Amino Acid Transaminase with Asparagine Substituted for the Lysine that Binds Coenzyme Pyridoxal 5'-Phosphate, T. Yoshimura, M.B. Bhatia, J.M. Manning, D. Ringe and K. Soda, *Biochemistry*, **31**, 11748–11754, (1992).

Total Conversion of Racemic Phecolic Acid into the L-Enantiomer by a Combination of Enantiospecific Oxidation with D-Amino Acid Oxidase and Reduction with Sodium Borohydride, J.W. Huh, K. Yokoigawa, N. Esaki and K. Soda, *Biosci. Biotech. Biochem.*, **56**, 2081–2082, (1992).

Enzymatic Production of Sulfur- and Selenium-Containing Amino Acid Analogs, N. Esaki and K. Soda, "Biocatalytic production of amino acids and derivatives / edited by J. David Rozzell and Fritz Wagner," New York, Distributed in the United States of America and in Canada by Oxford University Press, c1992, p. 261–276.

Thermostable Alanine Racemase, K. Soda, H. Toyama and N. Esaki, "Frontiers and new horizons in amino acid research : proceedings of the first biennial International Conference on Amino Acid Research, Frontiers and New Horizons 1991, Kyoto, 13–19 August 1991 / editor, Katsuji Takai" Amsterdam, Elsevier, 1992, p. 327–332.

Thermostable Pyridoxal Enzymes and their Applications, K. Soda, *Nihon Ouyoukouso Kyoukai*, No. 27, 1–11, (1992), in Japanese.

Design of Thermostable Enzymes with Regulatory Function and their Applications, K. Soda and N. Esaki, "Synthesis and function control of biofunctionality materials / edited by T. Tsuruta...[et al.]" Amsterdam, North-Holland, 1993, p. 269–274.

Thermostable Alanine Racemase from a Psychrotroph, *Pseudomonas fluorescens*: Purification and Properties, K. Yokoigawa, H. Kawai, K. Endo, Y.H. Lim, N. Esaki and K. Soda, *Biosci. Biotech. Biochem.*, **57**, 93–97, (1993).

Genetic Aspects of Trace Elements, N. Esaki and K. Soda, *Eiyou-Hyouka to Tiryou*, **10**, 229–236, (1993), in Japanese.

Site-Directed Mutagenesis of a Hexapeptide Segment Involved in Substrate Recognition of Phenylalanine Dehydrogenase from *Thermoactinomyces intermedius*, K. Kataoka, H. Takada, T. Yoshimura, S. Furuyoshi, N. Esaki, T. Ohshima and K. Soda, *J. Biochem.*, **114**, 69–75, (1993).

Novel Protein Kinase of *Arabidopsis Thaliana* (APK1) that Phosphorylates Tyrosine, Serine and Threonine, T. Hirayama and A. Oka, *Plant Mol. Biol.*, **20**, 653–662, (1992).

Gene Isolation with the Polymerase Chain Reaction, A. Gasch, T. Aoyama, R. Foster and Nam-Hai Chua, "Methods in Arabidopsis Research," 342–356.

Functional Analysis of the VirG-Like Domain Contained in the *Agrobacterium* VirA Protein That Senses Plant Factors, H. Endoh and A. Oka, *Plant Cell Physiol.*, **34**, 227–235, (1993).

Molecular Analysis of T-DNA Region on the Root Inducing Plasmid (Ri) in a Mikimopine Type *Agrobacterium rhizogenes* Strain 1724, N. Tanaka, T. Matsumoto and A. Oka, *Ann. Phytopath. Soc. Japan*, **59**, 155–162, (1993).

The 5'-Terminal Region of the Apocytochrome *b* Transcript in *Crithidia fasciculata* Is Successively Edited by Two Guide RNAs in the 3' to 5' Direction, H. Sugisaki and M. Takanami, *J. Biol. Chem.*, **268**, 887–891, (1993).