TITLE:

An Efficient Algorithm for Evacuation Problems in Dynamic Network Flows with Uniform Arc Capacity (Algorithmic aspects in information and management)

AUTHOR(S):

Kamiyama, Naoyuki; Katoh, Naoki; Takizawa, Atsushi

CITATION:

Kamiyama, Naoyuki ...[et al]. An Efficient Algorithm for Evacuation Problems in Dynamic Network Flows with Uniform Arc Capacity (Algorithmic aspects in information and management). Lecture notes in computer science 2006, 4041: 231-242

ISSUE DATE:

2006

URL:

<http://hdl.handle.net/2433/84857>

RIGHT:

The original publication is available at www.springerlink.com.; This is not the published version. Please cite only the published version.; この論文は出版社版ではありません。引用の際には出版社版をご確認ご利用ください。

An Efficient Algorithm for Evacuation Problems in Dynamic Network Flows with Uniform Arc Capacity

Naoyuki Kamiyama ^{*}, Naoki Katoh, and Atsushi Takizawa

Department of Architecture and Architectural Engineering, Kyoto University
Kyotodaigaku-Katsura, Nishikyo-ku, Kyoto, 615-8540, Japan
`{is.kamiyama,naoki,kukure}@archi.kyoto-u.ac.jp`

Abstract. In this paper, we consider the quickest flow problem in a network which consists of a directed graph with capacities and transit times on its arcs. We present an $O(n \log n)$ time algorithm for the quickest flow problem in a network of grid structure with uniform arc capacity which has a single sink where n is the number of vertices in the network.

1 Introduction

It is very important to establish crisis management systems against large-scale disasters such as big earthquakes, conflagrations and tsunamis. We need to consider the crisis management against disasters to secure evacuation pathways and to effectively guide residents to a safe place. In our work, we adopt dynamic network flows as a model for evacuation. A dynamic network flow is defined on a network which consists of a directed graph $D = (V, A)$ with capacity $c(e)$ and transit time $\tau(e)$ on every arc $e \in A$. For example, if we consider urban evacuation, vertices model buildings, rooms, exits and so on, and an arc models a pathway or a road connecting vertices. For an arc e , capacity $c(e)$ represents the number of people which can traverse the arc e per unit time, and $\tau(e)$ denotes the time it takes to traverse e . Given a network with initial supplies at vertices, the problem is to find an optimal dynamic network flow such that we can send all the initial supplies to sinks as quickly as possible. In the case where a network has several sources and sinks which have specified supply or demand respectively, this problem can be solved by the algorithm of Hoppes and Tardos [1] in polynomial time. However their running time is high-order polynomial, and hence is not practical in general. So it is necessary to devise a faster algorithm for a tractable and practically useful subclass of this problem.

In this paper, we restrict our attention to grid networks with uniform arc capacity. The condition that arc capacity is uniform is practically acceptable because the width of road or corridor is generally standardized. Restriction of network structure to grid networks is useful since such structure often appears

^{*} Supported by JSPS Grant-in-Aid for Scientific Research on priority areas of New Horizons in Computing

in modelling building corridors and city streets. We present an $O(n \log n)$ time algorithm for the quickest flow problem in a network of grid structure with uniform arc capacity which has a single sink where n is the number of vertices in the network.

Previous Works. As mentioned above, Hoppes and Tardos proposed a polynomial time algorithm for the problem [1]. As a special class of networks, Mamada et al. [2] considered tree networks with a single sink and presented an $O(n \log^2 n)$ time algorithm. For the case of tree networks with multiple sinks, Mamada et al. [3] presented an $O(n \log^3 n)$ time algorithm for two-sink case and Mamada et al. [4] presented an $O(n^2 k \log^2 n)$ time algorithm for k -sink case under the restriction that all the supplies going through a common vertex are sent to a single sink. However, to the authors' knowledge, no one has ever studied special class of networks other than tree networks for the evacuation problem.

Organization. Section 2 gives necessary definitions and preliminaries. Section 3 considers the quickest flow problem for grid networks with uniform arc capacity and proposes an $O(n \log n)$ time algorithm. Section 4 concludes the paper.

2 Problem Formulation and Notations

We consider a network $\mathcal{N} = (D = (V, A), c, \tau, b_v, V^*)$, where D is a directed graph, V is a set of vertices, A is a set of arcs, $c: A \rightarrow \mathbf{R}_+$ is the upper bound for the rate of flow that enters each arc per unit time, $\tau: A \rightarrow \mathbf{Z}_+$ is a transit time function, $b_v \in \mathbf{R}_+$ gives an initial supply of $v \in V$, and $V^* \subset V$ is a set of sinks. Here $\mathbf{R}_+$ denotes the set of nonnegative reals and $\mathbf{Z}_+$ denotes the set of nonnegative integers. For simplicity, we write $c(v, w)$ and $\tau(v, w)$ instead of $c((v, w))$ and $\tau((v, w))$ respectively for any $(v, w) \in A$. Given a network, our problem is to compute the minimum time required to send all supplies to sinks.

Here we define a discrete-time dynamic network flow $f: A \times \mathbf{Z}_+ \rightarrow \mathbf{R}_+$. For any arc $e \in A$ and $\theta \in \mathbf{Z}_+$, we denote by $f(e, \theta)$ the flow rate entering the arc e at time θ which arrives at the head of e at time $\theta + \tau(e)$. We call $f: A \times \mathbf{Z}_+ \rightarrow \mathbf{R}_+$ a *feasible dynamic flow* in $\mathcal{N}$ if it satisfies the following three conditions, i.e., capacity constraint, flow conservation, and demand constraint [2].

Capacity constraint: For any arc $e \in A$ and $\theta \in \mathbf{Z}_+$,

$$0 \leq f(e, \theta) \leq c(e). \quad (1)$$

Flow conservation: For any $v \in V$ and $\Theta \in \mathbf{Z}_+$,

$$\sum_{e \in \Delta^+(v)} \sum_{\theta=0}^{\Theta} f(e, \theta) - \sum_{e \in \Delta^-(v)} \sum_{\theta=\tau(e)}^{\Theta} f(e, \theta - \tau(e)) \leq b_v. \quad (2)$$

Demand constraint: There exists a time $\Theta \in \mathbf{Z}_+$ such that

$$\sum_{e \in \Delta^-(V^*)} \sum_{\theta=\tau(e)}^{\Theta} f(e, \theta - \tau(e)) - \sum_{e \in \Delta^+(V^*)} \sum_{\theta=0}^{\Theta} f(e, \theta) = \sum_{v \in V \setminus V^*} b_v. \quad (3)$$

Here $\Delta^+(V') \equiv \{(v, w) \in A, | v \in V', w \notin V'\}$, and $\Delta^-(V') \equiv \{(v, w) \in A | v \notin V', w \in V'\}$ for any $V' \subseteq V$. For simplicity, we write $\Delta^+(v)$ and $\Delta^-(v)$ instead of $\Delta^+(\{v\})$ and $\Delta^-(\{v\})$, respectively. For a feasible dynamic flow f , let $\Theta(f)$ denote the completion time for f , i.e., the minimum time Θ satisfying (3), and let $\mathcal{F}_N$ denote the set of all feasible dynamic flows in $\mathcal{N}$. The quickest flow problem asks to find a feasible dynamic flow f that minimizes $\Theta(f)$.

Here we define *flow-table* [2] which is a function from $\mathbf{Z}_+$ to $\mathbf{R}_+$. There are two kinds of flow-tables, *arriving-table* AT_v for each vertex $v \in V$, and *sending-table* ST_e for each arc $e \in A$. Arriving-table AT_v represents the sum of the flow rates arriving at the vertex v as a function of time θ , i.e.,

$$AT_v(\theta) = B_v(\theta) + \sum_{e \in \Delta^-(v)} f(e, \theta - \tau(e)) \quad (4)$$

where we regard the initial supply b_v as a flow-table B_v as follows: $B_v(0) = b_v$ and $B_v(\theta) = 0$ if $\theta \neq 0$. Sending table ST_e represents the flow rate entering the arc e as a function of time θ , i.e.,

$$ST_e(\theta) = f(e, \theta). \quad (5)$$

We define T as a function of flow-table FT as follows: $T(FT) = \max\{\theta \in \mathbf{Z}_+ | FT(\theta) > 0\}$. $T(ST_e) + \tau(e)$ represents the time to complete the evacuation from e .

In this paper, we will focus our attention on *grid graph* as an underlying graph of a network. For simplicity, we assume a grid graph is on N^2 grid points $\{1, \dots, N\} \times \{1, \dots, N\}$ in the plane, and let $n = N^2$. Here a vertex is identified with (i, j) with $1 \leq i \leq N$ and $1 \leq j \leq N$. A sink r is specified as one of vertices. The distance between two vertices (i, j) and (i', j') is defined as $|i - i'| + |j - j'|$. Two vertices (i, j) and (i', j') are connected by an edge if and only if $|i - i'| + |j - j'| = 1$ (Fig. 1(a)). The edge which connects v and v' is directed from v to v' if and only if the distance from v' to r is smaller than that from v to r (Fig. 1(b)). A network defined on a grid graph is called *grid network*. We assume throughout this paper that, in networks we are concerned with, the capacities of all arcs have the same value $c \in \mathbf{R}_+$ and the transit times of all arcs take the same value $\tau \in \mathbf{Z}_+$. Notice that we define c and τ as not a function but an integer here. From this assumption, we use the notation $\mathcal{N} = (D = (V, A), b_v, V^*)$ for simplicity by omitting the capacity function and the transit time function. In addition to the above assumption for the capacities and the transit times of arcs, we assume a sink is an inner vertex, i.e. the in-degree of a sink is four (the other case can be similarly treated).

Given a grid network $\mathcal{N} = (D = (V, A), b_v, V^* = \{r\})$, we consider the quickest flow problem QF formally defined as follows:

$$\text{QF: minimize } T(AT_r^f) \text{ subject to } f \in \mathcal{F}_N$$

where AT_r^f is the arriving-table at the sink r with respect to f .

For any vertices v and w such that there exists a directed path from v to w , we define $l(v, w)$ as the sum of transit times of arcs on the path. Vertex set V is

partitioned into layers according to the distance from r . Thus, a directed graph D can be viewed as a *layered graph*. A layered graph $D = (V, A)$ is a directed graph consisting of several layers which partition V into subsets $V^0 (= \{r\}), V^1, V^2, \dots$ such that vertices $v \in V^i$ and $w \in V^j$ are connected by a directed arc (v, w) only if $i - j = 1$, and V^p (p -th layer) denotes the set of all of vertices satisfying $l(v, r) = p\tau$ (Fig. 1(c)). A network defined on a layered graph is called a *layered network*.

Theorem 1. *There exists an optimal dynamic flow f such that f_i and f_j does not share any arc for every $i \neq j$.*

Now suppose that for every $v \in W_i$ with $i = 1, 2, 3, 4$, the amount of supply (denoted by $b_{v,i}$ and $b_{v,i+1}$ respectively) which reach r via arcs (u_i, r) and (u_{i+1}, r) respectively are fixed.

Theorem 2. *There exists a subgraph H'_i of H_i which spans $W_{i-1} \cup U_i \cup W_i \cup \{r\}$ for $i = 1, 2, 3, 4$ such that H'_i are arc disjoint for $i \neq j$.*

Notice that that arc-disjoint subgraph H'_i are not uniquely determined.

Theorem 3. *Let us consider dynamic flow problems QF_i defined on H'_i such that the supply of $v \in W_{i-1} \cup U_i \cup W_i$ is $b_{v,i}$. The optimal objective value for QF_i for every i does not depend on the choice of arc-disjoint subgraphs H'_i , but remains the same.*

From these facts, when for every $v \in W_i$ and every i with $i = 1, 2, 3, 4$, the amount of supply at v which flow through (u_i, r) and (u_{i+1}, r) , respectively are fixed, an optimal flow of QF can be found by independently obtaining an optimal flow f_i^* for QF_i for each i . Since the subgraph H'_i can be chosen as a rooted tree as will be seen in Fig 3 (this fact clearly proves Theorem 2), the solution of QF_i can be given by simply specifying the supply at each $v \in W_{i-1} \cup U_i \cup W_i$. Therefore, the problem QF reduces to finding an optimal allocation of b_v to $b_{v,i}$ and $b_{v,i+1}$ for each $v \in W_i$ with $i = 1, 2, 3, 4$, and we call this problem *the optimal allocation problem for supplies*. Moreover, we prove the following theorem. Consequently, we can solve the quickest flow problem for grid networks with uniform arc capacity efficiently.

Theorem 4. *The optimal allocation problem for supplies can be transformed into the min-max resource allocation problem under network constraints [6–8].*

Fig. 2. Decomposition of $\mathcal{N}$

Fig. 3. H'_1, H'_2, H'_3, H'_4

From the above discussion, our algorithm consists of two phases: (1) The first phase is to reduce the quickest flow problem QF to the optimal allocation

problem for supplies, and (2) the second phase is to reduce the optimal allocation problem for supplies to the min-max resource allocation problem under network constraints [6–8].

3.1 Reduction the quickest flow to the optimal allocation problem for supplies

In this subsection, we prove that the quickest flow problem QF can be reduced to the optimal allocation problem for supplies. From the above discussion, the reduction is done by proving Theorem 1 and Theorem 3. Theorem 3 is proved after showing Lemma 1 and Lemma 2. We prove these lemmas by using properties of flow-tables. Thus, before proving these lemmas we introduce operators concerning flow-tables: *shifting*, and *ceiling* [2], and we will then show some basic properties of those operations.

Definition 1 (table shifting). For any flow-table FT , $\tau \in \mathbf{Z}_+$ and $\theta \in \mathbf{Z}_+$, we define $S_\tau(FT)$ as follows : $S_\tau(FT)(\theta) = 0$ if $\theta < \tau$ and $S_\tau(FT)(\theta) = FT(\theta - \tau)$ if $\theta \geq \tau$.

It is easy to see that for any flow-tables FT_1, FT_2 and $\tau_1, \tau_2 \in \mathbf{Z}_+$, $S_{\tau_1}(FT_1 + FT_2) = S_{\tau_1}(FT_1) + S_{\tau_2}(FT_2)$ and $S_{\tau_1 + \tau_2}(FT_1) = S_{\tau_1}(S_{\tau_2}(FT_1))$ hold. From the above definitions and (4), (5) can be rewritten as

$$AT_v = B_v + \sum_{e \in \Delta^-(v)} S_{\tau(e)}(ST_e). \quad (6)$$

Definition 2 (table ceiling). For any flow-table FT and $c \in \mathbf{R}_+$, $[FT]_c$ is a flow-table obtained by carrying over the excess of $FT(\theta)$ (i.e. $FT(\theta) - c$) to $FT(\theta + 1)$ in the order of $\theta = 0, 1, \dots$

Fig. 4. Table ceiling

Here we show two facts concerning flow-tables. We use Fact 1 to prove that we need a single ceiling operation to calculate the minimum completion time of a layered network with single sink whose in-degree is one.

Fact 1 For any flow-tables FT_1, FT_2 and for any $c \in \mathbf{R}_+$, $[[FT_1]_c + FT_2]_c = [FT_1 + FT_2]_c$.

Fact 2 For any flow-table FT , $c \in \mathbf{R}_+$ and $\tau \in \mathbf{Z}_+$, $S_\tau([FT]_c) = [S_\tau(FT)]_c$ holds.

Here it should be noted that given a network $\mathcal{N} = (D = (V, A), b_v, V^*)$ and AT_v for a $v \in V$ and the distribution of AT_v to each $e \in \Delta^+(v)$ as AT_v^e , we will assume $ST_e = [AT_v^e]_c$ holds for any $e \in \Delta^+(v)$ in order to attain an optimal solution [5]. Thus, throughout this paper, we restrict the set of feasible dynamic flows to those which satisfy this condition.

Let us now return to Theorem 3 again. Here we consider a layered network $\mathcal{L} = (\tilde{D} = (\tilde{V}, \tilde{A}), \tilde{b}_v, \tilde{V}^* = \{\tilde{r}\})$ with $|\Delta^-(\tilde{r})| = 1$, where $\tilde{V}^p = \{v \in \tilde{V} \mid l(v, \tilde{r}) = p\tau\}$, $\tilde{m}$ is the number of layers in $\mathcal{L}$, $\tilde{B}_v$ denotes the extension of $\tilde{b}_v$ to flow-table, $\tilde{B}^p = \sum_{v \in \tilde{V}^p} \tilde{B}_v$ for any $p \in \{1, 2, \dots, \tilde{m}\}$ (Fig. 5). We show the following

Fig. 5. Layered network $\mathcal{L}$

lemmas concerning $\mathcal{L}$. Lemma 1 shows the relationship between the arriving-tables of vertices whose level is p and those of vertices whose level is $p + 1$.

Lemma 1. *For any feasible flow of $\mathcal{L}$ we have*

$$[\sum_{v \in \tilde{V}^p} AT_v]_c = [\tilde{B}^p + S_\tau(\sum_{u \in \tilde{V}^{p+1}} AT_u)]_c.$$

Proof. Consider AT_v for $v \in \tilde{V}^p$. Then

$$AT_v = \tilde{B}_v + \sum_{u \in CH_v} S_\tau(ST_{(u,v)}) \quad (7)$$

holds by (6). Here we define $\{AT_u^{(u,v)} \mid v \in PA_u\}$ as a distribution of AT_u for $u \in \tilde{V}^{p+1}$ such that $\sum_{v \in PA_u} AT_u^{(u,v)} = AT_u$ and $ST_{(u,v)} = [AT_u^{(u,v)}]_c$ hold. It is clear that such distribution always exists. Thus, we have

$$\begin{aligned} & [\sum_{v \in \tilde{V}^p} AT_v]_c \\ &= [\sum_{v \in \tilde{V}^p} (\tilde{B}_v + \sum_{u \in CH_v} S_\tau(ST_{(u,v)}))]_c \text{ (by (7))} \\ &= [\sum_{v \in \tilde{V}^p} \tilde{B}_v + \sum_{v \in \tilde{V}^p} \sum_{u \in CH_v} S_\tau(ST_{(u,v)})]_c \\ &= [\tilde{B}^p + \sum_{u \in \tilde{V}^{p+1}} \sum_{v \in PA_u} S_\tau(ST_{(u,v)})]_c \\ &= [\tilde{B}^p + \sum_{u \in \tilde{V}^{p+1}} \sum_{v \in PA_u} S_\tau([AT_u^{(u,v)}]_c)]_c \text{ (by } ST_{(u,v)} = [AT_u^{(u,v)}]_c) \end{aligned}$$

$$\begin{aligned}
&= [\tilde{\mathbf{B}}^p + \sum_{u \in \tilde{V}^{p+1}} \sum_{v \in PA_u} [S_\tau(AT_u^{(u,v)})]_c]_c \text{ (by Fact 2)} \\
&= [\tilde{\mathbf{B}}^p + \sum_{u \in \tilde{V}^{p+1}} \sum_{v \in PA_u} S_\tau(AT_u^{(u,v)})]_c \text{ (by Fact 1)} \\
&= [\tilde{\mathbf{B}}^p + S_\tau(\sum_{u \in \tilde{V}^{p+1}} \sum_{v \in PA_u} AT_u^{(u,v)})]_c \\
&= [\tilde{\mathbf{B}}^p + S_\tau(\sum_{u \in \tilde{V}^{p+1}} AT_u)]_c \text{ (by } \sum_{v \in PA_u} AT_u^{(u,v)} = AT_u). \quad \square
\end{aligned}$$

The following lemma is immediate from Lemma 1. This lemma says that the minimum completion time remains the same for any layered network with a single sink whose in-degree is one, and thus it does not change as long as the initial supply and the level of every vertex remain the same. This proves Theorem 3.

Lemma 2. *In the layered network $\mathcal{L}$ of Lemma 1, we have $AT_{\tilde{r}} = [\sum_{i=1}^{\tilde{m}} S_{i\tau}(\tilde{\mathbf{B}}^i)]_c$.*

Proof. We first prove

$$[\sum_{v \in \tilde{V}^p} AT_v]_c = [\sum_{i=p}^{\tilde{m}} S_{(i-p)\tau}(\tilde{\mathbf{B}}^i)]_c \quad (8)$$

holds for any $p \in \{1, \dots, \tilde{m}\}$ by induction on p . Let us first consider the case of $p = \tilde{m}$. Since $AT_v = \tilde{B}_v$ holds for any $v \in \tilde{V}^{\tilde{m}}$, we have $[\sum_{v \in \tilde{V}^{\tilde{m}}} AT_v]_c = [\sum_{v \in \tilde{V}^{\tilde{m}}} \tilde{B}_v]_c$. Next assume that the lemma is true for $p = t + 1$. Thus, by Lemma 1 and the induction hypothesis, we have

$$\begin{aligned}
&[\sum_{v \in \tilde{V}^t} AT_v]_c \\
&= [\tilde{\mathbf{B}}^t + S_\tau(\sum_{v \in \tilde{V}^{t+1}} AT_v)]_c \text{ (by Lemma 1)} \\
&= [\tilde{\mathbf{B}}^t + S_\tau([\sum_{v \in \tilde{V}^{t+1}} AT_v]_c)]_c \text{ (by Fact 1 and Fact 2)} \\
&= [\tilde{\mathbf{B}}^t + S_\tau([\sum_{i=t+1}^{\tilde{m}} S_{(i-(t+1))\tau}(\tilde{\mathbf{B}}^i)]_c)]_c \text{ (by the induction hypothesis)} \\
&= [\sum_{i=t}^{\tilde{m}} S_{(i-t)\tau}(\tilde{\mathbf{B}}^i)]_c \text{ (by Fact 1 and Fact 2)}.
\end{aligned}$$

This completes the proof of (8). Let $CH_{\tilde{r}} = \{v_1\}$. $[AT_{v_1}]_c = [\sum_{i=1}^{\tilde{m}} S_{(i-1)\tau}(\tilde{\mathbf{B}}^i)]_c$ holds from (8). Thus, from $AT_{\tilde{r}} = S_\tau([AT_{v_1}]_c)$, the lemma follows. $\square$

Notice that the lemma does not always hold if the in-degree of $\tilde{r}$ is more than one.

Next let us consider Theorem 1. There may be an arc e such that both f_i and f_j ($i \neq j$) share. If there is such an arc e , it is called a *mixed arc* with respect to f , and such flow f is called a *mixed flow*.

Proof. (Theorem 1) Let us consider an optimal dynamic flow $\hat{f}$, and assume that it is a mixed flow. Let us decompose $\hat{f}$ into $\hat{f}_i, i = 1, 2, 3, 4$, and D_i for $\hat{f}_i$ be $\hat{D}_i \equiv (\hat{V}_i, \hat{A}_i)$.

From the proof assumption, $\hat{A}_i \cap \hat{A}_j \neq \emptyset$ for some $i \neq j$. Let us define a network $\hat{\mathcal{N}}_i$ for $\hat{D}_i$ such that the arc capacity and the transit time of all $e \in \hat{A}_i$ remain the same as the original problem, and the initial supply of $v \in V$ is equal to $b_{v,i}$. Now, it holds for $i = 1, 2, 3, 4$ that $\hat{f}_i$ is a feasible dynamic flow

of $\hat{\mathcal{N}}_i$. Here let us define a network $\mathcal{N}_i$ such that initial supply of vertices, the arc capacity and transit time are the same as $\hat{\mathcal{N}}_i$ and the underlying graph is $H'_i \equiv (V_i, A_i)$ as the one shown in Fig. 3. Notice that $\hat{V}_i \subseteq V_i$ holds.

If we independently consider the dynamic flow problems for $\hat{\mathcal{N}}_i, i = 1, 2, 3, 4$, the optimal objective values for $\mathcal{N}_i$ and $\hat{\mathcal{N}}_i$ are the same for each $i = 1, 2, 3, 4$ from Lemma 2. Let f_i^* for $i = 1, 2, 3, 4$ denote an optimal dynamic flow for $\mathcal{N}_i, i = 1, 2, 3, 4$ respectively, and let $\hat{f}_i^*$ for $i = 1, 2, 3, 4$ denote an optimal dynamic flow for $\hat{\mathcal{N}}_i, i = 1, 2, 3, 4$, respectively. Then, we have

$$\Theta(f_i^*) = \Theta(\hat{f}_i^*) \leq \Theta(\hat{f}_i).$$

This proves the theorem because $\mathcal{N}_i$ with $i = 1, 2, 3, 4$ are arc-disjoint. $\square$

Let us consider the four arc-disjoint networks $\mathcal{N}_i$ defined in the proof of Theorem 1. For each $v \in W_i, i = 1, 2, 3, 4$, initial supply b_v at v goes through either $\mathcal{N}_i$ or $\mathcal{N}_{i+1}$ to reach r . Let $b_{v,i}$ and $b_{v,i+1}$ denote the amount of supplies which go to r through $\mathcal{N}_i$ and $\mathcal{N}_{i+1}$ respectively. We say that $b_{v,i}$ and $b_{v,i+1}$ are assigned to $\mathcal{N}_i$ and $\mathcal{N}_{i+1}$, respectively. For a vertex v on U_i with $i = 1, 2, 3, 4$, all the supply goes to v using $\mathcal{N}_i$. In this case, we say that $b_{v,i}(=b_v)$ is assigned to $\mathcal{N}_i$. In general, let B_v and $B_{v,i}$ denote the flow-table corresponding to b_v and $b_{v,i}$ respectively. Then the quickest flow problem QF can be written as follows:

$$\begin{aligned} & \text{minimize} \quad \max_{i=1,2,3,4} T([\sum_{v \in V} S_{l(v,r)}(B_{v,i})]_c) \\ & \text{subject to} \quad B_{v,i} = B_v \text{ and } B_{v,j} = \mathbf{0}, j \neq i \text{ for } v \in U_i, \\ & \quad \quad \quad B_{v,i} + B_{v,i+1} = B_v \text{ and } B_{v,j} = \mathbf{0}, j \neq i, i+1 \text{ for } v \in W_i, \end{aligned}$$

For every p and i , let $b_i^p = \sum_{v \in V^p \cap (W_i \cup U_i \cup W_{i-1})} b_{v,i}$ which represents the amount of supply of vertices at level p assigned to $\mathcal{N}_i$, and let B_i^p denote its flow-table extension. Then from Lemma 2, the completion time for $\mathcal{N}_i$ is expressed as $T([\sum_{p=1}^m S_{p\tau}(B_i^p)]_c)$. Therefore, the assignment of b_v of a particular vertex $v \in V^p \cap (W_i \cup W_{i-1})$ does not affect the minimum completion time for $\mathcal{N}_i$ but only the total amount b_i^p assigned to $\mathcal{N}_i$ does affect it. From this observation, we contract the set $V^p \cap W_i$ into a single vertex w_i^p for each p with $1 \leq p \leq m$ and i with $1 \leq i \leq 4$ such that the initial supply of w_i^p is equal to $\sum_{v \in V^p \cap W_i} b_v$ which is simply denoted by a_i^p . Let u_i^p denote a single vertex corresponding to $V^p \cap U_i$. The initial supply of u_i^p is denoted by g_i^p . Let the assignment of a_i^p to $\mathcal{N}_i$ and $\mathcal{N}_{i+1}$ be $a_{i,i}^p$ and $a_{i,i+1}^p$, respectively. Therefore, defining the flow-table FT_i such as

$$FT_i(p\tau) = g_i^p + a_{i,i}^p + a_{i-1,i}^p, \quad p = 1, 2, \dots, m, \quad (9)$$

the minimum completion time of $\mathcal{N}_i$ is equal to $T([FT_i]_c)$. Here we introduce the following theorem to calculate $T([FT_i]_c)$ efficiently. Lemma 3 shows that we can calculate $T([FT]_c)$ without operating table-ceiling explicitly.

Lemma 3. For any flow-table FT and $c \in \mathbf{R}_+$,

$$T([FT]_c) = \max_{0 \leq \theta \leq T(FT)} \left\lceil \frac{c\theta + \sum_{t=\theta}^{T(FT)} FT(t)}{c} \right\rceil - 1.$$

Proof. We give a sketch of the proof. The idea is to prove the time that satisfies $\max_{0 \leq \theta \leq T(FT)} \{c\theta + \sum_{t=\theta}^{T(FT)} FT(t)\}$ is equal to

$$\max \left\{ \theta \in \mathbf{Z}_+ \mid \sum_{t=0}^{\theta} FT(t) = \sum_{t=0}^{\theta} [FT]_c, \theta < T([FT]_c) \right\} + 1.$$

This claim can be proved by the properties of any flow-table FT as follows:

$$\begin{aligned} \sum_{t=0}^{\theta} FT(t) &\geq \sum_{t=0}^{\theta} [FT]_c(t) \text{ for any } \theta \in \mathbf{Z}_+, \text{ and} \\ \sum_{t=0}^{\theta} FT(t) &= \sum_{t=0}^{\theta} [FT]_c(t) \text{ for any } \theta \in \mathbf{Z}_+ \text{ with } [FT]_c(\theta) < c. \quad \square \end{aligned}$$

Thus, from Lemma 3 and (9), QF can be redeuced to the following problem QF'.

$$\text{QF}' \mid \text{minimize } \max_{1 \leq i \leq 4} \max_{1 \leq p \leq m} \{cp\tau + \sum_{k=p}^m FT_i(k\tau)\}$$

3.2 Reduction to min-max resource allocation problem under network constraints

The problem QF' can be reduced to the min-max resource allocation problem under network constraints as will be shown below. This problem is a kind of min-max flow problem with multiple sources and sinks in a static network [6–8] which is defined as follows. Suppose we are given a network with multiple sources and sinks such that a fixed amount of supply is associated with each source, and the cost function $\gamma_t(x_t)$ which is nondecreasing in x_t is associated with each sink t where x_t denotes the amount of flow entering t . Then the problem asks to find a (static) flow that minimizes the maximum of the cost functions of sinks.

Fig. 6. Illustration of the entire network constructed in Section 3.2

We will explain how we construct a (static) network (see Fig. 6) for which finding an optimal solution for the min-max resource allocation problem produces an optimal solution of problem QF'. The network to be constructed consists of m components $C^1, C^2, \dots, C^m$. Each component C^p except C^m has four

Fig. 7. (a) p -th component C^p (b) m -th component C^m (c) p -th bridges

layers while C^m has three layers. The first layer of each component C^p has eight sources which correspond to vertices $w_i^p, u_i^p, i = 1, 2, 3, 4$ defined in the previous subsection. The second and third layers consists of four vertices denoted by $v_{1,i}^p, v_{2,i}^p, i = 1, 2, 3, 4$. The fourth layer consists of a single vertex v_3^p . The connection between the layers are as shown in Fig. 7(a). Vertex w_i^p is connected to $v_{1,i}^p$ and $v_{1,i+1}^p$ such that the flows on $(w_i^p, v_{1,i}^p)$ and $(w_i^p, v_{1,i+1}^p)$ represent the assignment of a_i^p to $\mathcal{N}_i$ and $\mathcal{N}_{i+1}$, respectively. The vertex u_i^p is connected to $v_{1,i}^p$ and the flow on $(u_i^p, v_{1,i}^p)$ represents the supply g_i^p assigned to $\mathcal{N}_i$. In general, if p is large, $V^p \cap U_i$ may become empty. This case can be treated by letting $g_i^p = 0$. Only the arcs from the second to third layer have finite capacity $c\tau$ in C^p with $1 \leq p \leq m-1$ while the arcs in C^m have infinite capacity. The capacity of the other arcs is ∞ . All vertices v_3^p with $1 \leq p \leq m-1$ are connected to t_{all} . The vertices $v_{2,i}^m, i = 1, 2, 3, 4$ of C^m as well as t_{all} are sinks of this network which are associated with a cost function. The actual cost function for each $v_{2,i}^m, i = 1, 2, 3, 4$ is equal to the amount the flow entering it. The cost function associated with t_{all} takes zero irrespective of the flow value entering it. In addition to this, we prepare arcs between consecutive components. More precisely, as shown in Fig. 7(c), there is an arc from $v_{1,i}^p$ to $v_{1,i}^{p+1}$ for each p with $1 \leq p \leq m-1$ and i with $1 \leq i \leq 4$. The capacity of this arc is defined to be ∞ . This arc is called a bridge.

The meaning of the capacity $c\tau$ on the arcs from the second to the third layer in C^p with $1 \leq p \leq m-1$ is as follows. Let us consider FT_i of (9) and perform ceiling operation to obtain the completion time of $\mathcal{N}_i$. Let us recall that in performing the ceiling operation the amount of supply carried over to time $p'\tau$ plus the amount $FT_i(p'\tau)$ will then be carried over to $FT_i(p'\tau + 1), FT_i(p'\tau + 2), \dots$. If the amount of supply carried over to time $p'\tau$ plus the amount $FT_i(p'\tau)$ is less than or equal to $c\tau$, $\max_{1 \leq p \leq m} \{c\tau + \sum_{k=p}^m FT_i(k\tau)\}$ is attained for $p > p'$. Thus, a positive flow going through a bridge stands for the situation that the amount of supply carried over to time $p'\tau$ plus the amount $FT_i(p'\tau)$ is larger than $c\tau$ and thus a positive amount of flow will be carried over to $FT_i((p'+1)\tau)$. The cost function associated with the min-max resource allocation problem here associated with each sink $v_{2,i}^m, i = 1, 2, 3, 4$ is the amount of the excess carried

over to time $m\tau$ when performing ceiling operation to FT_i which is equivalent to $\max_{1 \leq p \leq m} \{cp\tau + \sum_{k=p}^m FT_i(k\tau)\} - cm\tau$. Since $cm\tau$ is constant, the min-max resource allocation problem defined in this subsection solves problem QF'.

It is known that the min-max resource allocation problem for the network with $|V|$ vertices, $|A|$ arcs and $|T|$ sinks can be solved in $O(|T|(|V||A| \log |V| + |T| \log \frac{M}{|T|}))$ time where M denotes the sum of supplies [6–8]. The second term in the parenthesis, i.e., $O(|T| \log \frac{M}{|T|})$, is the time required to solve the resource allocation problem without the network constraints. Since our cost function associated with $v_{2,i}^m$, $i = 1, 2, 3, 4$ is linear, we can reduce the time to $O(|T|)$ (the details are omitted). In our case, $|T|$ is constant and $|V| = O(\sqrt{n})$, $|A| = O(\sqrt{n})$, thus the running time becomes $O(n \log n)$.

4 Conclusion

We have presented an $O(n \log n)$ time algorithm for the quickest flow problem in a grid network with uniform arc capacity. The algorithm proposed in this paper can be extended to a general layered network $\mathcal{N}$ such that (1) the transit time from a vertex v to a sink r does not depend on the choice of a path, and (2) the underlying layered graph D can be decomposed into arc-disjoint layered graphs $D_1, D_2, \dots, D_k$ which spans $V_1, V_2, \dots, V_k$ respectively, where $CH_r = \{v_1, v_2, \dots, v_k\}$ and V_i is the set of vertices from which v_i is reachable in D . Thus, the result can also be generalized to the case where the arc capacity is a multiple of c by regarding the arc as multiple ones as long as the resulting layered graph satisfies the requirement just mentioned above.

References

1. Hoppes, B., Tardos, É.: The quickest transshipment problem. *Mathematics of Operations Research* **25**(1) (2000) 36–62
2. Mamada, S., Uno, T., Makino, K., Fujishige, S.: An $O(n \log^2 n)$ algorithm for a sink location problem in dynamic tree networks. *Discrete Applied Mathematics* (to appear)
3. Mamada, S., Makino, K., Fujishige, S.: Evacuation problems and dynamic network flows. In: *Proc. SICE Annual Conference 2004*. (2004) 530–535
4. Mamada, S., Uno, T., Makino, K., Fujishige, S.: A tree partitioning problem arising from an evacuation problem in tree dynamic networks. *Journal of the Operations Research Society of Japan* **48**(3) (2005) 196–206
5. Mamada, S., Makino, K., Fujishige, S.: Optimal sink location problem for dynamic flows in a tree network. *IEICE Transactions on Fundamentals* **E85-A**(5) (2002) 1020–1025
6. Ibaraki, T., Katoh, N.: Resource allocation problems under submodular constraints. In: *Resource Allocation Problems : Algorithmic Approaches*. MIT Press, Cambridge, MA (1988) 144–176
7. Fujishige, S.: Nonlinear optimization with submodular constraints. In: *Submodular Functions and Optimization*. 2nd edn. Elsevier Science Ltd, North-Holland (2005) 223–250

8. Fujishige, S.: Lexicographically optimal base of a polymatroid with respect to a weight vector. *Mathematics of Operations Research* **5**(2) (1980) 186–196