ACTA UROLOGICA JAPONICA

Vol. 56, No. 8 August 2010

| An Effective Method to Shorten the Learning Curve of HoLEP Takahiro HIRAYAMA, et al 433 |
|---|
| Giant Solitary Fibrous Tumor of a Kidney: A Case Report Yuichiro YAMAGUCHI, et al 433 |
| A Case Report of Urinary Extravasation by Renal Trauma Grade III |
| Successfully Managed by Percutaneous Drainage |
| A Case of Candida Parapsilosis Fungal Balls in the Urinary Tract Associated |
| with a Retrocaval Ureter |
| A Case of Urachal Carcinoma Treated with S-1/CDDP Combination |
| ChemotherapyNobuyuki Sekita, et al 447 |
| Septic Shock Due to Fluoroquinolone-Resistant Escherichia Coli after Trans- |
| Rectal Prostate Needle Biopsy |
| A Case of Lymphangioma of the Intrascrotum in an AdultTakuo MARUYAMA, et al 457 |
| A Case of Labial Adhesion in a Reproductive WomanYujiro Tsujita, et al 463 |
| Marginal—Donor and Recipient— Tatsuro Tanaka and Shiro Takahara 467 |
| Marginal Donor and High Risk Recipient in Kidney Transplantation |
| |
| Renal Protective Effects of Erythropoietin on Ischemic Reperfusion |
| Injury |
| Kidney Transplantation: How Shall We Deal with Marginal Cases? |
| —Future Prospects from Basic Research—Naotsugu Ichimaru, et al 481 |