


KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume VIII



SIRAHAMA, WAKAYAMA-KEN, JAPAN

PUBLISHED BY THE LABORATORY

1960

CONTENTS

No. 1 (May 30, 1960)

1. **Utinomi, H.:** Noteworthy Octocorals Collected off the Southwest Coast of Kii Peninsula, Middle Japan. Part 1, Stolonifera and Alcyonacea..... 1
2. **Utinomi, H.:** A Revision of the Nomenclature of the Family Nephtheidae (Octocorallia: Alcyonacea). I. The Genera *Capnella*, *Scleronephthya* and *Chondronephthya* (n. g). 27
3. **Yamaguti, S.:** Studies on the Helminth Fauna of Japan. Part 56. Cestodes of Fishes, III. 41
4. **Tokioka, T.:** Droplets from the Plankton Net. XIX. A Glimpse upon Chaetognaths and Pelagic Tunicates Collected in the Lagoon Water near Noumea, New Caledonia. 51
5. **Imajima, M.:** Description of a New Polychaete, *Nothria shirikishinaiensis* n. sp. of the Family Eunicidae. 55
6. **Hamatani, I.:** Notes on the Veligers of Japanese Opisthobranchs (1).... 59
7. **Baba, K.:** The Genera *Gymnodoris* and *Nembrotha* from Japan (Nudibranchia-Polyceridae). 71
8. **Baba, K.:** The Genera *Polycera*, *Palio*, *Gereilada* and *Thecatera* from Japan (Nudibranchia-Polyceridae). 75
9. **Baba, K.:** The Genera *Okenia*, *Goniodoridella* and *Goniodoris* from Japan (Nudibranchia-Goniodoridae). 79
10. **Tanaka, O.:** The Pelagic Copepods of the Izu Region, Middle Japan. Systematic Account VI. Families Phaennidae and Tharybidae..... 85
11. **Yamaguti, and Yamasu, T.:** Two New Species of Copepods Parasitic on Japanese Fishes. 137
12. **Yamaguti, S. and Yamasu, T.:** New Parasitic Copepods from Japanese Fishes. 141
13. **Gamô, S.:** On Three New Species of Cumacean Crustacea, Genus *Campylaspis* from Tanabe Bay, Kii Peninsula. 153
14. **Nagata, K.:** Preliminary Notes on Benthic Gammaridean Amphipoda from the *Zostera* Region of Mihara Bay, Seto Inland Sea, Japan..... 163
15. **Tahara, Y., Okada, M. and Kobayashi, N.:** Further Notes on the Sexual Dimorphisms in Japanese Sea Urchins..... 183
16. **Tokioka, T.:** Contributions to Japanese Ascidian Fauna, XVI. On Some Ascidians from the Northern Waters of Japan and the Neighbouring Subarctic Waters. 191
17. **Tokioka, T.:** Contributions to Japanese Ascidian Fauna, XVII. Ascidians Found in the Benthonic Samples Dredged in the Ariake Sea 1957-58..... 205

No. 2 (December 20, 1960)

18. **Utinomi, H.:** Studies on the Cirripedia Acrothoracica. II. Internal Anatomy of the Female of *Berndtia purpurea* Utinomi..... 223

19. Habe, T.: Eleven New Bivalves from Tanabe Bay, Wakayama Pref., Japan.....	281
20. Habe, T.: New Species of Molluscs from the Sea Around the Amakusa Marine Biological Laboratory, Reihoku-cho, Amakusa, Kumamoto Pref., Japan.....	289
21. Baba, K.: Two New Species of the Genus <i>Eubranchus</i> from Japan (Nudibranchia-Eolidacea).	299
22. Baba, K.: The Genus <i>Herviella</i> and a New Species, <i>H. affinis</i> , from Japan (Nudibranchia-Eolidacea).	303
23. Hamatani, I.: Notes on Veligers of Japanese Opisthobranchs (2).....	307
24. Nishibori, K.: Studies on the Pigments of Marine Animals. VIII. Carotenoids of Some Shellfishes.	317
25. Nishibori, K.: Studies on the pigments of Marine Animals. IX. Pigments of the Sea-slug <i>Aplysia kurodai</i>	327
26. Utinomi, H.: Echinoids from Hokkaido and the Neighbouring Subarctic Waters.	337
27. Tokioka, T.: Studies on the Distribution of Appendicularians and Some Thaliaceans of the North Pacific, with Some Morphological Notes.....	351
28. Nakauchi, M.: On the Occurrence of <i>Archidistoma aggregatum</i> (a Colony-forming Ascidian) in the Pacific Waters.....	445
29. Yamazi, I.: Automatic Plankton Sampler with Multiple Nets.....	451

Record of Works Done at the Seto Marine Biological Laboratory (Published in 1957).....	455
---	-----

AUTHOR INDEX

Baba, K.	71, 75, 79, 299, 303
Gamō, S.	153
Habe, T.	281, 289
Hamatani, I.	59, 307
Imajima, M.	55
Kobayashi, N. <i>See</i> Tahara, Y., Okada, M. and Kobayashi, N.	
Nagata, K.	163
Nakauchi, M.	445
Nishibori, K.	317, 327
Okada, M. <i>See</i> Tahara, Y., Okada, M. and Kobayashi, N.	
Tahara, Y., Okada, M. and Kobayashi, N.	183
Tanaka, O.	85
Tokioka, T.	51, 191, 205, 351
Utinomi, H.	1, 27, 223, 337
Yamaguti, S.	41
Yamaguti, S. and Yamasu, T.	137, 141
Yamasu, T. <i>See</i> Yamaguti, S. and Yamasu, T.	
Yamazi, I.	451

RECORD OF WORKS

DONE AT THE SETO MARINE BIOLOGICAL LABORATORY

1957 (昭和 32 年)

- | | <i>Contribution
No. (Jap. No.)</i> |
|--|--|
| BABA, Kikutaro [馬場菊太郎]: The species of the genus <i>Elysia</i> from Japan.
<i>Publ. Seto Mar. Biol. Lab.</i> , 6 (1), pp. 71-74, pls. III-IV..... | 293 |
| * ————: 日本産後鰓類の生態ノート, I. 後鰓類の産卵習性 (4) [Ecological notes on the Opisthobranchia of Japan, I. The spawning habits (4).] 採集と飼育 [Coll. and Breed.], 19 (3), pp. 81-83. | |
| * ————: 同, II. 後鰓類の奇形例 [Ditto, II. Abnormality.] <i>Ibid.</i> , 19 (7), p. 219. | |
| HABE, Tadashige [波部忠重]: Report on the Mollusca chiefly collected by the S. S. Sōyō-maru of the Imperial Fisheries Experimental Station on the continental shelf bordering Japan during the years 1922-1930. Part 2. Scaphopoda. <i>Publ. Seto Mar. Biol. Lab.</i> , 6 (2), pp. 127-136. | 300 |
| * ————: タマキビ類の浮游性卵囊について [On the floating egg-capsules of periwinkles.] 動物雑 [Zool. Mag.], 66 (2-3), p. 150. | |
| * ————: 日本の貝 (保育社の原色小図鑑) [Shells of Japan] 116 pp. Hoikusya, Osaka. | |
| HARADA, Eiji: Ecological observations on the Japanese spiny lobster, <i>Panulirus japonicus</i> (von Siebold). <i>Publ. Seto Mar. Biol. Lab.</i> , 6 (1), pp. 99-120, pls. VI-VII. | 296 |
| HATAI, Kotori, FUNAYAMA, Yushi & MII, Hideo: Evidence for an ancient shoreline on a marine terrace, west coast of Wakayama Prefecture, Japan. <i>Rec. Oceanogr. Wks. Japan</i> , N. S., 4 (1), pp. 39-44, pl. I. | |
| —————: A note on the development of certain marine pot-holes along the west coast of Wakayama Prefecture, Japan. <i>Ibid.</i> , 4 (1), pp. 45-48, pl. I. | |
| HATAI, Kotori & MII, Hideo: Preliminary observations along the sea coast of Wakayama Prefecture, Japan. <i>Ibid.</i> , 4 (1), pp. 30-38, pl. II. | |
| KAWAI, Kiyozo [河合清三]: アコヤガイの物質代謝に関する研究—III: 組織呼吸について [The metabolism of the pearl oyster, <i>Pinctada martensi</i> —III. On the tissue oxidation]. 日本水産学会誌 [Bull. Jap. Soc. Sci. Fish.], 22 (10), pp. 626-630. (With English rés.) | (Jap. 120) |
| * ————: 二枚貝組織の呼吸系, 特にチトクローム系について [On the respiratory system of lamellibranch tissues, in special reference to the cytochrome.] 動物雑 [Zool. Mag.], 66 (2-3), pp. 97-98. | |

- KOBAYASHI, Naomasa & NAKAMURA, Kenji [小林直正・中村健児]: デメコルチンによるウニ卵の卵割抑制と異常卵割 (第一報) [The cleavage inhibition and abnormal cleavage of sea-urchin eggs induced by demecolcin. I.] 動物雑 [Zool. Mag.], 66 (6), pp. 258-263. (With English res.) (Jap. 121)
- : 同 (第二報) [Ditto. II]. *Ibid.*, 66 (10), pp. 377-383. (With English res.) (Jap. 122)
- KURODA, Tokubei & HABE, Tadashige: On a new genus of the family Oocoryidae. *Publ. Seto Mar. Biol. Lab.*, 6 (1), pp. 27-29 292
- MIYADI, Denzaburo: Some information of the basic studies on marine biology in Japan. *Proc. UNESCO Symposium on Physical Oceanography 1955, Tokyo*, pp. 197-203. 306
- MIYADI, D. & HABE, T.: The relationship between the Inland Sea of Seto and the open sea, II. Deposits of molluscan shells in the Hiuchi-nada and the Bingo-nada. *Rec. Oceanogr. Wks. Japan*, Spec. No. 1, pp. 79-86.
- : Ditto. III. Remains of shellfish in the canal of Kii. *Ibid.*, Spec. No. 1, pp. 87-92.
- MIYAKE, Sadayoshi: A new porcellanid crab from middle Japan. *Publ. Seto Mar. Biol. Lab.*, 6 (1), pp. 75-78 294
- MORI, Syuiti & ONDŌ, Yoshinori: Daily rhythmic activity of the sea-pen, *Cavernularia obesa* Valenciennes. XV. Controlling of the activity by light (3). *Ibid.*, 6 (1), pp. 79-98, pl. V. 295
- * MORI, Syuiti & TAKADA, Nobuhiro [森主一・高田亘啓]: ウミサボテンの日週期活動の解析 [Analysis of the daily rhythmic activity in the sea-pen *Cavernularia obesa*.] 動物雑 [Zool. Mag.], 66 (2-3), p. 121.
- MORIKAWA, Kuniyasu [森川国康]: Terrestrial fauna of Kashima Islets in the Bay of Tanabe, Wakayama Prefecture. *Publ. Seto Mar. Biol. Lab.*, 6 (2), pp. 225-240. 304
- : Cheliferidae の一新擬蠍 *Kashimachelifer cinnamomeus* [*Kashimachelifer cinnamomeus*, new genus and species of cheliferid pseudoscorpions from Japan.] 動物雑 [Zool. Mag.], 66 (10), pp. 399-402. (With English res.)
- * NAKAMURA, K. & KOBAYASHI, N. [中村健児・小林直正]: 種々な薬剤によるウニ卵の分裂抑制と異常分裂 [The cleavage inhibition and abnormal cleavage of sea-urchin eggs induced by various drugs]. *Ibid.*, 66 (2-3), p. 82.
- * OHSAWA, Wataru & TSUKUDA, Hiroko [大沢濟・佃弘子]: アラレタマキビの温度反応および温度抵抗性における実験的適応 [Experimental acclimatization in the temperature response relation and the heat tolerance of the periwinkle.] *Ibid.*, 66 (2-3), p. 118.
- * —————: アラレタマキビの温度反応および温度抵抗性における季節的変異 [Seasonal variation in the temperature tolerance of the periwinkle.] *Ibid.*, 66 (2-3), p. 118.

- * SHIINO, SUEO M. [椎野季雄]: コモンフグにおける橈脚類の重複寄生について [On the double parasitisms of copepods in the globe-fish *Fugu poecilonotus* (Temm. & Schl.)] *Ibid.*, 66 (2-3), p. 146.
- : Copepods parasitic on Japanese fishes. 14. Three species from *Spheroides alboplumbeus* (Richardson). *Rep. Fac. Fish. Pref. Univ. Mie*, 2 (3), pp. 376-391.
- : Ditto. 15. Eudactylinidae and Dichelesthidae. *Ibid.*, 2 (3), pp. 392-410.
- : Ditto. 16. Bomolochidae and Taeniacanthidae. *Ibid.*, 2 (3), pp. 411-428.
- TAKADA, Nobuhiro & MORI, Syuiti [高田亘啓・森主一]: ウミサボテン *Cavernularia obesa* Valenciennes の日週期活動, XIV. 体液中のアンモニア量の週期的変化 (2) [Studies on the daily rhythmic activities of the sea-pen, *Cavernularia obesa* Valenciennes. XIV. Rhythmic change of ammonium content in body fluid. (2)] 動物雑 [Zool. Mag.], 66 (7), pp. 284-288. (In Japanese, with English rés.) (Jap. 123)
- TOKIOKA, Takasi: Two new appendicularians from the Eastern Pacific, with notes on the morphology of *Fritillaria aequatorialis* and *Tectillaria fertilis*. *Trans. Amer. Micr. Soc.*, 76 (4), pp. 359-365. 299
- : Chaetognaths collected by the Sōyō-maru in the years 1934 and 1937-1939. *Publ. Seto Mar. Biol. Lab.*, 6 (2), pp. 137-146. 301
- UTINOMI, Huzio [内海富士夫]: Studies on the Cirripedia Acrothoracica. I. Biology and external morphology of the female of *Berndtia purpurea* Utinomi. *Ibid.*, 6 (1), pp. 1-26, pls. I-III..... 291
- : *Minabea ozakii* n. gen. et n. sp., a new remarkable alcyonarian type with dimorphic polyps. *Journ. Fac. Sci., Hokkaido Univ.*, Ser. VI, Zool., 13 (Prof. T. Uchida Jubilee Volume), pp. 139-146. 297
- : The alcyonarian genus *Bellonella* from Japan, with descriptions of two new species. *Publ. Seto Mar. Biol. Lab.*, 6 (2), pp. 137-168, pls. IX-X. 302
- * —————: アカゲカムリの宿替え [On the choice of 'hat' in the sponge crab, *Dromidia unidentata* (Ruppell.)] 採集と飼育 [Coll. & Breed.], 19 (10), pp. 303-304. (Jap. 124)
- * —————: 同定覚書 [Identifying memoirs.] 動物分類学会会務報告 [Bull. System. Zool. Disc. Group], No. 16, pp. 3-6.
- * YAMAMOTO, Torao [山本虎夫]: 和歌山県西牟婁郡産海藻目録 [Catalogue of marine algae from Nisimuro-gun, Wakayama Prefecture.] 私たちの理科環境 [Our Scientific Environments], No. 7, pp. 1-16. (Jap. 125)
- YAMAZI, Isamu: Plankton investigation in inlet waters along the coast of Japan. XX. Diurnal change of plankton animals at innermost station in Wakayama Harbor. *Publ. Seto Mar. Biol. Lab.*, 6 (2), pp. 209-224. 303

* Written in Japanese only.