


KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume X



SIRAHAMA, WAKAYAMA-KEN, JAPAN

PUBLISHED BY THE LABORATORY

1962

CONTENTS

No. 1 (July 30, 1962)

1. Tokioka, T.: Contributions to Japanese Ascidian Fauna. XVIII. Ascidi- dians from Sado Island and Some Records from Sagami Bay.	1
2. Tokioka, T.: Record of a Giant Egg Mass of <i>Melo ducale</i> (Lamarck) from the Arafura Sea.	21
3. Sakai, K.: Systematic Studies on Thalassinidea. I. <i>Laomedea astacina</i> de Haan.	27
4. Tanaka, O.: The Pelagic Copepods of the Izu Region, Middle Japan. Systematic Account VIII. Family Scolecithricidae (Part 2).	35
5. Utinomi, H.: Pycnogonida of Sagami—Supplement.	91
6. Utinomi, H.: Preliminary List of Octocorals of Sagami Bay Deposited in the Biological Laboratory of the Imperial Household.	105
7. Harada, E.: On the Genus <i>Scyllarus</i> (Crustacea Decapoda: Reptantia) from Japan.	109
8. Uchio, T.: Recent Foraminifera Thanatocoenoses of Beach and Sea- shore Sediments along the Coast of Wakayama-Ken, Japan.	133

No. 2 (December 31, 1962)

9. Fell, H. B.: Evidence for the Validity of Matsumoto's Classification of the Ophiuroidea.	145
10. Gamô, S.: On the Cumacean Crustacea from Tanabe Bay, Kii Peninsula.	153
11. Utinomi, H.: Studies on the Cirripedian Fauna of Japan. VIII. Thoracic Cirripeds from Western Kyusyu.	211
12. Baba, K.: Anatomical Review of <i>Subcuthona pallida</i> Baba.	241
13. Kita, T. and E. Harada: Studies on the Epiphytic Communities. I. Abundance and Distribution of Microalgae and Small Animals on the <i>Zostera</i> Blades.	245
14. Tokioka, T.: Contributions to Japanese Ascidian Fauna. XIX. Addi- tions to Japanese Ascidian Fauna, with Notes on Two Already Known Species.	259
15. Hamatani, I.: Notes on Veligers of Japanese Opisthobranchs. (5). ...	283
16. Okuno, R.: Distribution of Youngs of Two Reef Fishes, <i>Girella punctata</i> Gray and <i>G. melanichthys</i> (Richardson), in Tanabe Bay and the Relation- ship Found between Their Schooling Behaviors.	293
17. Harada, E.: A Contribution to the Biology of the Black Rockfish, <i>Sebastes inermis</i> Cuvier et Valenciennes.	307
18. Uchio, T.: Influence of the River Shinano on Foraminifera and Sediment Grain Size Distributions.	363
19. Vervoort, W.: Report on Some Copepods Collected during the Melanesia Expedition of the Osaka Museum of Natural History.	393

Record of Works Done at the Seto Marine Biological Laboratory (Published in 1959). 471

AUTHOR INDEX

Baba, K.	241
Fell, H. B.	145
Gamô, S.	153
Hamatani, I.	283
Harada, E.	109, 307
<i>Also see</i> Kita, T. and Harada, E.	
Kita, T. and Harada, E.	245
Okuno, R.	293
Sakai, K.	27
Tanaka, O.	35
Tokioka, T.	1, 21, 259
Uchio, T.	133, 363
Utinomi, H.	91, 105, 211
Vervoort, W.	393

**PUBLICATIONS OF THE SETO MARINE
BIOLOGICAL LABORATORY**

Volume I

- No. 1 (Article 1) issued on May 31, 1949; re-issued on November 20, 1959.
No. 2 (Article 2 to 4) issued on December 25, 1949.
No. 3 (Article 5 to 9) issued on October 5, 1950.
No. 4 (Article 10 to 14) issued on May 31, 1951.

Volume II

- No. 1 (Article 1 to 2)...issued on October 20, 1951; re-issued on November 20, 1959.
No. 2 (Article 3 to 21 and record of works between 1922 and 1951)
(Jubilee number) issued on October 5, 1952.

Volume III

- No. 1 (Article 1 to 8) issued on July 30, 1953.
No. 2 (Article 9 to 21 and record of works for 1952)...issued on December 20, 1953.
No. 3 (Article 22 to 32) issued on May 30, 1954.

Volume IV

- No. 1 (Article 1 to 14 and record of works for 1953)...issued on November 20, 1954.
No. 2 & 3 (Article 15 to 35) issued on May 30, 1955.

Volume V

- No. 1 (Article 1 to 7) issued on December 20, 1955.
No. 2 (Article 8 to 18 and record of works for 1954).....issued on June 30, 1956.
No. 3 (Article 19 to 24) issued on December 20, 1956.

Volume VI

- No. 1 (Article 1 to 7 and record of works for 1955) issued on June 30, 1957.
No. 2 (Article 8 to 14) issued on December 25, 1957.
No. 3 (Article 15 to 20) issued on June 20, 1958.

Volume VII

- No. 1 (Article 1 to 8 and record of works for 1956)...issued on December 20, 1958.
No. 2 (Article 9 to 16)..... issued on May 30, 1959.
No. 3 (Article 17 to 26) issued on December 20, 1959.

Volume VIII

- No. 1 (Article 1 to 17) issued on May 30, 1960.
No. 2 (Article 18 to 29 and record of works for 1957)...issued on December 20, 1960.

Volume IX

- No. 1 (Article 1 to 12)..... issued on May 30, 1961.
No. 2 (Article 13 to 23 and record of works for 1958)...issued on December 20, 1961.

Volume X

- No. 1 (Article 1 to 8) issued on July 30, 1962.
No. 2 (Article 9 to 19) issued on December 31, 1962.

RECORD OF WORKS
DONE AT THE SETO MARINE BIOLOGICAL LABORATORY

1959 (昭和34年)

Contribution
No. (Jap. No.)

- BABA, Kikutaro : The family Stiligeridae from Japan (Opisthobranchia-Sacoglossa). *Publ. Seto Mar. Biol. Lab.*, 7 (3), pp. 327-334, pls. 27-28.....338
- BABA, K. and ABE, Takeo : The genus *Chelidonura* and a new species, *C. tsurugensis*, from Japan. *Ibid.*, 7 (2), pp. 279-280.326
- BABA, K. and HAMATANI, Iwao : The direct development in *Runcina setoensis* Baba (Opisthobranchia-Cephalaspidea). *Ibid.*, 7 (2), pp. 281-289, pls. 22-24.....327
- FUSE, Shin-ichiro : A study on the productivity of Tanabe Bay (Part II). III. Oceanographic conditions of Tanabe Bay (2). Stratification and fluctuation of hydrological conditions on two sectional survey lines. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 3, pp. 31-45.....330 c
- FUSE, Sh., HABA, T., HARADA, E., OKUNO, R. and MIURA, T. : The animal communities in the submerged marine plant vegetations. *Bull. Mar. Biol. Sta. Asamushi*, 9 (4), pp. 173-175.
- HABA, Tadashige : Five new minute bivalves from Japan (Erycinacea, Pelecypoda). *Publ. Seto Mar. Biol. Lab.*, 7 (2), pp. 291-294.328
- HARADA, Eiji (原田英司) : A study on the productivity of Tanabe Bay (Part II). V. Occurrence of the first stage phyllosoma larva of *Panulirus japonicus* (VON SIEBOLD) in Tanabe Bay. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 3, pp. 57-60.330 e
- *————— : イセエビの脱皮 (Exuviation of *Panulirus japonicus* (VON SIEBOLD)). 科学朝日 [*Kagaku Asahi*], 19, (7), color plates 1-3.
- HATAI, Kotori : Coastal geology of the Kii Peninsula. *Rec. Oceanogr. Wks. Japan*. N. S., Spec. No. 3, pp. 165-166.
- HAYAMI, Shōitiro and FUKUO, Yoshiaki : A study on the productivity of Tanabe Bay (Part II). VI. On the exchange of water and the productivity of a bay with special reference to Tanabe Bay (2). *Ibid.*, Spec. No. 3, pp. 61-68.330 f
- KAWAI, Kiyozo : The cytochrome system in marine lamellibranch tissues. *Biol. Bull. Woods Hole*, 117 (1), pp. 125-132.334
- KITAZUME, Yoshiji (北爪由二) : Effects of Na-salicylate upon the cleavage of sea urchin eggs. *Mem. Coll. Sci., Univ. Kyoto*, Ser. B, 26 (1), pp. 15-26.....333

- *————— : ウニ初期胚に対するサルチル酸ソーダの作用 [Effects of Na-salicylate upon the sea urchin embryos]. 動物雑 [Zool. Mag.], 68 (2/3), p. 39.
- *KOBAYASHI, Naomasa [小林 直正] : ウニ卵の紡錘体の伸長と卵割との関係 [Relation between the prolongation of spindle fibres and the cleavage in sea-urchin eggs]. *Ibid.*, 68 (2/3), p. 144.
- KURODA, Tokubei [黒田徳米] : 日本産海棲新種貝類の記載 [Descriptions of new species of marine shells from Japan]. 貝類雑 [Venus], 20 (4), pp. 317-335.
- *MATUTANI, Kōzi [松谷幸司] : *Tigriopus japonicus* の温度適応 [Acclimation to temperature in *Tigriopus japonicus*]. 動物雑 [Zool. Mag.], 68 (2/3), p. 88.
- MORI, Syuiti : On the general knowledge of daily rhythmic activity of a sea-pen, *Cavernularia obesa* VALENCIENNES. *Bull. Mar. Biol. Sta. Asamushi*, 9 (4), pp. 157-160.
- *NAKAMURA, Kenji [中村健児] : ウニ未受精卵の加熱による卵割の促進 [Acceleration of cleavage of unfertilized sea-urchin eggs by warming]. 動物雑 [Zool. Mag.], 68 (2/3), p. 39.
- NAKAMURA, Akikazu : A study on the productivity of Tanabe Bay (Part II). I. Tidal currents in Tanabe Bay (2nd Report). *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 3, pp. 1-22.330 a
- SEGAWA, Sōkichi : Studies on the Corallinaceous algae in the warmer seas around Japan. *Ibid.*, Spec. No. 3, pp. 221-223.
- SHINO, Suetō M. : Sammlung der parasitischen Copepoden in der Präferuruniversität von Mie. *Rep. Fac. Fish., Pref. Univ. Mie*, 3 (2), pp. 334-374.
- TOKIOKA, Takasi : Contributions to Japanese Ascidian fauna. XIII. Sporadic memoranda (4). *Publ. Seto Mar. Biol. Lab.*, 7 (2), pp. 223-236, pls. 13-18.324
- : Contributions to Japanese Ascidian fauna. XIV. Sporadic memorandum (5). On two large colonies of compound ascidians dredged in the Tyosen Straits. *Ibid.*, 7 (2), pp. 237-239, pl. 19.325
- : Observations on the taxonomy and distribution of chaetognaths of the North Pacific. *Ibid.*, 7 (3), pp. 349-456.339
- : Contributions to Japanese Ascidian fauna. XV. Sporadic memorandum (6). *Styela clava* var. *symmetrica* nov., a new pedunculate styelid from the Inland Sea. *Ibid.*, 7 (3), pp. 457-463.340
- UTINOMI, Huzio [内海富士夫] : Pycnogonida of Sagami Bay. *Ibid.*, 7 (2), pp. 197-222.323
- : Cirripedia Thoracica from the western Mediterranean. *Vie et Milieu*, 10 (4), pp. 400-404.331
- : Thoracic cirripeds from the environs of Banyuls. *Ibid.*, 10 (4), pp. 379-399.332

- : Fleshy alcyonarians from southern Formosa. *Publ. Seto Mar. Biol. Lab.*, 7 (3), pp. 303-312.336
- : A new gall-forming barnacle imbedded in the bark of a gorgonacean colony (*Acasta gregaria* n. sp.). *Ibid.*, 7 (3), pp. 313-318, pl. 25.....337
- *————— : 土佐湾産八放珊瑚類 (Octocorallia from Tosa Bay). 動物雜 (*Zool. Mag.*), 68 (2/3), p. 88.
- YAMADA, Yukio : The marine algae of the Kii Peninsula. *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 3, pp. 217-219.
- YAMAZI, Isamu (山路勇) : A study on the productivity of Tanabe Bay (Part II). II. Some plankton indicating the water exchange in Tanabe Bay in August, 1957. *Ibid.*, Spec. No. 3, pp. 23-30.330 b
- : A study on the productivity of Tanabe Bay (Part II). IV. On the voluminal change of plankton communities caused by tidal current. *Ibid.*, Spec. No. 3, pp. 47-56.....330 d
- *————— : 日本プランクトン図鑑 [The plankton of Japanese coastal waters]. 230 pp., 8 color plates. Hoikusha, Osaka.
- *————— : 水族館—見学とかんさつ [Aquarium]. 14 pp., 24 pls. Taniguchi Shoten. Tokyo.

* Japanese text only.