


KYOTO UNIVERSITY

PUBLICATIONS  
OF THE SETO MARINE  
BIOLOGICAL LABORATORY

Volume XV



PUBLISHED BY THE LABORATORY  
SIRAHAMA, WAKAYAMA-KEN, JAPAN  
1967-1968

## CONTENTS

---

### No. 1 (May 25, 1967)

1. **Araga, Ch.:** The third specimen of the ghost pipe fish, *Solenostomus paegnius* Jordan & Thompson, from Tanabe Bay. .... 1
2. **Liaw, W.K.:** On the occurrence of chaetognaths in the Tanshui River Estuary of northern Taiwan (Formosa). .... 5
3. **Nishimura, S.:** The loggerhead turtles in Japan and neighboring waters (Testudinata: Cheloniidae). .... 19
4. **Abé, T.H.:** The armoured Dinoflagellata: II. Prorocentridae and Dinophysidae (B). *Dinophysis* and its allied genera. .... 37

### No. 2 (September 11, 1967)

5. **Abé, T.H.:** The armoured Dinoflagellata: II. Prorocentridae and Dinophysidae (C). *Ornithocercus*, *Histioneis*, *Amphisolenia* and others..... 79
6. **Utinomi, H.:** Occurrence of a new pedunculate cirriped on a small Spanish lobster *Scyllarus bicuspidatus* (de Man) from Kamae Bay, north-eastern Kyusyu. .... 117
7. **Hamatani, I.:** Notes on veligers of Japanese opisthobranchs (7). .... 121
8. **Gamô, S.:** Studies on the Cumacea (Crustacea, Malacostraca) of Japan. Part I. .... 133

### No. 3 (October 30, 1967)

9. **Nishimura, S.:** Male first pleopods of the majid brachyurans *Chionoecetes opilio* (O. Fabricius) and *C. japonicus* Rathbun from the Japan Sea..... 165
10. **Kobayashi, N. and K. Nakamura:** Spawning periodicity of sea urchins at Seto. II. *Diadema setosum*. .... 173
11. **Baba, K.:** Supplementary notes on the anatomy of *Metaruncina setoensis* (Baba, 1954), (n.g.) (Opisthobranchia-Cephalaspidea). .... 185
12. **Utinomi, H.:** Comments on some new and already known cirripeds with emended taxa, with special reference to the parietal structure. .... 199
13. **Tokioka, T.:** Contributions to Japanese ascidian fauna. XXII. Ascidi-ans from Sado Island (2). .... 239

### No. 4 (December 20, 1967)

14. **Gamô, S.:** Studies on the Cumacea (Crustacea, Malacostraca) of Japan. Part II..... 245
15. **Hoshino, Z. and T. Tokioka:** An unusually robust *Ciona* from the northeastern coast of Honsyu Island, Japan. .... 275
16. **Fujino, T. and S. Miyake:** Two species of pontoniid prawns commensal with bivalves (Crustacea, Decapoda, Palaemonidae). .... 291

17. **Nishimura, S. and T. Yasuda:** Records of the hawksbill turtle, *Eretmochelys imbricata* (Linné), in the Japan Sea. .... 297
18. **Tanase, H.:** Preliminary notes on zoea and megalopa of the giant spider crab, *Macrocheira kaempferi* de Haan. .... 303
19. **Umezaki, I.:** On a microscopic phase in the life cycle of *Nemalion pulvinatum* Grunow (Nemalionaceae, Rhodophyta). .... 311
20. **Sakai, K.:** Three new species of Thalassinidea (Decapoda, Crustacea) from south-west Japan. .... 319

**No. 5** (March 25, 1968)

21. **Nishimura, S.:** The zoogeographical aspects of the Japan Sea. Part IV. .... 329
22. **Irimura, S.:** A new species of Ophiuroidea from the coast of Kii Peninsula, Japan. .... 353
23. **Tubaki, K.:** Studies on the Japanese marine fungi. Lignicolous group II. .... 357
24. **Bieri, R. and T. Tokioka:** Dragonet II, an opening-closing quantitative trawl for the study of microvertical distribution of zooplankton and the meio-epibenthos. .... 373
25. **Pathansali, D.:** Some observations on the distribution of Chaetognatha west of Penang Island. .... 391
26. **Uchio, T.:** Foraminiferal assemblages around the Seto Marine Biological Laboratory, Shirahama-cho, Wakayama-ken, Japan. .... 399

---

**Record of works** done at the Seto Marine Biological Laboratory (published in 1964). .... 419

**RECORD OF WORKS**  
**DONE AT THE SETO MARINE BIOLOGICAL LABORATORY**

1964 (昭和39年)

- |  | <i>Contribution</i><br>No. (Jap. No.) |
|--|---------------------------------------|
| *ARAGA, Chūichi [荒賀忠一] : タツノオトシゴの話 [A note on sea horse]. 月刊東書 高校通信生物 [ <i>Gekkan Toshi Koko Tsushin Seibutsu</i> ], <b>3</b> (2), pp. 6-7   |                                       |
| —————: 小型循環水槽による海水魚の飼育 [Keeping of marine fishes in small closed aquarium system]. 南紀生物 [ <i>Nanki Seibutu</i> ], <b>6</b> (2), pp. 32-37..  | (Jap. <b>154</b> )                    |
| —————: An anemone fish and a chaetodont fish, new to the Japanese fish fauna. <i>Publ. Seto Mar. Biol. Lab.</i> , <b>12</b> (1), pp. 113-116, pl. 1.....   | <b>412</b>                            |
| —————: Soldierfishes from Tanabe Bay and adjacent regions (Berycida: Holocentridae). <i>Ibid.</i> , <b>12</b> (4), pp. 307-321, pls. XVIII-XX. ....  | <b>427</b>                            |
| BABA, Kikutaro: The anatomy of <i>Rizzolia lineata</i> (Eliot) (Nudibranchia-Eolidoidea). <i>Ibid.</i> , <b>12</b> (4), pp. 289-294, pls. XV-XVI. ....   | <b>425</b>                            |
| —————: and Iwao HAMATANI: The anatomy of <i>Favorinus japonicus</i> Baba (Nudibranchia-Eolidoidea). <i>Ibid.</i> , <b>12</b> (2), pp. 157-162, pl. VI. ....  | <b>416</b>                            |
| GAMŌ, Sigeo: <i>Cyclaspis purpurascens</i> sp. nov., a new Cumacean Crustacea from Tanabe Bay, Kii Peninsula. <i>Ibid.</i> , <b>12</b> (2), pp. 191-200. ....  | <b>420</b>                            |
| HAYAMI, Sh., H. KUNISHI, and K. NISHI: [速水頌一郎・国司秀明・西勝也]: 白浜海洋観測塔の設備と二, 三の観測記録について [On Shirahama Oceanographic Tower Station and some interesting records.] 京大防災研年報 [ <i>Disaster Prev. Res. Inst. Kyoto Univ., Ann. Rep.</i> ], No. 7, pp. 434-458.... | (Jap. <b>157</b> )                    |
| KAWAGUTI, Siro and Yoshihisa KAMISHIMA: Electron microscopic study on the integument of the echinoid, <i>Diadema setosum</i> . <i>Annot. Zool. Japon.</i> , <b>37</b> (3), pp. 147-152.  |                                       |
| ————— and —————: Electron microscopic structure of iridophores of an echinoid, <i>Diadema setosum</i> . <i>Biol. J. Okayama Univ.</i> , <b>10</b> (1-2), pp. 13-22.  |                                       |
| MORISHITA, Akira: Fossil echinoids deposited in the Museum of Seto Marine Biological Laboratory, Sirahama, Wakayama Prefecture (On some fossil echinoids of Japan, III). <i>Publ. Seto Mar. Biol. Lab.</i> , <b>12</b> (4), pp. 273-280, pl. XIV. .... | <b>423</b>                            |
| *NAKAMURA, Kenji : [中村健児]: ウニの人工賦活卵における卵核の動き [Movement of oonucleus in artificially activated sea-urchin eggs]. 動物雑 [ <i>Zool. Mag.</i> ], <b>73</b> (11/12), p. 331.  |                                       |

- NISHIMURA, Saburo [西村三郎]: 動物相からみた日本海の起源 (I) [Origin of the Japan Sea as viewed from the evolution and distribution of marine fauna, Part I]. 地球科学 [Earth Science], no. 73, pp. 18-27. .... (Jap. 155)
- : 動物相からみた日本海の起源 (II) [Ditto, Part II]. *Ibid.*, no. 75, pp.29-46 ..... (Jap. 159)
- : 日本近海におけるオサガメの記録 [Records of occurrence of the leatherback turtle in adjacent waters to Japan]. 生理生態 [Physiology and Ecology], **12** (1/2), pp. 286-290.
- : Considerations on the migration of the leatherback turtle, *Dermochelys coriacea* (L.), in the Japanese and adjacent waters. *Publ. Seto Mar. Biol. Lab.*, **12** (2), pp. 177-189. .... 419
- : Preliminary note on the so-called "louse-bit" saury in the Japan Sea. *Ibid.*, **12** (4), pp. 295-305, pl. XVII. .... 426
- and Mototsugu HAMABE: A case of economical damage done by *Nebalia*. *Ibid.*, **12** (2), pp. 173-175. .... 418
- and Yoshitsugu HIROSAKI: Observations on the swimming behavior of some taeniosomous fishes in aquaria and in nature. *Ibid.*, **12** (2), pp. 165-171, pls. VII-IX. .... 417
- and Masaharu NISHIWAKI: Records of the beaked whale *Mesoplodon* from the Japan Sea. *Ibid.*, **12** (4), pp. 323-334, pls. XXI-XXIV. ... 428
- \*TAKAMATSU, Shiro [高松史朗]: 伊勢湾における海産稚アユの生態 (予報) [Ecological study on the young salmon-like fish, Ayu (*Plecoglossus altivelis* Temminck et Schlegel) in the Ise Bay. Preliminary report]. 木曾川水系調査報告 [Research Rep. Kisogawasukei Survey Team], No. 1, pp. 17-31.
- TOKIOKA, Takasi: Taxonomic studies of appendicularians collected by the Japanese Antarctic Research Expedition 1957. *JARE Sci. Rep., Ser. E (Biol.)*, no. 21, pp. 1-16, pls. 1-9. .... 413
- : *Bolinopsis rubripunctata* n. sp., a new lobatean ctenophore from Seto. *Publ. Seto Mar. Biol. Lab.*, **12** (1), pp. 93-99. .... 411
- : Occurrences of purplish individuals of *Cephea cephea* (Forskål) in the vicinity of Seto. *Ibid.*, **12** (2), pp. 149-156. .... 415
- : Contributions to Japanese Ascidian fauna, XXI. *Botrylloides viride* n. sp., a new greenish compound ascidian from the vicinity of Seto. *Ibid.*, **12** (4), pp. 281-283. .... 424
- and Kikutaro BABA: Four new species and a new genus of the family Gastropteridae from Japan (Gastropoda: Opisthobranchia). *Ibid.*, **12** (3), pp. 201-229, pls. X-XIII. .... 421
- UTINOMI, Huzio [内海富士夫]: Studies on the Cirripedia Acrothoracica. V. Morphology of *Trypetesa habeii* Utinomi. *Ibid.*, **12** (2), pp. 117-132, pls. II-IV. .... 414

- \*—————: 採集雑記 I [Collecting memoranda, I]. 南紀生物 [*Nanki Seibutsu*],  
6 (1), pp. 1-6. .... (Jap. 153)
- \*—————: ワレカラ亜目 [Caprellidea]. 天草臨海実験所近海の生物相,  
第5集 甲殻類 端脚目 [*Fauna and Flora of the Sea around the Amakusa Mar.*  
*Biol. Lab.*, Part V. Amphipod Crustacea], pp. 11-15, pls. I-III.
- : Some octocorals from the Antarctic waters off Prince Harald  
Coast. *JARE Sci. Rep., Ser. E (Biol.)*, no. 23, pp. 1-14, pls. I-II. .... 422
- \*YAMAMOTO, Torao [山本虎夫]: 田辺湾産生物メモ [III] [Memoranda on ani-  
mals and plants from Tanabe Bay, III]. 田辺文化財 [*Tanabe Bunkazai*], no. 8,  
pp. 87-91 ..... (Jap. 158)
- \*—————: 新種アカホシカブトクラゲ *Bolinopsis rubripunctata* Tokioka について  
[On *Bolinopsis rubripunctata* Tokioka, newly found at Seto]. 南紀生物 [*Nanki*  
*Seibutsu*], 6 (2), pp. 56-57.
- \*YAMANOUCHI, Toshihiko [山内年彦] : ニセクロナマコ *Holothuria leucospilota*  
(Brandt) の日本における分布 III [Distribution of *Holothuria leucospilota* (Brandt)  
in Japan, III]. 動物雑 [Zool. Mag.], 73 (11/12), p. 384.

\* Japanese text only.