


KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume XXV



PUBLISHED BY THE LABORATORY
SHIRAHAMA, WAKAYAMA, JAPAN
1980

CONTENTS

Nos. 1/4 (February 29, 1980)

1. **Takeuchi, K.:** Oozoid formation in the ascidian *Botrylloides violaceus*. ... 1
2. **Okubo, I.:** Six species of the subfamily Cytherurinae Müller, 1894, in the Inland Sea, Japan (Ostracoda). 7
3. **Cordero, P.A., Jr.:** Phycological observations VII: On the occurrence and phyco-geographical distribution of *Sargassum duplicatum* and *Halicoryne wrightii* in the Philippines. 27
4. **Yoshimura, K.:** Free-living marine nematodes from Kii Peninsula. I. 39
5. **Ito, T.:** Three species of the genus *Zaus* (Copepoda, Harpacticoida) from Kodiak Island, Alaska. 51
6. **Nishikawa, T.:** Contributions to the Japanese ascidian fauna XXXII. Taxonomic review of the species group of *Pyura saccoformis* (Von Drasche, 1885). 79
7. **Arimoto, I.:** Supplements to the Japanese caprellid fauna. II. Caprellids from the washings of *Sargassum* collected in Nishidomari Bay, Tsushima Island in the Korean Straits. 95
8. **Utinomi, H. (the late):** A new pedunculate cirriped on spines of the sea-urchin, *Coelopleurus maculatus*115
9. **Imafuku, M.:** Activity rhythm of the sea-pen, *Cavernularia obesa* Valenciennes, under temperature and light cycles.119
10. **Hirayama, A.:** Gammaridea Amphipoda of the intertidal flat of Ishigaki Island, Ryukyu Archipelago. Part I. Genus *Hyale*.....131
11. **Ho, J.-S.:** *Anchicaligus nautili* (Willey), a caligid copepod parasitic on nautilus in Palau, with discussion of *Caligulina* Heegaard, 1972.157
12. **Nishikawa, T.:** Records of two lancelet species, *Asymmetron maldivense* and *A. lucayanum*, from the western north Pacific.167
13. **Fukao, R.:** Review of Japanese fishes of the genus *Neoclinus* with description of two new species and notes on habitat preference.175
14. **Valbonesi, A. & Murano, M.:** Mysidae of shallow water in Tanabe Bay.211
15. **Shepard, J.W. & Moyer, J.T.:** Annotated checklist of the fishes of Miyake-jima, Japan. I. Pomacentridae, Chaetodontidae and Pomacanthidae.227
16. **Harada, E.:** *Puerulus angulatus* from the waters of Kii Peninsula, Japan....245

Nos. 5/6 (November 15, 1980)

17. **Ooishi, S.:** The larval development of some copepods of the family Ascidiocolidae, subfamily Haplostominae, symbionts of compound ascidians.....253

18.	Ho, J.-S.: Origin and dispersal of <i>Mytilus edulis</i> in Japan deduced from its present status of copepod parasitism.	293
19.	Yamaoka, K.: Some pharyngeal jaw muscles of <i>Calotomus japonicus</i> (Scaridae, Pisces).	315
20.	Hirano, Y. & Inaba, A.: <i>Siphonaria</i> (pulmonate limpet) survey of Japan I. Observations on the behavior of <i>Siphonaria japonica</i> during breeding season.	323
21.	Hirano, Y.: <i>Siphonaria</i> (pulmonate limpet) survey of Japan II. Periodicity of spawning activity in <i>Siphonaria japonica</i>	335
22.	Yamanishi, R.: Interstitial polychaetes of Japan II. A new species of <i>Herionura</i> from western Japan.	343
23.	Hamatani, I.: On the species of the genus <i>Oxynoe</i> Rafinesque, 1819, from Japan, inclusive of a new species (Opisthobranchia: Sacoglossa). ...	349
24.	Imaoka, T.: Observation on <i>Psolus squamatus</i> from the Okhotsk Sea (Dendrochirota: Psolidae).	361
25.	Yoshimura, K.: Five species of the Genus <i>Eurystomina</i> Filipjev, 1921.	373
26.	Okubo, I.: Taxonomic studies on recent marine podocopid Ostracoda from the Inland Sea of Seto.	389
27.	Valbonesi, A. & Harada, E.: The vertical distributions of some copepods and a mysid in a near-shore water of Tanabe Bay.	445