


KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume XXVI



PUBLISHED BY THE LABORATORY
SHIRAHAMA, WAKAYAMA, JAPAN

1981

CONTENTS

Nos. 1/3 (March 1981)

1. **Morino, H.:** Studies on the Talitridae (Amphipoda, Crustacea) in Japan
IV. The development of gnathopod II in *Orchestia platensis* Krøyer 1
2. **Irimura, S.:** Ophiurans in Tanabe Bay and its vicinity, with descriptions
on new species of Gen. *Ophiocentrus* 15
3. **Cutler, E.B. & Cutler, Norma J.:** A reconsideration of Sipuncula
named by I. Ikeda and H. Sato 51
4. **Kuwamura, T.:** Life history and population fluctuation in the labrid
fish, *Labroides dimidiatus*, near the northern limit of its range 95
5. **Nishikawa, T.:** On a specimen of *Branchiostoma moretonensis* Kelly, 1966
from the Arafura Sea 119
6. **Kobayashi, N.:** Comparative toxicity of various chemicals oil extracts
and oil dispersant extracts to Canadian and Japanese sea urchin eggs 123
7. **Nishikawa, T.:** Considerations on the taxonomic status of the lancelets
of the genus *Branchiostoma* from the Japanese waters 135
8. **Yokoyama, H.:** Larval development of a spionid polychaete *Parapriono-*
spio pinnata (Ehlers). 157
9. **Cordero, P.A., Jr.:** Phycological observations — XIV: *Acrocystis nana*
Zanardini, a new algal record for the Philippines 171
10. **Kuroda, K.:** A new chaetognath, *Eukrohnia kitoni* n. sp., from the en-
trance to Tokyo Bay 177
11. **Nishikawa, T.:** Contributions to the Japanese ascidian fauna XXXV.
Record of *Bathypera ovoida* (Ritter, 1907) from Sagami Bay 187
12. **Shigei, M.:** A study of the echinoid fauna of the East China Sea and the
coastal waters of southern Korea, Kyushu, Ryukyu and Taiwan 191
13. **Wada, K.:** Growth, breeding, and recruitment in *Scopimera globosa* and
Ilyoplax pusillus (Crustacea: Ocypodidae) in the estuary of Waka River,
middle Japan. 243

Nos. 4/6 (September 1981)

14. **Murano, M.:** Mysidacea from the central and western Pacific V. Ge-
nera *Heteroerythrops*, *Meierythrops*, *Pleurerythrops*, *Gibberythrops*, *Illigiella*, *Pseu-*
damblyops, *Paramblyops*, *Dactylerythrops* and *Nakazawai* (Tribe Erythropini).
..... 261
15. **Yokoyama, H. & Tamai, K.:** Four forms of the genus *Paraprionospio*
(Spionidae: Polychaeta) from Japan 303
16. **Cordero, P.A., Jr.:** Some sea grasses from the Philippines. 319

17. **Imafuku, M.**: Tidal activity rhythm of the hermit crab, *Pagurus geminus* McLaughlin. 327
18. **Nishikawa, T.**: Contributions to the Japanese ascidian fauna XXXV. *Molgula hozawai* Oka, 1932 and *M. verrucifera* Ritter and Forsyth, 1917, with special reference to the funnel-like structure within the siphon. 337
19. **Saito, Y., Mukai, H. & Watanabe, H.**: Studies on Japanese compound styelid ascidians I. Two new species of *Botryllus* from the vicinity of Shimoda. 347
20. **Saito, Y., Mukai, H. & Watanabe, H.**: Studies on Japanese compound styelid ascidians II. A new species of the genus *Botrylloides* and redescription of *B. violaceus* Oka. 357
21. **Iwata, F. & Konishi, K.**: Larval development in laboratory of *Cancer amphioetus* Rathbun, in comparison with those of seven other species of Cancer (Decapoda, Brachyura). 369
22. **Kitazima, Y.**: Three new species of the genus *Phyllopodopsyllus* (Copepoda, Harpacticoida) from the Inland Sea of Japan. 393
23. **Kawamura, K. & Watanabe, H.**: Studies on Japanese compound styelid ascidians III. A new, possibly asexual *Polyandrocarpa* from Shimoda Bay. 425
24. **Ohgaki, S.**: Spawning activity in *Nodilittorina exigua* and *Peasiella roepstorffiana* (Littorinidae, Gastropoda). 437
25. **Wada, K.**: Wandering in *Scopimera globosa* (Crustacea: Ocypodidae). 447

CORRIGENDA

VOLUME XXVI, Nos. 1/3, ARTICLE 13 (K. WADA). In the legend for Figure 7 on page 251, 'the open circle' and 'the triangle' on line 5 should be replaced each other and should be read as: ".... The triangle and the open circle in *S. globosa*...."

CORRIGENDA

VOLUME XXVI, Nos. 4/6, ARTICLE 21 (F. IWATA & K. KONISHI). Following corrections should be made.

Page	Table	Line	For	Read
384	VI	<i>C. gracilis</i> ; E	1-1, 1, 6-7, 9	1, 1, 1, 6-7, 9
386	VII(A)	<i>C. anthonyi</i> ; Megalopa	26-38	26-28
387	VIII(A)	<i>C. irroratus</i> ; V	18(19+8)	18(10+8)
	VIII (B)	<i>C. anthonyi</i> ; V	7(4+3)	8(4+4)
	VIII(C)	<i>C. gracilis</i> ; V <i>C. antennarius</i> ; V	23-27 24	33-36 34-35
		<i>C. anthonyi</i> ; V	22-26	32-36
		<i>C. productus</i> ; Megalopa	62-124	62-64
389	X(B)	<i>C. magister</i> ; V	1, 1, 1	1, 1, 1, 1