




ISSN 0037-2870

KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume 38, Numbers 5/6



Published by the
Seto Marine Biological Laboratory
Shirahama, Wakayama, Japan
SEPTEMBER 1999

BNC

P

244P

京大附設

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

EDITORIAL BOARD

S. Kubota (EDITOR-IN-CHIEF)

K. Miyazaki

Y. Shirayama

H. Tanase

S. Yamato

ADVISORY BOARD

T. Hori (Kyoto)

G. C. Kearns (Norwich)

T. Miyata (Kyoto)

N. Satoh (Kyoto)

H. Ishida (Kyoto)

D. S. McLusky (Stirling)

W. Sakamoto (Kyoto)


E. Wada (Otsu)

All communications intended for the "Publications" should be addressed to the Editorial Board, Seto Marine Biological Laboratory, Shirahama, Wakayama 649-2211, Japan

KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume 38



PUBLISHED BY THE
SETO MARINE BIOLOGICAL LABORATORY
SHIRAHAMA, WAKAYAMA, JAPAN
1997—1999

CONTENTS

NOS. 1/2 (December 1997)

1. **Naidenko, T.:** Abnormality of development in *Strongylocentrotus intermedius* (A. Agassiz) larvae from polluted habitat in Amursky Bay, Peter the Great Bay 1
2. **Yoshii, R. & Sawada, K.:** Additional report of halophilous Collembola of Japan 13
3. **Mona, M.H., Abou Shafey, A.E., Eissa, S.H. & Atlam, A.E.:** Comparative ultrastructural investigations of the podocyte in marine bivalve *Pinctada radiata* (Pteriidae) and freshwater bivalve *Anodonta rubens* (Unionidae) 21
4. **Takashima, Y. & Mawatari, S.F.:** Marine Tubificidae (Oligochaeta, Annelida) from Shirahama, western Japan, with a description of a new species 29
5. **Cutler, E.B. & Dean, H.K.:** Taxonomic review of three species of Sipuncula (Golfingiidae, Phascolosomatidae, Themistidae) from the Eastern Pacific Ocean 37
6. **Ogawa, K., Takahashi, K. & Sakai, K.:** Notes on Japanese ahermatypic corals-I New species and subspecies of *Culicia* and *Phyllangia* 45
7. **Santhakumari, V.:** Species composition, distribution and abundance of hydromedusae in the exclusive economic zone of the east coast of India 53
8. **Kitamura, M., Kubota, S. & Murano, M.:** Description of some oceanic hydromedusae from Japan 63
9. **Kubota, S.:** A new form of the bivalve-inhabiting hydrozoan *Eutima japonica* (Leptomedusae, Eirenidae) in Japan 73

NOS. 3/4 (December 1998)

10. **Yamanishi, R.:** Ten species of *Pisione* (Annelida: Polychaeta: Pisionidae) from Japan and evolutionary trends in the genus based on comparison of male copulatory apparatus 83
11. **Saito, T., Nakajima, K. & Konishi, K.:** First zoea of a rare deep-sea shrimp *Vexillipar repandum* Chace, 1988 (Crustacea, Decapoda, Caridea, Alpheidae), with special reference to larval characters of the family 147
12. **Yamamoto, T., Kubota, S., Sakai, K., Kurozumi, T., Ohta, M. & Tanase, H.:** Many records of hermatypic scleractinian corals that grew on molluscan shells 155

NOS. 5/6 (September, 1999)

13. **Miyamoto, H. & Morino, H.:** Taxonomic studies on the Talitridae (Crustacea, Amphipoda) from Taiwan. I. The genera *Talorchestia* and

	<i>Sinoorchestia</i> n. gen.	169
14.	Lin, Ching-Long & Ho, Ju-Shey: Poecilostomatoid copepods parasitic in bivalve mollusks of Taiwan	201
15.	Kubota, S., Dai, Chang-Feng, Lin, Ching-Long & Ho, Ju-shey: The first occurrence of the paedomorphic derivative hydrozoan <i>Eugymnanthea</i> (Leptomedusae, Eirenidae) from Taiwan, with a report of a new host	219
16.	Konishi, K. & Noda, H.: A new species of the commensal crab genus <i>Aphanodactylus</i> (Crustacea: Brachyura: Pinnotheridae) from the Yaeyama Islands, southern Japan	223
17.	Nandakumar, K., Takada, Y., & Shibuno, T.: Sessile organisms on PVC panels in the waters around a coral reef of Ishigaki Island, Yaeyama Islands, Japan, immediately after the catastrophic coral bleaching in 1998	231
18.	Budnikova, L. L.: Two new lysianassid species (Amphipoda, Gammaridea) from coastal waters of west Sakhalin, Sea of Japan	237
19.	Lutaenko, K.A.: Additional data on the fauna of bivalve mollusks of the Russian continental coast of the Sea of Japan: middle Primorye and Nakhodka Bay	255

Instruction to Authors

The Publications of the Seto Marine Biological Laboratory (referred as the Publications hereafter) are issued regularly by the Seto Marine Biological Laboratory of Kyoto University. The publications aim to contribute to the progress of marine biology and related sciences by publishing the scientific papers regarding organisms of mainly Japanese and Indo-Pacific waters. Papers related to the natural history, such as taxonomy, morphology, and evolutionary biology are the most suitable, and particularly those recording works done at the Laboratory are favorable.

Submitted papers must not have been published nor be under consideration for publishing elsewhere in any languages. The submitted papers will be reviewed at least by two referees, and only those papers evaluated their scientific findings are worth for publication will be accepted. Such papers that is judged not paid sufficient attention to the wildlife conservation and the humane treatment of animals will be rejected.

Manuscript should be sent to the editor in chief (Yoshihisa Shirayama) of the Publications at the following address:

Seto Marine Biological Laboratory,
459 Shirahama, Wakayama Pref., 649-2211, Japan

Authors are requested to read the following instruction carefully, and prepare their manuscript properly. Poor attention to the instruction may cause unnecessary delay of the processing of papers.

Manuscripts should be prepared in English as concisely as possible. Those authors whose native language is not English should ask native English speaker to correct language usage before submitting the manuscript. Original and two copies of the manuscript consisting of text, tables and the illustrations should be provided.

Text:

The text should be printed in double spaced manner on one side of A4 size paper leaving margins of more than 3 cm in width all around. All sheets should be numbered consecutively, and the name of the senior author should be given on the upper right corner.

The first page of the text should include the title of the paper, information of author(s) (name, affiliation, and corresponding address inclusive of e-mail address of all authors and telephone and fax numbers of the representative author), the running title (not more than 50 characters), and key words (not more than 10 items).

The second page should include only the abstract of the paper (less than 300 words), expressing concisely the hypothesis, the approach the author(s) adopted, the results, and the conclusion.

The main body of the text consisting of introduction, materials and methods, results, discussion, acknowledgments, reference and so on, should be prepared from page 3. The papers listed in the reference section should be referred as Tokioka (1960, 1961a) or (Harada, 1995; Harada et al., 1992; Harada and Fuse, 1994).

The reference should list all the papers mentioned in the text alphabetically in the following manner.

Referring papers published in journals:

Shirayama, Y. 1984a. The abundance of deep-sea meiobenthos in the Western Pacific in relation to environmental factors. *Oceanologica Acta*, 7, 113-121.

Shirayama, Y. 1984b. Vertical distribution of meiobenthos in the sediment profile in bathyal, abyssal and hadal deep-sea systems of the Western Pacific. *Oceanologica Acta*, 7, 123-129.

Shirayama, Y. and Horikoshi, M. 1989. Comparison of the benthic size structure between sublittoral,

upper-slope and deep seas of the Western Pacific. *Internationale Revue der gesamten Hydrobiologie*, 74, 1–13.

(It should be noticed that the title of journals should not be abbreviated.)

Referring papers published in books:

Shirayama, Y. 1995. Current status of deep-sea biology in relation to the CO₂ disposal. In, Handa, N. and Ohsumi, T. (eds.) *Direct Ocean Disposal of Carbon Dioxide*, Terra Scientific Publishing Company, Tokyo, pp. 253–264.

Referring a book as a whole:

Gage, J. D. and Tyler, P. A. 1991. *Deep-Sea Biology*. Cambridge University Press, Cambridge, 504 pp.

Tables:

The tables should be provided in the shape ready to reproduce. Each table should be printed on a separate sheet of paper using a font “Times new roman” or related one. The large table that can not be printed in 2 pages is not acceptable.

Figures:

Illustrations should be prepared in a size of not smaller than B5 and not larger than A3. They should fit to the shape of the page, that is 14 cm wide by 20 cm height at maximum. Authors are requested to pay the most careful attention to the thickness of lines, the size of letters and the spacing of drawings. Photographs should be printed in a high contrast tone. Manuscripts inclusive of figures will not be returned to the authors unless they requested. The cost for printing the color plates must be covered by the author.

Proofs:

The first galley proof will be sent to the senior author. The author should return it to the editor within 3 days after the receipt. Only corrections of typographic errors are allowed at this stage.

Reprints:

The publications provide 50 reprints to the senior author free of charge. The author can order additional reprints when the author returns the galley proof to the editor.

Page charge:

The publications do not set the maximal length of each article, and will not bill the page charge for the regular black-ink printing. However, the cost for printing color plates should be covered by the author(s).

Computer files:

To save the cost for publishing and to reduce typographic errors, the publications request the author to provide computer files to the editorial board when the manuscript is accepted for publishing. Use of the 3.5 inch 2DD or 2HD floppy disk (preferably formatted by MS-DOS) that records plain text files and clearly marked the author name and the title of the paper is requested. Use of electric mail may be also acceptable. If the author used a word processor for preparing the manuscript, the binary file used by the program is also requested to be provided, and information for the word processor program must be provided. It is not recommended to provide data files in stead of line drawings and photographs.

**PUBLICATIONS OF THE SETO MARINE
BIOLOGICAL LABORATORY**

Volume 35

- Nos. 1/3 (Articles 1 to 5) issued on March 31, 1991
Nos. 4/5 (Articles 6 to 11) issued on March 31, 1992
No. 6 (Articles 12 to 18) issued on November 30, 1992

Volume 36

- Nos. 1/2 (Articles 1 to 9) issued on March 30, 1993
No. 3 (Articles 10 to 14) issued on November 30, 1993
No. 4 (Articles 15 to 22) issued on November 15, 1994
Nos. 5/6 (Articles 23 to 31) issued on July 31, 1995

Volume 37

- Nos. 1/2 issued on February 29, 1996
Nos. 3/6 issued on December 25, 1996

Volume 38

- Nos. 1/2 issued on December 25, 1997
Nos. 3/4 issued on December 25, 1998

平成 11 年 9 月 9 日印刷
平成 11 年 9 月 30 日発刊

非 売 品

編集・発行 京都大学大学院理学研究科附属
瀬戸臨海実験所
〒649-2211 和歌山県西牟婁郡白浜町
Tel (0739)42-3515
Fax (0739)42-4518

印 刷 日本印刷出版株式会社
〒553-0006 大阪市福島区吉野1丁目2-7
Tel (06)6441-6594
Fax (06)6443-5815

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

Volume 38, Numbers 5/6 (1999)

CONTENTS

Miyamoto, H. & Morino, H.: Taxonomic studies on the Talitridae (Crustacea, Amphipoda) from Taiwan. I. The genera <i>Talorchestia</i> and <i>Sinoorchestia</i> n. gen.	169
Lin, Ching-Long & Ho, Ju-Shey: Poecilostomatoid copepods parasitic in bivalve mollusks of Taiwan	201
Kubota, S., Dai, Chang-Feng, Lin, Ching-Long & Ho, Ju-Shey: The first occurrence of the paedomorphic derivative hydrozoan <i>Eugymnanthea</i> (Leptomedusae, Eirenidae) from Taiwan, with a report of a new host	219
Konishi, K. & Noda, H.: A new species of the commensal crab genus <i>Aphanodactylus</i> (Crustacea: Brachyura: Pinnotheridae) from the Yaeyama Islands, southern Japan	223
Nandakumar, K., Takada, Y., & Shibuno, T.: Sessile organisms on PVC panels in the waters around a coral reef of Ishigaki Island, Yaeyama Islands, Japan, immediately after the catastrophic coral bleaching in 1998	231
Budnikova, L. L.: Two new lysianassid species (Amphipoda, Gammari-dea) from coastal waters of west Sakhalin, Sea of Japan	237
Lutaenko, K.A.: Additional data on the fauna of bivalve mollusks of the Russian continental coast of the Sea of Japan: middle Primorye and Nakhodka Bay	255