

Supplement to  
A CATALOGUE OF MOLLUSCS OF WAKAYAMA  
PREFECTURE, THE PROVINCE OF KII.

I BIVALVIA, SCAPHOPODA AND CEPHALOPODA

PREPARED BY

TAKASHI OKUTANI  
(Scaphopoda and Cephalopoda)

AND

AKIHIKO MATSUKUMA  
(Bivalvia)

EDITED BY

YASUO KOYAMA

With collaboration of Yoshihisa Shirayama and Shin Kubota

MARCH, 2004

KYOTO UNIVERSITY  
PUBLICATIONS OF THE  
SETO MARINE BIOLOGICAL LABORATORY  
SPECIAL PUBLICATION SERIES  
VOLUME VII

---

**Supplement to  
A CATALOGUE OF MOLLUSCS OF WAKAYAMA  
PREFECTURE, THE PROVINCE OF KII.  
I BIVALVIA, SCAPHOPODA AND CEPHALOPODA**

Scaphopoda and Cephalopoda

PREPARED BY

**TAKASHI OKUTANI**

Emeritus Professor of Tokyo University of Fisheries,  
President of the Malacological Society of Japan

and

Bivalvia

**AKIHIKO MATSUKUMA**

Professor of Kyushu University,  
Vice-President of the Malacological Society of Japan

EDITED BY

**YASUO KOYAMA**

Representative of the Editorial Committee of  
"A Catalogue of Molluscs of Wakayama Prefecture"

MARCH, 2004

Supplement to  
A CATALOGUE OF MOLLUSCS OF WAKAYAMA  
PREFECTURE, THE PROVINCE OF KII

I BIVALVIA, SCAPHOPODA AND CEPHALOPODA

PRAPARED BY  
TAKASHI OKUTANI  
(Scaphopoda and Cephalopoda)  
AND  
AKIHIKO MATSUKUMA  
(Bivalvia)

---

With 8 Plates

---

CONTENTS

Preface .....	i
Collecting sites in Wakayama Prefecture .....	iii
Class Scaphopoda .....	1
Class Cephalopoda .....	3
Class Bivalvia .....	9
Subclass Protobranchia .....	9
Subclass Pteriomorpha .....	13
Subclass Heterodonta .....	20
Subclass Anomalodesmata .....	28
Index .....	49
Afterword .....	52

## Index

Entries in bold type show the number of plate and figure.

- |  |                 |  |                 |
|--|-----------------|--|-----------------|
| <b>A</b>   |                 |  |                 |
| <i>Abra philippinensis</i>                                   | 24              |  |                 |
| <i>Adipicola longissima</i>                                  | 14, <b>4-7</b>  |  |                 |
| <i>aizoi</i> , <i>Mimarcaria</i> cf.                         | 13, <b>4-4</b>  |  |                 |
| Akebigai   | 26              |  |                 |
| <i>alcocki</i> , <i>Delectopecten</i>                        | 16, <b>5-2</b>  |  |                 |
| <i>amamiensis</i> , <i>Monterosatus</i>                      | 22              |  |                 |
| Arabori-hime-zaragai   | 23, <b>7-3</b>  |  |                 |
| Ara-hime-shakushigai   | 32, <b>8-11</b> |  |                 |
| ( <i>Archivesica</i> ) <i>kawamurai</i> , <i>Calyptogena</i> | 26              |  |                 |
| Asa-zarugai  | 21, <b>6-4</b>  |  |                 |
| Ashibe-masuogai  | 25, <b>7-5</b>  |  |                 |
| <i>Asthenothaerus isaotakii</i>                              | 29, <b>8-3</b>  |  |                 |
| <i>Axinulus simplex</i>                                      | 20, <b>2-5</b>  |  |                 |
| <b>B</b>   |                 |  |                 |
| <i>Bathyarca nipponica</i>                                   | 13, <b>4-3</b>  |  |                 |
| <i>Bathymalletia takaii</i>                                  | 10, <b>3-5</b>  |  |                 |
| <i>bistriatus</i> , <i>Cyclopecten</i>                       | 17, <b>5-5</b>  |  |                 |
| <i>brevispinosus</i> , <i>Myadropsis</i>                     | 28, <b>8-1</b>  |  |                 |
| <b>C</b>   |                 |  |                 |
| <i>Calyptogena</i> ( <i>Archivesica</i> ) <i>kawamurai</i>   | 26              |  |                 |
| <i>canalifera</i> , <i>Lithophaga</i> ( <i>Diberus</i> ) cf. | 15, <b>4-10</b> |  |                 |
| <i>Cardiomya kashimana</i>                                   | 32, <b>8-11</b> |  |                 |
| <i>Cardiomya nipponica</i>                                   | 31, <b>2-8</b>  |  |                 |
| <i>Cardiomya robiginosa</i>                                  | 32, <b>8-12</b> |  |                 |
| <i>Cetoconcha tenuissima</i>                                 | 30              |  |                 |
| Chigo-mategai  | 25, <b>7-6</b>  |  |                 |
| <i>chinensis</i> , <i>Glauconome</i>                         | 28, <b>7-12</b> |  |                 |
| Chirimen-gin-sunagogai                                       | 30, <b>8-6</b>  |  |                 |
| <i>Chlamydeila incubata</i>                                  | 18, <b>5-8</b>  |  |                 |
| <i>choshiensis</i> , <i>Limatula</i>                         | 16              |  |                 |
| Choshi-yukibanegai   | 16              |  |                 |
| <i>coreensis</i> , <i>Megacardita</i>                        | 21, <b>6-3</b>  |  |                 |
| <i>Cratis ohashii</i>  | 13, <b>4-5</b>  |  |                 |
| <i>cucullata</i> , <i>Saccostrea</i>                         | 19, <b>6-1</b>  |  |                 |
| <i>Cuspidaria kyushuensis</i>                                | 31, <b>8-10</b> |  |                 |
| <i>Cuspidaria mitis</i>                                      | 31, <b>8-9</b>  |  |                 |
| <i>Cuspidaria obtusirostris</i>                              | 31, <b>8-7</b>  |  |                 |
| <i>Cuspidaria sadoensis</i>                                  | 31, <b>8-8</b>  |  |                 |
| <i>Cycladicama oblonga</i>                                   | 20, <b>6-2</b>  |  |                 |
| <i>Cyclopecten bistratus</i>                                 | 17, <b>5-5</b>  |  |                 |
| <i>Cyclopecten nakaii</i>                                    | 18, <b>5-6</b>  |  |                 |
| <i>Cyclopecten nipponensis</i>                               | 18, <b>5-7</b>  |  |                 |
|  |                 | <b>D</b>   |                 |
|  |                 | <i>Delectopecten alcocki</i>                                 | 16, <b>5-2</b>  |
|  |                 | <i>Delectopecten vancouverensis</i>                          | 16, <b>5-3</b>  |
|  |                 | ( <i>Diberus</i> ) cf. <i>canalifera</i> , <i>Lithophaga</i> | 15, <b>4-10</b> |
|  |                 | ( <i>Diberus</i> ) <i>divaricalx</i> , <i>Lithophaga</i>     | 15, <b>4-9</b>  |
|  |                 | <i>divaricalx</i> , <i>Lithophaga</i> ( <i>Diberus</i> )     | 15, <b>4-9</b>  |
|  |                 | <b>E</b>   |                 |
|  |                 | <i>Elliptotellina flabellum</i>                              | 23, <b>7-3</b>  |
|  |                 | <i>Elliptotellina kikaizimana</i>                            | 23, <b>7-1</b>  |
|  |                 | <i>Elliptotellina</i> sp.                                    | 23, <b>7-2</b>  |
|  |                 | Enaga-robaigai   | 12, <b>2-1</b>  |
|  |                 | <i>Euciroa millegemmata</i>                                  | 30, <b>8-6</b>  |
|  |                 | <b>F</b>   |                 |
|  |                 | <i>flabellum</i> , <i>Elliptotellina</i>                     | 23, <b>7-3</b>  |
|  |                 | <i>flavus</i> , <i>Regozara</i>                              | 21              |
|  |                 | ( <i>Flodacna</i> ) <i>squamosa</i> , <i>Tridacna</i>        | 22, <b>6-5</b>  |
|  |                 | <i>Fronsella philippinensis</i>                              | 20              |
|  |                 | Fukami-sodegai   | 11, <b>3-6</b>  |
|  |                 | <b>G</b>   |                 |
|  |                 | <i>galathea</i> , <i>Kermadysmea</i>                         | 24, <b>7-4</b>  |
|  |                 | Ginrin-hari-nadeshikogai                                     | 16, <b>5-2</b>  |
|  |                 | <i>Glauconome chinensis</i>                                  | 28, <b>7-12</b> |
|  |                 | <i>Glossocardia stoliczkana</i>                              | 26, <b>7-7</b>  |
|  |                 | <i>Gobraeus oriens</i>                                       | 25, <b>2-6</b>  |
|  |                 | Goshiki-zakuragai  | 24, <b>6-8</b>  |
|  |                 | <b>H</b>   |                 |
|  |                 | <i>Halicardia nipponensis</i>                                | 29, <b>2-7</b>  |
|  |                 | <i>Haliris</i> ( <i>Setaliris</i> ) <i>makiyamai</i>         | 30, <b>8-4</b>  |
|  |                 | ( <i>Halistrepta</i> ?) <i>pacifica</i> , <i>Periploma</i>   | 29, <b>8-2</b>  |
|  |                 | Hanagumorigai  | 28, <b>7-12</b> |
|  |                 | Hanayaka-masuogai  | 25, <b>2-6</b>  |
|  |                 | Hasume-zakuragai   | 22, <b>6-6</b>  |
|  |                 | Hataune-fumigai  | 21, <b>6-3</b>  |
|  |                 | Hire-jakogai   | 22, <b>6-5</b>  |
|  |                 | Hishi-otohime-gokorogai                                      | 30, <b>8-4</b>  |
|  |                 | <b>I</b>   |                 |
|  |                 | <i>ikebei</i> , <i>Tenuileda</i>                             | 12, <b>4-2</b>  |
|  |                 | <i>incubata</i> , <i>Chlamydeila</i>                         | 18, <b>5-8</b>  |
|  |                 | <i>isaotakii</i> , <i>Asthenothaerus</i>                     | 29, <b>8-3</b>  |
|  |                 | Izuno-hagoromogai  | 29, <b>8-2</b>  |

- J**
- Jactellina obliquistriata* 24, 6-8  
*japonica, Katelaysia* 27, 7-9  
*japonica, Neilonella* 10, 3-3  
*Juxtamussium maldivense* 17
- K**
- Kagero-sodegai 12, 4-2  
Karekusa-uchiwagai 15, 2-2  
*kashimana, Cardiomya* 32, 8-11  
*Katelaysia japonica* 27, 7-9  
*kawamurai, Calyptogena (Archivesica)* 26  
*kawamurai, Nukulana (Thestyleda)* 12  
Kawamura-robaigai 12  
*Kermadysmea galathea* 24, 7-4  
*kiiensis, Nukulana (Thestyleda)* 12  
Kii-shakushi-robaigai 12  
Kikai-hime-zaragai 23, 7-1  
*kikaizimana, Elliptotellina* 23, 7-1  
*kikuchii, Solen* 25, 7-6  
Kinu-hime-zaragai 23, 7-2  
Kira-hatomugi-sodegai 10, 3-4  
*kirai, Neilonella* 10, 3-4  
Kohazegai 22  
Komochi-hari-nadeshikogai 18, 5-8  
Kongo-ishimategai 15, 4-10  
Koshi-hari-nadeshikogai 17, 5-5  
Kuro-heri-gaki 19  
*kyushuensis, Cuspidaria* 31, 8-10  
Kyushu-shakushigai 31, 8-10
- L**
- langfordi, Sunettina* 27, 7-10  
Langford-wasuregai 27, 7-10  
*(Leiosolenus) obesa, Lithophaga* 14, 4-8  
*Lima ogasawarenensis* 16, 2-3  
*Lima sagamiensis* 16, 5-1  
*Limatula choshiensis* 16  
*Lithophaga (Diberus) cf. canalifera* 15, 4-10  
*Lithophaga (Diberus) divaricalx* 15, 4-9  
*Lithophaga (Leiosolenus) obesa* 14, 4-8  
*longissima, Adipicola* 14, 4-7  
*Loxoglypta transcalpta* 22, 6-6  
*Lyonsiella parva* 30, 8-5
- M**
- makiyamai, Haliris (Setaliris)* 30, 8-4  
*maldivense, Juxtamussium* 17  
Maldives-nishikigai 17  
*Megacardita coreensis* 21, 6-3
- Midori-igai 14, 4-6  
Mijin-kigokorogai 30, 8-5  
Mijin-shakushigai 31, 8-8  
Mikado-tsukiyomigai 26, 7-7  
*millegemata, Euciroa* 30, 8-6  
*Mimarcaria cf. aizoi* 13, 4-4  
*mitis, Cuspidaria* 31, 8-9  
Mizuiri-shojogai 19  
*Monterosatus amamiensis* 22  
*Myadropsis brevispinosus* 28, 8-1
- N**
- nakaii, Cyclopecten* 18, 5-6  
Nakai-nishikigai 18, 5-6  
*Neilonella japonica* 10, 3-3  
*Neilonella kirai* 10, 3-4  
*Neilonella soyoae* 10, 3-2  
Nekoze-shiogamagai 20, 6-2  
*nipponensis, Cyclopecten* 18, 5-7  
*nipponensis, Halicardia* 29, 2-7  
Nippon-hatomugi-sodegai 10, 3-3  
*nipponica, Bathyarca* 13, 4-3  
*nipponica, Cardiomya* 31, 2-8  
Nippon-otohime-gokorogai 29, 2-7  
Nippon-watazoko-nadeshikogai 18, 5-7  
*Nucula* sp. 9, 3-1  
*Nukulana (Thestyleda) kawamurai* 12  
*Nukulana (Thestyleda) kiiensis* 12  
*Nukulana (Thestyleda) sagamiensis* 11, 3-7  
*Nukulana (Thestyleda) subscalata* 11, 4-1  
*Nukulana (Thestyleda) tanseimaruae* 12, 2-1
- O**
- obesa, Lithophaga (Leiosolenus)* 14, 4-8  
*obliquistriata, Jactellina* 24, 6-8  
*oblonga, Cycladicama* 20, 6-2  
*obtusirostris, Cuspidaria* 31, 8-7  
Ogasawara-minogai 16, 2-3  
*ogasawarenensis, Lima* 16, 2-3  
Ohaguro-gaki-modoki 19, 6-1  
O-hari-nadeshikogai 16, 5-3  
*ohashii, Cratis* 13, 4-5  
Ohashi-shirasunagai-modoki 13, 4-5  
Okinawa-wasuregai 27, 7-10  
*oriens, Gobraeus* 25, 2-6
- P**
- pacifica, Periploma (Halistrepta?)* 29, 8-2  
*parasitica, Saccostrea* 19  
*parva, Lyonsiella* 30, 8-5  
*Parvamussium* sp. 19, 2-4

- |  |          |   |          |
|--|----------|---|----------|
| <i>pectiniforme</i> , <i>Vasticardium</i>              | 21, 6-4  | <i>Sudare-hamaguri</i>                                      | 27, 7-9  |
| <i>Periploma (Halistrepta?) pacifica</i>               | 29, 8-2  | <i>Sudare-yoshigai</i>                                      | 24, 7-4  |
| <i>Perna viridis</i>                                   | 14, 4-6  | <i>Suehiro-ishimategai</i>                                  | 15, 4-9  |
| <i>petalina</i> , <i>Soletellina</i>                   | 25, 7-5  | <i>Suehiro-mayuibai</i>                                     | 14, 4-7  |
| <i>Petricola</i> sp.                                   | 28, 7-11 | <i>Sunettina langfordi</i>                                  | 27, 7-10 |
| <i>philippinensis</i> , <i>Abra</i>                    | 24       |   |          |
| <i>philippinensis</i> , <i>Fronsella</i>               | 20       | <b>T</b>  |          |
| Philippines-hanabiragai                                | 20       | <i>Taiwan-hime-kanokoasari</i>                              | 27, 7-8  |
| <i>Propeamussium siratama</i>                          | 17, 5-4  | <i>takaii</i> , <i>Bathymalletia</i>                        | 10, 3-5  |
| <b>R</b>   |          | <i>Takai-sodegai</i>  | 10, 3-5  |
| <i>Regozara flavus</i>                                 | 21       | <i>Taki-suemonogai</i>                                      | 29, 8-3  |
| <i>robiginosa</i> , <i>Cardiomya</i>                   | 32, 8-12 | (Tansei-) <i>Enaga-robaigai</i>                             | 12, 2-1  |
| <i>Ryugu-washinohagai</i>                              | 13, 4-4  | <i>tanseimaruae</i> , <i>Nuculana (Thestyleda)</i>          | 12, 2-1  |
| <i>Ryukyu-zarugai</i>                                  | 21       | <i>Tenuileda ikebei</i>                                     | 12, 4-2  |
| <b>S</b>   |          | <i>tenuissima</i> , <i>Cetoconcha</i>                       | 30       |
| <i>Sabi-hime-shakushigai</i>                           | 32, 8-12 | ( <i>Thestyleda</i> ) <i>kawamurai</i> , <i>Nuculana</i>    | 12       |
| <i>Saccostrea cucullata</i>                            | 19, 6-1  | ( <i>Thestyleda</i> ) <i>kiiensis</i> , <i>Nuculana</i>     | 12       |
| <i>Saccostrea parasitica</i>                           | 19       | ( <i>Thestyleda</i> ) <i>sagamiensis</i> , <i>Nuculana</i>  | 11, 3-7  |
| <i>sadoensis</i> , <i>Cuspidaria</i>                   | 31, 8-8  | ( <i>Thestyleda</i> ) <i>subscalata</i> , <i>Nuculana</i>   | 11, 4-1  |
| <i>Sagami-arabori-robaigai</i>                         | 11, 3-7  | ( <i>Thestyleda</i> ) <i>tanseimaruae</i> , <i>Nuculana</i> | 12, 2-1  |
| <i>sagamiensis</i> , <i>Lima</i>                       | 16, 5-1  | <i>Tindaria</i> cf. <i>similes</i>                          | 11, 3-6  |
| <i>sagamiensis</i> , <i>Nuculana (Thestyleda)</i>      | 11, 3-7  | <i>Toge-yamazaki-suemonogai</i>                             | 28, 8-1  |
| <i>Sagami-maru-minogai</i>                             | 16, 5-1  | <i>transcalpta</i> , <i>Loxoglypta</i>                      | 22, 6-6  |
| <i>Sagami-watazoko-egai</i>                            | 13, 4-3  | <i>Tridacna (Flodacna) squamosa</i>                         | 22, 6-5  |
| <i>Same-zarugai</i>                                    | 23, 6-7  | <i>Tsugino-enaga-robaigai</i>                               | 11, 4-1  |
| <i>scabra</i> , <i>Veremolpa</i>                       | 27, 7-8  | <i>Tsuya-ryugu-zakuragai</i>                                | 24       |
| <i>scobinata</i> , <i>Scutarcopagia</i>                | 23, 6-7  | <i>Tucutona</i> cf. <i>sibogae</i>                          | 15, 2-2  |
| <i>Scutarcopagia scobinata</i>                         | 23, 6-7  | <b>U</b>  |          |
| <i>Sekiguchi-hime-shakushigai</i>                      | 31, 2-8  | <i>Usukara-shiotsugai</i>                                   | 28, 7-11 |
| <i>Sekitori-ishimategai</i>                            | 14, 4-8  | <b>V</b>  |          |
| ( <i>Setaliris</i> ) <i>makiyamai</i> , <i>Haliris</i> | 30, 8-4  | <i>vancouverensis</i> , <i>Delectopecten</i>                | 16, 5-3  |
| <i>Shiratama-tsukihigai</i>                            | 17, 5-4  | <i>varius</i> , <i>Spondylus</i>                            | 19       |
| <i>sibogae</i> , <i>Tucutona</i> cf.                   | 15, 2-2  | <i>Vasticardium pectiniforme</i>                            | 21, 6-4  |
| <i>similis</i> , <i>Tindaria</i> cf.                   | 11, 3-6  | <i>Veremolpa scabra</i>                                     | 27, 7-8  |
| <i>simplex</i> , <i>Axinulus</i>                       | 20, 2-5  | <i>viridis</i> , <i>Perna</i>                               | 14, 4-6  |
| <i>siratama</i> , <i>Propeamussium</i>                 | 17, 5-4  | <b>W</b>  |          |
| <i>Solen kikuchii</i>                                  | 25, 7-6  | <i>Watazoko-shakushigai</i>                                 | 31, 8-7  |
| <i>Soletellina petalina</i>                            | 25, 7-5  | <b>Y</b>  |          |
| <i>soyoe</i> , <i>Neilonella</i>                       | 10, 3-2  | <i>Yogore-hanashigai</i>                                    | 20, 2-5  |
| <i>Soyo-hatomugi-sodegai</i>                           | 10, 3-2  | <i>Yomosugara-sodegai</i>                                   | 11, 3-6  |
| <i>Spondylus varius</i>                                | 19       | <i>Yowa-(bidoro-)sunamegai</i>                              | 30       |
| <i>squamosa</i> , <i>Tridacna (Flodacna)</i>           | 22, 6-5  | <i>Yowa-shakushigai</i>                                     | 31, 8-9  |
| <i>stoliczkana</i> , <i>Glossocardia</i>               | 26, 7-7  |   |          |
| <i>subscalata</i> , <i>Nuculana (Thestyleda)</i>       | 11, 4-1  |   |          |

Information for obtaining copies is available from :  
Publishing Association of "A Catalogue of Molluscs  
of Wakayama Prefecture" c/o Yasuo Koyama  
1-1 Takumi-cho  
Wakayama City 640-8028  
JAPAN

---

平成15年2月18日印刷

平成15年3月15日発行

編 集 和歌山県貝類目録編集委員会

649-2211 和歌山県西牟婁郡白浜町  
京都大学瀬戸臨海実験所内

発行人 小山安生

発行所 和歌山県貝類目録刊行会

640-8028 和歌山市匠町1-1 小山安生 方  
Tel & Fax 0734-22-4525

印 刷 日本印刷出版株式会社

553-0006 大阪市福島区吉野1丁目2-7  
Tel 06-6441-6594  
Fax 06-6443-5815

---

“Publications of the Seto Marine Biological Laboratory, Special Publication Series” is the new name for the “Special Publications from the Seto Marine Biological Laboratory”, starting from Vol. VI. In the “Special Publication Series”, it is intended to publish the results of research and investigations on a specific subject in each volume, including taxonomic monographs. Volumes are issued at irregular intervals, divided into parts if necessary, and numbered in continuous sequence with the former series. The volumes of the “Special Publication Series” so far issued are as follows:

- Vol. I. Biological Results of the Japanese Antarctic Research Expedition 1-17. 1959-1962. Completed.
- Vol. II. Ecology and Biological Production of Lake Nakaumi and Adjacent Regions, Part I-Part II, No. 1-No.5. 1964-1968. Continuing.
- Vol. III. Taxonomic Studies of Caprellids (Crustacea, Amphipoda, Caprellidae) Found In Japanese and Adjacent Waters. 1976. Completed.
- Vol. IV. Studies on Philippine Marine Red Algae. 1977. Completed.
- Vol. V. Haplostominae (Copepoda, Cyclopodia) associated with Compound Ascidians from the San Juan Archipelago and Vicinity. 1977. Completed.
- Vol. VI. Studies of the Family Peridinidae, and Unfinished Monograph of the Armored Dinoflogellata. 1981. Completed.
- Vol. VII. A Catalogue of Molluscs of Wakayama Prefecture, The Province of Kii. I Bivalvia, Scaphopoda and Cephalopoda. 1981. Continuing.