

資 料

別府市内温泉の泉温及湧出量繼續観測表 (IV)

測定者 古我, 安東, 和田, 工藤, 中妻,
 河野, 山下(幸), 神田

観測は毎週一回定時に行ふことにしたが、止むを得ざる事情で欠測若くは時刻の随分違つたものもある。尙 No. 970 (宮地嶽神社温泉井)だけは毎日一回観測となつて居る。

昭和五年 (1930)

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
温泉 No. 4						温泉 No. 31		
1930						1930		
I 7 15 35	55.8	19.99	VI 3 14 35	55.0	18.66	XI 11 13 55	54.6	19.43
14 14 50	55.7	17.55	10 15 40	55.0	14.45	18 15 50	54.6	16.91
21 14 40	55.5	20.78	17 14 20	55.1	18.40	25 14 50	54.6	18.40
28 15 0	55.6	16.51	24 14 40	55.1	17.05	月 平 均	54.6	17.77
月 平 均	55.7	18.71	月 平 均	55.1	17.14	XII 2 14 35	54.6	16.64
II 4 — —	—	—	VII 1 14 45	54.9	15.61	温泉 No. 31		
11 — —	—	—	8 14 35	55.1	15.08	1930		
18 13 30	55.6	19.61	15 14 15	54.8	18.73	I 7 12 40	42.5	14.21
25 11 35	55.5	17.63	22 14 35	55.1	17.70	14 11 50	42.5	14.46
月 平 均	55.6	18.62	29 15 5	54.7	17.19	21 13 40	42.4	14.06
III 4 15 10	55.5	14.55	月 平 均	54.9	17.66	28 11 40	42.4	14.70
11 14 45	55.5	18.18	VIII 5 15 45	54.9	18.65	月 平 均	42.5	14.29
18 15 0	55.3	17.19	12 14 50	54.7	17.85	II 4 — —	—	—
25 15 35	55.4	13.29	19 15 30	54.8	21.20	11 — —	—	—
月 平 均	55.4	15.88	26 14 10	54.7	16.71	18 11 35	42.4	13.57
IV 1 15 50	55.2	14.55	月 平 均	54.8	18.60	25 12 25	42.5	13.69
8 14 40	55.4	18.01	IX 2 14 30	54.9	17.93	月 平 均	42.5	13.68
15 15 25	55.2	15.25	9 14 50	54.7	17.25	III 4 14 50	42.3	14.99
22 14 30	55.4	16.07	16 14 20	54.8	19.70	11 13 5	42.3	13.41
29 14 20	55.2	13.18	23 15 0	54.7	14.35	18 12 10	42.6	16.39
月 平 均	55.3	15.41	30 14 0	54.7	19.90	25 12 50	42.4	15.11
V 6 14 55	55.4	16.91	月 平 均	54.8	17.81	月 平 均	42.4	14.98
13 — —	—	—	X 7 15 45	54.7	16.71	IV 1 12 25	42.4	15.70
20 14 5	55.2	18.57	14 14 55	54.6	20.48	8 12 15	42.3	14.72
27 15 40	55.1	15.94	21 14 45	54.6	16.45	15 13 25	42.3	16.73
月 平 均	55.2	17.14	28 14 45	54.6	21.10	22 12 15	42.4	15.22
			月 平 均	54.6	18.71	29 12 20	42.3	17.25
			XI 4 15 10	54.6	16.32			

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
月 平 均	42.3	15.90	I 24 14 40 31 — —	46.3 —	11.88 —	X 8 14 50 10 14 15 17 11 10 24 16 10 31 14 20	45.6 45.6 45.5 45.6 45.6	10.81 10.91 9.36 10.44 12.31
V 6 11 20 18 — — 20 11 40 27 11 40	42.3 — 42.4 42.4	11.00 — 15.70 13.63	月 平 均	46.4	12.80	月 平 均	45.6	10.77
月 平 均	42.4	13.44	II 7 — — 14 14 0 21 14 5 28 14 10	— 46.1 46.4 46.2	— 10.05 12.55 10.17	XI 7 14 25 14 14 10 21 15 10 27 13 40	45.5 45.6 45.4 45.6	10.46 12.26 10.44 12.38
VI 8 11 40 10 11 45 17 11 30 21 11 10	42.3 42.2 42.2 42.3	14.72 13.09 18.50 16.48	月 平 均	46.2	10.92	月 平 均	45.5	11.37
月 平 均	42.3	15.70	III 7 14 5 14 16 0 21 14 45 28 15 40	46.4 46.2 46.2 46.1	11.40 10.41 11.31 10.73	XII 5 15 20	45.3	9.86
VII 1 11 40 8 12 5 15 11 20 22 11 5 29 11 5	42.4 42.4 42.4 42.4 42.4	16.56 15.26 15.40 13.30 16.81	月 平 均	46.2	10.96	温泉 No. 87		
月 平 均	42.4	15.47	IV 4 16 25 11 15 15 18 14 45 25 14 35	45.7 46.0 45.9 46.0	8.77 10.28 10.52 10.79	1950		
VIII 5 15 20 12 12 0 19 11 35 26 11 35	42.4 42.3 42.4 42.5	12.31 20.83 14.21 16.81	月 平 均	45.9	10.09	I 7 14 25 14 12 15 21 14 20 28 14 35	62.5 62.0 62.4 61.9	21.81 18.55 22.05 16.60
月 平 均	42.4	16.04	V 2 15 0 9 16 20 16 14 30 23 14 30 30 12 20	45.8 46.2 45.8 45.9 45.9	9.26 13.29 9.26 10.59 11.25	月 平 均	62.2	19.75
IX 2 11 20 9 12 20 16 11 15 23 12 20 30 11 15	42.5 42.5 42.5 42.3 42.4	13.25 16.16 13.86 17.43 15.92	月 平 均	45.9	10.55	II 4 — — 11 — — 18 13 5 25 14 30	— — 62.5 61.9	— — 21.64 15.46
月 平 均	42.4	15.32	VI 6 12 45 13 14 5 20 14 10 27 14 30	45.7 45.7 46.0 45.5	10.48 9.65 12.65 8.22	月 平 均	62.2	18.55
X 7 11 40 14 11 35 21 11 35 29 11 20	42.5 42.5 42.5 42.5	13.74 12.97 15.70 14.79	月 平 均	45.7	10.25	III 4 12 45 11 13 55 18 14 45 25 14 35	62.4 62.0 61.5 61.4	21.89 17.24 13.43 16.19
月 平 均	42.5	14.55	VII 4 14 40 11 15 45 18 15 5 25 14 45	46.0 45.6 46.0 45.5	12.60 8.78 13.59 7.99	月 平 均	61.9	17.19
XI 4 11 40 11 11 20 18 11 15 25 11 30	42.4 42.5 42.5 42.5	14.65 14.46 13.04 15.05	月 平 均	45.8	10.74	IV 1 14 55 8 14 15 15 14 25 22 14 5 29 16 10	60.9 62.2 60.9 61.9 60.9	9.85 19.88 7.95 15.71 10.62
月 平 均	42.5	14.30	VIII 1 13 50 8 13 55 15 13 40 22 14 20 29 14 45	46.0 44.9 45.9 45.6 45.9	13.20 8.85 13.41 9.14 12.76	月 平 均	61.4	12.80
XII 2 11 25	42.5	13.63	IX 5 14 30 12 — — 19 14 40 26 11 30	45.5 — 45.6 45.9	9.39 — 10.26 14.72	V 6 13 30 13 — — 20 13 40 27 14 45	62.2 — 62.2 60.2	19.88 — 18.73 7.05
温泉 No. 58			月 平 均	45.7	11.47	月 平 均	61.5	15.22
1950			X 3 13 50 10 13 45 17 — —	46.5 45.4 —	13.44 11.58 —	VI 3 14 10 10 14 35 17 15 10 24 14 15	62.2 58.8 61.9 61.4	19.68 4.14 16.51 11.93
月 平 均	42.5	13.44	月 平 均	45.7	11.46	月 平 均	61.1	13.07

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow			
VII 1 14 25 62.2 18.61 8 14 15 61.2 10.76 15 13 50 62.2 16.32 22 14 15 62.1 16.42 29 14 40 61.9 15.14 月 平 均 61.3 15.45			IV 1 14 35 48.5 8.95 8 13 50 48.7 9.76 15 13 50 48.6 11.35 22 13 45 48.6 9.03 29 13 50 48.5 8.58 月 平 均 48.6 9.53			温泉 No. 343 1930 I 7 15 10 65.5 6.83 14 14 0 65.5 5.24 21 16 15 65.5 5.38 28 15 50 65.5 5.36 月 平 均 65.5 5.83 II 4 — — — — 11 — — — — 18 14 45 65.5 6.09 25 16 35 65.5 5.51 月 平 均 65.5 5.80 III 4 16 0 65.2 4.60 11 17 5 65.5 6.47 18 16 5 65.2 3.79 25 16 0 65.3 5.79 月 平 均 65.3 5.16 IV 1 16 20 64.9 3.48 8 16 5 65.5 6.39 15 15 55 64.9 3.61 22 — — — — 29 15 20 65.0 3.97 月 平 均 65.1 4.36 V 6 14 25 65.8 6.66 13 — — — — 20 13 20 65.3 6.95 27 13 50 64.6 2.75 月 平 均 65.3 5.45 VI 3 15 20 65.2 7.23 10 16 10 64.7 3.73 17 13 35 65.3 7.38 24 12 5 65.1 4.12 月 平 均 65.1 5.62 VII 1 13 45 65.3 7.63 8 13 50 65.0 4.22 15 11 55 65.4 7.92 22 11 35 65.1 4.91 29 11 35 65.4 9.46 月 平 均 65.2 6.83 VIII 5 11 25 65.0 4.55 12 13 5 65.3 8.56 19 13 45 65.2 7.39 26 12 5 65.2 8.89 月 平 均 65.2 7.35					
VIII 5 14 25 61.9 15.62 12 13 35 62.2 19.29 19 14 25 62.3 21.56 26 15 0 61.0 9.23 月 平 均 61.9 16.43			V 6 13 5 48.7 9.24 13 — — — — 20 14 55 48.7 8.51 27 14 20 48.4 7.72 月 平 均 48.6 8.49						IX 2 14 10 62.0 18.09 9 14 30 61.3 10.44 16 13 50 62.3 18.61 23 14 35 60.6 7.95 20 13 35 62.4 21.41 月 平 均 61.7 15.30		
IX 2 14 10 62.0 18.09 9 14 30 61.3 10.44 16 13 50 62.3 18.61 23 14 35 60.6 7.95 20 13 35 62.4 21.41 月 平 均 61.7 15.30			VII 1 14 5 48.9 9.58 8 13 35 48.6 7.85 15 15 5 48.9 8.68 22 13 20 48.8 8.29 29 14 15 48.8 8.68 月 平 均 48.8 8.62			X 7 14 40 61.2 11.55 14 14 30 62.2 22.14 21 14 20 61.1 11.01 28 14 25 62.3 24.05 月 平 均 61.7 17.19			VIII 5 14 5 48.7 7.93 12 13 20 48.7 10.14 19 14 5 48.9 9.58 26 13 45 48.9 9.06 月 平 均 48.8 9.18		
X 7 14 40 61.2 11.55 14 14 30 62.2 22.14 21 14 20 61.1 11.01 28 14 25 62.3 24.05 月 平 均 61.7 17.19			VIII 5 14 5 48.7 7.93 12 13 20 48.7 10.14 19 14 5 48.9 9.58 26 13 45 48.9 9.06 月 平 均 48.8 9.18			XI 4 14 45 61.6 15.67 14 15 25 61.9 22.39 21 15 35 61.3 15.97 27 14 5 61.8 21.25 月 平 均 61.7 18.82			IX 2 13 45 48.8 8.51 9 14 5 48.5 9.44 16 13 20 48.8 8.93 23 14 10 48.7 8.58 30 14 50 48.7 9.76 月 平 均 48.7 9.04		
XI 4 14 45 61.6 15.67 14 15 25 61.9 22.39 21 15 35 61.3 15.97 27 14 5 61.8 21.25 月 平 均 61.7 18.82			IX 2 13 45 48.8 8.51 9 14 5 48.5 9.44 16 13 20 48.8 8.93 23 14 10 48.7 8.58 30 14 50 48.7 9.76 月 平 均 48.7 9.04			XII 5 15 45 61.3 15.02			X 7 14 15 48.5 8.14 14 14 10 48.6 9.03 21 15 35 48.6 9.41 28 14 25 48.6 9.27 月 平 均 48.6 8.96		
XII 5 15 45 61.3 15.02			X 7 14 15 48.5 8.14 14 14 10 48.6 9.03 21 15 35 48.6 9.41 28 14 25 48.6 9.27 月 平 均 48.6 8.96			温泉 No. 130 1930 I 7 14 5 49.0 10.62 14 14 25 48.9 9.80 21 14 0 48.9 10.24 28 14 10 48.9 9.41 月 平 均 48.9 10.02			XI 4 12 25 48.4 7.74 11 13 25 48.6 8.93 18 14 55 48.3 7.01 25 14 25 48.5 8.12 月 平 均 48.5 7.95		
温泉 No. 130 1930 I 7 14 5 49.0 10.62 14 14 25 48.9 9.80 21 14 0 48.9 10.24 28 14 10 48.9 9.41 月 平 均 48.9 10.02			XI 4 12 25 48.4 7.74 11 13 25 48.6 8.93 18 14 55 48.3 7.01 25 14 25 48.5 8.12 月 平 均 48.5 7.95			XII 2 14 10 48.2 6.87 月 平 均 48.8 9.00			XII 2 14 10 48.2 6.87 月 平 均 48.8 9.00		

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	
IX 2 11 45 9 12 50 16 11 40 23 11 50 30 11 40	65.1	5.04	VI 6 14 55 13 14 35 20 14 35 27 14 55	60.5	16.38	月 平 均	61.7	12.18	
	65.2	9.27		60.2	8.65		III 7 12 10 14 12 45 21 13 25 28 14 50	61.9	12.42
	65.1	6.23		60.6	16.63			61.9	11.71
	65.2	6.96		59.9	6.02			61.9	10.51
	65.0	6.09		60.3	11.92			61.7	11.61
月 平 均	65.1	6.72	60.8	16.38	月 平 均	61.8	11.56		
X 7 12 10 14 12 0 21 12 25 28 12 15	64.9	5.17	VII 4 15 5 11 16 35 18 15 25 25 15 40	60.6	10.32	IV 4 13 55 11 12 40 18 13 30 25 14 10	61.8	10.89	
	65.1	6.98		60.7	16.63		61.7	11.81	
	64.8	5.33		60.6	9.11		61.4	13.26	
	65.1	7.51		60.7	13.11		61.5	14.49	
月 平 均	65.0	6.25	60.7	17.25	月 平 均	61.6	12.61		
XI 4 12 15 11 14 45 18 14 10 25 14 0	64.6	5.09	VIII 1 14 20 8 14 45 15 13 15 22 14 45 29 15 5	60.6	9.29	V 2 14 15 9 12 5 16 13 40 23 13 0 30 14 10	61.4	12.96	
	65.0	7.43		60.6	16.72		61.4	14.03	
	64.4	3.70		60.7	16.72		61.5	18.26	
	64.7	6.17		60.6	10.87		61.4	13.63	
月 平 均	64.7	5.60	60.7	15.98	61.4	12.67	月 平 均	61.4	12.71
XII 2 16 35	64.6	5.33	IX 5 15 50	60.6	13.15	VI 6 14 30	61.2	13.77	
1930 温泉 No. 418			12 — —	—	—	13 13 10	61.2	13.81	
			19 15 0	60.5	14.36	20 13 25	61.4	12.81	
I 3 — — 10 14 35 17 — — 21 — — 24 15 5	—	—	26 11 55	60.5	17.07	27 13 35	61.4	12.42	
	61.0	16.38	月 平 均	60.5	14.86	月 平 均	61.3	18.70	
	—	—	X 3 15 15	60.5	15.09	VII 4 13 55 11 12 5 18 11 55 25 12 55	61.6	14.69	
	—	—	10 13 25	60.7	15.38		61.4	13.22	
61.0	16.47	17 12 0	60.2	10.55	61.5		14.03		
—	—	24 16 35	60.3	14.89	61.4		13.92		
月 平 均	61.0	16.43	31 14 55	60.4	15.68	月 平 均	61.5	13.97	
II 7 — — 14 14 30 21 15 10 28 14 35	—	—	月 平 均	60.4	14.32	VIII 1 12 20 8 12 15 15 12 20 22 12 10 29 12 0	61.5	12.88	
	60.6	10.94	XI 7 14 50	60.2	13.31		61.3	14.03	
	61.0	16.55	14 14 35	60.3	15.38		61.5	14.52	
	60.6	11.32	21 16 15	60.2	13.99		61.4	13.92	
月 平 均	60.7	12.94	27 14 25	60.3	15.98	61.4	14.49		
III 7 14 50 14 16 20 21 15 35 28 16 40	60.7	15.38	月 平 均	60.3	14.67	月 平 均	61.5	14.17	
	60.9	13.64	XII 5 16 10	60.1	13.93	IX 5 12 0 12 — — 19 11 55 26 13 5	61.4	14.33	
	60.8	12.79	1930 温泉 No. 472				—	—	
	60.9	16.06	I 3 12 55	61.6	12.28		61.2	13.77	
月 平 均	60.8	14.47	10 13 20	61.7	13.26		61.3	14.21	
IV 4 15 40 11 11 40 18 15 10 25 15 35	60.4	9.65	17 — —	—	—	月 平 均	61.3	14.10	
	60.8	14.56	24 — —	61.7	13.39	X 3 11 50 10 12 5 17 12 20 24 12 15 31 12 35	61.3	13.74	
	60.6	10.76	31 — —	—	—		61.4	15.15	
	60.8	15.38	月 平 均	61.7	12.98		61.3	13.77	
月 平 均	60.7	12.59	II 7 — —	—	—		61.3	14.73	
V 2 15 55 9 15 0 16 14 55 23 14 55	60.7	11.48	14 15 20	61.6	12.05	61.1	13.70		
	60.7	15.38	21 12 5	61.8	12.39	月 平 均	61.3	14.22	
	60.4	8.28	28 13 25	61.8	12.11				
	60.5	14.56							
月 平 均	60.6	12.43							

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
d h m	°	L/M	d h m	°	L/M	d h m	°	L/M
XI 7 13 15	61.1	12.88	VIII 5 10 50	50.9	10.38	V 6 12 10	54.2	17.05
14 12 10	61.0	12.88	12 11 20	50.8	12.71	13 — —	—	—
21 12 5	61.1	12.99	19 11 10	51.1	11.20	20 12 5	54.2	16.54
27 13 10	61.1	12.45	26 11 15	51.1	11.66	27 12 5	54.2	16.99
月 平均	61.1	13.55	月 平均	51.0	11.74	月 平均	54.2	16.86
XII 5 12 40	60.9	12.95	IX 2 11 0	51.1	11.37	VI 3 12 5	54.1	16.99
温泉 No. 530 1930			9 13 15	51.1	11.59	10 12 10	54.0	17.05
			16 10 55	51.1	11.48	17 12 0	54.0	17.40
I 7 12 15			23 11 0	51.1	11.48	24 11 35	54.2	16.54
			20 10 50	51.1	11.10	月 平均	54.1	17.00
14 11 25	50.0	11.41	月 平均	51.1	11.31	VII 1 12 5	54.3	17.34
21 13 15	50.0	11.20	X 7 11 20	51.1	11.23	8 12 20	54.2	17.11
28 13 0	50.0	11.30	14 11 15	51.1	11.63	15 12 15	54.2	17.40
月 平均	50.0	11.38	21 11 15	51.1	11.41	22 11 55	54.2	17.46
II 4 — —			28 11 0	51.1	10.83	29 12 0	54.2	17.83
			11 — —	—	—	月 平均	54.2	17.48
18 11 15	50.0	10.43	月 平均	51.1	11.28	VIII 5 11 50	54.2	16.99
25 14 5	50.1	9.98	XI 4 11 15	51.1	11.20	12 12 30	54.1	17.77
月 平均	50.1	10.21	11 10 55	51.1	11.20	19 12 0	54.2	17.05
III 4 12 15			18 10 50	51.1	10.29	26 12 20	54.3	16.49
			11 12 40	50.1	10.71	月 平均	54.2	17.03
18 11 50	50.1	10.74	25 11 5	51.1	10.26	IX 2 12 10	54.1	16.88
25 13 15	50.1	9.64	月 平均	51.1	10.74	9 13 40	54.2	16.44
月 平均	50.1	10.65	XII 2 11 0	51.1	9.59	16 12 0	54.1	15.15
IV 1 11 50			温泉 No. 542 1930			23 11 25	53.9	15.72
			I 7 13 40	54.1	17.58	30 12 5	54.2	16.18
8 11 50	50.3	10.26	14 12 55	54.2	17.58	月 平均	54.1	15.97
15 12 45	50.1	11.30	21 12 50	54.2	16.28	X 7 12 35	54.2	17.58
22 11 50	50.3	10.06	28 13 30	54.2	17.64	14 12 25	54.0	16.23
29 11 55	50.3	11.62	月 平均	54.2	17.27	21 12 0	54.0	15.97
月 平均	50.2	10.71	II 4 — —	—	—	28 11 50	53.9	14.84
V 6 10 31			11 — —	—	—	月 平均	54.0	16.03
			18 — —	—	—	XI 4 12 40	52.4	6.08※
20 10 40	50.4	11.00	18 12 25	54.2	17.89	11 11 55	53.7	12.28
27 11 20	50.4	10.26	25 12 20	54.3	17.40	18 12 20	53.6	12.19
月 平均	50.4	10.67	月 平均	54.3	17.65	25 11 55	53.6	12.04
VI 3 11 15			III 4 13 10	54.3	17.83	月 平均	53.3	10.65
			11 15 10	54.1	18.02	近所ニテ掘リシ爲ナラン		
10 11 25	50.2	10.40	18 12 50	54.1	18.35	XII 2 11 50	53.1	11.04
17 11 5	50.4	11.13	25 13 40	54.2	17.71	温泉 No. 564 1930		
24 10 50	50.7	10.96	月 平均	54.2	17.98	I 8 11 0	55.0	17.45
月 平均	50.5	10.82	IV 1 14 10	54.2	16.76	10 12 30	54.8	17.08
VII 1 11 15			8 12 40	54.2	17.89	17 — —	—	—
			15 13 5	53.9	18.15	温泉 No. 564 1930		
15 11 5	51.0	10.91	22 12 40	54.1	17.34	I 8 11 0	55.0	17.45
22 10 40	50.9	10.93	29 12 45	54.2	17.46	10 12 30	54.8	17.08
29 10 50	51.0	11.03	月 平均	54.1	17.52	17 — —	—	—
月 平均	50.9	10.86						

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
I 24 10 25 31 — —	54.5 —	L/M 16.39 —	X 8 9 55 10 10 30 17 9 40 24 10 30 31 11 0	54.1 54.2 54.0 54.1 54.0	L/M 15.33 16.73 15.39 16.01 16.15	VII 1 10 20 8 10 55 15 10 15 22 9 50 29 40 5	46.4 46.2 46.4 46.3 46.4	L/M 5.73 5.43 5.67 5.39 5.68
月 平 均	54.8	16.97	月 平 均	54.1	16.02	月 平 均	46.3	5.58
II 7 — — 14 11 10 21 13 15 28 10 45	— 54.4 54.4 54.4	— 15.39 15.61 14.90	XI 7 10 20 14 10 5 21 10 5 27 9 40	53.9 53.6 53.8 53.6	11.32 15.17 15.61 14.06	VIII 5 10 0 12 10 20 19 10 40 26 10 10	45.9 46.5 46.5 46.8	5.05 6.09 5.68 6.05
月 平 均	54.4	15.20	月 平 均	53.7	14.04	月 平 均	46.7	5.72
III 7 10 55 14 18 5 21 11 10 28 10 50	54.4 54.5 54.3 54.2	15.76 16.07 15.61 15.53	XII 5 10 35	53.6	14.00	IX 2 10 15 9 11 20 16 10 10 23 10 15 30 10 5	46.4 46.7 46.7 46.8 46.2	5.73 6.08 6.06 6.28 6.34
月 平 均	54.4	15.76	温泉 No. 571			月 平 均	46.6	6.10
IV 4 11 40 11 13 5 18 11 5 25 10 45	54.1 54.1 54.1 54.2	15.03 14.96 15.32 15.53	1930			X 7 10 15 14 10 25 21 10 25 28 10 15	46.7 46.7 46.7 48.5	6.34 6.22 6.20 10.58※
月 平 均	54.1	15.21	I 7 11 50 14 10 35 21 11 35 28 10 35	46.9 46.9 46.6 46.5	6.72 6.67 6.42 6.20	月 平 均	47.2	7.85
V 2 10 20 9 10 5 16 10 5 23 10 10 30 10 15	54.2 54.0 53.0 53.8 53.9	16.15 15.17 14.69 14.69 14.76	II 4 — — 11 — — 18 10 25 25 10 40	— — 46.0 46.0	— — 5.76 5.50	※原因不明ニシテ湧出量増加ス		
月 平 均	53.8	15.09	月 平 均	46.0	5.63	XI 4 10 30 11 10 5 18 10 5 28 10 20	48.6 48.5 48.3 48.3	10.81 10.76 10.53 10.45
VI 6 10 15 13 9 45 20 10 5 27 10 5	53.6 53.7 53.7 53.9	14.76 14.96 15.24 15.46	III 4 11 40 11 12 0 18 11 5 25 12 0	46.5 46.4 46.6 45.8	6.38 6.04 6.11 5.81	月 平 均	48.4	10.64
月 平 均	53.7	15.11	月 平 均	46.3	6.09	XII 2 10 15	48.3	10.06
VII 4 9 55 11 10 5 18 9 45 25 10 30	53.7 53.9 53.9 53.7	15.03 15.17 15.91 14.76	IV 1 10 40 8 10 55 15 12 20 22 10 50 29 11 5	45.8 45.9 46.0 45.9 46.3	5.77 5.45 6.02 5.58 5.84	温泉 No. 580		
月 平 均	53.8	15.22	月 平 均	46.0	5.73	1930		
VIII 1 10 0 8 9 55 15 10 40 22 9 55 29 9 55	53.6 53.6 54.0 53.9 53.9	14.96 14.76 16.07 14.63 15.46	V 6 11 45 13 — — 20 9 35 27 10 10	45.9 — 46.0 45.8	5.59 — 5.47 5.23	I 3 11 20 10 15 30 17 — — 24 10 45 31 — —	50.0 50.0 — 49.6 —	22.66 20.36 — 19.19 —
月 平 均	53.8	15.18	月 平 均	45.9	5.43	月 平 均	49.9	20.74
IX 5 9 55 12 — — 19 10 5 26 8 50	53.9 — 54.0 54.1	15.76 — 16.02 15.99	VI 3 10 25 10 10 40 17 10 20 24 10 0	45.9 45.6 46.2 46.2	5.43 5.23 5.88 5.70	II 7 — — 14 11 45 21 10 20 28 11 10	— 50.1 50.0 49.4	— 18.37 11.12 17.42
月 平 均	54.0	15.92	月 平 均	46.0	5.57	月 平 均	49.8	15.64
						12日頃浚渫		

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
Ⅲ 7 11 20 14 13 25 21 11 30 28 14 0	50.1 49.4 49.3 48.8	19.32 18.26 16.29 15.45	Ⅴ 7 10 40 14 10 25 21 10 25 27 10 25	50.1 48.9 48.8 48.6	10.88 8.44 14.35* 12.93	月 平 均	53.3	15.51
月 平 均	49.4	17.33	月 平 均	49.1	11.65	Ⅵ 1 11 5 8 11 0 15 11 40 22 10 55 29 11 0	53.3 53.3 53.4 53.5 53.4	15.41 15.29 18.63 17.25 17.36
Ⅳ 4 12 0 11 13 25 18 11 25 25 11 5	48.0 47.0 45.9 49.4	13.27 12.20 10.80 21.07*	※25日頃浚渫セシ由ナリ			月 平 均	53.4	16.79
月 平 均	47.6	14.34	Ⅶ 5 10 55	49.0	12.20	Ⅸ 5 11 5 12 — — 19 11 10 26 9 55	53.5 — 53.5 53.5	17.85 — 17.77 18.45
※2,3日前ニ浚渫セリ			温泉 No. 671			月 平 均	53.5	18.02
Ⅴ 2 10 50 7 10 30 16 10 25 23 10 35 30 14 35	49.9 49.6 49.7 49.2 48.9	20.09 17.62 17.52 15.86 14.56	1930			Ⅹ 3 11 0 10 11 15 17 13 15 24 11 25 31 11 45	53.5 53.5 53.5 53.5 53.5	18.19 17.77 18.27 17.85 19.68
月 平 均	49.5	17.13	Ⅰ 8 12 30 10 15 50 17 — — 24 11 20 31 — —	52.6 52.6 — 52.7 —	20.30 18.36 — 16.76 —	月 平 均	53.3	15.86
Ⅵ 6 10 40 13 10 5 20 10 25 27 10 25	48.5 48.8 48.9 48.2	14.77 12.51 13.51 12.05	月 平 均	52.6	18.47	Ⅺ 7 11 30 14 11 15 21 11 10 27 10 25	53.3 53.4 53.3 53.3	15.86 16.69 16.33 15.41
月 平 均	48.6	13.46	Ⅱ 7 — — 14 12 10 21 11 15 28 12 5	— 52.6 52.7 52.9	— 15.73 14.21 15.92	月 平 均	53.3	16.07
Ⅶ 4 10 15 11 10 30 18 10 10 25 10 50	46.6 48.3 48.9 49.0	9.63 15.61* 15.22 13.39	月 平 均	52.7	15.29	Ⅻ 5 11 45	53.2	14.99
月 平 均	48.2	13.46	Ⅲ 7 11 45 14 14 10 21 12 45 28 — —	52.9 52.9 53.0 52.9	17.13 17.77 16.91 15.73	温泉 No. 771		
※7日頃浚渫ス			月 平 均	52.9	16.89	1930		
Ⅷ 1 10 20 8 10 15 15 10 55 22 10 15 29 10 15	48.7 48.5 49.6 49.4 49.5	12.15 11.41 14.28 12.10 11.46	Ⅳ 4 12 40 11 13 50 18 12 15 25 12 0	52.9 52.9 53.0 53.1	15.60 15.99 16.40 18.02	Ⅰ 3 14 45 10 16 40 17 — — 24 12 20 31 — —	55.0 55.0 — 55.0 —	12.64 12.37 — 12.30 —
月 平 均	49.1	12.28	月 平 均	53.0	16.50	月 平 均	55.0	12.44
Ⅸ 5 10 15 12 — — 19 10 25 26 9 10	50.3 — 50.6 50.9	17.94 — 16.74 16.93	Ⅴ 2 11 35 9 11 15 16 11 10 23 11 40 30 11 5	53.0 53.0 53.1 53.0 53.2	16.12 15.41 15.66 15.05 15.17	Ⅱ 7 — — 14 12 35 21 15 45 28 15 45	— 54.5 54.7 54.8	— 12.19 12.37 12.30
月 平 均	50.6	17.20	月 平 均	53.1	15.48	月 平 均	54.7	12.29
Ⅹ 3 10 15 10 10 50 17 10 0 24 10 55 31 11 20	50.9 51.0 50.7 50.9 50.0	16.29 15.94 14.21 14.82 13.89	Ⅵ 6 11 20 13 10 55 20 11 15 27 11 10	53.1 53.1 53.3 53.3	16.33 15.54 17.13 17.06	Ⅲ 7 15 45 14 15 5 21 11 55 28 11 55	54.9 54.8 54.8 54.8	12.26 12.52 12.45 12.64
月 平 均	50.7	14.99	月 平 均	53.2	16.52	月 平 均	54.8	12.47
			Ⅶ 4 11 5 11 11 15 18 11 5 25 11 35	53.3 53.3 53.4 53.3	12.13 16.12 17.93 15.86	Ⅳ 4 13 25 11 14 35	54.8 54.9	12.37 11.61

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
IV 18 13 5 25 12 55	54.8 54.9	12.45 12.28	I 3 12 10 10 16 15 17 — — 24 11 55 31 — —	46.0 45.6 — 45.4 —	L/M 4.95 4.86 — 3.91 —	月 平 均	44.7	L/M 3.92
月 平 均	54.8	12.17	月 平 均	45.7	4.41	※15日頃浚渫アリタリ		
V 2 12 25 9 16 55 16 12 0 23 12 35 30 12 45	54.9 54.9 54.9 54.9 54.9	12.67 13.15 12.60 12.45 12.75	II 7 — — 14 15 45 21 11 40 28 12 35	— 46.0 46.0 46.0	— 4.96 5.07 4.97	月 平 均	44.5	3.86 4.08 2.15 2.40 2.32
月 平 均	54.9	12.72	月 平 均	46.0	5.00	X 3 11 25 10 11 42 17 10 25 24 11 50 31 12 10	45.0 44.8 44.2 44.3 44.0	2.86 4.08 2.15 2.40 2.32
VI 6 16 0 13 11 45 20 12 5 27 12 0	54.7 54.7 54.8 54.9	12.19 12.52 12.52 12.71	III 7 — — 14 14 35 21 12 20 28 11 20	— 45.9 45.5 45.3	— 5.02 4.46 4.05	月 平 均	43.0	3.14 2.67 2.68 2.19
月 平 均	54.8	12.49	月 平 均	45.6	4.51	月 平 均	43.0	2.66
VII 4 11 50 11 14 45 18 14 15 25 12 20	54.9 55.1 54.9 55.0	11.78 10.35 12.91 12.45	IV 4 13 5 11 14 15 18 12 40 25 12 20	44.8 44.7 44.7 44.7	2.64 2.62 2.45 2.74	XI 7 11 55 14 11 45 21 11 40 27 10 55	48.7 43.0 43.0 42.4	3.14 2.67 2.68 2.19
月 平 均	55.0	11.87	月 平 均	44.7	2.61	月 平 均	42.4	2.34
VIII 1 11 55 8 11 50 15 17 0 22 11 45 29 14 0	55.0 55.0 55.0 55.1 55.0	12.45 12.30 12.67 12.75 12.91	V 2 12 0 9 11 40 16 11 35 23 12 10 20 11 20	45.2 44.9 44.9 44.4 44.5	4.05 2.76 2.66 2.37 2.29	温泉 No. 820		
月 平 均	55.0	12.62	月 平 均	44.8	2.63	1930	1月—4月間ハ浚渫中	
IX 5 15 25 12 — — 19 13 50 26 10 45	55.1 — 55.1 55.1	12.52 — 12.60 12.41	VI 6 11 55 13 11 20 20 11 40 27 11 35	44.3 44.3 44.6 44.6	2.29 2.21 2.52 2.51	V 6 14 0	52.3	6.62※
月 平 均	55.1	12.51	月 平 均	44.5	2.38	※故障ノ爲全量ノ測定不能		
X 3 13 45 10 13 50 17 10 45 24 15 20 31 15 45	55.0 55.0 55.0 55.0 55.1	12.12 12.71 12.71 12.56 12.71	VII 4 11 20 11 11 40 18 11 30 25 12 0	44.4 44.4 44.6 44.1	2.21 2.12 2.55 2.80	温泉 No. 1040		
月 平 均	55.0	12.56	月 平 均	44.4	2.17	1930	I 3 14 20 10 14 10 17 — — 24 — — 31 — —	
XI 7 13 35 14 13 20 21 14 15 27 14 55	55.0 55.0 55.0 55.1	12.52 12.05 12.45 12.09	VIII 1 11 20 8 11 25 15 12 5 22 11 20 29 11 25	42.9 43.7 44.6 44.2 44.2	2.78 2.57 3.47 2.91 3.10	月 平 均	39.4	10.91 9.47 — — —
月 平 均	55.0	12.28	月 平 均	44.1	2.97	II 7 — — 14 13 35 21 13 40 28 13 50		
XII 5 14 20	55.1	12.02	IX 5 11 35 12 — — 19 11 35 26 10 20	44.0 — 44.9 45.1	2.98 — 4.31※ 4.46	月 平 均	38.9	10.19
温泉 No. 801			月 平 均	44.4	2.17	III 7 14 25 14 15 30 21 15 10 28 15 15		
1930			月 平 均	44.4	2.17	月 平 均	38.8	8.59
			月 平 均	44.1	2.97	IV 4 16 0 11 14 50 18 15 55 25 15 15	37.9 38.7 38.5 38.9	5.31 7.43 6.66 9.26

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
月平均	38.8	L/M 7.17	I 7 14 45 14 15 15 21 15 5 28 15 25	53.0 52.5 53.5 53.0	L/M 11.21 6.15 10.99 8.19	IX 2 15 0 9 15 20 16 14 45 23 15 25 30 14 25	53.0 52.4 53.3 50.6 53.2	L/M 8.21 5.56 9.59 3.24 10.32
V 2 14 35 9 14 30 16 16 15 23 14 5 30 11 55	47.2 42.0 45.1 45.4 45.8	12.28* 23.48 15.87 22.75 25.09	月平均	53.1	9.13	月平均	52.5	7.38
月平均	45.1	19.89	II 4 -- -- 11 -- -- 18 13 50 25 14 55	-- -- 53.5 53.0	-- -- 10.83 6.32	X 7 15 20 14 15 30 21 15 10 28 15 15	52.0 53.3 52.0 53.6	5.42 8.85 4.76 9.82
※温度低下ニヨリ湧出口變更ス			月平均	53.3	8.58	月平均	52.7	7.21
VI 6 12 20 18 13 35 20 13 45 27 14 0	45.0 44.6 45.2 45.0	21.27 19.57 25.75 15.58	III 4 15 35 11 14 20 18 15 25 25 15 10	52.5 53.1 52.0 53.4	6.12 7.62 4.48 8.66	XI 4 15 35 11 14 20 18 15 5 25 15 15	52.6 53.5 52.3 53.2	6.47 9.22 5.83 7.79
月平均	45.0	20.53	月平均	52.8	6.47	月平均	52.9	7.33
VII 4 14 15 11 15 10 18 14 40 25 15 15	44.9 45.2 45.2 45.1	25.52 15.95 28.49 14.25	IV 1 15 30 8 15 10 15 15 5 22 14 55 29 14 50	51.2 53.4 50.2 53.0 51.0	8.44 8.77 1.45* 7.33 3.92	月平均	52.6	6.45
月平均	45.1	21.05	月平均	51.8	4.98	温泉 No. 1291 1930		
VIII 1 15 30 8 14 20 15 14 0 22 13 55 29 14 20	45.3 44.4 45.2 44.6 45.2	24.67 14.39 24.88 14.25 24.46	※1cm毎ニ湧出量激減シ 4cmト5cmノ間ニテ全ク閉止ス			I 3 13 20 10 15 10 17 -- -- 24 15 30 31 -- --	42.8 42.7 -- 42.5 --	8.59 8.34 -- 8.34 --
月平均	44.9	20.53	V 6 13 55 13 -- -- 20 14 30 27 15 10	53.2 -- 53.2 50.7	8.71 -- 8.10 3.48	月平均	42.6	8.42
IX 5 14 5 12 -- -- 19 14 15 26 11 5	45.0 -- 44.5 44.3	14.75 -- 15.45 24.46	月平均	52.4	6.76	II 7 -- -- 14 14 55 21 16 15 28 15 0	-- 42.5 42.5 42.3	-- 7.96 8.12 7.75
月平均	44.6	18.22	VI 3 15 0 10 15 10 17 11 45 24 13 45	53.0 48.8 52.8 51.7	8.41 2.45 9.13 5.80	月平均	42.4	7.94
X 3 14 10 10 14 40 17 11 35 24 15 45 31 14 5	44.5 44.2 44.4 44.4 44.1	16.22 16.68 14.75 16.40 17.90	月平均	51.6	6.45	III 9 15 15 14 17 5 21 16 0 28 17 15	42.4 42.5 42.4 42.4	8.02 8.24 8.10 8.26
月平均	44.3	16.39	VII 1 15 10 8 15 0 15 14 40 22 15 0 29 15 30	52.9 52.1 52.8 52.9 52.2	8.38 6.47 8.38 9.22 5.26	月平均	42.4	8.16
XI 7 14 0 14 13 45 21 14 45 27 11 20	43.4 43.6 45.1 45.1	15.45 16.58 10.71 10.52	月平均	52.6	7.54	IV 4 16 45 11 12 15 18 15 30 25 14 0	42.2 42.3 42.1 42.3	8.04 8.00 8.36 8.20
月平均	44.3	13.32	VIII 5 14 50 12 14 25 19 14 50 26 14 35	52.7 52.9 53.3 52.1	6.79 9.40 9.79 5.23	月平均	42.2	8.16
XII 5 14 55	44.6	9.20	月平均	52.8	7.80	V 2 15 25 9 16 5 16 12 40 23 15 20 30 15 30	42.2 42.4 42.4 42.3 42.2	8.14 8.63 8.22 8.30 7.54
1930 温泉 No. 1153			月平均	52.8	7.80	月平均	42.3	8.17

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
VI 6 15 20 13 15 0 20 15 5 27 15 25	42.1 42.0 42.2 42.0	L/M 8.20 7.59 8.36 7.84	VIII 1 14 50 8 15 15 15 14 30 22 15 10 29 15 35	42.3 42.0 42.2 42.1 42.2	L/M 8.42 7.72 7.69 7.71 8.04	X 3 15 40 10 13 0 17 12 45 24 17 0 31 15 20	42.1 42.1 42.0 41.9 42.0	L/M 7.29 7.62 7.11 7.49 7.08
月 平 均	42.1	8.00	月 平 均	42.2	7.92	月 平 均	42.0	7.32
VII 4 15 30 11 16 10 18 15 50 25 16 10	42.3 42.2 42.4 42.1	8.28 7.75 8.22 7.96	IX 6 14 55 12 — — 19 15 25 26 12 20	42.0 — 42.0 42.3	7.84 — 7.84 7.69	XI 7 15 15 11 15 10 18 11 55 25 12 20	41.8 41.9 41.6 41.7	L/M 7.07 7.34 7.13 7.51
月 平 均	42.3	8.05	月 平 均	42.1	7.79	月 平 均	41.8	7.26
						XII 2 12 15	41.5	7.20

昭和六年 (1931)

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
温泉 No. 4 1931			II 3 11 40 10 14 35 17 12 25 24 11 25	42.3 42.3 42.3 42.4	L/M 11.66 12.40 13.20 10.51	温泉 No. 87 1931		
I 6 15 30 13 14 30 20 14 50 27 15 25	54.5 54.4 54.4 54.4	L/M 16.51 16.98 15.76 16.51	月 平 均	42.3	11.94	I 2 — — 9 15 10 16 15 10 23 15 20 30 15 25	— 62.0 61.5 61.1 61.3	L/M — 20.80 16.05 14.01 17.19
月 平 均	54.4	16.44	III 3 11 40 10 11 40	42.3 42.3	10.62 10.97	月 平 均	61.5	17.01
II 3 15 10 10 13 40 17 15 50 24 15 25	54.3 54.4 54.3 54.1	15.03 16.98 14.61 14.66	温泉 No. 58 1931			II 6 14 50 13 15 30 20 15 10 27 15 25	61.1 61.7 60.6 61.6	15.84 17.93 10.76 17.34
月 平 均	54.3	15.32	I 2 — — 9 14 50 16 14 50 23 14 55 30 15 0	— 45.5 45.3 45.3 45.4	— 12.85 10.33 10.58 10.75	月 平 均	61.3	15.47
III 3 14 55 10 14 20	54.2 54.1	15.19 17.19	月 平 均	45.4	11.13	III 6 14 20 13 14 50	60.6 61.5	10.22 15.97
月 平 均	54.2	16.19	II 6 14 25 13 15 5 20 14 30 27 14 55	45.3 45.3 45.1 45.2	11.47 11.01 9.86 10.91	月 平 均	60.8	13.10
温泉 No. 31 1931			温泉 No. 130 1931			I 6 14 30 13 13 45 20 14 30 27 14 55	48.6 48.3 48.4 48.3	8.54 8.36 7.68 7.91
I 6 15 55 13 14 10 20 11 25 27 11 25	42.5 42.4 42.4 42.3	15.33 12.31 11.54 10.04	月 平 均	45.2	10.81	月 平 均	48.4	8.12
月 平 均	42.4	12.31	III 6 15 20 13 14 20	44.9 45.2	8.04 10.83			
			月 平 均	45.1	9.44			

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
II 3 14 50 10 15 0 17 14 55 24 14 35	48.2 47.9 48.3 48.5	7.34 7.51 7.66 8.29	I 2 — — 9 12 5 16 13 40 23 13 20 30 12 40	— 61.1 61.0 60.8 61.0	— 14.29 12.75 12.74 12.54	月 平 均	53.4	11.07
月 平 均	48.2	7.70	月 平 均	61.0	12.33	温泉 No. 564		
III 3 14 20 10 14 0	48.3 48.6	7.50 8.42	II 6 12 55 13 12 55 20 12 35 27 14 5	60.9 60.9 61.0 60.9	12.19 12.22 12.84 13.39	1931		
月 平 均	48.5	7.96	月 平 均	60.9	12.41	I 2 — — 9 10 5 16 10 0 23 10 55 30 10 20	— 53.1 53.1 53.1 52.9	— 13.10 13.37 13.21 12.64
温泉 No. 343			III 6 12 20 13 13 20	60.9 60.7	13.77 13.63	月 平 均	53.1	13.08
1931			月 平 均	60.8	13.70	II 6 10 20 13 10 15 20 10 5 27 10 20	53.0 53.0 52.9	13.21 14.00 12.54 12.36
I 6 14 5 13 12 0 20 14 10 27 12 5	64.6 64.4 64.4 64.5	5.05 5.03 4.21 4.99	温泉 No. 530			月 平 均	52.0	13.28
月 平 均	64.5	4.82	1931			III 6 10 45 13 10 20	52.0 52.9	12.79 12.69
II 3 14 25 10 12 35 17 13 45 24 11 55	64.3 64.4 64.2 64.6	3.80 5.83 4.07 5.63	I 6 11 30 13 11 25 20 11 0 27 11 0	50.9 50.6 50.7 50.6	8.83 8.98 8.58 6.54	月 平 均	52.0	12.74
月 平 均	64.4	4.83	月 平 均	50.7	8.23	温泉 No. 571		
III 3 13 15 10 13 35 17 — —	64.1 64.6 —	3.44 4.91 —	温泉 No. 542			1931		
月 平 均	64.4	4.18	I 6 12 20 13 13 25 20 11 50 27 12 20	53.6 52.3 52.4 52.3	10.53 10.99 10.71 10.58	I 6 10 35 13 10 25 20 10 10 27 10 15	47.9 47.6 47.6 47.6	9.09 8.36 8.36 8.18
温泉 No. 418			月 平 均	50.9	8.98	月 平 均	47.7	8.50
1931			III 3 12 5 10 11 15	50.9 51.0	8.54 8.40	II 3 10 20 10 10 35 17 11 15 24 10 40	47.6 47.6 47.8 47.7	8.05 7.90 8.69 8.26
I 2 — — 9 15 35 16 15 35 23 15 45 30 15 45	— 60.0 60.0 60.0 60.0	— 14.89 14.30 12.35 14.18	月 平 均	51.0	8.47	月 平 均	47.7	8.23
月 平 均	60.0	13.93	温泉 No. 542			III 3 11 15 10 10 25	47.6 47.6	7.97 7.97
II 6 15 15 13 15 55 20 15 40 27 15 55	59.7 59.8 59.6 59.8	11.13 14.24 9.48 13.87	1931			月 平 均	47.6	7.97
月 平 均	59.7	12.18	I 6 12 20 13 13 25 20 11 50 27 12 20	53.6 52.3 52.4 52.3	10.53 10.99 10.71 10.58	温泉 No. 580		
III 6 15 45 13 15 15	59.3 59.8	7.03 13.70	月 平 均	53.4	10.73	1931		
月 平 均	59.6	10.37	II 3 12 5 10 12 10 17 13 15 24 12 15	52.5 52.4 52.4 52.4	11.24 11.14 11.49 11.26	I 2 — — 9 10 25 16 10 25 23 11 15 30 10 45	— 48.7 48.1 49.0 48.4	— 10.57 9.22 11.37 10.57
温泉 No. 472			月 平 均	53.4	11.28	月 平 均	48.6	10.43
1931			III 3 14 5 10 12 5	53.4 53.4	10.53 11.60	II 6 10 40 13 10 40	48.6 48.8	10.84 11.12

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
Ⅱ 20 10 25 27 10 45	48.8 47.9	11.12 8.97	月 平 均	55.2	12.14	月 平 均	48.8	8.30
月 平 均	48.5	10.51	Ⅲ 6 12 5 13 12 55	55.2 55.1	11.78 11.88	温泉 No. 1153		
Ⅲ 4 11 15 13 10 40	48.6 48.5	11.91※ 11.16	月 平 均	55.2	11.83			
月 平 均	48.6	11.53	温泉 No. 801			1931		
※ 5日液渾ス			1931			Ⅰ 6 15 55 13 14 55 20 15 30 27 15 55	52.2 53.1 52.4 52.9	6.66 9.40 6.39 7.68
温泉 No. 671			Ⅰ 2 — — 9 11 40 16 11 45 23 12 35 20 12 10	— 41.9 40.9 40.9 40.0	— 2.19 1.79 1.81 1.63	月 平 均	52.7	7.53
1931			月 平 均	40.9	1.86	Ⅱ 3 15 35 10 14 5 17 15 25 24 15 0	52.1 53.2 52.1 52.8	5.33 7.75 5.74 7.70
Ⅰ 2 — — 9 11 10 16 11 10 23 12 0 20 11 20	— 52.1 53.0 53.0 52.9	— 12.30 11.00 11.59 10.96	Ⅱ 6 12 5 13 12 0 20 11 45 27 12 5	40.3 40.1 40.2 42.0	1.62 1.82 1.69 2.24	月 平 均	52.6	6.63
月 平 均	52.0	11.46	月 平 均	40.6	1.84	Ⅲ 3 15 15 10 14 55	52.2 52.9	5.44 8.12
Ⅱ 6 11 25 13 11 25 20 11 10 27 11 20	52.9 52.9 53.1 53.0	12.34 13.37 12.10 12.38	月 平 均	41.5	2.02	月 平 均	52.6	6.78
月 平 均	52.0	12.80	Ⅲ 6 13 5 13 12 5	46.6 41.3	2.08 1.96	温泉 No. 1291		
Ⅲ 6 11 35 13 11 25	53.1 53.0	11.84 11.74	月 平 均	温泉 No. 1040		1931		
月 平 均	52.1	11.79	1931			Ⅰ 6 12 50 13 13 0 20 12 15 27 12 55	41.4 41.0 41.4 41.3	7.39 6.91 7.08 7.11
温泉 No. 771			Ⅰ 2 — — 9 14 25 16 14 25 23 14 30 20 14 35	— 45.3 44.6 44.9 44.3	— 12.82 9.66 9.62 9.66	月 平 均	41.3	7.12
1931			月 平 均	44.8	10.44	Ⅱ 3 11 35 10 13 10 17 12 55 24 12 45	41.2 41.2 41.0 41.1	7.16 7.10 6.84 7.08
Ⅰ 2 — — 9 14 0 16 14 5 23 12 55 20 14 10	— 55.0 55.1 55.1 55.1	— 12.52 11.78 12.02 11.98	Ⅱ 6 14 0 13 14 40 20 14 50 27 14 20	44.6 44.1 42.8 42.6	10.88 9.92 8.22 9.50	月 平 均	41.1	7.05
月 平 均	55.1	12.08	月 平 均	44.0	9.64	Ⅴ 3 12 40 10 12 35	41.0 41.1	6.87 7.19
Ⅱ 6 12 20 13 12 25 20 12 10 27 12 20	55.2 55.1 55.2 55.1	12.23 12.34 12.12 11.85	Ⅲ 6 14 45 13 13 45	43.6 43.9	7.43 9.17	月 平 均	41.1	7.08

昭和七年 (1932)

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
1932 温泉 No. 4			月 平 均	52.2	15.31	VI 7 14 30 14 16 45 21 15 0 28 11 25	44.7	9.51
			II 9 14 10	52.6	16.58		44.7	9.00
			X 4 11 55	52.2	17.12		44.6	7.41
			11 13 40	52.2	16.44		44.5	7.60
			18 12 25	52.2	16.19	月 平 均	44.6	8.38
			25 11 50	52.3	10.88			
月 平 均	52.9	16.87	月 平 均	52.2	15.16	VII 5 14 55	44.6	10.59
III 1 14 25	52.8	17.26	XI 1 11 0 8 15 0 15 — — 22 — —	52.3	10.58	12 12 40	44.6	11.01
8 13 50	52.7	12.93		51.8	—	19 13 35	44.8	11.65
15 13 25	52.7	16.91		—	—	26 11 20	44.8	11.29
22 15 10	52.7	15.70		—	—	月 平 均	44.7	11.14
29 14 10	52.4	12.36	月 平 均	52.1	10.58	VIII 2 10 20	44.7	9.34
月 平 均	52.7	15.03	※浴室及浴槽修理中ニツキ測定不能			9 14 10	44.7	9.54
IV 5 13 10	52.7	11.48	XII 6 15 40 18 16 30 20 16 50 27 13 50	51.2	12.00	16 12 55	44.5	9.17
12 13 30	52.7	14.11		51.1	11.65	23 14 55	44.5	9.37
19 14 20	52.6	13.35		51.7	11.08	月 平 均	44.6	9.36
26 14 15	52.6	14.87		51.3	12.48	IX 6 11 25	44.5	9.27
月 平 均	52.7	13.45	月 平 均	51.3	11.80	13 13 20	44.0	8.69
V 3 14 30	52.4	11.14	1932 温泉 No. 58			20 11 20	44.5	10.28
10 14 0	52.4	13.79				II 9 12 10	44.6	11.84
17 14 45	52.7	10.09	16 13 10	44.6	9.75	月 平 均	44.4	9.68
24 13 45	52.6	15.36	28 11 50	44.8	11.22	X 4 13 25	44.7	11.08
31 14 45	52.6	15.88	月 平 均	44.7	10.94	11 11 55	44.7	11.44
月 平 均	52.5	13.25	III 1 11 40	44.8	11.16	18 10 30	44.5	10.39
VI 7 13 20	52.5	16.38	8 13 0	44.7	10.58	25 14 35	44.3	9.33
14 15 20	52.6	15.47	15 11 30	44.6	10.89	月 平 均	44.6	10.56
21 14 30	52.7	16.60	22 13 10	44.5	10.50	XI 1 10 25	44.3	9.27
28 14 10	52.6	17.33	29 11 40	44.6	9.59	8 10 40	44.1	7.79
月 平 均	52.6	16.45	月 平 均	44.6	10.54	15 10 45	44.2	7.96
VII 5 13 0	52.1	18.48	IV 5 11 50	44.7	7.46	22 10 20	44.1	7.69
12 14 0	52.1	19.80	12 11 40	44.7	9.81	29 14 50	44.2	8.04
19 10 40	52.3	16.80	19 11 45	44.7	9.30	月 平 均	44.2	8.15
26 9 45	52.3	16.58	26 11 20	44.7	8.68	XII 6 13 45	44.4	9.98
月 平 均	52.2	17.92	月 平 均	44.7	8.81	13 14 50	44.4	9.96
VIII 2 13 50	52.3	17.10	V 3 13 20	44.5	8.30	20 13 25	44.5	10.73
9 11 25	52.3	10.56	10 11 40	44.5	8.08	27 11 20	44.4	10.28
16 10 40	52.2	15.41	17 12 55	44.4	6.61	月 平 均	44.4	10.24
23 13 10	52.2	15.82	24 12 0	44.8	8.70	1932 温泉 No. 87		
月 平 均	52.3	14.72	31 14 15	44.5	7.08			
IX 6 14 10	52.2	16.32	月 平 均	44.5	7.74	II 9 11 0	62.5	22.14
13 11 25	52.2	15.32				16 11 0	62.7	16.60
20 14 30	52.2	16.51				23 11 0	62.7	20.72
27 11 30	52.2	12.58						

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	
月平均	62.6	19.82	XI 15 14 50 22 14 50 29 10 50	62.1 62.2 62.1	10.43 14.18 14.43	VIII 23 11 10	47.7	7.06	
III 1 10 22 8 12 20 15 10 30 22 10 25 29 10 32	62.7 62.2 62.6 61.8 62.3	20.87 14.45 20.50 12.38 14.72	月平均	62.2	12.93	IX 6 10 30 13 13 50 20 10 50 26 9 40	47.7 47.7 47.7 47.7	6.84 7.37 7.64 7.22 7.15	
月平均	62.3	16.58	XII 6 16 10 13 13 40 20 13 5 27 13 20	62.6 61.5 62.4 61.9	15.54 6.01 15.46 8.21	月平均	47.7	7.35	
IV 5 10 20 12 10 10 19 14 50 26 10 35	58.7 62.7 60.7 62.7	15.22 19.87 3.69 17.09	月平均	62.1	11.31	X 4 13 50 11 11 30 18 10 0 25 15 0	47.6 47.6 47.6 47.4	6.93 7.09 5.93 5.57	
月平均	61.2	13.97	温泉 No. 130			月平均	47.6	6.88	
V 3 10 50 10 11 0 17 15 5 24 11 0 31 12 20	62.3 62.0 61.7 62.7 62.7	14.12 9.28 7.42 18.79 13.56	II 9 11 30 16 11 25 23 11 25	47.9 48.2 48.2	11.19 9.52 9.19	月平均	47.4	6.70	
月平均	62.3	12.63	III 1 10 50 8 12 50 15 11 0 23 11 30 29 11 0	48.1 48.2 48.2 48.2 48.2	9.91 8.78 9.67 7.20 8.03	XI 1 9 50 8 10 0 15 10 20 22 9 40 29 14 20	47.4 47.2 47.3 47.3 47.8	5.49 5.31 7.15 7.02 8.51	
月平均	62.4	14.29	月平均	48.2	8.72	月平均	47.4	6.70	
VI 7 10 40 14 10 25 21 10 45 28 10 30	62.6 62.0 62.4 62.4	14.32 8.66 16.01 18.15	IV 5 11 0 12 11 0 19 11 0 26 13 45	48.2 47.9 47.8 47.8	7.76 8.16 7.96 8.16	XII 6 13 25 13 14 20 20 14 25 27 10 10	47.7 47.7 47.7 47.7	8.61 8.31 8.07 9.88	
月平均	62.6	18.29	月平均	47.9	8.01	月平均	47.7	8.72	
VII 5 10 55 12 11 20 19 9 30 26 14 5	62.9 62.2 62.7 62.7	19.81 12.28 20.08 21.02	V 3 11 20 10 10 10 17 12 20 24 10 45 31 13 10	48.2 48.2 47.8 47.9 47.5	8.61 8.29 6.67 7.51 6.98	温泉 No. 343			
月平均	62.6	18.29	月平均	47.9	7.61	1932	II 9 9 0 16 9 10 23 9 52	62.7 61.7 63.6	5.35 3.05 5.07
VIII 2 14 10 9 10 55 16 10 15 23 10 35	62.8 62.7 62.7 62.3	18.55 15.10 19.35 12.70	VI 7 11 5 14 11 35 21 11 0 28 11 0	47.7 48.1 47.5 47.5	7.14 6.55 7.48 6.69	月平均	62.7	4.47	
月平均	62.6	16.42	月平均	47.7	6.96	III 1 9 0 8 10 30 15 9 15 22 9 5 29 9 10	63.5 63.7 62.6 62.5 63.2	4.99 3.87 2.65 2.56 2.69	
IX 6 9 50 13 10 20 20 10 35 27 13 50	62.3 62.5 62.5 61.7	14.12 15.46 16.80 7.46	月平均	47.7	6.96	月平均	63.1	3.35	
月平均	62.3	13.46	VII 5 11 20 12 11 50 19 13 10 26 14 55	48.0 47.8 47.8 47.8	6.62 7.24 7.39 7.48	IV 5 8 50 12 9 0 19 9 20 26 9 0	63.1 64.2 63.8 63.3	2.58 4.59 4.57 3.03	
X 4 11 35 11 10 50 18 12 45 25 11 35	62.7 62.7 62.7 60.8	21.48 18.55 17.09 3.64	月平均	47.9	7.18	月平均	63.6	3.69	
月平均	62.2	15.19	VIII 2 9 45 9 14 45 16 14 20	47.7 47.7 47.7	6.65 6.92 6.74	V 3 9 0 10 16 0 17 15 20 24 9 10 31 10 5	63.6 — 59.6 63.4 59.5	3.10 — — 3.36 —	
XI 1 12 50 8 14 10	62.8 62.0	18.15 7.43							

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
月平均	61.5	3.23	II 9 10 15 16 10 25 23 10 35	59.7 59.7 59.7	8.51 12.64 10.59	XI 1 12 20 8 13 40 15 14 30 22 14 20 29 10 20	59.2 58.6 58.9 58.9 58.9	9.01 9.65 9.34 9.73 8.96
※干潮ノ爲湧出閉止 ※※三回測定ニ行ケドモ湧出微 量ニテ測定不能			月平均	59.7	10.88	月平均	58.9	9.34
VI 7 9 50 14 9 50 21 15 40 28 9 0	68.9 63.9 63.8 68.9	4.76 11.19※ 6.82 7.18	III 1 9 40 8 11 45 15 10 5 23 9 55 29 10 5	59.7 59.7 59.7 59.8 59.2	14.18 17.16 10.76 12.85 11.94	XII 6 16 45 13 13 10 20 12 35 27 14 45	59.2 58.7 58.7 58.6	9.59 9.01 11.21 9.11
月平均	68.9	7.49	月平均	59.6	12.28	月平均	58.8	9.73
※12日湧出口ニ竹管ヲ通ス			IV 5 9 50 12 9 45 19 10 30 26 9 55	59.7 59.2 59.8 59.7	11.64 12.84 11.44 12.54	温泉 No. 472 1932		
VII 5 9 50 12 16 20 19 8 20 26 18 20	63.9 64.0 64.2 64.2	8.13 11.57 9.40 9.04	月平均	59.6	12.12	II 5 15 35 12 14 15 19 14 20 26 14 35	56.5 56.6 56.6 56.5	12.60 14.45 9.09 10.72
月平均	64.1	9.45	V 3 9 55 10 9 20 17 11 30 24 10 0 31 11 45	59.7 59.5 59.4 59.5 59.6	10.35 10.25 5.87 12.63 8.31	月平均	56.6	11.72
VIII 2 9 20 9 9 15 16 — — 23 9 15	64.2 64.1 — 64.1	8.35 4.85 — 6.92	月平均	59.5	9.48	III 4 14 50 11 — — 18 14 40 25 9 10	56.6 — 58.1 58.1	10.26 — 11.81 11.81
月平均	64.1	6.71	VI 7 10 25 14 11 10 21 10 20 28 9 50	59.6 59.7 59.8 59.8	13.93 9.85 13.36 13.47	月平均	57.6	11.29
IX 6 16 0 13 9 30 20 9 10 27 13 20	64.2 63.9 64.2 63.7	9.55 9.08 8.70 5.82	月平均	59.7	12.64	IV 1 9 50 8 9 40 15 9 10 22 9 20 29 14 35	57.2 57.5 57.4 57.5 57.5	10.42 8.05 13.13 12.47 11.89
月平均	64.0	8.29	VII 5 10 35 12 10 40 19 9 10 26 13 50	59.7 59.8 59.6 59.7	13.64 11.60 14.82 15.02	月平均	57.4	11.19
X 4 10 40 11 9 25 18 14 0 25 15 40	64.0 64.0 63.7 63.7	9.65 9.60 10.29 8.13	月平均	59.7	13.77	V 6 9 15 13 9 20 20 9 20 27 9 20	57.3 57.6 57.6 57.7	12.31 13.03 14.37 13.53
月平均	63.9	9.42	VIII 2 14 25 9 10 20 16 9 45 23 9 50	59.7 59.7 59.6 59.5	15.24 13.40 15.53 12.59	月平均	57.6	13.31
XI 1 11 30 8 13 10 15 14 0 22 14 0 29 9 45	64.1 63.2 63.6 63.7 63.8	9.17 5.02 4.63 7.27 6.37	月平均	59.6	14.19	VI 3 9 20 10 9 40 17 10 0 24 9 25	57.8 57.9 57.6 57.9	13.92 15.87 13.32 13.46
月平均	63.7	6.59	IX 6 9 35 13 9 55 20 9 50 27 13 10	59.6 59.7 59.7 59.6	13.36 13.47 13.59 8.96	月平均	57.8	14.14
XII 6 17 20 13 12 30 20 12 0 27 14 20	63.7 63.2 63.4 63.2	6.75 5.80 7.69 6.31	月平均	59.7	12.35	VII 1 9 20 8 8 30 15 9 40 22 9 10 29 9 30	57.6 57.6 58.1 58.5 58.5	13.77 14.25 13.26 16.01 —
月平均	63.4	6.64	X 4 11 5 11 10 15 18 13 20 25 10 55	59.1 59.2 59.1 58.9	13.24 13.25 11.64 7.89	月平均	58.1	14.32
温泉 No. 418 1932			月平均	59.1	11.51			

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
VIII 5 13 10 12 9 30 19 8 50 26 9 20	58.4 58.2 58.6 58.6	14.81 15.41 13.13 13.63	V 27 11 0	52.6	9.82	月 平 均	53.7	10.76
月 平 均	58.5	14.25	月 平 均	52.5	8.38	III 4 14 20 11 — — 18 14 0 25 9 50	53.6 — 53.8 51.6	9.36 — 8.10 7.59
K 2 13 20 9 9 45 16 9 10 30 13 5	58.5 58.5 58.6 58.6	13.81 14.37 13.63 12.54	VI 3 11 15 10 10 20 17 14 10 24 10 35	52.6 53.2 53.3 53.3	9.37 10.74 10.15 9.28	月 平 均	53.0	8.35
月 平 均	58.6	13.59	月 平 均	53.1	9.89	IV 1 14 40 8 15 50 15 14 0 22 14 0 29 13 55	53.8 53.5 53.8 51.7 51.9	11.67 10.21 9.52 10.21 10.45
X 7 10 25 14 9 50 21 9 40 28 9 20	58.7 58.7 58.6 58.6	13.92 14.29 14.44 13.84	VII 1 10 45 8 14 0 15 10 15 22 14 30 29 10 25	53.2 53.2 53.7 53.8 53.7	9.59 9.56 9.49 10.46 9.16	月 平 均	52.9	10.41
月 平 均	58.7	14.12	月 平 均	53.5	9.65	V 6 9 45 13 10 15 20 10 15 27 10 35	53.5 53.6 50.8 52.7	10.43 10.27 9.87 12.16
XI 4 9 35 11 9 30 18 9 40 25 14 0	59.0 58.8 58.9 58.9	15.59 15.73 13.03 12.78	VIII 5 14 20 12 13 55 19 13 35 26 13 50	53.7 53.4 53.5 53.5	8.87 8.87 9.11 8.91	月 平 均	52.7	10.68
月 平 均	58.9	14.28	月 平 均	53.5	8.94	VI 3 10 5 10 15 50 17 10 30 24 9 50	52.7 52.8 52.8 52.6	11.39 13.33 12.22 10.53
XII 2 9 10 9 9 40 16 9 20 28 9 45	58.8 58.8 58.9 58.7	13.81 13.46 14.18 12.91	IX 2 14 30 9 10 50 16 10 15 30 14 25	53.5 53.3 53.5 53.7	9.32 8.83 10.55 10.52	月 平 均	52.7	11.87
月 平 均	58.8	13.59	月 平 均	53.5	9.81	VII 1 9 55 8 12 35 15 11 50 22 14 55 29 9 55	52.8 52.7 52.8 52.7 52.7	12.87 12.74 13.14 11.44 12.01
温泉 No. 530			X 7 13 0 14 13 40 21 11 10 28 10 35	53.7 53.7 53.3 53.2	10.77 11.06 10.33 10.26	月 平 均	52.7	12.44
1932			月 平 均	53.5	10.61	VIII 5 13 45 12 13 20 19 13 10 26 14 20	52.6 52.5 53.0 53.2	12.68 13.06 14.00 10.47
II 12 12 40 19 12 50 26 12 0	52.2 52.2 52.3	10.32 10.06 9.28	XI 4 10 40 11 10 20 18 10 45 25 12 50	53.2 53.7 53.7 53.7	10.09 9.56 9.42 9.18	月 平 均	52.8	12.55
月 平 均	52.2	9.89	月 平 均	53.6	9.56	IX 2 13 55 9 10 20 16 9 45 30 13 50	53.2 53.2 53.1 51.7	10.85 11.07 10.97 9.47
III 4 13 45 11 — — 18 13 20 25 10 45	52.2 — 52.6 52.2	9.98 — 8.96 9.30	XII 2 13 0 9 10 50 16 13 10 23 10 55	53.7 53.5 53.4 53.2	10.20 9.37 9.14 11.63	月 平 均	52.8	10.59
月 平 均	52.3	9.41	月 平 均	53.5	10.08	X 7 11 45 14 14 10 21 10 30 28 9 55	53.2 53.2 52.7 52.8	10.29 9.48 9.38 9.24
IV 1 13 45 8 15 25 15 13 5 22 15 0 29 13 30	52.3 52.2 52.6 52.3 52.4	9.00 9.30 9.42 8.96 8.27	温泉 No. 542			月 平 均	53.0	9.60
月 平 均	52.4	8.99	1932			XI 4 10 10 11 10 0	52.9 52.8	10.26 10.43
V 6 10 45 13 11 20 20 11 0	51.8 52.7 52.7	8.77 7.68 7.26	II 5 15 5 12 13 40 19 13 50 26 14 0	53.6 53.8 53.8 53.6	11.87 9.93 9.89 11.34			

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
X 18 10 15 25 13 20	52.4 52.3	11.68 8.70	月 平 均	47.2	12.78	※ 梅雨ノ爲井水増加シ湧出口 ニ入ル ... 現今迄水ト湯ト混入シ元箱 ニ出テキタルフホヲ止メ湯 ノミ出セシ爲温度昇リ湧出 量減ズ		
月 平 均	52.7	10.27	XI 4 13 30 11 10 45 18 13 25 25 9 45	47.0 46.5 46.5 46.7	12.46 12.98 12.68 11.98	VIII 5 10 40 12 11 20 19 9 50 26 10 25		
XII 2 13 40 9 10 25 16 12 55 23 10 20	52.2 52.2 52.3 51.7	10.92 10.60 11.02 10.69	月 平 均	46.7	12.53	月 平 均	46.1	30.55
月 平 均	52.1	10.81	XII 2 10 20 9 11 20 16 10 10 23 13 20	46.6 46.5 46.2 45.7	12.46 11.91 11.91 13.26	IX 2 11 40 9 14 35 16 11 20 30 11 25		
温泉 No. 571			月 平 均	46.3	12.39	月 平 均	46.5	35.41
1932			温泉 No. 580			1932		
II 5 10 35 12 9 0 19 9 5 26 9 25	47.1 47.2 46.8 46.7	8.94 8.67 8.78 8.52	II 5 11 10 12 9 40 19 9 40 26 9 55	51.7 51.7 52.2 52.3	15.94 16.56 14.84 14.56	月 平 均	46.5	30.71
月 平 均	47.0	8.73	月 平 均	52.0	15.48	X 7 10 5 14 10 55 21 13 10 28 11 25	46.8 47.1 47.1 47.2	32.48 29.54 31.89 28.48
III 4 10 35 11 — — 18 9 20 25 15 40	47.3 — 46.8 46.2	7.96 — 7.54 6.99	III 4 11 15 11 — — 18 9 55 25 14 30	52.0 — 52.4 52.4	13.70 — 10.96 8.76	月 平 均	47.1	30.71
月 平 均	46.8	7.50	月 平 均	52.3	11.14	XI 4 13 10 11 11 0 18 13 10 25 10 10	47.5 48.0 47.7 48.5	29.26 29.54 27.90 26.20
IV 1 12 26 8 10 15 15 10 0	46.2 46.2 47.6	7.44 9.05 7.73	IV 1 10 50 8 10 55 15 10 35 22 11 5 29 9 30	52.3 52.3 51.8 50.9 51.2	7.73 8.73 8.84 7.37 8.26	月 平 均	47.9	28.22
月 平 均	46.7	8.07	月 平 均	51.7	8.19	XII 2 10 50 9 11 45 16 10 45 28 12 30	48.6 48.8 49.2 49.3	25.11 23.73 23.54 21.88
21日 竹管掃除ヲ行ヒタルニ竹管 腐敗ノ爲中途ヨリ泥水浸入 シ泥水湧出ス			V 6 11 0 13 13 10 20 13 15 27 16 35	51.0 51.0 50.2 48.2	7.69 8.56 5.43 17.52	月 平 均	49.0	23.55
VII 15 14 0 22 9 45 29 13 50	44.7 45.2 45.3	16.94 15.01 12.75	月 平 均	50.1	9.80	温泉 No. 671		
月 平 均	45.1	14.90	VI 3 16 10 10 14 15 17 11 20 24 14 0	48.4 48.2 48.5 48.5	16.03 19.70 17.32 17.35	1932		
VIII 5 10 0 12 9 55 19 9 25 26 9 55	45.2 45.2 45.6 46.2	15.01 15.66 11.83 16.00	月 平 均	48.4	17.59	II 5 14 7 12 11 0 19 11 50 26 10 50	51.4 51.6 51.7 51.4	12.05 13.90 12.61 12.14
月 平 均	45.6	14.63	月 平 均	48.6	17.73	月 平 均	51.5	12.43
IX 2 12 10 9 14 10 16 11 45 30 12 40	46.9 46.4 46.4 46.7	13.51 16.68 14.85 12.87	VII 1 14 35 8 9 0 15 14 30 22 10 20 29 14 15	48.6 45.7 46.3 46.8 52.6	17.73 32.40 30.44 24.90 18.15	III 4 12 45 11 — — 18 11 5 25 13 10	51.5 — 51.2 51.2	12.47 — 11.39 11.56
月 平 均	46.6	14.48	月 平 均	48.0	24.72	月 平 均	51.3	12.14
X 7 10 45 14 10 30 21 12 40 28 11 0	47.1 47.1 47.2 47.2	12.15 12.83 13.68 12.46						

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
IV 1 12 40 8 14 10 15 11 30 22 12 50 29 11 40	51.2 51.0 48.6 48.7 48.7	L/M 11.35 8.92 17.85 17.05 19.87	月 平 均	49.0	21.95	X 7 12 50 14 13 10 21 13 55 28 14 10	45.1 45.2 45.1 44.1	L/M 4.98 5.07 4.74 4.80
月 平 均	49.6	14.91	温泉 No. 801			月 平 均	44.9	4.90
V 6 13 55 13 14 50 20 15 10 27 14 10	48.6 48.6 48.6 48.6	19.38 18.27 17.29 17.36	1932			月 平 均	42.4	3.18
月 平 均	48.6	18.08	II 5 14 45 12 11 40 19 12 25 26 11 20	47.2 47.0 46.8 46.7	7.71 7.85 7.49 6.88	XI 4 11 40 11 13 35 18 11 0 25 12 20	42.6 48.6 48.2 42.1	3.19 3.31 3.08 3.15
月 平 均	48.6	17.21	月 平 均	46.9	7.27	月 平 均	42.8	3.14
月 平 均	48.6	17.48	III 4 13 20 11 — — 18 11 30 25 11 20	46.7 — 46.6 45.8	6.79 — 5.60 5.66	XII 2 12 20 9 14 10 16 12 10 23 11 10	42.7 44.2 44.4 42.9	3.83 4.56 3.66
月 平 均	48.5	19.71	月 平 均	46.4	6.02	月 平 均	48.8	3.80
VII 1 14 40 8 10 20 15 11 20 22 13 20 29 15 20	48.7 48.3 48.6 48.5 48.5	18.45 19.48 21.24 19.38 20.41	IV 1 13 20 8 14 40 15 12 35 22 13 30 29 12 35	45.8 45.8 45.7 45.7 45.7	5.76 5.57 5.79 5.87 5.68	温泉 No. 1040		
月 平 均	48.5	20.41	月 平 均	45.7	5.73	1932		
月 平 均	48.5	19.99	V 6 15 40 13 15 20 20 15 45 27 14 30	45.2 45.4 45.4 45.3	3.95 5.44 5.78 4.29	II 9 12 50 16 14 0 23 13 0	41.6 41.7 41.7	8.90 7.62 8.04
月 平 均	48.5	20.30	月 平 均	45.3	4.37	月 平 均	41.7	8.19
月 平 均	48.5	20.47	VI 3 14 25 10 11 30 17 14 20 24 11 40	45.2 45.1 45.1 45.0	4.32 3.60 4.39 3.47	III 1 13 10 8 14 30 15 12 25 22 13 45 29 12 45	41.6 41.6 41.0 39.6 39.7	7.83 6.76 6.75 5.74 5.06
月 平 均	48.7	19.58	月 平 均	45.1	3.95	月 平 均	40.7	6.43
月 平 均	48.7	20.56	VII 1 11 20 8 11 10 15 10 45 22 13 40 29 11 10	45.2 45.1 45.2 44.9 44.7	3.67 3.81 3.70 3.78 3.19	VI 7 14 0 14 13 45 21 14 10 28 13 45	42.8 42.7 42.6 42.6	8.34 8.51 7.87 8.39
月 平 均	48.9	19.99	月 平 均	45.0	3.68	月 平 均	42.7	8.28
月 平 均	48.9	20.52	VIII 5 14 45 12 14 45 19 14 20 26 13 25	44.7 44.5 44.5 44.5	3.80 4.00 3.78 3.74	VII 5 14 25 12 13 30 19 14 15 26 9 0	41.8 41.7 42.1 42.2	8.63 9.14 9.92 9.68
月 平 均	48.9	19.88	月 平 均	44.6	3.71	月 平 均	42.0	9.34
月 平 均	48.9	20.41	IX 2 15 10 9 11 20 16 13 15 30 14 50	43.8 43.7 43.7 45.3	3.69 3.76 3.62 4.75	VIII 2 11 10 9 13 40 16 11 50 23 14 20	42.1 42.1 41.6 41.5	10.41 10.45 7.53 7.68
月 平 均	48.9	19.99	月 平 均	44.1	3.96	月 平 均	41.8	9.02
月 平 均	48.9	20.20	XI 2 12 0 9 13 20 16 11 40 23 11 50	49.2 49.0 48.9 48.9	23.98 21.08 20.41 22.31	IX 6 13 45 13 12 50 20 13 55	41.5 40.1 40.0	7.16 5.64 5.58

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
IX 27 10 25	40.0	5.40	III 1 13 40	52.3	6.24	VIII 2 11 50	52.2	7.68
月平均	40.4	5.95	8 15 0	52.2	5.52	9 12 10	52.2	7.29
X 4 13 0	41.1	8.13	15 12 50	51.6	5.09	16 11 20	52.2	7.39
11 12 30	41.0	8.90	22 14 12	45.8	1.33	23 13 45	52.2	7.15
18 10 55	40.6	8.11	29 13 40	50.2	3.77	月平均	52.2	7.38
25 13 25	38.5	4.85	月平均	50.4	4.39	IX 6 13 10	52.2	7.24
月平均	40.3	7.50	IV 5 13 35	52.1	2.89	13 11 50	50.5	4.07
XI 1 13 40	39.4	5.46	12 12 50	52.1	2.84	20 13 10	52.1	7.79
8 11 20	39.4	5.41	19 12 50	52.0	2.78	27 14 20	50.2	3.72
15 11 20	39.2	5.26	26 13 10	51.7	6.55	月平均	51.3	5.71
22 11 10	39.2	5.49	月平均	52.0	3.77	X 4 12 30	52.2	8.33
29 15 25	39.4	5.50	V 3 13 45	49.5	3.57	11 13 10	52.2	7.75
月平均	39.3	5.42	10 13 20	49.3	2.78	18 11 30	52.2	8.88
XII 6 14 30	39.2	6.35	17 13 25	41.8	1.76	25 15 50	48.6	4.16
13 15 10	34.2	—	24 13 20	52.2	7.52	月平均	51.3	7.28
20 15 10	42.2	10.19	31 15 10	48.7	3.30	XI 1 13 10	52.2	7.83
27 12 25	42.2	10.64	月平均	48.3	3.79	8 15 20	52.0	6.90
月平均	39.5	9.06	VI 7 14 50	52.2	7.25	15 16 20	50.7	5.81
温泉 No. 1153 1932			14 13 20	52.2	5.35	22 15 10	51.6	7.18
			21 13 20	52.2	6.07	29 16 10	50.2	5.24
II 9 13 30			28 13 10	52.1	5.74	月平均	51.3	6.59
			月平均	39.5	9.06	VI 7 14 50	52.2	7.25
II 9 13 30			14 13 20	52.2	5.35	8 15 20	52.0	6.90
			21 13 20	52.2	6.07	15 16 20	50.7	5.81
23 13 40			26 8 10	52.2	8.64	22 15 10	51.6	7.18
			28 13 10	52.1	5.74	29 16 10	50.2	5.24
月平均			月平均	52.2	6.10	月平均	51.3	6.59
			II 9 13 30	51.4	7.85	XII 6 15 10	51.6	8.29
16 14 30			12 13 10	52.3	6.35	13 15 20	50.2	4.42
			19 11 20	52.2	8.10	20 16 20	51.2	6.13
23 13 40			26 8 10	52.2	8.64	27 12 50	51.2	10.84
			月平均	51.9	6.56	月平均	52.2	7.27

昭和八年 (1933)

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
温泉 No. 4 1933			月平均	50.2	10.82	V 2 11 40	48.3	10.11
			III 7 14 0	50.9	11.90	9 11 55	49.0	7.12
I 3 — —	—	—	14 12 25	50.2	11.36	16 11 50	49.2	9.24
10 10 45	51.2	12.38	21 14 0	50.2	10.37	23 — —	—	—
17 13 25	51.2	11.20	月平均	50.4	11.21	30 11 50	50.6	9.68
24 15 35	51.2	11.00	IV 4 13 23	49.9	9.90	月平均	49.3	9.03
31 13 10	51.2	11.12	11 11 30	49.8	10.24	VI 6 11 50	49.0	6.23
月平均	51.2	11.42	18 12 13	49.6	8.75	13 11 45	49.2	9.53
II 7 13 40	50.7	10.27	25 11 47	49.8	8.25	20 12 15	50.2	8.62
14 11 40	49.7	12.36	月平均	49.8	9.29	27 11 3	50.4	12.14
21 10 55	49.5	9.84	月平均	49.8	9.29	月平均	49.7	9.14
28 13 25	50.9	10.79						

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow			
VII 4 11 27 11 10 25 18 10 20 25 9 4	50.0 50.0 — 51.3	L/M 8.00 8.10 9.67 8.62	IV 4 12 25 11 10 4 18 10 30 25 10 7	44.5 44.3 44.2 44.3	L/M 8.85 10.05 7.75 9.60	月 平 均	44.4	L/M 8.93			
月 平 均	50.4	7.60	月 平 均	44.3	9.06	温泉 No. 87					
VIII 1 9 6 8 9 20 15 8 55 21 14 35 29 10 54	50.1 51.6 49.6 49.4 —	9.05 9.84 9.84 6.68 8.80	V 2 10 23 9 10 21 16 10 30 23 10 20 30 10 34	44.3 44.1 44.2 44.2 47.9	9.50 8.95 7.75 8.28 9.80	1933					
月 平 均	50.2	8.84	月 平 均	44.9	8.86	I 3 — — 10 10 20 17 13 0 24 11 25 31 13 40	— 61.8 62.1 62.2 62.1	— 9.90 14.98 10.51 11.88			
IX 5 10 32 12 10 25 19 10 31 26 10 11	49.3 49.3 49.0 49.3	10.81 5.25 9.30 7.80	VI 6 10 25 13 10 27 20 10 44 27 10 1	42.7 42.8 43.2 44.3	7.80 9.49 7.90 9.56	月 平 均	62.1	11.82			
月 平 均	49.2	8.29	月 平 均	43.3	8.69	II 7 12 40 14 11 15 21 10 30 28 11 0	61.5 62.3 61.8 62.7	3.91 10.35 6.15 9.45			
X 3 10 26 10 10 13 17 10 3	49.3 49.1 48.7	8.49 7.62 7.70	VII 4 10 6 11 9 35 18 9 25 25 8 4	44.1 42.5 42.5 44.1	7.92 9.90 6.91 8.98	月 平 均	62.1	7.47			
月 平 均	49.0	7.94	月 平 均	43.3	8.43	III 7 14 30 14 10 40 21 12 10	61.8 62.1 61.6	9.10 5.85 3.12			
颱風襲来ノ爲湧出止ル			VIII 1 8 50 8 8 20 15 8 15 21 14 10 29 9 47			44.1 44.6 44.2 44.0 —	6.78 8.10 10.15 6.45 6.89	月 平 均	61.8	6.02	
11月 閉止			月 平 均	44.2	7.67	IV 4 11 27 11 9 25 18 9 40 25 9 25	62.0 62.2 61.0 61.8	6.88 9.62 4.07 9.85	月 平 均	61.8	7.61
12月 穿直シ工事中			IX 5 10 14 12 10 4 19 10 6 26 9 44	44.2 44.0 44.5 44.4	10.21 7.40 10.15 7.34	月 平 均	61.8	6.02	V 2 — — 9 9 45 16 10 10 23 9 29 30 9 45	— 61.7 61.6 61.5 61.7	—※ 6.00 5.22 5.52 6.28
温泉 No. 58			月 平 均	44.3	8.78	月 平 均	61.6	5.76	※ 掃除中		
1933			X 3 10 16 10 9 56 17 10 45 24 10 0 31 10 10	44.6 44.3 44.5 44.2 44.1	9.97 8.35 9.05 9.12 9.10	月 平 均	61.6	5.76	VI 6 9 42 18 9 28 20 9 57 27 9 20	61.4 61.7 60.3 61.9	4.88 5.18 4.14 6.63
I 3 — — 10 12 40 17 10 50 24 15 20 31 10 50	— 44.4 44.3 44.7 44.5	— 9.53 9.93 7.69 7.47	月 平 均	44.3	8.78	月 平 均	61.3	5.21	VII 4 9 24 11 9 5 18 9 0 25 9 15	58.9 62.0 61.0 61.7	— 5.79 6.26 8.00
月 平 均	44.5	8.65	XI 7 10 5 14 10 25 21 10 26 28 10 6	44.4 44.2 44.6 44.2	6.82 7.52 10.25 7.48	月 平 均	60.9	6.68	※ 干潮ニテ測定不能		
II 7 — — 14 14 50 21 12 25 28 12 15	— 44.4 44.3 45.0	—※ 7.03 8.07 9.65	月 平 均	44.3	8.02						
月 平 均	44.6	8.25	XII 5 10 37 12 10 21 19 10 30 26 10 28	44.3 44.5 44.5 44.2	10.90 7.71 9.75 7.35						
※ 浴槽修理中測定不能			III 7 12 20 14 11 30 21 13 7	44.8 44.5 44.6	7.96 6.41 8.10						
月 平 均	44.6	7.49									

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	
VIII 1 — — 8 8 0 15 7 54 21 12 15 29 — —	— 61.6 58.1 59.4 —	—※ 9.76 9.60 1.29 —△	III 7 11 40 14 10 55 21 12 28	48.2 47.7 47.6	9.25 10.86 10.35	XI 21 10 0 28 9 46	47.9 47.7	L/M 7.41 6.95	
月 平 均	59.7	6.88	月 平 均	47.8	10.15	月 平 均	47.9	7.22	
※浴槽修理中 △干潮ニテ閉止			IV 4 11 50 11 9 44 18 10 3 25 9 45	48.0 48.0 47.5 47.6	7.86 8.20 7.08 7.80	XII 5 10 15 12 10 50 19 10 8 26 10 17	47.6 48.2 48.0 47.6	7.46 6.41 7.67 6.04	
IX 5 9 23 12 — — 19 9 26 26 — —	62.2 — 62.3 —	8.55 —※ 6.95 —△	月 平 均	47.8	7.44	月 平 均	47.9	6.90	
月 平 均	6.23	7.75	V 2 9 53 9 9 59 16 9 50 23 9 52 30 10 9	57.4 47.6 46.5 47.7 47.6	8.12 7.59 8.00 8.19 8.20	温泉 No. 343			
※干潮ニテ閉止			月 平 均	49.4	8.02	1933	I 3 — — 10 9 10 17 12 0 24 10 10 31 14 25	— 63.5 63.7 63.3 63.4	— 6.58 5.66 5.75 6.29
X 8 9 26 10 9 15 17 9 11 24 9 37 31 9 23	62.0 57.9 61.4 60.3 61.3	5.93 1.13 5.40 3.98 4.47	VI 6 10 2 13 9 54 20 10 20 27 9 37	47.5 47.7 47.8 47.7	7.61 7.05 6.78 7.20	月 平 均	63.5	6.07	
月 平 均	60.6	4.18	月 平 均	47.7	7.15	II 7 10 45 14 10 6 21 9 40 28 10 15	62.9 63.3 63.2 63.3	4.35 5.96 5.15 6.77	
XV 7 9 40 14 9 43 21 9 46 28 9 29	61.3 58.3 61.2 60.8	4.43 —※ 6.02 2.26	VII 4 9 43 11 9 35 18 9 15 25 — —	47.6 39.0 38.7 —	7.20 8.34 8.77 —※	月 平 均	63.2	5.56	
月 平 均	60.4	4.24	月 平 均	41.8	8.10	III 7 10 35 14 9 55 21 11 3	63.2 63.2 63.0	3.58 6.50 4.12	
※湧出微ニシテ測定不能			※掃除中			月 平 均	63.1	4.73	
XII 5 9 59 12 9 30 19 9 50 26 9 56	61.7 60.8 61.5 61.0	15.30※ 8.15 15.79 8.70	VIII 1 8 30 8 9 46 15 9 37 21 12 46 29 9 19	47.5 48.4 45.7 48.5 48.0	7.80 7.05 8.05 7.50 6.50	IV 4 10 40 11 8 47 18 8 35 28 8 28	62.7 63.1 62.5 62.7	5.32 5.58 4.36 6.40	
月 平 均	61.3	11.99	月 平 均	47.6	7.28	月 平 均	62.7	5.43	
※湧出口掃除ノ爲			※掃除中			V 2 8 57 9 8 57 16 9 3 23 8 44 30 8 55	62.8 62.9 64.5 62.9 62.8	5.50 6.01 4.57 6.33 3.72	
温泉 No. 130			IX 5 9 46 12 9 42 19 9 45 26 9 20	48.1 48.1 48.0 47.7	8.00 7.05 8.78 6.70	月 平 均	63.2	5.23	
1933	I 3 — — 10 13 20 17 10 10 24 16 10 31 10 20	— 47.7 47.4 47.7 47.7	— 9.01 8.85 8.61 8.03	月 平 均	48.0	7.63	VI 6 8 46 13 8 40 20 9 7 27 8 30	61.9 62.5 62.2 62.7	5.33 4.26 4.72 6.22
月 平 均	47.6	8.62	X 8 9 46 10 9 38 17 9 26 24 11 17 31 9 49	47.9 48.0 47.8 47.7 49.0	8.07 7.00 7.84 8.21 7.53	月 平 均	62.3	5.13	
II 7 12 15 14 15 25 21 11 40 28 11 30	47.3 47.7 47.7 48.5	8.31 6.76 9.48 10.41	月 平 均	48.1	7.73	VII 4 8 51 11 8 30 18 8 15 25 7 39	62.2 62.0 61.2 62.6	3.16 6.50 3.20 5.69	
月 平 均	47.8	8.49	XV 7 11 17 14 10 0	48.1 47.9	7.87 6.64				

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
月平均	62.0	L/M 4.64	月平均	59.5	L/M 15.42	I 20 ^d 9 ^h 45 ^m 27 9 0	58.6	L/M 13.29 13.56
VII 1 8 0 8 7 25 15 7 20 21 10 58 29 8 31	60.8 62.3 61.1 62.0 61.1	3.25 3.49 6.43 6.00 —*	III 7 11 0 14 10 17 21 11 30	59.7 59.1 59.0	12.52 18.65 12*60	月平均	58.6	13.19
月平均	61.5	4.79	月平均	59.3	14.59	II 8 9 40 10 12 30 17 11 15	58.7 59.1 59.1	12.84 12.75 12.80
※: 湧出量微ニシテ測定不能			IV 4 11 5 11 9 6 18 9 0 25 9 0	58.8 58.9 58.9 58.8	14.85 18.20 12.80 16.65	月平均	59.0	12.80
IX 5 8 39 12 8 59 19 8 59 26 8 35	63.4 61.8 62.6 61.8	8.20 1.84 7.18 —*	月平均	58.9	15.68	III 8 13 40 10 14 0 17 14 0 24 10 55 31 13 10	59.5 59.5 59.4 59.2 58.9	12.58 12.08 12.18 12.72 13.07
月平均	62.4	5.74	V 2 9 20 9 9 13 16 9 22 23 9 50 30 9 19	59.0 59.0 58.7 58.8 58.7	14.00 15.12 12.86 15.65 15.30	月平均	59.3	12.53
※: 干潮ニシテ測定不能			月平均	58.8	14.59	IV 7 12 57 14 9 20 21 9 5 28 8 45	58.8 58.7 58.7 58.7	12.31 12.82 12.62 13.18
X 8 8 47 10 9 0 17 8 47 24 9 12 31 8 59	62.5 61.2 62.5 62.2 62.2	7.17 —* 5.90 3.39 5.20	VI 6 9 13 13 8 56 20 9 24 27 8 50	58.5 58.7 58.8 58.7	12.70 13.90 11.65 15.90	月平均	58.7	12.72
月平均	62.1	5.42	月平均	58.7	13.79	V 5 9 16 12 8 57 19 8 57 26 9 30	58.9 59.0 58.7 59.0	11.72 11.10 13.00 10.15
※: 干潮ニテ測定不能			VII 4 12 5 11 8 43 18 8 36 25 9 30	59.1 59.5 59.0 59.1	7.86 10.09 8.08 13.89	月平均	58.9	11.49
XI 7 9 15 14 9 30 21 9 20 28 9 6	62.2 62.1 62.0 62.0	4.82 2.95 5.00 4.27	月平均	59.2	9.98	VI 2 8 20 9 8 45 16 8 38 23 9 36 30 8 42	59.0 59.0 58.7 59.0 58.8	11.58 12.19 11.64 12.70 11.60
月平均	62.1	4.26	VIII 1 8 20 8 7 45 15 7 40 21 11 44 29 8 51	59.1 59.1 59.4 59.4 59.6	6.60 13.12 9.87 12.60 9.05	月平均	58.9	11.94
XII 5 9 40 12 9 10 19 9 28 26 9 35	62.3 61.7 62.2 60.5	6.01 —* 6.77 1.84	月平均	59.3	10.25	VII 7 11 28 14 8 37 20 8 10 28 7 41	59.0 58.5 58.4 58.6	10.06 11.09 11.96 12.43
※: 干潮ニテ測定不能			IX 5 8 54 12 9 13 19 11 42 26 8 57	58.5 58.9 58.8 59.0	15.48 10.03 13.02 9.86	月平均	58.6	11.39
1933 温泉 No. 418			月平均	58.8	12.10	VIII 4 8 15 11 9 0 18 11 20 25 10 40	59.5 58.9 59.9 58.7	13.12 12.15 13.05 11.40
I 3 — — 10 9 45 17 12 40 24 11 0 31 14 0	— 58.6 58.7 58.6 58.6	— 9.53 11.60 9.67 10.06	X 3 9 2	58.7	13.32	月平均	59.3	12.43
月平均	58.6	10.22	家屋建直シ建築中ニテ測定不能			IX 1 8 19 8 8 11 15 10 53 22 8 57 29 9 10	58.5 58.6 58.4 58.5 58.7	11.01 12.40 11.52 12.47 11.60
1933 温泉 No. 472			I 6 9 20 13 13 15	58.6 58.7	13.63 12.28	月平均	58.5	11.80

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
d h m	°	L/M	d h m	°	L/M	d h m	°	L/M
X 6 9 0	58.5	12.15	IV 7 12 35	52.7	9.06	XII 8 10 2	52.0	11.32
13 8 54	58.3	12.27	14 9 40	52.4	8.65	12 10 16	52.7	8.57
20 9 6	58.3	13.20	21 9 26	52.1	9.07	15 9 55	52.0	9.61
27 9 16	58.2	12.33	28 9 15	52.5	8.48	月平均	52.2	9.83
月平均	58.3	12.49	月平均	52.4	8.82	温泉 No. 571		
						1933		
						I 6 12 20	45.6	11.98
XI 3 9 17	58.9	12.49	V 5 9 37	52.5	8.92	13 9 10	46.2	11.72
10 8 57	58.2	12.39	12 10 50	52.3	8.09	20 14 20	45.4	8.26
17 8 25	58.7	14.63	19 9 25	52.6	9.25	27 10 20	45.3	7.94
24 9 20	58.3	12.49	26 9 50	52.5	9.30	月平均	45.6	9.98
月平均	58.5	13.00	月平均	52.5	8.89	II 3 — —	—	—*
						10 11 55	49.8	8.02
						17 10 30	45.8	7.92
XII 1 10 25	58.8	11.93	VI 2 8 40	52.3	9.47	24 10 45	44.8	8.23
8 10 40	58.6	11.40	9 9 11	51.6	9.32	月平均	46.8	8.05
15 9 24	58.7	11.60	16 9 2	52.5	10.09	::: ボンプニテ汲出中		
22 10 32	58.5	12.15	23 9 56	52.5	9.44	III 3 9 50	45.7	7.39
29 10 4	58.7	12.10	30 9 7	52.4	10.30	10 10 50	42.1	6.29
月平均	58.7	11.84	月平均	52.3	9.72	17 11 52	45.0	7.35
温泉 No. 530						24 10 20	44.8	7.30
						31 — —	—	—*
1933						月平均	44.4	7.08
						::: ボンプニテ汲出中		
I 6 10 25	58.7	9.09	VII 7 11 0	—	—*	IV 3 9 50	45.7	7.39
13 11 50	58.3	6.62	14 8 56	52.3	9.95	10 10 50	42.1	6.29
20 10 45	53.2	6.68	21 9 46	52.5	9.80	17 11 52	45.0	7.35
27 13 20	53.1	6.49	28 7 58	52.7	8.54	24 10 20	44.8	7.30
月平均	58.3	7.22	月平均	52.5	9.43	31 — —	—	—*
						月平均	44.4	7.08
						::: ボンプニテ汲出中		
II 3 10 35	52.9	6.31	VIII 4 8 25	53.1	8.85	IV 7 10 50	45.1	6.64
10 14 0	53.4	5.33	11 8 40	52.5	8.43	10 11 30	44.3	6.45
17 11 40	53.4	8.63	18 10 58	52.8	9.45	21 11 28	44.7	7.60
24 11 20	54.0	8.58	25 11 0	52.8	10.20	28 10 58	45.6	7.04
月平均	53.4	7.21	月平均	52.8	9.23	月平均	44.9	6.93
温泉 No. 542						::: ボンプニテ汲出中		
						::: ボンプニテ汲出中		
1933						IV 7 10 50	45.1	6.64
						10 11 30	44.3	6.45
I 6 9 50	51.8	10.95	IX 1 8 40	52.7	9.80	21 11 28	44.7	7.60
13 12 40	51.2	8.63	8 8 35	53.6	9.02	28 10 58	45.6	7.04
20 10 20	51.2	8.95	15 10 31	52.7	9.30	月平均	44.9	6.93
27 13 35	51.2	8.52	22 9 22	52.4	10.08	V 5 11 29	44.3	6.72
月平均	51.4	9.29	29 9 20	52.6	9.15	12 10 30	43.9	6.49
						19 10 54	44.5	7.68
						26 10 50	40.0	6.20
II 3 10 15	52.2	9.34	X 6 9 22	52.8	9.52	月平均	43.2	6.77
10 13 25	52.8	9.47	13 9 10	52.3	9.64	VI 2 10 45	46.1	7.10
17 12 30	52.8	9.74	20 9 30	52.3	9.86	9 11 24	44.2	7.34
24 13 25	53.2	9.41	27 — —	—	—*	16 10 53	45.8	6.82
月平均	52.8	9.49	月平均	52.5	9.67	23 — —	—	—*
						30 10 58	45.3	8.30
						月平均	45.4	7.39
温泉 No. 530						::: モーター汲出中		
						::: モーター汲出中		
1933						IV 7 10 58	45.5	8.47
						14 10 20	46.0	8.55
I 6 9 50	51.8	10.95	XI 3 9 41	52.4	7.02	21 9 30	46.1	7.17
13 12 40	51.2	8.63	10 — —	—	—*	28 9 15	46.0	7.00
20 10 20	51.2	8.95	17 — —	—	—△	月平均	46.0	8.41
27 13 35	51.2	8.52	24 9 40	52.0	9.80	月平均	52.2	8.41
月平均	51.4	9.29	月平均	52.2	8.41	※△ 浴槽移轉修理中		
II 3 10 15	52.2	9.34						
10 13 25	52.8	9.47						
17 12 30	52.8	9.74						
24 13 25	53.2	9.41						
月平均	52.8	9.49						
			III 3 13 20	53.2	8.93			
10 13 20	53.2	9.22						
17 13 35	52.5	8.18						
24 12 30	53.0	7.56						
31 12 45	52.8	9.22						
月平均	53.1	8.62						

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
月平均	45.9	7.80	Ⅲ 3 9 25 10 10 20 17 11 27 24 9 50 31 11 23	50.0 49.7 49.1 48.2 48.3	15.46 15.48 14.40 15.48 14.95	Ⅱ 3 12 20 10 15 30 17 13 30 24 11 55	49.0 49.4 49.2 49.7	12.45 15.10 14.63 13.99
Ⅷ 4 9 40 11 7 25 18 9 58 25 8 44	45.8 46.1 44.1 44.4	8.56 12.12 7.78 8.40	月平均	49.1	15.14	月平均	49.3	14.08
月平均	45.1	9.22	Ⅳ 7 10 17 14 10 57 21 11 1 28 10 23	47.5 47.5 45.0 45.6	12.95 15.62 17.32 19.69	Ⅲ 3 10 15 10 11 25 17 12 15 24 11 25	49.7 49.7 48.7 47.5	12.20 12.60 12.40 10.71
Ⅸ 1 10 5 8 — — 15 8 55 22 10 51 29 10 30	43.0 — 43.1 45.0 43.9	9.05 — 7.97 7.50 8.45	月平均	46.4	16.52	月平均	48.9	11.98
月平均	43.8	8.24	Ⅴ 5 10 40 12 10 10 19 10 33 26 10 38	45.5 46.1 44.5 46.5	18.64 17.31 21.20 20.90	Ⅳ 7 — — 14 10 40 21 10 40 28 — —	— 54.5 52.6 —	— 8.62 11.95 —
※ 掃除中			月平均	45.7	19.51	月平均	53.6	10.29
Ⅹ 6 10 24 13 10 21 20 10 43 27 10 49	44.3 44.6 42.0 43.9	7.09 6.27 10.64 7.72	Ⅵ 2 10 30 9 10 40 16 10 26 23 10 50 30 10 5	45.9 45.6 45.4 43.5 45.2	19.75 17.65 18.42 18.42 21.65	Ⅴ 5 — — 12 — — 19 10 22 26 10 25	— — 48.0 52.0	— — 15.28 8.89
月平均	43.7	7.93	月平均	45.1	19.17	月平均	50.0	12.09
Ⅺ 3 11 0 10 10 20 17 8 53 24 11 6	44.3 43.9 43.7 42.2	7.46 7.49 7.40 7.70	Ⅶ 7 10 42 14 10 4 21 9 16 28 8 55	44.0 45.0 44.6 45.6	24.44 22.10 21.85 14.15	Ⅵ 2 10 5 9 10 0 16 10 1 23 — — 30 9 42	53.0 52.0 52.0 — 52.9	14.80 14.21 13.80 — 12.72
月平均	43.5	7.51	月平均	44.8	20.64	月平均	52.5	13.88
Ⅻ 1 9 20 8 9 25 15 — — 23 — — 30 — —	44.1 43.9 — — —	7.26 6.14 — — —	Ⅷ 4 9 30 11 7 40 18 9 36 25 8 57	49.2 45.5 46.0 44.6	23.40 22.60 23.40 24.70	Ⅶ 7 10 20 14 9 44 21 8 55 28 8 45	53.5 52.0 53.0 53.3	13.27 14.89 15.03 8.82
月平均	44.0	6.70	月平均	46.3	23.78	月平均	53.2	13.00
※ モーターにて汲出中 △ 浴槽修理中測定不能 ○			Ⅸ 1 9 24 8 9 36 15 9 8	45.1 46.2 45.8	21.20 23.70 22.80	Ⅷ 4 9 20 11 7 58 18 9 8 25 9 20	49.2 53.2 53.8 53.0	16.55 18.50 13.60 12.15
温泉 No. 580 1933			月平均	45.7	22.57	月平均	52.3	15.20
Ⅰ 6 12 50 13 10 0 20 14 35 27 10 50	48.2 48.7 48.6 48.7	22.54 22.54 23.18 21.85	温泉 No. 671 1933			Ⅸ 1 9 24 8 9 18 15 9 27 22 9 22 29 10 0	52.8 53.1 53.2 52.7 52.6	9.00 11.11 10.07 — 9.40
月平均	48.6	23.03	Ⅰ 6 13 45 13 10 50 20 11 55 27 11 40	49.2 49.2 49.0 49.0	19.99 18.10 16.26 22.31	月平均	52.9	9.90
Ⅱ 3 13 40 10 10 30 17 10 0 24 10 25	48.6 49.8 49.5 50.1	18.50 18.19 17.63 17.14	月平均	49.1	19.17	Ⅹ 6 9 59 13 9 52 20 10 20 27 10 19	52.7 52.8 53.1 53.8	9.27 10.30 15.93 12.90
月平均	49.5	17.87						

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
月平均	53.1	12.10	月平均	40.9	1.85	II 7 14 55	40.2	5.72
XI 8 10 34	53.0	13.00	浴槽修理中測定不能			14 14 40	40.2	6.28
10 9 54	52.6	12.90	VII 7 10 0			21 12 45	39.5	5.74
17 8 0	52.7	12.40	14 9 25	43.1	1.38	28 12 35	41.1	7.13
24 10 40	52.5	10.91	21 8 36	42.7	2.18	月平均	40.3	6.23
月平均	52.7	12.30	28 8 22	42.6	2.64	III 7 12 50	39.7	5.29
XII 8 9 45	52.3	10.42	月平均	42.6	2.14	14 11 48	40.0	6.67
15 10 12	52.4	10.14	VIII 4 8 55			21 13 30	39.0	6.86
22 9 45	52.2	8.87	11 8 15	42.7	2.57	月平均	39.6	6.27
29 9 17	52.3	9.30	18 10 30	41.5	1.51	IV 4 12 48	39.3	6.16
月平均	52.3	9.68	25 9 47	41.0	1.42	11 10 22	39.8	6.64
温泉 No. 801			月平均	42.1	1.84	18 11 20	39.3	4.98
1933			IX 1 9 5	40.5	1.25	25 10 35	38.5	6.35
I 6 14 15	42.6	3.58	8 9 0	39.5	1.15	月平均	39.2	6.03
13 11 20	43.6	2.53	15 9 48	40.5	0.98	V 2 10 46	38.8	6.12
20 11 30	43.4	3.66	22 9 58	41.0	2.18	9 10 50	38.5	4.82
27 12 0	43.5	3.70	29 9 50	38.7	0.88	16 10 50	38.4	5.78
月平均	43.5	3.62	月平均	40.0	1.29	23 10 45	38.5	5.67
II 3 11 30	41.9	3.12	X 6 9 41	39.4	0.92	30 10 57	38.5	6.00
10 14 40	42.0	2.05	13 9 35	37.6	0.76	月平均	38.5	5.68
17 13 10	41.6	2.13	20 9 55	42.2	3.50	VI 6 10 50	37.5	4.23
24 12 25	41.8	2.02	27 10 0	40.4	1.64	13 10 50	38.6	5.89
月平均	41.8	2.33	月平均	39.9	1.71	20 11 25	37.8	5.37
III 3 10 45	41.4	1.78	XI 3 10 17	40.4	1.25	27 10 20	38.8	6.48
10 11 55	40.5	1.50	10 9 30	37.8	0.91	月平均	38.2	5.62
17 12 40	40.0	1.41	17 6 0	37.9	1.20	VII 4 10 35	39.3	4.07
24 — —	—	—※	24 10 17	32.5	0.74	11 10 50	40.0	4.13
31 12 5	43.5	2.97	月平均	37.2	1.03	18 9 45	40.0	4.08
月平均	41.4	1.92	XII 1 9 43	32.6	0.79	25 8 30	38.5	5.99
掃除中			8 — —	—	—※	月平均	39.6	4.57
IV 7 11 26	42.8	2.52	15 10 35	41.6	2.73◆	VIII 1 9 5	—	6.76
14 10 5	44.5	2.67	22 10 3	41.1	2.36	8 8 40	40.6	5.35
21 9 58	42.5	2.65	27 — —	—	—△	15 9 15	42.6	6.74
28 10 45	42.9	3.09	月平均	38.8	1.96	21 15 15	—	3.28
月平均	43.2	2.73	閉止 ◆湧出口掃除ニテ増加			29 10 7	—	3.65
V 5 10 12	42.0	1.72	温泉 No. 1040			月平均	42.1	5.16
12 9 57	41.8	2.24	1933			IX 5 11 19	38.7	6.09
19 9 55	42.5	2.59	I 3 — —	—	—	12 11 0	—	—※
26 10 15	42.0	2.30	10 12 15	42.1	11.20	19 11 17	37.5	5.64
月平均	42.1	2.21	17 14 29	41.6	8.79	26 11 56	36.8	4.52
VI 2 9 40	40.8	1.74	24 13 10	41.9	6.63	月平均	37.7	5.42
9 9 42	41.0	1.92	31 11 20	41.8	6.35	浴槽修理中		
16 9 41	39.8	1.40	月平均	41.9	8.24	X 3 11 10	38.0	5.03
23 10 23	42.2	2.33				10 11 2	37.2	5.15
30 9 24	40.9	—※				17 10 53	36.9	4.24

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
X 24 10 54 31 10 57	37.2 37.3	L/M 5.42 3.90	III 7 13 35 14 12 20 21 14 25	49.5 50.3 49.5	L/M 3.72 5.36 4.43	VIII 15 8 37 21 15 42 29 10 30	49.1 46.4 —	L/M 2.95 1.06 2.48
月 平 均	37.3	4.75	月 平 均	49.8	4.50	月 平 均	48.7	2.80
XI 7 10 56 14 11 21 21 11 17 28 11 6	37.0 35.6 37.1 36.6	5.75 7.64 5.76 4.12	IV 4 13 55 11 11 0 18 11 45 25 11 15	50.2 50.2 49.0 49.7	4.88 5.21 4.13 4.28	IX 5 10 57 12 10 52 19 10 56 26 10 37	50.7 48.5 50.0 48.8	6.68 3.95 5.47 4.53
月 平 均	36.6	5.82	月 平 均	49.8	4.63	月 平 均	49.5	5.16
XII 5 10 56 12 10 45 19 10 45 26 11 27	36.6 36.2 36.6 36.5	5.66 4.15 5.99 3.53	V 2 11 15 9 11 20 16 11 30 23 11 20 30 11 10	50.6 47.5 50.5 48.5 50.5	5.43 2.90 5.48 — 60.5	X 5 10 50 10 10 46 17 10 30 24 10 30 31 10 37	50.0 49.7 49.3 49.0 50.2	4.78 5.10 3.83 5.43 4.38
月 平 均	36.5	4.83	月 平 均	49.5	4.97	月 平 均	49.6	4.69
温泉 No. 1153								
1933								
I 3 — — 10 11 10 17 13 55 24 12 0 31 11 50	— 51.0 50.7 50.3 50.8	— 7.50 7.41 4.23 4.83	VI 6 11 25 13 11 15 20 11 50 27 10 24	47.0 50.5 46.5 50.5	2.15 5.87 1.50 5.50	XI 7 10 32 14 10 57 21 10 55 28 10 40	49.6 47.8 50.2 48.6	6.27 2.90 6.70 4.17
月 平 均	50.7	5.99	月 平 均	48.6	3.76	月 平 均	49.1	5.01
II 7 14 20 14 12 25 21 13 40 28 13 0	49.5 51.1 48.9 51.0	3.58 6.43 3.49 5.40	VII 4 10 59 11 10 0 18 10 7 25 8 45	49.2 50.5 49.2 51.1	1.80 5.87 5.48 5.84	XII 5 11 20 12 11 7 19 — — 26 11 5	50.7 49.1 — 47.3	6.47 3.57 — 3.23
月 平 均	50.1	4.73	月 平 均	50.0	4.75	月 平 均	49.0	5.02
			VIII 1 9 35 8 8 57	46.6 52.7	2.06 5.43	※ 下水ツマリ測定不能		

昭和九年 (1934)

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
温泉 No. 4								
1934								
I 16 11 50 23 12 2 30 11 57	56.0 — 55.9	L/M 16.98 17.32 13.97	III 6 12 4 13 11 7 20 11 39 27 11 12	56.0 56.0 55.8 55.8	L/M 13.02 17.43 19.00 15.03	V 1 10 47 8 10 48 15 10 41 22 10 44 29 10 37	55.7 55.3 55.7 55.3 55.3	L/M 19.34 15.48 17.80 17.41 17.68
月 平 均	56.0	16.09	月 平 均	55.9	17.37	月 平 均	55.5	17.54
II 18 11 27 20 11 48 27 12 16	55.9 56.1 56.4	18.18 11.48 14.98	IV 3 12 10 10 11 26 17 11 12 24 11 30	55.7 55.8 — 55.7	20.05 14.35 18.40 —	VI 5 10 35 12 10 49 19 10 58 26 10 42	— 55.3 55.3 55.0	14.76 17.28 17.45 16.50
月 平 均	56.1	14.88	月 平 均	55.7	17.60	月 平 均	55.2	16.50

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	
VII 3 10 36 10 10 35 17 10 55 24 10 36 31 10 55	55.2 55.2 55.2 54.8 55.1	17.29 16.75 20.22 14.75 19.43	III 6 11 3 13 10 6 20 10 30 27 10 9	44.2 44.2 44.4 44.3	9.08 9.16 9.00 7.93	月 平 均	43.9	7.77	
月 平 均	55.1	17.69	月 平 均	44.3	8.79	XII 4 10 3 11 9 36 18 10 10 25 9 48	43.8 43.8 43.8 44.0	7.30 6.58 7.60 7.83	
VIII 7 10 56 14 10 47 21 10 18 28 10 57	55.0 55.2 54.6 55.2	14.65 19.78 13.82 20.10	IV 3 10 55 10 10 22 17 10 11 24 10 31	44.3 44.0 — 43.4	9.25 7.14 8.86 7.47	月 平 均	43.9	7.33	
月 平 均	55.0	17.09	月 平 均	43.9	8.18	温泉 No. 87			
IX 4 10 35 11 10 49 18 10 41 25 11 45	55.0 55.1 — 55.4	14.57 20.10 15.82 19.68	V 1 10 4 8 10 6 15 9 55 22 10 20 29 9 55	44.4 44.0 44.2 43.3 43.5	8.93 6.12 9.06 6.66 8.38	1934	I 2 — — 9 9 40 16 9 57 23 10 25 30 9 14	— 60.7 61.8 61.2 62.0	— 6.21 13.94 7.76 12.79
月 平 均	55.2	17.54	月 平 均	42.9	7.83	月 平 均	61.4	10.18	
X 2 11 4 9 11 5 16 10 10 23 11 4 30 10 30	54.8 54.8 54.6 54.8 54.7	15.72 20.55 15.37 19.44 13.00	VI 5 9 55 12 9 59 19 10 11 26 10 0	— 43.5 43.4 43.3	6.41 8.78 7.83 7.27	II 5 9 54 13 9 53 20 — — 27 10 26	61.2 61.8 — 61.7	10.34 12.73 — 9.49	
月 平 均	54.7	16.82	月 平 均	43.4	7.57	月 平 均	61.6	10.85	
XI 6 11 10 13 10 57 20 11 13 27 11 25	54.9 54.7 54.5 55.0	16.52 16.25 16.58 17.40	VII 3 9 50 10 9 51 17 10 8 24 9 45 31 9 59	43.2 43.4 43.5 42.2 42.3	6.62 7.71 8.98 6.90 8.54	III 6 10 22 13 9 17 20 9 50 27 9 29	61.7 61.7 62.2 61.8	11.40 12.10 10.95 9.30	
月 平 均	54.8	16.69	月 平 均	43.5	7.75	月 平 均	61.9	10.94	
XII 4 11 44 11 10 7 18 10 55 25 11 37	54.8 54.7 54.7 55.2	16.69 14.25 16.76 19.38	VIII 7 10 7 14 10 3 21 10 41 28 10 15	43.2 43.5 42.7 43.5	6.39 8.96 5.20 9.12	IV 3 10 16 10 9 40 17 9 36 24 9 50	62.2 61.4 — 61.3	11.51 6.43 10.90 7.42	
月 平 均	54.9	16.77	月 平 均	43.2	7.42	月 平 均	61.6	9.07	
温泉 No. 58			IX 4 9 46 11 9 49 18 9 51 25 10 47	43.2 43.5 42.0 44.0	7.02 9.67 5.83 9.98	V 1 9 27 8 9 28 15 9 18 22 9 22 29 9 16	62.3 60.6 60.9 60.8 61.5	10.89 3.78 9.90 4.67 9.04	
1934	I 2 — — 9 10 28 16 10 35 23 11 10 30 10 51	— 44.2 44.5 44.6 44.6	— 7.38 10.10 7.31 9.96	月 平 均	43.4	8.13	VI 5 9 19 12 9 17 19 9 34 26 9 20	— 61.5 60.8 61.2	2.30 8.17 5.72 5.66
月 平 均	44.5	8.69	X 2 10 19 9 10 16 16 9 33 23 10 12 30 9 46	43.4 43.9 43.4 43.9 43.4	5.69 10.06 6.03 9.75 5.71	月 平 均	61.2	5.46	
II 5 10 34 13 10 34 20 11 40 27 11 9	44.1 44.3 44.3 44.0	8.67 9.48 8.10 8.22	月 平 均	43.6	7.45	VII 3 9 7 10 9 0 17 9 26 24 9 4 31 9 4	60.1 61.2 61.4 60.3 60.6	3.29 5.96 8.63 3.06 6.13	
月 平 均	44.2	8.62	XI 6 10 36 13 10 12 20 10 7 27 10 15	43.9 43.8 43.7 44.0	8.60 5.89 8.51 8.07	月 平 均	60.7	5.41	

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
VIII 7 9 27 14 9 21 21 9 55 28 9 31	60.3 61.4 — 61.4	1.76 8.57 — 9.28	IV 3 10 35 10 9 58 17 9 52 24 10 10	47.6 47.7 — 48.2	6.87 5.92 6.72 6.86	温泉 No. 343		
月 平 均	61.0	6.87	月 平 均	47.8	6.59	1934		
IX 4 9 6 11 9 10 18 9 5 25 10 0	59.6 61.5 — 61.3	1.63 10.03 — 10.47	V 1 9 45 8 9 45 15 9 36 22 9 52 29 9 34	48.3 48.0 48.1 47.5 47.5	7.53 6.40 7.42 6.54 10.17	I 2 — — 9 9 20 16 — — 23 9 40 30 8 32	— — — 58.6 62.1	— — — 0.88 4.20
月 平 均	60.8	7.38	月 平 均	47.9	7.61	月 平 均	60.4	1.27
X 2 9 28 9 9 38 16 8 58 23 9 36 30 9 1	— 61.1 — 61.3 —	— 10.32 — 10.48 —	VI 5 9 38 12 9 35 19 9 51 26 9 37	— 47.9 47.6 47.9	6.48 7.69 7.21 7.44	※ 干潮ニテ閉止測定不能		
月 平 均	61.2	10.40	月 平 均	47.8	7.21	II 5 9 14 13 9 16 20 9 11 27 9 44	61.0 61.8 59.8 61.6	2.30 7.27 1.12 2.95
XI 6 9 56 13 9 10 20 9 30 27 9 37	61.0 — 61.2 60.4	7.00 — 7.56 4.87	VII 3 9 28 10 9 20 17 9 44 24 9 22 31 9 27	47.7 47.8 47.9 47.8 48.0	6.84 7.75 8.09 7.32 7.32	III 6 9 41 13 8 32 20 9 16 27 — —	61.2 61.9 61.1 61.0	3.07 3.43 3.08 —※
月 平 均	60.9	6.48	月 平 均	47.8	7.46	月 平 均	61.3	2.40
XII 4 9 26 11 9 0 18 9 31 25 9 3	60.5 — 60.4 60.4	4.57 — 4.27 3.84	VIII 7 9 46 14 9 39 21 9 34 28 9 51	47.8 47.9 48.1 48.0	6.97 7.67 6.57 7.70	※ 湧出微ニシテ測定不能		
月 平 均	60.4	4.23	月 平 均	48.0	7.23	IV 3 9 43 10 8 43 17 9 00 24 9 05	60.8 61.1 — 59.8	2.49 1.54 2.78 1.62
温泉 No. 130			IX 4 9 25 11 9 28 18 9 23 25 10 25	47.9 48.2 48.0 48.5	6.92 8.96 6.93 9.21	月 平 均	60.6	2.11
1934			月 平 均	48.2	8.01	V 1 8 54 8 — — 15 8 43 22 8 41 29 8 37	60.0 — 61.7 60.1 61.5	2.35 —※ 4.35 —△ 3.93
I 2 — — 9 10 6 16 10 18 23 10 45 30 9 33	— 47.2 47.5 47.6 47.6	— 5.61 7.23 5.80 6.82	X 2 9 49 9 9 56 16 9 11 23 9 51 30 9 18	48.0 48.4 48.1 48.4 48.0	7.21 9.60 6.95 9.23 6.92	月 平 均	60.8	2.13
月 平 均	47.5	6.37	月 平 均	48.2	7.98	※ 湧出微ニシテ不能 △ 微量		
II 5 10 13 13 10 13 20 9 56 27 10 42	47.0 47.6 47.1 47.4	7.70 6.85 5.13 6.21	XI 6 10 12 13 9 51 20 9 45 27 9 52	48.2 47.9 48.3 48.3	8.29 6.58 8.24 8.30	VI 5 — — 12 8 40 19 8 50 26 8 37	— 61.6 59.6 61.2	— 4.35 2.16 3.13
月 平 均	47.3	6.47	月 平 均	48.2	7.85	月 平 均	60.8	3.21
III 6 10 42 13 9 45 20 10 8 27 9 47	47.1 47.5 47.5 47.7	6.65 7.87 6.42 6.24	XII 4 9 44 11 9 15 19 9 49 25 9 24	48.2 48.3 48.4 48.6	7.52 6.68 7.51 7.08	VII 8 8 20 10 8 20 17 8 37 24 8 21 31 8 20	— 61.8 60.7 60.7 —	— 2.00 2.35 2.19 —
月 平 均	47.5	6.30	月 平 均	48.4	7.19	月 平 均	60.9	2.51

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
VIII 7 8 47 14 8 39 21 8 48 28 8 46	59.3 60.8 — 60.8	1.7M — — 1.54	IV 3 10 0 10 9 16 17 9 19 24 9 28	57.9 57.8 — 57.5	L/M 19.18 14.24 17.52 13.56	月 平均	57.4	14.90
月 平均	60.3	0.96	月 平均	57.7	16.13	温泉 No. 472		
※微量			V 1 9 14 8 9 9 15 9 2 22 9 2 29 8 57	57.3 57.1 57.4 57.4 57.6	18.97 10.35 16.01 11.88 18.59	1934		
IX 4 8 28 11 8 28 18 8 30 25 9 15	— 61.3 — 61.1	— 5.10 — 4.73	月 平均	57.4	14.86	I 5 10 55 12 9 45 19 — — 26 10 35	58.7 58.2 58.4 58.2	11.34 11.52 11.74 11.97
月 平均	61.2	2.46	VI .5 9 5 12 8 58 19 9 12 26 9 0	— 57.3 57.2 57.4	9.76 17.40 12.79 14.27	月 平均	58.4	11.64
X 2 7 54 9 8 57 16 8 31 23 8 59 30 8 30	— 60.9 — 60.9 —	— 4.11 — 4.72 —	月 平均	57.3	18.56	II 2 10 25 9 10 26 16 10 22 23 10 2	58.2 58.2 58.2 58.2	12.49 12.90 12.47 12.60
月 平均	60.9	1.77	VII 3 8 45 10 8 41 17 9 0 24 8 47 31 8 39	57.4 57.3 57.3 57.1 57.3	11.01 15.87 16.56 11.69 12.27	月 平均	58.2	12.62
XI 6 9 8 13 9 5 20 8 51 27 8 51	60.5 — 60.9 61.9	3.18 — 6.51 3.97	月 平均	57.3	13.48	III 2 10 12 9 10 18 16 9 27 23 9 40 30 10 45	58.2 58.0 58.1 — 58.1	12.60 11.19 12.00 12.57 11.71
月 平均	61.0	3.42	VIII 7 9 7 14 8 59 21 9 16 28 9 7	57.3 57.4 56.6 57.5	12.57 18.40 5.54 19.24	月 平均	58.1	12.01
XII 4 8 45 11 8 30 18 8 53 25 8 23	61.2 — 62.7 60.2	4.73 — 4.88 2.87	月 平均	57.2	12.94	IV 6 10 25 13 9 40 20 10 13 27 9 40	58.1 58.2 58.0 58.2	13.01 12.31 12.07 12.85
月 平均	61.4	3.00	IX 4 8 46 11 8 49 18 8 55 25 9 37	57.2 57.3 57.2 57.3	10.48 20.88 7.32 21.97	月 平均	58.1	12.56
温泉 No. 418			月 平均	57.3	15.15	V 4 9 26 11 9 35 18 9 35 25 9 45	58.1 — 58.3 57.6	12.43 12.28 11.87 11.35
1934			X 2 9 17 9 9 15 16 10 58 23 9 16 30 8 52	57.0 57.0 57.0 57.0 57.0	8.77 19.71 11.50 21.65 8.80	月 平均	58.0	11.98
I 16 9 37 23 10 0 30 8 57	58.3 57.8 58.2	20.78 12.92 19.80	月 平均	57.0	14.09	VI 1 8 19 8 9 2 15 9 38 22 8 47 29 10 10	57.8 57.8 57.8 57.5 57.3	11.90 11.47 10.60 11.72 11.34
月 平均	58.1	17.83	XI 6 9 27 13 9 23 20 9 8 27 9 15	57.1 56.9 56.9 57.2	17.68 9.75 17.92 14.60	月 平均	57.6	11.41
II 5 9 34 13 9 33 20 9 27 27 10 9	57.7 58.0 58.1 58.1	16.08 20.06 14.02 16.20	月 平均	57.0	14.99	VII 6 9 41 13 9 36 20 9 26 27 9 44	57.6 57.6 57.6 57.4	10.23 11.75 11.60 11.59
月 平均	58.0	16.59	XII 4 9 5 11 8 52 18 9 12 26 8 48	57.1 57.8 57.1 57.4	15.70 12.78 16.00 15.20	月 平均	57.6	11.29
III 6 10 1 13 8 54 20 9 34 27 9 4	57.9 58.1 57.9 57.8	18.00 18.88 16.40 14.51	月 平均	57.7	11.87	VIII 3 9 28 10 9 32 17 10 53 24 9 58 31 9 47	57.6 57.6 58.0 57.7 57.5	11.83 12.14 12.69 11.64 11.06
月 平均	57.9	16.95	月 平均	57.7	11.87	月 平均	57.7	11.87

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
d h m	°	L/M	d h m	°	L/M	d h m	°	L/M
IX 7 10 0	57.6	12.17	VI 1 9 2	49.5	16.02	III 2 9 10	47.3	25.65
14 9 52	57.6	11.92	8 9 21	49.0	13.40	9 9 28	47.5	27.27
21 9 37	56.8	12.79	15 10 2	49.3	15.84	16 8 33	47.3	31.07
28 9 35	57.5	11.70	22 9 7	49.3	15.47	23 8 45	47.2	24.40
月 平均	57.4	12.15	29 9 45	49.3	15.95	30 8 42	47.2	24.92
X 5 9 57	57.3	11.61	月 平均	49.3	15.84	月 平均	47.3	26.66
12 10 52	57.5	12.31	VII 6 10 41	48.4	12.96	IV 6 11 8	47.2	24.23
19 10 11	57.5	12.19	13 10 0	48.8	14.32	13 9 38	47.5	21.40
26 9 43	57.1	11.58	20 9 50	48.3	13.74	20 9 19	47.5	27.38
月 平均	57.4	11.92	27 10 7	49.7	17.95	27 8 37	47.6	31.50
XI 2 10 21	57.5	11.24	月 平均	48.8	14.74	月 平均	47.5	26.15
9 10 21	57.6	12.14	VIII 8 9 52	49.2	15.73	V 4 8 45	47.3	31.10
16 9 23	57.4	10.13	10 9 55	49.3	16.10	11 8 43	47.2	31.10
23 10 12	57.8	11.32	17 11 20	49.0	11.80	18 10 16	47.3	30.09
30 9 26	57.7	11.26	24 10 19	48.7	13.55	25 8 49	46.7	30.93
月 平均	57.6	11.22	31 10 10	48.3	12.76	月 平均	47.1	30.81
XII 7 9 12	57.9	11.21	月 平均	48.9	13.99	VI 1 8 43	46.8	32.62
14 9 0	57.7	10.86	IX 7 10 35	50.0	12.80	8 8 15	46.8	30.00
21 8 43	57.9	12.10	14 10 14	48.5	13.72	15 8 49	47.0	31.40
28 10 0	58.1	11.59	21 10 1	49.9	19.37	22 7 56	46.7	30.65
月 平均	57.9	11.44	28 9 57	51.1	18.20	29 8 30	47.0	29.46
1934 温泉 No. 564			月 平均	49.9	16.02	月 平均	46.0	30.32
			X 5 10 20	50.3	19.23	VII 6 8 38	47.0	30.65
9 10 45	51.3	21.64	12 10 12	50.7	21.35	13 8 40	47.1	29.65
16 10 43	51.5	23.03	19 9 34	50.4	19.93	20 8 30	46.9	30.56
23 10 32	51.1	21.85	26 10 4	50.8	21.90	27 8 50	46.7	33.50
月 平均	51.4	22.53	月 平均	50.6	20.60	月 平均	46.9	31.09
III 2 10 35	51.3	22.01	XI 2 9 45	50.8	20.60	VIII 8 8 40	46.8	32.33
9 10 43	51.1	20.25	9 9 40	50.8	21.10	10 8 44	46.9	32.30
16 9 48	51.1	21.25	16 9 42	50.5	19.83	17 9 30	47.1	29.56
23 10 1	51.0	19.42	23 9 29	50.8	19.77	24 9 0	47.2	30.09
20 10 3	51.0	20.47	30 9 46	51.0	20.12	31 8 55	47.3	30.93
月 平均	51.1	20.68	月 平均	50.8	20.28	月 平均	47.1	31.04
IV 6 10 2	51.1	19.87	XII 7 9 30	51.0	20.72	IX 7 9 0	47.5	33.07
13 9 57	50.8	19.70	14 9 0	—	—	14 9 3	47.2	31.21
20 10 33	50.8	19.30	21 8 59	50.8	18.93	21 8 51	47.2	36.70
27 10 0	50.8	19.16	28 10 16	51.2	18.74	23 8 45	47.6	31.21
月 平均	50.9	19.51	月 平均	51.0	19.46	月 平均	47.4	33.05
1934 温泉 No. 634			1934 温泉 No. 634					
			V 4 9 45	50.7	19.29	II 2 9 17	48.1	21.53
11 9 55	50.3	18.76	9 9 17	47.3	22.40	12 9 7	48.3	33.40
18 9 15	50.5	17.16	16 9 5	47.5	22.70	19 9 13	48.0	34.43
25 9 8	49.8	14.86	23 9 23	47.7	25.10	26 8 52	47.5	35.16
月 平均	50.5	17.39	月 平均	47.7	25.20	月 平均	47.9	33.69
			XV 2 9 30					
			9 9 23					
			16 8 36					
			48.8					
			48.9					
			37.11					
			39.29					
			37.53					

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
<small>d h m</small>	<small>o</small>	<small>L/M</small>	<small>d h m</small>	<small>o</small>	<small>L/M</small>	<small>d h m</small>	<small>o</small>	<small>L/M</small>
XI 23 9 6 30 8 45	49.5 49.6	40.24 41.75	VI 1 7 59 8 8 38 15 9 14 22 8 21 29 10 31	42.0 42.0 42.3 42.0 42.2	7.27 6.67 7.61 7.50 7.50	II 5 10 52 18 10 54 20 10 55 27 11 28	40.8 40.6 38.4 38.6	7.26 7.26 5.42 5.26
月 平 均	49.1	39.18	月 平 均	42.1	7.31	月 平 均	39.6	6.80
XII 7 8 26 14 8 15 21 8 0 28 9 1	49.6 49.9 50.0 50.3	34.61 41.75 37.11 35.16	VII 6 9 5 13 9 6 20 8 58 27 9 15	42.0 42.0 42.0 42.2	6.42 7.15 6.30 9.54	III 6 11 25 13 10 25 20 10 50 27 10 28	37.5 28.1 37.5 36.7	5.98 6.70 5.53 5.64
月 平 均	50.0	37.14	月 平 均	42.1	7.48	月 平 均	37.5	5.5
温泉 No. 671			温泉 No. 671			温泉 No. 671		
1934			1934			1934		
I 5 10 7 12 10 17 19 9 58 26 10 9	52.2 52.2 52.0 52.1	12.20 10.35 11.09 9.84	VIII 3 9 4 10 9 8 17 10 4 24 9 25 31 9 24	42.0 42.0 41.9 42.0 41.6	6.59 7.53 6.20 6.24 5.40	IV 3 11 15 10 10 42	57.0 35.4	5.48 2.83
月 平 均	52.1	10.87	月 平 均	41.9	6.39	月 平 均	36.2	4.66
II 2 9 40 9 9 37 16 9 25	52.1 52.1 51.8	9.80 9.08 8.24	IX 7 9 80 14 9 26 21 9 17 28 9 8	41.9 41.9 42.5 42.3	6.86 6.37 12.32 8.13	温泉 No. 1153		
月 平 均	52.0	9.04	月 平 均	42.2	8.42	1934		
温泉 No. 813			温泉 No. 813			温泉 No. 1153		
1934			1934			1934		
II 2 10 1 9 10 1 16 9 52 23 9 44	44.6 43.4 43.4 43.4	10.87 10.03 10.08 9.46	X 5 9 18 12 9 27 19 8 50 26 9 17	42.4 42.5 42.3 42.5	9.56 8.89 7.93 8.20	I 2 — — 9 10 57 16 11 13 23 11 47 30 10 34	— 46.7 48.2 — 49.2	— 3.28 5.32 3.93 5.43
月 平 均	43.7	10.11	月 平 均	42.4	8.65	月 平 均	48.0	4.49
III 2 9 49 9 9 48 16 8 58 23 9 8 30 9 17	43.6 43.4 43.3 43.3 43.3	9.73 9.00 10.00 8.62 9.75	XI 2 9 3 9 8 56 16 9 0 23 8 43 30 9 4	42.5 42.3 41.9 43.4 43.3	8.72 7.28 6.20 6.42 6.93	II 5 11 18 13 — — 20 11 27 27 11 55	48.2 47.7 47.5 46.5	5.06 — 4.25 2.47
月 平 均	43.5	9.42	月 平 均	42.7	7.11	月 平 均	47.5	3.93
IV 6 10 47 13 9 11 20 9 42 27 9 16	43.3 43.2 43.2 43.0	8.51 8.45 8.39 8.62	XII 7 8 53 14 8 36 21 8 6 28 9 32	42.3 42.1 42.2 41.7	7.12 6.16 6.42 5.68	III 6 11 47 13 10 42 20 11 18 27 10 50	47.6 47.1 48.2 47.2	3.95 3.64 4.46 3.16
月 平 均	43.2	8.49	月 平 均	42.1	6.35	月 平 均	47.5	3.80
V 4 9 2 11 9 2 18 9 55 25 8 25	43.2 42.8 42.9 42.1	7.96 8.66 7.27 7.50	温泉 No. 1040			IV 3 11 46 10 11 8 17 10 52 24 11 12	48.4 45.6 — 47.3	4.30 4.00 4.48 2.77
月 平 均	42.8	7.85	1934			月 平 均	47.1	3.89
温泉 No. 1040			温泉 No. 1040			温泉 No. 1040		
1934			1934			1934		
I 2 — — 9 11 17 16 10 55 23 11 25 30 10 10	— 41.7 42.0 — 41.8	— 6.87 9.86 6.84 8.30	温泉 No. 1040			V 1 10 30 8 10 27 15 10 28 22 10 0 29 10 18	48.1 45.2 48.3 — 46.4	5.02 1.85 4.12 — 3.61
月 平 均	41.8	7.97	1934			月 平 均	47.0	3.65
温泉 No. 1040			温泉 No. 1040			温泉 No. 1040		
1934			1934			1934		
VI 5 10 17 12 10 29 19 10 37	— 46.3 46.3	2.02 8.43 4.04	温泉 No. 1040			VI 5 10 17 12 10 29 19 10 37	— 46.3 46.3	2.02 8.43 4.04

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
VI 26 10 24 d h m	45.0 °	2.06 L/M	IV 6 9 46 13 10 14 20 10 49 27 10 10 d h m	— 50.9 50.7 50.5	11.40 13.00 14.40 12.40 L/M	月 平 均	50.6	12.52
月 平 均	45.9	4.14	月 平 均	50.7	12.80	温泉 No. 1299		
VII 3 10 16 10 10 15 17 10 36 24 10 14 31 10 32	44.3 45.9 47.5 43.0 46.4	2.87 3.83 4.94 1.56 4.47	V 4 9 59 11 10 12 18 8 59 25 9 21	51.0 50.6 50.7 49.7	12.96 11.57 12.00 11.65	1934		
月 平 均	45.4	3.33	月 平 均	50.5	12.05	II 9 11 29 16 11 22 23 11 14 d h m	48.5 43.7 43.8	67.84 64.79 72.08
VIII 7 10 36 14 10 30 21 11 4 28 11 39	44.0 47.2 37.6 47.5	1.64 4.46 — 5.74	VI 1 9 16 8 9 46 15 10 16 22 9 24 29 9 28	49.9 49.5 50.0 49.5 50.0	12.78 10.54 11.97 10.66 12.53	月 平 均	43.7	68.24
月 平 均	44.1	3.95	月 平 均	49.8	11.70	III 9 11 40 16 10 28 23 10 46 30 11 16	43.8 43.5 43.8 —	93.45 68.32 68.72 65.52
IX 4 10 13 11 10 26 18 10 17 25 11 20	43.0 47.2 37.0 47.0	1.50 4.57 0.82 4.25	VII 6 10 5 13 10 18 20 10 7 27 10 27	48.7 49.7 49.4 50.0	10.06 12.86 9.94 13.02	月 平 均	43.7	69.03
月 平 均	43.6	2.97	月 平 均	49.5	11.47	IV 6 9 21 13 11 11 20 11 16 27 10 35	— 43.5 43.6 43.6	65.30 63.36 41.19 47.85
X 2 10 44 9 10 46 16 9 50 23 10 40 30 10 10	40.9 45.7 42.5 47.0 40.3	1.23 4.20 1.35 4.99 1.91	VIII 3 10 10 10 10 10 17 11 40 24 10 37 31 10 30	49.3 49.6 49.6 49.5 49.1	11.11 12.00 11.79 10.82 10.82	月 平 均	43.6	54.43
月 平 均	43.3	2.74	月 平 均	49.4	11.21	V 4 10 25 11 10 40 18 8 37 25 10 12	43.7 43.6 43.5 42.8	56.53 41.75 50.14 50.58
XI 6 10 54 13 10 37 20 10 34 27 10 42	— 39.5 43.7 45.2	— 4.28 2.47 2.42	IX 7 10 5 14 10 0 21 10 14 28 10 13	49.4 49.4 50.6 50.3	10.81 11.40 17.36 12.40	月 平 均	43.4	49.75
月 平 均	42.8	3.04	月 平 均	49.9	12.99	VI 1 9 41 8 10 4 15 10 34 22 — — 29 — —	42.9 42.9 44.5 — —	52.20 53.54 46.46 — —
XII 4 10 26 11 9 35 18 10 36 25 11 17	45.8 — 39.8 38.8	3.27 — 5.04 5.62	X 5 10 34 12 10 29 19 9 52 26 10 18	50.2 50.3 50.3 50.6	12.60 13.29 10.88 12.96	月 平 均	43.4	50.73
月 平 均	41.5	4.64	月 平 均	50.4	12.43	VII 6 — — 13 10 45 20 10 38 27 10 57	— 42.9 42.9 42.9	— 49.79 53.89 71.19
1934 温泉 No. 1260			月 平 均	50.4	12.43	月 平 均	42.9	58.29
II 2 11 15 9 11 5 16 10 57 23 10 45	51.8 51.1 51.8 51.2	15.68 14.62 15.39 14.98	XI 2 10 0 9 10 0 16 9 57 23 10 52 30 10 0	50.4 50.5 50.0 50.6 50.3	11.92 12.80 11.25 12.48 11.05	VIII 8 — — 10 10 34 17 12 49 24 — — 31 — —	— 43.0 43.1 — —	— 54.14 44.87 — —
月 平 均	51.5	15.16	月 平 均	50.4	11.90	月 平 均	43.1	49.51
III 1 10 52 9 11 56 16 10 4 23 10 17 30 10 16	51.2 51.1 51.2 50.9 50.7	15.24 13.38 13.21 12.99 13.63	XII 7 9 43 14 9 32 21 9 15 28 10 34	50.7 50.2 50.7 50.6	13.00 11.89 13.20 11.98	IX 7 — — 14 — — 21 10 41 28 — —	— — 43.4 —	— — — —
月 平 均	51.0	13.69	月 平 均	50.6	11.98	月 平 均	43.4	—

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
X 5 10 10	43.3	—	XI 2 10 45	43.5	—	XII 7 10 12	44.9	62.71
12 — —	—	—	9 10 58	43.8	62.00	14 10 0	43.7	59.08
19 10 45	44.6	—	16 10 34	43.4	55.8	21 9 45	43.5	63.02
26 10 36	43.5	—	23 10 45	44.8	58.54	28 10 54	43.6	51.95
30 10 32	44.9	62.40	月 平均	44.0	59.73	月 平均	43.9	59.44

昭和十年 (1935)

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
温泉 No. 4 1935			VI 18 8 52	54.1	21.52	XII 8 10 39	53.7	15.50
			26 9 13	53.6	15.30	10 9 40	54.3	18.90
月 平均			54.0 18.11			17 10 30	52.8	16.58
I 1 — —			VII 2 9 35			24 9 55	54.2	17.46
8 9 56			9 9 27			31 9 58	53.9	16.58
15 10 41			16 9 41			月 平均	54.0	17.00
22 10 13			28 9 20			温泉 No. 35 1935		
29 9 56			30 9 27					
月 平均			54.2 18.63			III 19 8 30	45.9	8.80
II 5 9 48			月 平均			26 7 53	45.8	8.06
12 9 56			53.8 18.89			月 平均		
19 10 51			VIII 7 10 15			IV 2 7 52		
22 10 13			13 11 6			9 8 18		
26 11 27			20 9 43			16 8 32		
月 平均			54.0 16.77			23 8 43		
III 5 9 59			IX 3 10 0			30 8 35		
12 9 43			10 9 48			月 平均		
19 9 51			17 9 41			45.7 7.75		
26 8 56			24 — —			V 7 8 28		
月 平均			54.4 18.70			14 8 14		
IV 2 8 46			月 平均			21 7 54		
9 9 24			54.4 18.47			28 8 34		
16 9 20			大雨ノ爲浴室浸入			月 平均		
28 9 40			X 1 8 49			45.9 7.90		
30 9 38			8 9 0			VI 4 8 15		
月 平均			54.1 17.88			11 8 1		
V 7 9 40			15 9 18			18 8 6		
14 9 10			22 9 22			25 8 9		
21 8 49			29 9 40			月 平均		
28 9 36			54.2 20.48			45.8 8.09		
月 平均			54.2 17.45			VII 2 8 11		
VI 4 9 12			XI 5 9 37			9 8 31		
11 8 43			12 9 52			16 8 33		
54.3 19.58			19 9 47			23 8 0		
53.8 16.02			26 9 37			30 8 30		
月 平均			54.0 16.61			46.1 7.82		
						45.8 7.79		
						45.7 7.48		
						45.7 7.85		
						45.7 7.87		
						45.8 7.83		
						45.8 7.75		
						45.7 8.00		
						45.8 7.87		
						46.1 7.82		
						45.8 7.79		
						45.9 7.90		
						45.7 7.70		
						45.8 8.13		
						45.7 8.25		
						45.8 8.26		
						45.8 8.09		
						46.1 9.18		
						45.7 8.58		
						45.7 9.65		
						45.8 8.26		
						45.9 7.88		

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
	°	L/M		°	L/M		°	L/M
月 平 均	45.8	8.71	IV 2 8 10	43.6	8.83	I 15 8 49	48.4	7.63
VIII 7 9 23 12 9 46 20 8 51 27 9 5	45.9	7.98	9 8 52	43.4	8.80	22 9 13	48.3	7.96
	45.7	8.68	16 9 4	43.5	7.12	29 8 36	48.2	6.98
	45.8	8.34	23 9 23	43.3	8.76	月 平 均	48.3	7.23
	46.3	8.82	30 9 24	43.2	7.64	II 5 8 45	—	—
	月 平 均	45.9	8.83	月 平 均	43.4	8.23	12 9 0	48.0
IX 3 9 4 10 8 48 17 8 48 24 8 59	46.1	8.83	V 7 9 3	43.3	7.90	19 9 12	48.0	7.65
	46.3	8.77	14 9 53	43.3	7.54	26 10 52	47.8	9.32
	46.2	8.41	21 8 30	43.4	8.68	月 平 均	47.9	8.03
	46.3	9.12	28 9 20	43.3	6.36	III 5 9 20	47.9	8.30
月 平 均	46.2	8.78	月 平 均	43.3	7.62	12 8 46	47.9	7.03
X 1 8 11 8 8 25 15 8 41 22 8 44 29 8 56	46.2	9.01	VI 4 8 56	43.5	9.45	21 9 41	48.1	8.04
	46.3	8.72	11 8 23	43.1	6.30	28 10 20	48.0	8.23
	46.2	8.69	18 8 44	43.4	9.70	月 平 均	48.0	7.90
	46.4	8.85	25 8 46	43.2	5.83	IV 4 10 23	48.2	8.43
	46.6	9.88	月 平 均	43.3	7.82	11 9 33	48.1	8.30
月 平 均	46.5	8.77	VII 2 8 26	43.3	10.79	18 9 52	48.0	8.16
XI 5 9 0 12 9 16 19 9 4 26 9 12	46.2	8.44	9 9 10	43.2	7.27	25 9 52	48.0	7.84
	46.0	8.79	16 9 22	44.0	10.37	月 平 均	48.1	8.18
	46.2	7.95	23 9 0	43.2	5.96	V 2 9 55	48.1	7.92
	46.0	8.55	30 9 7	43.6	8.91	9 9 59	48.1	8.23
	月 平 均	46.1	8.43	月 平 均	43.5	8.66	16 8 48	48.2
XII 3 9 29 10 9 17 17 9 48 24 9 23 31 9 37	46.0	7.77	VIII 7 9 42	43.0	6.62	23 9 26	48.0	7.36
	46.0	8.25	13 10 10	43.1	7.52	30 9 24	48.2	—
	46.0	7.74	20 9 25	43.3	6.44	月 平 均	48.1	7.74
	45.9	8.15	27 9 39	44.0	8.40	VI 6 9 20	48.2	8.19
	45.8	7.78	月 平 均	48.4	7.25	13 9 34	48.2	9.16
月 平 均	45.9	7.94	IX 3 9 41	43.9	9.27	20 9 27	48.3	8.95
1935 温泉 No. 58			10 9 30	43.8	7.44	27 9 53	48.0	7.69
			17 9 23	43.9	8.73	月 平 均	48.2	8.50
			24 — —	—	—	VII 4 9 27	48.3	9.98
			月 平 均	43.9	8.48	11 9 36	48.2	8.00
			…大雨ノタメ浸水セリ			18 9 28	48.3	10.46
			温泉 No. 87			25 8 41	48.2	7.54
			1935			月 平 均	48.3	9.00
			I 1 — —	—	—	VIII 1 11 10	48.4	8.73
			8 8 20	—	1.68	8 11 18	48.1	7.94
			15 9 20	60.4	3.45	15 10 14	46.6	9.66
			22 8 58	59.1	2.88	22 10 11	46.8	7.54
			29 8 58	61.5	3.17	29 9 21	48.6	9.95
			月 平 均	60.3	2.80	月 平 均	47.7	8.76
			温泉 No. 130			IX 5 10 13	48.6	8.65
			1935			12 9 31	48.6	8.87
			I 1 — —	—	—	19 9 42	48.5	7.94
			8 8 49	48.3	7.04	26 10 3	48.3	10.96
			月 平 均	48.4	7.64	月 平 均	48.5	9.11

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
X 3 9 50 10 9 36 17 9 46 24 9 59 31 9 40	48.3 48.3 48.4 48.3 48.3	8.81 8.83 8.84 8.48 8.67	VIII 20 9 4 27 9 21	60.9 61.6	14.92 16.64	月 平 均	60.1	2.95
月 平 均	48.3	8.63	IX 8 9 19 10 9 9 17 9 5 24 9 16	61.5 61.6 61.5 61.1	16.92 14.56 18.02 18.58	IV 5 9 22 12 9 57 19 9 50 26 9 40	60.8 59.6 60.7 59.6	5.16 2.10 2.78 1.98
XI 7 9 59 14 10 36 21 10 13 28 10 25	48.0 48.3 47.8 48.6	8.00 9.02 7.53 8.78	月 平 均	61.4	17.02	月 平 均	60.2	2.01
月 平 均	48.2	8.33	X 1 8 26 8 8 42 15 8 57 22 9 1 29 10 12	61.6 61.2 61.4 61.3 61.6	18.48 13.34 17.92 14.20 18.80	V 3 9 35 10 9 49 17 — —	60.7 60.0 —	3.24 1.62 —
XII 5 11 23 12 10 28 19 10 15 26 10 2	47.7 47.5 48.0 48.1	8.98 9.05 7.70 9.35	月 平 均	61.4	16.55	月 平 均	60.4	2.43
月 平 均	47.8	8.77	XI 5 9 17 12 9 33 19 9 21 26 — —	60.9 61.3 61.2 —	12.61 18.00 12.68 —*	穿直中		
温泉 No. 192 1935			月 平 均	61.1	15.10	VII 12 9 43 19 9 36 26 8 51	65.1 65.4 65.3	— 24.02 21.89
III 19 8 55 26 8 7	61.3 60.8	16.26 14.11	浴場修理中			月 平 均	65.3	22.99
月 平 均	61.1	15.19	XII 3 — — 10 — — 17 10 12 24 9 40 31 10 53	— — 61.1 61.0 61.1	—* —△ 14.83 15.40 17.17	VIII 2 10 28 9 10 32 16 9 37 23 9 45 30 9 5	66.6 65.5 66.1 65.2 65.6	— 22.60 19.87 22.34 22.81 23.63
IV 2 7 50 9 8 35 16 10 34 23 9 5 30 8 59	61.2 60.8 60.8 61.2 60.8	17.91 16.72 14.86 17.40 15.88	月 平 均	61.1	15.60	IX 6 9 59 13 9 16 20 9 18 27 9 5	65.8 65.7 65.6 65.6	23.43 26.51 22.05 25.83
月 平 均	61.0	16.55	浴場修理中			月 平 均	65.7	24.46
V 7 8 45 14 8 30 21 8 1 28 8 50	60.9 61.0 61.1 60.8	16.56 16.55 16.94 14.57	温泉 No. 343 1935			X 4 8 42 11 9 15 18 9 0 25 9 41	65.7 65.7 65.6 65.8	19.65 25.98 22.50 22.99
月 平 均	61.0	16.16	I 1 — — 8 8 27 15 8 45 22 10 36 29 8 20	— 61.6 61.6 61.5 —	— 5.32 4.60 4.48 —	月 平 均	65.7	22.03
VI 4 8 35 11 10 0 18 8 22 25 8 27	61.2 60.8 61.1 60.8	17.53 13.74 18.85 13.10	月 平 均	61.6	4.80	XI 1 10 12 8 10 7 15 9 52 22 10 12 29 10 0	65.6 65.3 65.7 65.8 65.6	24.64 22.99 24.86 23.33 24.74
月 平 均	61.0	15.81	II 5 10 22 12 8 15 19 8 16 26 10 6	61.1 60.1 60.4 60.7	5.09 2.48 2.72 2.63	月 平 均	65.6	24.11
VII 2 8 20 9 8 49 16 8 49 23 8 13 30 8 46	61.1 60.9 60.8 60.8 61.3	— 14.64 17.76 14.05 17.12	月 平 均	60.6	2.73	XII 6 10 4 13 10 3 20 10 7 27 10 6	65.4 65.8 65.4 65.2	23.24 24.50 22.05 19.00
月 平 均	61.0	15.89	III 5 8 36 12 8 4 22 10 13 29 10 0	61.1 58.6 60.7 59.8	4.76 1.22 2.33 2.43	月 平 均	65.5	22.20
VIII 7 9 56 13 10 41	61.0 60.6	15.88 14.05	温泉 No. 379 1935					

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
a h m	°	L/M	a h m	°	L/M	a h m	°	L/M
III 21 9 15 28 9 46	57.6 56.5	— 20.58	XII 5 11 56 12 9 53 19 11 0 26 9 45	57.6 57.4 57.2 57.4	20.31 21.14 21.34 19.66	VIII 2 10 42 9 10 56 16 9 18 23 9 30 30 9 28	56.2 56.0 57.1 56.7 57.1	18.03 9.51 18.92 8.90 18.70
月 平 均	57.1	20.58	月 平 均	57.4	20.61	月 平 均	56.6	14.81
IV 4 9 51 11 9 1 18 9 10 25 9 29	57.4 57.2 57.1 57.6	21.35 20.27 20.89 21.28	温泉 No. 418			IX 6 10 21 13 9 38 20 9 42 27 9 24	57.1 57.1 57.1 57.2	12.36 20.60 13.11 19.73
月 平 均	57.3	20.95	1935			月 平 均	57.1	16.45
V 2 9 28 9 9 40 16 8 30 23 9 7 20 9 15	57.1 57.3 57.2 57.3 57.5	21.75 21.08 22.16 20.23 21.15	I 1 — — 8 — — 15 9 5 22 8 34 29 10 24	— — 57.4 57.8 57.1	— — 15.60 15.94 12.10	X 4 9 5 11 9 57 18 9 25 25 10 4	57.2 57.1 57.2 57.1	13.44 16.00 10.90 14.76
月 平 均	57.3	21.27	月 平 均	57.4	14.54	月 平 均	57.2	12.78
VI 6 9 1 13 9 50 20 9 10 27 11 46	57.8 57.2 57.5 57.5	20.14 19.44 21.69 19.99	II 5 10 14 12 8 38 19 8 30 26 10 25	57.1 56.8 56.9 56.7	11.55 12.30 20.36 17.34	XI 1 11 28 8 10 20 15 10 13 22 10 35 29 10 32	57.0 56.6 57.1 56.6 57.0	18.13 12.20 14.81 12.47 19.54
月 平 均	57.5	20.52	月 平 均	56.9	15.64	月 平 均	56.9	15.43
VII 4 10 37 11 9 17 18 10 16 25 8 21	57.0 57.2 57.1 57.8	22.16 21.25 21.69 21.12	III 5 8 55 12 8 25 22 10 36 29 10 29	57.0 56.6 56.7 56.7	20.40 12.43 16.62 12.60	XII 6 10 23 13 10 21 20 10 30 27 10 27	56.8 58.1 56.6 57.1	10.16 20.00 11.26 18.98
月 平 均	57.3	21.56	月 平 均	56.8	15.51	月 平 均	57.2	15.10
VIII 1 10 51 8 10 50 15 10 35 22 11 7 29 9 36	57.4 57.5 57.1 57.1 57.6	21.82 21.41 22.77 22.40 22.46	IV 5 9 54 12 10 21 19 10 11 26 9 58	56.4 56.4 56.7 56.8	18.90 12.08 15.09 13.37	温泉 No. 472		
月 平 均	57.3	22.37	月 平 均	56.6	14.86	1935		
IX 5 9 56 12 9 13 19 10 33 26 9 43	57.2 58.1 57.8 57.9	22.56 24.25 20.25 22.51	V 3 9 52 10 10 8 17 9 36 24 9 45 31 9 57	56.6 56.8 56.7 56.7 56.7	16.05 14.07 14.50 14.80 12.52	I 4 10 44 11 9 45 18 9 10 25 9 49	58.2 57.8 57.8 57.6	11.20 11.00 11.94 10.06
月 平 均	57.8	22.64	月 平 均	56.7	14.39	月 平 均	57.9	11.05
X 3 9 32 10 9 16 17 9 26 24 9 40 31 9 20	57.9 57.6 57.9 57.8 57.6	22.38 21.47 21.64 20.71 22.65	VI 7 10 37 14 9 35 21 10 2 28 10 28	56.6 56.7 56.7 56.1	17.32 10.36 19.90 7.45	II 1 9 56 8 9 27 15 9 43 22 10 12	57.2 57.2 57.2 57.4	11.63 10.98 11.48 10.83
月 平 均	57.8	21.77	月 平 均	56.5	13.76	月 平 均	57.3	11.23
XI 7 9 40 14 9 26 21 11 25 28 10 6	57.9 57.6 56.9 57.4	18.16 20.79 20.51 22.40	VII 5 9 28 12 10 0 19 9 51 26 9 14	56.7 56.1 56.1 56.5	18.32 8.70 19.83 10.77	III 1 9 43 8 9 17 15 9 11 22 9 52 29 9 46	57.3 57.3 57.5 57.4 57.3	13.11 12.80 12.18 13.32 13.12
月 平 均	57.2	20.47	月 平 均	56.4	14.41	月 平 均	57.4	12.91

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
IV 5 9 7 12 9 44 19 9 29 26 9 19	57.6 57.4 57.7 57.6	13.38 12.90 12.83 12.39	月平均	57.4	14.34	IX 6 9 11 13 8 36 20 8 33 27 8 20	52.1 52.2 53.2 52.4	34.95 36.81 34.36 28.44
月平均	57.6	12.87	温泉 No. 564			月平均	52.0	28.14
V 3 9 10 10 9 25 17 9 1 24 9 20 31 9 32	57.1 57.8 57.3 57.4 57.7	13.46 12.60 12.58 12.50 12.64	1935			X 4 7 56 11 8 52 18 8 15 25 8 57	52.5 52.5 52.2 52.2	37.81 40.23 40.37 42.20
月平均	57.5	12.76	I 4 10 12 11 9 21 18 9 30 25 9 26	51.2 50.6 51.0 50.7	19.63 18.92 18.62 17.40	月平均	52.4	40.15
VI 7 10 7 14 9 12 21 9 40 28 10 50	57.2 57.6 57.6 57.8	12.80 11.60 12.62 12.30	II 1 9 23 8 9 50 15 10 0 22 9 48	50.2 50.2 50.2 50.2	17.14 16.52 16.80 17.05	月平均	52.4	40.15
月平均	57.6	12.33	III 1 10 4 8 9 24 15 9 31 22 9 9 29 9 7	50.3 50.0 50.0 49.9 50.5	16.90 16.61 15.76 15.87 17.35	月平均	52.5	39.96
VII 5 9 7 12 9 22 19 9 10 26 9 33	57.5 57.2 57.8 57.7	14.40 14.10 14.78 12.62	IV 5 8 30 12 9 7 19 8 55 26 8 41	50.5 50.3 50.7 50.5	18.65 18.20 18.75 18.19	月平均	52.8	34.90
月平均	57.5	13.98	月平均	50.1	16.50	温泉 No. 634		
VIII 2 10 7 9 10 10 16 10 4 23 10 0 30 8 45	58.0 57.7 58.5 58.4 58.5	15.20 13.57 14.43 12.45 13.60	月平均	50.5	18.45	1935		
IX 6 9 37 13 8 58 20 8 53 27 8 43	58.2 58.2 58.5 58.5	13.85 18.90 14.22 14.23 15.21	V 3 8 28 10 8 42 17 8 20 24 8 34 31 9 7	50.5 50.6 50.6 50.3 50.3	18.73 18.50 18.26 17.28 16.98	I 4 9 58 11 9 1 18 8 25 25 9 8	50.1 50.0 50.2 51.0	39.76 32.87 35.01 33.84
月平均	58.2	13.85	VI 7 9 14 14 8 26 21 9 0 28 11 25	50.5 50.0 50.3 50.0	17.95 16.18 15.38 16.86 15.87	月平均	50.3	35.62
X 4 8 17 11 9 14 18 8 40 25 9 19	58.3 58.5 58.2 57.1	13.21 15.50 13.71 14.96	月平均	50.1	16.07	II 1 8 20 8 8 53 15 8 55 22 9 12	— 50.2 50.4 50.6	— 32.91 32.07 32.76
月平均	58.0	14.35	VII 5 8 33 12 8 47 19 8 44 26 8 19	51.4 51.3 51.7 51.6	30.09 30.89 32.16 32.70	月平均	50.4	32.91
XI 1 9 52 8 9 45 15 9 31 22 9 51 29 9 37	57.0 56.9 57.2 57.6 57.6	14.28 14.34 14.84 14.60 12.78	VIII 2 9 28 9 9 42 16 10 25 23 10 24 30 8 23	51.5 52.8 53.0 52.8 51.3	31.46 31.23 30.54 31.86 31.45 33.99	III 1 9 0 8 8 27 15 8 25 22 8 51 29 8 45	50.6 50.3 50.6 50.6 50.2	32.65 32.81 38.70 36.03 33.64
月平均	57.3	14.37	月平均	51.5	31.46	IV 5 8 10 12 8 50 19 8 38 26 8 21	50.5 50.3 50.3 50.7	34.77 32.68 20.53 34.64
XII 6 9 43 13 9 41 20 9 45 27 9 42	57.3 57.5 57.4 57.4	14.23 14.54 14.19 14.40	月平均	52.8	31.82	月平均	50.5	32.63

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	
V 8 8 18 10 8 30 17 8 0 24 8 13 31 10 30	50.2 52.5 51.3 51.4 50.8	L/M 21.20 — 26.40 29.51 52.85	III 21 8 55 28 9 49	59.6 59.5	L/M 17.48 17.93	XII 5 11 46 12 9 40 19 9 55 26 9 20	59.4 59.7 59.6 59.6	L/M 19.20 17.66 18.75 18.88	
月 平 均	51.2	35.27	IV 4 9 33 11 8 43 18 8 51 25 9 5	59.4 59.4 59.3 59.4	17.45 18.28 18.12 17.26	月 平 均	59.6	18.65	
VI 7 8 56 14 10 10 21 8 41 28 11 50	50.8 50.8 50.7 50.8	54.76 49.22 51.18 52.97	月 平 均	59.4	17.78	温泉 No. 765			
月 平 均	50.8	54.03	V 2 9 19 9 9 4 16 8 15 23 8 54 20 8 51	59.3 59.3 59.3 59.3 59.4	17.58 17.76 19.26 18.97 18.55	1935	III 21 8 41 28 9 5	49.2 48.8	— —
月 平 均	51.3	49.06	月 平 均	59.3	18.42	月 平 均	49.0	—	—
VII 5 10 0 12 10 28 19 10 40 26 10 9	51.2 51.3 51.3 51.4	52.49 27.78 57.44 57.54	VI 6 8 46 13 8 24 20 8 56 27 10 13	59.3 59.3 59.3 59.2	18.70 17.59 18.00 18.20	IV 4 9 18 11 8 30 18 8 41 25 8 52	49.8 49.1 48.8 48.9	12.28 11.42 11.00 12.80	
月 平 均	52.3	54.58	月 平 均	59.3	18.20	月 平 均	49.2	11.63	—
VIII 2 9 15 9 9 24 16 10 50 23 10 40 30 10 0	51.6 51.8 52.8 52.6 52.6	48.47 54.76 55.00 52.72 60.96	VII 4 9 4 11 9 3 18 8 48 25 9 45	59.3 59.4 59.3 59.3	21.40 19.31 20.53 20.21	V 2 9 4 9 9 20 16 8 4 23 10 11 30 8 40	48.8 49.2 48.9 49.0 49.2	11.28 10.40 10.90 10.40 11.68	
月 平 均	52.0	60.21	月 平 均	59.3	20.36	月 平 均	49.0	10.93	—
IX 6 11 4 13 10 10 20 10 15 27 10 13	52.9 52.2 52.0 53.0	65.01 59.01 56.19 60.62	VIII 1 10 25 8 10 37 15 10 55 22 11 25 29 8 59	59.5 59.6 58.7 59.0 59.3	20.97 19.31 20.10 18.91 20.74	VI 6 8 33 13 9 15 20 8 40 27 10 13	49.2 49.1 49.1 49.5	11.26 11.33 11.23 11.27	
月 平 均	53.4	57.68	月 平 均	59.3	20.01	月 平 均	49.2	11.27	—
X 4 9 32 11 10 25 18 10 7 25 10 20	53.2 52.3 52.3 52.7	57.96 55.13 62.50 55.14	IX 5 9 39 12 9 1 19 9 0 26 9 31	59.8 59.8 59.8 59.9	21.06 20.57 18.75 21.74	VII 4 10 19 11 8 49 18 9 4 25 9 35	49.0 49.0 49.0 49.1	11.78 12.26 12.60 12.40	
月 平 均	52.4	54.44	月 平 均	59.8	20.53	月 平 均	49.0	12.26	—
XI 1 9 15 8 9 7 15 10 45 22 11 19 29 11 5	52.3 52.4 52.4 52.5 52.6	54.20 59.59 57.70 48.92 51.70	X 3 9 25 10 9 3 17 9 15 24 9 27 31 9 11	59.8 59.7 59.9 59.8 59.9	19.79 20.21 19.70 20.25 19.96	VIII 1 10 23 8 10 25 15 11 4 22 11 37 29 9 53	49.0 49.0 48.6 48.6 48.6	13.38 11.83 12.65 10.70 15.32	
月 平 均	52.4	48.28	月 平 均	59.8	19.98	月 平 均	48.8	12.78	—
温泉 No. 749			XI 7 9 26 14 9 12 21 9 51 28 9 52	59.8 59.7 59.4 59.3	19.25 19.16 20.77 20.04	IX 5 9 24 12 8 48 19 9 17 26 9 16	49.6 49.7 49.3 49.4	12.25 11.90 12.16 12.56	
1935			月 平 均	59.6	19.81	月 平 均	49.5	12.22	—

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
X 3 9 6 10 10 27 17 9 2 24 10 47 31 10 20	49.5 49.6 49.6 49.6 49.9	L/M 11.79 12.40 11.86 11.60 11.67	VI 6 9 51 13 8 42 20 9 59 27 9 26	41.8 41.8 42.0 —	L/M 6.94 6.30 7.16 7.73	月 平 均	44.3	L/M 9.16
月 平 均	49.6	11.66	月 平 均	41.9	7.03	V 2 10 12 9 10 19 16 9 10 23 9 43 30 9 40	44.2 44.2 44.2 44.2 44.3	8.62 6.51 8.18 7.50 7.91
XI 7 9 11 14 10 20 21 9 35 28 9 39	49.4 49.5 49.3 49.3	12.37 11.32 10.37 10.55	VII 4 10 3 11 10 16 18 9 58 25 9 19	42.3 42.2 42.2 42.1	12.10 10.89 12.00 10.72	月 平 均	44.2	7.74
月 平 均	49.4	11.15	月 平 均	42.2	11.68	VI 6 9 36 13 9 0 20 9 45 27 11 12	44.2 44.2 44.2 43.9	7.73 7.00 7.00 5.24
XII 5 11 58 12 10 45 19 9 42 26 10 49	49.3 49.3 49.3 49.4	11.74 11.13 11.18 11.47	VIII 1 10 7 8 9 49 15 9 32 22 10 24 29 10 44	42.2 42.1 42.0 42.0 42.0	10.58 10.43 9.14 10.32 12.25	月 平 均	44.1	6.74
月 平 均	49.3	11.88	月 平 均	42.3	10.56	VII 4 9 43 11 9 56 18 9 47 25 8 58	44.2 44.2 44.3 44.4	6.42 6.14 7.26 6.70
温泉 No. 813 1935			IX 5 10 37 12 10 0 19 10 7 26 10 31	42.3 42.2 42.8 42.5	12.32 11.25 10.45 11.58	月 平 均	44.3	6.63
I 4 9 22 11 8 20 18 8 47 25 8 38	42.2 42.0 42.1 41.6	8.05 6.50 6.87 5.74	月 平 均	42.0	12.65	VIII 1 9 54 8 9 36 15 9 57 22 10 13 29 10 16	44.6 44.5 44.0 44.5 44.9	10.97 9.59 8.93 9.34 8.83
月 平 均	42.0	6.79	X 3 10 15 10 10 10 17 10 16 24 10 27 31 10 15	43.2 43.1 43.0 41.7 41.6	11.10 10.34 10.03 9.28 10.42	月 平 均	44.5	9.47
II 1 9 12 8 9 6 15 9 20 22 8 55	41.2 41.2 41.4 41.6	7.06 5.50 6.22 6.04	月 平 均	42.5	10.23	IX 5 10 29 12 9 47 19 9 51 26 10 20	45.0 44.9 44.8 44.8	10.03 8.29 7.65 7.74
月 平 均	41.4	6.21	XI 7 10 27 14 10 2 21 10 40 28 10 45	42.6 41.7 42.6 42.6	9.45 9.15 8.76 9.09	月 平 均	44.9	8.43
III 1 9 19 8 8 50 15 8 56 21 10 16 28 10 40	41.6 41.3 41.4 41.6 42.6	7.46 6.18 5.97 6.74 8.55	月 平 均	42.4	9.11	X 3 10 3 10 9 50 17 10 3 24 10 15 31 10 2	44.8 44.8 44.8 44.7 44.4	9.23 7.88 7.69 8.42 6.96
月 平 均	41.7	6.98	XII 5 12 22 12 11 0 19 10 36 26 10 30	42.9 42.6 42.5 42.3	9.25 9.26 7.74 8.80	月 平 均	44.7	8.04
IV 4 10 41 11 10 2 18 10 21 25 10 11	41.8 41.7 41.7 41.6	8.02 8.79 7.85 7.63	月 平 均	42.8	8.76	XI 7 10 18 14 9 49 21 10 29 28 12 29	44.3 44.5 44.5 43.8	6.95 6.90 7.55 7.43
月 平 均	41.7	8.07	温泉 No. 821 1935			月 平 均	44.3	7.21
V 2 10 25 9 10 20 16 9 17 23 9 56 20 9 55	41.7 41.7 41.8 41.8 41.8	7.23 5.96 6.95 6.37 6.92	III 21 10 3 28 10 52	44.2 44.2	8.15 10.01	XII 5 — — 12 10 13 19 10 47 26 10 18	— 44.4 44.2 44.4	—* 8.55 7.20 7.36
月 平 均	41.8	6.89	月 平 均	44.2	9.08	月 平 均	44.3	7.70
			IV 4 10 48 11 9 51 18 10 12 25 10 26	44.3 44.2 44.3 44.2	9.80 9.63 9.51 7.69	::: 掃除中		

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
温泉 No. 935 1935			Ⅹ 21 9 15 23 9 16	49.4 49.6	12.57 15.54	Ⅸ 3 10 19 10 10 5 17 9 57 29 — —	48.6 46.6 47.9 —	9.49 — 12.96 —△
			月 平 均	49.5	12.95	月 平 均	47.7	11.23
Ⅲ 21 8 26 28 8 56			48.0 48.9	10.48 25.31	月 平 均	48.5 18.08		
Ⅳ 4 8 56 11 8 11 18 8 22 25 8 33			48.9 48.7 49.0 48.8	22.00 24.34 25.31 24.15	月 平 均	48.9 23.95		
Ⅴ 2 8 46 9 8 46 16 7 38 23 8 35 30 8 21			48.9 49.1 49.1 49.1 49.1	20.00 17.75 20.37 10.85 19.86	月 平 均	49.1 17.79		
Ⅵ 6 8 14 13 8 7 20 8 21 27 9 6			49.0 49.0 49.1 49.0	18.49 13.30 10.56 18.93	月 平 均	49.0 15.32		
Ⅶ 4 8 46 11 8 26 18 8 33 25 8 0			48.1 48.7 48.3 48.3	29.62 25.50 25.26 22.30	月 平 均	48.5 25.67		
Ⅷ 1 9 36 8 10 3 15 9 10 22 9 44 29 8 41			49.0 48.9 48.1 48.6 49.1	18.81 21.39 — 20.49 17.96	月 平 均	48.7 19.66		
Ⅸ 5 9 5 12 8 29 19 8 43 26 8 57			48.6 49.0 49.1 48.6	16.19 15.80 11.34 15.24	月 平 均	48.8 14.64		
Ⅹ 3 8 46 10 8 41 17 8 43 24 9 10 31 8 50			49.2 49.1 49.3 49.2 49.3	14.40 12.90 14.30 14.90 16.21	月 平 均	49.2 14.75		
Ⅺ 7 8 51 14 8 56			49.4 49.4	12.90 14.30	月 平 均	49.4 14.80		
温泉 No. 1140 1935			Ⅲ 19 10 23 26 9 30	47.3 49.0	9.72 11.23	月 平 均	48.4 10.51	
			月 平 均	48.2	10.50	Ⅹ 5 10 9 12 10 15 29 10 11 26 10 5	47.6 48.8 47.0 49.3	7.55 11.67 5.73 7.95
Ⅳ 2 9 4 9 10 3 16 9 55 23 10 7 30 10 11			— 48.8 48.6 48.7 48.1	12.72 10.27 10.85 14.55 6.02	月 平 均	48.2 8.23		
Ⅴ 7 9 59 14 9 53 21 9 20 28 11 10			48.7 47.4 48.2 47.1	15.25 7.94 10.88 6.30	月 平 均	48.6 10.98		
Ⅵ 4 9 47 11 9 30 18 9 35 25 9 48			— 47.6 47.0 46.6	10.46 6.39 11.52 9.30	月 平 均	47.9 10.09		
Ⅶ 2 9 16 9 10 13 16 10 10 23 9 50 30 10 10			50.1 46.5 50.4 48.5 48.0	8.45 6.82 9.92 8.82 8.82	月 平 均	48.7 8.50		
Ⅷ 7 11 4 13 11 42 20 10 10 27 10 18			48.0 46.9 — 51.4	4.67 —△ —△ —□	月 平 均	48.8 4.67		
			月 平 均	48.8	4.67	Ⅸ 1 — — 8 9 35 15 10 20 22 10 50 29 10 26	— 36.5 — 36.6 —	— 8.63 — 5.10 —
温泉 No. 1153 1935			Ⅲ 19 11 2 26 9 56	53.0 53.2	12.26 12.53	月 平 均	53.1 12.40	
			月 平 均	53.0	12.80	Ⅳ 2 9 16 9 10 16 16 10 11 23 10 25 30 10 28	52.4 53.2 52.8 53.4 52.2	14.95 14.23 13.20 14.19 7.43
Ⅹ 7 8 51 14 8 56			49.4 49.4	12.90 14.30	月 平 均	53.0 12.80		

測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow	測定日時 Date	泉温 Temp.	湧出量 Flow
V 7 10 15 14 10 10 21 9 36 28 10 19	52.6 52.5 52.8 51.1	14.93 8.47 16.32 6.04	XII 17 11 44 24 10 27 31 10 32	52.2 53.2 54.2	12.64 12.67 12.00	温泉 No. 1299		
月 平均	52.3	11.44	月 平均	52.6	11.80	1935		
VI 4 9 53 11 9 46 18 9 49 25 10 5	53.8 52.1 52.6 —	16.52 7.45 15.70 —	… 下水 = テ浸水			I 4 11 22 11 10 25 18 10 10 25 10 27	43.6 43.4 43.4 43.5	42.29 43.03 62.71
月 平均	52.2	12.22	温泉 No. 1260			月 平均	43.5	47.45
VII 2 — — 9 10 32 16 10 46 23 10 3 30 10 18	— 53.2 52.2 52.5 53.4	—※ 11.78 14.34 9.01 13.32	1935			II 1 10 43 8 10 35 15 10 50 22 11 0	43.2 43.1 43.1 43.2	55.85 53.89 59.29 59.84
月 平均	52.1	12.11	I 4 10 27 11 9 57 18 9 42 25 10 3	50.8 50.5 50.6 50.4	13.10 12.76 12.27 11.26	月 平均	43.2	57.22
… 満潮ノタメ下水 = テ浸水			月 平均	50.6	12.45	III 1 — — 8 10 12 15 — — 22 11 3 29 10 43	— 43.1 — 43.2 42.9	— 63.09 — 61.60 50.47
VIII 7 10 46 13 12 16 20 10 12 27 10 35	53.1 47.9 52.1 52.8	11.46 — 11.73 11.26	II 1 10 15 8 10 5 15 10 23 22 10 30	50.0 49.8 50.0 50.3	11.68 11.28 11.92 12.52	月 平均	48.1	58.39
月 平均	52.0	11.48	月 平均	50.0	11.84	温泉 No. 1037		
IX 3 10 40 10 10 23 17 10 14 24 — —	54.2 52.9 54.1 —	—※ 7.76 17.48 —△	III 1 10 17 8 9 46 15 9 48 22 9 26 29 9 28	50.2 50.2 49.8 50.0 50.0	10.58 12.12 12.35 11.35 11.38	1935		
月 平均	53.7	12.62	IV 5 8 47 12 9 23 19 9 10 26 8 57	50.3 50.2 50.3 50.1	12.32 12.43 11.12 12.43	III 19 10 11 26 9 11	60.2 60.0	43.85 50.30
… 満潮ノタメ浴室浸水 △ 大雨ニテ洪水ノタメ浴室大浸水			月 平均	50.0	11.56	IV 2 9 31 9 9 40 16 9 26 23 9 52 30 9 52	60.0 59.8 60.0 60.0 59.8	49.70 49.70 50.12 52.93 47.70
X 1 9 24 8 9 44 15 9 50 22 10 8 29 9 51	54.1 50.8 54.1 51.7 53.9	17.80 5.28 18.20 7.27 —	V 3 8 52 10 9 2 17 8 40 24 9 2 31 8 52	50.3 50.0 50.3 50.1 50.0	12.20 11.70 12.32 11.26 11.42	月 平均	60.1	47.08
月 平均	52.9	12.14	VI 5 8 47 12 9 23 19 9 10 26 8 57	50.3 50.2 50.3 50.1	12.32 12.43 11.12 12.43	V 2 9 31 9 9 40 16 9 26 23 9 52 30 9 52	60.0 59.8 60.0 60.0 59.8	49.70 49.70 50.12 52.93 47.70
… 浸水			月 平均	50.2	12.33	VI 7 9 49 14 8 43 21 9 17 28 11 8	49.9 49.8 50.0 49.8	10.95 10.90 12.83 11.00
XI 5 10 21 12 10 22 19 10 25 26 10 10	52.2 53.2 52.9 53.4	7.81 — 7.52 —△	月 平均	50.1	11.78	月 平均	49.9	11.42
月 平均	52.9	7.67	VII 5 8 50 12 9 4	51.3 51.1	16.52 15.07	V 7 9 23 14 9 25 21 9 4 28 9 52	60.0 59.9 60.1 59.9	51.23 49.29 54.53 49.05
… 浴室浸水			月 平均	50.1	11.78	VI 4 9 23 11 8 53 18 9 11 25 9 26	60.1 60.1 60.0 59.8	53.00 46.11 55.56 43.82
XII 3 10 15 10 — —	49.7 —	7.88 —※	月 平均	51.2	15.80	月 平均	60.0	50.87

宮地嶽神社温泉井 (No. 970) 水位及泉温 (1925. I. ~ 1935. XII.)

大正十四年 (1925)

{海岸より甚だ遠く潮汐影響は無視し得べきを以て一日中}
{の測定時刻には大した關係なき故時刻の記載は止めた}

日	1 月		2 月		3 月		4 月		5 月		6 月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	m	°C	6.44	43.2	6.88	44.0	7.32	44.7	7.59	41.7	7.53	41.9
2			46	43.2	90	44.2	31	44.7	63	40.9	60	41.6
3			48	43.5	93	44.1	36	44.8	63	40.4	71	41.6
4			50	43.2	93	44.0	38	44.8	58	41.8	66	41.8
5			53	43.2	94	44.1	39	44.4	59	40.2	57	41.7
6			55	43.8	96	44.1	37	42.8	66	41.1	55	41.7
7			57	44.0	98	44.0	37	42.9	63	40.9	56	41.7
8			58	44.1	99	44.0	37	43.0	70	40.8	57	41.7
9			57	43.9	99	44.1	40	43.0	72	39.9	54	41.6
10			59	—	7.01	44.2	41	43.1	70	—	50	41.6
11			62	43.6	05	44.2	50	43.0	69	41.0	45	41.9
12			63	43.6	09	44.5	44	43.1	78	—	48	41.9
13			63	43.8	07	43.8	45	43.1	65	40.9	47	41.9
14			66	43.8	07	44.1	47	43.1	71	41.0	47	41.9
15			66	43.9	09	44.5	48	42.8	61	41.4	49	41.9
16			68	43.9	11	44.1	49	42.8	56	41.2	46	41.3
17			71	44.0	10	44.0	50	42.8	59	41.6	45	41.8
18			72	44.0	15	43.8	51	42.7	62	41.6	45	41.8
19			74	44.0	15	44.3	47	42.7	66	41.6	45	41.9
20			75	44.1	17	44.1	—	43.0	59	41.4	47	42.1
21			77	44.5	19	44.0	—	43.0	50	41.6	48	42.2
22	6.26		77	44.1	19	43.9	—	—	46	41.4	44	42.2
23	26		81	44.0	20	44.1	—	43.0	46	41.6	55	42.0
24	31		81	44.0	20	44.1	56	42.6	49	41.6	53	42.3
25	34		80	42.9	23	44.0	59	42.8	47	41.7	47	42.4
26	34		82	44.0	26	44.0	63	42.3	58	41.7	51	42.6
27	36	43.2	86	43.9	24	43.8	42	41.9	56	41.8	52	42.6
28	39	43.2	86	44.2	25	44.6	44	41.9	53	41.7	50	42.6
29	38	43.2			25	44.9	47	41.2	53	41.8	35	42.6
30	38	43.2			31	44.9	48	41.0	56	41.6	33	42.7
31	44	43.2			37	44.4			55	41.9		
平均	6.346	42.20	6.628	43.97	7.105	41.16	7.454	43.00	7.599	41.26	7.504	41.99

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.40	42.7	5.98	42.4	5.84	44.2	3.74	42.1	4.32	40.2	4.95	39.0
2	04	42.6	96	42.3	53	44.2	75	41.9	33	40.2	97	39.0
3	15	42.5	96	43.3	34	42.8	79	41.8	32	40.1	99	39.0
4	09	42.6	97	42.2	26	43.7	81	41.7	39	40.1	5.03	39.0
5	04	42.7	97	42.2	2.54	28.4	82	41.7	40	40.0	03	39.0
6	01	42.7	97	42.2	1.85	20.0	84	41.7	43	39.9	06	39.1
7	6.98	42.9	98	42.5	2.44	31.1	86	41.6	45	39.7	07	39.1
8	96	42.9	96	42.5	82	35.1	86	41.6	48	39.7	09	39.1
9	94	42.9	97	43.5	3.22	38.6	90	41.5	51	39.5	12	39.2
10	85	42.9	6.00	42.5	30	40.6	92	41.4	52	39.5	16	39.3
11	70	42.0	00	42.6	53	41.8	95	41.2	55	39.6	17	39.5
12	55	43.0	—	—	66	42.4	97	41.1	55	39.6	19	39.5
13	51	42.9	5.99	44.0	76	42.8	97	41.1	59	39.5	20	39.5
14	45	42.7	99	—	80	42.3	4.00	41.0	62	39.4	23	39.5
15	28	42.7	6.01	42.7	85	42.3	02	41.0	63	39.3	25	39.6
16	26	42.8	00	42.7	86	42.4	05	40.9	66	39.2	27	39.8
17	32	42.0	01	42.9	88	42.4	05	40.8	67	39.1	29	39.9
18	27	42.0	07	42.9	44	42.0	08	40.7	71	39.2	32	39.7
19	21	42.1	05	44.0	47	42.6	07	40.7	76	39.5	33	39.6
20	21	42.1	03	42.9	39	42.3	10	40.6	76	39.5	33	39.7
21	16	42.1	06	44.0	46	42.3	11	40.5	78	39.3	35	39.9
22	15	42.1	00	44.0	52	42.5	15	40.5	78	39.1	37	39.9
23	—	—	5.93	42.8	57	42.6	16	40.5	82	39.0	39	39.9
24	12	42.1	90	42.9	63	42.6	17	40.3	84	39.0	42	—
25	08	42.3	95	42.8	64	42.4	20	40.3	88	39.2	45	39.4
26	04	42.3	86	42.9	63	42.3	21	40.3	86	39.1	46	39.5
27	08	42.3	87	44.0	65	42.2	24	40.2	88	39.1	45	39.9
28	02	42.3	87	44.1	68	42.1	27	40.2	91	39.0	50	40.1
29	00	42.5	87	44.1	69	42.1	27	40.4	92	39.0	49	40.1
30	5.99	42.4	84	44.2	69	42.1	29	40.4	93	39.0	53	40.1
31	98	42.4	82	44.2			31	40.3			52	39.9
平均	6.488	42.00	5.962	42.74	2.698	41.37	4.030	40.97	4.481	39.45	5.257	39.53

大正十五年 (1926)

日	1 月		2 月		3 月		4 月		5 月		6 月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	5.54	40.0	6.09	41.4	6.49	41.7	6.79	41.2	7.08	40.3	7.30	39.2
2	54	40.0	11	41.3	55	41.6	85	41.3	08	40.2	32	39.1
3	57	40.0	11	41.3	55	41.7	83	41.3	11	40.3	30	38.9
4	61	39.8	13	41.5	55	41.9	85	41.2	12	40.4	28	39.0
5	61	40.0	14	41.5	56	41.8	86	41.1	14	40.3	30	39.0
6	64	40.1	16	41.5	56	41.6	88	41.1	15	40.4	23	39.2
7	68	40.1	17	41.5	57	41.5	85	40.9	16	40.6	23	39.1
8	69	40.1	19	41.5	56	41.5	88	41.0	16	40.3	21	39.1
9	68	40.3	21	41.5	57	41.5	87	40.9	—	—	22	39.2
10	73	40.3	22	41.7	58	41.5	88	41.0	19	40.3	23	39.2
11	72	40.3	27	41.8	61	41.7	90	40.8	20	40.3	18	39.1
12	76	40.3	26	41.6	61	41.5	90	40.8	25	40.3	23	39.2
13	75	40.5	25	41.5	61	41.5	93	40.6	25	40.3	24	39.2
14	85	40.8	28	41.5	65	41.8	94	40.8	29	40.3	24	39.1
15	83	40.9	31	42.0	62	41.9	95	40.6	23	40.1	23	39.0
16	83	40.9	31	41.8	—	—	94	40.5	27	39.9	27	38.8
17	85	40.8	32	41.5	—	—	93	40.6	26	39.9	24	38.9
18	86	40.8	31	41.5	—	—	95	40.8	39	39.3	25	38.9
19	92	41.2	36	41.6	—	—	7.14	40.8	34	39.9	26	38.9
20	90	41.1	37	41.6	71	41.3	—	40.9	34	39.5	28	39.0
21	93	41.1	37	41.6	71	41.3	—	41.0	38	39.3	26	39.1
22	93	41.0	38	41.8	71	41.2	—	41.0	40	39.3	29	39.2
23	95	41.0	43	41.8	73	41.2	—	41.0	42	39.6	30	39.1
24	96	41.0	43	41.8	72	41.2	03	41.0	39	39.3	30	39.1
25	98	41.0	46	41.7	75	41.3	06	41.0	41	39.3	29	39.1
26	6.02	41.0	44	41.7	75	41.1	02	40.8	41	39.3	28	39.2
27	01	41.2	45	41.6	76	41.0	05	40.4	43	39.3	28	39.2
28	02	41.3	47	41.6	76	41.0	05	40.3	40	39.3	42	39.2
29	03	41.3			76	41.0	08	40.3	43	39.3	52	39.1
30	06	41.3			79	41.4	09	40.3	49	39.3	41	39.2
31	07	41.4			77	41.3			37	39.3		
平均	5.823	40.67	6.286	41.60	6.652	41.46	6.961	40.84	7.281	39.91	7.280	39.09

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.31	39.1	6.37	39.2	6.61	40.2	6.46	41.2	6.55	42.1	6.98	42.8
2	24	39.2	37	39.2	61	40.2	46	41.1	59	42.0	7.01	42.8
3	20	39.1	32	39.2	61	40.3	42	41.0	58	42.1	01	42.8
4	08	39.1	33	39.2	63	40.3	41	40.8	61	42.3	04	42.5
5	07	39.0	33	39.2	63	40.3	39	41.2	49	42.3	05	42.5
6	10	39.0	37	39.3	63	40.3	37	41.3	62	—	06	42.9
7	16	39.0	35	39.3	68	40.3	38	41.3	—	—	11	42.9
8	08	39.0	38	39.4	67	40.3	37	41.3	—	—	08	42.6
9	6.85	38.9	40	39.3	65	40.4	40	41.2	—	—	09	42.3
10	73	38.7	41	39.3	66	40.4	36	41.2	—	—	10	42.5
11	63	38.6	40	39.3	68	40.5	35	41.2	—	—	12	42.5
12	69	38.5	40	39.4	65	40.5	35	41.3	72	42.6	18	42.3
13	59	38.7	40	39.4	64	40.5	34	41.3	76	42.8	18	42.2
14	54	38.9	—	—	67	40.6	35	41.3	75	42.1	17	42.3
15	49	39.0	—	—	65	40.6	34	41.3	76	43.0	20	42.4
16	48	38.8	—	—	63	40.6	39	41.4	82	42.8	19	42.3
17	46	38.8	—	—	66	40.3	37	41.5	83	42.7	19	42.4
18	42	39.0	—	—	85	40.3	37	41.5	84	42.5	19	42.3
19	46	39.0	—	—	64	40.3	38	41.4	81	42.5	21	42.5
20	37	39.0	50	39.3	62	40.4	39	41.3	82	42.5	21	42.3
21	42	39.0	51	39.3	61	40.3	40	41.3	85	42.5	46	42.5
22	39	39.0	52	39.3	62	40.4	41	41.4	87	42.5	47	42.5
23	38	39.0	54	39.3	62	40.6	43	41.7	87	42.7	45	42.3
24	39	39.0	57	40.0	60	40.8	44	41.8	89	42.5	47	42.2
25	36	39.0	—	—	61	41.0	47	41.8	90	42.6	48	42.2
26	38	39.0	54	40.1	60	41.0	47	41.3	89	42.5	48	42.1
27	32	39.0	56	40.2	59	41.0	52	41.9	90	42.6	50	42.2
28	33	39.0	58	40.2	50	41.2	52	42.2	—	—	52	42.1
29	32	39.1	60	40.2	48	41.1	52	42.2	96	42.5	52	42.1
30	35	39.2	—	—	46	41.1	52	42.1	96	42.5	54	42.3
31	38	39.2	61	40.2	—	—	52	42.0	—	—	—	—
平均	6.643	38.96	6.459	39.63	6.625	40.54	6.415	41.14	6.764	42.52	7.252	42.41

昭和二年(1927)

日	1月		2月		3月		4月		5月		6月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	—	—	7.70	38.5	—	—	8.02	39.3	7.62	40.7	7.37	41.2
2	—	—	68	38.7	—	—	00	38.3	63	41.0	90	41.0
3	7.59	41.8	71	37.7	—	—	7.98	39.0	63	41.1	89	41.4
4	61	42.2	72	37.3	—	—	95	38.7	64	40.5	86	41.5
5	58	41.8	76	37.3	7.97	37.4	90	38.7	64	40.4	89	41.3
6	61	41.7	75	37.3	99	37.2	82	38.1	65	40.2	89	40.5
7	67	42.0	74	—	8.01	37.2	80	37.8	66	40.2	88	41.0
8	67	42.6	74	38.3	01	37.7	74	38.4	67	39.6	91	41.5
9	67	41.5	76	37.4	01	37.7	76	39.0	69	40.0	88	42.0
10	—	—	79	37.8	01	37.5	75	39.0	70	40.8	84	40.2
11	65	41.3	78	37.5	08	37.4	77	38.6	75	40.5	88	40.8
12	68	41.2	77	38.2	02	37.3	82	39.5	75	41.0	88	40.8
13	67	41.1	80	37.7	02	37.3	76	39.0	74	40.0	87	40.2
14	—	—	82	37.9	01	37.7	76	38.7	79	42.0	87	40.2
15	49	41.5	83	38.2	00	37.7	75	39.1	79	40.7	92	40.2
16	50	40.8	85	38.3	7.99	37.7	78	39.1	78	40.1	8.09	40.8
17	52	40.6	87	37.7	97	37.0	—	—	79	40.0	7.98	41.4
18	—	—	86	37.7	97	37.2	—	—	81	40.8	85	40.7
19	58	40.0	86	37.2	96	37.3	61	41.1	81	40.0	8.29	40.6
20	57	40.0	89	37.3	97	37.4	—	—	80	41.1	34	41.1
21	61	40.2	91	37.3	96	37.2	—	—	82	40.1	7.95	40.6
22	58	39.1	95	37.3	98	37.3	—	—	82	41.0	96	40.8
23	59	39.0	92	37.2	93	37.7	—	—	83	40.4	82	41.2
24	60	38.6	92	37.1	94	37.6	58	40.3	82	40.0	92	41.0
25	61	38.8	92	36.9	98	37.7	60	40.1	84	40.6	89	42.1
26	62	38.8	98	37.0	99	37.7	60	40.5	87	39.9	90	41.1
27	62	38.5	94	37.3	97	37.7	59	40.0	86	40.0	87	41.1
28	65	38.5	96	—	97	37.2	61	40.5	88	40.2	83	41.3
29	65	38.2	—	—	97	38.2	62	40.8	86	40.3	88	40.5
30	66	38.1	—	—	99	28.1	61	41.0	85	40.3	91	40.6
31	67	38.5	—	—	8.01	38.6	—	—	85	40.4	—	—
平均	7.608	40.43	7.828	37.59	7.984	37.52	7.732	39.60	7.761	40.45	7.924	40.96

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.92	41.2	7.53	42.6	6.75	42.9	5.76	44.5	6.10	44.9	—	—
2	93	41.7	53	42.5	78	43.7	—	—	06	45.2	—	—
3	8.01	41.1	56	42.1	76	43.8	59	44.7	16	45.1	—	—
4	02	41.1	54	42.2	—	—	68	44.7	30	45.1	—	—
5	00	40.8	54	41.9	78	43.8	73	44.7	14	45.2	6.70	45.6
6	02	40.8	59	42.3	71	43.7	69	44.8	—	—	72	45.9
7	04	40.2	55	42.3	67	43.8	75	44.8	12	45.2	72	45.8
8	02	40.3	60	42.5	67	42.9	76	44.8	15	45.1	72	45.6
9	02	40.7	59	42.6	68	44.0	—	—	17	44.9	74	45.7
10	7.95	41.2	54	42.9	57	44.2	70	45.0	25	45.1	73	45.5
11	92	41.3	73	42.5	—	—	73	45.1	25	45.0	—	—
12	90	41.1	49	43.8	36	44.2	74	45.0	23	45.1	75	45.5
13	90	41.2	45	42.0	33	44.2	76	44.6	—	—	76	45.5
14	79	41.9	31	42.0	25	44.2	76	44.6	25	45.1	82	45.8
15	78	41.5	21	42.7	11	42.8	79	44.4	26	45.3	79	45.8
16	75	41.6	17	42.6	07	44.3	—	—	28	45.2	86	45.9
17	69	41.2	14	42.2	05	44.2	80	44.5	30	45.2	81	45.9
18	67	42.0	27	42.7	—	—	68	44.5	32	45.1	—	—
19	67	42.0	6.99	42.4	5.92	44.3	83	44.6	35	45.1	82	45.8
20	62	41.2	98	43.4	85	43.8	91	44.5	—	—	85	45.4
21	60	41.4	—	—	80	43.2	94	44.6	43	45.1	85	45.6
22	55	41.5	92	43.6	81	42.9	97	45.0	50	45.3	89	45.8
23	56	41.7	90	43.6	82	44.3	—	—	41	45.2	96	45.9
24	57	41.4	84	42.5	84	44.5	93	45.0	43	45.3	89	45.8
25	59	41.2	84	42.5	—	—	94	44.9	49	45.3	—	—
26	57	41.6	84	43.7	84	44.4	6.01	45.1	51	45.2	91	45.9
27	56	41.7	88	42.7	83	44.6	06	45.2	—	—	91	46.0
28	58	42.0	—	—	87	44.6	09	45.2	—	—	99	46.0
29	56	42.2	84	43.9	77	44.5	09	45.3	—	—	96	45.8
30	56	43.1	72	43.8	74	44.5	—	—	—	—	97	45.7
31	56	42.6	77	43.5	—	—	06	45.0	—	—	98	45.7
平均	7.770	41.44	7.217	42.11	6.223	44.03	5.840	44.81	6.316	45.16	6.811	45.71

昭和三年(1928)

日	1月		2月		3月		4月		5月		6月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	—	—	7.33	45.5	7.66	45.5	—	—	7.54	47.3	7.71	46.2
2	—	—	36	45.5	68	45.6	7.62	45.3	49	47.3	67	46.05
3	7.02	45.8	56	45.0	59	45.5	66	45.4	51	47.3	71	46.0
4	05	45.8	51	45.0	—	—	60	45.5	51	46.8	69	45.6
5	06	45.7	—	—	61	45.1	60	45.2	52	46.7	69	45.5
6	08	45.8	54	44.9	60	45.0	60	45.3	54	46.8	73	45.3
7	08	45.8	54	45.0	61	45.2	63	45.4	55	47.0	72	45.3
8	—	—	58	44.8	67	44.7	—	—	60	47.0	71	45.3
9	10	45.8	55	44.9	67	44.7	74	45.1	61	47.0	74	45.4
10	12	46.1	56	45.2	69	44.8	57	45.7	53	47.1	75	45.3
11	14	46.1	56	45.0	—	—	56	45.6	57	47.0	75	45.2
12	10	46.0	—	—	56	45.1	55	45.7	55	47.3	76	45.3
13	13	46.0	57	44.8	55	44.8	54	45.6	50	47.5	85	45.2
14	18	45.8	53	45.2	55	44.7	53	46.0	56	47.3	81	45.2
15	—	—	49	45.2	53	44.7	—	—	50	47.2	85	45.2
16	—	—	48	45.4	56	44.7	51	46.4	51	47.0	79	45.0
17	—	—	47	44.9	58	44.9	52	46.2	52	47.2	81	44.7
18	29	46.2	47	44.7	—	—	52	46.1	51	47.1	82	44.5
19	21	46.2	—	—	54	44.9	54	46.3	51	46.9	83	44.7
20	23	46.0	58	45.3	53	44.9	55	47.0	53	47.0	87	45.2
21	28	45.7	47	45.2	55	45.0	56	47.4	53	47.3	93	44.4
22	—	—	48	45.3	55	45.3	55	47.4	54	47.0	98	44.4
23	40	45.8	51	45.3	54	44.8	51	47.2	55	47.0	89	44.3
24	34	45.9	51	45.2	56	45.0	50	47.0	53	47.0	97	45.0
25	35	45.9	56	45.2	—	—	52	46.7	59	46.8	90	44.4
26	29	45.8	—	—	57	45.6	48	46.8	64	47.1	90	44.5
27	36	46.0	55	45.6	58	45.4	53	46.9	64	47.0	76	44.7
28	34	46.0	57	45.4	59	45.4	54	46.8	63	46.6	71	45.2
29	—	—	63	45.4	59	45.1	50	47.0	63	46.5	56	46.1
30	28	45.5	—	—	64	45.2	51	47.4	65	46.5	34	46.5
31	27	45.4	—	—	65	45.5	—	—	66	46.3	—	—
平均	7.198	45.87	7.522	45.16	7.592	45.08	7.563	46.14	7.568	47.09	7.773	45.19

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	6.82	46.5	6.33	47.6	5.72	47.9	5.11	46.3	5.56	45.6	5.93	46.0
2	68	46.5	35	47.6	70	47.8	11	46.3	62	45.5	94	46.0
3	69	46.6	23	47.6	66	47.7	16	46.4	59	45.6	87	46.0
4	64	46.8	40	47.6	63	47.8	16	46.4	62	45.5	89	45.8
5	56	46.7	34	47.5	65	47.7	16	46.3	68	45.2	93	45.8
6	58	46.5	34	48.0	55	47.7	16	46.3	66	45.7	6.07	45.7
7	57	46.6	42	48.0	55	47.8	14	46.3	72	45.6	08	45.7
8	52	46.7	34	48.0	49	47.9	15	46.3	74	45.7	10	45.7
9	40	47.0	31	48.0	46	48.0	18	46.1	71	46.0	14	45.9
10	40	46.9	31	47.8	42	48.0	19	46.0	67	45.6	14	46.1
11	48	47.0	23	47.9	48	48.0	21	45.9	70	45.4	19	46.0
12	—	—	26	48.0	48	47.9	24	46.0	72	45.3	23	46.2
13	—	—	23	48.0	33	47.9	24	45.8	75	45.3	20	46.2
14	48	47.2	23	48.0	17	47.7	25	45.9	76	45.5	25	46.1
15	45	47.2	24	48.2	11	47.5	23	46.0	82	45.6	28	46.4
16	38	47.3	25	48.3	03	47.5	29	46.0	81	45.4	20	46.5
17	44	47.2	28	48.6	07	47.3	31	46.1	78	45.2	22	46.2
18	51	47.4	—	—	01	47.0	34	46.0	81	45.4	24	46.1
19	53	47.3	19	48.5	02	46.6	36	45.9	82	45.5	24	46.1
20	54	47.1	11	48.2	02	46.5	41	45.9	79	45.5	27	46.1
21	50	47.2	07	48.0	06	46.4	41	45.8	80	45.4	30	46.1
22	51	47.3	01	48.0	04	46.5	43	45.8	79	45.5	28	46.2
23	41	47.4	00	47.9	13	46.5	45	45.7	89	45.5	32	46.3
24	43	47.3	00	48.0	07	46.7	—	—	79	45.6	38	46.6
25	40	47.6	5.96	47.8	15	46.7	54	45.7	83	45.7	32	46.5
26	35	47.5	95	47.7	04	46.5	56	46.1	84	45.7	36	46.5
27	35	47.4	—	—	06	46.4	51	46.2	80	45.7	40	46.5
28	33	47.3	—	—	07	46.3	54	46.2	85	45.7	45	46.6
29	39	47.5	—	—	12	46.5	52	45.3	91	45.9	38	46.6
30	33	47.6	—	—	11	46.5	53	46.0	83	46.0	39	46.5
31	33	47.6	79	47.9			55	45.7			45	46.6
平均	6.481	47.11	6.483	47.95	5.280	47.24	5.322	46.03	5.755	45.56	6.208	46.18

昭和四年(1929)

日	1月		2月		3月		4月		5月		6月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
	m	°C	m	°C	m	°C	m	°C	m	°C	m	°C
1	6.45	46.9	6.88	47.6	7.25	47.5	7.70	46.3	7.89	45.3	7.91	44.5
2	43	46.7	84	47.4	22	47.5	70	46.1	90	45.3	88	44.5
3	44	46.7	85	47.6	20	47.2	73	45.3	97	44.8	88	44.1
4	48	46.9	86	47.5	21	47.0	71	45.5	90	45.2	—	—
5	46	46.9	90	47.7	21	47.0	69	46.3	89	44.2	—	—
6	48	47.1	90	47.6	22	47.1	69	45.8	90	45.0	—	—
7	50	47.0	91	47.6	22	47.1	74	46.0	97	45.1	91	44.0
8	51	47.0	92	47.6	23	47.0	75	45.8	89	45.3	96	44.1
9	51	47.1	92	47.6	22	47.0	75	45.8	86	45.3	96	43.8
10	52	47.2	97	47.3	24	47.1	78	45.6	82	44.8	98	45.8
11	53	47.2	96	47.3	25	47.3	74	45.4	85	45.3	96	43.8
12	53	47.5	97	47.3	27	46.9	75	45.5	84	44.8	8.06	42.7
13	55	47.2	99	47.3	26	47.0	76	45.4	83	44.8	09	43.3
14	60	47.3	7.00	47.1	56	46.7	78	45.3	86	44.5	00	43.3
15	68	47.7	00	47.5	58	46.6	77	45.3	89	44.3	04	42.7
16	59	47.4	01	47.2	59	46.9	78	45.3	86	44.8	7.95	43.3
17	68	47.2	05	47.2	63	46.9	78	45.5	88	44.8	92	43.6
18	62	47.0	05	47.2	64	47.0	84	45.6	97	44.3	99	44.3
19	63	47.2	06	47.3	62	47.0	80	45.7	87	44.8	85	44.5
20	65	47.4	06	47.0	62	46.5	84	45.7	86	44.9	76	44.8
21	67	47.1	13	47.3	64	46.5	79	45.8	88	44.6	84	44.5
22	69	47.3	19	47.5	65	46.4	82	45.8	92	44.3	72	44.0
23	67	47.5	22	47.5	66	46.7	83	45.3	88	44.8	73	44.9
24	70	47.4	13	47.6	70	46.8	82	45.3	89	44.6	71	45.5
25	73	47.4	13	47.4	74	46.9	81	45.0	90	44.3	72	45.2
26	76	47.4	16	47.0	76	46.8	87	45.8	92	45.3	67	45.6
27	75	47.8	21	47.1	69	46.6	83	44.5	91	44.3	64	45.5
28	81	47.6	26	47.2	78	46.3	86	44.8	8.01	44.1	61	47.1
29	79	47.5			68	46.5	84	44.5	7.92	44.4	65	46.7
30	80	47.5			70	46.5	85	44.6	98	44.3	65	45.8
31	82	47.3			79	46.2			91	45.5		
平均	6.614	47.24	7.017	47.39	7.485	46.85	7.780	45.49	7.897	44.78	7.858	44.61

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.24	45.8	5.69	45.4	5.95	45.0	5.87	44.5	5.90	44.7	6.43	44.7
2	14	45.2	67	45.4	97	45.0	85	44.5	92	44.5	46	44.6
3	06	45.3	66	45.4	96	45.1	81	44.6	94	44.5	48	44.7
4	6.98	45.5	69	45.4	97	45.0	76	44.6	95	44.5	49	44.6
5	95	45.6	69	45.4	98	44.9	72	44.5	96	44.4	50	44.6
6	73	45.6	72	45.5	98	44.8	70	44.5	98	44.6	52	44.5
7	55	45.6	70	45.5	6.02	44.8	69	44.5	98	44.8	53	44.6
8	39	45.5	69	45.6	04	44.8	69	44.7	6.00	44.7	56	44.5
9	5.95	45.2	68	45.6	07	45.0	69	44.5	03	44.6	—	—
10	75	45.2	69	45.5	5.99	44.8	68	44.5	05	44.5	—	—
11	56	45.1	70	45.5	6.05	44.7	70	44.5	07	44.4	70	44.5
12	48	45.2	71	45.5	05	44.6	69	44.5	09	44.3	65	45.0
13	46	45.3	72	45.5	07	44.7	70	44.5	09	44.4	73	45.0
14	45	45.5	70	45.5	08	44.6	72	44.5	11	44.5	75	45.3
15	49	45.6	72	45.5	09	44.5	74	44.5	17	44.6	78	45.5
16	51	45.8	73	45.4	10	44.6	75	44.5	19	44.6	72	45.5
17	52	45.8	75	45.5	09	44.5	76	44.7	20	44.5	69	45.6
18	53	45.6	78	45.5	11	44.5	79	44.6	21	44.6	69	45.6
19	56	45.8	79	45.5	12	44.7	80	44.5	23	44.3	70	45.3
20	57	45.8	81	45.5	14	44.8	81	44.5	25	44.3	66	45.4
21	58	45.8	79	45.4	11	45.1	82	44.5	26	44.4	75	45.1
22	60	45.8	82	45.4	09	45.0	84	44.5	27	44.5	72	45.1
23	57	45.8	83	45.2	09	44.8	85	44.4	30	44.3	77	45.1
24	57	45.7	84	45.0	08	44.8	86	44.5	30	44.6	77	45.0
25	60	45.6	85	45.2	07	44.8	87	44.6	37	44.4	79	46.0
26	60	45.5	86	45.2	06	44.9	84	44.8	33	44.6	79	45.0
27	63	45.5	86	45.2	05	44.9	86	44.6	34	44.5	79	45.2
28	65	45.3	88	45.2	02	45.0	87	44.6	37	44.5	79	45.5
29	63	45.4	90	45.0	5.98	44.9	89	44.5	42	44.6	73	45.4
30	65	45.6	92	45.0	90	44.7	88	44.5	40	44.3	83	45.8
31	65	45.6	93	45.0			89	44.7			82	45.6
平均	5.923	45.54	5.767	45.37	6.043	44.81	5.787	44.55	6.156	44.50	6.673	45.07

昭和五年(1930)

日	1月		2月		3月		4月		5月		6月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	6.87	45.4	7.11	45.0	7.41	44.0	7.84	44.4	7.29	44.1	7.36	44.8
2	—	—	11	44.8	40	44.2	34	44.5	31	44.2	39	44.9
3	84	45.4	10	44.7	35	44.5	39	41.1	29	44.3	36	44.9
4	83	45.4	15	44.7	31	44.5	40	44.0	23	44.2	40	44.5
5	83	45.3	16	44.7	28	44.3	39	44.3	30	44.3	35	44.8
6	81	45.0	17	44.8	27	44.2	42	44.5	31	44.4	38	44.4
7	86	45.0	17	44.6	25	44.0	37	44.5	31	44.4	37	44.4
8	85	45.0	16	44.7	24	44.2	39	44.5	32	44.2	38	44.6
9	83	45.0	17	44.8	22	44.0	39	44.6	31	44.2	38	44.6
10	85	45.0	17	44.7	17	44.0	39	44.4	29	44.5	39	44.5
11	86	45.0	18	44.6	16	44.0	39	44.4	30	44.5	38	44.3
12	87	45.0	17	44.4	16	44.0	43	44.6	—	—	40	44.4
13	88	45.0	21	44.5	17	44.2	45	44.2	—	—	40	44.8
14	88	45.1	22	44.5	17	44.4	40	44.1	—	—	44	45.0
15	89	45.0	25	44.4	17	44.8	40	43.9	—	—	45	44.1
16	—	—	25	44.5	17	44.5	41	43.8	31	45.0	41	44.8
17	91	45.2	27	44.5	17	44.6	39	43.8	34	44.5	34	44.8
18	92	45.4	30	44.4	17	44.5	43	43.9	31	44.5	34	44.3
19	93	45.2	34	44.6	16	44.4	45	44.1	34	44.5	33	44.5
20	95	45.1	34	44.5	—	—	42	44.5	32	44.6	32	44.3
21	93	45.2	33	44.4	17	44.0	45	44.8	34	44.6	32	44.2
22	97	45.2	36	44.6	20	44.0	46	46.4	32	44.8	29	45.2
23	97	45.1	35	44.8	20	44.1	46	43.6	33	44.4	29	45.2
24	99	45.0	35	45.0	20	44.1	42	44.1	35	44.0	19	45.0
25	7.00	45.0	37	44.7	22	44.2	38	44.5	36	44.4	24	44.5
26	02	45.0	40	44.4	25	44.4	36	44.5	36	44.1	22	44.6
27	08	45.0	40	44.5	30	44.2	37	44.3	36	44.4	24	44.6
28	02	45.0	40	44.4	30	44.5	34	44.3	35	44.4	21	44.7
29	06	44.9			24	44.8	32	44.4	35	44.4	20	44.8
30	07	44.9			36	44.5	31	44.3	35	44.6	22	45.2
31	09	44.9			35	44.5			36	44.6		
平均	6.921	45.10	7.249	44.69	7.241	44.28	7.399	44.37	7.322	44.45	7.333	44.66

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.22	44.7	7.18	45.1	6.84	45.4	6.37	44.9	6.50	45.2	6.83	44.8
2	22	45.2	19	45.3	82	45.5	35	45.2	49	45.2	88	44.6
3	24	45.2	19	45.0	82	45.5	35	45.1	47	45.2	86	44.5
4	28	45.0	21	45.5	77	45.4	32	45.0	49	45.0	88	44.2
5	22	45.5	22	45.2	74	45.4	29	45.0	52	44.9	89	44.2
6	22	45.4	21	45.0	72	45.3	29	44.9	50	44.9	91	44.4
7	22	45.3	16	45.0	69	45.1	23	45.0	55	44.9	93	44.5
8	21	45.5	17	45.1	68	45.1	31	44.9	57	45.0	—	—
9	23	45.4	23	45.5	67	45.1	31	45.0	57	45.2	—	—
10	17	45.5	23	44.7	65	45.2	32	45.0	59	45.3	—	—
11	19	45.2	24	45.2	63	45.2	33	45.1	58	45.3	—	—
12	19	45.6	22	45.1	—	—	33	45.2	59	45.0	—	—
13	20	45.6	08	45.0	60	45.2	35	45.0	61	44.8	—	—
14	21	45.0	05	45.4	60	45.2	37	45.1	64	44.8	—	—
15	21	45.3	05	45.4	58	45.2	38	45.2	64	45.0	—	—
16	20	45.7	05	45.2	59	45.2	38	45.4	67	44.9	—	—
17	23	45.1	04	45.4	60	45.2	40	45.2	69	44.8	—	—
18	18	45.5	06	45.2	56	45.1	—	—	68	44.5	—	—
19	18	45.6	02	45.2	55	45.2	42	45.4	69	44.8	—	—
20	19	45.0	04	45.1	52	45.1	43	45.5	72	45.0	—	—
21	17	45.1	00	45.2	51	45.0	43	45.5	66	45.0	—	—
22	16	45.2	6.99	45.3	49	45.1	43	45.4	71	44.9	7.02	44.0
23	18	45.1	97	45.5	49	45.2	45	45.3	73	45.0	—	—
24	17	45.1	95	45.4	49	44.8	48	45.4	72	44.7	07	43.5
25	17	45.4	96	45.5	46	44.9	48	45.5	76	44.5	6.95	43.5
26	18	45.3	91	45.4	44	44.9	48	45.5	78	44.5	7.13	43.5
27	18	45.5	90	45.2	44	45.0	48	45.3	77	44.5	13	43.4
28	21	45.6	89	45.5	39	45.1	47	45.3	80	44.6	14	43.5
29	17	45.3	88	45.5	39	45.0	53	45.4	82	44.5	—	—
30	19	45.3	85	45.5	37	44.9	53	45.4	85	44.5	—	—
31	18	45.0	87	45.5	—	—	48	45.3	—	—	24	43.5
平均	7.197	45.30	7.065	45.26	6.591	45.16	6.395	45.22	6.639	44.89	7.015	43.97

昭和六年(1931)

日	1月		2月		3月		4月		5月		6月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.26	43.5	7.47	41.7	7.31	41.7	7.41	41.7	7.29	42.0	6.96	43.8
2	24	43.9	49	41.6	33	41.8	40	41.4	26	42.8	96	43.9
3	26	43.6	49	41.6	34	41.8	42	41.5	—	—	97	43.8
4	—	—	50	41.7	35	42.3	36	41.5	25	43.0	98	43.7
5	29	43.3	50	41.8	31	42.2	—	—	21	43.0	96	43.9
6	31	43.1	49	41.9	33	42.0	28	41.7	23	43.0	97	42.9
7	31	43.6	47	41.4	35	42.3	26	41.6	25	43.1	—	—
8	29	43.3	48	41.5	36	42.0	29	41.5	37	43.1	7.02	44.1
9	34	43.5	47	41.2	38	41.8	28	41.4	44	42.0	00	44.1
10	34	43.2	47	41.0	37	42.0	30	41.6	45	43.0	6.92	44.1
11	31	42.6	46	41.0	38	41.9	32	41.7	48	43.1	7.05	44.2
12	33	42.5	46	41.0	35	41.9	—	—	53	43.0	09	44.2
13	32	42.4	50	41.2	40	41.7	31	41.8	38	42.9	12	44.2
14	33	42.6	41	41.3	48	41.6	29	42.0	27	43.0	13	44.2
15	34	42.7	39	41.6	—	—	32	42.0	26	43.1	09	44.2
16	35	42.5	33	41.8	—	—	32	42.3	20	43.1	10	44.2
17	37	42.4	30	41.8	23	41.4	33	42.4	—	—	12	44.3
18	35	42.3	29	41.7	46	41.7	30	42.4	13	43.0	10	44.5
19	37	42.2	26	41.7	48	41.6	30	42.4	14	43.0	13	44.5
20	37	42.1	28	41.4	55	41.5	33	42.3	20	43.0	15	44.6
21	42	42.1	24	41.7	51	41.4	43	42.7	09	43.1	—	—
22	43	42.5	25	41.7	—	—	39	43.1	12	43.1	23	44.7
23	44	42.3	26	41.7	52	41.2	27	42.8	08	43.2	20	44.6
24	35	42.0	27	41.8	50	41.3	33	42.9	09	43.2	19	44.7
25	42	41.8	29	41.6	52	41.1	36	42.6	03	43.2	11	45.0
26	42	42.0	33	41.5	54	41.5	30	42.8	01	43.2	01	45.0
27	40	41.7	30	41.5	49	41.5	26	42.7	00	43.4	09	45.0
28	41	41.4	31	41.6	51	41.2	30	43.0	6.93	43.6	6.96	45.0
29	46	41.3	—	—	48	41.3	33	43.0	98	43.7	98	45.0
30	45	41.8	—	—	44	41.7	24	43.1	98	43.8	96	45.0
31	45	41.8	—	—	46	41.6	—	—	99	43.8	—	—
平均	7.335	42.56	7.384	41.54	7.424	41.65	7.322	42.18	7.197	43.14	7.056	44.37

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	—	—	5.07	44.2	—	—	4.54	43.5	—	—	5.52	41.2
2	—	—	—	—	—	—	54	43.4	4.89	41.2	59	41.2
3	—	—	06	44.3	4.75	44.2	58	42.3	92	41.2	63	41.2
4	6.88	45.2	07	44.4	—	—	—	—	92	41.2	63	41.2
5	94	45.4	09	44.5	—	—	62	43.2	98	41.2	66	41.4
6	99	45.4	11	44.5	—	—	47	43.0	5.02	41.2	—	—
7	91	45.4	11	44.6	78	44.0	62	43.3	08	41.2	68	41.3
8	86	45.2	15	44.7	—	—	66	43.2	05	41.2	73	41.6
9	67	45.2	—	—	73	43.8	66	42.1	07	41.2	73	41.6
10	57	45.5	14	44.8	—	—	70	43.0	18	41.4	75	41.7
11	48	45.4	16	44.8	70	42.8	—	—	12	41.2	75	41.7
12	—	—	19	44.8	77	43.9	74	42.5	13	41.2	78	41.5
13	5.74	45.1	18	44.8	—	—	42	42.8	12	41.2	—	—
14	57	44.7	19	44.8	84	42.8	27	—	15	41.3	84	41.2
15	52	44.5	18	44.8	78	43.6	27	—	17	41.4	85	41.2
16	57	44.8	24	44.8	80	43.6	30	42.8	16	41.5	91	41.5
17	50	44.5	21	44.7	79	43.6	34	42.8	18	41.4	96	41.6
18	46	44.7	20	44.7	79	42.6	—	—	19	41.4	97	41.5
19	48	44.7	—	—	79	43.6	43	42.8	22	41.2	6.01	41.7
20	46	44.8	12	44.7	—	—	52	42.7	24	40.8	—	—
21	45	44.7	—	—	83	43.2	53	42.3	23	40.7	5.99	41.9
22	46	44.6	—	—	84	42.2	58	42.1	—	—	97	41.9
23	46	44.5	—	—	82	42.2	61	42.0	28	40.7	—	42.1
24	38	44.2	4.98	44.7	82	42.4	68	41.9	29	40.9	6.03	42.2
25	35	44.0	85	44.6	78	43.4	—	—	34	41.1	—	—
26	28	44.0	81	44.6	57	43.7	70	41.6	36	41.1	06	42.0
27	10	44.0	78	44.6	—	—	72	41.6	43	41.3	08	42.3
28	20	44.0	—	—	77	43.8	75	41.4	46	41.2	09	42.4
29	4.98	44.0	—	—	55	43.9	78	41.2	—	—	—	—
30	50.9	44.1	—	—	55	43.6	81	41.2	50	41.2	12	42.5
31	07	44.1	74	44.3	—	—	85	41.2	—	—	14	42.5
平均	5.913	44.73	5.046	44.61	4.753	43.75	4.583	42.52	5.141	41.16	5.874	41.71

昭和七年(1932)

日	1月		2月		3月		4月		5月		6月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	—	42.4	6.56	43.2	7.02	42.5	7.10	42.2	7.55	40.7	7.74	38.4
2	6.17	42.4	60	43.3	00	42.4	39	42.2	56	40.9	65	38.5
3	20	42.5	61	43.1	—	—	40	42.2	55	41.1	66	38.5
4	—	—	62	43.1	05	42.5	42	42.2	54	41.0	65	38.5
5	21	42.4	62	43.2	08	42.5	40	42.1	52	41.0	64	38.7
6	26	42.6	70	43.1	—	—	39	42.1	54	40.6	69	38.8
7	27	42.7	—	—	13	42.9	40	42.2	57	40.4	72	38.6
8	24	42.6	76	43.1	14	42.9	38	41.8	—	—	71	38.5
9	27	42.6	75	43.2	17	42.8	40	41.5	59	40.0	—	—
10	—	—	69	43.2	18	42.8	42	41.5	56	40.0	70	38.5
11	30	42.6	79	43.1	—	42.8	44	41.5	55	39.9	66	38.5
12	33	42.6	81	43.2	20	42.8	44	41.2	53	39.8	67	38.5
13	37	42.4	85	43.2	21	42.7	43	41.2	59	39.8	69	38.5
14	35	42.6	86	43.2	23	42.6	46	41.1	63	39.8	70	38.8
15	39	42.6	85	43.2	22	42.6	44	41.2	62	39.8	69	38.8
16	38	42.6	89	43.1	25	42.6	46	40.9	60	39.8	72	39.0
17	—	—	93	42.6	26	42.3	48	40.9	62	39.8	71	38.6
18	42	42.8	89	42.5	26	42.4	50	40.9	63	39.8	69	38.5
19	42	42.8	95	42.4	26	42.4	50	40.9	62	39.7	72	38.5
20	44	42.8	97	42.4	—	—	52	40.9	60	39.7	70	38.5
21	44	42.9	—	—	28	42.4	53	40.8	62	39.7	68	38.4
22	44	43.0	95	42.5	28	42.4	55	41.2	63	39.7	61	38.4
23	49	43.1	96	42.6	23	42.4	54	41.3	65	39.6	67	38.9
24	49	43.0	89	42.6	34	42.5	54	41.0	68	39.8	68	38.9
25	48	42.9	85	42.6	34	42.8	54	40.8	69	40.0	64	38.8
26	46	42.0	80	42.6	33	42.6	53	40.7	69	39.0	62	38.8
27	50	43.0	82	42.5	34	42.6	52	40.5	74	39.0	60	38.6
28	52	43.0	96	42.5	37	42.6	53	40.8	66	38.6	61	38.5
29	56	42.9	7.00	42.5	37	42.5	53	40.8	72	38.6	60	38.5
30	59	43.0	—	—	39	42.6	53	40.8	73	38.6	60	38.5
31	—	—	—	—	41	42.4	—	—	73	38.5	—	—
平均	6.375	42.73	6.814	42.87	7.227	42.58	7.467	41.81	7.613	39.84	7.671	38.60

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.58	38.6	6.77	39.5	6.19	39.7	5.96	39.8	6.33	40.1	6.79	40.7
2	54	38.6	77	39.4	13	39.6	97	39.9	32	40.1	82	40.8
3	48	38.8	79	39.4	17	39.7	6.01	39.9	—	—	83	40.9
4	41	38.8	77	39.4	15	39.6	5.98	39.8	39	40.2	83	41.0
5	40	38.8	81	39.4	15	39.5	6.02	39.8	42	40.2	84	41.0
6	38	38.8	78	39.5	14	39.5	05	39.7	42	40.2	83	41.1
7	31	39.1	—	—	17	39.5	06	39.6	45	40.2	90	41.1
8	27	39.1	81	39.5	20	39.5	05	39.7	48	40.2	85	41.0
9	19	39.1	80	39.5	19	39.5	06	39.8	53	40.2	86	40.7
10	06	39.3	80	39.5	18	39.5	07	39.9	50	40.2	88	40.8
11	02	39.3	79	39.5	17	39.5	08	39.9	51	40.4	86	40.9
12	6.96	39.4	76	39.4	15	39.5	09	39.9	55	40.5	90	40.9
13	92	39.4	70	39.4	15	39.5	16	39.9	56	40.5	94	40.9
14	90	39.4	69	39.2	14	39.5	15	40.0	55	40.5	92	40.9
15	85	39.2	66	39.2	10	39.6	10	40.1	58	40.5	96	40.9
16	79	39.2	65	39.2	11	39.6	14	40.1	60	40.5	98	40.8
17	78	39.3	62	39.2	07	39.5	15	40.0	57	40.4	99	40.7
18	78	39.4	61	39.2	—	—	16	40.0	55	40.4	99	40.9
19	77	39.4	58	39.4	02	39.5	17	40.0	55	40.5	7.01	41.0
20	77	39.4	56	39.4	00	39.5	22	40.0	62	40.6	06	41.0
21	75	39.4	55	39.3	01	39.6	21	40.0	68	40.6	02	41.0
22	74	39.4	54	39.2	5.98	39.6	19	40.1	70	40.6	01	41.0
23	75	39.4	49	39.2	98	39.6	—	—	68	40.6	11	40.9
24	—	—	44	39.2	99	39.6	24	40.3	72	40.6	05	40.6
25	73	39.5	43	39.2	98	39.6	29	40.1	75	40.6	—	—
26	74	39.5	35	39.2	96	39.6	25	40.1	—	—	06	41.0
27	82	39.5	30	39.2	98	39.6	29	40.0	77	40.6	05	41.0
28	70	39.5	26	39.4	97	39.6	31	40.0	78	40.6	06	41.0
29	73	39.5	17	39.5	95	39.8	30	40.2	82	40.7	—	—
30	73	39.5	27	39.5	96	39.9	32	40.2	82	40.7	—	—
31	74	39.5	25	39.5	—	—	32	40.1	—	—	—	—
平均	6.978	39.24	6.599	39.36	6.080	39.58	6.148	39.97	6.574	40.42	6.959	40.91

昭和八年(1933)

日	1月		2月		3月		4月		5月		6月	
	水位 m	泉温 °C	水位 m	泉温 °C	水位 m	泉温 °C	水位 m	泉温 °C	水位 m	泉温 °C	水位 m	泉温 °C
1	—	—	7.43	40.5	7.80	—	—	—	7.91	37.0	7.71	38.8
2	—	—	43	39.7	80	37.6	—	—	87	37.6	76	38.8
3	—	—	42	39.7	82	37.4	—	—	84	38.0	69	38.6
4	—	—	46	39.6	86	37.4	8.02	38.3	85	36.8	75	38.8
5	7.17	40.9	53	40.3	—	—	01	37.6	73	37.0	71	38.8
6	19	40.9	52	40.2	84	37.2	7.94	36.6	76	37.5	67	38.8
7	21	41.2	56	40.2	84	37.2	8.01	37.2	77	37.0	67	38.8
8	20	40.8	55	40.4	82	37.2	7.97	38.5	79	37.7	69	38.7
9	17	40.8	—	—	89	37.0	98	38.4	77	36.7	67	38.5
10	19	40.8	61	39.8	90	—	8.04	37.4	76	37.2	69	39.1
11	17	41.0	63	39.6	91	37.0	09	38.0	75	37.2	56	38.8
12	21	41.2	64	39.3	95	37.1	07	36.9	78	37.4	63	38.5
13	21	41.2	67	39.2	—	—	04	37.1	76	37.4	67	38.5
14	20	41.2	68	39.3	—	—	00	37.7	86	37.8	62	38.5
15	22	41.1	69	39.1	8.00	37.5	08	37.0	79	38.5	70	38.8
16	21	41.0	69	39.1	7.96	37.9	05	37.7	85	38.5	67	38.7
17	27	41.2	69	39.0	94	37.7	7.99	38.0	80	38.2	70	38.9
18	29	41.2	71	38.7	—	—	8.04	37.5	84	38.5	74	39.1
19	31	41.0	73	38.8	—	—	06	36.5	83	39.3	65	38.8
20	32	41.0	72	38.8	98	37.6	01	37.2	80	39.0	72	38.8
21	34	41.1	71	38.5	95	38.1	04	36.9	77	39.0	68	38.8
22	33	41.2	73	38.4	—	—	10	37.2	78	38.8	68	38.7
23	33	41.2	75	38.3	—	—	05	37.0	76	38.4	68	39.7
24	35	41.2	80	38.4	—	—	05	36.5	73	38.3	64	40.0
25	37	41.2	—	—	—	—	10	37.0	60	38.3	63	39.5
26	—	—	78	37.8	—	—	01	37.1	61	38.3	60	40.2
27	38	40.5	77	37.5	—	—	01	—	68	38.4	56	39.8
28	37	40.5	80	39.3	—	—	7.97	36.9	68	39.1	54	39.8
29	40	40.5	—	—	—	—	96	36.8	69	39.1	56	40.5
30	42	40.5	—	—	8.02	36.9	99	37.1	71	39.1	50	40.5
31	42	40.5	—	—	7.99	36.9	—	—	69	38.8	—	—
平均	7.263	40.95	7.646	39.13	7.932	37.40	8.021	37.33	7.768	38.06	7.658	39.09

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.44	40.0	—	—	7.08	42.2	7.23	42.5	6.71	43.4	7.05	43.8
2	48	40.0	7.16	41.6	09	42.6	22	42.5	72	43.5	08	43.8
3	53	41.0	10	41.8	14	42.6	22	42.5	78	43.2	04	43.7
4	52	40.8	16	41.7	06	42.5	19	42.5	77	43.3	04	44.1
5	50	40.7	19	42.1	13	42.2	17	42.7	80	43.2	07	43.8
6	45	40.3	18	42.0	14	42.1	16	42.8	79	43.5	09	42.8
7	36	40.3	17	42.2	13	42.0	19	43.2	80	43.2	09	43.9
8	42	40.6	14	42.2	15	42.1	16	43.3	75	43.2	12	43.9
9	37	40.6	13	42.2	15	42.1	14	43.4	79	43.2	12	43.8
10	34	40.7	15	42.3	—	—	12	42.8	81	43.3	12	43.9
11	31	40.6	13	42.3	16	42.4	11	42.8	81	43.5	16	44.0
12	29	40.6	13	42.3	18	42.4	13	43.2	82	43.5	15	43.8
13	28	40.6	11	42.2	18	42.4	13	43.1	82	43.5	16	—
14	26	40.6	12	42.0	20	42.5	16	43.2	84	43.5	17	43.3
15	21	40.6	—	—	22	42.6	14	43.2	85	43.8	18	43.6
16	18	40.8	36	41.0	21	42.5	01	42.9	84	43.7	18	42.5
17	17	41.5	13	42.5	23	42.7	06	43.0	99	43.6	19	43.5
18	22	41.0	16	42.5	24	42.6	15	43.2	99	43.4	21	43.5
19	21	41.1	19	42.0	24	42.7	11	43.3	99	43.6	28	42.5
20	21	40.8	17	42.5	25	42.8	11	43.4	97	43.5	25	43.6
21	21	40.8	20	42.5	26	43.0	6.87	43.2	98	43.6	25	42.5
22	17	40.8	20	43.0	22	42.6	—	—	98	43.7	27	43.3
23	20	40.7	—	—	25	42.7	77	43.3	7.00	43.7	27	43.2
24	18	40.8	11	42.1	25	42.7	74	43.3	01	43.8	29	43.2
25	17	40.8	11	42.1	26	42.4	75	43.2	08	44.0	29	43.2
26	17	40.8	12	42.1	26	42.6	74	43.0	04	43.7	31	43.3
27	19	40.7	12	42.1	26	42.4	69	43.2	05	44.0	32	43.1
28	17	40.7	10	42.2	22	42.4	73	43.2	05	43.9	33	43.2
29	14	40.7	15	42.0	25	42.4	73	43.3	01	44.0	—	—
30	20	40.7	13	42.2	23	42.6	74	43.3	02	44.1	35	43.2
31	19	40.8	14	42.0	—	—	71	43.5	—	—	—	—
平均	7.282	40.69	7.162	42.10	7.193	42.48	7.006	43.07	6.894	43.57	7.194	43.54

昭和九年(1934)

日	1月		2月		3月		4月		5月		6月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	—	—	7.70	39.4	7.96	35.7	8.18	39.8	8.25	39.4	8.44	39.1
2	7.36	43.0	71	39.4	95	35.6	13	34.9	27	39.2	51	39.1
3	—	—	73	39.4	98	36.2	15	33.2	27	39.2	47	38.7
4	39	42.7	69	39.4	97	36.5	19	32.7	29	39.3	53	38.7
5	38	42.5	70	38.7	—	—	20	32.8	31	39.4	47	38.2
6	42	43.0	71	39.4	99	35.4	18	32.0	31	39.3	53	37.3
7	42	42.9	74	38.8	—	—	—	—	23	39.4	55	37.8
8	44	43.1	75	—	8.00	35.5	—	—	28	39.4	54	38.2
9	45	43.0	73	37.7	01	36.7	—	—	30	39.4	53	39.3
10	45	42.3	74	37.9	02	36.6	20	39.8	31	40.2	57	37.0
11	48	42.0	75	37.4	05	36.7	20	40.0	31	40.0	54	35.9
12	49	41.8	77	37.6	05	36.9	21	40.0	30	39.3	59	38.3
13	50	41.8	81	37.2	09	37.4	20	40.0	30	39.8	56	35.3
14	51	41.8	81	36.2	04	37.0	24	39.4	31	39.7	62	35.3
15	51	41.5	81	36.1	09	36.7	25	39.2	22	39.3	62	35.3
16	52	41.5	83	36.0	03	36.7	24	39.0	26	39.9	63	35.3
17	56	41.3	81	36.5	07	36.6	23	39.2	33	39.5	63	34.4
18	60	41.5	83	36.4	04	36.9	27	39.3	34	39.3	63	34.7
19	58	41.2	84	36.5	05	36.6	23	39.3	35	40.0	62	34.2
20	—	—	88	35.5	06	36.8	25	40.2	35	40.0	64	34.5
21	57	40.4	89	35.5	06	36.5	17	40.2	26	39.3	63	34.5
22	58	40.3	89	35.6	09	37.2	22	40.4	37	40.3	64	35.5
23	60	40.2	90	35.9	07	39.2	27	40.3	40	39.6	64	35.0
24	61	40.1	92	35.8	07	37.0	25	40.7	40	39.3	64	35.2
25	61	39.8	91	35.7	09	36.0	28	40.3	39	39.2	65	35.5
26	63	39.6	95	35.7	07	36.0	23	39.7	40	38.8	65	34.6
27	64	39.7	93	35.3	08	35.8	30	39.8	—	—	—	—
28	66	39.5	93	35.2	11	37.0	29	39.7	42	39.1	—	—
29	68	39.2	—	—	11	35.3	21	39.6	42	39.2	—	—
30	69	39.6	—	—	11	35.9	23	39.2	46	39.1	—	—
31	67	39.5	—	—	12	35.4	—	—	44	39.7	—	—
平均	7.526	41.34	7.809	37.09	8.045	36.43	8.219	36.73	8.337	39.53	8.600	36.00

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	—	—	8.50	39.1	8.64	37.2	8.07	40.7	7.31	40.9	7.51	38.9
2	—	—	48	39.2	64	36.6	00	40.2	31	41.2	54	39.0
3	—	—	48	39.2	62	36.2	7.94	40.3	26	40.7	55	38.6
4	—	—	48	39.2	64	36.5	89	40.3	34	40.8	56	38.2
5	—	—	48	39.2	65	36.6	84	40.8	31	40.5	57	39.4
6	—	—	49	39.2	65	36.6	74	40.3	34	40.7	55	39.1
7	—	—	48	39.1	—	—	72	40.3	34	40.9	58	39.6
8	—	—	47	39.5	—	—	73	40.2	33	40.8	60	39.7
9	—	—	49	39.8	—	—	67	40.6	33	40.7	60	39.3
10	—	—	49	39.1	—	—	58	40.6	39	40.6	62	39.4
11	—	—	50	—	—	—	63	40.8	39	40.7	61	39.4
12	—	—	50	39.5	—	—	52	40.6	40	40.7	64	38.9
13	—	—	50	39.7	—	—	48	40.3	38	40.8	67	39.5
14	—	—	51	39.0	64	35.8	38	41.3	34	40.8	65	40.2
15	—	—	51	38.9	63	36.3	43	41.2	40	40.7	65	39.5
16	—	—	54	38.7	63	36.1	42	41.4	45	40.4	73	39.4
17	—	—	62	38.0	63	36.3	38	40.8	45	40.5	69	39.5
18	—	—	53	38.6	63	36.3	34	40.6	44	40.8	72	40.5
19	—	—	60	38.6	60	36.9	32	40.7	47	41.4	73	38.5
20	—	—	62	38.6	60	37.2	32	40.4	46	40.8	70	38.6
21	—	—	61	38.8	53	37.3	33	40.5	50	40.3	70	39.4
22	—	—	60	38.1	43	37.9	31	40.7	52	38.9	73	38.8
23	—	—	61	38.5	38	38.2	29	40.8	58	39.0	66	38.6
24	8.63	—	57	38.2	—	—	33	40.9	55	38.9	71	39.1
25	61	36.8	57	38.0	27	38.3	34	41.3	55	38.7	76	39.6
26	59	37.2	58	38.0	27	39.3	27	40.8	53	38.8	73	40.3
27	58	37.7	59	37.6	20	39.2	25	40.8	50	39.8	77	38.3
28	56	38.0	60	37.7	16	39.8	28	40.8	59	38.9	60	39.6
29	53	38.2	60	37.2	17	40.3	25	40.5	55	38.5	—	—
30	52	38.6	60	37.3	11	40.8	29	40.6	53	38.9	—	—
31	51	39.0	60	37.6	—	—	39	40.7	—	—	—	—
平均	8.650	34.42	8.540	38.70	8.521	36.99	7.507	40.67	7.480	40.20	7.678	39.31

昭和十年(1935)

日	1月		2月		3月		4月		5月		6月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	—	—	7.98	38.8	8.17	40.0	8.12	39.8	7.79	41.3	8.03	43.6
2	7.77	39.5	98	38.8	14	39.6	10	39.4	85	42.1	—	—
3	79	39.1	8.03	39.2	15	39.5	10	39.8	84	42.1	09	44.1
4	76	40.3	7.99	38.6	16	40.0	14	38.7	85	42.5	07	43.1
5	79	39.5	8.00	39.4	17	39.0	10	38.6	85	42.5	09	42.6
6	83	39.4	00	39.5	15	39.2	06	39.6	85	42.2	08	43.1
7	77	38.0	00	38.2	17	39.0	06	39.8	85	42.6	08	43.1
8	80	38.1	7.99	38.0	18	39.2	05	40.6	85	42.4	09	42.9
9	80	38.4	8.01	39.0	18	39.7	03	40.6	87	42.3	10	42.8
10	82	37.7	00	39.4	18	39.5	05	42.5	88	42.5	10	42.8
11	82	38.3	05	39.6	19	39.0	02	42.6	90	43.1	11	42.8
12	79	38.2	05	38.4	19	40.1	7.97	42.9	85	42.3	10	42.6
13	89	39.2	05	38.2	20	39.0	97	43.1	—	—	15	42.5
14	—	—	09	39.1	20	40.1	97	42.2	90	43.1	16	42.5
15	82	39.5	08	39.4	21	41.0	98	43.1	88	41.3	19	43.0
16	84	39.0	11	39.5	22	39.4	91	42.5	89	43.2	19	42.7
17	80	38.6	09	38.7	13	39.7	91	42.0	—	—	18	43.0
18	86	38.2	11	39.0	21	39.9	96	43.0	91	42.7	21	43.6
19	87	38.2	10	38.4	22	40.4	83	42.3	83	42.0	20	42.9
20	87	38.5	13	38.6	22	40.0	88	43.0	79	42.4	21	42.4
21	85	38.4	17	40.4	23	40.5	86	42.3	83	42.3	22	42.4
22	88	38.9	17	38.9	20	38.7	83	43.4	95	42.0	23	42.0
23	87	38.3	12	38.1	24	39.1	82	42.6	98	42.2	22	43.0
24	89	39.2	11	37.7	24	39.6	87	43.9	98	42.0	23	42.3
25	92	38.5	11	38.4	23	40.7	83	42.1	99	42.4	21	42.4
26	95	39.3	12	38.4	23	40.6	84	43.5	99	43.5	16	43.0
27	92	38.8	16	39.9	23	39.8	—	—	8.01	43.0	16	43.0
28	94	39.2	15	39.2	24	39.5	84	44.1	00	43.6	16	42.7
29	95	38.6			19	39.9	84	43.2	00	43.0	13	43.2
30	95	38.7			16	40.0	82	44.0	04	41.8	02	43.8
31	96	38.7			07	39.2			00	42.1		
平均	7.847	38.81	8.069	38.89	8.190	39.71	7.955	41.97	7.901	42.57	8.141	42.96

日	7月		8月		9月		10月		11月		12月	
	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温	水位	泉温
1	7.72	44.8	5.82	44.5	5.75	42.0	4.37	43.7	5.15	42.0	5.75	42.9
2	34	45.2	82	44.5	67	43.1	41	43.2	17	41.7	78	41.6
3	6.98	45.3	—	—	65	42.6	48	43.5	17	41.0	81	43.1
4	68	46.0	—	—	64	43.7	52	43.2	21	42.0	82	43.1
5	58	45.8	—	—	55	43.6	52	43.2	21	41.6	86	43.1
6	50	45.6	—	—	47	42.8	58	43.0	23	41.6	88	42.6
7	35	45.3	80	44.0	46	43.3	60	42.6	24	41.4	88	43.1
8	27	45.6	79	44.1	41	44.9	65	42.0	26	41.7	89	43.1
9	20	44.6	—	—	27	43.0	69	41.5	28	41.6	91	43.1
10	15	46.0	80	45.2	28	43.2	70	42.5	30	41.6	94	42.1
11	12	46.1	79	44.1	32	42.7	70	41.4	32	40.7	93	43.1
12	12	44.5	—	—	33	43.2	75	42.5	36	41.1	98	43.2
13	02	44.5	82	42.2	32	44.2	76	42.0	38	42.0	—	—
14	09	45.3	80	42.6	30	44.2	78	41.4	39	42.0	6.01	42.8
15	11	46.1	—	—	29	44.3	79	42.4	39	42.0	04	43.1
16	07	46.5	75	44.9	31	43.6	82	42.0	44	41.6	05	43.4
17	08	45.4	88	43.0	30	44.1	85	41.3	45	42.5	06	43.7
18	5.99	45.5	—	—	28	44.0	86	42.2	47	42.5	08	43.3
19	97	45.1	75	42.1	28	43.7	89	42.0	47	42.1	11	44.0
20	93	44.9	—	—	27	43.6	93	41.5	48	42.0	14	42.1
21	91	45.0	73	43.0	29	44.0	93	42.0	51	41.8	16	43.6
22	87	44.9	—	—	28	43.1	94	42.0	56	41.6	16	44.1
23	87	44.9	77	43.3	22	44.0	98	41.6	64	42.0	19	43.9
24	81	44.6	—	—	10	43.4	99	41.0	63	42.3	23	43.7
25	84	43.6	75	43.1	4.23	44.0	5.01	40.5	65	42.9	22	44.0
26	83	44.4	—	—	05	44.1	00	42.0	66	42.3	25	44.0
27	80	44.5	75	43.4	14	42.5	02	42.1	70	42.6	25	43.9
28	82	44.6	74	44.0	21	43.5	06	42.3	71	42.6	28	44.2
29	83	45.6	77	44.0	36	42.5	07	41.8	75	41.5	25	44.1
30	81	44.6	75	44.0	—	—	10	42.0	75	42.3	—	—
31	82	45.2	74	44.5	—	—	13	41.6	—	—	27	43.2
平均	6.175	45.15	5.783	43.84	5.147	42.54	4.812	42.13	5.431	41.94	6.045	43.29

宮地嶽神社温泉井觀測統計

	年 月	大正	大正	昭和	昭和	昭和	昭和	昭和	昭和	昭和	昭和	昭和	平均
		十四年 1925	十五年 1926	二年 1927	三年 1928	四年 1929	五年 1930	六年 1931	七年 1932	八年 1933	九年 1934	十年 1935	
水 位	1	—	5.823	7.608	7.198	6.614	6.921	7.385	6.375	7.263	7.526	7.847	6.960
	2	6.628	6.286	7.828	7.522	7.017	7.249	7.384	6.814	7.646	7.809	8.069	7.296
	3	7.105	6.652	7.984	7.592	7.485	7.241	7.424	7.227	7.932	8.045	8.190	7.534
	4	7.454	6.961	7.732	7.563	7.780	7.399	7.322	7.467	8.021	8.219	7.955	7.615
	5	7.599	7.281	7.761	7.558	7.897	7.322	7.197	7.613	7.768	8.337	7.901	7.644
	6	7.504	7.280	7.924	7.773	7.858	7.333	7.056	7.671	7.658	8.600	8.141	7.709
	7	6.488	6.643	7.770	6.481	5.923	7.197	5.913	6.978	7.282	8.650	6.175	6.864
	8	5.962	6.459	7.217	6.483	5.767	7.065	5.046	6.599	7.162	8.540	5.783	6.553
	9	3.698	6.625	6.223	5.280	6.043	6.591	4.753	6.080	7.193	8.521	5.147	6.014
	10	4.030	6.415	5.840	5.322	5.787	6.395	4.583	6.148	7.006	7.507	4.812	5.804
	11	4.481	6.764	6.316	5.755	6.156	6.639	5.141	6.574	6.894	7.430	5.431	6.144
	12	5.257	7.252	6.811	6.208	6.673	7.015	5.874	6.959	7.194	7.678	6.045	6.633
	平均	6.021	6.703	7.251	6.728	6.750	7.031	6.252	6.875	7.418	8.072	6.791	6.8994
泉 温	1	—	40.67	40.43	45.87	47.24	45.10	42.56	42.73	40.95	41.34	38.81	42.570
	2	43.97	41.60	37.59	45.16	47.39	44.69	41.54	42.87	39.13	37.09	38.89	41.811
	3	41.16	41.46	37.52	45.08	46.35	44.28	41.65	42.58	37.40	36.43	39.71	41.284
	4	43.00	40.84	39.60	46.14	45.49	44.37	42.18	41.31	37.33	36.73	41.97	41.724
	5	41.26	39.91	40.45	47.09	44.78	44.45	43.14	39.84	38.06	39.53	42.57	41.916
	6	41.99	39.09	40.96	45.19	44.61	44.66	44.37	38.60	39.09	36.00	42.96	41.593
	7	43.00	38.96	41.44	47.11	46.54	45.30	44.73	39.24	40.69	34.42	45.15	42.325
	8	43.74	39.63	43.11	47.95	45.37	45.26	44.61	39.36	42.10	38.70	43.84	43.061
	9	41.37	40.54	44.08	47.24	44.81	45.16	43.75	39.58	42.48	36.99	43.54	42.681
	10	40.97	41.14	44.81	46.03	44.55	45.22	42.52	39.97	43.07	40.67	42.13	42.825
	11	39.45	42.52	45.16	45.53	44.50	44.89	41.16	40.42	43.57	40.20	41.94	42.667
	12	39.53	42.41	45.71	46.18	45.07	43.97	41.71	40.91	43.54	39.81	43.29	42.875
	平均	41.76	40.73	41.73	46.21	45.52	44.78	42.83	40.62	40.62	38.12	42.07	41.955