TITLE:

Proposing a common platform of shipping cost analysis of the Northern Sea Route and the Suez Canal Route

AUTHOR(S):

Furuichi, Masahiko; Otsuka, Natsuhiko

CITATION:

Furuichi, Masahiko ...[et al]. Proposing a common platform of shipping cost analysis of the Northern Sea Route and the Suez Canal Route. Maritime Economics & Logistics 2014, 17(1): 9-31

ISSUE DATE:

2014-10-09

URL:

<http://hdl.handle.net/2433/198733>

RIGHT:

This is a post-peer-review, pre-copyedit version of an article published in [Maritime Economics & Logistics]. The definitive publisher-authenticated version [Masahiko Furuichi, Natsuhiko Otsuka. Proposing a common platform of shipping cost analysis of the Northern Sea Route and the Suez Canal Route. 17, 9-31] is available online at: <http://dx.doi.org/10.1057/mel.2014.29>; 許諾条件により本文ファイルは2016-04-09に公開.; この論文は出版社版ではありません。引用の際には出版社版をご確認ご利用ください。; This is not the published version. Please cite only the published version.

Proposing a common platform of shipping cost analysis of the Northern Sea Route and the Suez Canal Route

Masahiko Furuichi
Graduate School of Management, Kyoto University
Yoshida-Honmachi, Sakyo-ku, Kyoto, 606-8501, Japan
Telephone: +81-75-753-5104
e-mail: furuichi.masahiko@gsm.kyoto-u.ac.jp

Natsuhiko Otsuka
North Japan Port Consultants, Ltd. (NJPC)
South-2, East-2, 8-1, Chuo-ku, Sapporo, 060-0052, Japan
Telephone: +81-11-251-8601
e-mail: otsuka@njpc.co.jp

Abstract

Maritime trade between East Asia and Northwest Europe using the Northern Sea Route (NSR) has been increasing, because of the shorter sailing distance of NSR, of which navigable season has been extending due to the global warming. In 2013, the NSR shipping marked a record ten year-high volume of 1.36 million tons with 71 voyages. Accordingly, comparative analyses of shipping cost via the NSR and the alternative conventional routes, especially the Suez Canal Route (SCR), have been carried out. Furthermore, NSR/SCR-combined shipping, when a vessel transits the NSR during summer and the SCR in winter, has already been proposed as a realistic scenario.

Since assumptions used in the cost estimations vary among the studies, there remain some difficulties when comparing the estimated shipping costs. This study aims at establishing a common platform of a wide range of cost estimation assumptions through clarifying and analysing cost components contained in the current literature. In addition, interviews with NSR shipping professionals were conducted concerning the NSR fee on an unofficial basis, because these fees are determined based on negotiations between ice breaker escort service provider and shipping company. An empirical analysis revealed that NSR/SCR-combined shipping of container cargo between East Asia and Northwest Europe can be commercially feasible.

Keywords: Shipping Cost Analysis, Maritime Transport, Northern Sea Route (NSR), Suez Canal Route (SCR)

1. Introduction

Maritime container cargo currently transported via the SCR between East Asia and Northwest Europe could potentially divert to the NSR. Shippers of vehicles, in particular, which are also the most valuable cargo to be transported directly from one point to the other between East Asia and Northwest Europe, would like to take advantage of the significant reduction in sailing distance via the NSR. Natural resources produced in the Arctic region, are also potential cargoes. Gas condensate from Murmansk (Russia), LNG from Hammerfest (Norway) and iron ore from Kirkenes (Norway), have already been commercially shipped to East Asia via the NSR since 2010. In 2012, the NSR sailing season started in late June with the last voyage completed in late November. This period represented the longest NSR navigation season ever. This paper aims at establishing a common platform of shipping cost assumptions to achieve comparative cost analysis of NSR and SCR shipping. Seasonal limitations of NSR shipping for various scenarios are also discussed.

Arctic navigation requires specifically designed and equipped ships i.e. ice-class ships as well as ice breaker escort along the NSR. Economic feasibility of the ice-class ship operations for NSR shipping should be analysed on a yearly operation basis. NSR/SCR-combined shipping is proposed as a combined shipping scenario in which the NSR is used in the summer time and the SCR for the rest of the year (hereinafter referred to as “NSR/SCR-combined shipping”), taking the NSR service period of the year into account. A wide variety of scenarios are prepared and analysed. Detailed components of shipping costs: i) capital cost (depreciation cost), ii) NSR fee, iii) ice pilot fee, iv) Suez Canal fee, v) crew cost, vi) maintenance cost, vii) insurance cost, viii) fuel cost, and ix) port dues (including container handling charges) are individually analysed based on certain assumptions found in the related literature. The shipping cost analysis revealed that fuel cost dominates the conventional SCR shipping, while the fuel cost is less important in NSR shipping, given the shorter sailing distance as well as the slower operational sailing speed in the ice waters. In conclusion, NSR/SCR-combined shipping of container cargo between East Asia and Northwest Europe can be commercially feasible when a level of cost components are realistically assumed.

2. Literature review

Isakov et al. (1999) was the first pioneering study on the economic feasibility of shipping natural resources produced in the Arctic region, i.e. crude oil, LNG and timbers via the NSR. ‘The Northern Sea Route’ by the Ship and Ocean Foundation (2000) is the seminal full-scale study on technical and economic feasibility of the NSR commercial shipping between Yokohama and Hamburg. That study assumed the operation of an ice-breaking bulk/container ships of 40,000 DWT and 50,000DWT. The study proposed NSR/SCR-combined shipping by the ice-breaking bulk/container ship on a yearly operation basis, compared to SCR shipping by the ordinary bulk/container ship. The unit cost of NSR/SCR-combined shipping of general

cargo was estimated at 18 (USD/ton), which is approximately equal to that of SCR shipping when an ordinary ship of the same size is deployed and ice breaker escort service is provided at discounted rate by 26%. Consequently, no significant comparative advantage of NSR/SCR-combined shipping was identified.

Arpiainen and Killi, (2006) made a systematic cost analysis of container transport between Alaska and Iceland, by assuming double-acting container ships of 750 TEU and 5,000 TEU, which can sail either forward as a normal ship in ordinary waters or astern-ward as an ice breaker in ice waters. Since this ice-breaking container ship is able to navigate the NSR without escort by the Russian ice breakers, NSR fee was not applied to the cost analysis although the Russian regulation requires an ice breaker escort for all vessels sailing via the NSR. Shipping unit costs of containers were estimated at 345-526 (USD/TEU) for the 5,000 TEU ship and 1,244-1,887 (USD/TEU) for the 750 TEU ship, which were equivalent to the container shipping tariffs between Japan and Europe. In this context, NSR commercial shipping would also be presumably evaluated as feasible, although there was no cost analysis on the route linking East Asia and Europe.

Verny and Grigentin (2009) made a cost analysis of container transport between Shanghai and Hamburg based on the development of a 4,000 TEU ice-class ship operating on different routes: the SCR, Siberia Land Bridge (SLB) route and Sea & Air route. Shipping unit costs of container were estimated at 2,500-2,800 (USD/TEU) for NSR shipping, twice as much as those of SCR shipping (1,400-1,800 (USD/TEU)). Consequently, NSR shipping was not considered feasible since the building cost of a new 4,000 TEU ice-class ship was assumed at USD 180 million which is four times as much as the average building cost (USD 47 million) of a new 4,000 TEU ordinary ship in 2012.

Liu and Kronbak, (2010) made a comprehensive analysis of container shipping cost between Yokohama and Rotterdam by assuming a 4,300 TEU ice-class ship would be introduced. This analysis was based on NSR/SCR-combined shipping on a yearly operation basis. Total cost of NSR shipping is most influenced by the following three factors; i) NSR service period in a year, ii) NSR fee, and iii) fuel cost. Accordingly several scenarios were set in which the values of those factors varied. For the NSR service period, 90 days, 180 days and 270 days were applied while 50%-off, 80%-off and 100%-off were applied for NSR fees, and 350 (USD/ton), 700 (USD/ton) and 900 (USD/ton) for fuel cost. NSR/SCR-combined shipping was evaluated infeasible for most of the scenarios because the NSR fee of 979 USD/TEU assumed in the analysis is extremely high. However, NSR/SCR-combined shipping could be feasible if NSR fee were free (100%-off) and the fuel cost ranged between 700 and 900 (USD/ton).

Schoyen and Brathen, (2011) examined economic feasibility of bulk cargo (tramp) shipping of nitrogen fertilizer and iron ore produced in the Arctic region to be exported to East Asia, taking the uncertain schedule reliability of NSR shipping into account. Shipping unit cost of

nitrogen fertilizer was estimated at 42.6 (USD/ton) for NSR shipping compared to 43.3 (USD/ton) for SCR shipping. Similarly, shipping unit cost of iron ore was estimated at 37 (USD/ton) for NSR shipping, compared to 39 (USD/ton) for SCR shipping. Furthermore, NSR shipping is twice as energy efficient as SCR shipping in view of fuel consumption, taking the slow operational sailing speed in the ice waters into account. Estimated shipping unit costs of raw materials are nearly the same between NSR and SCR shipping.

Omre (2012) examined the technical and economic feasibility of container shipping between Yokohama and Rotterdam, by assuming ice-class container ship of 3,800 TEU. This analysis was based on NSR/SCR-combined shipping on a yearly operation basis. Sensitivity analysis involving several scenarios of the NSR service period and different fuel costs was undertaken to establish shipping unit costs. The NSR service periods were set at 70 days, 100 days and 120 days, and similarly the fuel costs were set at 400 (USD/ton), 550 (USD/ton) and 700 (USD/ton). A remarkable feature of the study is that the cost estimation was made by assuming that fuel consumption per distance unit is proportional to the square of sailing speed. The NSR fee was also set at a reasonable level of 5.0 (USD/GT) in the analysis, which is nearly the same value obtained by the authors when interviewing NSR shipping professionals. Consequently, NSR/SCR-combined shipping was evaluated to be feasible in all scenarios.

In conclusion, in recent years NSR shipping (including NSR/SCR-combined shipping) has been evaluated as feasible under various scenarios. In contrast, earlier studies concluded that NSR shipping was not economically viable. The more recent feasible evaluations are based on an extended NSR operating season and a fuel price appreciation in recent years. Both of these factors are critical in assessing the NSR as a viable alternative to other routings between East Asia and Northwest Europe.

3. Cost components of maritime shipping

Maritime shipping cost components can be seen from an operator's viewpoint or a ship-owner's viewpoint (Ship and Ocean Foundation, 2000, and Hino, 2011). Typical examples of the differing viewpoints are presented in Table 1.

Insert Table 1

3.1. Capital cost and depreciation cost

Both capital cost and depreciation cost are applied to a yearly repayment and a yearly depreciation of the capital based on the building cost of a new ship. In the study by the Ship and Ocean Foundation (2000), the concept of the capital cost was introduced as a yearly repayment (i.e. equivalent to a repayment of 10.9% of the capital cost for 15 years) of the new ship as defined by certain conditions (an interest rate of 7% and a return period of 15 years), from the project finance viewpoint.

On the other hand, in Hino (2011), depreciation cost was introduced as a yearly depreciation of the capital for the economic lifetime of 15 years in Japan, which is equivalent to a repayment of 6.7% of the capital cost for 15 years when applying straight-line method. Appropriate lifetime should be carefully assumed for the analysis, because economic lifetime varies according to the tax system of each country, e.g. 8 years in France, 10 years in Germany and 15 years in Japan.

Building costs of ordinary new ships were estimated for various ship-types and sizes referring to the actual transactions (see Table 2).

Insert Table 2

In addition, related studies (Liu and Kronbak, 2010, and Omre, 2012) pointed out that special attention should be drawn to the fact that the cost of a new ice-class ship is 10-30% higher than an ordinary ship of the same size.

3.2. NSR fee

NSR fee is required by the Russian state-owned enterprise which runs nuclear-powered ice breakers. The fee varies in accordance with the ice class of each vessel, ice condition, sea area and navigation season, as determined based on negotiations between the state-owned enterprise and clients. Here, the NSR fee should not exceed an upper limit of official NSR tariff, which has been updated by the Russian Government in 2014 (Russian Ministry of Justice, 2014). As reported by an operator engaged in NSR commercial shipping in recent years, the actual NSR fee was 5.0 (USD/GT) (Falck, 2012). Therefore, Omre (2012) adapted NSR fee of 5.0 (USD/GT) in his study.

3.3. Ice pilot fee

The ship master (captain) on a bridge watch must possess the minimum level of knowledge of navigation in the ice-covered waters and have experience in piloting ships under ice conditions along the NSR for not less than 15 days. In the absence of such experience, the presence of an ice pilot aboard the ship is compulsory. Ice pilot fee was stipulated as 673 (USD/day) for the NSR navigation between Kara and Bering straits in the former Russian law. This tariff rate was abolished in 2013, and since then the ice pilot fee has been determined based on negotiations between piloting company and clients (Russian Federal Law, 2012).

3.4. Suez Canal fee and Panama Canal fee

Suez Canal fee is determined for each ship type based on Suez Canal Net Tonnage (SCNT) which can be approximated by gross tonnage (GT) of the ship (Suez Canal Authority Website, 2012). Table 3 presents the Suez Canal fee as of December 2012. However, it should be noted that a wide variety of discounts are available for specific ship types.

Insert Table 3

Panama Canal fee is similarly determined for each ship type in SDR (Special Drawing Right) unit based on Panama Canal Universal Measurement System (PC UMS) which can be also approximated by gross tonnage (GT) of the ship (Panama Canal Authority Website, 2012). Table 4 presents the Panama Canal fees as of December 2012.

Insert Table 4

3.5. Crew cost

Crew sizes of a container ship, PCC or dry bulk ship, are practically 23-25 per ship, regardless of ship-size. Japan Ship-owners Association (2012) revealed that an average annual crew cost is estimated at approximately 1.0 million (USD/ship/year). On the other hand, crew size of LNG ship is approximately 45 per ship which is almost twice as large as for the above-mentioned ships. Consequently, the average annual crew cost is similarly estimated at 2.0 million (USD/ship/year) for LNG ship.

3.6. Maintenance cost

Maintenance cost is comprised of article cost of ship, lubricant cost, dock cost and spare parts cost. Hino, (2011) estimated the annual maintenance cost of a dry bulk ship of 55,000 DWT as 383 thousand (USD/year) with the ship building cost of 35 million (USD/ship). With these values the annual maintenance cost can be determined proportional (1.095% /year) to the ship building cost for any ship type.

3.7. Insurance cost

An ocean-going ship is generally required to purchase both H&M and P&I insurance. However, estimating insurance cost is a difficult task because insurance market transactions are not usually disclosed to the public due to the nature of the insurance business. Hino, (2011) estimated the annual insurance premium of both H&M and P&I insurance as 120 thousand (USD/year) in total for a dry bulk ship of 55,000 DWT, of which ship building cost is 35 million (USD/ship). Accordingly, annual insurance premium of both H&M and P&I insurance in total can be determined proportional (0.343%/year) to the ship building cost for any ship type.

On the other hand, Ship and Ocean Foundation (2000) suggested that annual insurance premium of 10 (USD/GT/year) in total for both H&M and P&I additional insurance is compulsory for NSR shipping. NSR shipping may need to bear a certain disadvantage of the insurance premium due to the uncertainties and risks involved in sailing in the ice waters.

Apart from the ordinary insurance cost, Aden Emergency Charge (40USD/TEU) is applied to the shippers of container cargo via the SCR as a kind of insurance premium for piracy off Somalia (MOL, 2012). The risk of piracy is a significant disadvantage to SCR shipping.

3.8. Fuel cost

Fuel cost accounts for a significant portion of the shipping cost, reflecting the fact that fuel prices have been increasing at a consistent pace for the last twenty years (Figure 1). The relationship that fuel consumption per distance unit is proportional to the square of sailing speed is recommended to apply for calculation.

Insert Figure 1

3.9. Port dues

Port dues usually consist of port entry charge, berthing charge and line-handling charge. Assuming 0.092 (USD/GT/call) for port entry due and berthing due respectively, and 0.244 (USD/GT/call) for line-handling charge, total port due was estimated at 0.428 (USD/GT/call) for each port entry by Ship and Ocean Foundation (2000) based on its analysis of costs in the ports of Yokohama, Hamburg, Dikson and Tiksi.

Port entry charges of bulk cargo ships are only paid twice: at the port of loading and the port of unloading, regardless of whether the NSR or the SCR is used. On the other hand, typical container ship operation via the SCR between East Asia and Northwest Europe may require 10 port calls, visiting major in-between ports as well as both end ports so as to accommodate abundant demand. Therefore, 10 port calls are assumed for a single voyage of a SCR container ship in this study.

Container handling charge of 100 (USD/TEU) is assumed to be added to the port dues for loading and discharging respectively at both end ports of a specific origin and destination pair, so as to easily compare the estimated shipping unit cost with the container shipping tariff of the same origin and destination pair on CIF basis.

4. Practical NSR/SCR-combined shipping scenarios

Container transport between Asia and Europe has significantly increased in the last 15 years and reached approximately 21 million TEUs in 2011, which could be potential demand for NSR shipping (see Figure 2). When setting the practical scenarios for NSR shipping as well as the alternative route shipping, researchers need to take various factors into account, e.g. the NSR service period, maximum ship-size on the NSR, ship building cost of the ice-class, nominal sailing speed in the ordinary waters, and operational sailing speed in the ice waters and the ordinary waters. Furthermore, special attention should be paid to the cargo demand

distribution along the NSR, the SCR and other alternative routes, when assuming the shipping scenarios of container transport.

When focusing on container transport, NSR shipping may take full advantage of shorter transport time due to reduced sailing distance and avoiding major risks of SCR shipping, i.e. piracy risk off Somalia and choke-points such as the Malacca Strait. Container ship operators need to understand that there is almost no population and container demand along the NSR, while they are able to consolidate abundant cargo demand to and from Asian major hub ports along the SCR.

4.1. NSR service period and sailing speed

Many previous studies have been undertaken on container shipping via the NSR to examine the significant advantage of reduced sailing distance compared to SCR shipping between East Asia and Northwest Europe. However, since container shipping may require a fixed scheduled operation, disadvantage of NSR's limited service period, which is only 4 to 6 months of the year, is equally significant.

When setting the scenarios for NSR shipping, the range of the NSR service period is assumed to be 3.5 months (105 days) to 7.5 months (225 days) taking the recent records of NSR commercial shipping into account. Since the operational sailing speed in the ice waters is relatively slow compared to that in the ordinary waters, the operational sailing speed is recommended to be set at 12 to 15 knots.

4.2. Maximum ship-size for NSR shipping

The ordinary NSR has a draft restriction of 11.0 m at the Sannikov Strait, and breadth restriction of 33-49 m, which is determined by the breadth of ice breaker(s). Since the NSR passage to the north of New Siberian Islands was made available due to the sea ice retreat in 2011, larger ships have been able to transit the NSR since then. Principal characteristics should be appropriately determined for container ship.

4.3. Ice-class ship building cost

Ships sailing through the NSR are recommended to satisfy PC7 (e.g. RS Arc4, NK IA) or better, which may entail an additional 10-30% building cost (Liu and Kronbak, 2010, and Omre, 2012). When setting the scenarios, the percentage (10%) of the additional ship building cost should be assumed, taking additional ship weight into account.

4.4. Operational sailing speed and fuel consumption

Fuel consumption of the sailing ship is computed by multiplying SFOC (Specific Fuel Oil Consumption) (g/kWh), engine power (kW) and sailing hours (h). Since ice-class ships consume more fuel than the ordinary ships, mainly due to the additional weight of reinforced

thick steel hull, premium (10%) for SFOC of ice-class ship should be assumed proportionally to the additional ship weight of 10%.

SFOC is fixed at a level of 185 (g/kWh), regardless of ship type, which may decrease proportionally to the square of operational sailing speed. Therefore, fuel consumption reduction effect increases when the operational sailing speed is slower than the nominal sailing speed (Omre, 2012).

4.5. NSR/SCR-combined shipping scenarios for container transport

When setting the scenarios for container transport between e.g. Yokohama and Hamburg via the NSR, 4,000 TEU ice-class container ships are assumed to be used since they can generate economy of scale effect. On the other hand, medium, large and ultra-large container ships of the 4,000 TEU, 6,000 TEU, 8,000 TEU and 15,000 TEU-classes are to be selected for the alternative route shipping via the SCR.

Load factor of the container ship should be assumed as 70% for eastward and westward sailing respectively, taking liner shipping characteristics into account.

4.6. Various aspects of NSR/SCR-combined shipping evaluation

Maritime shipping industry is a capital-intensive industry which by nature aims at maximizing profit on a yearly operation basis. It's possible that NSR shipping could achieve more voyages than SCR shipping between e.g. East Asia and Northwest Europe by taking advantage of reduced sailing distance. Consequently, the more annual shipment from one place to the other on a yearly operation basis is expected for NSR/SCR-combined shipping, so that the maritime shipping industry is able to generate more profits than the simple SCR shipping operation. Thus, the annual shipment capacity of NSR/SCR-combined shipping may become a useful measure from the financial viewpoint.

Secondly, speedy transport of valuable cargo via the NSR due to reduced sailing distance compared to SCR shipping may bring a significant competitive advantage. Reduced transport time is of greater importance to the high-value cargo shippers and consignees.

Thirdly, NSR shipping may reduce fuel consumption, because of reduced sailing distance and higher energy efficiency gained by reduced sailing speed in the ice waters. CO₂ emission can be calculated, by assuming that carbon dioxide be produced 3.19 ton by burning 1.0 ton of bunker fuel (IMO, 2009). Emission reduction effect by unit cargo between the same origin and destination pair may become a beneficial index from the greener shipping viewpoint.

5. Empirical analysis of NSR/SCR combined shipping

An empirical analysis is now undertaken for the container transport between East Asia (Yokohama) and Northwest Europe (Hamburg) assuming realistic values for the main factors: i) NSR service period, ii) NSR fee, and iii) fuel cost. NSR/SCR-combined shipping scenarios and level of nine (9) cost components are discussed in Chapter 4 for the empirical analysis are summarized in Tables 5 and 6 respectively. Cost estimation is based on a yearly operation basis, assuming NSR/SCR-combined shipping which combines NSR shipping for the summer time and SCR shipping for the rest of the year. This provides a common platform to compare NSR/SCR-combined shipping unit cost with SCR shipping unit cost on the same operational basis, which is important from the financial viewpoint.

Insert Table 5

Insert Table 6

5.1. Shipping unit cost comparison per TEU

5.1.1. Cost component breakdown

Shipping unit cost per TEU is calculated and their cost components are given by ship-size for NSR/SCR-combined shipping and SCR shipping, assuming the following base scenario: the NSR service period of 105 days, fuel cost of 650 (USD/ton) and NSR fee of 5.0 (USD/GT). Shipping unit cost is calculated at 1,211 (USD/TEU) for NSR/SCR-combined shipping by the 4,000 TEU ice-class ship, which is compared to 1,355 (USD/TEU) for SCR shipping using an ordinary container ship of the same size. This is the same conclusion as Orme (2012).

Shipping unit costs of 1,320 (USD/TEU) and 1,211 (USD/TEU) are obtained for SCR shipping by ordinary large container ships of 6,000 TEU and 8,000 TEU respectively, which suggests that SCR shipping is less competitive than NSR/SCR-combined shipping. However, calculated shipping unit cost of 944 (USD/TEU) for SCR shipping by an ordinary ultra-large container ship of 15,000 TEU is much more competitive than NSR/SCR-combined shipping (4,000 TEU) due to the economy of scale that the ultra-large container ship offers.

Insert Figure 4

When looking at detailed cost components, fuel cost accounts for approximately 50% of the total shipping unit costs for all ship-sizes. Following the fuel cost, port dues occupy approximately 20%, and capital cost and the Suez Canal fee including Aden emergency charge occupy approximately 10% respectively (Table A.1).

5.1.2. Effect of the NSR service period

Also shown in Figure 4 (right-hand side) are the shipping cost estimates per TEU on the NSR/SCR combined shipping scenarios for extended NSR service periods. When the NSR

service period reaches 225 days, NSR/SCR-combined shipping (984USD/TEU) appears nearly competitive against SCR shipping (944USD/TEU) even when an ordinary ultra-large container ship of 15,000TEU is deployed. This also implies that NSR/SCR-combined shipping of container transport by the 4,000TEU ice-class container ship can be regarded as economically feasible to a certain extent, even though SCR shipping deploys large (between 6,000TEU and 8,000TEU) and/or ultra-large container ships (15,000TEU).

5.1.3. Effect of NSR fee

Scenario in which NSR fee is assumed to be 5.0 (USD/GT), is compared to the scenario in which NSR fee is assumed to be 979 (USD/TEU) as reported by Liu and Kronbak (2010) by calculating their cost components shown in Table 7. For the base scenario (the NSR service period is 105 days), NSR/SCR-combined shipping unit cost is calculated at 2,183 (USD/TEU), a 80% increase over 1,211 (USD/TEU). Accordingly, such an extremely high NSR fee setting of 979 (USD/TEU) undoubtedly makes NSR commercial shipping infeasible as indicated by the previous studies.

This clearly suggests that the recent NSR fee transactions of 5.0 (USD/GT) for bulk cargo shipping can be understood as practically competitive against the Suez Canal fee (Falck, 2012).

Insert Table 7

5.1.4. Effect of fuel Costs

For the base scenario (the NSR service period is 105 days), NSR/SCR-combined shipping unit cost is calculated at 856 (USD/TEU), 1,211 (USD/TEU) and 1,464 (USD/TEU) respectively when assuming fuel cost of 300 (USD/ton), 650 (USD/ton) and 900 (USD/ton), which is competitive against SCR shipping by the medium-size container ship (4,000 TEU) and the large container ship (6,000 TEU-8,000 TEU) respectively. If the NSR service period gets longer, this tendency remains the same.

Insert Table 8

5.2. Comparison of the annual container shipment capacity

NSR/SCR-combined shipping enables 13 to 15 voyages per year depending on the NSR service period (105days-225days), while the number of annual voyages is 12 for SCR shipping, achieving annual container shipment of 33,600 (TEU/year) by the ordinary 4,000 TEU ship. As the number of annual voyages increases, NSR/SCR-combined shipping by the 4,000 TEU ice-class ship may achieve annual container shipment of 36,400 (TEU/year) [108.3% of the SCR annual container shipping capacity], 39,200 (TEU/year) [116.7%] and 42,000 (TEU/year) [125.0%] respectively for 13, 14 and 15 annual voyages. Additional

annual shipments of up to 25% compared to the SCR capacity may attract operators and or ship-owners to consider using the NSR/SCR combined service.

Insert Table 9

5.3. Comparison of container transport time

Transport time via the NSR is estimated to be 19.3 days, 35.4% faster than that (30.4 days) via the SCR. The reduced transport time via the NSR is a significant advantage against SCR shipping especially for the high-value cargoes.

5.4. Comparison of reduction effect of CO₂ emission

CO₂ emissions are calculated to be 14%-35% less via the NSR due to reduced sailing distance for the NSR service period of 105 days to 225 days assuming that a 4,000 TEU vessel is deployed on the SCR (see Table 10). This may attract the operators and/or ship-owners to operate an NSR/SCR service from the greener shipping viewpoint rather than just the financial one. However, it should be pointed out that operating larger than 4000 TEU vessels on the SCR produces less CO₂ emissions per TEU than any of the NSR/SCR scenarios with a 4000 TEU vessel.

Insert Table 10

6. Conclusions

Maritime trade between East Asia and Northwest Europe using the NSR has been increasing recently, because ship operators may take advantage of the shorter sailing distance of NSR, of which navigable season has been made longer due to retreated Arctic sea ice. As the Arctic sea ice continues to retreat due to global warming, the NSR is now approximately 40% shorter than the SCR for such trade. Various comparative analyses of the estimated shipping costs via the NSR and the alternative conventional routes have been carried out in this paper.

Since assumptions used in the cost estimations vary among the studies as discussed by Lasserre (2014), there remain some difficulties when comparing the estimated shipping costs. This study aims at establishing a common platform of a wide range of cost estimation assumptions through clarifying and analysing cost components contained in the current literature. In addition, interviews with certain NSR shipping professionals were conducted concerning NSR fee on an unofficial basis, since typically such fees are determined based on negotiations between ice breaker escort service provider and a shipping company. An empirical analysis revealed that NSR/SCR-combined shipping of container cargo between East Asia and Northwest Europe can be commercially feasible.

Based on the base scenario by the 4,000 TEU ice-class ship assuming the NSR service period of 105 days and fuel cost of 650 (USD/ton), NSR/SCR-combined shipping unit cost was calculated at 1,211 (USD/TEU), which is competitive against SCR shipping (1,355 USD/TEU, 1,320 USD/TEU and 1,211 USD/TEU respectively by ordinary 4,000 TEU, 6,000 TEU and 8,000 TEU container ships). However, container ships operated via the SCR between East Asia and Northwest Europe have been rapidly shifting to large (6,000 TEU-8,000 TEU) and/or ultra-large (15,000 TEU) ships, which significantly affect the competitive advantages of NSR/SCR-combined shipping by the 4,000 TEU ice-class ship. On the other hand, when the NSR service period reaches 225 days, NSR/SCR-combined shipping (984USD/TEU) appears nearly competitive against SCR shipping (944USD/TEU) even when an ordinary ultra-large container ship of 15,000TEU is deployed. This also implies that NSR/SCR-combined shipping of container transport by the 4,000TEU ice-class container ship can be regarded as economically feasible to a certain extent, even though SCR shipping deploys large (between 6,000TEU and 8,000TEU) and/or ultra-large container ships (15,000TEU).

NSR/SCR-combined shipping enables 13 to 15 voyages per year depending on the NSR service period (105 days-225 days), while the number of annual voyages is 12 for SCR shipping, achieving annual container shipment of 33,600 (TEU/year) when an ordinary 4,000 TEU ship is deployed. As the number of annual voyages increases, NSR/SCR-combined shipping by the 4,000TEU ice-class ship, annual container shipment of 36,400 (TEU/year) [108.3%], 39,200 (TEU/year) [116.7%] and 42,000 (TEU/year) [125.0%] respectively become possible for 13, 14 and 15 annual voyages. Additional annual shipment of 25% may seem attractive enough to the operators and/or ship-owners from the financial viewpoint.

Transport time via the NSR is estimated at 19.3 days, 35.4% faster than that (30.4 days) via the SCR. Reduced transport time is a significant advantage against SCR shipping especially for high-value cargoes.

Assuming the deployment of the same sized 4000 TEU vessel, of the decrease in CO₂ emission due to the reduced sailing distance via the NSR ranges from 14% to 35%. This may attract the operators and/or ship-owners from the greener shipping viewpoint rather than the financial viewpoint.

Cost analysis of NSR/SCR-combined shipping for the various scenarios may provide valuable insights to the researcher as well as practitioners. Based on the common platform provided by this research, it is hoped that various related research topics will be undertaken.

Acknowledgements

This study is largely based on “Effects of the Arctic Sea Routes (NSR and NWP) Navigability on Port Industry” (Project period: 2011-2013), funded by International Association of Ports

and Harbors (IAPH). Our special thanks first go to IAPH and all the committee members of the Port Planning and Development Committee (PPDC) of IAPH.

Furthermore, the authors present special thanks to Mr. Mitsuhiro Okada, the President, Overseas Coastal Development Institute (OCDI), Japan for his insight and useful comments.

References

Arpiainen, M. and Killi, R. (2006) Arctic shuttle container link from Alaska US and Europe, Report K-63: Aker Arctic Technology Inc., Helsinki, Finland.

Falck, H. (2012) Shipping in Arctic Waters -The Northern Sea Route-: Mariehamn, Finland available at http://www.sjofart.ax/files/henrik_falck_shipping_in_arctic_waters.pdf accessed 2 April 2014

Furuichi, M. and Otsuka, N. (2012) Effects of the Arctic Sea Routes (NSR and NWP) Navigability on Port Industry, 21 May, Jerusalem, Israel, Presentation at Port Planning and Development Committee (PPDC), International Association of Ports and Harbors (IAPH).

Hino, M. (2011) Progress of maritime shipping industry and current situation: Financial Department of Ehime Bank (in Japanese).

IMO (2009) Second IMO GHG Study 2009: London, U.K.

Isakov, N. A., et al (1999) The NSR Simulation Study Package 3: Potential Cargo Flow Analysis and Economic Evaluation for the Simulation Study (Russian Part), INSROP Working Paper No. 139.

Japan Ship-owners Association (2012) Shipping Fact 2012 (in Japanese), http://www.jsanet.or.jp/data/pdf/data1_2012b.pdf, accessed 21 December.

Lasserre, F. (2014) Case studies of shipping along Arctic routes. Analysis and profitability perspectives for the container sector, Transportation Research Part A, 66, pp.144-161.

Liu, M. and Kronbak, J. (2010) The potential economic viability of using the Northern Sea Route (NSR) as an alternative route between Asia and Europe, Journal of Transport Geography, No.18, pp.434-444.

Maritime Press Japan (2012) Transactions of newly built merchant fleet in 2012 (1), (in Japanese), 10 December.

Maritime Press Japan (2012) Transactions of newly built merchant fleet in 2012 (2), (in Japanese), 10 December.

MOL (2012) http://www.moljapan.co.jp/service/ex_charge/eur.shtml, accessed 21 December.

Omre A. (2012) An economic transport system of the next generation integrating the northern and southern passage, Master Thesis, Norwegian University of Science and Technology, Trondheim, Norway.

Panama Canal Authority (2012) <http://www.pancanal.com/eng/maritime/tolls.html>, accessed 21 December.

Ragner, C. L. (2000) Northern Sea Route Cargo Flows and Infrastructure - Present State and Future Potential, FNI Report 13, Fridtjof Nansen Institute, Lysaker, Norway.

Russian Federal Law of July 28, 2012 (2012) "On Amendments to Certain Legislative Acts of the Russian Federation Concerning State Regulation of Merchant Shipping on the Water Area of the Northern Sea Route", Article 3 section 5, retrieved from "http://www.nsra.ru/en/zakon_o_smp/" on March 2014.

Russian Ministry of Justice (2014) Federal Service for Tariffs, Order of March 4, 2014, N 45-t/1, About the Approval of Tariffs for the Ice breaker Escorting of Ships rendered by FSUE "ATOMFLOT" in the Water Area of the Northern Sea Route, retrieved from "http://www.nsra.ru/en/tariffs_for_icebreaker_escort_atomflot/" on March 2014.

Schoyen, H. and Brathen, S. (2011) The Northern Sea Route versus the Suez Canal: cases from bulk shipping, Journal of Transport Geography, No. 19, pp.977-983.

Ship & Ocean Foundation (2000) The Northern Sea Route -The Shortest sea route linking East Asia and Europe, Tokyo, Japan.

Suez Canal Authority (2012) <http://www.suezcanal.gov.eg/TollCirculars.aspx>, accessed 21 December.

UNCTAD (2011) Review of Maritime Transport 2011: Geneva, Switzerland.

Verny, J. and Grigentin, C. (2009) Container shipping on the Northern Sea Route, International Journal of Production Economics, No.122, pp. 107-117.

Yakovlev, A., et al (1999) The NSR Simulation Study Package 7: Legal and Environmental Evaluation of the Routes Selected for the INSROP Simulation Study, INSROP Working Paper No. 128.

Tables and Figures

Table 1 Maritime shipping cost components (examples)

Operator's viewpoint	Ship-owner's viewpoint
Capital cost	Depreciation cost
NSR fee	NSR fee
Ice pilot fee	Ice pilot fee
Suez Canal fee	Suez Canal fee
Crew cost	Crew cost
Maintenance cost (Article cost of ship, Lubricant cost, Dock cost, and Maintenance and spare parts cost)	Maintenance cost (Article cost of ship, Lubricant cost, Dock cost, and Maintenance and spare parts cost)
Insurance cost (H&M insurance and P&I insurance)	Insurance cost (H&M insurance and P&I insurance)
Fuel cost	Fuel cost
Port dues	Port dues
---	Miscellaneous cost, Administration cost and Interest fee

Source: Clarified by the authors referring to Ship & Ocean Foundation (2000) and Hino (2011)

Table 2 Building costs of various types of the ordinary new ships based on actual transactions in 2012

Ship type	Applicable routes	Ship size	Ship building cost (million USD)
Container ship	NSR/SCR	4,000 TEU	47.0
	SCR	6,000 TEU	67.4
	SCR	8,000 TEU	87.9
	SCR	15,000 TEU	159.4
LNG ship	NSR/SCR	150,000 m3	200.0
PCC ship	NSR/SCR	6,500 CEU	68.3
Dry bulk ship	NSR/SCR	75,000 DWT	33.5
	SCR/Cape Route/Panama Canal Route	170,000 DWT	58.2

Source: Determined by the authors analyzing the recent transactions reported in Maritime Press Japan (2012) and UNCTAD (2011)

Table 3 Suez Canal fees (as of December 2012)

Ship Type	SC Net Tonnage (SCNT)													
	(Unit: SDR / SCNT)													
	First 5000		Next 5000		Next 10000		Next 20000		Next 30000		Next 50000		Rest	
	Laden	Ballast	Laden	Ballast	Laden	Ballast	Laden	Ballast	Laden	Ballast	Laden	Ballast	Laden	Ballast
1 Tankers of Crude Oil	7.88	6.70	5.58	4.74	4.22	3.59	1.84	1.56	1.63	1.39	1.51	1.28	1.41	1.20
2 Tankers of Petroleum Products	7.88	6.70	5.58	4.74	4.22	3.59	2.54	1.56	2.49	1.39	2.38	1.28	2.27	1.20
3 Dry Bulk Carriers	7.88	6.70	6.02	5.12	4.76	4.05	1.51	1.28	1.41	1.20	1.35	1.15	1.30	1.11
4 LPG Carriers	7.88	6.70	5.70	4.85	4.22	3.59	3.02	2.57	2.81	2.39	2.71	2.30	2.71	2.30
5 LNG Carriers	7.88	6.70	6.13	5.21	5.30	4.51	3.68	3.13	3.57	3.03	3.47	2.95	3.35	2.85
6 Chemical Carriers & Other Liquid bulk Carriers	8.24	7.00	6.37	5.41	5.08	4.32	3.24	2.75	3.14	2.67	3.02	2.57	3.02	2.57
7 Containerships	7.88	6.70	5.41	4.60	4.20	3.57	2.94	2.50	2.73	2.32	2.15	1.83	2.05	1.74
8 General Cargo Ships	7.88	6.70	6.08	5.17	4.24	3.60	3.18	2.70	3.08	2.62	3.03	2.58	2.97	2.52
9 Ro/Ro Ships	7.88	6.70	5.86	4.98	4.56	3.88	3.29	2.80	3.08	2.62	2.97	2.52	2.86	2.43
10 Vehicle Carriers	7.88	6.70	5.41	4.60	4.05	3.44	2.89	2.46	2.73	2.32	2.15	1.83	2.05	1.74
11 Passenger Ships	7.88	6.70	5.54	4.71	4.56	3.88	3.23	2.75	3.18	2.70	3.08	2.62	2.97	2.52
12 Special Floating Units	8.55	-	5.66	-	5.09	-	3.61	-	3.40	-	3.08	-	2.97	-
13 Other Vessels	8.24	7.00	5.55	4.72	4.67	3.97	3.40	2.89	3.29	2.80	3.08	2.62	2.97	2.52

Remarks: SDR stands for Special Drawing Right.

Source: Suez Canal Authority (2012), <http://www.suezcanal.gov.eg/TollCirculars.aspx>, accessed 21 December, 2012.

Table 4 Panama Canal fees (as of December 2012)

(Unit: USD/PC UMS)				
Ship type	Loading Conditions	Panama Canal fee		
Container	Laden	72.0 USD/TEU		
	Ballast	57.6 USD/TEU		
Ship type/PC UMS	PC UMS (ton)	0-10,000	10,000-20,000	20,000+
General Cargo	Laden	4.74	4.64	4.57
	Ballast	3.79	3.72	3.66
Dry Bulk	Laden	4.71	4.55	4.47
	Ballast	3.76	3.63	3.58
Tanker	Laden	4.68	4.61	4.53
	Ballast	3.75	3.69	3.62
Chemical Tanker	Laden	4.82	4.74	4.65
	Ballast	3.86	3.79	3.73
LPG	Laden	4.75	4.68	4.59
	Ballast	3.84	3.77	3.71
Vehicle Carriers/RoRo	Laden	4.40	4.31	4.24
	Ballast	3.52	3.45	3.40
Others	Laden	4.96	4.86	4.78
	Ballast	3.97	3.89	3.83

Source: Panama Canal Authority (2012), <http://www.pancanal.com/eng/maritime/tolls.html>, accessed 21 December, 2012.

Table 5 NSR/SCR-combined shipping scenarios

1. Origin and Destination: Yokohama port (Japan) and Hamburg port (Germany)								
2. NSR Service-period (unit: days)								
	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
Operational Sailing Speed (knot)	12.8 knots (Ice waters)			14.1 knots (Ice waters)			12.8 knots (Ice waters)	
	20.0 knots (Ordinary waters)							
105 days	---	---	---	30	30	30	15	---
135 days	---	---	15	30	30	30	30	---
165 days	---	15	30	30	30	30	30	---
195 days	---	30	30	30	30	30	30	15
225 days	15	30	30	30	30	30	30	30
3. Principal Characteristics of container ship for NSR/SCR-combined shipping scenarios								
Ship-size	Route	Crew	LOA (m)	Beam (m)	Draft (m)	GT (ton)	Nominal Speed (knots)	Engine Power (kW)
4,000TEU	NSR/SCR	23	296	32	13.0	40,000	25	40,000
6,000TEU	SCR	23	296	40	14.0	75,000	25	57,000
8,000TEU	SCR	23	323	43	14.5	89,000	25	68,000
15,000TEU	SCR	23	397	56	15.5	155,000	25	80,000
4. Fuel consumption premium of ice-class ship is set at 10%.								
5. Special Fuel Oil Consumption (SFOC) is set at 185 (g/kWh).								
6. Additional building cost of ice-class ship is set at 10%.								

Table 6 Practical level of cost components

Cost component	Description
1. Capital cost	Capital cost is introduced as a yearly repayment (i.e. equivalent to a repayment of 10.9% of the capital cost for 15 years) of the new ship based on an interest rate of 7% and a return period of 15 years, from the project finance viewpoint (Ship & Ocean Foundation (2000)).
2. NSR fee	NSR fee is assumed to be 5.0 (USD/GT) which is the latest report of NSR fee transaction (Falck (2012)).
3. Ice pilot fee	Ice pilot fee is assumed 673 (USD/day) for the NSR navigation between Kara and Bering straits, as stipulated by the Russian regulation.
4. SCR fee	Suez Canal fees are taken from the website of the Suez Canal Authority as of December 2012.
5. Crew cost	Crew cost is assumed 1.0 million (USD/ship/year), as Japan Ship-owners Association [JSA] (2012) reported.
6. Maintenance cost	An annual maintenance cost is proportionally assumed 1.095 (%/year) of the ship building cost, as reported by Hino (2011).
7. Insurance cost	Annual insurance premium of both H&M and P&I insurance in total is proportionally assumed 0.343 (%/year) of the ship building cost, as reported by Hino (2011). Annual insurance premium of 10 (USD/GT/year) in total is assumed as additional H&M and P&I insurance premium for the NSR shipping, as reported by Ship & Ocean Foundation [SOF], (2000). Apart from the ordinary insurance cost, Aden Emergency Charge (40USD/TEU) is similarly assumed for the SCR shipping as a kind of insurance premium for piracy off Somalia, as stipulated by MOL (2012).
8. Fuel cost	Fuel unit cost is assumed between 300 and 900 (USD/ton), taking the recent transactions in Singapore into account. The assumption that fuel consumption per distance unit is proportional to the square of sailing speed is recommended to be applied in the calculation, when operational sailing speed is slower in the ice waters for the NSR shipping.
9. Port dues	Port dues are assumed to be 0.428 (USD/GT/call) in total for each port entry, including port entry due, berthing due and line-handling charge. Additionally, container handling charge of 100 (USD/TEU) is assumed for loading and unloading respectively at both end ports.

Table 7 Cost component breakdown by NSR fee for the basic scenario

Unit: '000 USD/year, (%)

Ship-size / 4,000 TEU NSR service-period SCR service-period	NSR fee: 5.0 (USD/GT) NSR 105 days SCR 260 days	NSR fee: 979 (USD/TEU) NSR 105 days SCR 260 days
Annual container throughput	36,400 (TEU/year)	36,400 (TEU/year)
Shipping unit cost per TEU	1,211 (USD/TEU)	2,183 (USD/TEU)
Annual voyages	NSR: 5 / SCR: 8	NSR: 5 / SCR: 8
Depreciation cost	4,925 (11.2 %)	4,925 (6.2%)
NSR fee, NSR pilot fee, NSR insurance premium	1,433 (3.3%)	36,804 (46.3%)
Suez Canal fee, Suez insurance premium, Aden emergency charge	3,115 (7.1%)	3,115 (3.9%)
Crew cost	954 (2.2%)	954 (1.2%)
Maintenance cost	491 (1.1%)	491 (0.6%)
Insurance cost	154 (0.3%)	154 (0.2%)
Fuel cost	24,196 (54.9%)	24,196 (30.5%)
Port dues including container handling charge	8,822 (20.0%)	8,822 (11.1%)
Grand total	44,086 (100%)	79,461 (100%)

Table 8 Shipping unit cost by ship-size assuming fuel costs of 300USD/ton, 650USD/ton and 900USD/ton

(Unit: USD/TEU)

Ship-size/ NSR service-period SCR service-period	4,000 TEU NSR 105days SCR 260days	4,000 TEU NSR 0 day SCR 365days	6,000 TEU NSR 0 day SCR 365days	8,000 TEU NSR 0 day SCR 365days	15,000 TEU NSR 0 day SCR 365days
Annual voyages	NSR: 5 SCR: 8	NSR: 0 SCR: 12	NSR: 0 SCR: 12	NSR: 0 SCR: 12	NSR: 0 SCR: 12
Fuel cost: 300USD/ton	856 (USD/TEU)	945 (USD/TEU)	930 (USD/TEU)	862 (USD/TEU)	726 (USD/TEU)
Fuel cost: 650USD/ton	1,211 (USD/TEU)	1,355 (USD/TEU)	1,320 (USD/TEU)	1,211 (USD/TEU)	944 (USD/TEU)
Fuel cost: 900USD/ton	1,464 (USD/TEU)	1,648 (USD/TEU)	1,598 (USD/TEU)	1,459 (USD/TEU)	1,110 (USD/TEU)

Table 9 Annual container shipping capacity by the NSR service period

(Unit: USD/TEU)

Ship-size/ NSR service-period SCR service-period	4,000 TEU NSR 0day SCR 365days	4,000 TEU NSR 105days SCR 260days	4,000 TEU NSR 135days SCR 230days	4,000 TEU NSR 165days SCR 200days	4,000 TEU NSR 195days SCR 170days	4,000 TEU NSR 225days SCR 140days
Annual voyages	12 in total NSR: 0 SCR: 12	13 in total NSR: 5 SCR: 8	14 in total NSR: 6 SCR: 8	14 in total NSR: 8 SCR: 6	15 in total NSR: 9 SCR: 6	15 in total NSR: 11 SCR: 4
Annual container shipment capacity	33,600 [100%] (TEU/year)	36,400 [108.3%] (TEU/year)	39,200 [108.3%] (TEU/year)	39,200 [116.7%] (TEU/year)	42,000 [116.7%] (TEU/year)	42,000 [125%] (TEU/year)

Table 10 CO₂ unit emission per TEU by ship-size and the NSR service period

(Unit: CO₂ ton/TEU)

Ship-size/ NSR service-period SCR service-period	4,000 TEU NSR 105days SCR 260days	4,000 TEU NSR 0 day SCR 365days	6,000 TEU NSR 0 day SCR 365days	8,000 TEU NSR 0 day SCR 365days	15,000 TEU NSR 0 day SCR 365days
NSR 105days SCR 260days	1.023 [86.5%] (ton/TEU)	1.182 [100%] (ton/TEU)	0.733 [62.0%] (ton/TEU)	0.656 [55.5%] (ton/TEU)	0.412 [34.9%] (ton/TEU)
NSR 135days SCR 230days	0.992 [83.9%] (ton/TEU)				
NSR 165days SCR 200days	0.889 [75.2%] (ton/TEU)				
NSR 195days SCR 170days	0.868 [73.4%] (ton/TEU)				
NSR 225days SCR 140days	0.772 [65.3%] (ton/TEU)

Source: Japan Long Course Ferry Service Association (<http://www.jlc-ferry.jp/nenryouyu.html>)

Figure 1 Bunker oil prices for the last twenty years

Source) Japan Marine Center (http://jpmac.or.jp/relation/transport_graph/2_1.pdf)

Figure 2 World Container Flow between Major Regions (1995-2011)

Figure 3 Comparative routes for the NSR and SCR shipping in the scenarios

Figure 4 Shipping unit cost of container transport of NSR/SCR-combined shipping and SCR shipping with various NSR service periods

Appendix

Table A.1 Cost component breakdown by ship-size

Ship-size/ NSR service-period SCR service-period	Unit (Upper: '000 USD/year, Lower: %)				
	4,000 TEU NSR 105days SCR 260days	4,000 TEU NSR 0 day SCR 365days	6,000 TEU NSR 0 day SCR 365days	8,000 TEU NSR 0 day SCR 365days	15,000 TEU NSR 0 day SCR 365days
Annual container throughput	36,400 (TEU/year)	33,600 (TEU/year)	50,400 (TEU/year)	67,200 (TEU/year)	126,000 (TEU/year)
Shipping unit cost per TEU	1,211 (USD/TEU)	1,355 (USD/TEU)	1,320 (USD/TEU)	1,211 (USD/TEU)	944 (USD/TEU)
Annual voyages	NSR: 5 SCR: 8	SCR: 12	SCR: 12	SCR: 12	SCR: 12
Capital cost	4,925 (11.2 %)	4,688 (10.3%)	6,728 (10.1%)	8,769 (10.8%)	15,909 (13.4%)
NSR fee, Ice pilot fee, NSR insurance premium	1,433 (3.3%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Suez Canal fee, Suez insurance premium, Aden emergency charge	3,115 (7.1%)	4,572 (10.0%)	7,099 (10.7%)	8,387 (10.3%)	14,208 (11.9%)
Crew cost	954 (2.2%)	997 (2.2%)	997 (2.2%)	997 (2.2%)	997 (2.2%)
Maintenance cost	491 (1.1%)	513 (1.1%)	736 (1.1%)	997 (1.2%)	1,741 (1.5%)
Insurance cost	154 (0.3%)	161 (0.4%)	231 (0.3%)	301 (0.4%)	545 (0.5%)
Fuel cost	24,196 (54.9%)	25,815 (56.7%)	36,787 (55.3%)	43,787 (53.9%)	51,631 (43.4%)
Port dues, container handling charge	8,822 (20.0%)	8,772 (19.3%)	13,932 (20.9%)	18,011 (22.1%)	33,931 (28.5%)
Grand total	44,086 (100%)	45,522 (100%)	66,511 (100%)	81,011 (100%)	118,965 (100%)