Figures 17–24

Shigeru Takata, Masanari Hattori, and Tatsuya Hasebe

See Note_V2.pdf for the explanation of figures below.




Figure 17: $\phi_1 E$ for the ES model (Pr = 2/3) under the diffuse reflection condition and its contour plots at four spatial points. (a) $\eta=0$, (b) $\eta=0.015$, (c) $\eta=0.58$, and (d) $\eta=3.0$. In the contour plots, the curves are drawn with the intervals 0.05 in (a) and (b), 0.01 in (c), and 0.002 in (d). The white vertical surface at $\mu\zeta=0$ in (a) shows the discontinuity.




Figure 18: $\phi_2 E$ for the ES model (Pr = 2/3) under the diffuse reflection condition and its contour plots at four spatial points. (a) $\eta = 0$, (b) $\eta = 0.015$, (c) $\eta = 0.58$, and (d) $\eta = 3.0$. In the contour plots, the curves are drawn with the intervals 0.02 in (a) and (b), 0.01 in (c), and 0.002 in (d). The white vertical surface at $\mu \zeta = 0$ in (a) shows the discontinuity.




Figure 19: $\phi_3 E$ for the ES model (Pr = 2/3) under the diffuse reflection condition and its contour plots at four spatial points. (a) $\eta=0$, (b) $\eta=0.015$, (c) $\eta=0.58$, and (d) $\eta=3.0$. In the contour plots, the curves are drawn with the intervals 0.005 in (a) and (b), 0.002 in (c), and 0.0005 in (d). The white vertical surface at $\mu\zeta=0$ in (a) shows the discontinuity.




Figure 20: $\phi_5 E$ for the ES model (Pr = 2/3) under the diffuse reflection condition and its contour plots at four spatial points. (a) $\eta = 0$, (b) $\eta = 0.015$, (c) $\eta = 0.58$, and (d) $\eta = 3.0$. In the contour plots, the curves are drawn with the intervals 0.01 in (a) and (b), 0.005 in (c), and 0.0005 in (d). The white vertical surface at $\mu \zeta = 0$ in (a) shows the discontinuity.




Figure 21: $\phi_6 E$ for the ES model (Pr = 2/3) under the diffuse reflection condition and its contour plots at four spatial points. (a) $\eta=0$, (b) $\eta=0.015$, (c) $\eta=0.58$, and (d) $\eta=3.0$. In the contour plots, the curves are drawn with the intervals 0.05 in (a) and (b), 0.02 in (c), and 0.005 in (d). The white vertical surface at $\mu\zeta=0$ in (a) shows the discontinuity.




Figure 22: $\psi_3 E$ for the ES model (Pr = 2/3) under the diffuse reflection condition and its contour plots at four spatial points. (a) $\eta=0$, (b) $\eta=0.015$, (c) $\eta=0.58$, and (d) $\eta=3.0$. In the contour plots, the curves are drawn with the intervals 0.05 in (a) and (b), 0.02 in (c), and 0.002 in (d). The white vertical surface at $\mu\zeta=0$ in (a) shows the discontinuity.




Figure 23: $\bar{\phi}_4 E$ for the ES model (Pr = 2/3) under the diffuse reflection condition and its contour plots at four spatial points. (a) $\eta=0$, (b) $\eta=0.015$, (c) $\eta=0.58$, and (d) $\eta=3.0$. In the contour plots, the curves are drawn with the intervals 0.1 in (a) and (b), 0.05 in (c), and 0.01 in (d). The white vertical surface at $\mu\zeta=0$ in (a) shows the discontinuity.




Figure 24: ϕE for the ES model (Pr = 2/3) under the diffuse reflection condition and its contour plots at three spatial points. (a) $\eta = 0.015$, (b) $\eta = 0.58$, and (c) $\eta = 3.0$. In the contour plots, the curves are drawn with the intervals 0.5 in (a), 0.03 in (b), and 0.01 in (c).