

## **Title page**

# **Hepatic stellate cells relay inflammation signaling from sinusoids to parenchyma in mouse models of immune-mediated hepatitis**

Tomoko Fujita<sup>1,2</sup>, Kitipong Soontrapa<sup>1,5</sup>, Yoshiya Ito<sup>6</sup>, Keiko Iwaisako<sup>3,8</sup>, Catharina Sagita Moniaga<sup>2</sup>, Masataka Asagiri<sup>2</sup>, Masataka Majima<sup>7</sup>, and Shuh Narumiya<sup>1,2,4</sup>

<sup>1</sup>Department of Pharmacology, <sup>2</sup>Center for Innovation in Immunoregulatory Technology and Therapeutics, and <sup>3</sup>Target Therapy Oncology, Faculty of Medicine, Kyoto University, Kyoto, Japan; <sup>4</sup>Japan Science and Technology Corporation, Core Research for Evolutional Science and Technology (JST-CREST), Tokyo, Japan; <sup>5</sup>Siriraj Hospital, Faculty of Medicine, Mahidol University, Bangkok, Thailand; <sup>6</sup>Department of Surgery and <sup>7</sup>Department of Pharmacology, Kitasato University School of Medicine, Sagamihara, Japan; <sup>8</sup>Department of Anatomy and Regenerative Biology, Graduate School of Medicine, Osaka City University, Osaka, Japan.

**Email address of the authors:** ftom@ak.med.kyoto-u.ac.jp; siksa@mahidol.ac.th; ykito88@biscuit.ocn.ne.jp; iwaisako@kuhp.kyoto-u.ac.jp; masagiri@ucsd.edu; mmajima@med.kitasato-u.ac.jp; snaru@mfour.med.kyoto-u.ac.jp

**Key words:** hepatic stellate cells, prostaglandin D<sub>2</sub>, tumor necrosis factor- $\alpha$ , liver nonparenchymal cells, acute hepatitis,

## **Footnote page**

**Contact information:** Shuh Narumiya, Center for Innovation in Immunoregulatory

Technology and Therapeutics, Kyoto University Faculty of Medicine, Yoshida

Konoecho, Sakyo, Kyoto, 606-8501 Japan. Phone: +81-75-753-4392, fax:

+81-75-753-9500, E-mail: snaru@ak.med.kyoto-u.ac.jp; Tomoko Fujita, Center for

Innovation in Immunoregulatory Technology and Therapeutics, Kyoto University

Faculty of Medicine, Yoshida Konoecho, Sakyo, Kyoto, 606-8501 Japan. Phone:

+81-75-753-9525, fax: +81-75-753-9500, E-mail: ftom@ak.med.kyoto-u.ac.jp

**List of abbreviations:** HSCs, hepatic stellate cells; KCs, Kupffer cells; LSECs, liver

sinusoidal endothelial cells; PG, prostaglandin; TNF, tumor necrosis factor;

NF- $\kappa$ B, nuclear factor kappa-light-chain-enhancer of activated B cells; JNK, c-jun

N-terminal kinase; ConA, Concanavalin A; IFN, interferon; ET, endothelin; TF, tissue

factor; iNOS, inducible nitric oxide synthase; HCC, hepatocellular carcinoma; EGFP,

enhanced green fluorescent protein; QRT-PCR, quantitative reverse

transcription-polymerase chain reaction; LPS; lipopolysaccharide; GalN,

D-galactosamine; CCl<sub>4</sub>, carbon tetrachloride; cAMP, 3'-5'-cyclic adenosine

monophosphate; PKA, protein kinase A; SD, standard deviation; p65, NF- $\kappa$ B p65; KO,

knockout; WT, wild-type; H&E, Hematoxylin and eosin; TUNEL, terminal deoxynucleotidyl transferase dUTP nick end labeling; i.v., intravenously; i.p., intraperitoneally; HPGDS, hematopoietic prostaglandin D synthase; pp65: phosphorylated p65; NPCs, nonparenchymal cells; VCAM-1, vascular cell adhesion molecule-1.

**Financial support:** This study was supported by the Coordination Fund from the Japan Science and Technology Agency and Astellas Pharma Inc..

**Potential conflict of interest:** T.F., C.S.M., M.A., and S.N. are employed by the Coordination Fund from the Japan Science and Technology Agency and Astellas Pharma Inc., and T.F., M.A., and S.N. receive research grants from this fund. The authors have no additional conflict of interests.

## **Abstract**

Hepatic stellate cells (HSCs) constitute the liver sinusoid with Kupffer cells (KCs) and liver sinusoidal endothelial cells (LSECs). While the sinusoid functions as the gateway to liver inflammation, whether HSCs contribute to liver inflammation and, if so, how they exert such functions remain elusive. Here we found that mouse as well as human HSCs expressed DP1 receptor for prostaglandin D<sub>2</sub> (PGD<sub>2</sub>) selectively in the liver. Pharmacological stimulation of DP1 by BW245C, a DP1-selective agonist, suppressed the activation of cultured HSCs by tumor necrosis factor (TNF)- $\alpha$  at least in part through down regulation of nuclear factor kappa-light-chain-enhancer of activated B cells (NF- $\kappa$ B) signaling and inhibition of c-jun N-terminal kinase (JNK) phosphorylation. DP1 deficiency or BW245C administration in mice significantly enhanced or suppressed concanavalin A (ConA)-induced hepatitis, respectively. ConA injection induced TNF- $\alpha$  and interferon (IFN)- $\gamma$  expression in the sinusoid, which was suppressed by administration of BW245C. Co-culture of spleen cells and liver non-parenchymal cells showed that ConA first activated spleen cells and this activation led to activation of non-parenchymal cells to secondarily produce TNF- $\alpha$  and IFN- $\gamma$ . Microarray analysis revealed ConA-induced expression of endothelin-1 (ET-1), tissue factor (TF), and chemokines in the liver and inducible nitric oxide synthase (iNOS) in

hepatocytes, resulting in flow stagnation, leukocyte adherence and migration to the parenchyma, and hepatocyte death. DP1 stimulation inhibits all these events in the liver. Therefore, HSCs mediate amplification of ConA-induced liver inflammation in the sinusoid and causes direct and indirect hepatocyte injury, and DP1 stimulation inhibits this HSC activation. *Conclusions:* HSCs integrate cytokine-mediated inflammatory responses in the sinusoids and relay them to the liver parenchyma, and these HSC actions are inhibited by DP1 stimulation.

Liver sinusoids serve as the gate of inflammation in the liver (1, 2). There, KCs, LSECs, and HSCs, are strategically positioned. KCs and LSECs facing the sinusoidal lumen and in direct contact with the portal circulation constitute the frontline responding to immune and inflammatory challenges (1, 2). In septic liver injury and fatty liver diseases, gut microbiota and their products invade into the portal circulation through the impaired intestinal barrier, and KCs and LSECs respond to them by producing inflammatory cytokines (3). On the other hand, HSCs are located in the space of Disse between LSECs and hepatocytes (1, 2). While the involvement of HSCs in liver fibrosis is well recognized and attracts much attention (4), their role in liver inflammation has been little documented. Quite recently, Yoshimoto et al. (5) examined the mechanism underlying obesity-associated hepatocellular carcinoma (HCC) generation and found that HSCs are activated by gut microbiota-derived deoxycholic acid and promote HCC development through inflammatory cytokines. While this study strongly suggests the proinflammatory role of HSCs in liver inflammation, how HSCs function in various inflammatory liver diseases remains to be characterized. Such a study may lead to identification of a new therapeutic target against liver diseases.

Concanavalin A (ConA)-induced hepatitis is a mouse model of T cell-mediated hepatitis

(6). In this model, inflammatory cytokines, TNF- $\alpha$  (7) and IFN- $\gamma$  (8) in particular, cause massive liver necrosis with dense infiltration of leukocytes (6). Using this model of liver disease, we have examined the role of HSCs in liver inflammation by analyzing actions of PGD<sub>2</sub>. PGD<sub>2</sub> is synthesized from the PG endoperoxide PGH<sub>2</sub> by either hematopoietic or lipocalin PGD synthase. Although PGD<sub>2</sub> comprises about the half amount of all prostanoids produced in the liver (9), it has gained little attention in terms of liver immunology. PGD<sub>2</sub>'s action is mediated by two PGD<sub>2</sub> receptors, DP1 and DP2 (10). Here, we have found that DP1 is expressed in HSCs, and PGD<sub>2</sub> acting on this receptor exerts hepato-protective action in ConA-induced hepatitis by inhibiting NF- $\kappa$ B pathway and JNK phosphorylation in HSCs. By analyzing this action, we have elucidated that HSCs integrate inflammatory responses in the sinusoid to relay them to the liver parenchyma and these actions are inhibited by stimulation of PGD<sub>2</sub>-DP1 signaling in HSCs.



## **Materials and Methods**

**Animals.** C57BL/6NCrSlc mice, 7-12 weeks of age, were obtained from Japan SLC (Japan). DP1 knockout mice are described elsewhere (11). CD45.1-congenic B6 mice were from Jackson Laboratory. They were housed at the Center of Laboratory Animals of Kyoto University on a 12-hour light/dark cycle under specific pathogen-free conditions. Mice ubiquitously expressing enhanced green fluorescent protein (EGFP) (12) were kindly provided by Dr. Masaru Okabe (Genome Information Research Center, Osaka University, Osaka, Japan) and housed at Kitasato University under specific pathogen-free conditions. All experimental procedures were approved by the Committee on Animal Research of Kyoto University Faculty of Medicine and in accordance with the guidelines of Kitasato University School of Medicine.

**Patients.** Analysis of human liver samples were approved by the Ethics Committee of Osaka City University. A written informed consent was obtained from all of the patients before operations. Samples used were HCC following HCV infection (n = 7), HCC following HBV infection (n = 2), HCC following alcoholic steatohepatitis (n = 1), and benign hemangioma (n = 2). Normal liver tissue was dissected from resected liver specimen and used for quantitative reverse transcription-polymerase chain reaction (QRT-PCR).

**Reagents.** Reagents and their sources used in this study were ConA, collagenase IV, DNase I, LPS, and Krebs-Ringer buffer (Sigma, St. Louis, MO), CCl<sub>4</sub> and D-galactosamine (Nacalai Tesque, Kyoto, Japan), BW245C (4S-(3-[(3R,S)-3-cyclohexyl-3-hydroxypropyl]-2,5-dioxo)-4-imidazolidineheptanoic acid)(Cayman Chemical, Ann Arbor, MI), BQ-123 (2-[(3R,6R,9S,12R,15S)-6-(1H-indol-3-ylmethyl)-9-(2-methylpropyl)-2,5,8,11,14-pentaoxo-12-propan-2-yl-1,4,7,10,13-pentazabicyclo[13.3.0]octadecan-3-yl]acetic acid), BQ-788 ((2R)-2-[[[(2R)-2-amino-3-(1-methoxycarbonylindol-3-yl)propanoyl]-[(2S)-2-[[[(2R,6S)-2,6-dimethylpiperidine-1-carbonyl]amino]-4,4-dimethylpentanoyl]amino]hexanoic acid), Rp-8-Br-cAMPs, and Rp-8-CPT-cAMPs (Santa Cruz, Santa Cruz, CA), and clodronate liposome (13) (Dr. Nico van Rooijen, Department of Molecular Cell Biology, Vrije Universiteit, Amsterdam).

**Protocol of ConA-induced hepatitis.** ConA, dissolved in 200 µl saline, was injected through lateral tail vein at 10 mg/kg except experiments shown in Supporting Fig. 3 in which 20 mg/kg of ConA was used. BW245C, 1.0 mg/kg in 200 µl saline, was given i.p.

15 minutes after ConA injection. Mice were sacrificed at indicated time points for sampling of serum and/or liver. BQ-123 or BQ-788 were dissolved in saline and injected i.p. 30 minutes before ConA injection. For serum collection, blood was drawn from retroorbital vein and incubated for 30 minutes at ambient temperature. It was subsequently centrifuged at 4 °C at 1000 x g for 20 minutes. Serum was stored at -80 °C until use and sent to SRL (Japan) for AST and ALT measurement.

#### **Protocol of lipopolysaccharide-D-galactosamine (LPS/GalN) - and carbon**

**tetrachloride (CCl<sub>4</sub>)-mediated liver acute injury.** LPS (30 µg/kg) and 400 mg/kg

D-galactosamine, dissolved in saline, were simultaneously administered i.p.. For

induction of CCl<sub>4</sub>-mediated liver injury, CCl<sub>4</sub>, dissolved in 200 µl corn oil, was given

i.p at 2 ml/kg. In all protocols, BW245C or vehicle was administered i.p. 15 minutes

before LPS/GalN or CCl<sub>4</sub> injection.

Additional methods are described in the Supporting Information. Antibodies used for

immunostaining and Western blot are listed in Supporting Table 2. Primers for

QRT-PCR are shown in Supporting Table 3.

## Results

### *DP1 is expressed in HSCs and suppresses HSC activation by TNF- $\alpha$*

We first examined the target cells of PGD<sub>2</sub> in the liver by immunofluorescence for DP1, the major PGD receptor. We used the mouse ileum as a positive control, which highly expresses DP1 (11) and indeed is stained strongly by the antibody to DP1 we used (Supporting Fig. 1A). Immunofluorescent staining for DP1 revealed numerous short linear signals in the mouse liver, which exactly overlapped with those for desmin, a HSC marker (Fig. 1A, upper row), but not with F4/80 and CD31, markers for macrophage lineage and endothelial cells, respectively (Supporting Fig. 1B). QRT-PCR analysis of HSCs, KCs, LSECs, and hepatocytes from mouse livers showed DP1 mRNA expression in HSC fraction (Fig. 1A, lower row). DP1 expression did not significantly change with activation markers of HSCs during the course of culture (Data not shown). We then investigated whether DP1 is also expressed in human liver. Staining of serial sections of normal human liver showed almost complete overlapping of vimentin signals with those of DP1 in the consecutive sections, indicating that human HSCs also express DP1 (Fig. 1B). Consistently, QRT-PCR analysis of different specimen of the human liver detected DP1 expression, the level of which is well correlated with that of vimentin expression, a marker of human HSCs, in these samples (Fig. 1B).

We next examined the function of DP1 in HSCs. Given that DP1 is coupled to 3'-5'-cyclic adenosine monophosphate (cAMP) elevation in the cell and cAMP signaling is mostly cytoprotective, we hypothesized that DP1 exerts protective actions in HSCs. To test this hypothesis, we stimulated murine and human HSCs with TNF- $\alpha$ , a critical cytokine in the pathogenesis of liver injury (7, 14), in the presence or absence of a specific DP1 agonist, BW245C (15). The typical morphology and autofluorescence of isolated mouse HSCs are shown in Supporting Fig. 1C. TNF- $\alpha$  induced activation of mouse (Fig. 1C) and human (Fig. 1D, left) HSCs, as evidenced by increased *Tnf/TNF* mRNA expression. BW245C suppressed this expression in a concentration-dependent manner, which was not seen in HSCs isolated from DP1-deficient mice (Fig. 1C). TNF- $\alpha$  also induced expression of *CCL2*, a chemoattractant for monocytes and activated T cells (16) up-regulated in hepatitis (17). BW245C also suppressed this *CCL2* induction and expression of smooth muscle  $\alpha$ -actin type 2 (*ACTA2*), a marker for HSC activation, in human HSCs (Fig. 1D, middle and right). Consistent with the cAMP rise upon DP1 stimulation, treatment of HSCs with forskolin also inhibited *Tnf/TNF* and *CCL2* expression in a concentration-dependent manner (Fig. 1E). Moreover, co-administration of protein kinase A (PKA)-specific inhibitors Rp-8-Br-cAMPs and Rp-8-CPT-cAMPs reversed the suppression of *TNF* exerted by BW245C (Fig. 1F).

These results suggest that DP1 stimulation attenuates HSC activation by TNF- $\alpha$  through cAMP-PKA pathway.

***DP1 inhibits nuclear accumulation of NF- $\kappa$ B p65 and phosphorylation of JNK.***

Since TNF- $\alpha$ -induced *TNF* expression is mediated by canonical NF- $\kappa$ B pathway (18), we examined the effects of DP1 on this process. In the resting state, NF- $\kappa$ B dimers are associated with I $\kappa$ B proteins and retained in the cytosol. Upon activation of canonical NF- $\kappa$ B pathway, I $\kappa$ B proteins are removed from the NF- $\kappa$ B dimers and degraded, thereby causing them to translocate into the nucleus and to induce the expression of inflammatory genes. As a self-inhibitory mechanism, I $\kappa$ B $\alpha$  is reinduced by NF- $\kappa$ B p65 (p65) and sequesters NF- $\kappa$ B dimers out of nuclei (19). Western Blot (Fig. 2A, B) and oligonucleotide-based ELISA from nuclear fractions (Fig. 2C) revealed that TNF- $\alpha$  induced nuclear accumulation of p65 in primary human HSCs. Although BW245C had no significant effect on nuclear translocation of p65 and I $\kappa$ B $\alpha$  degradation at earlier time points (Supporting Fig. 2), BW245C-treatment attenuated p65 accumulation at 1 hour of stimulation. Concurrently, cytosolic I $\kappa$ B $\alpha$  protein (Fig. 2A, B) and *NFKBIA* mRNA (Fig. 2D) were elevated in BW245C-treated cells compared with vehicle-treated cells. Consistently, co-treatment with cycloheximide

abolished the inhibitory effect of BW245C (Fig. 2E), suggesting the requirement of *de novo* protein synthesis for its suppressive effect. TNF- $\alpha$  -mediated *Tnf/TNF* mRNA expression is also mediated by the activation of MAP kinase pathway, JNK and p38 pathways in particular (20). Therefore we next investigated whether BW245C also inhibits these pathways and found that BW245C suppresses the phosphorylation of JNK but not that of p38 (Fig. 2F). These data suggest that DP1 signaling suppresses the TNF- $\alpha$  actions by (1) facilitating the reinduction of I $\kappa$ B $\alpha$  and thereby sequestering nuclear p65 protein out into the cytosol, and (2) suppressing JNK phosphorylation.

***ConA-induced hepatitis is exacerbated in DP1 knockout (KO) mice.***

Having detected the presence of DP1 in HSCs and the suppression of HSC activation by BW245C *in vitro*, we next evaluated the *in vivo* role of DP1 in HSCs in liver inflammation by subjecting DP1 KO mice to ConA-induced hepatitis. We found that DP1 KO mice exhibited significant exacerbation of hepatitis compared with wild-type (WT) controls as examined by the serum levels of AST and ALT (Fig. 3A).

Hematoxylin and eosin (H&E) staining and terminal deoxynucleotidyl transferase dUTP nick end labeling (TUNEL) staining (Fig. 3B) of the liver 24 hours after ConA injection showed massive hepatocyte death in DP1 KO mice compared with WT controls with

significantly larger affected region in DP1 KO mice (Fig. 3B, right). We then injected ConA intravenously (i.v.) into mice deficient in other prostanoid receptors (*i.e.* EP1, EP2, EP3, FP, TP, IP) and examined the specificity of DP1 deficiency. We did not use EP4 KO mice owing to their mixed genetic background, but administered WT mice an EP4 antagonist. Measurement of serum AST and ALT levels revealed that these mice showed no significant difference in liver injury compared to WT mice except for EP3 KO or TP KO, which showed attenuation of hepatitis (Supporting Fig. 3).

***A DP1 agonist BW245C suppresses ConA-induced hepatitis.***

Since the above results indicate that endogenous PGD<sub>2</sub>-DP1 signaling exerts a protective effect on ConA hepatitis, we wondered whether pharmacological stimulation of DP1 further suppresses hepatic inflammation induced by ConA, and tested this hypothesis by BW245C administration. BW245C administered intraperitoneally (i.p.), dose-dependently and significantly suppressed the increase in serum AST and ALT levels and apoptotic areas compared with those in vehicle-treated group (Fig. 3C and D), the effects not seen in DP1 KO mice (Fig. 3C). We next generated bone marrow chimeras and examined the effect of BW245C. We injected clodronate liposomes i.v. before irradiation to eliminate recipient-derived KCs so that KCs are effectively



replaced with donor-derived cells (21). BW245C effectively suppressed ConA-induced hepatitis in WT recipients with DP1 KO bone marrow cells but had no effect in DP1 KO recipients with WT bone marrow cells (Fig. 3E). Consistently, BW245C suppressed serum TNF- $\alpha$  levels only in WT recipients (Supporting Fig. 4), demonstrating that BW245C suppresses hepatitis through DP1 in nonhematopoietic cells in the liver, most probably HSCs.

We next examined localization of hematopoietic PGD synthase (HPGDS) in the mouse liver, which is responsible for biosynthesis of PGD<sub>2</sub> in immune and inflammatory cells (22) and is known to be induced in KCs after LPS treatment. Immunofluorescence study revealed that HPGDS was scarcely detected in untreated liver but clearly seen at 7 hours after ConA injection and its signals overlapped exactly with those for F4/80 (Supporting Fig. 5). These results suggest that the major source of PGD<sub>2</sub> in ConA-induced hepatitis is KCs, and PGD<sub>2</sub>-DP1 signaling functions locally in the sinusoid to control ConA-induced hepatitis.

We next performed immunostaining for phosphorylated p65 on serine 536 (pp65), a marker for NF- $\kappa$ B activation (23). Signals of pp65 were induced by ConA both in the

cytoplasm and the nuclei of hepatocytes and were decreased in the presence of BW245C (Fig. 3F, left), which is reflected in the quantification of fluorescence intensity of the nuclei (Fig. 3F, right). These data suggest that DP1 stimulation in the sinusoid suppresses NF- $\kappa$ B activation in hepatocytes caused by ConA administration.

### ***BW245C suppresses intrahepatic production of TNF- $\alpha$ and IFN- $\gamma$ .***

We next examined the effects of BW245C administration on TNF- $\alpha$  and IFN- $\gamma$  production in ConA-induced hepatitis. Serum TNF- $\alpha$  level peaked at 1 hour after ConA injection and gradually decreased by 24 hours in control mice. BW245C treatment suppressed serum TNF- $\alpha$  concentration at 1 and 3 hours (Fig. 4A). Similar suppression by BW245C treatment was also seen in serum IFN- $\gamma$  level (Supporting Fig. 6A). Notably, intrahepatic *Tnf* mRNA expression was elevated at 1 hour and partially suppressed by BW245C (Fig. 4A). Consistently, immunostaining showed TNF- $\alpha$  signals in the liver at 1 hour after ConA injection, which co-localized with those of F4/80 and desmin (Fig. 4B) and were almost completely abolished by BW245C treatment (Fig. 4C). To corroborate these findings, we used co-culture of spleen cells and liver nonparenchymal cells (NPCs) (7). ConA addition induced TNF- $\alpha$  production significantly in spleen cells and negligibly in NPCs, when either cultured alone, and

significantly enhanced TNF- $\alpha$  production in co-culture of NPCs and spleen cells.

BW245C treatment suppressed this enhancement of TNF- $\alpha$  production in the co-culture system while it has no effect on NPCs or spleen cells alone (Fig. 4D). IFN- $\gamma$  production was similarly induced and inhibited in the co-culture system (Supporting Fig. 6B). In order to determine the cell population responsible for enhanced production of TNF- $\alpha$ , we performed co-culture experiments using cell culture inserts, with spleen cells in the upper and NPCs in the lower chamber. After stimulation with ConA, total RNA was extracted from each cell population and *Tnf* expression was examined by QRT-PCR.

We found that *Tnf* expression was induced in NPCs by co-culture with spleen cells and that this expression was suppressed by BW245C (Fig. 4E). We examined the mechanism of this induction by stimulating spleen cells with Con A for 24 hours and collecting their supernatants (referred to as conditioned medium hereafter). NPCs were then incubated with the conditioned medium in the presence of vehicle or BW245C for 1 hour. *Tnf* mRNA was induced and this induction was inhibited by BW245C to the similar extent as in Fig. 4E (Fig. 4F). These results suggest that BW245C treatment does not inhibit the primary production of TNF- $\alpha$  and IFN- $\gamma$  by immune cells but suppresses the secondary production of these cytokines by NPCs.

***BW245C suppresses the expression of proinflammatory genes induced by ConA in the***

## *liver*

In order to gain more mechanistic insights into suppression of the hepatitis by BW245C, we conducted comparative microarray analyses for gene expression. Genes differentially expressed in the liver under each condition are listed in Supporting Table 1. Complete microarray data are deposited in Gene Expression Omnibus with the accession number GSE45413. We discovered 259 genes, expression of which was up-regulated by ConA injection at 3 and 24 hours, and was significantly suppressed by treatment with BW245C (Supporting Fig. 7), and verified differential expression of several of these genes by QRT-PCR (Fig. 5). One of them was *Nos2* that encodes iNOS. iNOS is induced in hepatocytes by TNF- $\alpha$  and IFN- $\gamma$  and functions critically in ConA-induced hepatitis; deletion of *Nos2* protects mice from ConA-induced hepatitis.(24) Several other TNF- $\alpha$ - or IFN- $\gamma$ -induced genes showed a pattern similar to that of *Nos2*, being induced by ConA and suppressed by BW245C. These include *Tnfaip6* (tumor necrosis alpha induced protein 6), *Fos* (c-fos), *Sele* (E-selectin), and *Socs3* (Supporting Fig. 7). Among them, there were also the genes related to sinusoidal hemostasis. Expression of ET-1 (*Edn1*) that induces sinusoidal constriction (2), and that of TF (*F3*), a potent initiator of coagulation cascades (25), were up-regulated by ConA and suppressed by BW245C at 3 and 24 hours (Fig. 6A), while expression of endothelin

receptors ET<sub>A</sub> (*Ednra*) and ET<sub>B</sub> (*Ednrb*) was not affected by either treatment (data not shown). Expression of vascular adhesion molecule 1 (VCAM-1, *Vcam1*), an adhesion molecule up-regulated by NF-κB activation (26), was induced by ConA and suppressed in the presence of BW245C at 3 hours, but its level returned to basal value at 24 hours. In addition, expression of an array of chemokines, *Ccl2*, *Ccl7*, *Ccl11* were up-regulated by the ConA injection and suppressed by the BW245C treatment at 3 hours (Fig. 6B). *Ccl2*, *Ccl7*, and *Ccl11* are located on chromosome 11 in close proximity to each other (27). Finally, we performed immunostaining for iNOS (Fig. 5C), TF (Fig. 5D), VCAM-1 (Fig. 5E), and CCL2 (Fig. 5F). Strong signals appeared for iNOS and CCL2 in the liver parenchyma, for VCAM-1 in the sinusoid, and for TF both in the parenchyma and the sinusoid after ConA stimulation and these signals were almost completely abolished by BW245C treatment. These results demonstrate that DP1 stimulation on HSCs shuts off expression of various genes involved in liver injury.

### ***BW245C improves hepatic microcirculation.***

Since microcirculatory deterioration in the liver is caused by vasoconstriction, hypercoagulation, and white blood cell adherence, and results in shutdown of the sinusoidal circulation and parenchymal tissue hypoxia (2) and since we detected

induction of genes involved in sinusoidal homeostasis in the liver after ConA injection and its decrease with BW245C treatment, we investigated sinusoidal blood flow at 4 hours after ConA injection and assessed the effect of BW245C. Intravital fluorescence microscopic analysis revealed obstruction of sinusoids and consequent dilation of the portal venule in the liver of ConA-injected mice, which was markedly rescued by the treatment with BW245C (Supporting Fig. 8A). Quantification showed significant decrease in perfusion area in the liver of ConA-injected, vehicle-treated mice, which was restored by the treatment with BW245C (Supporting Fig. 8B). Furthermore, the analysis using EGFP-labelled leukocytes showed leukocyte accumulation in the sinusoid of the liver of ConA-injected mice as reported previously (28), and this accumulation was significantly attenuated by BW245C treatment (Supporting Fig. 8C, D). Given that HSCs are the only sinusoidal cells expressing DP1, we examined whether BW245C suppresses *EDNI* expression in vitro in HSCs. We found that primary human HSCs express *EDNI* mRNA, which was suppressed by BW245C in a concentration-dependent manner (Supporting Fig. 8E). We next hypothesized that improved sinusoidal blood flow by BW245C is at least in part mediated by decreased ET-1 expression. To test this hypothesis, we administered an ET<sub>A</sub> antagonist BQ-123 or an ET<sub>B</sub> antagonist BQ-788 i.p. 30 minutes prior to ConA injection and examined their

effects on ConA-induced hepatitis. BQ-123, but not BQ-788, decreased the increase in serum AST and ALT levels in ConA-injected mice (Supporting Fig. 8F). Consistently, H&E staining showed decreased necrotic areas in the liver of BQ-123-administered mice compared with that of vehicle-treated animals (Supporting Fig. 8F). Since BW245C was reported to inhibit  $Ca^{2+}$  elevation in rat myofibroblasts (29), we examined the possibility that BW245C inhibits ET-1 action by suppressing  $Ca^{2+}$  elevation. We used human HSCs and examined the effect of BW245C on ET-1-induced intracellular  $Ca^{2+}$  elevation. Preincubation with BW245C had no significant effect on intracellular  $Ca^{2+}$  level, suggesting that improved microcirculation is attributed to the decrease in ET-1 (Supporting Fig. 9). These results suggest that production of ET-1 in the inflammatory liver and resultant stagnation of the sinusoidal flow at least in part mediate ConA-induced hepatitis and that DP1 stimulation in HSCs attenuates microcirculatory deterioration by decreasing its ET-1 production.

***CD3<sup>+</sup> CD4<sup>+</sup> cells cluster around blood vessels in the liver of BW245C-treated mice.***

We next focused on how BW245C affects the trafficking of inflammatory cells including T cells. We first investigated the degree of cell infiltration by subjecting liver mononuclear cells to flow cytometry at 24 hours. We did not find any significant

difference in the number of CD3<sup>+</sup> cells and Gr-1<sup>+</sup> cells between ConA-injected mice treated with vehicle or BW245C (Fig. 6A). We next performed immunostaining to evaluate the distribution of each cell population. Gr-1<sup>+</sup> cell distribution and number did not differ significantly between the two groups (Fig. 6B, C). However, while CD3<sup>+</sup> cells infiltrated into the liver parenchyma in ConA injected, vehicle-treated mice, they clustered around the periportal connective tissue adjacent to CD31<sup>+</sup> vascular endothelial walls and did not infiltrate into the parenchyma in Con A-injected, BW245C-treated mice (Fig. 6B-D) We noted that the majority of these clustered CD3<sup>+</sup> cells was CD4<sup>+</sup> T cells (Fig. 6E). These findings suggest that, by treatment with BW245C, ConA-mediated recruitment of CD3<sup>+</sup> CD4<sup>+</sup> cells to the liver parenchyma is hindered and the cells cluster in the periportal connective tissue.

***BW245C suppresses LPS/GalN- but not CCl<sub>4</sub>- induced liver injury.***

We next examined the effect of BW245C in two other liver injury models; that induced by CCl<sub>4</sub> and that by LPS/GalN. Injection of BW245C before CCl<sub>4</sub> injection had no effect on CCl<sub>4</sub>-mediated liver injury (Fig. 7A). On the other hand, BW245C administration before LPS/GalN injection significantly suppressed hepatitis (Fig. 7B). Liver of vehicle-treated mice showed massive intrahepatic hemorrhage and hepatocyte



cell death, while the lesion was minimal in BW245C-treated mice (Fig. 7C). Since LPS/GalN hepatitis is dependent on TNF- $\alpha$  (30), we measured serum TNF- $\alpha$  and intrahepatic *Tnf* mRNA levels and found that BW245C-treated mice had lower serum TNF- $\alpha$  (Fig. 7D) and intrahepatic *Tnf* expression (Fig. 7E) levels compared with those of vehicle-treated mice after LPS/GalN injection. These data suggest that BW245C has no effect on direct hepatocyte injury, but inhibits immune-mediated hepatitis such as ConA-induced hepatitis and LPS/GalN-induced liver injury.

## Discussion

In ConA hepatitis, TNF- $\alpha$  and IFN- $\gamma$  are first produced in response to ConA, reaching their serum peak level within 2 hours (31), and induce expression of pro-inflammatory proteins in both parenchymal and nonparenchymal cells in the liver, causing liver injury occurring at 7 to 8 hours (6). Intriguingly, while BW245C treatment did not inhibit the production of TNF- $\alpha$  and IFN- $\gamma$  by spleen cells and lowered the plasma level of these cytokines only partially, it suppressed the TNF- $\alpha$  and IFN- $\gamma$  production in the sinusoid and suppressed expression of TNF- $\alpha$ - and/or IFN- $\gamma$ -inducible genes in the liver almost completely. These results suggest that there is the relay mechanism of the cytokine production, first in immune cells and then in the sinusoidal cells, and that HSCs function to make such a relay in concert for parenchymal liver injury. Given that KCs, are the main TNF- $\alpha$ -producing cells in the sinusoid (14) and HSCs and not KCs express DP1, HSCs appear to crucially regulate cytokine production by KCs. Such regulatory actions of HSCs may have also operated in the co-culture of spleen cells and NPCs; there, *Tnf* production in NPCs was induced by the conditioned medium from ConA-activated spleen cells, and production of TNF- $\alpha$  and IFN- $\gamma$  by NPCs was almost completely suppressed by BW245C. Finally, DP1 stimulation in HSCs inhibits CD3<sup>+</sup> CD4<sup>+</sup> T cell infiltration to the parenchyma. Thus, DP1 stimulation in HSCs appears to

shut off TNF- $\alpha$  production in NPCs in the sinusoid triggered by inflammatory cytokines originating from ConA-activated immune cells, thereby preventing the amplification of liver inflammation. HSCs and KCs can interact either directly or indirectly through fenestrated endothelium (32). The schematic diagram of the mechanism of DP1-mediated inhibition of ConA-induced hepatitis is shown in Fig. 8.

One subcellular mechanism of DP1-mediated preventive actions is likely to be the regulation of NF- $\kappa$ B signaling. BW245C did not interfere with the initial process of this signaling after TNF- $\alpha$  stimulation but promoted the synthesis of I $\kappa$ B $\alpha$  protein through cAMP-PKA signaling and expelled p65 out of nuclei at later time points. This mechanism certainly operates in HSCs, and regulates their functions in the process where DP1 stimulation inhibits ConA-induced hepatitis. A similar enhancement of auto-regulation of NF $\kappa$ B signaling by cAMP was reported in a human pancreatic cancer cell line stimulated with IL-1 and forskolin for 1 hour (33). Another mechanism is the inhibition of JNK phosphorylation. Upon TNF- $\alpha$  stimulation, MAP kinase signaling including JNK pathway induces secondary responses by inducing the expression of inflammatory cytokines including TNF- $\alpha$  itself (20). It is therefore likely that stimulation of other Gs-coupled-receptors on HSCs can exert anti-inflammatory actions

in the liver as we found here in DP1.

DP1 stimulation in HSCs trapped CD3<sup>+</sup> cells in the periportal area and inhibits their recruitment into the liver parenchyma. HSCs in the liver are equivalent to pericytes in other tissues due to their location and contractile nature. Pericytes wrap around the endothelium of capillaries and venules (34), serving as a frontline between the circulation and the parenchyma (34). Stark et al. (35) have reported that pericytes lining arterioles and capillaries in the skin navigate neutrophils to the site of inflammation through ICAM-1. However, this alone cannot explain the specificity of its effects on T cells and not neutrophils. Several lines of evidence suggest that VCAM-1 is essential in the CD4<sup>+</sup> T cell adhesion on hepatic sinusoidal walls (36, 37). Consistently, VCAM-1 expression in the sinusoid was induced by ConA and suppressed by DP1 stimulation on HSCs. Thus, DP1-mediated suppression of lymphocyte migration from the periportal space to the liver parenchyma could in part be due to decreased VCAM-1 expression by BW245C.

One tissue mechanism for the preventive actions of DP1 stimulation of liver injury we found here is improvement of hepatic microcirculation. Alteration in hepatic

microcirculation has been shown in acute liver failure (2). TF, a potent inducer of coagulation pathway (25), is induced by TNF- $\alpha$  and IFN- $\gamma$  in the liver upon ConA administration, neutralization of which protected mice from intrahepatic fibrin deposition and resultant hepatitis (21). ETs exert strong vasoactive actions through ET<sub>A</sub> and ET<sub>B</sub> receptors (38). HSCs strongly express ET<sub>A</sub> (39), and contract in response to ET-1 during liver injury to narrow the sinusoidal lumen (2). Our study suggests that both sinusoidal constriction through ET-1 and sinusoidal hypercoagulation induced by TF are governed by HSCs and DP1 stimulation ameliorates both.

DP1 stimulation suppresses immune-mediated liver injury such as ConA- and LPS/GalN-induced hepatitis, but not CCl<sub>4</sub>-induced acute liver injury, although TNF- $\alpha$  is involved in all of the above models (40). Using mice deficient in both TNF receptor 1 and 2, Simeonova et al. showed that TNF- $\alpha$  mediates the induction of proinflammatory substances but not direct hepatocyte injury caused by CCl<sub>4</sub> (40). Our data is consistent with theirs, since BW245C inhibits ConA- and LPS/GalN-induced hepatitis, where TNF- $\alpha$ -dependent gene products play critical roles in liver injury, but not CCl<sub>4</sub>-mediated hepatocyte injury, in which TNF- $\alpha$  is synthesized as a result from hepatocyte damage.

In this study, we also examined the effects of PG receptor deficiency other than DP1. PGs have been reported to exert hepato-protective roles. Cyclooxygenase-2 KO mice developed severe hepatitis upon ConA treatment compared with WT controls (41). Our study is consistent with this report, and suggests that PGD<sub>2</sub> is a principal PG mediating such an action. On the other hand, mice deficient in either EP3 or TP exhibited significantly ameliorated ConA-induced hepatitis. Since TP stimulation exacerbates sinusoidal disturbances by platelet activation and promotes leukocyte adhesion in LPS (42)- and TNF- $\alpha$  (43)-mediated liver injury, the phenotype of TP KO mice may be explained by the attenuated sinusoidal stagnation. On the other hand, the mechanism of the protective effect of EP3 deficiency on ConA-induced hepatitis remains to be elucidated.

In conclusion, by examining the effect of a DP1 agonist BW245C, we clarified the critical role of HSCs in liver injury that was scarcely explored before. Our data indicate that HSCs form a triad with KCs and LSECs and integrate actions of this complex at the gateway to liver inflammation. Precise molecular mechanism of this interaction and identification of molecules involved therein remain to be explored. Nonetheless, this

study thus provides an intriguing possibility that HSCs can be exploited as a target for development of a new therapy against various liver diseases.

## **Acknowledgements**

We thank K. Takahashi (Department of Gastroenterology, Kyoto University Graduate School of Medicine) and H. Tsutsui (Department of Microbiology, Faculty of Medicine, Hyogo College of Medicine), and members of our laboratory for suggestions and discussion. We are also grateful to N. Asamoto for animal care, to T. Arai and H. Yamamoto for secretarial and technical assistance, respectively.



## References

1. Jenne CN, Kubes P. Immune surveillance by the liver. *Nat Immunol* 2013;14:996-1006.
2. Vollmar B, Menger MD. The hepatic microcirculation: mechanistic contributions and therapeutic targets in liver injury and repair. *Physiol Rev* 2009;89:1269-1339.
3. Seki E, Brenner DA. Toll-like receptors and adaptor molecules in liver disease: update. *Hepatology* 2008;48:322-335.
4. Bataller R, Brenner DA. Liver fibrosis. *J Clin Invest* 2005;115:209-218.
5. Yoshimoto S, Loo TM, Atarashi K, Kanda H, Sato S, Oyadomari S, Iwakura Y, et al. Obesity-induced gut microbial metabolite promotes liver cancer through senescence secretome. *Nature* 2013;499:97-101.
6. Tiegs G, Hentschel J, Wendel A. A T cell-dependent experimental liver injury in mice inducible by concanavalin A. *J Clin Invest* 1992;90:196-203.
7. Gantner F, Leist M, Lohse AW, Germann PG, Tiegs G. Concanavalin A-induced T-cell-mediated hepatic injury in mice: the role of tumor necrosis factor. *Hepatology* 1995;21:190-198.
8. Mizuhara H, Uno M, Seki N, Yamashita M, Yamaoka M, Ogawa T, Kaneda K, et al. Critical involvement of interferon gamma in the pathogenesis of T-cell

activation-associated hepatitis and regulatory mechanisms of interleukin-6 for the manifestations of hepatitis. *Hepatology* 1996;23:1608-1615.

9. Kuiper J, Zijlstra FJ, Kamps JA, van Berkel TJ. Identification of prostaglandin D2 as the major eicosanoid from liver endothelial and Kupffer cells. *Biochim Biophys Acta* 1988;959:143-152.

10. Hirata T, Narumiya S. Prostanoid receptors. *Chem Rev* 2011;111:6209-6230.

11. Matsuoka T, Hirata M, Tanaka H, Takahashi Y, Murata T, Kabashima K, Sugimoto Y, et al. Prostaglandin D2 as a mediator of allergic asthma. *Science* 2000;287:2013-2017.

12. Okabe M, Ikawa M, Kominami K, Nakanishi T, Nishimune Y. 'Green mice' as a source of ubiquitous green cells. *FEBS Lett* 1997;407:313-319.

13. Van Rooijen N, Sanders A. Liposome mediated depletion of macrophages: mechanism of action, preparation of liposomes and applications. *J Immunol Methods* 1994;174:83-93.

14. Schumann J, Wolf D, Pahl A, Brune K, Papadopoulos T, van Rooijen N, Tiegs G. Importance of Kupffer cells for T-cell-dependent liver injury in mice. *Am J Pathol* 2000;157:1671-1683.

15. Nagata K, Hirai H. The second PGD(2) receptor CRTH2: structure, properties,

and functions in leukocytes. Prostaglandins Leukot Essent Fatty Acids

2003;69:169-177.

16. Oo YH, Shetty S, Adams DH. The role of chemokines in the recruitment of lymphocytes to the liver. Dig Dis 2010;28:31-44.

17. Chen F, Zhu HH, Zhou LF, Li J, Zhao LY, Wu SS, Wang J, et al. Genes related to the very early stage of ConA-induced fulminant hepatitis: a gene-chip-based study in a mouse model. BMC Genomics 2010;11:240.

18. Hayden MS, Ghosh S. Regulation of NF-kappaB by TNF family cytokines. Semin Immunol 2014;26:253-266.

19. Sun SC, Ganchi PA, Ballard DW, Greene WC. NF-kappa B controls expression of inhibitor I kappa B alpha: evidence for an inducible autoregulatory pathway. Science 1993;259:1912-1915.

20. Sabio G, Davis RJ. TNF and MAP kinase signalling pathways. Semin Immunol 2014;26:237-245.

21. **Kato J, Okamoto T**, Motoyama H, Uchiyama R, Kirchhofer D, Van Rooijen N, Enomoto H, et al. Interferon-gamma-mediated tissue factor expression contributes to T-cell-mediated hepatitis through induction of hypercoagulation in mice. Hepatology 2013;57:362-372.

22. Kanaoka Y, Urade Y. Hematopoietic prostaglandin D synthase. Prostaglandins Leukot Essent Fatty Acids 2003;69:163-167.
23. Sakurai H, Suzuki S, Kawasaki N, Nakano H, Okazaki T, Chino A, Doi T, et al. Tumor necrosis factor-alpha-induced IKK phosphorylation of NF-kappaB p65 on serine 536 is mediated through the TRAF2, TRAF5, and TAK1 signaling pathway. J Biol Chem 2003;278:36916-36923.
24. Sass G, Koerber K, Bang R, Guehring H, Tiegs G. Inducible nitric oxide synthase is critical for immune-mediated liver injury in mice. J Clin Invest 2001;107:439-447.
25. Mackman N. Triggers, targets and treatments for thrombosis. Nature 2008;451:914-918.
26. **Iademarco MF, McQuillan JJ**, Rosen GD, Dean DC. Characterization of the promoter for vascular cell adhesion molecule-1 (VCAM-1). J Biol Chem 1992;267:16323-16329.
27. Jagodic M, Becanovic K, Sheng JR, Wu X, Backdahl L, Lorentzen JC, Wallstrom E, et al. An advanced intercross line resolves Eae18 into two narrow quantitative trait loci syntenic to multiple sclerosis candidate loci. J Immunol 2004;173:1366-1373.

28. Miyazawa Y, Tsutsui H, Mizuhara H, Fujiwara H, Kaneda K. Involvement of intrasinusoidal hemostasis in the development of concanavalin A-induced hepatic injury in mice. *Hepatology* 1998;27:497-506.
29. Maruyama T, Ayabe S, Murata T, Hori M, Ozaki H. Relaxant effect of prostaglandin D(2)--receptor DP agonist on liver myofibroblast contraction. *J Pharmacol Sci* 2011;116:197-203.
30. Pasparakis M, Alexopoulou L, Episkopou V, Kollias G. Immune and inflammatory responses in TNF alpha-deficient mice: a critical requirement for TNF alpha in the formation of primary B cell follicles, follicular dendritic cell networks and germinal centers, and in the maturation of the humoral immune response. *J Exp Med* 1996;184:1397-1411.
31. Wang HX, Liu M, Weng SY, Li JJ, Xie C, He HL, Guan W, et al. Immune mechanisms of Concanavalin A model of autoimmune hepatitis. *World J Gastroenterol* 2012;18:119-125.
32. Zimmermann HW, Trautwein C, Tacke F. Functional role of monocytes and macrophages for the inflammatory response in acute liver injury. *Front Physiol* 2012;3:56.
33. Kamthong PJ, Wu M. Inhibitor of nuclear factor-kappaB induction by cAMP

antagonizes interleukin-1-induced human macrophage-colony-stimulating-factor expression. *Biochem J* 2001;356:525-530.

34. Armulik A, Genove G, Betsholtz C. Pericytes: developmental, physiological, and pathological perspectives, problems, and promises. *Dev Cell* 2011;21:193-215.

35. Stark K, Eckart A, Haidari S, Tirniceriu A, Lorenz M, von Bruhl ML, Gartner F, et al. Capillary and arteriolar pericytes attract innate leukocytes exiting through venules and 'instruct' them with pattern-recognition and motility programs. *Nat Immunol* 2013;14:41-51.

36. Morikawa H, Hachiya K, Mizuhara H, Fujiwara H, Nishiguchi S, Shiomi S, Kuroki T, et al. Sublobular veins as the main site of lymphocyte adhesion/transmigration and adhesion molecule expression in the porto-sinusoidal-hepatic venous system during concanavalin A-induced hepatitis in mice. *Hepatology* 2000;31:83-94.

37. Wolf D, Hallmann R, Sass G, Sixt M, Kusters S, Fregien B, Trautwein C, et al. TNF-alpha-induced expression of adhesion molecules in the liver is under the control of TNFR1--relevance for concanavalin A-induced hepatitis. *J Immunol* 2001;166:1300-1307.

38. Sakurai T, Yanagisawa M, Masaki T. Molecular characterization of endothelin

receptors. *Trends Pharmacol Sci* 1992;13:103-108.

39. Housset C, Rockey DC, Bissell DM. Endothelin receptors in rat liver: lipocytes as a contractile target for endothelin 1. *Proc Natl Acad Sci U S A* 1993;90:9266-9270.

40. Simeonova PP, Gallucci RM, Hulderman T, Wilson R, Kommineni C, Rao M, Luster MI. The role of tumor necrosis factor-alpha in liver toxicity, inflammation, and fibrosis induced by carbon tetrachloride. *Toxicol Appl Pharmacol* 2001;177:112-120.

41. Yin H, Cheng L, Langenbach R, Ju C. Prostaglandin I(2) and E(2) mediate the protective effects of cyclooxygenase-2 in a mouse model of immune-mediated liver injury. *Hepatology* 2007;45:159-169.

42. Katagiri H, Ito Y, Ishii K, Hayashi I, Suematsu M, Yamashina S, Murata T, et al. Role of thromboxane derived from COX-1 and -2 in hepatic microcirculatory dysfunction during endotoxemia in mice. *Hepatology* 2004;39:139-150.

43. Katagiri H, Ito Y, Ito S, Murata T, Yukihiro S, Narumiya S, Watanabe M, et al. TNF-alpha induces thromboxane receptor signaling-dependent microcirculatory dysfunction in mouse liver. *Shock* 2008;30:463-467.

Author names in bold designate shared co-first authorship.

## Figure legends

**Figure 1.** Exclusive expression of DP1 on HSCs and effect of a DP1 agonist BW245C on TNF- $\alpha$  and CCL2 mRNA expression by HSCs. (A, top) Co-staining of the mouse liver for DP1 and desmin. Shown are representatives of five samples per group. Bars, 50  $\mu$ m. (A, bottom) Expression of liver cell markers and DP1 mRNA of liver cells isolated from untreated mice. Data show mean  $\pm$  SD of three independent experiments. (B, top) Immunohistochemistry for vimentin and DP1 in the human liver. Serial sections of apparently normal part of human liver were stained for vimentin (left) or DP1 (right). Red arrows indicate signals for vimentin or DP1. Bars, 50  $\mu$ m. Shown is a representative of two samples. (B, bottom) Correlation of mRNA expression of vimentin (*VIM*) and DP1 (*PTGDR*) of twelve human liver samples. (C) Effect of BW245C on TNF- $\alpha$ -induced *Tnf* expression in HSCs from wild-type mice and DP1-deficient (DP1<sup>-/-</sup>) mice. (D) Effect of BW245C on TNF- $\alpha$ -induced *TNF* (left) and *CCL2* (middle) expression, and effects on *ACTA2* expression (right) in primary human HSCs. (E, F) Effects of forskolin on TNF- $\alpha$ -induced *Tnf* expression by primary mouse HSCs (E) and *TNF* (F, left) and *CCL2* (F, middle) expression by human HSCs. Cells were treated with or without TNF- $\alpha$  in the presence of various concentrations of BW245C or forskolin for 1 hour except for *ACTA2* expression in (D), in which human



HSCs were treated with BW245C for 6 hours. (F, right) Effect of PKA inhibitors on suppression of *TNF* expression. Data are mean  $\pm$  standard deviation (SD) of duplicate or triplicate wells and are representatives of at least two independent experiments. \*\*,  $P < 0.01$  and \*,  $P < 0.05$ , compared with  $TNF-\alpha$  and vehicle-treated group.

**Figure 2.** DP1 facilitates the resynthesis of  $I\kappa B\alpha$  and suppresses nuclear accumulation of p65 induced by  $TNF-\alpha$ , and also inhibits JNK phosphorylation. Western blot (A) and densitometric analysis (B) for nuclear p65 and cytoplasmic  $I\kappa B\alpha$  proteins of primary human HSCs treated for 1 hour with vehicle or BW245C in the presence or absence of  $TNF-\alpha$ . V, vehicle and B, BW245C. Lamin B and GAPDH were used as loading controls. Data are representatives of five experiments. (C) ELISA-based quantification of nuclear p65. Data are mean  $\pm$  SD of five samples from two independent experiments. (D) QRT-PCR analysis of *NFKBIA* ( $I\kappa B\alpha$ ) expression in primary human HSCs treated for 1 hour with vehicle or BW245C in the presence or absence of  $TNF-\alpha$ . (E) Effect of cycloheximide (CHX) on DP1-mediated suppression of *TNF* expression. Cells were stimulated with  $TNF-\alpha$  in the presence of vehicle or BW245C for 1 hour after pretreatment with CHX or vehicle. (F) Western blot and densitometric analysis for phosphorylated JNK (pJNK, left) and phosphorylated p38 (pp38, right) of primary

human HSCs treated for 10 minutes with vehicle or BW245C in the presence or absence of TNF- $\alpha$ . V, vehicle and B, BW245C. JNK and p38 were used as loading controls for pJNK and pp38, respectively. Data are representatives of five experiments.

Data are mean  $\pm$  SD of triplicate wells and are representatives of at least two independent experiments. \*\*,  $P < 0.01$  and \*,  $P < 0.05$ , compared with TNF- $\alpha$  and vehicle-stimulated group.

**Figure 3.** Effect of DP1 deficiency or DP1 stimulation on ConA-induced hepatitis. (A) Serum AST and ALT levels in ConA-induced hepatitis in wild-type and DP1 KO (DP1<sup>-/-</sup>) mice. Serum was collected from control non-injected mice or from ConA-injected mice 24 hours after the injection. Data are expressed as mean  $\pm$  SD of six mice. WT, wild-type mice. (B) H&E staining (left and middle) and TUNEL staining (right) of livers collected 24 hours after ConA injection. Bars, 200  $\mu$ m (H&E) or 100  $\mu$ m (TUNEL). Data are representative of five mice (ConA-treated groups) or three mice (untreated groups). (B, right) Quantification of liver injury. Affected areas were measured on H&E stained specimen from five to eight livers under x100 magnification. \*,  $P < 0.05$ , compared with ConA-treated wild-type mice. (C) Effects of BW245C treatment on serum AST and ALT levels of ConA-injected wild-type (left) and DP1<sup>-/-</sup>

(right) mice. ConA, 10 mg/kg, was injected i.v. and BW245C, 0, 0.3, 1.0 mg/kg (0, 1.0 mg/kg for DP1<sup>-/-</sup> mice), in saline was injected i.p. 15 minutes later, and serum was collected 24 hours later. The results are mean  $\pm$  SD of at least five mice. Black bars, AST and gray bars, ALT. (D) Effects of BW245C treatment on liver histology (left) and quantification of liver injury (right). Livers were collected 24 hours after ConA injection from mice treated with vehicle or 1.0 mg/kg BW245C, and subjected to H&E staining (top) and TUNEL staining (bottom). Scale bars, 100  $\mu$ m. Data are a representative of eight mice in each group. Affected areas of the liver from vehicle or BW245C-treated mice was quantified as in Fig. 3 B. Data are expressed as mean  $\pm$  SD of eight mice. (E) Serum AST (left) and ALT (right) levels of bone marrow chimera mice subjected to ConA injection. Gray bars, without ConA injection. Black and white bars, ConA-injected mice treated with vehicle or BW245C (1.0 mg/kg), respectively. Data are expressed as mean  $\pm$  SD of two mice (untreated group) or five to ten mice (ConA-treated groups). (F) Phosphorylated p65 immunostaining of the liver from vehicle- or BW245C-treated mice with or without ConA injection (left) and quantification of fluorescence intensity of hepatocyte nuclei (right). Fluorescence intensities of ten nuclei per group were measured using Image J software. The mean value of vehicle-treated group is subtracted from the value of each sample. Liver was

collected 8 hours after ConA administration. Bars, 100  $\mu\text{m}$  (E) and 50  $\mu\text{m}$  (F). pp65, phospho-p65. Data are representatives of two mice per group. \*,  $P < 0.05$ , \*\*,  $P < 0.01$ , \*\*\*,  $P < 0.001$ , compared with ConA-injected, vehicle-administered mice in each group. NS, non-significant.

**Figure 4.** Suppression by BW245C of ConA-induced increase in serum TNF- $\alpha$  level and TNF- $\alpha$  production by sinusoidal cells. (A) Serum TNF- $\alpha$  concentration (top) and intrahepatic *Tnf* mRNA expression at 1 hour (bottom) in mice injected with ConA with or without BW245C treatment. Dotted line, BW245C-treated group and solid line, vehicle-treated group. (B) Production of TNF- $\alpha$  in the liver sinusoid in ConA-injected mice. The liver was collected 1 hour after ConA injection, and stained for TNF- $\alpha$ , F4/80 and desmin. Bars, 20  $\mu\text{m}$ . (C) Suppression by BW245C of ConA-induced TNF- $\alpha$  production in the sinusoid. The liver was collected 1 hour after ConA injection from vehicle- or 1.0 mg/kg BW245C-treated mice, and stained for TNF- $\alpha$ . None, control mice without ConA injection. Results are representative of five mice. Bars, 50  $\mu\text{m}$ . (D) Augmentation of TNF- $\alpha$  production by co-culture of NPCs and spleen cells, and its suppression by BW245C. TNF- $\alpha$  concentration in culture supernatants of NPCs alone (white), NPCs-spleen cell co-culture (gray), or spleen cells alone (black) are shown. (E)

*Tnf* expression of NPCs and spleen cells after co-culture separated by cell culture inserts. (F) *Tnf* expression of NPCs stimulated for 1 hour with conditioned medium from spleen cells stimulated with ConA for 24 hours. \*\*\*,  $P < 0.001$ , \*\*,  $P < 0.01$  and \*,  $P < 0.05$ , compared with BW245C-administered mice (A, top) or compared with ConA-injected, vehicle-treated group (A, bottom, E, and F). Data are expressed as mean  $\pm$  SD of ten mice (A, top), or mean  $\pm$  SD of five wells and are representatives of at least two independent experiments (D-F).









**Figure 5.** (A, B) QRT-PCR analysis of expression of *Nos2*, *Edn1*, *F3* and *Vcam1* (A) and chemokines (B). The liver was collected at 3 hours (white bars) and 24 hours (black bars) from ConA-injected mice co-treated with vehicle (veh) or BW245C and from non-injected mice (-) (gray bars). RNA was extracted and used for analysis. Data are expressed as mean  $\pm$  SD of five mice. \*,  $P < 0.05$ , \*\*,  $P < 0.01$ , and \*\*\*,  $P < 0.001$ , compared with veh. (C-F) Immunofluorescence staining for iNOS (C), TF (D), VCAM-1 (E), and CCL2 (F) in mouse liver treated with ConA and either BW245C or vehicle for 8 hours. Shown are representatives of five mice per group. Bars, 50  $\mu\text{m}$  (C, D, and F) and 100  $\mu\text{m}$  (E).

**Figure 6.** Clustering of CD3<sup>+</sup>CD4<sup>+</sup> cells in the periportal area of the liver of ConA-injected , BW245C-treated mice. (A) Numbers of CD3<sup>+</sup> (top) or Gr-1<sup>+</sup> (bottom) cells in mouse livers at 24 hours after Con A injection with or without BW245C treatment. Data are expressed as mean  $\pm$  SD of three to seven mice. (B) Immunofluorescence staining for CD3 (green) and Gr-1 (red) of livers collected 24 hours after treatment with either vehicle or BW245C alone or after ConA injection with either vehicle or BW245C. (C) The number of CD3<sup>+</sup>- or Gr-1<sup>+</sup>-cells in liver parenchyma. CD3<sup>+</sup>- or Gr-1<sup>+</sup>-cells were counted in 3 fields under x20 magnification of 3 livers per group. The number of these cells within a 100  $\mu$ m-range from the blood vessel walls was excluded. Data are expressed as mean  $\pm$  SD of three mice. (D, E) Co-staining for CD3 (red) and CD31 (green, D) or CD4 (green, E) of livers collected from Con A-injected, BW245C-treated mice at 24 hours after Con A-injection. Results are a representative of five mice.


**Figure 7.** Effects of BW245C on CCl<sub>4</sub> -or LPS/GalN-induced liver injury. (A and B) Serum AST and ALT levels of mice treated with CCl<sub>4</sub> (A) or LPS/GalN (B) and effects of BW245C. Mice were administered CCl<sub>4</sub> or LPS/GalN, and serum was collected at 24 and 6 hours, respectively. BW245C (1 mg/kg) or vehicle (veh) was administered 15

minutes before CCl<sub>4</sub> or LPS/GalN injection. (-), control mice without any treatment. \*,  $P < 0.05$ , compared with vehicle-treated group. (C) H&E staining of the liver collected 6 hours after injection of LPS/GalN and either vehicle or BW245C. Bars, 200  $\mu$ m. Data are a representative of five to ten mice per group. (D) Serum TNF- $\alpha$  levels at 1 hour of LPS/GalN-injected mice treated with either vehicle or BW245C. Data are expressed as mean  $\pm$  SD of five mice. \*,  $P < 0.05$ , compared with vehicle-treated group. (E) QRT-PCR analysis of livers from mice treated with LPS/GalN and BW245C or vehicle for 1 hour. \*,  $P < 0.05$ , compared with vehicle-treated group. Data are expressed as mean  $\pm$  SD of five mice.


**Figure 8.** Schematic diagram of the hepato-protective effects of BW245C treatment in ConA-induced hepatitis.



**Figure 1****A****B****C****D****E****F**





**Figure 2**


**Figure 3**




**Figure 4**

**Figure 5**

**Figure 6**

**Figure 7.**

**Figure 8. Schematic diagram of the hepato-protective effects of BW245C treatment in ConA-induced hepatitis.**



**HEP-15-0195.R2****Supplemental Methods**

**Bone marrow transplantation.** Bone marrow transplantation was performed essentially as described (1), with modifications. Since only 40~50% of KCs are replaced with donor-derived cells 3 months after BMT (2), KCs of recipient mice were depleted by administering mice 200  $\mu$ l clodronate liposome the day before the total body irradiation. They were then sublethally irradiated (9.5 Gy) in a single fraction by a  $^{137}\text{Cs}$   $\gamma$ -ray using a Gammacell 40 Exactor (MDS Nordion International Inc., Ottawa, Canada). Bone marrow cells were collected from the femurs and tibias of donors, washed, and passed through a 70  $\mu$ m-nylon mesh to remove debris. Cells were then washed and resuspended in Dulbecco's PBS at a concentration of  $5 \times 10^7$  cells/ml. Recipients were injected with  $10^7$  bone marrow cells via lateral tail vein. After 12 weeks, mice were used for experiments.

**Culture of human HSCs.** Human HSCs were purchased from Sciencell Research Laboratories (Carlsbad, CA). They were cultured in Stellate Cell Medium supplemented with Stellate Cell Growth Supplement (Sciencell Research Laboratories), 2 % FCS, 100 U/ml penicillin, and 0.1 mg/ml streptomycin. On confluence, the cells were dissociated and plated at  $5 \times 10^4$ /well in a 24-well plate (Corning, Corning, NY) for QRT-PCR or at



**HEP-15-0195.R2**

$5 \times 10^5$ /well in a 6-well plate (Corning). They were cultured for 24 hours in the above medium and serum-starved for one day. Medium was removed the next day, and the cells were treated with reagents in fresh serum-free medium for the indicated time periods. The cells were then harvested for RNA or protein extraction for QRT-PCR or Western blot, respectively.

**Isolation of murine HSCs and other liver cells.** Murine HSCs were isolated as described previously (3). In brief, liver was digested by two-step protocol using collagenase D and pronase E (Roche, Mannheim, Germany). The dispersed cells was filtered through a 70  $\mu$ m-nylon mesh (BD Falcon, Becton Drive, NJ) and centrifuged at 50x g for 1 minute to recover NPC-containing supernatants and pelleted hepatocytes. HSCs, KCs, and LSECs were isolated by discontinuous density gradient centrifugation (24-17-11.5-8.4 %) with Optiprep solution (Axis Shield, Dundee, UK) diluted with HBSS (-). HSCs were collected from the interface between HBSS (-) and 8.4% and suspended in DMEM medium (Invitrogen) supplemented with 10% FCS, 100 U/ml penicillin, and 0.1 mg/ml streptomycin, plated at  $5 \times 10^5$ /well in a 24 well-plate (IWAKI, Tokyo, Japan) and cultured for 2 days. They were then serum-starved for 24 hours and medium was changed. Reagents and cytokines were then added and incubated in a CO<sub>2</sub>

**HEP-15-0195.R2**

incubator for the indicated time periods. KCs and LSECs were collected from the interface between 8.4 % and 11.5 % layers and isolated by differential plating.

**Isolation of liver NPCs and protocol for co-culture experiments**

For the isolation of liver NPCs, liver was perfused with 5 ml of cold PBS (-) and dissected. Then, it was minced with a scalpel in Krebs-Ringer buffer containing 500 U/ml collagenase IV (Sigma), 2 mM CaCl<sub>2</sub>, 2 mM MgCl<sub>2</sub>, and 150 U/ml DNase I (Roche), and incubated at 37 °C for 30 minutes. Liver NPC-containing supernatants were collected and pelleted, washed, and resuspended in 12.6% iodixanol (Axis-Shield). HBSS was layered on the top of the cell suspension, which was centrifuged at 2,100 x g for 30 minutes at 4 °C. NPCs were collected at the interface, washed and suspended in RPMI1640 medium (Invitrogen, Carlsbad, CA) supplemented with 10% FCS, 100 U/ml penicillin, 0.1 mg/ml streptomycin, and 100 µM indomethacin (Nacalai Tesque, Kyoto, Japan), plated at 1×10<sup>6</sup>/well in a 24 well-plate (IWAKI) and cultured overnight. The spleen was isolated and crushed on a 70 µm-cell strainer in the above RPMI1640 medium. The resultant cell suspension was centrifuged and the cell pellet was subjected to hemolysis to remove erythrocytes. Remaining spleen cells were re-suspended in RPMI1640 medium. The spleen cells were cultured either alone or added to the NPC

**HEP-15-0195.R2**

culture at  $1 \times 10^6$ /well. In some experiments, spleen cells were cultured on a cell culture insert (BD Falcon) with or without NPCs in the lower chamber. ConA, 2  $\mu\text{g}/\text{ml}$ , was added and the cells were cultured for 24 hours. BW245C, 10  $\mu\text{M}$ , was added 5 min prior to ConA addition. The culture supernatants were collected for ELISA.

In experiments using the conditioned medium from spleen cells, cells were collected from the spleen and stimulated with 10  $\mu\text{g}/\text{ml}$  of ConA for 24 hours. Cells were pelleted and the supernatants (conditioned medium) were stored at  $-80^\circ\text{C}$  until use. NPCs were plated at  $1 \times 10^6$ /well in a 24 well-plate and stimulated with the conditioned medium for one hour in the presence or absence of 10  $\mu\text{M}$  BW245C. NPCs were then subjected to QRT-PCR.

**Histological analyses.** For fluorescent immunostaining, liver samples were embedded in Tissue-Teck (Sakura Finetek, Tokyo, Japan) filled with OCT compound (Sakura Finetek) and snap-frozen in liquid nitrogen. Frozen sections of 5  $\mu\text{m}$  in thickness were prepared. They were then fixed with either cold acetone or 4 % paraformaldehyde and incubated with PBS (-) containing 5 % BSA to block non-specific staining. The sections were incubated for 60 min at room temperature with first antibodies in Can Get Signal

**HEP-15-0195.R2**

Immunostain (Toyobo, Osaka, Japan), were washed three times in PBS(-), and incubated with secondary antibodies in Can Get Signal Immunostain. The sections were counterstained with Hoechst 33342 (Invitrogen) and mounted in Prolong Gold Antifade (Invitrogen). For HPGDS staining, sections were fixed in cold acetone, stained for HPGDS using TSA Plus Cyanine 3 System (Perkin Elmer, Waltham, MA) according to the manufacturer's instructions, and then stained for F4/80. For desmin staining, sections were first stained for desmin using M.O.M. kit (Vector Laboratories, Burlingame, CA) and signals were detected with Alexa Fluor 594-conjugated streptavidin (Molecular Probes, Carlsbad, CA). Counterstaining for the nuclei was done with DAPI. Stained sections were observed using LSM 710 (Carl Zeiss, Jena, Germany) and images were acquired and processed with ZEN 2010 software (Carl Zeiss). For H&E staining, the liver was fixed in 10% formalin, and embedded in paraffin. Paraffin blocks were sectioned at 7  $\mu$ m and stained with hematoxylin and eosin. TUNEL staining was performed as follows. Briefly, after deparaffinization and Proteinase K treatment (10  $\mu$ g/ml for 15 minutes) of paraffin-embedded sections, endogenous peroxidase activity was blocked with 0.3% H<sub>2</sub>O<sub>2</sub> in methyl alcohol for 30 minutes. Sections were washed in PBS (-) and mounted with 5  $\mu$ l TdT Enzyme (Takara Bio, Japan) and 45  $\mu$ l Labeling Safe Buffer (Takara Bio) for 1 hour at 37 °C, followed by

**HEP-15-0195.R2**

washes in PBS (-). HRP-conjugated anti-FITC antibody (Takara Bio) was applied for 30 min at 37 °C. Coloring reaction was carried out with DAB and nuclei were counterstained with hematoxylin. Images were acquired using a BX50 microscope (OLYMPUS, Tokyo, Japan) and affected areas in a section were measured using ImageJ software. For immunohistochemistry of human liver, liver preparation was fixed in 10% formalin, and embedded in paraffin. Paraffin blocks were sectioned at 4 µm and serial sections were used for experiments. After deparaffinization and citrate buffer treatment (pH 6.0, 120 °C for 20 minutes), samples were blocked with Protein Block, Serum-Free (DAKO, Santa Clara, CA). The samples were then incubated overnight at 4 °C with first antibodies diluted in Protein Block, Serum-Free. The samples were washed three times in TBS. Incubation with the secondary antibody and 3,3'-Diaminobenzidine staining were performed using Histofine Simple Stain System (Nichirei Biosciences, Tokyo, Japan) according to the manufacturer's instructions. The sections were counterstained with hematoxylin and mounted in Softmount 550 (Wako, Osaka, Japan).

**QRT-PCR.** Total RNA was collected from cultured murine and human HSCs using RNeasy Plus Micro Kit and RNeasy Plus Mini Kit (Qiagen, Hilden, Germany), respectively. For extraction of RNA from the liver, frozen liver was cut into pieces, put

**HEP-15-0195.R2**

into 1 ml Buffer RLT (Qiagen), and homogenized at 3000 rpm for 30 seconds with Polytron PT2100S (KINEMATICA Inc.). Total RNA was obtained from liver samples with RNeasy mini kit (Qiagen). RNA was then reverse-transcribed to cDNA by using the PrimeScript RT reagent kit (Perfect Real Time) (Takara Bio). QRT-PCR was then performed in SYBR Premix Ex Taq (Perfect Real Time) (Takara Bio) using LightCycler 480 (Roche). The expression of mRNA is represented as fold increase ( $2^{-\Delta\Delta Ct}$ ), where  $\Delta\Delta Ct = [\Delta Ct (\text{sample})] - [\Delta Ct (\text{unstimulated sample})]$ , and  $\Delta Ct = [Ct (\text{target gene})] - [Ct (18S)]$ .

**DNA microarray.** Mice were injected with 10 mg/kg ConA and 1.0 mg/kg BW245C or vehicle and livers were sampled 3 and 24 hours later (n = 5). Non-treated livers (n = 5) were also sampled. Liver total RNA was isolated as described above and sent to Takara Bio for further processing of RNA and analysis. Briefly, Cyanine-3 labeled cRNA was prepared from 0.1  $\mu\text{g}$  total RNA using the Low Input Quick Amp Labeling Kit (Agilent Technologies, Santa Clara, CA) according to the manufacturer's instructions, followed by RNeasy column purification (QIAGEN). First, 0.6  $\mu\text{g}$  of Cyanine 3-labelled cRNA was fragmented at 60°C for 30 minutes in a reaction volume of 55  $\mu\text{l}$  according to the manufacturer's instructions. On completion of the fragmentation reaction, 55  $\mu\text{l}$  of 2x

**HEP-15-0195.R2**

Agilent hybridization buffer was added to the fragmentation mixture and hybridized to Agilent SurePrint G3 Mouse GE 8x60K for 17 hours at 65°C in a rotating Agilent hybridization oven. After hybridization, arrays were washed and dried immediately by brief centrifugation. Slides were then scanned immediately on the Agilent DNA Microarray Scanner (G2565CA) using one color scan setting for 8 x 60k array slides (Scan Area 61x21.6 mm, Scan resolution 3µm, Dye channel is set to Green PMT). The scanned images were analyzed with Feature Extraction Software 10.7.3.1 (Agilent Technologies) using default parameters to obtain background subtracted and spatially detrended processed signal intensities. Signal intensities were scaled by adjusting the average intensity value to 2500. For comparison of gene expression, False Discovery Rate (FDR) was calculated according to Benjamini-Hochberg method and probe sets with  $FDR \leq 0.05$  were considered statistically significant. Data mining was performed using Gene Spring GX 12.6 software (Agilent Technologies). Data were subjected to statistical analysis using Student's T test (Welch). P values less than 0.05 were considered statistically significant. Fold change threshold were 2 or more / 0.5 or less. The data have been deposited in National Center for Biotechnology Information's Gene Expression Omnibus, and is accessible through GEO series accession no. GSE45413.

**HEP-15-0195.R2**

**ELISA.** Blood was collected from the orbital sinus at indicated times after treatment.

After centrifugation of collected blood (1000g for 20 minutes), serum was collected and stored at -80 °C until use. Culture supernatants were collected, spun at 500g for 5 minutes, and stored at -80 °C. Mouse TNF- $\alpha$  or IFN- $\gamma$  ELISA (R&D Systems, Minneapolis, MN) were performed according to the manufacturer's instructions.

**Western blot.** Primary human HSCs were collected with a cell scraper after treatment with reagents. For the detection of p65, I $\kappa$ B $\alpha$ , lamin B, and GAPDH, nuclear and cytoplasmic proteins were isolated using Nuclear Extract Kit (Active Motif, Carlsbad, CA). SDS sample buffer (Nacalai Tesque) were added to protein solutions and heated at 99°C for 5 minutes. SDS-PAGE was performed from 10  $\mu$ g of proteins and they were transferred on a PVDF membrane using iBlot (Invitrogen). Subsequent procedures, including blocking, treatment with first and secondary antibodies, and washing were performed with iBind (Invitrogen) according to the manufacturer's instructions. For the detection of pJNK, JNK, pp38, and p38, whole cell lysates were collected using Nuclear Extract Kit. Protein solutions were heated, and subjected to SDS-PAGE and transferred to PVDF membranes as described above. Membranes were then blocked with Blocking One (Nacalai Tesque) for 20 minutes and treated with primary antibodies diluted in Can



**HEP-15-0195.R2**

Get Signal Solution 1 (Toyobo). After three washes with TBS containing 0.1% Polyoxyethylene (20) sorbitan monolaurate (TBST), membranes were incubated with secondary antibodies diluted in Can Get Signal Solution 2 (Toyobo). They were washed three times in TBST. For each protein, chemiluminescent detection was done with Chemi Lumi One system (Nacalai Tesque) and the bands were visualized using Amersham Imager 600 (GE healthcare, Little Chalfont, UK). Band density was measured with Image J software. For the detection of lamin B, GAPDH, JNK, and p38, membranes were incubated in WB Stripping Solution Strong (Nacalai Tesque) for 30 minutes at 37 °C, washed, and treated with antibodies as described above.

**NF- $\kappa$ B activity assay.** Nuclear protein binding to a consensus NF- $\kappa$ B oligonucleotide was determined using an ELISA-based assay (TransAm p65; Active Motif, Carlsbad, CA). Nuclear extracts were prepared as described in Western Blot section and 2  $\mu$ g of nuclear protein was loaded to each well. Absorbance was read at 450 nm and the value of blank well was subtracted from the data of measured samples.

**Flow cytometry.** Liver NPCs were collected as described above. After the cells were incubated with 10  $\mu$ g/ml anti-CD16/32 antibody (Biolegend) for 15 minutes on ice and

**HEP-15-0195.R2**

washed, they were incubated with fluorochrome-conjugated antibodies for 30 minutes on ice, washed twice and analyzed by flow cytometry using a LSR Fortessa (BD Biosciences). Data analysis was performed using FlowJo software (Tree Star).

**Intravital Microscopy.** Hepatic microcirculation was visualized essentially as described (4, 5). Briefly, animals anesthetized with pentobarbital sodium (50 mg/kg, i.p.) were prepared for in vivo fluorescence microscopy 6 hours after ConA injection. For contrast enhancement of the plasma, FITC-labeled dextran (Sigma) was administered (4 mg/kg, i.v.). The hepatic microcirculation was observed at the surface of the liver using a fluorescence microscope (ECLIPSE FN1, upright type; Nikon, Tokyo, Japan) with a 100 W-mercury lamp for epi-illumination. The microscopic images were obtained with an objective lens (20x/0.75 N.A. or 40x/0.95 N.A.; Nikon). Images of the hepatic microcirculation were recorded with a CCD camera (Evolve 512, Photometrics, Tokyo, Japan) and image analysis software (StreamPix, Norpix, Canada). The blood perfusion through the sinusoids was evaluated by counting the number of sinusoids exhibiting blood flow. The number of perfused sinusoids was expressed as a percentage of total sinusoids in a field of view. For the visualization of leukocytes, GFP mice were injected with ConA and vehicle or BW245C. A leukocyte was defined as

**HEP-15-0195.R2**

adhering to the sinusoidal wall if it remained stationary for at least 30 seconds, and the number of leukocytes adhering to the endothelial lining of sinusoids was calculated per field.

**Intracellular Ca<sup>2+</sup> assay.** Human HSCs cultured in poly-D-lysine-coated 96-well plate (Black, clear bottom. Corning) were labelled with Fluo 8 AM (AAT Bioquest, Sunnyvale, CA). Cells were preincubated with different concentrations of BW245C for 3 minutes, and treated with 10 nM endothelin-1 (Peptide Institute, Ibaraki, Japan). Relative fluorescence unit was monitored for 110 seconds. Assay was performed in triplicate with FlexStation (Molecular Devices, Sunnyvale, CA).

**Statistical analysis.** All data are shown as mean  $\pm$  standard deviation (SD).

Comparisons of two groups were analyzed using the unpaired two-tailed Student's t test.

$P < 0.05$  was considered statistically significant. The analyses were performed by

Graphpad Prism software (version 6; Graph Pad, La Jolla, CA).

**References**

1. **Kato J, Okamoto T, Motoyama H, Uchiyama R, Kirchhofer D, Van Rooijen N,**

**HEP-15-0195.R2**

Enomoto H, et al. Interferon-gamma-mediated tissue factor expression contributes to T-cell-mediated hepatitis through induction of hypercoagulation in mice.

HEPATOLOGY 2013;57:362-372.

2. Klein I, Cornejo JC, Polakos NK, John B, Wuensch SA, Topham DJ, Pierce RH, et al. Kupffer cell heterogeneity: functional properties of bone marrow derived and sessile hepatic macrophages. Blood 2007;110:4077-4085.

3. Saito S, Hata K, Iwaisako K, Yanagida A, Takeiri M, Tanaka H, Kageyama S, et al. Cilostazol attenuates hepatic stellate cell activation and protects mice against carbon tetrachloride-induced liver fibrosis. Hepatology Research 2014; 44: 460–473.

4. Katagiri H, Ito Y, Ishii K, Hayashi I, Suematsu M, Yamashina S, Murata T, et al. Role of thromboxane derived from COX-1 and -2 in hepatic microcirculatory dysfunction during endotoxemia in mice. HEPATOLOGY 2004;39:139-150.

5. Katagiri H, Ito Y, Ito S, Murata T, Yukihiro S, Narumiya S, Watanabe M, et al. TNF-alpha induces thromboxane receptor signaling-dependent microcirculatory dysfunction in mouse liver. Shock 2008;30:463-467.

Author names in bold designate shared co-first authorship.

**Supporting figure legend**

Supporting Table 1: Genes up- or down-regulated by more than two fold in (1) Con A and BW245C (1 mg/kg)-treated versus Con A and vehicle-treated liver and (2) Con A and vehicle-treated versus non-treated liver, both at 3 hours and 24 hours.

Supporting Table 2: List of antibodies used in immunostaining and Western Blot.

Supporting Table 3: Sequences of the primers used for QRT-PCR.

Supporting Figure 1: (A) Staining of mouse ileum for DP1. Isotype-matched control- and anti-DP1- stained samples are shown. Bars, 50  $\mu$ m. Data show representatives of two mice. (B) Co-staining of the mouse liver for anti-CD31 or F4/80. Shown are representatives of five samples per group. Bars, 50  $\mu$ m. (C) Phase-contrast image (left) and autofluorescence (right) of HSCs isolated from untreated mice. Bars, 100  $\mu$ m.

Supporting Figure 2: Western blot for nuclear p65 and cytosolic I $\kappa$ B $\alpha$  proteins in TNF- $\alpha$ -stimulated HSCs in the presence of vehicle or BW245C. Primary human HSCs were stimulated with TNF- $\alpha$  in the presence of vehicle or 10  $\mu$ M BW245C for the

indicated time periods. Nuclear and cytosolic proteins were extracted and subjected to Western Blot. Results are representatives of two independent experiments.

Supporting Figure 3: Serum AST and ALT levels of ConA-injected WT mice, mice deficient in each prostanoid receptor and mice treated with an EP4 antagonist. Mice were administered 10 mg/kg except for experiments using EP4 antagonist and IP KO mice, in which 20 mg/kg of ConA were given. Serum was collected 24 hours later for measurement. An EP4 antagonist AE3-208, 100 mg/kg/day, or vehicle was given to C57BL/6 mice in drinking water for 48 hours, from 24 hours before ConA injection until serum collection. Data are mean  $\pm$  SD of two to five mice. \*\*,  $P < 0.01$  and \*,  $P < 0.05$ , compared with WT. NS, non-significant.

Supporting Figure 4: Serum TNF- $\alpha$  levels in bone marrow chimeric mice. ConA, 10 mg/kg, and vehicle or 1 mg/kg BW245C were administered 12 weeks after bone marrow transplantation. Serum was collected at 1 hour. Data are mean  $\pm$  SD of two to five mice. \*\*,  $P < 0.01$ , compared with non-treated mice.

Supporting Figure 5: HPGDS immunostaining of liver section of non-treated (upper

row) and mice treated with ConA for 8 hours (lower row). Data show a representative of two mice. Scale bars, 100  $\mu\text{m}$ .

Supporting Figure 6: (A) Serum IFN- $\gamma$  concentration in Con A-injected mice with or without BW245C treatment. Dotted line, BW245C-treated group and solid line, vehicle-treated group. (B) Augmentation of IFN- $\gamma$  production by co-culture of NPCs and spleen cells, and its suppression by BW245C. IFN- $\gamma$  concentration in culture supernatants of NPCs alone (white), NPC-spleen cell co-culture (gray), or spleen cells alone (black) are shown. \*\*\*,  $P < 0.001$ , \*\*,  $P < 0.01$  and \*,  $P < 0.05$ , compared with compared with Con A and vehicle-treated group. NS, non-significant. Data are expressed as mean  $\pm$  SD of five wells and are representatives of at least two independent experiments.

Supporting Figure 7: Heatmap of genes up-regulated by Con A and suppressed by BW245C treatment at 3 hours and 24 hours in mouse livers. Clustering analysis of genes that showed up-regulated by Con A and suppressed by BW245C. N, non-treated mouse liver; V3 and V24, liver collected from Con A-injected, vehicle-treated mice at 3 and 24 h after Con A injection, respectively; D3 and D24, liver collected from Con

A-injected, BW245C-treated mice at 3 and 24 hours after Con A injection, respectively. Examples of TNF- $\alpha$ -upregulated genes (red) are *Tnfaip6*, *Sele*, *Edn1* and *Fos*, and examples of IFN- $\gamma$ -regulated genes (blue) are *Socs3*, *Isg15*, and *Ifit2*. *F3* (tissue factor) and *Nos2* (iNOS) are up-regulated by both TNF- $\alpha$  and IFN- $\gamma$  (purple). Data show mean intensity of five samples per group.

Supporting Figure 8: Sinusoidal congestion and leukocyte accumulation induced by ConA, their amelioration by BW245C treatment and prevention of ConA-induced hepatitis by pretreatment with endothelin antagonist.

(A) Sinusoidal visualization by injection of FITC-dextran. Representative *in vivo* fluorescence images of hepatic microcirculation 6 hours after ConA injection with either vehicle or BW245C treatment. Bars, 100  $\mu$ m (upper row) and 30  $\mu$ m (lower row). PP, periportal region; CL, centrilobular region. (B) Quantification of perfused sinusoids. Data are shown as mean  $\pm$  SD of six mice per group. (C) Leukocyte adherence to the sinusoidal wall. GFP mice were administered ConA with either vehicle or BW245C treatment. Leukocyte adherence was examined at 6 hours. (D) Number of leukocytes adhered to the sinusoidal wall. Data are expressed as mean  $\pm$  SD of five to six mice per group. (E) Concentration-dependent effects of BW245C on *EDN1* mRNA expression in



primary human HSCs. Human HSCs were treated with different concentrations of BW245C for 6 hours, and subjected to RNA extraction and QRT-PCR analysis. Data are expressed as mean  $\pm$  SD of triplicate wells and are representatives of at least two independent experiments. (F) Effects of an ET<sub>A</sub> antagonist BQ-123 (top) or an ET<sub>B</sub> antagonist BQ-788 (middle) on ConA-induced hepatitis. Drugs were administered i.p. 30 minutes before ConA injection, and serum was collected 24 hours after the injection for AST and ALT measurement. The results are expressed as mean  $\pm$  SD of three to six mice per group. \*,  $P < 0.05$  compared with ConA and vehicle-administered mice. (Bottom) H&E staining of the liver from ConA injected mice with or without BQ-123 pretreatment. Samples were collected 24 hours after ConA injection. (-), non-treated group (B and D). Shown are representatives of three mice. Bars, 200  $\mu$ m.

Supporting Figure 9. Intracellular Ca<sup>2+</sup> assay of human HSCs stimulated with endothelin-1 (EDN-1) in the presence of vehicle or BW245C.

Human HSCs were pretreated with 10  $\mu$ M BW245C for 3 minutes and 30 nM EDN-1 or vehicle was added. Relative fluorescence intensity was measured 110 seconds later.

Data are mean  $\pm$  SD of three wells and are a representative of three independent experiments.

Supporting Table 1.

Genes that decreased by more than 2 fold in livers of mice treated with Con A and BW245C for 3 hours compared with livers of mice treated for 3 hours with Con A and vehicle.

ProbeID	p value	Fold Change	GeneSymbol	GeneName
A_55_P2107374	0.001623757	0.078	Duoxa2	dual oxidase maturation factor 2
A_51_P245796	3.33E-05	0.080	Ddit4	DNA-damage-inducible transcript 4
A_55_P2057528	0.002930269	0.109	Arl4d	ADP-ribosylation factor-like 4D
A_55_P2158741	4.91E-06	0.109	Nos2	nitric oxide synthase 2, inducible
A_55_P2158741	1.18E-05	0.111	Nos2	nitric oxide synthase 2, inducible
A_51_P254855	0.000824214	0.120	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.004994174	0.132	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P430900	0.000541872	0.138	Dusp1	dual specificity phosphatase 1
A_51_P254855	0.000847076	0.138	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.00206267	0.148	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.002099392	0.154	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.004089463	0.156	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P161021	0.000285266	0.158	Ifit2	interferon-induced protein with tetratricopeptide repeats 2
A_51_P254855	0.002522371	0.162	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.001333193	0.169	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.002838333	0.173	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.004668733	0.186	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P2031167	0.000997148	0.189	Efna1	ephrin A1
A_55_P2067563	0.000284176	0.190		
A_51_P323180	0.000337069	0.192	Gbp9	guanylate-binding protein 9
A_55_P2152225	0.001194397	0.196	Ihh	Indian hedgehog
A_55_P1976655	0.004990513	0.196	Fgf23	fibroblast growth factor 23
A_51_P380178	0.000118715	0.197	Id3	inhibitor of DNA binding 3
A_52_P353905	0.00444801	0.198	Fam83a	family with sequence similarity 83, member A
A_55_P2073789	0.004304984	0.207	LOC676974	glucose-6-phosphate isomerase-like
A_51_P272553	1.01E-05	0.207	Bhlhe40	basic helix-loop-helix family, member e40
A_51_P270904	0.00018223	0.209	9930023K05Rik	RIKEN cDNA 9930023K05 gene
A_30_P0103060	0.003032375	0.212		
A_55_P2034491	8.77E-05	0.215		
A_55_P2020612	0.001133877	0.219	Arl4d	ADP-ribosylation factor-like 4D
A_55_P2041784	0.000835895	0.232	Gna13	guanine nucleotide binding protein, alpha 13
A_55_P1985433	5.03E-06	0.233	Nrg1	neuregulin 1
A_52_P164136	0.001495946	0.236	Arrdc3	arrestin domain containing 3
A_55_P2079860	0.000780252	0.242	Asap3	ArfGAP with SH3 domain, ankyrin repeat and PH domain 3
A_55_P2158990	4.51E-07	0.244	Jun	Jun oncogene
A_55_P2019690	0.000244504	0.249	Slc43a1	solute carrier family 43, member 1
A_51_P252859	0.000123201	0.260	Cyr61	cysteine rich protein 61
A_55_P1962723	0.001862789	0.265		
A_51_P464703	0.001713917	0.267	Ccl8	chemokine (C-C motif) ligand 8
A_55_P2120577	0.00047628	0.268	Cited2	Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 2
A_52_P65237	0.001591708	0.275	Zbtb7c	zinc finger and BTB domain containing 7C
A_30_P0102733	0.004425051	0.275		
A_55_P2098603	0.00403414	0.279		
A_55_P2076462	0.000848396	0.279	Lnx1	ligand of numb-protein X 1
A_65_P13459	0.00035214	0.290	Cd300lb	CD300 antigen like family member B
A_51_P265571	0.001655206	0.290	Adm	adrenomedullin
A_51_P249286	0.000257818	0.292	Rgs16	regulator of G-protein signaling 16
A_55_P2157093	0.000896832	0.295	Bcl2l14	BCL2-like 14 (apoptosis facilitator)
A_55_P2062108	0.000303938	0.296	Apold1	apolipoprotein L domain containing 1
A_51_P455326	0.001829373	0.297	Sele	selectin, endothelial cell
A_51_P223776	0.001498124	0.297	Nr1d1	nuclear receptor subfamily 1, group D, member 1
A_55_P2116621	0.000770962	0.297	Cited2	Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 2
A_65_P08971	0.000603342	0.299	F3	coagulation factor III
A_55_P2119257	0.002562923	0.304	Serpine1	serine (or cysteine) peptidase inhibitor, clade E, member 1
A_55_P1971889	0.000652184	0.304	F3	coagulation factor III
A_52_P452689	8.51E-05	0.304	Atf3	activating transcription factor 3
A_55_P1960916	0.000403111	0.304	Egln3	EGL nine homolog 3 (C. elegans)
A_55_P2037618	0.000149443	0.308	C130039O16Rik	RIKEN cDNA C130039O16 gene
A_55_P2023314	0.003920452	0.309	Cas21	castor homolog 1, zinc finger (Drosophila)
A_55_P2118441	0.000232209	0.315	Mx1	myxovirus (influenza virus) resistance 1
A_52_P232580	0.000216946	0.316	Dyrk3	dual-specificity tyrosine-(Y)-phosphorylation regulated kinase 3
A_30_P0102158	0.0048914	0.318		
A_51_P157042	0.000763604	0.320	Ctgf	connective tissue growth factor
A_52_P207509	0.000148111	0.328	C230081A13Rik	RIKEN cDNA C230081A13 gene
A_52_P32353	0.002224116	0.331		
A_55_P2179599	0.000198944	0.331	Gbp8	guanylate-binding protein 8
A_52_P154354	0.000408646	0.332		
A_52_P193301	0.00010235	0.333	Chmp4c	chromatin modifying protein 4C
A_55_P1966928	0.001345888	0.334	Lnx1	ligand of numb-protein X 1
A_52_P387009	0.000151138	0.337	Egln3	EGL nine homolog 3 (C. elegans)
A_52_P87843	3.12E-06	0.338	Aldh1a3	aldehyde dehydrogenase family 1, subfamily A3
A_30_P0102627	0.002458752	0.338		
A_52_P64514	0.000154423	0.341	Herc6	hect domain and RLD 6
A_30_P0102157	0.000299463	0.351		
A_55_P2145521	0.000638477	0.352	Stk38l	serine/threonine kinase 38 like
A_55_P1978666	0.00346462	0.353	Sybu	syntabulin (syntaxin-interacting)
A_52_P362917	0.000386889	0.356	Pfkfb3	6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 3
A_51_P408227	0.001717513	0.356	9130017N09Rik	RIKEN cDNA 9130017N09 gene
A_52_P31543	9.33E-05	0.356	Btg2	B-cell translocation gene 2, anti-proliferative
A_51_P403636	0.000532263	0.360	Smad7	MAD homolog 7 (Drosophila)
A_51_P185757	0.000453706	0.361	Cas21	castor homolog 1, zinc finger (Drosophila)
A_51_P140237	0.000718462	0.362	Fhl2	four and a half LIM domains 2
A_51_P517870	0.00023092	0.362	Nfatc1	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 1
A_55_P2141978	0.002131148	0.363	Nr3c2	nuclear receptor subfamily 3, group C, member 2
A_30_P0102692	0.002070039	0.364		
A_52_P638895	8.49E-06	0.364	Vegfa	vascular endothelial growth factor A
A_51_P196925	1.64E-05	0.364	Cx3cl1	chemokine (C-X3-C motif) ligand 1
A_30_P0102462	0.00029106	0.365		
A_52_P638895	3.85E-06	0.367	Vegfa	vascular endothelial growth factor A
A_55_P2018017	0.000105593	0.369	Tnfrsf10	tumor necrosis factor (ligand) superfamily, member 10
A_55_P1970033	0.000515599	0.370	Per1	period homolog 1 (Drosophila)
A_30_P0101895	0.003798038	0.375		
A_51_P152990	0.000215974	0.377	Grem2	gremlin 2 homolog, cysteine knot superfamily (Xenopus laevis)
A_51_P212068	0.000246928	0.378	Abp1	amiloride binding protein 1 (amine oxidase, copper-containing)
A_55_P2076866	0.000483286	0.380	Megf6	multiple EGF-like-domains 6
A_51_P187750	0.000897385	0.380	Neur13	neuronalized homolog 3 homolog (Drosophila)
A_55_P2116165	9.30E-05	0.382	Pfkfb3	6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 3
A_55_P1958480	0.002136387	0.382	LOC545005	hypothetical protein LOC545005
A_55_P2129658	0.00139444	0.384	Smad6	MAD homolog 6 (Drosophila)
A_51_P294643	0.000738116	0.387	Cdr2	cerebellar degeneration-related 2
A_30_P0102557	0.000966698	0.388		
A_51_P359570	0.000100643	0.390	Ifit3	interferon-induced protein with tetratricopeptide repeats 3
A_30_P0101835	0.002385993	0.391		

A_55_P2049867	0.000173668	0.392	<b>Ccr12</b>	chemokine (C-C motif) receptor-like 2
A_55_P2163028	0.00094484	0.392		immediate early response 2
A_52_P1197913	0.001169573	0.394	<b>Gadd45b</b>	growth arrest and DNA-damage-inducible 45 beta
A_30_P0102480	0.001244992	0.396		
A_30_P0102809	0.00311851	0.398		
A_66_P113868	1.66E-07	0.398	<b>Cdh3</b>	cadherin 3
A_30_P0101901	0.00193153	0.398		
A_55_P1989663	8.08E-06	0.399	<b>Slc3a1</b>	solute carrier organic anion transporter family, member 3a1
A_55_P2230913	0.000545927	0.399	<b>Etv6</b>	ets variant gene 6 (TEL oncogene)
A_52_P518997	0.000562193	0.400	<b>Epha2</b>	Eph receptor A2
A_55_P1959228	0.001277964	0.400	<b>Slc4a4</b>	solute carrier family 4 (anion exchanger), member 4
A_51_P219444	2.94E-05	0.404	<b>Plcl2</b>	phospholipase C-like 2
A_55_P2072005	0.000319337	0.404		
A_51_P513032	0.001533506	0.405	<b>Trps1</b>	trichorhinophalangeal syndrome 1 (human)
A_51_P331752	0.000132777	0.405	<b>Ccl11</b>	chemokine (C-C motif) ligand 11
A_52_P338066	0.004533004	0.406	<b>Ubd</b>	ubiquitin D
A_52_P604629	0.000557427	0.407	<b>Csrnp1</b>	cysteine-serine-rich nuclear protein 1
A_55_P2397599	0.004025029	0.407	<b>B930025B16Rik</b>	RIKEN cDNA B930025B16 gene
A_55_P2149774	0.002239648	0.408	<b>Vasn</b>	vasorin
A_51_P490795	4.94E-06	0.409	<b>Mxd1</b>	MAX dimerization protein 1
A_55_P2136880	0.000348867	0.409	<b>Ppp1r15a</b>	protein phosphatase 1, regulatory (inhibitor) subunit 15A
A_55_P2094602	9.33E-06	0.410	<b>Lrch1</b>	leucine-rich repeats and calponin homology (CH) domain containing 1
A_30_P0102535	0.000403508	0.412		
A_55_P1984556	0.002821292	0.412	<b>Ccl12</b>	chemokine (C-C motif) ligand 12
A_55_P2173892	0.004890641	0.414	<b>Isg20</b>	interferon-stimulated protein
A_52_P684138	0.000577068	0.415	<b>Dpf3</b>	D4, zinc and double PHD fingers, family 3
A_66_P132515	0.001585512	0.416	<b>Chmp4c</b>	chromatin modifying protein 4C
A_51_P187842	0.000191348	0.416	<b>Elf4e3</b>	eukaryotic translation initiation factor 4E member 3
A_55_P1988009	0.000423348	0.417		
A_55_P1972872	0.000579942	0.417	<b>I830012O16Rik</b>	RIKEN cDNA I830012O16 gene
A_51_P355943	0.000289261	0.419	<b>Mvd</b>	mevalonate (diphospho) decarboxylase
A_30_P0102208	0.004138917	0.420		
A_66_P109519	0.003021111	0.420	<b>Ehf</b>	ets homologous factor
A_66_P136186	0.001420682	0.420	<b>Wee1</b>	WEE 1 homolog 1 (S. pombe)
A_51_P509643	0.002596704	0.422	<b>Snca</b>	synuclein, alpha
A_55_P1999958	0.001100369	0.423	<b>LOC100505017</b>	putative Pol polyprotein-like
A_55_P1967776	0.000893158	0.423	<b>Slc4a4</b>	solute carrier family 4 (anion exchanger), member 4
A_65_P06572	9.91E-05	0.427	<b>Smad5</b>	MAD homolog 5 (Drosophila)
A_51_P391454	0.000805323	0.428	<b>Il7</b>	interleukin 7
A_52_P679860	0.000662864	0.430	<b>Herc6</b>	hect domain and RLD 6
A_51_P236864	0.000126473	0.431	<b>Parp8</b>	poly (ADP-ribose) polymerase family, member 8
A_66_P120603	7.16E-05	0.433	<b>Trps1</b>	trichorhinophalangeal syndrome 1 (human)
A_52_P95910	1.87E-05	0.433	<b>Ugcg</b>	UDP-glucose ceramide glucosyltransferase
A_30_P0102549	0.000448538	0.434		
A_55_P2092953	0.000187097	0.435	<b>Traf5</b>	TNF receptor-associated factor 5
A_66_P130366	0.003799673	0.437	<b>Stk38l</b>	serine/threonine kinase 38 like
A_55_P2091846	0.000288759	0.438	<b>Zcchc11</b>	zinc finger, CCHC domain containing 11
A_66_P125389	0.000774053	0.439	<b>F830016B08Rik</b>	RIKEN cDNA F830016B08 gene
A_66_P114705	0.001566801	0.441	<b>Adams6</b>	a disintegrin-like and metallopeptidase (repolysin type) with thrombospondin type 1 motif, 6
A_55_P2341890	0.003802634	0.444	<b>4921511C10Rik</b>	RIKEN cDNA 4921511C10 gene
A_55_P1983016	0.000474271	0.445	<b>Gm3556</b>	predicted gene 3556
A_51_P514319	0.000174319	0.446	<b>Slc13a4</b>	solute carrier family 13 (sodium/sulfate symporters), member 4
A_55_P1962303	0.002221474	0.447	<b>Hba-a1</b>	hemoglobin alpha, adult chain 1
A_55_P1984253	0.002476338	0.447		
A_55_P2075100	0.000295851	0.447	<b>Bcl9</b>	B-cell CLL/lymphoma 9
A_51_P461504	0.001705079	0.450	<b>Eef2k</b>	eukaryotic elongation factor-2 kinase
A_51_P121447	0.001208495	0.450	<b>1110038F14Rik</b>	RIKEN cDNA 1110038F14 gene
A_55_P2001818	0.000792725	0.450	<b>Tnfrsf6</b>	tumor necrosis factor alpha induced protein 6
A_55_P1970474	1.21E-05	0.450	<b>Tmem67</b>	transmembrane protein 67
A_55_P2071970	4.28E-05	0.452	<b>Nav2</b>	neuron navigator 2
A_55_P1988010	0.004459647	0.452	<b>Gm10406</b>	predicted gene 10406
A_52_P667287	0.003285414	0.453	<b>Lass6</b>	LAG1 homolog, ceramide synthase 6
A_55_P1986228	0.000752594	0.454		
A_51_P215489	5.96E-05	0.455	<b>Slc37a1</b>	solute carrier family 37 (glycerol-3-phosphate transporter), member 1
A_55_P2245422	0.002269532	0.455	<b>D11Wsu173e</b>	DNA segment, Chr 11, Wayne State University 173, expressed
A_55_P2005585	0.000808281	0.456	<b>Trps1</b>	trichorhinophalangeal syndrome 1 (human)
A_51_P108581	0.001910466	0.457	<b>Adrbk2</b>	adrenergic receptor kinase, beta 2
A_52_P386627	0.000176875	0.457	<b>Irak3</b>	interleukin-1 receptor-associated kinase 3
A_52_P590474	8.66E-05	0.458	<b>Ccnl1</b>	cyclin L1
A_55_P2337074	0.003812639	0.459	<b>Mid1</b>	midline 1
A_30_P0102418	0.000994917	0.460		
A_51_P108581	0.001880785	0.463	<b>Adrbk2</b>	adrenergic receptor kinase, beta 2
A_55_P1988228	0.000368584	0.464	<b>Aspm</b>	asp (abnormal spindle)-like, microcephaly associated (Drosophila)
A_51_P472249	0.000174747	0.464	<b>Slc7a7</b>	solute carrier family 7 (cationic amino acid transporter, y+ system), member 7
A_55_P2146590	0.000738929	0.465	<b>1810011O10Rik</b>	RIKEN cDNA 1810011O10 gene
A_51_P411728	0.002184919	0.465	<b>2900026A02Rik</b>	RIKEN cDNA 2900026A02 gene
A_51_P348280	7.18E-05	0.466	<b>Il17ra</b>	interleukin 17 receptor A
A_51_P161037	0.003895528	0.467	<b>Cep170</b>	centrosomal protein 170
A_55_P2083649	0.002529453	0.467	<b>Alas1</b>	aminolevulinic acid synthase 1
A_52_P106620	0.000433685	0.467	<b>Tnfrsf11b</b>	tumor necrosis factor receptor superfamily, member 11b (osteoprotegerin)
A_55_P2150555	5.30E-06	0.467	<b>Pcgf5</b>	polycomb group ring finger 5
A_51_P115005	0.00057627	0.467	<b>Edn1</b>	endothelin 1
A_51_P220135	4.54E-05	0.468	<b>Nfatc1</b>	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 1
A_55_P2076757	9.17E-05	0.469	<b>Znfx1</b>	zinc finger, NFX1-type containing 1
A_51_P286665	0.000225879	0.470	<b>Rbl1</b>	retinoblastoma-like 1 (p107)
A_51_P415519	2.82E-05	0.470	<b>Tmem39a</b>	transmembrane protein 39a
A_51_P327751	0.001021377	0.470	<b>Ifit1</b>	interferon-induced protein with tetratricopeptide repeats 1
A_51_P108581	0.002151358	0.471	<b>Adrbk2</b>	adrenergic receptor kinase, beta 2
A_55_P2018636	0.000385519	0.471	<b>9530077C05Rik</b>	RIKEN cDNA 9530077C05 gene
A_65_P16630	2.09E-06	0.472	<b>BC068281</b>	cDNA sequence BC068281
A_55_P2062549	2.95E-05	0.472	<b>Gm6524</b>	katanin p60 (ATPase-containing) subunit A1 pseudogene
A_51_P455647	0.000259629	0.473	<b>Car2</b>	carbonic anhydrase 2
A_51_P108581	0.002982429	0.473	<b>Adrbk2</b>	adrenergic receptor kinase, beta 2
A_51_P108581	0.002123233	0.474	<b>Adrbk2</b>	adrenergic receptor kinase, beta 2
A_55_P2018357	0.001228796	0.474	<b>Ankrd56</b>	ankyrin repeat domain 56
A_66_P128537	0.000746877	0.474	<b>Isg15</b>	ISG15 ubiquitin-like modifier
A_30_P0103027	0.003441555	0.475		
A_51_P275496	2.82E-05	0.475	<b>BC026762</b>	cDNA sequence BC026762
A_55_P2155197	0.000168659	0.476	<b>Tnfrsf22</b>	tumor necrosis factor receptor superfamily, member 22
A_52_P520495	0.000605306	0.476	<b>Vcam1</b>	vascular cell adhesion molecule 1
A_55_P2064652	0.001920584	0.477	<b>9230105E10Rik</b>	RIKEN cDNA 9230105E10 gene
A_51_P505823	0.002100047	0.477	<b>Endod1</b>	endonuclease domain containing 1
A_55_P1996171	1.96E-06	0.477	<b>Pcgf5</b>	polycomb group ring finger 5
A_55_P2132697	0.001838401	0.478		
A_55_P2147081	0.001385306	0.478	<b>Tnfrsf6</b>	tumor necrosis factor alpha induced protein 6
A_51_P213928	0.000691993	0.479	<b>Nap113</b>	nucleosome assembly protein 1-like 3
A_55_P2086433	0.001502657	0.479	<b>Oasl1</b>	2'-5' oligoadenylate synthetase-like 1

A_55_P2135526	0.004646977	0.479	<b>Gzmc</b>	granzyme C
A_51_P436652	0.002366585	0.479	<b>Ccl7</b>	chemokine (C-C motif) ligand 7
A_55_P2337073	0.003385404	0.480	<b>Mid1</b>	midline 1
A_51_P108581	0.003619969	0.480	<b>Adrbk2</b>	adrenergic receptor kinase, beta 2
A_55_P2180551	0.002158269	0.480	<b>Fam60a</b>	family with sequence similarity 60, member A
A_55_P2032695	3.92E-05	0.480	<b>Zcchc11</b>	zinc finger, CCHC domain containing 11
A_51_P108581	0.004139728	0.480	<b>Adrbk2</b>	adrenergic receptor kinase, beta 2
A_55_P2052385	8.57E-05	0.483	<b>Mpa2l</b>	macrophage activation 2 like
A_55_P2194064	0.003286424	0.484	<b>BC023969</b>	cDNA sequence BC023969
A_51_P115005	0.001946686	0.485	<b>Edn1</b>	endothelin 1
A_55_P2103698	0.001218546	0.487	<b>Isg15</b>	ISG15 ubiquitin-like modifier
A_66_P130647	0.003654723	0.487		
A_55_P1985544	0.001931476	0.488	<b>Kcnk10</b>	potassium channel, subfamily K, member 10
A_52_P89477	0.000387257	0.488	<b>Bcl9</b>	B-cell CLL/lymphoma 9
A_51_P108581	0.003500412	0.488	<b>Adrbk2</b>	adrenergic receptor kinase, beta 2
A_51_P286748	0.00286025	0.489	<b>Frzb</b>	frizzled-related protein
A_51_P108252	0.000957165	0.490	<b>Gpsm2</b>	G-protein signalling modulator 2 (AGS3-like, C. elegans)
A_30_P0102362	0.00044029	0.490		
A_51_P305547	0.001007584	0.491	<b>Snai2</b>	snail homolog 2 (Drosophila)
A_52_P628590	0.001979255	0.492	<b>Pvr</b>	poliovirus receptor
A_30_P0102369	0.004528471	0.493		
A_52_P451888	0.000142398	0.493	<b>Tlk2</b>	tousled-like kinase 2 (Arabidopsis)
A_51_P477364	0.000109781	0.495	<b>Rhob</b>	ras homolog gene family, member B
A_55_P1972490	0.000536552	0.495	<b>Gm4055</b>	predicted gene 4055
A_65_P01834	0.000174338	0.496	<b>Lima1</b>	LIM domain and actin binding 1
A_55_P2085012	0.000115448	0.497		
A_55_P1962299	0.001236947	0.498	<b>Hba-a2</b>	hemoglobin alpha, adult chain 2
A_66_P135106	0.000570163	0.498	<b>Sico3a1</b>	solute carrier organic anion transporter family, member 3a1
A_51_P115005	0.001602341	0.498	<b>Edn1</b>	endothelin 1
A_55_P2092262	4.53E-06	0.499	<b>Gm7694</b>	predicted gene 7694
A_51_P108252	0.00046138	0.499	<b>Gpsm2</b>	G-protein signalling modulator 2 (AGS3-like, C. elegans)
A_52_P199633	0.00276799	0.500	<b>Trim30d</b>	tripartite motif-containing 30D
A_55_P2064659	0.000963007	0.500	<b>Trim12a</b>	tripartite motif-containing 12A
A_51_P115005	0.00108584	0.500	<b>Edn1</b>	endothelin 1

## Genes that increased by more than 2 fold in livers of mice treated with Con A and BW245C for 3 hours compared with livers of mice treated for 3 hours with Con A and vehicle

ProbeID	pvalue	Fold Change	GeneSymbol	GeneName
A_51_P155873	0.003054	8.47	Ppp1r3g	protein phosphatase 1, regulatory (inhibitor) subunit 3G
A_55_P2073248	0.000727	5.55	Slc25a34	solute carrier family 25, member 34
A_55_P2111163	4.72E-05	5.32	S100g	S100 calcium binding protein G
A_55_P2083474	0.002176	5.30	Lpin1	lipin 1
A_55_P2190152	1.00E-06	5.15	4921509J17Rik	RIKEN cDNA 4921509J17 gene
A_51_P350453	1.04E-05	4.48	Pdk4	pyruvate dehydrogenase kinase, isoenzyme 4
A_51_P247637	2.87E-05	3.94	Rnf144a	ring finger protein 144A
A_55_P2013236	0.001346	3.85	S100g	S100 calcium binding protein G
A_51_P245156	0.002643	3.72	Gdf2	growth differentiation factor 2
A_52_P659312	0.001363	3.65	Spsb4	splA/ryanodine receptor domain and SOCS box containing 4
A_55_P2269819	0.001016	3.52	Fam107a	family with sequence similarity 107, member A
A_55_P2180839	0.00038	3.52	Il13	interleukin 13
A_55_P1988613	0.000627	3.47	Mdm1	transformed mouse 3T3 cell double minute 1
A_30_P01029305	0.000708	3.45		
A_51_P363749	0.00172	3.42	Irf6	interferon regulatory factor 6
A_52_P213889	0.002334	3.39	Tmc7	transmembrane channel-like gene family 7
A_30_P01024647	0.002016	3.34		
A_30_P01018140	0.002528	3.28		
A_55_P2223851	0.001562	3.26		
A_55_P2075127	0.001945	3.25	Pax2	paired box gene 2
A_55_P2408588	0.000261	3.21	Arntl	aryl hydrocarbon receptor nuclear translocator-like
A_55_P2024675	0.003675	3.16	Fam35a	family with sequence similarity 35, member A
A_51_P454190	0.00069	3.14	Hecw2	HECT, C2 and WW domain containing E3 ubiquitin protein ligase 2
A_55_P2340885	0.000792	3.13	C630001G18Rik	RIKEN cDNA C630001G18 gene
A_30_P01018924	0.000268	3.11		
A_30_P01027135	0.00346	3.06		
A_55_P2144716	0.000358	3.05	Hecw2	HECT, C2 and WW domain containing E3 ubiquitin protein ligase 2
A_55_P2040170	0.000769	3.01	Pmp22	peripheral myelin protein 22
A_55_P2030578	3.29E-05	3.00	Tns1	tensin 1
A_55_P2101920	8.96E-05	2.98	4931408A02Rik	RIKEN cDNA 4931408A02 gene
A_66_P122173	0.000254	2.96	Mkl2	MKL/myocardin-like 2
A_66_P126159	6.52E-05	2.94	Tubb1	tubulin, beta 1
A_30_P01033008	3.15E-05	2.94		
A_51_P124748	0.000276	2.89	Tgfb3	transforming growth factor, beta 3
A_55_P2003393	0.00296	2.89		
A_30_P01017959	0.001438	2.87		
A_51_P124748	8.29E-05	2.86	Tgfb3	transforming growth factor, beta 3
A_51_P124748	0.000244	2.86	Tgfb3	transforming growth factor, beta 3
A_51_P389265	8.57E-05	2.86	Pnpla3	patatin-like phospholipase domain containing 3
A_51_P439452	0.000232	2.86	Insig2	insulin induced gene 2
A_55_P2104259	0.00047	2.84	Plin5	perilipin 5
A_55_P2233818	8.02E-06	2.83	Al662168	expressed sequence Al662168
A_51_P124748	0.000286	2.82	Tgfb3	transforming growth factor, beta 3
A_51_P116906	0.001512	2.81	Rapgef3	Rap guanine nucleotide exchange factor (GEF) 3
A_55_P2077681	0.00026	2.79	Prkag3	protein kinase, AMP-activated, gamma 3 non-catalytic subunit
A_51_P124748	0.000178	2.79	Tgfb3	transforming growth factor, beta 3
A_55_P2112125	0.000679	2.77	Tnk2	tyrosine kinase, non-receptor, 2
A_55_P2174633	0.002203	2.77		
A_55_P2097508	0.003042	2.75	Mcc	mutated in colorectal cancers
A_51_P334155	0.00274	2.74	4930579F01Rik	RIKEN cDNA 4930579F01 gene
A_30_P01021129	0.003488	2.74		
A_30_P01027382	0.002391	2.74		
A_66_P122621	0.000698	2.74		
A_55_P2110497	4.40E-05	2.73	Ddc	dopa decarboxylase
A_55_P2387665	0.002649	2.73	9130221J18Rik	RIKEN cDNA 9130221J18 gene
A_55_P2112120	0.000439	2.73	Tnk2	tyrosine kinase, non-receptor, 2
A_55_P2024155	0.000241	2.73	Zbtb16	zinc finger and BTB domain containing 16
A_51_P440743	0.001295	2.71	Celsr1	cadherin, EGF LAG seven-pass G-type receptor 1 (flamingo homolog, Drosophila)
A_51_P172424	0.001568	2.69	Krtap4-16	keratin associated protein 4-16
A_30_P01029520	0.000866	2.69		
A_55_P1993777	0.000412	2.69	Rbfox3	RNA binding protein, fox-1 homolog (C. elegans) 3
A_30_P01021642	0.000108	2.68		
A_65_P11092	0.002275	2.66	Tspan15	tetraspanin 15
A_51_P124748	0.000158	2.66	Tgfb3	transforming growth factor, beta 3
A_51_P124748	0.000477	2.65	Tgfb3	transforming growth factor, beta 3
A_52_P274496	0.000311	2.63	Tspan18	tetraspanin 18
A_55_P2083481	0.002419	2.62	Lpin1	lipin 1
A_55_P2143436	0.003702	2.62		
A_55_P1957624	0.001635	2.61	Insig2	insulin induced gene 2
A_30_P01022043	0.001463	2.58		
A_55_P1988844	0.004789	2.58	Klrg1	killer cell lectin-like receptor subfamily G, member 1
A_55_P2137452	0.000957	2.58	Vmn1r207-ps	vomer nasal 1 receptor 207, pseudogene
A_30_P01027556	0.001854	2.58		
A_55_P2079855	0.000472	2.58	Prl6a1	prolactin family 6, subfamily a, member 1
A_51_P124748	0.000328	2.57	Tgfb3	transforming growth factor, beta 3
A_30_P01025339	0.002428	2.57		
A_51_P243755	0.002264	2.55	Slc10a2	solute carrier family 10, member 2
A_51_P128463	7.91E-05	2.55	Grrp1	glycine/arginine rich protein 1
A_51_P124748	0.000231	2.54	Tgfb3	transforming growth factor, beta 3
A_30_P01020059	0.005086	2.52		
A_51_P338443	2.38E-05	2.52	Angptl4	angiopoietin-like 4
A_55_P2046494	0.000223	2.51	Anub1	AN1, ubiquitin-like, homolog (Xenopus laevis)
A_52_P683336	0.002449	2.51	AY074887	cDNA sequence AY074887
A_51_P128463	0.000399	2.50	Grrp1	glycine/arginine rich protein 1
A_55_P2275030	0.003302	2.50	G630055G22Rik	RIKEN cDNA G630055G22 gene
A_55_P2374197	0.001818	2.49		
A_30_P01025700	0.003339	2.49		
A_55_P1970788	0.000856	2.49	Gpr77	G protein-coupled receptor 77
A_52_P413584	7.53E-06	2.48	Nrip1	nuclear receptor interacting protein 1
A_51_P124748	0.001065	2.48	Tgfb3	transforming growth factor, beta 3

A_51_P128463	0.000196	2.48	Grrp1	glycine/arginine rich protein 1
A_55_P2007816	0.003144	2.48	Mup4	major urinary protein 4
A_66_P126877	0.002602	2.48	Vmn1r214	vomeroneasal 1 receptor 214
A_51_P237865	0.000277	2.47	Il4	interleukin 4
A_55_P2073705	0.000491	2.46	Tfdp2	transcription factor Dp 2
A_30_P01027172	0.002509	2.46		
A_30_P01029931	0.001066	2.45		
A_55_P1995133	0.004736	2.44		
A_51_P128463	3.95E-05	2.44	Grrp1	glycine/arginine rich protein 1
A_55_P2031272	0.001094	2.43	Lhx3	LIM homeobox protein 3
A_30_P01023674	0.002176	2.42		
A_51_P151484	0.000164	2.42	Atp1b1	ATPase, Na <sup>+</sup> /K <sup>+</sup> transporting, beta 1 polypeptide
A_55_P2038183	0.000697	2.42	Insc	inscuteable homolog (Drosophila)
A_55_P2026275	0.002473	2.41	Ppp1r1b	protein phosphatase 1, regulatory (inhibitor) subunit 1B
A_55_P2036547	0.000556	2.41	Hsd3b2	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2
A_55_P2316612	0.000322	2.41	6720407P12Rik	RIKEN cDNA 6720407P12 gene
A_51_P284526	0.004626	2.40	Mrgprh	MAS-related GPR, member H
A_51_P237865	0.000243	2.40	Il4	interleukin 4
A_55_P2063216	0.002342	2.39	Dusp14	dual specificity phosphatase 14
A_52_P54280	0.00399	2.39	Adck3	aarF domain containing kinase 3
A_30_P01026878	0.004755	2.37		
A_66_P108979	0.001532	2.37	Olf1535	olfactory receptor 1535
A_55_P1973447	0.002645	2.36	Ybx2	Y box protein 2
A_51_P237865	0.00019	2.36	Il4	interleukin 4
A_55_P2106106	3.82E-07	2.35	Gpr77	G protein-coupled receptor 77
A_55_P1994733	0.002091	2.35	Tmem14a	transmembrane protein 14A
A_51_P440047	8.40E-06	2.35	1110067D22Rik	RIKEN cDNA 1110067D22 gene
A_55_P1956087	0.000386	2.35	Ctcf1	CCCTC-binding factor (zinc finger protein)-like
A_55_P2146177	0.000101	2.34	Cerk	ceramide kinase
A_51_P285097	0.000722	2.33	Wdr38	WD repeat domain 38
A_30_P01022804	0.003732	2.33		
A_51_P365008	2.73E-06	2.33	Tns1	tensin 1
A_55_P2024555	0.001695	2.33	Ppap2a	phosphatidic acid phosphatase type 2A
A_55_P2126269	0.000603	2.33	Nmb	neuromedin B
A_51_P237865	8.12E-05	2.33	Il4	interleukin 4
A_51_P277336	9.01E-05	2.32	Sdpr	serum deprivation response
A_55_P2132604	0.003719	2.32	Gm2447	predicted gene 2447
A_55_P2158663	0.001076	2.31		
A_30_P01018104	0.001226	2.31		
A_55_P2010567	0.001998	2.31		
A_51_P237865	0.000757	2.30	Il4	interleukin 4
A_55_P1958532	0.004211	2.30	Hr	hairless
A_30_P01027977	0.002163	2.30		
A_51_P237865	0.000484	2.30	Il4	interleukin 4
A_30_P01023997	0.003767	2.29		
A_51_P128463	0.000124	2.29	Grrp1	glycine/arginine rich protein 1
A_30_P01031812	4.12E-05	2.29		
A_55_P1981195	0.002897	2.29		
A_55_P2064741	0.00051	2.28	Nmb	neuromedin B
A_51_P237865	0.000235	2.28	Il4	interleukin 4
A_52_P610987	0.001378	2.28	Slc28a3	solute carrier family 28 (sodium-coupled nucleoside transporter), member 3
A_51_P237865	0.0003	2.28	Il4	interleukin 4
A_55_P2322709	0.000123	2.28	4633401B06Rik	RIKEN cDNA 4633401B06 gene
A_51_P237865	0.000325	2.28	Il4	interleukin 4
A_30_P01017962	0.000454	2.27		
A_51_P128463	7.00E-05	2.27	Grrp1	glycine/arginine rich protein 1
A_55_P2154809	0.004573	2.27	Morn3	MORN repeat containing 3
A_55_P2419483	4.21E-05	2.26	4732460I02Rik	RIKEN cDNA 4732460I02 gene
A_55_P2000454	0.001955	2.26		
A_55_P2344598	0.000138	2.26	E330037I15Rik	RIKEN cDNA E330037I15 gene
A_55_P2057430	0.003639	2.25	Lipn	lipase, family member N
A_51_P345649	0.00051	2.25	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_52_P393120	0.000146	2.25	1810012P15Rik	RIKEN cDNA 1810012P15 gene
A_55_P2067629	0.00104	2.25	Ush1g	Usher syndrome 1G homolog (human)
A_52_P11441	3.86E-05	2.25	Rab6b	RAB6B, member RAS oncogene family
A_55_P2044582	0.001347	2.24	Igln5	IgLN family member 5
A_52_P420500	0.000432	2.24	Cry1	cryptochrome 1 (photolyase-like)
A_52_P329398	0.001263	2.24	Atp12a	ATPase, H <sup>+</sup> /K <sup>+</sup> transporting, nongastric, alpha polypeptide
A_51_P128463	5.31E-05	2.23	Grrp1	glycine/arginine rich protein 1
A_51_P237585	0.001708	2.23	Btn19	butyrophilin-like 9
A_51_P469951	0.000626	2.23	Srgap3	SLIT-ROBO Rho GTPase activating protein 3
A_55_P1959828	0.001564	2.23	Tmem20	transmembrane protein 20
A_30_P01026644	0.0045	2.23		
A_52_P627068	0.003574	2.22	Disp2	dispatched homolog 2 (Drosophila)
A_30_P01029264	0.00349	2.22		
A_30_P01023254	0.004592	2.22		
A_66_P105422	0.000825	2.22	Lonf3	LON peptidase N-terminal domain and ring finger 3
A_51_P170105	0.00216	2.21	Alx4	aristales-like homeobox 4
A_55_P1955632	0.000788	2.21	Trp53i11	transformation related protein 53 inducible protein 11
A_55_P2022024	0.001512	2.21	Olf212	olfactory receptor 212
A_55_P2141008	0.001136	2.21	Siglech	sialic acid binding Ig-like lectin H
A_30_P01030677	0.002832	2.20		
A_30_P01030430	0.001924	2.20		
A_55_P2004208	0.001761	2.20	Defa-rs2	defensin, alpha, related sequence 2
A_55_P2078123	0.000205	2.20	Rora	RAR-related orphan receptor alpha
A_55_P2007389	0.000228	2.19	Fam189b	family with sequence similarity 189, member B
A_55_P1959938	0.002313	2.19	Pde7b	phosphodiesterase 7B
A_55_P2118302	0.002452	2.19	Fam110a	family with sequence similarity 110, member A
A_51_P355151	2.99E-05	2.18	Camk2n2	calcium/calmodulin-dependent protein kinase II inhibitor 2
A_55_P1957468	0.000217	2.18	She	src homology 2 domain-containing transforming protein E
A_55_P2108248	0.001828	2.18	Art4	ADP-ribosyltransferase 4
A_51_P228159	0.0035	2.18		

A_55_P2334177	0.000722	2.18	4933428C20Rik	RIKEN cDNA 4933428C20 gene
A_55_P2116674	0.002833	2.18		
A_30_P01027373	0.000461	2.17		
A_55_P2192662	0.004483	2.17	Lepr	leptin receptor
A_51_P128463	0.000113	2.17	Grrp1	glycine/arginine rich protein 1
A_51_P396163	0.003596	2.17	Mdm1	transformed mouse 3T3 cell double minute 1
A_30_P01018583	0.001979	2.16		
A_51_P128463	0.001092	2.15	Grrp1	glycine/arginine rich protein 1
A_30_P01026403	0.000123	2.15		
A_55_P2103033	0.004772	2.14		
A_51_P120066	0.001374	2.14	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_55_P2097773	0.002164	2.14	Msh4	mutS homolog 4 (E. coli)
A_51_P237865	0.001976	2.14	Il4	interleukin 4
A_30_P01028169	0.004349	2.14		
A_55_P2384636	0.001436	2.13	4930518C09Rik	RIKEN cDNA 4930518C09 gene
A_30_P01022956	0.003822	2.13		
A_66_P128931	0.000244	2.13		
A_55_P2060667	0.004441	2.13	Krt9	keratin 9
A_51_P128463	0.000128	2.12	Grrp1	glycine/arginine rich protein 1
A_30_P01026474	0.000996	2.12		
A_55_P2085806	0.003057	2.12	BC029214	cDNA sequence BC029214
A_55_P2052425	0.000136	2.12	Setd4	SET domain containing 4
A_55_P2106241	0.002738	2.11	4930432K21Rik	RIKEN cDNA 4930432K21 gene
A_51_P270899	0.002629	2.11	Zfp61	zinc finger protein 61
A_30_P01025584	0.005046	2.11		
A_55_P2323503	0.002141	2.11	AA960618	expressed sequence AA960618
A_51_P228295	0.000908	2.11	Mpz1	myelin protein zero-like 1
A_55_P2142724	0.003099	2.11		
A_55_P2068882	0.000403	2.11	Ccng2	cyclin G2
A_55_P2022181	0.000296	2.11	Arvcf	armadillo repeat gene deleted in velo-cardio-facial syndrome
A_30_P01022815	0.003412	2.11		
A_30_P01018666	0.004922	2.10		
A_30_P01029579	0.001202	2.10		
A_52_P234354	6.16E-05	2.10	Hlc2	hypermethylated in cancer 2
A_30_P01033515	0.002216	2.10		
A_55_P2091413	0.001975	2.09		
A_55_P2110062	0.002042	2.09		
A_30_P01024606	0.003243	2.09		
A_55_P2007243	7.89E-05	2.09	Kcnc1	potassium voltage gated channel, Shaw-related subfamily, member 1
A_52_P625683	0.003289	2.09	Pxmp4	peroxisomal membrane protein 4
A_55_P1990964	0.002043	2.09	Osbpl11	oxysterol binding protein-like 11
A_30_P01028812	0.002334	2.09		
A_30_P01021087	0.001706	2.08		
A_51_P120066	0.001222	2.08	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_30_P01020650	0.004793	2.08		
A_55_P2119458	0.001074	2.08	Slc25a44	solute carrier family 25, member 44
A_55_P1960049	0.000194	2.08	2810408A11Rik	RIKEN cDNA 2810408A11 gene
A_66_P117294	0.000978	2.08	4933436H12Rik	RIKEN cDNA 4933436H12 gene
A_51_P345649	0.004043	2.07	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_30_P01031539	0.004334	2.07		
A_51_P185247	0.00296	2.07	Gdf10	growth differentiation factor 10
A_30_P01029986	0.000531	2.07		
A_30_P01018838	0.001042	2.06		
A_30_P01019363	0.001448	2.06		
A_55_P2044187	0.004784	2.06		
A_51_P236738	0.004657	2.06	Dlx6as	distal-less homeobox 6, antisense
A_51_P120066	0.001154	2.06	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_51_P358066	0.002799	2.06	Mkl2	MKL/myocardin-like 2
A_55_P1955289	0.000738	2.06	1110021L09Rik	RIKEN cDNA 1110021L09 gene
A_55_P2027136	0.00201	2.05	Hist1h3f	histone cluster 1, H3f
A_30_P01030365	0.002786	2.05		
A_30_P01019577	0.001275	2.05		
A_30_P01018381	0.004632	2.05		
A_30_P01025008	0.003029	2.05		
A_55_P2018594	0.002609	2.04	Gm6492	predicted gene 6492
A_30_P01023742	0.002294	2.04		
A_55_P2007646	0.002353	2.04	Cryaa	crystallin, alpha A
A_55_P2297867	0.002433	2.04	C85181	expressed sequence C85181
A_51_P120066	0.001451	2.04	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_51_P266958	0.00018	2.04	Nr1i2	nuclear receptor subfamily 1, group I, member 2
A_51_P345649	0.00028	2.04	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_66_P135885	0.001415	2.04	Olfir671	olfactory receptor 671
A_52_P677891	0.002185	2.04	Fam174b	family with sequence similarity 174, member B
A_55_P2021490	0.000981	2.03		
A_65_P16542	0.002962	2.03		
A_55_P2044339	0.002865	2.03	D4Erttd617e	DNA segment, Chr 4, ERATO Doi 617, expressed
A_55_P2235917	0.001541	2.03	Gm9856	predicted gene 9856
A_30_P01020560	0.000436	2.03		
A_55_P2131672	0.000991	2.03	Mical2	microtubule associated monooxygenase, calponin and LIM domain containing 2
A_30_P01019397	0.001644	2.02		
A_30_P01021669	0.004626	2.02		
A_30_P01027419	0.004501	2.02		
A_55_P2199202	0.001973	2.02	Il22	interleukin 22
A_51_P120066	0.001323	2.02	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_66_P120414	0.003995	2.02	Adcy5	adenylate cyclase 5
A_51_P380309	0.000366	2.01	Ncam1	neural cell adhesion molecule 1
A_30_P01029788	8.17E-05	2.01		
A_51_P120066	0.00137	2.01	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_30_P01027042	0.001296	2.01		
A_55_P2095108	0.00077	2.01	A430033K04Rik	RIKEN cDNA A430033K04 gene
A_66_P125777	0.001857	2.00	Slc43a2	solute carrier family 43, member 2
A_30_P01019754	0.00481	2.00		

Genes that decreased by more than 2 fold in livers of mice treated with Con A and BW245C for 24 hours compared with livers of mice treated for 24 hours with Con A and vehicle

ProbelD	pvalue	Fold Change	GeneSymbol	GeneName
A_52_P232813	0.00014	0.087	Cxcl3	chemokine (C-X-C motif) ligand 3
A_51_P217463	0.000523	0.115	Cxcl2	chemokine (C-X-C motif) ligand 2
A_51_P254855	0.001633	0.121	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.000907	0.126	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.001577	0.129	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.002036	0.132	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.000762	0.138	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P317176	0.002018	0.139	Csf3	colony stimulating factor 3 (granulocyte)
A_51_P254855	0.000956	0.141	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.002	0.145	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.001086	0.146	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.001767	0.147	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P429252	0.000504	0.150	Prok2	prokineticin 2
A_52_P120803	0.000239	0.152	Ankrd1	ankyrin repeat domain 1 (cardiac muscle)
A_51_P254855	0.00202	0.153	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P493649	0.00201	0.158	Sult1e1	sulfotransferase family 1E, member 1
A_66_P126819	0.007709	0.162		
A_52_P520607	0.001679	0.180	Ankrd22	ankyrin repeat domain 22
A_55_P197665	0.000374	0.191	Fgf23	fibroblast growth factor 23
A_55_P199003	0.000356	0.195	Cxcl5	chemokine (C-X-C motif) ligand 5
A_30_P010257	7.80E-05	0.205		
A_52_P425839	2.95E-05	0.212	Retnlg	resistin like gamma
A_52_P425092	7.49E-05	0.221		
A_30_P010303	5.94E-05	0.222		
A_51_P455326	0.001944	0.227	Sele	selectin, endothelial cell
A_51_P401907	0.000244	0.230	Gm5483	predicted gene 5483
A_55_P196301	0.000214	0.237	Sffa1	stefin A1
A_52_P374897	0.001092	0.240	Arg2	arginase type II
A_51_P231320	0.000292	0.241	Mmp8	matrix metalloproteinase 8
A_55_P218138	0.000203	0.241	Adm2	adrenomedullin 2
A_55_P201297	0.004577	0.245	Itgb2l	integrin beta 2-like
A_51_P183812	0.001866	0.245	Sfn4	schlafen 4
A_55_P200155	0.000758	0.246	Igccc4	immunoglobulin superfamily, DCC subclass, member 4
A_51_P499698	0.001906	0.251	Asprv1	aspartic peptidase, retroviral-like 1
A_52_P487686	0.000256	0.254	BC100530	cDNA sequence BC100530
A_55_P196507	0.000936	0.255	Gm10499	predicted gene 10499
A_51_P363187	0.000371	0.259	Cxcl1	chemokine (C-X-C motif) ligand 1
A_55_P201763	0.000111	0.260	Thbs1	thrombospondin 1
A_51_P439085	0.000728	0.262	2310016C08Rik	RIKEN cDNA 2310016C08 gene
A_52_P63343	0.000798	0.262	Gm129	predicted gene 129
A_52_P398925	0.000141	0.262	Sffa2l1	stefin A2 like 1
A_55_P205878	0.000682	0.263	2310016C08Rik	RIKEN cDNA 2310016C08 gene
A_55_P207117	0.003643	0.264	Ilf19	interleukin 1 family, member 9
A_52_P429450	0.004062	0.265	Ngp	neutrophilic granule protein
A_55_P196015	0.001474	0.266	Bcat1	branched chain aminotransferase 1, cytosolic
A_51_P424272	0.005088	0.267	Mt4	metallothionein 4
A_30_P010193	0.000791	0.268		
A_55_P202262	0.000248	0.268	Oxct2b	3-oxoacid CoA transferase 2B
A_52_P621588	0.00053	0.269	Il28ra	interleukin 28 receptor alpha
A_51_P488739	0.005939	0.269	Niacr1	niacin receptor 1
A_51_P286737	0.003314	0.269	Ccl2	chemokine (C-C motif) ligand 2
A_51_P423290	0.000317	0.269	Mmrn1	multimerin 1
A_51_P286737	0.002924	0.270	Ccl2	chemokine (C-C motif) ligand 2
A_30_P010209	0.001841	0.271		
A_51_P286737	0.00329	0.271	Ccl2	chemokine (C-C motif) ligand 2
A_66_P140121	0.00031	0.271		
A_51_P286737	0.002969	0.271	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.00327	0.272	Ccl2	chemokine (C-C motif) ligand 2
A_55_P202352	0.000224	0.272	Aloxe3	arachidonate lipoxygenase 3
A_51_P286488	0.000371	0.273	Ier3	immediate early response 3
A_51_P228768	0.000691	0.274	Sfn3	schlafen 3
A_51_P286737	0.003159	0.274	Ccl2	chemokine (C-C motif) ligand 2
A_55_P237848	0.007	0.275	Kcnnma1	potassium large conductance calcium-activated channel, subfamily M, alpha member 1
A_51_P286737	0.003152	0.276	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.003022	0.276	Ccl2	chemokine (C-C motif) ligand 2
A_51_P115005	0.001698	0.277	Edn1	endothelin 1
A_51_P286737	0.002231	0.277	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.002982	0.277	Ccl2	chemokine (C-C motif) ligand 2
A_55_P215874	0.0034	0.277	Nos2	nitric oxide synthase 2, inducible
A_51_P485756	0.007825	0.279	Nts	neurotensin
A_30_P010201	0.000768	0.281		
A_51_P105380	5.11E-05	0.283	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_30_P010232	0.005709	0.284		
A_55_P203888	0.0029	0.285	Niacr1	niacin receptor 1
A_30_P010234	0.000463	0.287		
A_55_P214178	0.000145	0.287	Pard6g	par-6 partitioning defective 6 homolog gamma (C. elegans)
A_55_P215874	0.004323	0.288	Nos2	nitric oxide synthase 2, inducible
A_55_P210395	0.001589	0.290		
A_55_P209575	0.004273	0.291	Mrgpra5	MAS-related GPR, member A5
A_55_P202524	8.27E-05	0.291	Mxd1	MAX dimerization protein 1
A_51_P508838	0.00257	0.292	Kcne4	potassium voltage-gated channel, Isk-related subfamily, gene 4
A_55_P206845	0.001521	0.293	Hspa1a	heat shock protein 1A
A_51_P263246	0.00338	0.295	Dusp8	dual specificity phosphatase 8
A_51_P350453	0.000455	0.296	Pdk4	pyruvate dehydrogenase kinase, isoenzyme 4
A_55_P209839	0.002581	0.296	Trim30c	tripartite motif-containing 30C
A_55_P198111	0.001195	0.296	Lman1l	lectin, mannose-binding 1 like
A_30_P010261	0.000394	0.297		
A_55_P201645	0.004032	0.298	Cxcl10	chemokine (C-X-C motif) ligand 10
A_55_P215195	0.004525	0.302		
A_51_P123625	0.001689	0.302	Irg1	immunoresponsive gene 1
A_55_P214901	0.000392	0.302	Hif1a	hypoxia inducible factor 1, alpha subunit
A_51_P383032	0.002614	0.302	Clec4d	C-type lectin domain family 4, member d
A_55_P199847	0.000557	0.304	S100a9	S100 calcium binding protein A9 (calgranulin B)
A_55_P205082	0.000337	0.304	Olf469	olfactory receptor 469
A_51_P105380	0.00038	0.305	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_66_P108380	0.000139	0.305	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P216838	0.00249	0.306	Myo18b	myosin XVIIIb
A_55_P209694	0.001519	0.306	Ereg	epiregulin
A_51_P105380	0.000119	0.306	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_55_P217865	0.004461	0.310		
A_51_P256827	0.00057	0.310	S100a8	S100 calcium binding protein A8 (calgranulin A)
A_51_P105380	0.000161	0.310	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_51_P105380	8.25E-05	0.311	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_55_P214708	0.001078	0.311	Tnfalp6	tumor necrosis factor alpha induced protein 6
A_51_P123625	0.001158	0.311	Irg1	immunoresponsive gene 1
A_51_P123625	0.002745	0.312	Irg1	immunoresponsive gene 1
A_51_P123625	0.00237	0.312	Irg1	immunoresponsive gene 1
A_51_P470079	0.0032	0.312	Il1r2	interleukin 1 receptor, type II
A_30_P010287	0.000663	0.312		
A_55_P195335	0.005218	0.312	Trlobb	TRIO and F-actin binding protein
A_51_P436652	0.000979	0.312	Ccl7	chemokine (C-C motif) ligand 7
A_51_P115005	0.001844	0.313	Edn1	endothelin 1
A_51_P123625	0.001533	0.314	Irg1	immunoresponsive gene 1
A_55_P210612	0.003916	0.314	Il21	interleukin 21
A_51_P105380	6.74E-05	0.314	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_51_P123625	0.001612	0.315	Irg1	immunoresponsive gene 1
A_51_P212782	0.005887	0.315	Il1b	interleukin 1 beta
A_51_P105380	0.000397	0.316	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_51_P120589	0.000168	0.316	Olf181	olfactory receptor 181
A_55_P198838	0.001005	0.318	Slc7a3	solute carrier family 7 (cationic amino acid transporter, y+ system), member 3
A_51_P105380	0.00011	0.318	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_51_P123625	0.001221	0.318	Irg1	immunoresponsive gene 1
A_51_P105380	0.000115	0.319	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_52_P559748	0.003528	0.319	Hist1h2bq	histone cluster 1, H2bq
A_51_P105380	0.000232	0.320	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_52_P559975	0.002671	0.321	Cxcr2	chemokine (C-X-C motif) receptor 2
A_51_P308796	3.10E-05	0.321	Fosl1	fos-like antigen 1
A_51_P115005	0.000853	0.321	Edn1	endothelin 1
A_51_P172853	0.006804	0.322	Cd14	CD14 antigen
A_51_P123625	0.001889	0.323	Irg1	immunoresponsive gene 1



A_51_P2127	0.00719	0.32	Il1b	interleukin 1 beta
A_51_P1150	0.00069	0.32	Edn1	endothelin 1
A_51_P2796	0.00053	0.32	Socs1	suppressor of cytokine signaling 1
A_55_P2031	0.00410	0.32		
A_55_P2147	0.002	0.32	Tnfaip6	tumor necrosis factor alpha induced protein 6
A_55_P2032	0.00089	0.32	Rgs9	regulator of G-protein signaling 9
A_55_P1962	0.00584	0.32	Nup62cl	nucleoporin 62 C-terminal like
A_51_P4899	0.00044	0.32		
A_51_P2127	0.00516	0.32	Il1b	interleukin 1 beta
A_51_P1236	0.00229	0.32	Irg1	immunoresponsive gene 1
A_30_P0102	0.00068	0.32		
A_51_P2127	0.00714	0.32	Il1b	interleukin 1 beta
A_52_P6889	0.00159	0.33	Ifng	interferon gamma
A_51_P1150	0.00198	0.33	Edn1	endothelin 1
A_52_P6083	0.00129	0.33	Maf	v-maf musculoaponeurotic fibrosarcoma oncogene family, protein F (avian)
A_52_P1614	0.00331	0.33	Clec4e	C-type lectin domain family 4, member e
A_55_P2119	0.00149	0.33	Serpine1	serine (or cysteine) peptidase inhibitor, clade E, member 1
A_55_P2107	0.00559	0.33	Duoxa2	dual oxidase maturation factor 2
A_55_P1992	4.31E-	0.33	Rergl	REGG/RAS-like
A_51_P1150	0.00183	0.33	Edn1	endothelin 1
A_55_P2010	0.00068	0.33	Tnfsf9	tumor necrosis factor (ligand) superfamily, member 9
A_51_P1166	0.00045	0.33	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2008	0.00258	0.33		
A_51_P2127	0.00779	0.33	Il1b	interleukin 1 beta
A_55_P2186	0.00011	0.33	Sphk1	sphingosine kinase 1
A_55_P2050	0.00071	0.33		
A_51_P2127	0.00842	0.33	Il1b	interleukin 1 beta
A_55_P2016	0.00243	0.33	Cxcl10	chemokine (C-X-C motif) ligand 10
A_51_P1150	0.00065	0.34	Edn1	endothelin 1
A_55_P1961	0.00265	0.34	Pdpn	podoplanin
A_30_P0102	0.00035	0.34		
A_51_P2486	0.00195	0.34	Cd274	CD274 antigen
A_55_P2015	0.00030	0.34		
A_52_P6889	0.00141	0.34	Ifng	interferon gamma
A_51_P1150	0.00165	0.34	Edn1	endothelin 1
A_51_P2127	0.00768	0.34	Il1b	interleukin 1 beta
A_55_P2000	0.00057	0.34	Nrip3	nuclear receptor interacting protein 3
A_51_P2127	0.00736	0.34	Il1b	interleukin 1 beta
A_51_P1166	0.00085	0.34	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P3972	0.0046	0.34	Marveld3	MARVEL (membrane-associating) domain containing 3
A_30_P0101	0.00010	0.34		
A_55_P2104	0.00131	0.34	Serpina3f	serine (or cysteine) peptidase inhibitor, clade A, member 3F
A_55_P2216	0.00041	0.34	2610209C05Rik	RIKEN cDNA 2610209C05 gene
A_55_P1985	0.00288	0.34	Tiparp	TCDD-inducible poly(ADP-ribose) polymerase
A_52_P2914	0.00122	0.34	Gm5458	predicted gene 5458
A_52_P6813	0.00019	0.34	Plaur	plasminogen activator, urokinase receptor
A_51_P1150	0.00233	0.34	Edn1	endothelin 1
A_51_P1166	0.00028	0.34	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_30_P0102	0.00076	0.35		
A_51_P1166	0.00033	0.35	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_30_P0103	0.00066	0.35		
A_51_P5012	0.00043	0.35	Sphk1	sphingosine kinase 1
A_55_P2081	0.00046	0.35	Pglyrp1	peptidoglycan recognition protein 1
A_51_P2655	0.00660	0.35	Adm	adrenomedullin
A_51_P1872	0.00071	0.35	Mmp25	matrix metalloproteinase 25
A_55_P1993	0.00048	0.35	Adora2b	adenosine A2b receptor
A_51_P2127	0.00810	0.35	Il1b	interleukin 1 beta
A_55_P2026	0.00231	0.35		
A_55_P2010	0.00044	0.35	Samsn1	SAM domain, SH3 domain and nuclear localization signals, 1
A_55_P2121	0.00095	0.35		
A_55_P2142	0.00203	0.35	Serpina3f	serine (or cysteine) peptidase inhibitor, clade A, member 3F
A_30_P0103	0.00418	0.35		
A_51_P1166	0.00142	0.35	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P1857	0.00039	0.35	Cas21	castor homolog 1, zinc finger (Drosophila)
A_52_P1014	0.00145	0.35	Ddn	dendrin
A_55_P2024	0.00345	0.35	Gm1987	predicted gene 1987
A_51_P2556	0.00107	0.35	Mmp3	matrix metalloproteinase 3
A_51_P1150	0.00243	0.35	Edn1	endothelin 1
A_51_P1236	0.0048	0.35	Irg1	immunoresponsive gene 1
A_51_P1396	0.00615	0.35	Spr1a	small proline-rich protein 1A
A_51_P1166	0.00086	0.35	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2038	0.00195	0.35		
A_55_P2054	0.00604	0.35	Rnd1	Rho family GTPase 1
A_52_P6046	0.00019	0.35	Csrnp1	cysteine-serine-rich nuclear protein 1
A_30_P0103	0.00080	0.35		
A_51_P1166	0.00062	0.35	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P4753	0.004	0.36	Chrn1	cholinergic receptor, nicotinic, beta polypeptide 1 (muscle)
A_30_P0102	0.00357	0.36		
A_55_P1969	0.00202	0.36	Rgs9	regulator of G-protein signaling 9
A_51_P4744	1.76E-	0.36	Socs3	suppressor of cytokine signaling 3
A_30_P0102	0.00193	0.36		
A_52_P6547	0.00047	0.36	Trim69	tripartite motif-containing 69
A_51_P3821	0.00188	0.36	Procr	protein C receptor, endothelial
A_55_P2185	0.00159	0.36	Nrg4	neuregulin 4
A_51_P5135	0.00189	0.36	Stx11	syntaxin 11
A_51_P3857	0.00708	0.36	Cd177	CD177 antigen
A_51_P1166	0.0002	0.36	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2079	0.00375	0.36	Bcat1	branched chain aminotransferase 1, cytosolic
A_55_P2011	0.00355	0.37	Junb	Jun-B oncogene
A_55_P1994	2.35E-	0.37	Catsper4	cation channel, sperm associated 4
A_55_P2173	0.00052	0.37	Isg20	interferon-stimulated protein
A_51_P1760	0.00493	0.37	Ffar2	free fatty acid receptor 2
A_30_P0101	0.00082	0.37		
A_55_P2099	0.00263	0.37	F730043M19Rik	RIKEN cDNA F730043M19 gene
A_55_P2186	0.00040	0.37	Gm7896	predicted gene 7896
A_55_P1966	0.00029	0.37	Mybl1	myeloblastosis oncogene-like 1
A_55_P2000	0.00455	0.37	Phox2a	paired-like homeobox 2a
A_30_P0103	0.0017	0.37		
A_51_P4998	0.00049	0.37	Bst1	bone marrow stromal cell antigen 1
A_51_P4816	0.00706	0.37	Ero1l	ERO1-like (S. cerevisiae)
A_55_P2177	0.00207	0.37		
A_51_P4307	0.00215	0.37	Il10	interleukin 10
A_66_P1099	0.00147	0.37	Cd33	CD33 antigen
A_51_P5149	0.00715	0.37	Tiparp	TCDD-inducible poly(ADP-ribose) polymerase
A_52_P1841	3.57E-	0.38	Mthfd2	methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate
A_55_P1970	0.00382	0.38		
A_55_P2137	0.00097	0.38	AA467197	expressed sequence AA467197
A_55_P2149	0.00405	0.38		
A_55_P1955	0.00146	0.38		
A_55_P2149	0.00282	0.38	Fpr-rs6	formyl peptide receptor, related sequence 6
A_55_P2010	0.00019	0.38	Sell	selectin, lymphocyte
A_55_P2183	0.0002	0.38	Runx1	runt related transcription factor 1
A_51_P1111	0.00524	0.38	Rnd1	Rho family GTPase 1
A_51_P1250	0.00068	0.38	Oxct2a	3-oxoacid CoA transferase 2A
A_30_P0102	0.00859	0.38		
A_51_P1205	0.0024	0.38	Olf1r181	olfactory receptor 181
A_55_P2179	0.00394	0.38	Celsr3	cadherin, EGF LAG seven-pass G-type receptor 3 (flamingo homolog, Drosophila)
A_55_P2142	0.00327	0.38	Serpina3l	serine (or cysteine) peptidase inhibitor, clade A, member 3l
A_55_P2192	0.00566	0.38	A530023O14Rik	RIKEN cDNA A530023O14 gene
A_55_P2012	0.00211	0.38	Bmp8b	bone morphogenetic protein 8b
A_51_P1166	0.00099	0.38	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2133	0.00397	0.38	Gm8995	predicted gene 8995
A_55_P1966	0.00079	0.38	Ifi203	interferon activated gene 203
A_51_P3124	0.00646	0.38	Fpr1	formyl peptide receptor 1
A_30_P0101	0.00592	0.38		
A_55_P1997	0.00042	0.39	Il6	interleukin 6
A_30_P0103	0.00264	0.39		
A_55_P1997	0.00028	0.39	Il6	interleukin 6
A_51_P2089	0.0065	0.39	Stc2	stanniocalcin 2
A_55_P2115	0.00135	0.39	Nrg4	neuregulin 4
A_30_P0102	0.00105	0.39		
A_66_P1287	0.00508	0.39	Pydc3	pyrin domain containing 3

A_55_P2082	0.00037	0.39	Tnfrsf9	tumor necrosis factor receptor superfamily, member 9
A_30_P0101	0.00469	0.39		
A_51_P5095	0.00229	0.39	Ccl4	chemokine (C-C motif) ligand 4
A_52_P1749	0.00282	0.39	Gja1	gap junction protein, alpha 1
A_55_P2109	0.00347	0.39	Trim6	tripartite motif-containing 6
A_51_P4307	0.00126	0.39	Il10	interleukin 10
A_30_P0102	0.00264	0.39		
A_55_P2063	0.00363	0.39	5430405G05Rik	RIKEN cDNA 5430405G05 gene
A_55_P2019	0.00044	0.39	Mrgpra2b	MAS-related GPR, member A2B
A_55_P2011	0.00048	0.39		
A_30_P0102	0.00287	0.39		
A_55_P2100	0.00756	0.39	Ptgds	prostaglandin D2 synthase (brain)
A_51_P4526	0.00258	0.39	Tlr2	toll-like receptor 2
A_55_P2172	0.00086	0.39	Mrgpra2a	MAS-related GPR, member A2A
A_66_P1389	0.00175	0.39	Lox	lysyl oxidase
A_55_P2115	0.00312	0.39	Bst1	bone marrow stromal cell antigen 1
A_52_P6451	0.00499	0.39	Herc6	hect domain and RLD 6
A_30_P0102	0.0005	0.39		
A_30_P0102	0.00135	0.39		
A_66_P1077	0.00311	0.39	Smox	spermine oxidase
A_52_P5717	0.00014	0.40	Sh2d5	SH2 domain containing 5
A_51_P1558	0.00478	0.40	Ppp1r3g	protein phosphatase 1, regulatory (inhibitor) subunit 3G
A_52_P1197	0.00219	0.40	Gadd45b	growth arrest and DNA-damage-inducible 45 beta
A_55_P2053	0.00212	0.40	Tnfrsf3	tumor necrosis factor, alpha-induced protein 3
A_55_P1959	0.00127	0.40	Slc16a3	solute carrier family 16 (monocarboxylic acid transporters), member 3
A_51_P2472	0.00220	0.40	Alox5	arachidonate 5-lipoxygenase
A_51_P2966	0.00117	0.40	Gadd45a	growth arrest and DNA-damage-inducible 45 alpha
A_52_P3121	0.0029	0.40	Sema3g	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin)
A_55_P1999	0.00238	0.40	Gm3366	predicted gene 3366
A_55_P2101	0.00266	0.40	Alpk1	alpha-kinase 1
A_55_P2000	0.00618	0.40	Rab44	RAB44, member RAS oncogene family
A_55_P2161	0.00218	0.40		
A_30_P0102	0.00713	0.40		
A_30_P0102	0.00219	0.40		
A_51_P2546	0.00100	0.40	Hdc	histidine decarboxylase
A_55_P2025	0.00226	0.40	Cpe	carboxypeptidase E
A_30_P0102	0.00274	0.40		
A_30_P0102	0.00057	0.40		
A_55_P2067	0.00104	0.40	Slc16a3	solute carrier family 16 (monocarboxylic acid transporters), member 3
A_55_P2106	0.00365	0.40	Map3k6	mitogen-activated protein kinase kinase kinase 6
A_55_P2154	0.00040	0.40	Gfpt2	glutamine fructose-6-phosphate transaminase 2
A_30_P0102	0.00325	0.40		
A_51_P2378	0.00442	0.40	Il4	interleukin 4
A_55_P2188	0.00028	0.40	C030034E14Rik	RIKEN cDNA C030034E14 gene
A_52_P3183	0.00031	0.40	Ces2c	carboxylesterase 2C
A_51_P2065	0.00074	0.40	Runx1	runt related transcription factor 1
A_52_P4639	0.00409	0.40	Krtap16-10	keratin associated protein 16-10
A_30_P0102	0.000	0.40		
A_51_P2587	0.00211	0.40	Tpsg1	tryptase gamma 1
A_30_P0102	0.00116	0.40		
A_51_P1205	0.00341	0.40	Olf1r181	olfactory receptor 181
A_55_P1969	0.00183	0.41		
A_30_P0102	0.00067	0.41		
A_51_P2262	0.00401	0.41	1190002H23Rik	RIKEN cDNA 1190002H23 gene
A_51_P2945	0.00027	0.41	Ifitm6	interferon induced transmembrane protein 6
A_55_P1998	0.00264	0.41	Oas1g	2'-5' oligoadenylate synthetase 1G
A_55_P2085	0.00043	0.41		
A_52_P5140	0.00500	0.41	Padl4	peptidyl arginine deiminase, type IV
A_51_P3258	0.0004	0.41	1810033B17Rik	RIKEN cDNA 1810033B17 gene
A_55_P2079	0.00206	0.41		
A_55_P2035	0.00216	0.41	Pyhin1	pyrin and HIN domain family, member 1
A_55_P2032	3.12E-	0.41	Lox	lysyl oxidase
A_55_P2101	0.00386	0.41	Aradc4	arrestin domain containing 4
A_51_P4526	0.00501	0.41	Tlr2	toll-like receptor 2
A_51_P4841	6.50E-	0.41	Steap1	six transmembrane epithelial antigen of the prostate 1
A_55_P2063	0.00043	0.41	Dusp5	dual specificity phosphatase 5
A_66_P1125	0.00089	0.41	Isg20	interferon-stimulated protein
A_55_P2103	0.00276	0.41	Ccr8	chemokine (C-C motif) receptor 8
A_55_P2116	0.00267	0.41	Pfkfb3	6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 3
A_51_P4526	0.0042	0.41	Tlr2	toll-like receptor 2
A_55_P1998	0.0019	0.41	Ifi203	interferon activated gene 203
A_55_P2090	0.00209	0.41		
A_55_P2107	0.0075	0.41		
A_51_P1708	0.00470	0.41	Map3k6	mitogen-activated protein kinase kinase kinase 6
A_55_P1998	0.00179	0.41	Smox	spermine oxidase
A_55_P2036	0.00168	0.41	Pydc3	pyrin domain containing 3
A_55_P2125	5.80E-	0.41	Fam71f2	family with sequence similarity 71, member F2
A_30_P0103	0.00670	0.41		
A_51_P1651	0.00673	0.41	Batf2	basic leucine zipper transcription factor, ATF-like 2
A_55_P2004	0.00448	0.42		
A_55_P1971	0.00186	0.42	F3	coagulation factor III
A_51_P2378	0.00179	0.42	Il4	interleukin 4
A_51_P2208	0.00706	0.42	Gdf9	growth differentiation factor 9
A_55_P2004	0.0013	0.42	Crispld2	cysteine-rich secretory protein LCCL domain containing 2
A_52_P2430	0.0001	0.42	Uchl1	ubiquitin carboxy-terminal hydrolase L1
A_55_P2036	0.0004	0.42	Gm5797	predicted gene 5797
A_55_P2007	0.00031	0.42		
A_51_P2040	0.00614	0.42	Hk2	hexokinase 2
A_51_P1284	0.00052	0.42	Grrp1	glycine/arginine rich protein 1
A_52_P1749	0.00418	0.42	Gja1	gap junction protein, alpha 1
A_51_P4526	0.00691	0.42	Tlr2	toll-like receptor 2
A_55_P1964	0.00245	0.42	Tcfap2a	transcription factor AP-2, alpha
A_55_P2035	0.0067	0.42	Gm8884	predicted gene 8884
A_55_P2125	2.24E-	0.42		
A_55_P2187	0.00295	0.42		
A_52_P6272	0.00032	0.42	Ces2b	carboxylesterase 2B
A_51_P4526	0.00446	0.42	Tlr2	toll-like receptor 2
A_55_P2153	0.00354	0.42	Ralgds	ral guanine nucleotide dissociation stimulator
A_52_P6285	0.0002	0.42	Pvr	poliovirus receptor
A_51_P1815	0.00797	0.42	Hbegf	heparin-binding EGF-like growth factor
A_51_P3156	2.22E-	0.42	Igf2bp2	insulin-like growth factor 2 mRNA binding protein 2
A_30_P0102	0.0015	0.42		
A_51_P1116	0.00025	0.42	Aradc4	arrestin domain containing 4
A_52_P2299	0.00557	0.42	Ostb	organic solute transporter beta
A_30_P0102	0.00617	0.42		
A_51_P1407	0.00825	0.42	Ccl3	chemokine (C-C motif) ligand 3
A_51_P4526	0.0060	0.42	Tlr2	toll-like receptor 2
A_51_P1116	0.00036	0.42	Aradc4	arrestin domain containing 4
A_51_P4526	0.00527	0.42	Tlr2	toll-like receptor 2
A_52_P1797	0.00213	0.43	Ripk2	receptor (TNFRSF)-interacting serine-threonine kinase 2
A_55_P2044	0.00269	0.43	Gpr84	G protein-coupled receptor 84
A_51_P4526	0.00646	0.43	Tlr2	toll-like receptor 2
A_55_P2023	0.00388	0.43	Cas21	castor homolog 1, zinc finger (Drosophila)
A_55_P2159	0.00050	0.43		
A_55_P1962	0.00161	0.43	Mnda	myeloid cell nuclear differentiation antigen
A_55_P2052	0.00261	0.43	Crispld2	cysteine-rich secretory protein LCCL domain containing 2
A_55_P1967	0.0004	0.43		
A_55_P2011	0.00733	0.43		
A_52_P1749	0.00604	0.43	Gja1	gap junction protein, alpha 1
A_52_P1749	0.00432	0.43	Gja1	gap junction protein, alpha 1
A_55_P2008	0.00446	0.43	Ch25h	cholesterol 25-hydroxylase
A_30_P0102	0.00409	0.43		
A_55_P2125	0.00162	0.43	Arid5a	AT rich interactive domain 5A (MRF1-like)
A_51_P2677	0.00486	0.43	Il11	interleukin 11
A_30_P0102	0.0005	0.43		
A_55_P2122	0.00095	0.43	Klf4	Kruppel-like factor 4 (gut)
A_55_P1985	0.00509	0.43	Fhdc1	FH2 domain containing 1
A_52_P9862	0.00565	0.43	Ankrd57	ankyrin repeat domain 57
A_66_P1066	0.00018	0.43	Slc7a1	solute carrier family 7 (cationic amino acid transporter, y+ system), member 1
A_52_P2263	0.00481	0.43		
A_55_P1962	0.00191	0.43	Il1rn	interleukin 1 receptor antagonist
A_30_P0102	0.00185	0.43		

A_51_P1205	0.00230	0.43	Olf1r181	olfactory receptor 181
A_51_P4419	0.00137	0.43	Itga2	integrin alpha 2
A_55_P2395	0.00254	0.43	D2Ert295e	DNA segment, Chr 2, ERATO Doi 295, expressed
A_55_P2051	0.00057	0.43		
A_30_P0101	0.00069	0.43		
A_51_P4526	0.00534	0.43	Tlr2	toll-like receptor 2
A_51_P3788	0.00332	0.43	Pfklp	phosphofructokinase, platelet
A_52_P1749	0.00395	0.43	Gja1	gap junction protein, alpha 1
A_30_P0102	0.00349	0.43		
A_51_P3194	2.65E-	0.43	Osmr	oncostatin M receptor
A_55_P2115	0.00807	0.43	Fap	fibroblast activation protein
A_51_P4526	0.00742	0.43	Tlr2	toll-like receptor 2
A_55_P1984	0.0023	0.43	Casp4	caspase 4, apoptosis-related cysteine peptidase
A_30_P0102	0.00317	0.43		
A_66_P1306	0.0021	0.43	Tyms	thymidylate synthase
A_30_P0102	0.00185	0.43		
A_51_P1116	0.0005	0.44	Arndc4	arrestin domain containing 4
A_51_P2234	0.00081	0.44	Slc39a10	solute carrier family 39 (zinc transporter), member 10
A_30_P0101	0.00167	0.44		
A_52_P5302	0.00380	0.44	Plm1	proviral integration site 1
A_55_P1960	0.00611	0.44	Slc2a6	solute carrier family 2 (facilitated glucose transporter), member 6
A_30_P0102	0.00490	0.44		
A_55_P1978	0.00399	0.44	Tspan8	tetraspanin 8
A_55_P2090	0.00019	0.44		
A_55_P1955	0.00209	0.44	Adamts4	a disintegrin-like and metallopeptidase (reprolysin type) with thrombospondin type 1 motif,
A_51_P2671	0.00011	0.44		
A_55_P2091	0.00317	0.44	Casp4	caspase 4, apoptosis-related cysteine peptidase
A_55_P1997	0.00516	0.44	Gm5416	predicted gene 5416
A_51_P1119	0.00787	0.44	Bean1	brain expressed, associated with Nedd4, 1
A_51_P2342	0.00427	0.44	Sdcbp2	syndecan binding protein (syntenin) 2
A_55_P2030	0.00124	0.44	ENSMUSG0000006879	predicted gene, ENSMUSG00000068790
A_55_P1968	0.00289	0.44	Plekhh1	pleckstrin homology domain containing, family H (with MyTH4 domain) member 1
A_55_P2066	0.00073	0.44	Enah	enabled homolog (Drosophila)
A_55_P2019	0.0079	0.44	Oas2	2'-5' oligoadenylate synthetase 2
A_51_P1116	0.00060	0.44	Arndc4	arrestin domain containing 4
A_55_P1959	0.0063	0.44	Asns	asparagine synthetase
A_30_P0102	0.00286	0.44		
A_51_P1116	0.00020	0.44	Arndc4	arrestin domain containing 4
A_51_P2435	0.00374	0.44	Macc1	metastasis associated in colon cancer 1
A_51_P4907	0.00091	0.44	Mxd1	MAX dimerization protein 1
A_30_P0102	0.00164	0.44		
A_52_P6634	0.00067	0.44	P4ha2	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha II
A_30_P0102	0.00044	0.44		
A_30_P0102	0.0036	0.44		
A_66_P1344	0.00194	0.44	Lif	leukemia inhibitory factor
A_30_P0102	0.00287	0.44		
A_66_P1292	0.00610	0.44	Lekr1	leucine, glutamate and lysine rich 1
A_55_P1972	0.0072	0.44		
A_55_P2036	0.00210	0.44	Pyhin1	pyrin and HIN domain family, member 1
A_55_P2359	0.00461	0.44	Nod2	nucleotide-binding oligomerization domain containing 2
A_55_P1954	0.0071	0.44	Lekr1	leucine, glutamate and lysine rich 1
A_52_P1996	0.00650	0.44	Trim30d	tripartite motif-containing 30D
A_51_P1116	0.00041	0.44	Arndc4	arrestin domain containing 4
A_55_P1975	0.00165	0.44	Ifi204	interferon activated gene 204
A_55_P2136	0.00099	0.44	Ppp1r15a	protein phosphatase 1, regulatory (inhibitor) subunit 15A
A_30_P0102	0.00017	0.45		
A_51_P1116	0.0004	0.45	Arndc4	arrestin domain containing 4
A_52_P3866	0.00408	0.45	Irak3	interleukin-1 receptor-associated kinase 3
A_51_P3965	0.00096	0.45	Plod2	procollagen lysine, 2-oxoglutarate 5-dioxygenase 2
A_55_P2066	0.00167	0.45	Ifi204	interferon activated gene 204
A_55_P2036	0.00046	0.45	LOC100503637	envelope glycoprotein-like
A_51_P1116	0.00036	0.45	Arndc4	arrestin domain containing 4
A_30_P0101	0.00290	0.45		
A_30_P0102	0.00140	0.45		
A_52_P1749	0.00391	0.45	Gja1	gap junction protein, alpha 1
A_30_P0102	0.00237	0.45		
A_51_P4444	0.0028	0.45	Cebpd	CCAAT/enhancer binding protein (C/EBP), delta
A_52_P2971	0.00044	0.45		
A_66_P1285	0.0007	0.45	Slfn5	schlafen 5
A_55_P2020	0.00145	0.45	Gm8120	predicted gene 8120
A_30_P0103	0.00440	0.45		
A_66_P1396	5.47E-	0.45	Stfa2	stefin A2
A_55_P2039	0.00385	0.45	Pydc4	pyrin domain containing 4
A_55_P2074	0.00250	0.45	Ptpn14	protein tyrosine phosphatase, non-receptor type 14
A_52_P1749	0.00465	0.45	Gja1	gap junction protein, alpha 1
A_55_P1959	0.00068	0.45		
A_55_P2003	0.00347	0.45	H2-T24	histocompatibility 2, T region locus 24
A_55_P1998	0.00064	0.45		
A_55_P2169	0.00305	0.45		
A_51_P2429	0.0027	0.45	Piwil2	piwi-like homolog 2 (Drosophila)
A_30_P0102	0.00514	0.45		
A_30_P0103	0.00288	0.45		
A_55_P2181	0.00168	0.45	Pydc3	pyrin domain containing 3
A_52_P6132	0.00276	0.45	Icam1	intercellular adhesion molecule 1
A_51_P1480	0.00108	0.45	Sh3pxd2b	SH3 and PX domains 2B
A_55_P2024	0.00262	0.45	Cpe	carboxypeptidase E
A_30_P0102	0.00037	0.45		
A_51_P4647	0.00436	0.45	Slc2a1	solute carrier family 2 (facilitated glucose transporter), member 1
A_55_P2057	0.00503	0.46	Gm12250	predicted gene 12250
A_51_P1116	0.0005	0.46	Arndc4	arrestin domain containing 4
A_30_P0102	0.00165	0.46		
A_52_P3154	0.00288	0.46	Btg2	B-cell translocation gene 2, anti-proliferative
A_55_P2003	0.00086	0.46	Sh2d5	SH2 domain containing 5
A_55_P2095	0.00038	0.46	Tcp10b	t-complex protein 10b
A_52_P3276	0.00729	0.46	Gbp5	guanylate binding protein 5
A_30_P0102	0.00102	0.46		
A_30_P0102	0.00091	0.46		
A_51_P1116	0.00076	0.46	Arndc4	arrestin domain containing 4
A_55_P1966	0.00601	0.46	9930105H17Rik	RIKEN cDNA 9930105H17 gene
A_30_P0102	0.0004	0.46		
A_51_P5076	0.0003	0.46	Itpkc	inositol 1,4,5-trisphosphate 3-kinase C
A_51_P1314	0.00156	0.46	Tnfrsf12a	tumor necrosis factor receptor superfamily, member 12a
A_55_P2173	0.00314	0.46		
A_55_P2444	0.00022	0.46	Akap2	A kinase (PRKA) anchor protein 2
A_30_P0101	0.00065	0.46		
A_51_P2378	0.00220	0.46	Il4	interleukin 4
A_55_P2022	0.0001	0.46	Oxct2b	3-oxoacid CoA transferase 2B
A_30_P0103	0.00369	0.46		
A_30_P0103	0.00660	0.46		
A_66_P1174	0.00514	0.46	Dlk1	delta-like 1 homolog (Drosophila)
A_55_P2022	0.00042	0.46	Klf10	Kruppel-like factor 10
A_55_P2014	0.0076	0.46	Sema3a	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin)
A_52_P1749	0.00331	0.46	Gja1	gap junction protein, alpha 1
A_55_P2058	0.0067	0.46	Ralgds	ral guanine nucleotide dissociation stimulator
A_30_P0101	0.00687	0.46		
A_55_P2108	5.21E-	0.46		
A_55_P2060	0.00178	0.46	Gm5797	predicted gene 5797
A_55_P2212	0.00621	0.47	C80012	expressed sequence C80012
A_51_P1794	0.00065	0.47	Eid3	EP300 interacting inhibitor of differentiation 3
A_55_P2052	0.00027	0.47	Psat1	phosphoserine aminotransferase 1
A_51_P2754	0.00228	0.47	Trim30a	tripartite motif-containing 30A
A_55_P2124	0.0022	0.47	Ces2c	carboxylesterase 2C
A_51_P2546	0.00174	0.47	Jdp2	Jun dimerization protein 2
A_52_P4632	0.00119	0.47	Ankrd33b	ankyrin repeat domain 33B
A_51_P2751	0.00546	0.47	Chst11	carbohydrate sulfotransferase 11
A_66_P1214	0.00569	0.47	Psat1	phosphoserine aminotransferase 1
A_55_P1990	0.00114	0.47		
A_55_P1988	0.00722	0.47		
A_55_P2112	0.00602	0.47	Ilgp1b	interferon inducible GTPase 1B
A_52_P3870	0.00348	0.47	Egln3	EGln nine homolog 3 (C. elegans)
A_30_P0101	0.00155	0.47		
A_30_P0102	0.00243	0.47		

A_55_P1981	0.00216	0.47		
A_55_P1960	0.00366	0.47	<b>Egln3</b>	EGL nine homolog 3 (C. elegans)
A_51_P4585	0.00260	0.47	<b>Fpr-rs3</b>	formyl peptide receptor, related sequence 3
A_55_P2052	0.00332	0.47	<b>Cd200</b>	CD200 antigen
A_55_P2243	0.00271	0.47	<b>Gdap10</b>	ganglioside-induced differentiation-associated-protein 10
A_55_P2105	0.0056	0.47		
A_55_P2130	0.00472	0.47		
A_55_P2170	0.00112	0.47	<b>Igf2bp2</b>	insulin-like growth factor 2 mRNA binding protein 2
A_51_P1264	0.0001	0.47	<b>Enc1</b>	ectodermal-neural cortex 1
A_55_P2033	0.00549	0.47	<b>Egr2</b>	early growth response 2
A_55_P2071	0.0003	0.47	<b>Wdr92</b>	WD repeat domain 92
A_51_P4170	0.00047	0.47	<b>Arhgap8</b>	Rho GTPase activating protein 8
A_55_P2180	0.00063	0.47	<b>Gls</b>	glutaminase
A_51_P1140	0.00345	0.47	<b>Ncs1</b>	neuronal calcium sensor 1
A_55_P2172	0.00161	0.47	<b>A530064D06Rik</b>	RIKEN cDNA A530064D06 gene
A_51_P1264	0.00011	0.47	<b>Enc1</b>	ectodermal-neural cortex 1
A_51_P1264	6.94E-	0.47	<b>Enc1</b>	ectodermal-neural cortex 1
A_55_P2117	0.00243	0.47	<b>Tnfrsf13c</b>	tumor necrosis factor receptor superfamily, member 13c
A_55_P2140	0.00107	0.47		
A_30_P0103	0.00455	0.47		
A_55_P1958	0.00151	0.47	<b>LOC545005</b>	hypothetical protein LOC545005
A_51_P1264	0.00010	0.47	<b>Enc1</b>	ectodermal-neural cortex 1
A_55_P2036	5.35E-	0.47	<b>Ifna11</b>	interferon alpha 11
A_30_P0102	0.00093	0.47		
A_52_P6672	0.00115	0.47	<b>Lass6</b>	LAG1 homolog, ceramide synthase 6
A_66_P1217	0.0057	0.47	<b>Samd9l</b>	sterile alpha motif domain containing 9-like
A_30_P0101	0.00282	0.47		
A_55_P2041	0.00509	0.48	<b>F420015M19Rik</b>	RIKEN cDNA F420015M19 gene
A_55_P2007	0.00107	0.48		
A_66_P1236	0.00774	0.48		
A_30_P0102	0.00223	0.48		
A_52_P4990	0.00312	0.48	<b>9130008F23Rik</b>	RIKEN cDNA 9130008F23 gene
A_55_P2319	0.00083	0.48	<b>9430076C15Rik</b>	RIKEN cDNA 9430076C15 gene
A_30_P0102	0.00492	0.48		
A_30_P0102	0.00036	0.48		
A_30_P0101	0.00609	0.48		
A_51_P1264	7.23E-	0.48	<b>Enc1</b>	ectodermal-neural cortex 1
A_51_P2378	0.00265	0.48	<b>Il4</b>	interleukin 4
A_55_P2056	0.00083	0.48	<b>Trem2</b>	triggering receptor expressed on myeloid cells-like 2
A_51_P2378	0.0070	0.48	<b>Il4</b>	interleukin 4
A_55_P2029	0.00274	0.48	<b>Hmox1</b>	heme oxygenase (decycling) 1
A_51_P1568	0.00050	0.48	<b>2010002N04Rik</b>	RIKEN cDNA 2010002N04 gene
A_51_P1264	0.0001	0.48	<b>Enc1</b>	ectodermal-neural cortex 1
A_51_P3678	0.00543	0.48	<b>Egr1</b>	early growth response 1
A_55_P2092	0.00283	0.48	<b>Tgfr1</b>	TGFB-induced factor homeobox 1
A_30_P0102	0.00027	0.48		
A_51_P1264	0.00025	0.48	<b>Enc1</b>	ectodermal-neural cortex 1
A_51_P1264	0.00020	0.48	<b>Enc1</b>	ectodermal-neural cortex 1
A_66_P1055	0.00040	0.48	<b>Sifn8</b>	schlafen 8
A_51_P2913	0.0006	0.48	<b>Osm</b>	oncostatin M
A_51_P1264	0.00030	0.48	<b>Enc1</b>	ectodermal-neural cortex 1
A_66_P1019	0.00251	0.48	<b>Gm9706</b>	predicted gene 9706
A_55_P2075	0.00339	0.48	<b>Tor3a</b>	torsin family 3, member A
A_30_P0101	0.00587	0.48		
A_55_P2000	0.00195	0.48	<b>Irf1</b>	interferon regulatory factor 1
A_51_P4848	0.0008	0.48	<b>Bcl2l11</b>	BCL2-like 11 (apoptosis facilitator)
A_55_P2185	0.00770	0.48	<b>Nrg4</b>	neuregulin 4
A_55_P1975	0.00076	0.48		
A_30_P0101	0.00286	0.48		
A_52_P3546	0.00070	0.48	<b>Elov7</b>	ELOVL family member 7, elongation of long chain fatty acids (yeast)
A_51_P1264	0.00013	0.48	<b>Enc1</b>	ectodermal-neural cortex 1
A_51_P1610	0.0032	0.48	<b>Cep170</b>	centrosomal protein 170
A_51_P3376	0.00635	0.48	<b>Cd53</b>	CD53 antigen
A_55_P2006	0.00284	0.48	<b>Apol10b</b>	apolipoprotein L 10b
A_51_P1140	0.00017	0.48	<b>Ncs1</b>	neuronal calcium sensor 1
A_51_P2378	0.00659	0.48	<b>Il4</b>	interleukin 4
A_51_P1205	0.00251	0.48	<b>Olf1r181</b>	olfactory receptor 181
A_30_P0102	0.0007	0.49		
A_51_P5072	0.00420	0.49	<b>Fosl2</b>	fos-like antigen 2
A_55_P1980	0.00466	0.49	<b>Il2ra</b>	interleukin 2 receptor, alpha chain
A_52_P2531	0.00414	0.49	<b>Igf2bp3</b>	insulin-like growth factor binding protein 3
A_51_P4513	0.00093	0.49	<b>Klf6</b>	Kruppel-like factor 6
A_55_P1966	0.0084	0.49		
A_55_P1999	0.00290	0.49	<b>Vmn1r217</b>	vomer nasal 1 receptor 217
A_30_P0102	0.0037	0.49		
A_52_P1687	0.00095	0.49	<b>Tmcc3</b>	transmembrane and coiled coil domains 3
A_51_P2378	0.00154	0.49	<b>Il4</b>	interleukin 4
A_66_P1348	0.00126	0.49	<b>Nos1ap</b>	nitric oxide synthase 1 (neuronal) adaptor protein
A_51_P2306	0.00093	0.49	<b>2010109K11Rik</b>	RIKEN cDNA 2010109K11 gene
A_55_P2103	0.00377	0.49		
A_51_P3897	0.00320	0.49	<b>Relb</b>	avian reticuloendotheliosis viral (v-rel) oncogene related B
A_52_P4107	0.00292	0.49	<b>Sema7a</b>	sema domain, immunoglobulin domain (Ig), and GPI membrane anchor, (semaphorin) 7A
A_55_P1978	0.0002	0.49		
A_55_P1966	0.00203	0.49	<b>LOC674392</b>	zinc finger protein 665-like
A_55_P2163	0.00740	0.49		
A_30_P0102	0.00109	0.49		
A_51_P4307	0.00514	0.49	<b>Il10</b>	interleukin 10
A_51_P2378	0.0054	0.49	<b>Il4</b>	interleukin 4
A_30_P0101	0.00288	0.49		
A_52_P3632	0.00019	0.49	<b>Gcnt2</b>	glucosaminyl (N-acetyl) transferase 2, I-branching enzyme
A_51_P4481	0.00046	0.49	<b>2410004A20Rik</b>	RIKEN cDNA 2410004A20 gene
A_52_P4232	0.0072	0.49	<b>Pde4b</b>	phosphodiesterase 4B, cAMP specific
A_51_P1044	0.00264	0.49	<b>Dusp10</b>	dual specificity phosphatase 10
A_52_P2325	0.00073	0.49	<b>Dyrk3</b>	dual-specificity tyrosine-(Y)-phosphorylation regulated kinase 3
A_55_P2114	0.00054	0.49		
A_51_P5059	0.00097	0.49	<b>Tcl1b2</b>	T-cell leukemia/lymphoma 1B, 2
A_55_P2168	0.0022	0.49	<b>Relb</b>	avian reticuloendotheliosis viral (v-rel) oncogene related B
A_52_P4095	0.0066	0.49	<b>5330426P16Rik</b>	RIKEN cDNA 5330426P16 gene
A_55_P1985	0.00046	0.49		
A_55_P2237	0.00642	0.49	<b>Tsc22d2</b>	TSC22 domain family, member 2
A_30_P0103	0.00364	0.49		
A_30_P0103	0.00800	0.49		
A_55_P2024	0.00341	0.49	<b>Zbtb16</b>	zinc finger and BTB domain containing 16
A_51_P5180	0.00807	0.49	<b>Dusp4</b>	dual specificity phosphatase 4
A_55_P2122	0.0032	0.49	<b>Kcnk9</b>	potassium channel, subfamily K, member 9
A_51_P3953	0.00289	0.49	<b>Ptprt</b>	protein tyrosine phosphatase, receptor type, T
A_52_P5570	0.00132	0.49	<b>Olf1r536</b>	olfactory receptor 536
A_52_P6163	0.0003	0.49	<b>Sbno2</b>	strawberry notch homolog 2 (Drosophila)
A_66_P1005	0.00872	0.49		
A_66_P1281	0.00174	0.49		
A_51_P2979	0.00114	0.49	<b>Zc3h12a</b>	zinc finger CCCH type containing 12A
A_55_P2082	0.00083	0.49		
A_30_P0101	0.00480	0.49		
A_55_P2093	0.00259	0.50	<b>LOC641136</b>	eukaryotic translation initiation factor 1A-like

Genes that increased by more than 2 fold in livers of mice treated with Con A and BW245C for 24 hours compared with livers of mice treated for 24 hours with Con A and vehicle.

ProbeID	pvalue	Fold Change	GeneSymbol	GeneName
A_52_P84027	3.40E-05	23.35	Cyp7a1	cytochrome P450, family 7, subfamily a, polypeptide 1
A_55_P2036547	0.002893	10.47	Hsd3b2	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2
A_52_P320193	0.00318	7.53	Clec2h	C-type lectin domain family 2, member h
A_52_P306357	0.007149	7.31	Prok1	prokineticin 1
A_51_P266618	0.000113	7.00	Cyp8b1	cytochrome P450, family 8, subfamily b, polypeptide 1
A_52_P653825	0.002006	6.12	Keg1	kidney expressed gene 1
A_51_P162162	0.00534	5.89	Inmt	indolethylamine N-methyltransferase
A_55_P1958804	0.001637	5.82	Hsd3b3	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 3
A_55_P2023114	0.00429	5.70	Hsd3b2	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2
A_52_P253567	0.000612	5.36	Hsd3b6	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 6
A_55_P2128606	0.002301	4.86	Nr1h5	nuclear receptor subfamily 1, group H, member 5
A_30_P01018128	0.002101	4.45		
A_66_P120125	0.000432	4.43	D0H4S114	DNA segment, human D4S114
A_55_P2147136	0.001118	4.38	Akr1d1	aldo-keto reductase family 1, member D1
A_51_P178772	0.005401	4.19	Ces1f	carboxylesterase 1F
A_51_P269404	9.05E-05	4.14	Fmo3	flavin containing monooxygenase 3
A_51_P157462	0.003405	4.08	Rgn	regucalcin
A_51_P189082	0.001941	3.97	Akr1c6	aldo-keto reductase family 1, member C6
A_30_P01023749	5.07E-06	3.95		
A_30_P01021437	8.78E-06	3.95		
A_52_P219904	0.000531	3.94	Afmid	arylformamidase
A_30_P01019807	6.96E-06	3.93		
A_51_P277088	0.003662	3.93	Igfals	insulin-like growth factor binding protein, acid labile subunit
A_52_P16752	0.004541	3.92	Aox3	aldehyde oxidase 3
A_30_P01024995	5.06E-06	3.86		
A_30_P01019750	1.64E-05	3.86		
A_51_P326685	0.004587	3.86	Lrtm1	leucine-rich repeats and transmembrane domains 1
A_55_P2095039	0.001865	3.85	A330049M08RIK	RIKEN cDNA A330049M08 gene
A_52_P590154	0.001967	3.85	Hsd17b6	hydroxysteroid (17-beta) dehydrogenase 6
A_55_P2081116	0.000714	3.84	Fam89a	family with sequence similarity 89, member A
A_52_P681557	0.002187	3.77		
A_55_P2043627	0.000622	3.74	Fam89a	family with sequence similarity 89, member A
A_52_P614777	0.00098	3.73	Sucnr1	succinate receptor 1
A_55_P1961423	0.000189	3.68	Gsta3	glutathione S-transferase, alpha 3
A_30_P01032927	0.000137	3.65		
A_30_P01019901	0.000512	3.63		
A_51_P253481	0.000518	3.50	Ces1g	carboxylesterase 1G
A_51_P137452	0.000959	3.48	Cyp2g1	cytochrome P450, family 2, subfamily g, polypeptide 1
A_51_P419637	0.0008	3.46	Dclk3	doublecortin-like kinase 3
A_55_P2059586	0.000214	3.37	Fmo3	flavin containing monooxygenase 3
A_55_P1993419	0.002849	3.35	Cyp2c54	cytochrome P450, family 2, subfamily c, polypeptide 54
A_55_P2038347	0.002603	3.27	Acot3	acyl-CoA thioesterase 3
A_55_P2020477	0.003743	3.24	Cyp2c50	cytochrome P450, family 2, subfamily c, polypeptide 50
A_55_P2069907	0.007976	3.20	Acot3	acyl-CoA thioesterase 3
A_55_P2058957	0.000654	3.20	Syt1	synaptotagmin I
A_55_P2303972	0.000395	3.20	LOC100503880	hypothetical protein LOC100503880
A_52_P204331	2.41E-05	3.18	D630039A03RIK	RIKEN cDNA D630039A03 gene
A_51_P503625	0.00014	3.18	Gsta3	glutathione S-transferase, alpha 3
A_51_P382764	0.000721	3.17	Akr1c20	aldo-keto reductase family 1, member C20
A_51_P353895	8.76E-06	3.16	Sult1c2	sulfotransferase family, cytosolic, 1C, member 2
A_55_P2148171	0.001564	3.14	A330049M08RIK	RIKEN cDNA A330049M08 gene
A_51_P498882	0.002467	3.07	Cyp2c37	cytochrome P450, family 2, subfamily c, polypeptide 37
A_52_P468564	0.000538	3.07	Cyp2c38	cytochrome P450, family 2, subfamily c, polypeptide 38
A_51_P391616	5.60E-05	3.06	Agxt2l1	alanine-glyoxylate aminotransferase 2-like 1
A_55_P1952628	0.001146	3.05	Dpys	dihydropyrimidinase
A_55_P2066559	0.003745	2.97	Endou	endonuclease, polyU-specific
A_66_P108188	0.001253	2.95	Car5a	carbonic anhydrase 5a, mitochondrial
A_52_P54280	0.005806	2.93	Adck3	aarF domain containing kinase 3
A_51_P165451	0.000128	2.91	Pbld2	phenazine biosynthesis-like protein domain containing 2
A_55_P2303310	0.002437	2.89	C730036E19RIK	RIKEN cDNA C730036E19 gene
A_51_P188271	0.000134	2.89	Cd248	CD248 antigen, endosialin
A_51_P335569	0.001053	2.89	Slco1a4	solute carrier organic anion transporter family, member 1a4
A_51_P389539	0.004605	2.88	Gpr98	G protein-coupled receptor 98
A_51_P299149	6.52E-05	2.88	Gpx6	glutathione peroxidase 6
A_55_P2005859	0.002119	2.84	Fn3k	fructosamine 3 kinase
A_55_P2412349	0.00257	2.84	AW111846	expressed sequence AW111846
A_52_P154580	0.00111	2.80	Cyp2c54	cytochrome P450, family 2, subfamily c, polypeptide 54
A_51_P229655	0.000123	2.80	Acsm5	acyl-CoA synthetase medium-chain family member 5
A_55_P2007964	8.08E-05	2.79	Cx3cr1	chemokine (C-X3-C) receptor 1
A_51_P244950	0.001445	2.77	Dpys	dihydropyrimidinase
A_55_P2054362	2.50E-05	2.76		
A_52_P554382	0.003724	2.75		
A_55_P2169259	0.003377	2.74	Cyp3a25	cytochrome P450, family 3, subfamily a, polypeptide 25
A_55_P2077920	0.003139	2.74	Naaladl2	N-acetylated alpha-linked acidic dipeptidase-like 2
A_55_P2018116	0.008343	2.74	Pabpc4l	poly(A) binding protein, cytoplasmic 4-like
A_55_P2129696	0.008571	2.74	Smad9	MAD homolog 9 (Drosophila)
A_51_P481679	1.43E-06	2.72	Angptl3	angiopoietin-like 3
A_55_P2016014	2.40E-05	2.71	Cpsf4l	cleavage and polyadenylation specific factor 4-like
A_51_P452768	0.000999	2.70	Cyp4f14	cytochrome P450, family 4, subfamily f, polypeptide 14
A_55_P2143923	7.93E-06	2.69	Slc13a2	solute carrier family 13 (sodium-dependent dicarboxylate transporter), member 2
A_55_P1953301	0.001062	2.69	Sord	sorbitol dehydrogenase
A_55_P2179271	0.00096	2.69	Ccdc30	coiled-coil domain containing 30
A_51_P164630	0.008037	2.69	Fitm1	fat storage-inducing transmembrane protein 1
A_51_P383755	0.008606	2.69	1110006G14RIK	RIKEN cDNA 1110006G14 gene
A_55_P1983754	7.03E-05	2.67	Pcp4l1	Purkinje cell protein 4-like 1
A_55_P1970954	0.002054	2.67	Pknox2	Pbx/knotted 1 homeobox 2
A_55_P2158962	0.000169	2.66	Dlxd1	DIX domain containing 1
A_52_P327156	0.000142	2.65	0610008F07RIK	RIKEN cDNA 0610008F07 gene
A_55_P2049771	0.006944	2.64		
A_52_P337259	8.14E-05	2.64	Heyl	hairy/enhancer-of-split related with YRPW motif-like
A_51_P446825	0.000206	2.64	6430573F11RIK	RIKEN cDNA 6430573F11 gene
A_52_P69109	0.000405	2.64	Slc10a1	solute carrier family 10 (sodium/bile acid cotransporter family), member 1
A_55_P1966690	0.000417	2.62	Cyp2e1	cytochrome P450, family 2, subfamily e, polypeptide 1
A_55_P2340448	0.005163	2.62	B230114P17RIK	RIKEN cDNA B230114P17 gene
A_52_P629748	0.000788	2.62		
A_55_P1998115	0.002388	2.61	Klkb1	kallikrein B, plasma 1
A_51_P327585	0.003077	2.61	Gstm4	glutathione S-transferase, mu 4

A_55_P2325698	2.37E-05	2.59	2010002M09RIK	RIKEN cDNA 2010002M09 gene
A_66_P139387	0.001137	2.57	Prlr	prolactin receptor
A_51_P245503	0.001445	2.57	Ugt2b1	UDP glucuronosyltransferase 2 family, polypeptide B1
A_55_P2048478	0.001467	2.56	Olfml1	olfactomedin-like 1
A_51_P209782	0.004254	2.56	Cyp2c44	cytochrome P450, family 2, subfamily c, polypeptide 44
A_55_P2169124	0.001274	2.56	C730048C13RIK	RIKEN cDNA C730048C13 gene
A_55_P2162880	0.001563	2.56	Cyp3a57	cytochrome P450, family 3, subfamily a, polypeptide 57
A_55_P2288232	0.002437	2.55	6330407118RIK	RIKEN cDNA 6330407118 gene
A_51_P465292	0.000949	2.53	Hnmt	histamine N-methyltransferase
A_51_P342200	0.007932	2.53	Ces1h	carboxylesterase 1H
A_51_P309920	0.000261	2.53	Itga8	integrin alpha 8
A_51_P140803	0.001168	2.53	Slco1b2	solute carrier organic anion transporter family, member 1b2
A_51_P145662	0.00337	2.51	Clec4g	C-type lectin domain family 4, member g
A_65_P19089	0.003377	2.51	Esrrg	estrogen-related receptor gamma
A_55_P1966432	0.004435	2.50	Gstm1	glutathione S-transferase, mu 1
A_65_P02177	0.006807	2.49	Gstm4	glutathione S-transferase, mu 4
A_51_P249302	0.001735	2.49	Abcd2	ATP-binding cassette, sub-family D (ALD), member 2
A_51_P221651	0.003521	2.49	Adck3	aarF domain containing kinase 3
A_52_P281702	0.003208	2.49	Igfbp5	insulin-like growth factor binding protein 5
A_66_P134394	0.000317	2.49	Pde6c	phosphodiesterase 6C, cGMP specific, cone, alpha prime
A_51_P464394	0.000495	2.43	Klb	klotho beta
A_55_P2070976	0.003559	2.43		
A_52_P597371	0.000457	2.42	Ncald	neurocalcin delta
A_55_P2139087	0.003597	2.41	Gm5631	predicted gene 5631
A_55_P1977418	0.000158	2.41	Ugt2b34	UDP glucuronosyltransferase 2 family, polypeptide B34
A_55_P2043509	0.001947	2.41	Hnmt	histamine N-methyltransferase
A_51_P352738	0.000282	2.41	Mpv17l	Mpv17 transgene, kidney disease mutant-like
A_55_P2062250	0.000285	2.40	Gm5524	predicted gene 5524
A_55_P2062190	0.002999	2.40	Gstm1	glutathione S-transferase, mu 1
A_55_P1999301	0.000478	2.39	Cyp2e1	cytochrome P450, family 2, subfamily e, polypeptide 1
A_55_P1973259	0.001348	2.39	Gamt	guanidinoacetate methyltransferase
A_51_P422893	0.001366	2.38	Tmem14a	transmembrane protein 14A
A_52_P508991	0.000157	2.38	Fmo1	flavin containing monooxygenase 1
A_51_P383774	0.00112	2.37	Gngt1	guanine nucleotide binding protein (G protein), gamma transducing activity polypeptide 1
A_55_P2158547	0.000936	2.34	Cyp2c54	cytochrome P450, family 2, subfamily c, polypeptide 54
A_52_P223704	0.00048	2.30	Faah	fatty acid amide hydrolase
A_51_P386899	5.49E-06	2.30	Mfsd7c	major facilitator superfamily domain containing 7C
A_66_P109802	0.002311	2.30	Ces3b	carboxylesterase 3B
A_51_P401184	0.003065	2.30	Rarres1	retinoic acid receptor responder (tazarotene induced) 1
A_52_P131353	0.001995	2.29	Camk1d	calcium/calmodulin-dependent protein kinase ID
A_30_P01032333	0.000113	2.28		
A_55_P2211748	0.000216	2.28	9030411M13RIK	RIKEN cDNA 9030411M13 gene
A_51_P159565	0.007446	2.28	Arhgef9	CDC42 guanine nucleotide exchange factor (GEF) 9
A_30_P01022288	0.000316	2.28		
A_55_P2024046	0.000431	2.27	Slc16a5	solute carrier family 16 (monocarboxylic acid transporters), member 5
A_30_P01021396	0.00779	2.27		
A_55_P1991505	0.00142	2.27	Gamt	guanidinoacetate methyltransferase
A_30_P01026923	3.02E-05	2.26		
A_55_P2010066	0.000429	2.26	Capn3	calpain 3
A_55_P2028029	0.004491	2.25	Abcb11	ATP-binding cassette, sub-family B (MDR/TAP), member 11
A_55_P2168722	0.000242	2.25	Fmo5	flavin containing monooxygenase 5
A_51_P136303	0.000356	2.24	Cyp4f15	cytochrome P450, family 4, subfamily f, polypeptide 15
A_55_P2106641	0.001453	2.24	Aqp9	aquaporin 9
A_55_P2039071	0.000266	2.24	Dhdh	dihydrodiol dehydrogenase (dimeric)
A_30_P01030293	0.000648	2.24		
A_66_P134704	0.006256	2.24	Gm4952	predicted gene 4952
A_55_P1995404	0.002656	2.24	Cd59b	CD59b antigen
A_55_P2128511	0.00572	2.23	Oclad2	OClA domain containing 2
A_55_P2110497	0.000801	2.22	Ddc	dopa decarboxylase
A_55_P2394490	0.002455	2.22	D630004K10RIK	RIKEN cDNA D630004K10 gene
A_30_P01024768	0.002632	2.22		
A_66_P114333	0.000688	2.21	Tlr12	toll-like receptor 12
A_55_P2419495	0.001623	2.21	1110028F11RIK	RIKEN cDNA 1110028F11 gene
A_66_P118863	0.000512	2.21	Ncald	neurocalcin delta
A_51_P363905	0.005614	2.21	Slc25a23	solute carrier family 25 (mitochondrial carrier; phosphate carrier), member 23
A_55_P2061219	0.001626	2.21	Ces3a	carboxylesterase 3A
A_66_P128918	0.004171	2.21	Hacl1	2-hydroxyacyl-CoA lyase 1
A_55_P2121956	0.003616	2.20	Gck	glucokinase
A_51_P431737	1.75E-05	2.20	Cth	cystathionase (cystathionine gamma-lyase)
A_51_P136337	0.001412	2.19	Galm	galactose mutarotase
A_55_P2002849	0.002319	2.19	Aifm3	apoptosis-inducing factor, mitochondrion-associated 3
A_52_P71686	0.006581	2.19	Atp6v0d2	ATPase, H+ transporting, lysosomal V0 subunit D2
A_55_P1977144	0.001265	2.19	Cyp2c67	cytochrome P450, family 2, subfamily c, polypeptide 67
A_52_P645862	4.64E-05	2.18	Agtr1a	angiotensin II receptor, type 1a
A_66_P106421	0.00654	2.18	Ccdc30	coiled-coil domain containing 30
A_55_P2084910	0.00091	2.18	Zfp385b	zinc finger protein 385B
A_51_P110471	0.004364	2.17	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P198675	0.002068	2.17	Ttc36	tetratricopeptide repeat domain 36
A_51_P290626	0.001177	2.17	Gulo	gulonolactone (L-) oxidase
A_55_P2056496	0.00435	2.17	Tk1	thymidine kinase 1
A_55_P1955147	0.002016	2.16	Camk1d	calcium/calmodulin-dependent protein kinase ID
A_55_P2032478	0.000725	2.16		
A_55_P2209046	0.001167	2.16	B830008H07RIK	RIKEN cDNA B830008H07 gene
A_30_P01032861	0.000823	2.16		
A_55_P2412319	0.004823	2.16	A830052D11RIK	RIKEN cDNA A830052D11 gene
A_55_P1979295	0.000425	2.16	Lrit1	leucine-rich repeat, immunoglobulin-like and transmembrane domains 1
A_30_P01028418	5.52E-05	2.15		
A_52_P326664	0.003652	2.15	Unc93a	unc-93 homolog A (C. elegans)
A_51_P497724	0.003412	2.15	Apol7a	apolipoprotein L 7a
A_66_P130887	8.80E-05	2.15	Pcdh18	protocadherin 18
A_51_P205390	0.001779	2.14	1700040L02RIK	RIKEN cDNA 1700040L02 gene
A_51_P110471	0.005703	2.14	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_55_P2025969	0.003985	2.14	Gm9992	predicted gene 9992
A_55_P2057070	0.002403	2.14	Magix	MAGI family member, X-linked
A_55_P2255449	0.000804	2.14	AI663975	expressed sequence AI663975
A_55_P2279927	0.006327	2.13		
A_51_P113205	0.000166	2.13	F13b	coagulation factor XIII, beta subunit
A_51_P110471	0.005628	2.13	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P276802	0.001806	2.13	Akr1c20	aldo-keto reductase family 1, member C20
A_51_P493117	0.000832	2.13	Slc16a9	solute carrier family 16 (monocarboxylic acid transporters), member 9

A_55_P1959923	2.97E-05	2.13	Cth	cystathionase (cystathionine gamma-lyase)
A_51_P103706	0.001727	2.13	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_55_P2007919	0.000107	2.13	Akr1c19	aldo-keto reductase family 1, member C19
A_55_P1972099	7.89E-06	2.12	Acsm3	acyl-CoA synthetase medium-chain family member 3
A_51_P446570	0.00076	2.12	Bbox1	butyrobetaine (gamma), 2-oxoglutarate dioxygenase 1 (gamma-butyrobetaine hydroxylase)
A_51_P113205	0.000156	2.12	F13b	coagulation factor XIII, beta subunit
A_51_P126563	0.002146	2.12	Otc	ornithine transcarbamylase
A_55_P1964483	0.002581	2.11	Cyp2c37	cytochrome P450, family 2, subfamily c, polypeptide 37
A_51_P110471	0.004463	2.11	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P103706	0.002377	2.11	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P103706	0.001975	2.11	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P113205	0.000167	2.10	F13b	coagulation factor XIII, beta subunit
A_55_P2124016	0.000646	2.10	Nipsnap1	4-nitrophenylphosphatase domain and non-neuronal SNAP25-like protein homolog 1 (C. elegans)
A_51_P103706	0.001677	2.10	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P126563	0.001968	2.10	Otc	ornithine transcarbamylase
A_30_P01023136	0.001007	2.10		
A_55_P2051159	0.006564	2.10	Upp2	uridine phosphorylase 2
A_51_P113205	0.000281	2.10	F13b	coagulation factor XIII, beta subunit
A_51_P110471	0.004615	2.10	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P126563	0.001459	2.10	Otc	ornithine transcarbamylase
A_51_P112817	0.00036	2.10	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_55_P2058962	0.001282	2.09	Mcm10	minichromosome maintenance deficient 10 (S. cerevisiae)
A_51_P176352	0.004836	2.09	Ndrg2	N-myc downstream regulated gene 2
A_51_P110471	0.006004	2.09	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P110471	0.004281	2.09	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_52_P458279	0.006489	2.09	Prlr	prolactin receptor
A_51_P445841	0.001675	2.09	Deptor	DEP domain containing MTOR-interacting protein
A_51_P110471	0.004833	2.08	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_52_P48569	1.34E-05	2.08	Slc38a4	solute carrier family 38, member 4
A_51_P103706	0.004595	2.07	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P163578	0.00025	2.07	Ugt2b35	UDP glucuronosyltransferase 2 family, polypeptide B35
A_51_P103706	0.00128	2.07	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P110471	0.004932	2.07	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_55_P2319035	0.000507	2.07	AW011956	expressed sequence AW011956
A_51_P113205	0.000307	2.07	F13b	coagulation factor XIII, beta subunit
A_51_P103706	0.002287	2.07	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P126563	0.002062	2.07	Otc	ornithine transcarbamylase
A_51_P126563	0.002051	2.07	Otc	ornithine transcarbamylase
A_51_P307168	0.004071	2.07	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P302566	0.002189	2.07	Maob	monoamine oxidase B
A_30_P01026163	0.000245	2.06		
A_51_P112817	0.000644	2.06	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P112817	0.001124	2.06	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P488554	0.00105	2.06	3010026O09RIK	RIKEN cDNA 3010026O09 gene
A_51_P113205	0.000209	2.06	F13b	coagulation factor XIII, beta subunit
A_52_P381484	0.001037	2.06	Spon2	spondin 2, extracellular matrix protein
A_51_P501803	0.000507	2.06	Hoxa2	homeobox A2
A_51_P113205	9.39E-05	2.06	F13b	coagulation factor XIII, beta subunit
A_51_P113205	0.000231	2.06	F13b	coagulation factor XIII, beta subunit
A_52_P198239	0.002806	2.06	Ube2u	ubiquitin-conjugating enzyme E2U (putative)
A_51_P108659	0.000558	2.06	Pon1	paraoxonase 1
A_51_P103706	0.00116	2.06	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_30_P01024388	0.000152	2.06		
A_51_P112817	0.000493	2.06	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P112817	0.000957	2.05	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P465582	0.001752	2.05	Hdh3	haloacid dehalogenase-like hydrolase domain containing 3
A_51_P126563	0.001639	2.05	Otc	ornithine transcarbamylase
A_51_P215438	2.83E-05	2.05	Prodh	proline dehydrogenase
A_51_P103706	0.001437	2.05	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_55_P2047188	0.00011	2.05	Fgf1	fibroblast growth factor 1
A_55_P2153621	0.000757	2.05	Ahnak	AHNAK nucleoprotein (desmoyokin)
A_51_P140742	0.000245	2.05	Islr	immunoglobulin superfamily containing leucine-rich repeat
A_51_P112817	0.001053	2.05	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P126563	0.001708	2.05	Otc	ornithine transcarbamylase
A_55_P2143765	0.000731	2.05	Ugt1a6b	UDP glucuronosyltransferase 1 family, polypeptide A6B
A_51_P108659	0.001392	2.05	Pon1	paraoxonase 1
A_51_P113205	0.000136	2.04	F13b	coagulation factor XIII, beta subunit
A_55_P2059640	0.001426	2.04	Abhd14b	abhydrolase domain containing 14b
A_51_P103706	0.001722	2.04	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_55_P2274378	0.004169	2.03	AW549542	expressed sequence AW549542
A_51_P112817	0.001029	2.03	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P126563	0.001846	2.03	Otc	ornithine transcarbamylase
A_55_P2035824	0.00013	2.03	Nr1i3	nuclear receptor subfamily 1, group I, member 3
A_51_P126563	0.001717	2.03	Otc	ornithine transcarbamylase
A_51_P304109	0.004183	2.03	Cyp2c39	cytochrome P450, family 2, subfamily c, polypeptide 39
A_51_P126563	0.002569	2.03	Otc	ornithine transcarbamylase
A_52_P521882	0.000296	2.03	Hddc3	HD domain containing 3
A_55_P2023001	0.000575	2.02	Slc47a1	solute carrier family 47, member 1
A_51_P108659	0.000608	2.02	Pon1	paraoxonase 1
A_55_P2026340	3.87E-05	2.02	Fmo5	flavin containing monooxygenase 5
A_51_P496432	0.000934	2.02	Acsl1	acyl-CoA synthetase long-chain family member 1
A_51_P463452	0.000827	2.02	Acsl1	acyl-CoA synthetase long-chain family member 1
A_51_P215077	0.000902	2.02	Mgst3	microsomal glutathione S-transferase 3
A_51_P186547	7.74E-05	2.02	Pah	phenylalanine hydroxylase
A_55_P2135039	0.002124	2.01	Hyl	hydroxypyruvate isomerase homolog (E. coli)
A_51_P376347	0.001051	2.01	Hebp1	heme binding protein 1
A_55_P2097508	8.79E-06	2.01	Mcc	mutated in colorectal cancers
A_51_P272106	0.000379	2.01	Cirbp	cold inducible RNA binding protein
A_55_P2093770	0.003367	2.01		
A_55_P2132781	0.00286	2.01	Slc16a2	solute carrier family 16 (monocarboxylic acid transporters), member 2
A_51_P113205	0.000336	2.01	F13b	coagulation factor XIII, beta subunit

Genes that decreased by more than 2 fold in livers of mice treated with Con A and vehicle for 3 hours compared with livers without any treatment.

ProbeID	pvalue	Fold Change	GeneSymbol	GeneName
A_51_P462385	2.52E-05	0.003	G6pc	glucose-6-phosphatase, catalytic
A_52_P84027	6.08E-06	0.012	Cyp7a1	cytochrome P450, family 7, subfamily a, polypeptide 1
A_52_P681391	1.85E-05	0.012	G0s2	G0/G1 switch gene 2
A_51_P472274	1.29E-08	0.013	Sox18	SRY-box containing gene 18
A_51_P389265	0.003126252	0.015	Pnpla3	patatin-like phospholipase domain containing 3
A_55_P2039324	1.14E-05	0.017	Ccnf	cyclin F
A_55_P2154645	0.001782318	0.021	Pnpla5	patatin-like phospholipase domain containing 5
A_52_P13730	4.61E-08	0.022	Cbx2	chromobox homolog 2 (Drosophila Pc class)
A_51_P449824	4.70E-09	0.030	Exoc3l2	exocyst complex component 3-like 2
A_55_P2003393	1.72E-07	0.030		
A_51_P327874	6.11E-09	0.031	Pth1r	parathyroid hormone 1 receptor
A_55_P2153191	8.74E-06	0.031		
A_51_P157083	1.78E-08	0.032	Gas1	growth arrest specific 1
A_55_P2278604	1.38E-06	0.033	A330009N23Rik	RIKEN cDNA A330009N23 gene
A_51_P250807	1.38E-07	0.034	Spata2L	spermatogenesis associated 2-like
A_51_P137094	7.76E-08	0.034	Sall2	sal-like 2 (Drosophila)
A_52_P97699	2.79E-11	0.035	D430019H16Rik	RIKEN cDNA D430019H16 gene
A_51_P211786	5.81E-07	0.040	Chst13	carbohydrate (chondroitin 4) sulfotransferase 13
A_55_P2418311	0.000102538	0.043	AU021884	expressed sequence AU021884
A_52_P235347	1.31E-05	0.045	Fgf21	fibroblast growth factor 21
A_51_P265338	2.53E-06	0.045	Nr0b2	nuclear receptor subfamily 0, group B, member 2
A_52_P536494	1.42E-05	0.047	Mycn	v-myc myelocytomatosis viral related oncogene, neuroblastoma derived (avian)
A_52_P175242	3.29E-08	0.048	Irs1	insulin receptor substrate 1
A_51_P393654	6.21E-06	0.049	Fam171b	family with sequence similarity 171, member B
A_52_P171212	3.70E-08	0.049	Irs1	insulin receptor substrate 1
A_51_P368823	3.76E-06	0.050	Grb7	growth factor receptor bound protein 7
A_51_P404193	6.39E-05	0.051	Sp5	trans-acting transcription factor 5
A_55_P1992049	2.38E-10	0.051	Gucy1a3	guanylate cyclase 1, soluble, alpha 3
A_52_P629333	5.15E-07	0.052	BC021891	cDNA sequence BC021891
A_52_P236705	6.28E-08	0.053	Ripply3	rippy3 homolog (zebrafish)
A_55_P2115260	5.38E-06	0.053		
A_66_P101393	6.87E-06	0.054	A530001N23Rik	RIKEN cDNA A530001N23 gene
A_52_P515769	2.71E-08	0.055	Pcdh12	protocadherin 12
A_30_P01021604	4.20E-06	0.056		
A_52_P294253	3.90E-07	0.059	Zfp41	zinc finger protein 41
A_51_P469252	6.27E-07	0.061	Zfp647	zinc finger protein 647
A_55_P2072666	8.47E-11	0.061	Cyp2d37-ps	cytochrome P450, family 2, subfamily d, polypeptide 37, pseudogene
A_52_P528600	1.44E-05	0.063	Hhex	hematopoietically expressed homeobox
A_55_P2079619	3.96E-08	0.064	Rnf43	ring finger protein 43
A_66_P114782	1.51E-09	0.064	Nr2f1	nuclear receptor subfamily 2, group F, member 1
A_52_P311853	6.68E-07	0.065	Ddit4l	DNA-damage-inducible transcript 4-like
A_55_P2066036	0.000464262	0.066		
A_55_P2015182	2.99E-05	0.066		
A_55_P2129696	0.002024334	0.067	Smad9	MAD homolog 9 (Drosophila)
A_55_P2128606	8.95E-07	0.067	Nr1h5	nuclear receptor subfamily 1, group H, member 5
A_66_P122559	4.74E-09	0.067	Myct1	myc target 1
A_52_P288251	3.60E-08	0.067	Tmem204	transmembrane protein 204
A_52_P218379	4.83E-09	0.067	Kif26a	kinesin family member 26A
A_55_P2017362	1.65E-06	0.068	BC068157	cDNA sequence BC068157
A_55_P2027083	2.03E-06	0.068	Kcnj10	potassium inwardly-rectifying channel, subfamily J, member 10
A_55_P2207342	3.51E-08	0.068	1810059H22Rik	RIKEN cDNA 1810059H22 gene
A_55_P2340593	8.26E-08	0.069	1810019D21Rik	RIKEN cDNA 1810019D21 gene
A_55_P2018994	3.10E-14	0.069	Elk3	ELK3, member of ETS oncogene family
A_55_P2367007	1.95E-06	0.071	C330020G15Rik	RIKEN cDNA C330020G15 gene
A_51_P116906	5.07E-09	0.071	Rapgef3	Rap guanine nucleotide exchange factor (GEF) 3
A_52_P359591	1.99E-10	0.072	Zfp354b	zinc finger protein 354B
A_52_P660047	9.49E-07	0.072		
A_55_P2057941	1.01E-06	0.073	1700049G17Rik	RIKEN cDNA 1700049G17 gene
A_55_P2091196	8.43E-10	0.073	Hrct1	histidine rich carboxyl terminus 1
A_55_P2048769	4.85E-06	0.073	Zfp454	zinc finger protein 454
A_55_P2027747	0.000130805	0.073	Rbmxl2	RNA binding motif protein, X-linked-like 2
A_55_P2099840	5.91E-05	0.074		
A_52_P429364	0.001276176	0.075	Ccdc69	coiled-coil domain containing 69
A_30_P01031894	1.65E-06	0.076		
A_52_P572178	3.07E-05	0.076	D130043K22Rik	RIKEN cDNA D130043K22 gene
A_52_P487615	1.13E-05	0.077	Fam105a	family with sequence similarity 105, member A
A_55_P2022181	7.44E-09	0.077	Arvcf	armadillo repeat gene deleted in velo-cardio-facial syndrome
A_51_P337598	4.20E-09	0.077	2410131K14Rik	RIKEN cDNA 2410131K14 gene
A_55_P2177463	3.01E-07	0.079		
A_51_P258409	1.67E-05	0.079	Hey1	hairy/enhancer-of-split related with YRPW motif 1
A_55_P1999082	6.59E-09	0.080	Clec14a	C-type lectin domain family 14, member a
A_51_P189814	3.52E-09	0.081	Cldn5	claudin 5
A_55_P2175400	1.20E-07	0.081	Zfp467	zinc finger protein 467
A_55_P2156304	1.53E-06	0.081	Kcnj16	potassium inwardly-rectifying channel, subfamily J, member 16
A_55_P2180909	7.78E-09	0.082	2410075B13Rik	RIKEN cDNA 2410075B13 gene
A_65_P06029	1.24E-07	0.082	Fam171b	family with sequence similarity 171, member B
A_55_P1956557	2.65E-08	0.082	Rab3a	RAB3A, member RAS oncogene family
A_55_P2007964	2.14E-05	0.084	Cx3cr1	chemokine (C-X3-C) receptor 1
A_52_P476029	9.65E-07	0.085	8430427H17Rik	RIKEN cDNA 8430427H17 gene
A_51_P126626	7.44E-06	0.085	Zfp503	zinc finger protein 503
A_55_P2181251	2.69E-07	0.085	A430105I19Rik	RIKEN cDNA A430105I19 gene
A_52_P73475	6.55E-09	0.086	Fam78a	family with sequence similarity 78, member A
A_52_P322181	1.29E-05	0.087	Adrb1	adrenergic receptor, beta 1
A_52_P387124	8.44E-06	0.087	Zfp324	zinc finger protein 324
A_51_P520936	1.73E-08	0.088	Bcar3	breast cancer anti-estrogen resistance 3
A_51_P436068	7.03E-08	0.089	Gpr182	G protein-coupled receptor 182
A_66_P129153	0.000461637	0.089	Ptk6	PTK6 protein tyrosine kinase 6
A_52_P55772	1.90E-06	0.089	Tbxa2r	thromboxane A2 receptor
A_52_P131548	6.23E-07	0.089	Jub	ajuba
A_30_P01032601	0.000192732	0.089		
A_55_P1970788	2.35E-08	0.090	Gpr77	G protein-coupled receptor 77
A_55_P1957249	6.01E-09	0.090	Pdgfrb	platelet derived growth factor receptor, beta polypeptide
A_55_P1955289	2.45E-09	0.090	1110021L09Rik	RIKEN cDNA 1110021L09 gene
A_52_P514352	0.000233803	0.091	Kcnk5	potassium channel, subfamily K, member 5
A_52_P337259	4.83E-07	0.091	Heyl	hairy/enhancer-of-split related with YRPW motif-like
A_55_P2073248	0.000214248	0.091	Slc25a34	solute carrier family 25, member 34
A_66_P118093	1.79E-07	0.092		



A_55_P2027117	4.41E-09	0.092	Rgs3	regulator of G-protein signaling 3
A_55_P2110915	1.69E-08	0.093	Fln1	fibronectin leucine rich transmembrane protein 1
A_52_P308413	2.74E-06	0.093	1810011H11RIK	RIKEN cDNA 1810011H11 gene
A_55_P2140240	2.03E-05	0.093		
A_55_P2359436	6.44E-09	0.093	A930026B05RIK	RIKEN cDNA A930026B05 gene
A_52_P449871	5.94E-05	0.094	Id4	inhibitor of DNA binding 4
A_51_P245156	7.14E-11	0.094	Gdf2	growth differentiation factor 2
A_52_P20727	2.45E-08	0.095	Nhlrc1	NHL repeat containing 1
A_55_P2018181	3.74E-09	0.096	A730008H23RIK	RIKEN cDNA A730008H23 gene
A_52_P100252	0.001842354	0.096	Fasn	fatty acid synthase
A_55_P2035804	2.91E-06	0.096	Fzd8	frizzled homolog 8 (Drosophila)
A_51_P126626	1.11E-05	0.096	Zfp503	zinc finger protein 503
A_51_P259603	2.86E-05	0.097	Adcyap1r1	adenylate cyclase activating polypeptide 1 receptor 1
A_52_P629748	1.35E-09	0.097		
A_51_P282760	0.001049242	0.097	Per2	period homolog 2 (Drosophila)
A_55_P2115166	9.14E-10	0.097	Al661453	expressed sequence Al661453
A_51_P126626	1.68E-05	0.097	Zfp503	zinc finger protein 503
A_55_P1999022	1.73E-06	0.097	Zfp760	zinc finger protein 760
A_30_P01030510	8.81E-05	0.097		
A_55_P2008790	2.11E-08	0.098	Zfp30	zinc finger protein 30
A_51_P167660	1.34E-05	0.098	2610204G22RIK	RIKEN cDNA 2610204G22 gene
A_55_P2092399	5.48E-09	0.099	Ccdc160	coiled-coil domain containing 160
A_52_P669005	7.74E-09	0.100	Lrat	lecithin-retinol acyltransferase (phosphatidylcholine-retinol-O-acyltransferase)
A_51_P124535	1.85E-07	0.101	Mest	mesoderm specific transcript
A_51_P211573	5.52E-08	0.101	Wdr47	WD repeat domain 47
A_30_P01025309	1.29E-06	0.101		
A_51_P184796	2.30E-11	0.101	Zfp101	zinc finger protein 101
A_51_P318618	9.71E-07	0.101	Anks4b	ankyrin repeat and sterile alpha motif domain containing 4B
A_55_P2002033	1.76E-09	0.101	Wdr89	WD repeat domain 89
A_66_P105075	3.53E-08	0.101	Mmp11	matrix metalloproteinase 11
A_30_P01028054	7.50E-07	0.101		
A_55_P2152049	2.69E-07	0.102	Xrcc3	X-ray repair complementing defective repair in Chinese hamster cells 3
A_51_P280401	7.15E-05	0.103	Tcta	T-cell leukemia translocation altered gene
A_55_P2078955	0.000130022	0.103	Aqp8	aquaporin 8
A_55_P2017055	1.46E-06	0.104	Kctd12b	potassium channel tetramerisation domain containing 12b
A_51_P126626	2.00E-05	0.104	Zfp503	zinc finger protein 503
A_66_P105422	4.75E-09	0.105	Lonrf3	LON peptidase N-terminal domain and ring finger 3
A_51_P124535	4.77E-07	0.105	Mest	mesoderm specific transcript
A_55_P2415472	3.06E-05	0.105	4931408D14RIK	RIKEN cDNA 4931408D14 gene
A_55_P2035549	1.10E-05	0.105	Zfp879	zinc finger protein 879
A_55_P2066559	0.000116587	0.105	Endou	endonuclease, polyU-specific
A_55_P2050226	3.88E-05	0.106	Ccr1	chemokine (C-C motif) receptor-like 1
A_52_P413947	1.84E-08	0.106	Mthfr	5,10-methylenetetrahydrofolate reductase
A_55_P2088750	1.14E-09	0.106	Mtif3	mitochondrial translational initiation factor 3
A_52_P40504	9.52E-06	0.106		
A_55_P2113165	4.28E-07	0.107	Camkk1	calcium/calmodulin-dependent protein kinase kinase 1, alpha
A_51_P126626	1.35E-06	0.107	Zfp503	zinc finger protein 503
A_51_P311038	5.78E-05	0.108	Adams15	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 15
A_55_P1972025	2.21E-07	0.109	Mycl1	v-myc myelocytomatosis viral oncogene homolog 1, lung carcinoma derived (avian)
A_52_P462657	0.000122724	0.110	Gm11545	predicted gene 11545
A_55_P2141058	0.003508165	0.110	LOC100504710	camello-like 3-like
A_51_P217498	0.00429664	0.111	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P491916	0.000167438	0.111	Rassf6	Ras association (RalGDS/AF-6) domain family member 6
A_51_P293339	7.67E-08	0.111	Tob1	transducer of ErbB-2.1
A_55_P2372528	2.12E-07	0.111	4122401K19RIK	RIKEN cDNA 4122401K19 gene
A_52_P469502	1.85E-05	0.111	Cda	cytidine deaminase
A_51_P217498	0.003406632	0.112	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P138895	4.49E-10	0.112	Ccdc102a	coiled-coil domain containing 102A
A_30_P01020631	1.48E-05	0.112		
A_51_P117236	5.45E-08	0.112	Zfp354a	zinc finger protein 354A
A_55_P2082215	5.83E-05	0.112	Ttbk1	tau tubulin kinase 1
A_55_P1994534	1.47E-06	0.113		
A_55_P2157023	1.59E-07	0.113	Sox17	SRY-box containing gene 17
A_55_P2011220	1.81E-08	0.114	Armcx1	armadillo repeat containing, X-linked 1
A_51_P248122	0.000254751	0.114	Bbc3	BCL2 binding component 3
A_55_P1958597	5.11E-06	0.115	Slc27a3	solute carrier family 27 (fatty acid transporter), member 3
A_51_P321374	6.02E-05	0.115	Ppapdc3	phosphatidic acid phosphatase type 2 domain containing 3
A_55_P2014259	6.05E-08	0.115	Zfp82	zinc finger protein 82
A_55_P2025514	0.001103703	0.115	Pnpl3	patatin-like phospholipase domain containing 3
A_51_P124535	8.05E-07	0.115	Mest	mesoderm specific transcript
A_52_P659312	1.34E-05	0.115	Spsb4	splA/ryanodine receptor domain and SOCS box containing 4
A_55_P2059986	1.89E-09	0.115	Chst14	carbohydrate (N-acetylgalactosamine 4-O) sulfotransferase 14
A_51_P490955	8.67E-07	0.115	Zfp784	zinc finger protein 784
A_51_P380750	1.79E-08	0.116	Cbfa2t3	core-binding factor, runt domain, alpha subunit 2, translocated to, 3 (human)
A_55_P1973543	2.02E-07	0.116	Bbs10	Bardet-Biedl syndrome 10 (human)
A_55_P2003976	4.33E-06	0.117	Gm4980	predicted gene 4980
A_55_P2174935	3.76E-08	0.117	Mn1	meningioma 1
A_51_P217498	0.003424348	0.117	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_55_P2050778	0.00260783	0.117	Gpam	glycerol-3-phosphate acyltransferase, mitochondrial
A_55_P2177658	8.79E-06	0.118	Mast1	microtubule associated serine/threonine kinase 1
A_51_P117236	2.04E-07	0.118	Zfp354a	zinc finger protein 354A
A_52_P59228	3.08E-07	0.118	Zswim3	zinc finger, SWIM domain containing 3
A_51_P217498	0.003127524	0.118	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P217498	0.003383243	0.118	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_55_P2115846	3.21E-05	0.118		
A_51_P126626	5.48E-05	0.118	Zfp503	zinc finger protein 503
A_65_P11092	0.002151818	0.118	Tspan15	tetraspanin 15
A_51_P217498	0.003629636	0.118	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_30_P01019086	2.07E-07	0.118		
A_51_P251129	1.71E-08	0.118	Stard8	START domain containing 8
A_51_P225948	1.84E-09	0.119	Snx33	sorting nexin 33
A_51_P346893	0.000777001	0.119	Extl1	exostosins (multiple)-like 1
A_55_P2022049	8.05E-07	0.119	Klf15	Kruppel-like factor 15
A_51_P217498	0.004366105	0.119	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P124535	4.07E-07	0.119	Mest	mesoderm specific transcript
A_51_P126626	1.78E-05	0.119	Zfp503	zinc finger protein 503
A_30_P01026270	0.000133099	0.120		
A_55_P2042600	3.60E-06	0.120		
A_55_P2058403	2.53E-06	0.121	Mast3	microtubule associated serine/threonine kinase 3
A_55_P2303972	9.24E-06	0.121	LOC100503880	hypothetical protein LOC100503880

A_30_P01026254	0.004273274	0.121		
A_55_P1989698	1.02E-05	0.122	Mmp11	matrix metalloproteinase 11
A_55_P2085400	0.00156005	0.122	Gpam	glycerol-3-phosphate acyltransferase, mitochondrial
A_65_P01247	3.99E-10	0.122	Hjrp	Holliday junction recognition protein
A_55_P2320313	1.29E-07	0.123	LOC100502627	hypothetical LOC100502627
A_52_P28775	3.23E-08	0.123	Engase	endo-beta-N-acetylglucosaminidase
A_52_P539434	9.11E-07	0.123	Lbh	limb-bud and heart
A_30_P01022503	4.32E-08	0.123		
A_51_P277336	3.19E-09	0.124	Sdpr	serum deprivation response
A_51_P126626	1.52E-05	0.125	Zfp503	zinc finger protein 503
A_51_P329928	1.42E-08	0.125	Phlda3	pleckstrin homology-like domain, family A, member 3
A_55_P2146500	2.14E-06	0.125		
A_51_P410918	3.02E-07	0.125	A830007P12Rik	RIKEN cDNA A830007P12 gene
A_52_P185054	9.37E-09	0.125		
A_66_P134481	8.13E-07	0.125	Skp2	S-phase kinase-associated protein 2 (p45)
A_55_P2018116	5.48E-06	0.126	Pabpc4l	poly(A) binding protein, cytoplasmic 4-like
A_51_P440047	8.14E-09	0.126	1110067D22Rik	RIKEN cDNA 1110067D22 gene
A_51_P419637	3.73E-07	0.126	Dclk3	doublecortin-like kinase 3
A_55_P2178084	4.21E-07	0.127	Dnmt3a	DNA methyltransferase 3A
A_51_P126626	7.44E-06	0.127	Zfp503	zinc finger protein 503
A_51_P124535	1.17E-06	0.127	Mest	mesoderm specific transcript
A_51_P492742	4.10E-08	0.127	Bbs10	Bardet-Biedl syndrome 10 (human)
A_52_P677891	7.52E-07	0.127	Fam174b	family with sequence similarity 174, member B
A_55_P1967820	8.62E-08	0.127	Al661453	expressed sequence Al661453
A_51_P351217	8.40E-06	0.128	Rab39	RAB39, member RAS oncogene family
A_55_P2258109	7.03E-08	0.128	LOC100502982	hypothetical LOC100502982
A_55_P2364738	2.81E-06	0.128	Plxdc1	plexin domain containing 1
A_55_P2094520	2.25E-10	0.128	Fam171a1	family with sequence similarity 171, member A1
A_52_P233441	0.000509413	0.129	Gata2	GATA binding protein 2
A_51_P314285	8.04E-07	0.129	Tmem86a	transmembrane protein 86A
A_55_P1988899	9.42E-08	0.129	Mblac2	metallo-beta-lactamase domain containing 2
A_51_P483483	8.15E-08	0.129		
A_52_P424826	1.82E-11	0.129	Txnl4b	thioredoxin-like 4B
A_55_P2354531	1.95E-08	0.129	2610029K11Rik	RIKEN cDNA 2610029K11 gene
A_51_P326994	3.93E-07	0.130	Calhm2	calcium homeostasis modulator 2
A_55_P2371801	1.59E-06	0.130	LOC100502705	hypothetical LOC100502705
A_30_P01030694	1.84E-08	0.130		
A_52_P645632	2.23E-05	0.131	Senp8	SUMO/sentrin specific peptidase 8
A_51_P124535	1.26E-08	0.131	Mest	mesoderm specific transcript
A_51_P129464	0.000127498	0.131	Scd2	stearoyl-Coenzyme A desaturase 2
A_55_P2157517	1.40E-07	0.131	Fam20c	family with sequence similarity 20, member C
A_30_P01023875	3.82E-06	0.132		
A_55_P2094352	1.08E-06	0.132	Zfp523	zinc finger protein 523
A_55_P2106106	2.73E-08	0.132	Gpr77	G protein-coupled receptor 77
A_55_P1972927	1.07E-07	0.132	Elk3	ELK3, member of ETS oncogene family
A_51_P124535	3.99E-07	0.133	Mest	mesoderm specific transcript
A_65_P15340	5.89E-07	0.133	Zfp251	zinc finger protein 251
A_51_P117236	3.44E-08	0.133	Zfp354a	zinc finger protein 354A
A_52_P225898	2.74E-06	0.133	Kcnj8	potassium inwardly-rectifying channel, subfamily J, member 8
A_55_P2119927	5.27E-07	0.133		
A_55_P2165324	1.75E-05	0.133	Acs3	acyl-CoA synthetase long-chain family member 3
A_51_P117236	8.01E-08	0.133	Zfp354a	zinc finger protein 354A
A_55_P2074281	3.59E-08	0.134	Nr2f1	nuclear receptor subfamily 2, group F, member 1
A_30_P01031627	1.40E-05	0.134		
A_51_P279693	1.33E-05	0.134	Cyp1a1	cytochrome P450, family 1, subfamily a, polypeptide 1
A_55_P2318584	7.16E-05	0.134	Aqp8	aquaporin 8
A_51_P124535	3.52E-06	0.135	Mest	mesoderm specific transcript
A_51_P117236	4.47E-08	0.135	Zfp354a	zinc finger protein 354A
A_55_P2001558	3.80E-08	0.135	Zfp128	zinc finger protein 128
A_51_P117236	6.02E-09	0.136	Zfp354a	zinc finger protein 354A
A_51_P117236	1.10E-08	0.136	Zfp354a	zinc finger protein 354A
A_55_P2146728	4.51E-07	0.137	Zfp354a	zinc finger protein 354A
A_55_P2009640	0.002831689	0.137	1700048O20Rik	RIKEN cDNA 1700048O20 gene
A_51_P106488	5.52E-07	0.137	Speg	SPEG complex locus
A_55_P2029846	2.12E-08	0.137	BC031353	cDNA sequence BC031353
A_51_P349727	5.12E-07	0.137	Slc25a45	solute carrier family 25, member 45
A_55_P1966714	7.01E-08	0.137		
A_55_P2142251	1.45E-06	0.137	Hist2h3c2-ps	histone cluster 2, H3c2, pseudogene
A_51_P448091	6.20E-07	0.137	Zfp78	zinc finger protein 78
A_30_P01031952	1.71E-07	0.137		
A_30_P01024587	5.39E-05	0.137		
A_55_P2316041	0.000311229	0.137	BC050972	cDNA sequence BC050972
A_52_P232637	0.000218472	0.138	Dhh	desert hedgehog
A_55_P2155848	1.44E-06	0.138	Gm14207	predicted gene 14207
A_51_P404077	0.000526987	0.138	Fzd2	frizzled homolog 2 (Drosophila)
A_52_P488779	3.45E-05	0.138	Plirb2	paired immunoglobulin-like type 2 receptor beta 2
A_51_P124535	1.03E-05	0.138	Mest	mesoderm specific transcript
A_30_P01024562	3.87E-06	0.138		
A_51_P117236	3.87E-08	0.138	Zfp354a	zinc finger protein 354A
A_30_P01024055	0.000235255	0.139		
A_52_P671625	5.24E-07	0.139	Trim45	tripartite motif-containing 45
A_51_P124535	1.61E-06	0.139	Mest	mesoderm specific transcript
A_51_P239750	3.23E-05	0.139	Inhba	inhibin beta-A
A_55_P2087796	1.21E-10	0.140	Fam176b	family with sequence similarity 176, member B
A_30_P01026385	2.29E-06	0.140		
A_66_P103511	2.62E-07	0.140	Gm3289	predicted gene 3289
A_55_P1993777	3.77E-07	0.140	Rbfox3	RNA binding protein, fox-1 homolog (C. elegans) 3
A_51_P165087	1.29E-05	0.140	Snai1	snail homolog 1 (Drosophila)
A_66_P122781	2.78E-07	0.141	BC025920	zinc finger protein pseudogene
A_55_P1983683	2.40E-06	0.141	Rgag4	retrotransposon gag domain containing 4
A_66_P118772	0.000178273	0.141	Tmem136	transmembrane protein 136
A_55_P2106096	5.65E-08	0.141	Fam171a1	family with sequence similarity 171, member A1
A_51_P334318	1.09E-06	0.141	2010110P09Rik	RIKEN cDNA 2010110P09 gene
A_51_P240693	5.82E-10	0.141	Tecpr1	tectonin beta-propeller repeat containing 1
A_51_P117236	8.06E-08	0.141	Zfp354a	zinc finger protein 354A
A_55_P2111355	1.66E-09	0.142	Egfl7	EGF-like domain 7
A_55_P2113310	5.34E-08	0.142		
A_55_P1952547	2.02E-07	0.142	Sh3rf1	SH3 domain containing ring finger 1
A_55_P1968200	2.65E-07	0.142	Hjrp	Holliday junction recognition protein
A_55_P2093439	7.01E-06	0.143	Mex3d	mex3 homolog D (C. elegans)

A_30_P01021768	1.47E-06	0.143		
A_51_P117236	2.98E-07	0.143	<b>Zfp354a</b>	zinc finger protein 354A
A_51_P517672	4.94E-06	0.143	<b>Rnf152</b>	ring finger protein 152
A_51_P223709	1.06E-06	0.143	<b>Pask</b>	PAS domain containing serine/threonine kinase
A_55_P2218334	5.13E-05	0.143	<b>9430011C21Rik</b>	RIKEN cDNA 9430011C21 gene
A_51_P453043	0.000474663	0.144	<b>Aacs</b>	acetoacetyl-CoA synthetase
A_55_P2099610	4.52E-07	0.144	<b>Plekha6</b>	pleckstrin homology domain containing, family A member 6
A_55_P2082914	0.001179321	0.144	<b>Acly</b>	ATP citrate lyase
A_30_P01022977	5.87E-07	0.145		
A_30_P01022631	6.22E-05	0.145		
A_55_P2000643	8.78E-06	0.145		
A_51_P290931	9.07E-05	0.145		
A_55_P2128283	6.98E-10	0.145	<b>Nr2f2</b>	nuclear receptor subfamily 2, group F, member 2
A_55_P1978755	0.000230727	0.146	<b>Zfp606</b>	zinc finger protein 606
A_55_P1969002	0.000599012	0.146	<b>Tbx3</b>	T-box 3
A_55_P2108248	6.56E-07	0.146	<b>Art4</b>	ADP-ribosyltransferase 4
A_55_P2025954	0.000867787	0.146	<b>Acly</b>	ATP citrate lyase
A_55_P2098935	2.66E-07	0.146	<b>Sh2d3c</b>	SH2 domain containing 3C
A_55_P2082658	2.85E-09	0.147		
A_55_P2075258	1.67E-05	0.147		
A_55_P2013586	0.000774877	0.148	<b>Prss8</b>	protease, serine, 8 (prostasin)
A_52_P71105	2.81E-06	0.148	<b>Sertad3</b>	SERTA domain containing 3
A_51_P342906	7.83E-06	0.148	<b>Sh3bp1</b>	SH3-domain binding protein 1
A_51_P321531	5.31E-06	0.148	<b>Purg</b>	purine-rich element binding protein G
A_66_P114333	5.88E-07	0.148	<b>Tlr12</b>	toll-like receptor 12
A_52_P89335	5.14E-07	0.148	<b>Tmie</b>	transmembrane inner ear
A_52_P1010776	0.000101919	0.148		
A_52_P159050	7.90E-06	0.149		
A_30_P01030217	1.40E-06	0.149		
A_52_P632691	2.05E-07	0.149	<b>Zfp395</b>	zinc finger protein 395
A_55_P1989061	3.51E-05	0.149	<b>Tsc22d3</b>	TSC22 domain family, member 3
A_55_P2143923	0.000133886	0.149	<b>Slc13a2</b>	solute carrier family 13 (sodium-dependent dicarboxylate transporter), member 2
A_52_P179068	4.07E-10	0.150	<b>Gucy1b3</b>	guanylate cyclase 1, soluble, beta 3
A_51_P126626	4.57E-06	0.150	<b>Zfp503</b>	zinc finger protein 503
A_55_P2171966	2.65E-05	0.151	<b>Tnfrsf8l3</b>	tumor necrosis factor, alpha-induced protein 8-like 3
A_55_P1988795	0.000669039	0.151	<b>Acss2</b>	acyl-CoA synthetase short-chain family member 2
A_51_P251487	1.81E-05	0.151	<b>Nkapl</b>	NFKB activating protein-like
A_30_P01033650	1.90E-06	0.152		
A_52_P491244	9.40E-08	0.152	<b>Zfp287</b>	zinc finger protein 287
A_51_P402160	5.10E-09	0.152	<b>Zfp750</b>	zinc finger protein 750
A_51_P469951	0.000423387	0.152	<b>Srgap3</b>	SLIT-ROBO Rho GTPase activating protein 3
A_51_P326685	0.001377656	0.152	<b>Lrtm1</b>	leucine-rich repeats and transmembrane domains 1
A_30_P01020035	2.19E-06	0.152		
A_30_P01018332	5.11E-06	0.153		
A_55_P2152225	0.003750184	0.153	<b>lhh</b>	Indian hedgehog
A_55_P2115151	2.28E-07	0.153	<b>Acpl2</b>	acid phosphatase-like 2
A_55_P2275692	5.79E-07	0.153	<b>2900005J15Rik</b>	RIKEN cDNA 2900005J15 gene
A_51_P267354	9.56E-08	0.153	<b>Lrnf3</b>	leucine rich repeat and fibronectin type III domain containing 3
A_51_P256066	0.000757806	0.154	<b>Tiam2</b>	T-cell lymphoma invasion and metastasis 2
A_51_P459944	6.00E-09	0.154	<b>Tcf21</b>	transcription factor 21
A_55_P2228122	4.61E-07	0.154	<b>BC024137</b>	cDNA sequence BC024137
A_55_P2054854	2.48E-07	0.154	<b>Art4</b>	ADP-ribosyltransferase 4
A_52_P257625	0.001553554	0.154	<b>Esm1</b>	endothelial cell-specific molecule 1
A_55_P2000783	1.76E-05	0.154	<b>Axin2</b>	axin2
A_51_P117865	1.66E-06	0.155	<b>Fam20c</b>	family with sequence similarity 20, member C
A_55_P2166607	5.31E-06	0.155	<b>Traf3ip1</b>	TRAF3 interacting protein 1
A_66_P116451	1.26E-07	0.156	<b>2210039B01Rik</b>	RIKEN cDNA 2210039B01 gene
A_30_P01026693	1.71E-07	0.156		
A_55_P2156062	3.27E-10	0.157		
A_52_P615375	2.40E-06	0.157	<b>Hist3h2a</b>	histone cluster 3, H2a
A_30_P01022168	1.80E-07	0.157		
A_66_P125777	1.22E-07	0.158	<b>Slc43a2</b>	solute carrier family 43, member 2
A_52_P586141	9.68E-07	0.159	<b>Adcy7</b>	adenylate cyclase 7
A_51_P357735	1.79E-07	0.159	<b>Inhbe</b>	inhibin beta E
A_52_P589664	3.78E-06	0.159	<b>Zfp846</b>	zinc finger protein 846
A_55_P1977850	6.43E-05	0.159	<b>Sall1</b>	sal-like 1 (Drosophila)
A_51_P237585	8.58E-09	0.159	<b>Btnl9</b>	butyrophilin-like 9
A_51_P440743	8.02E-05	0.160	<b>Celsr1</b>	cadherin, EGF LAG seven-pass G-type receptor 1 (flamingo homolog, Drosophila)
A_51_P229925	7.10E-08	0.160	<b>Chst7</b>	carbohydrate (N-acetylglucosamine) sulfotransferase 7
A_52_P342620	1.81E-06	0.160	<b>Csrnp2</b>	cysteine-serine-rich nuclear protein 2
A_55_P2044582	9.45E-07	0.160	<b>Igln5</b>	IgLON family member 5
A_55_P2076777	1.80E-05	0.160	<b>Mdf1</b>	MyoD family inhibitor
A_52_P340073	3.11E-06	0.161	<b>Efnb2</b>	ephrin B2
A_51_P445473	0.000144742	0.161	<b>Fut7</b>	fucosyltransferase 7
A_55_P2066007	9.24E-08	0.161	<b>Crocc</b>	ciliary rootlet coiled-coil, rootletin
A_55_P2184334	5.72E-06	0.161	<b>LOC100504975</b>	hypothetical protein LOC100504975
A_51_P315890	1.12E-06	0.161	<b>Kcnk6</b>	potassium inwardly-rectifying channel, subfamily K, member 6
A_55_P1960167	1.97E-08	0.161	<b>Bcat2</b>	branched chain aminotransferase 2, mitochondrial
A_51_P510722	1.97E-08	0.161	<b>1110008J03Rik</b>	RIKEN cDNA 1110008J03 gene
A_55_P1989312	2.72E-06	0.161	<b>Prkd3</b>	protein kinase D3
A_51_P355753	2.23E-05	0.161	<b>Hic1</b>	hypermethylated in cancer 1
A_51_P372702	3.64E-08	0.161	<b>Il16</b>	interleukin 16
A_52_P614777	0.000181061	0.161	<b>Sucnr1</b>	succinate receptor 1
A_52_P54280	5.30E-07	0.161	<b>Adck3</b>	aarF domain containing kinase 3
A_30_P01033023	0.000447947	0.162		
A_55_P2258261	3.80E-06	0.162	<b>1810008I18Rik</b>	RIKEN cDNA 1810008I18 gene
A_52_P153291	6.69E-05	0.162	<b>Ccr1</b>	chemokine (C-C motif) receptor-like 1
A_30_P01032925	2.87E-07	0.162		
A_55_P2043657	3.28E-07	0.162	<b>Zfp677</b>	zinc finger protein 677
A_51_P296487	0.000247009	0.163	<b>Lss</b>	lanosterol synthase
A_51_P112308	0.000328081	0.163	<b>1810011O10Rik</b>	RIKEN cDNA 1810011O10 gene
A_52_P222624	1.37E-07	0.163	<b>Hspb2</b>	heat shock protein 2
A_55_P2273656	0.002214325	0.163	<b>4930403O15Rik</b>	RIKEN cDNA 4930403O15 gene
A_51_P112308	0.000257334	0.163	<b>1810011O10Rik</b>	RIKEN cDNA 1810011O10 gene
A_51_P112308	0.000266593	0.163	<b>1810011O10Rik</b>	RIKEN cDNA 1810011O10 gene
A_55_P2163812	4.54E-10	0.164	<b>Sept4</b>	septin 4
A_51_P270899	3.43E-08	0.164	<b>Zfp61</b>	zinc finger protein 61
A_55_P2199118	1.21E-05	0.164	<b>Bend4</b>	BEN domain containing 4
A_30_P01033408	7.97E-06	0.164		
A_55_P2348799	4.32E-06	0.165	<b>1700025G04Rik</b>	RIKEN cDNA 1700025G04 gene

A_52_P426863	9.18E-08	0.165	C230052112Rik	RIKEN cDNA C230052112 gene
A_55_P2078285	6.93E-06	0.165	Uck1	uridine-cytidine kinase 1
A_55_P2367415	9.27E-06	0.165	A630026N12Rik	RIKEN cDNA A630026N12 gene
A_51_P133920	0.0004958	0.165	Lmin	leishmanolysin-like (metallopeptidase M8 family)
A_66_P119164	4.73E-06	0.166	Zfp354c	zinc finger protein 354C
A_51_P264084	7.54E-09	0.166	Rab36	RAB36, member RAS oncogene family
A_55_P1993836	9.75E-06	0.166	Dusp7	dual specificity phosphatase 7
A_55_P2104572	2.78E-06	0.167	6330416G13Rik	RIKEN cDNA 6330416G13 gene
A_51_P112308	0.000269036	0.167	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_51_P317191	9.70E-06	0.167	Eepd1	endonuclease/exonuclease/phosphatase family domain containing 1
A_51_P472726	1.51E-08	0.167	Pdllm2	PDZ and LIM domain 2
A_55_P2070510	1.11E-05	0.167	Gas1	growth arrest specific 1
A_52_P209484	2.08E-07	0.167	Tmem88	transmembrane protein 88
A_55_P2171413	0.000765573	0.167	Me1	malic enzyme 1, NADP(+)-dependent, cytosolic
A_51_P206824	1.93E-08	0.167	Hfe2	hemochromatosis type 2 (juvenile) (human homolog)
A_55_P2056926	1.03E-07	0.167	Mtss1l	metastasis suppressor 1-like
A_55_P2278551	1.48E-06	0.167	1700037F03Rik	RIKEN cDNA 1700037F03 gene
A_51_P112308	0.000541459	0.168	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_51_P112308	0.000370768	0.168	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_51_P112308	0.000258632	0.168	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_55_P1981241	2.46E-07	0.168	Grasp	GRP1 (general receptor for phosphoinositides 1)-associated scaffold protein
A_51_P493117	9.24E-06	0.168	Slc16a9	solute carrier family 16 (monocarboxylic acid transporters), member 9
A_52_P834112	1.02E-05	0.168	3021401N23Rik	RIKEN cDNA 3021401N23 gene
A_51_P112308	0.000252988	0.168	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_55_P2113210	1.85E-06	0.168	Cyth4	cytohesin 4
A_30_P01021934	8.50E-05	0.169		
A_51_P209736	0.002166863	0.169	Atoh8	atonal homolog 8 (Drosophila)
A_52_P219913	1.34E-07	0.169	Cdan1	congenital dyserythropoietic anemia, type I (human)
A_51_P152797	5.11E-07	0.169	2810039B14Rik	RIKEN cDNA 2810039B14 gene
A_55_P2165655	1.17E-08	0.170	Zbtb4	zinc finger and BTB domain containing 4
A_52_P505143	2.31E-06	0.170	Jrk	jerky
A_51_P310164	4.20E-06	0.170	2810459M11Rik	RIKEN cDNA 2810459M11 gene
A_30_P01019987	6.82E-06	0.170		
A_55_P2060922	3.31E-09	0.170	Unc5a	unc-5 homolog A (C. elegans)
A_51_P112308	0.000308114	0.170	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_66_P104624	0.003950014	0.170	4930509E16Rik	RIKEN cDNA 4930509E16 gene
A_55_P2133845	2.95E-07	0.171	Eid2b	EP300 interacting inhibitor of differentiation 2B
A_55_P1957468	2.22E-08	0.171	She	src homology 2 domain-containing transforming protein E
A_55_P2061273	2.19E-05	0.171	Tbx6	T-box 6
A_52_P274496	1.57E-06	0.171	Tspan18	tetraspanin 18
A_52_P30451	5.97E-06	0.172	Ppp1r3c	protein phosphatase 1, regulatory (inhibitor) subunit 3C
A_30_P01030889	0.000140537	0.172		
A_52_P260994	2.67E-05	0.172	Fgd2	FYVE, RhoGEF and PH domain containing 2
A_55_P1963863	2.04E-07	0.172	Arhgef17	Rho guanine nucleotide exchange factor (GEF) 17
A_55_P2223851	0.000542761	0.172		
A_51_P247184	5.27E-07	0.172	Npr3	natriuretic peptide receptor 3
A_51_P429366	0.000341723	0.172	Hes6	hairy and enhancer of split 6 (Drosophila)
A_55_P2040090	8.87E-05	0.173	Fn3k	fructosamine 3 kinase
A_51_P112308	0.000394312	0.173	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_55_P2026315	9.12E-06	0.173	Gys1	glycogen synthase 1, muscle
A_52_P671784	3.45E-06	0.174	Adamts10	a disintegrin-like and metallopeptidase (reprolysin type) with thrombospondin type 1 motif, 10
A_55_P2060021	2.12E-08	0.174	Otub2	OTU domain, ubiquitin aldehyde binding 2
A_51_P391367	1.83E-07	0.174	Tcfap4	transcription factor AP4
A_51_P199008	2.52E-07	0.174	Zfp108	zinc finger protein 108
A_55_P1998816	4.25E-08	0.175	Zfand5	zinc finger, AN1-type domain 5
A_55_P1988789	0.000884325	0.175	Acss2	acyl-CoA synthetase short-chain family member 2
A_52_P270145	1.59E-07	0.175	Zfp329	zinc finger protein 329
A_51_P329949	3.58E-06	0.175	Fam13a	family with sequence similarity 13, member A
A_52_P603038	0.000472523	0.176	Olig1	oligodendrocyte transcription factor 1
A_51_P290921	8.85E-06	0.176	Sytl2	synaptotagmin-like 2
A_55_P2310898	9.16E-06	0.176	2810454L23Rik	RIKEN cDNA 2810454L23 gene
A_52_P198435	4.04E-06	0.176	Rasgrp3	RAS, guanyl releasing protein 3
A_55_P1957922	5.58E-06	0.176	Arnc2	arrestin domain containing 2
A_55_P2001589	3.01E-10	0.176	Klhl8	kelch-like 8 (Drosophila)
A_55_P2057622	2.29E-07	0.176	Ocel1	occludin/ELL domain containing 1
A_66_P120949	1.40E-08	0.177	Rad51l3	RAD51-like 3 (S. cerevisiae)
A_55_P1974577	2.46E-05	0.177	Nfam1	Nfat activating molecule with ITAM motif 1
A_66_P139703	0.000138995	0.177		
A_55_P1967538	3.25E-05	0.177	Hunk	hormonally upregulated Neu-associated kinase
A_55_P2041723	0.000186796	0.177	Mid1lp1	Mid1 interacting protein 1 (gastrulation specific G12-like (zebrafish))
A_30_P01018977	8.58E-06	0.178		
A_51_P156564	0.000494545	0.178	Zfp839	zinc finger protein 839
A_55_P2010567	7.03E-06	0.178		
A_55_P2044488	1.03E-06	0.178	Gm10766	predicted gene 10766
A_51_P184969	3.89E-07	0.178	Rilpl1	Rab interacting lysosomal protein-like 1
A_52_P194971	2.30E-06	0.179	Hoxb7	homeobox B7
A_52_P456750	6.14E-07	0.179	Aph1b	anterior pharynx defective 1b homolog (C. elegans)
A_51_P472078	0.000110487	0.179	8430432A02Rik	RIKEN cDNA 8430432A02 gene
A_55_P1992329	8.34E-05	0.179	Gmpr	guanosine monophosphate reductase
A_30_P01031437	0.000423268	0.179		
A_52_P500077	7.69E-08	0.179	Zfp551	zinc finger protein 551
A_51_P191893	3.05E-06	0.179		
A_55_P2055869	5.10E-07	0.180	Dvl2	dishevelled 2, dsh homolog (Drosophila)
A_55_P2075884	3.39E-06	0.180	Senp8	SUMO/sentrin specific peptidase 8
A_55_P2143251	2.27E-05	0.180		
A_51_P109369	5.28E-06	0.180	Fbxo32	F-box protein 32
A_66_P102076	6.66E-07	0.181		
A_51_P106397	3.47E-07	0.182	Prkd3	protein kinase D3
A_30_P01019332	2.25E-07	0.182		
A_55_P2019734	3.34E-07	0.182		
A_51_P516793	2.28E-05	0.182		
A_52_P474089	2.96E-06	0.182	Capn6	calpain 6
A_55_P2047621	5.32E-08	0.182	D730039F16Rik	RIKEN cDNA D730039F16 gene
A_51_P356265	2.01E-06	0.183	Acrbp	proacrosin binding protein
A_55_P2009952	0.000636448	0.183	Me1	malic enzyme 1, NADP(+)-dependent, cytosolic
A_30_P01024344	0.001280409	0.183		
A_52_P305230	0.000511627	0.183	Igsf21	immunoglobulin superfamily, member 21
A_52_P299846	3.77E-06	0.183	Sh3rf1	SH3 domain containing ring finger 1
A_30_P01030736	8.51E-07	0.183		
A_55_P2021565	2.39E-08	0.184	Ntf3	neurotrophin 3

A_55_P2075070	0.000474121	0.184	S1pr5	sphingosine-1-phosphate receptor 5
A_55_P1965892	3.20E-07	0.184	Gnpda1	glucosamine-6-phosphate deaminase 1
A_55_P2004084	7.07E-07	0.184	Iqce	IQ motif containing E
A_52_P48681	1.86E-07	0.185	Cldn1	claudin 1
A_51_P329332	1.64E-07	0.185	Slc19a2	solute carrier family 19 (thiamine transporter), member 2
A_55_P2017086	5.57E-07	0.185	Ezh1	enhancer of zeste homolog 1 (Drosophila)
A_30_P01018104	0.000141427	0.185		
A_55_P1957088	2.92E-08	0.185	Fam53b	family with sequence similarity 53, member B
A_55_P2184449	1.67E-05	0.186		
A_51_P375987	4.07E-06	0.186	Fign	fidgetin
A_51_P130332	1.21E-06	0.186	Hspa12b	heat shock protein 12B
A_52_P248343	3.57E-05	0.187	Myliip	myosin regulatory light chain interacting protein
A_51_P519108	0.00010451	0.187	6330439K17Rik	RIKEN cDNA 6330439K17 gene
A_52_P102248	0.000374803	0.187	Mex3b	mex3 homolog B (C. elegans)
A_52_P84353	7.05E-09	0.187	Homez	homeodomain leucine zipper-encoding gene
A_55_P2252601	9.64E-07	0.187		
A_52_P350616	2.07E-08	0.187	Mrm1	mitochondrial rRNA methyltransferase 1 homolog (S. cerevisiae)
A_30_P01025274	7.66E-05	0.187		
A_55_P1965233	7.31E-07	0.188	Sh3tc1	SH3 domain and tetratricopeptide repeats 1
A_51_P495379	4.23E-09	0.188	Fhod1	formin homology 2 domain containing 1
A_51_P509211	1.28E-08	0.188	Rnf34	ring finger protein 34
A_51_P464023	9.63E-06	0.188	Chst12	carbohydrate sulfotransferase 12
A_55_P2126368	1.04E-05	0.188	Atad5	ATPase family, AAA domain containing 5
A_66_P129622	1.36E-06	0.188	Phldb3	pleckstrin homology-like domain, family B, member 3
A_52_P436447	5.96E-05	0.188	Slc25a35	solute carrier family 25, member 35
A_51_P479786	9.64E-08	0.189	Smtn	smoothelin
A_55_P2067533	5.92E-05	0.189	Foxa2	forkhead box A2
A_55_P1962429	3.18E-07	0.189	Maf	avian musculoaponeurotic fibrosarcoma (v-maf) AS42 oncogene homolog
A_55_P2026487	8.96E-07	0.189		
A_51_P407999	9.30E-08	0.189	1500011B03Rik	RIKEN cDNA 1500011B03 gene
A_30_P01026164	0.004284675	0.189		
A_55_P2251974	6.09E-06	0.190	A930038B10Rik	RIKEN cDNA A930038B10 gene
A_51_P384402	1.20E-06	0.190	Dll4	delta-like 4 (Drosophila)
A_55_P2107182	0.001521824	0.190	Gm6484	predicted gene 6484
A_51_P383991	2.50E-10	0.190	Sept4	septin 4
A_51_P162116	1.33E-06	0.191	Mblac1	metallo-beta-lactamase domain containing 1
A_51_P390804	1.03E-06	0.191	Wisp2	WNT1 inducible signaling pathway protein 2
A_30_P01033217	8.67E-08	0.191		
A_51_P479818	7.42E-07	0.191	Lonrf3	LON peptidase N-terminal domain and ring finger 3
A_55_P1978962	7.64E-11	0.191	Slc9a3r2	solute carrier family 9 (sodium/hydrogen exchanger), member 3 regulator 2
A_51_P389864	9.86E-06	0.191	B3gnt9-ps	UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 9, pseudogene
A_55_P1955632	1.17E-08	0.191	Trp53111	transformation related protein 53 inducible protein 11
A_55_P2018929	5.55E-06	0.191	Spns2	spinster homolog 2 (Drosophila)
A_51_P106397	1.25E-06	0.192	Prkd3	protein kinase D3
A_66_P124420	0.000276178	0.192		
A_66_P137374	8.91E-05	0.193		
A_55_P2077343	5.36E-07	0.193	Ahdc1	AT hook, DNA binding motif, containing 1
A_55_P2054261	5.52E-05	0.193	C2cd4b	C2 calcium-dependent domain containing 4B
A_55_P1953311	1.88E-09	0.193	Stx2	syntaxin 2
A_51_P106397	4.03E-06	0.193	Prkd3	protein kinase D3
A_51_P462428	2.28E-06	0.194	Galnt2	UDP-N-acetyl-alpha-D-galactosamine:polypeptideN-acetylgalactosaminyltransferase-like2
A_55_P2112225	2.61E-07	0.194		
A_30_P01020894	5.89E-05	0.194		
A_30_P01018348	2.27E-05	0.194		
A_52_P350664	9.58E-07	0.194	Pygb	brain glycogen phosphorylase
A_51_P106397	9.05E-07	0.194	Prkd3	protein kinase D3
A_55_P1987904	1.07E-06	0.194	Chpf2	chondroitin polymerizing factor 2
A_30_P01017666	6.21E-05	0.194		
A_55_P2066180	1.23E-08	0.194	C630004H02Rik	RIKEN cDNA C630004H02 gene
A_55_P2134236	5.20E-05	0.194	Foxa2	forkhead box A2
A_55_P2108609	1.85E-05	0.195	Srgap3	SLIT-ROBO Rho GTPase activating protein 3
A_30_P01027233	6.89E-08	0.195		
A_51_P363749	3.41E-05	0.195	Irf6	interferon regulatory factor 6
A_55_P2001998	1.06E-05	0.195	Zfp503	zinc finger protein 503
A_55_P1990870	5.27E-06	0.195		
A_51_P357207	7.47E-06	0.195	Zfp518b	zinc finger protein 518B
A_55_P2110435	6.15E-06	0.195	Zscan20	zinc finger and SCAN domains 20
A_55_P2052490	1.19E-07	0.195	Ushbp1	Usher syndrome 1C binding protein 1
A_55_P2089070	1.28E-07	0.196	4933431K14Rik	RIKEN cDNA 4933431K14 gene
A_52_P307893	9.50E-11	0.196	Pip4k2b	phosphatidylinositol-5-phosphate 4-kinase, type II, beta
A_55_P2012759	3.84E-08	0.196	Ccdc64	coiled-coil domain containing 64
A_51_P240594	5.94E-06	0.196	Zfp7	zinc finger protein 7
A_66_P130911	1.56E-05	0.196	5430407P10Rik	RIKEN cDNA 5430407P10 gene
A_55_P2183473	4.91E-11	0.196	Cldn3	claudin 3
A_51_P285097	2.78E-05	0.197	Wdr38	WD repeat domain 38
A_51_P250123	6.75E-07	0.197	Zfp763	zinc finger protein 763
A_55_P1990970	1.51E-07	0.197	Casp9	caspase 9
A_30_P01024210	0.000233903	0.197		
A_55_P2084703	0.000751065	0.197	Acaca	acetyl-Coenzyme A carboxylase alpha
A_51_P106397	1.21E-06	0.198	Prkd3	protein kinase D3
A_51_P106397	1.06E-06	0.198	Prkd3	protein kinase D3
A_30_P01028111	7.37E-05	0.198		
A_55_P2015700	3.93E-09	0.198	Evi5l	ecotropic viral integration site 5 like
A_30_P01029005	0.004350833	0.198		
A_55_P2081116	0.000512182	0.199	Fam89a	family with sequence similarity 89, member A
A_51_P106397	2.44E-06	0.199	Prkd3	protein kinase D3
A_55_P2051094	2.60E-09	0.200	Rorc	RAR-related orphan receptor gamma
A_51_P517051	7.03E-06	0.200	Gatsl3	GATS protein-like 3
A_51_P382347	2.33E-05	0.200	Nphp3	nephronophthisis 3 (adolescent)
A_52_P207335	4.99E-06	0.201	2810432L12Rik	RIKEN cDNA 2810432L12 gene
A_55_P2284119	2.11E-05	0.201	Zfp395	zinc finger protein 395
A_52_P49457	2.37E-05	0.201	Fbxl16	F-box and leucine-rich repeat protein 16
A_30_P01032861	4.40E-07	0.201		
A_51_P106397	1.97E-06	0.201	Prkd3	protein kinase D3
A_51_P244504	3.60E-07	0.201	Oraov1	oral cancer overexpressed 1
A_55_P2196037	8.44E-06	0.201	A630031M23Rik	Riken cDNA A630031M23 gene
A_51_P391764	4.08E-08	0.201	Cbx6	chromobox homolog 6
A_55_P2126572	1.05E-05	0.201	Tmem25	transmembrane protein 25
A_55_P2105457	8.26E-09	0.201	Zfp7	zinc finger protein 7
A_30_P01023884	5.47E-06	0.202		

A_52_P350554	4.21E-06	0.202	Kcnb1	potassium voltage gated channel, Shab-related subfamily, member 1
A_55_P2023617	1.70E-06	0.202	Klss1r	KISS1 receptor
A_55_P2156126	3.98E-07	0.202		
A_55_P2280868	1.31E-07	0.202		
A_51_P202596	8.11E-06	0.202	Sh3tc2	SH3 domain and tetratricopeptide repeats 2
A_52_P550147	3.84E-07	0.202	Sned1	sushi, nidogen and EGF-like domains 1
A_51_P109369	4.72E-05	0.203	Fbxo32	F-box protein 32
A_51_P214985	0.000872978	0.203	Zfp521	zinc finger protein 521
A_55_P2301063	1.22E-05	0.203	9930024M15Rik	RIKEN cDNA 9930024M15 gene
A_55_P2079928	9.76E-08	0.203	Ccdc68	coiled-coil domain containing 68
A_55_P2000454	4.51E-05	0.204		
A_55_P2079927	5.22E-07	0.204	Ccdc68	coiled-coil domain containing 68
A_51_P106397	1.47E-06	0.204	Prkd3	protein kinase D3
A_55_P1993293	4.34E-09	0.204	Ndr3	N-myc downstream regulated gene 3
A_55_P2326205	7.74E-06	0.204	2810405F17Rik	RIKEN cDNA 2810405F17 gene
A_55_P2016237	2.17E-06	0.204	Hand2	heart and neural crest derivatives expressed transcript 2
A_55_P2182358	0.00181297	0.205	Arid3a	AT rich interactive domain 3A (BRIGHT-like)
A_55_P2114908	1.37E-07	0.205	Nek3	NIMA (never in mitosis gene a)-related expressed kinase 3
A_55_P2004532	1.55E-05	0.205	C530028O21Rik	RIKEN cDNA C530028O21 gene
A_52_P678056	1.42E-10	0.205	Fam176b	family with sequence similarity 176, member B
A_55_P2002103	1.11E-07	0.205	Hmha1	histocompatibility (minor) HA-1
A_66_P107536	8.82E-07	0.205		
A_55_P2022805	3.80E-10	0.205	1700021K19Rik	RIKEN cDNA 1700021K19 gene
A_51_P185247	1.16E-06	0.205	Gdf10	growth differentiation factor 10
A_51_P462862	1.43E-05	0.206	9430015G10Rik	RIKEN cDNA 9430015G10 gene
A_55_P2149363	1.82E-07	0.206	6430548M08Rik	RIKEN cDNA 6430548M08 gene
A_30_P01033043	2.91E-07	0.206		
A_55_P1982186	6.82E-05	0.206	Sgsm1	small G protein signaling modulator 1
A_55_P2045096	4.11E-07	0.206	Hjurp	Holliday junction recognition protein
A_66_P125660	7.46E-07	0.206	Nde1	nuclear distribution gene E homolog 1 (A nidulans)
A_55_P2088711	4.64E-06	0.206	Sgsm1	small G protein signaling modulator 1
A_55_P2097508	1.55E-06	0.206	Mcc	mutated in colorectal cancers
A_55_P2158962	7.51E-07	0.206	Dixdc1	DIX domain containing 1
A_51_P108489	9.48E-10	0.206	Gtl3	gene trap locus 3
A_55_P1997898	1.69E-08	0.207	Tcf2b	transcription factor EB
A_55_P2160686	0.000221526	0.207	Tsc22d1	TSC22 domain family, member 1
A_55_P1985554	1.58E-06	0.207	B4gal4	UDP-Gal:betaGlcNAc beta 1,4-galactosyltransferase, polypeptide 4
A_30_P01032980	0.000639551	0.207		
A_55_P2270412	2.87E-05	0.207	C230096K16Rik	RIKEN cDNA C230096K16 gene
A_55_P2085485	3.06E-06	0.207	Lrdd	leucine-rich and death domain containing
A_55_P2052696	1.87E-06	0.207	Synm	synemin, intermediate filament protein
A_55_P2082989	4.16E-06	0.207	5430435G22Rik	RIKEN cDNA 5430435G22 gene
A_51_P308347	1.27E-07	0.207	Dact2	dapper homolog 2, antagonist of beta-catenin (xenopus)
A_55_P1991475	3.58E-07	0.207	Sesn1	sestrin 1
A_52_P627068	3.59E-05	0.207	Disp2	dispatched homolog 2 (Drosophila)
A_30_P01027764	1.68E-06	0.208		
A_30_P01023043	0.000448734	0.208		
A_55_P1993168	3.94E-05	0.208	Ppargc1b	peroxisome proliferative activated receptor, gamma, coactivator 1 beta
A_51_P414243	9.34E-11	0.208	C85492	expressed sequence C85492
A_52_P136914	2.32E-05	0.208	Nudt7	nudix (nucleoside diphosphate linked moiety X)-type motif 7
A_51_P106397	3.21E-06	0.208	Prkd3	protein kinase D3
A_51_P341918	0.000264563	0.208	Tsc22d1	TSC22 domain family, member 1
A_51_P443569	2.65E-08	0.208	Mum1	melanoma associated antigen (mutated) 1
A_55_P2102464	0.000887514	0.209		
A_51_P379660	6.54E-06	0.209	Mllt11	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 11
A_52_P853177	2.45E-05	0.209	Angptl2	angiopoietin-like 2
A_51_P281024	8.12E-10	0.209	Rad9	RAD9 homolog (S. pombe)
A_51_P291078	8.60E-07	0.209	Sel1l3	sel-1 suppressor of lin-12-like 3 (C. elegans)
A_55_P2058127	0.000104028	0.209	Pde4dlp	phosphodiesterase 4D interacting protein (myomegalin)
A_55_P2117590	5.68E-05	0.209	Zfp395	zinc finger protein 395
A_55_P2093889	4.52E-10	0.209	Arhgef19	Rho guanine nucleotide exchange factor (GEF) 19
A_52_P664220	8.35E-07	0.209	Zfp560	zinc finger protein 560
A_55_P1955637	1.75E-06	0.210	Trp53l11	transformation related protein 53 inducible protein 11
A_52_P281702	2.78E-05	0.210	Igfbp5	insulin-like growth factor binding protein 5
A_55_P2146590	0.000456621	0.210	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_55_P2408588	3.44E-06	0.210	Arntl	aryl hydrocarbon receptor nuclear translocator-like
A_52_P8324	2.75E-05	0.210	Tmem178	transmembrane protein 178
A_55_P2236291	2.17E-06	0.210	Ppap2a	phosphatidic acid phosphatase type 2A
A_55_P2097945	4.89E-08	0.210	Slx1b	SLX1 structure-specific endonuclease subunit homolog B (S. cerevisiae)
A_55_P2010871	1.47E-10	0.211	Daam2	dishevelled associated activator of morphogenesis 2
A_51_P420655	1.15E-06	0.211	Reep4	receptor accessory protein 4
A_30_P01018650	7.70E-07	0.211		
A_30_P01030810	1.93E-07	0.211		
A_30_P01022698	1.66E-05	0.211		
A_30_P01020303	0.000255347	0.211		
A_55_P1977468	6.55E-08	0.211	Dab2ip	disabled homolog 2 (Drosophila) interacting protein
A_30_P01022812	1.19E-05	0.212		
A_55_P2010966	6.79E-08	0.212	Zfp688	zinc finger protein 688
A_55_P2007751	0.000300686	0.212		
A_51_P266618	2.87E-06	0.212	Cyp8b1	cytochrome P450, family 8, subfamily b, polypeptide 1
A_52_P101238	5.95E-10	0.212		
A_30_P01031014	9.26E-07	0.213		
A_55_P2142028	4.07E-06	0.213	Clip4	CAP-GLY domain containing linker protein family, member 4
A_55_P2016842	0.00036304	0.213	Me1	malic enzyme 1, NADP(+)-dependent, cytosolic
A_52_P201531	2.08E-05	0.213	Myo9a	myosin IXa
A_55_P2065059	1.37E-06	0.213	Wnt2	wingless-related MMTV integration site 2
A_55_P1986174	9.68E-09	0.213	D330012F22Rik	RIKEN cDNA D330012F22 gene
A_51_P494481	1.63E-06	0.213	Snx30	sorting nexin family member 30
A_51_P109369	3.77E-05	0.213	Fbxo32	F-box protein 32
A_55_P2141084	2.14E-05	0.213	Odz4	odd Oz/ten-m homolog 4 (Drosophila)
A_52_P398279	1.87E-05	0.213		
A_52_P251183	6.64E-08	0.213	Tmem177	transmembrane protein 177
A_51_P155196	6.80E-07	0.214	Abtb2	ankyrin repeat and BTB (POZ) domain containing 2
A_55_P2058601	0.000252609	0.214		
A_55_P2158018	2.15E-07	0.214	Rnf39	ring finger protein 39
A_65_P08776	3.29E-05	0.214	Zfp937	zinc finger protein 937
A_30_P01031987	0.000158909	0.214		
A_51_P405167	1.70E-07	0.214	Maf	avian musculoaponeurotic fibrosarcoma (v-maf) AS42 oncogene homolog
A_30_P01018881	2.51E-05	0.214		
A_55_P1994942	6.00E-08	0.214	Rorc	RAR-related orphan receptor gamma

A_55_P2122688	5.02E-07	0.215	Zmym3	zinc finger, MYM-type 3
A_51_P383774	0.00050132	0.215	Gngt1	guanine nucleotide binding protein (G protein), gamma transducing activity polypeptide 1
A_55_P2080378	1.58E-06	0.215	Ttc30a2	tetratricopeptide repeat domain 30A2
A_55_P2316612	7.35E-07	0.215	6720407P12Rik	RIKEN cDNA 6720407P12 gene
A_66_P130100	5.59E-05	0.215	Rab23	RAB23, member RAS oncogene family
A_55_P2151308	2.27E-07	0.215		
A_51_P108489	5.46E-09	0.215	Gtl3	gene trap locus 3
A_30_P01030702	0.000121929	0.215		
A_30_P01030293	7.66E-07	0.215		
A_51_P283473	1.79E-06	0.216	Fibln	fin bud initiation factor homolog (zebrafish)
A_55_P1959393	1.46E-07	0.216	Hhat	hedgehog acyltransferase
A_51_P197883	2.29E-07	0.216	Dem1	defects in morphology 1 homolog (S. cerevisiae)
A_52_P96748	1.02E-07	0.216	Ttc30b	tetratricopeptide repeat domain 30B
A_51_P430973	2.22E-06	0.216	Paqr7	progesterin and adipoQ receptor family member VII
A_55_P1981714	1.44E-07	0.216	Rreb1	ras responsive element binding protein 1
A_52_P90507	4.82E-05	0.216	Mfsd9	major facilitator superfamily domain containing 9
A_30_P01018796	1.54E-06	0.216		
A_55_P2022364	3.40E-08	0.216	Nxn	nucleoredoxin
A_66_P121656	5.28E-07	0.217	Pcgf1	polycomb group ring finger 1
A_55_P2345916	5.13E-07	0.217	2510016G02Rik	RIKEN cDNA 2510016G02 gene
A_55_P2066897	8.25E-09	0.217	A230045G11Rik	RIKEN cDNA A230045G11 gene
A_51_P150678	3.14E-05	0.217	Tnfrsf82	tumor necrosis factor, alpha-induced protein 8-like 2
A_55_P2189643	1.18E-05	0.217	4933417C20Rik	RIKEN cDNA 4933417C20 gene
A_51_P108489	2.42E-09	0.217	Gtl3	gene trap locus 3
A_55_P2321004	7.56E-06	0.217	Zfp882	zinc finger protein 882
A_51_P108489	9.05E-09	0.217	Gtl3	gene trap locus 3
A_51_P120254	1.34E-07	0.217	Fbxl8	F-box and leucine-rich repeat protein 8
A_30_P01030875	2.30E-05	0.217		
A_55_P2146177	2.80E-09	0.217	Cerk	ceramide kinase
A_52_P27122	4.53E-07	0.217	Eif2c4	eukaryotic translation initiation factor 2C, 4
A_55_P2033580	0.000265621	0.217	Mmab	methylmalonic aciduria (cobalamin deficiency) type B homolog (human)
A_52_P552879	1.04E-07	0.218	Efcab4a	EF-hand calcium binding domain 4A
A_51_P324303	4.18E-07	0.218	Myip	myosin regulatory light chain interacting protein
A_66_P124715	7.92E-07	0.218	Ppard	peroxisome proliferator activator receptor delta
A_55_P2118302	8.19E-07	0.218	Fam110a	family with sequence similarity 110, member A
A_51_P108489	1.78E-09	0.218	Gtl3	gene trap locus 3
A_52_P512329	3.76E-08	0.218	Zfp219	zinc finger protein 219
A_55_P2113723	2.46E-07	0.219	Pecr	peroxisomal trans-2-enoyl-CoA reductase
A_55_P2019483	6.56E-05	0.219	Ndrq4	N-myc downstream regulated gene 4
A_51_P108489	7.15E-09	0.219	Gtl3	gene trap locus 3
A_30_P01029215	7.23E-05	0.219		
A_51_P315042	2.55E-06	0.219	Avpr1a	arginine vasopressin receptor 1A
A_55_P2325698	2.72E-06	0.219	2010002M09Rik	RIKEN cDNA 2010002M09 gene
A_52_P1036898	3.68E-05	0.219		
A_30_P01030185	6.25E-05	0.220		
A_51_P464588	1.42E-06	0.220	Dnajc28	DnaJ (Hsp40) homolog, subfamily C, member 28
A_55_P2071691	5.05E-07	0.220	Kank3	KN motif and ankyrin repeat domains 3
A_30_P01031284	0.000161573	0.220		
A_51_P368543	3.14E-06	0.220	Abhd8	abhydrolase domain containing 8
A_55_P2178496	4.56E-06	0.221	Fam53b	family with sequence similarity 53, member B
A_52_P265578	7.46E-08	0.221	Vmo1	vitelline membrane outer layer 1 homolog (chicken)
A_51_P249930	4.11E-05	0.221	Tceal1	transcription elongation factor A (SII)-like 1
A_55_P2031871	1.07E-07	0.221	Plekhh3	pleckstrin homology domain containing, family H (with MyTH4 domain) member 3
A_51_P163173	2.81E-06	0.221	Rbm12b	RNA binding motif protein 12B
A_51_P185906	4.96E-07	0.221	Abi3	ABI gene family, member 3
A_30_P01024470	2.40E-06	0.221		
A_51_P121275	1.74E-07	0.222	Cenpo	centromere protein O
A_51_P130475	0.000214917	0.222	Wnt4	wingless-related MMTV integration site 4
A_55_P1995487	1.20E-05	0.222	Rfx7	regulatory factor X, 7
A_51_P108489	1.41E-08	0.222	Gtl3	gene trap locus 3
A_55_P2058737	5.09E-05	0.223	Mex3d	mex3 homolog D (C. elegans)
A_51_P108489	1.88E-08	0.223	Gtl3	gene trap locus 3
A_55_P1966204	2.06E-07	0.223	Cxcl12	chemokine (C-X-C motif) ligand 12
A_52_P554536	0.002493661	0.223	Tnfrsf26	tumor necrosis factor receptor superfamily, member 26
A_55_P2074924	2.19E-07	0.223	Ppp1r13l	protein phosphatase 1, regulatory (inhibitor) subunit 13 like
A_51_P257675	1.36E-05	0.223	Tspsy4	TSPY-like 4
A_55_P2263971	1.43E-07	0.223	6330526H18Rik	RIKEN cDNA 6330526H18 gene
A_55_P2024993	4.39E-07	0.223	Hoxb4	homeobox B4
A_51_P121275	6.10E-08	0.223	Cenpo	centromere protein O
A_55_P2084706	0.000852158	0.223	Acaca	acetyl-Coenzyme A carboxylase alpha
A_30_P01025096	2.78E-05	0.223		
A_55_P1988728	4.27E-07	0.223	Fbxl19	F-box and leucine-rich repeat protein 19
A_55_P1990127	2.55E-07	0.223	Dolpp1	dolichyl pyrophosphate phosphatase 1
A_51_P108489	3.09E-08	0.223	Gtl3	gene trap locus 3
A_55_P2151822	7.21E-07	0.224	Plxnd1	plexin D1
A_51_P122649	1.20E-05	0.224	Deqs2	degenerative spermatocyte homolog 2 (Drosophila), lipid desaturase
A_55_P2127303	8.02E-08	0.224	Spsb2	splA/ryanodine receptor domain and SOCS box containing 2
A_55_P2157048	1.25E-05	0.224	Milt3	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 3
A_55_P2043627	0.000230048	0.224	Fam89a	family with sequence similarity 89, member A
A_30_P01023532	1.19E-05	0.224		
A_51_P169047	6.09E-08	0.224	Tdp2	tyrosyl-DNA phosphodiesterase 2
A_55_P2110497	1.33E-06	0.224	Ddc	dopa decarboxylase
A_51_P396917	2.45E-07	0.224	Zfyve21	zinc finger, FYVE domain containing 21
A_55_P1966109	1.86E-08	0.224	Epn2	epsin 2
A_66_P134149	1.60E-06	0.224	Snx30	sorting nexin family member 30
A_51_P106859	7.43E-09	0.225	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_52_P358093	5.31E-06	0.225	Fbxo10	F-box protein 10
A_55_P2121392	0.001650116	0.225	Acaca	acetyl-Coenzyme A carboxylase alpha
A_51_P106859	4.37E-09	0.225	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_52_P281711	1.46E-06	0.225	Wdr5b	WD repeat domain 5B
A_51_P121275	4.09E-09	0.225	Cenpo	centromere protein O
A_55_P2255449	0.000180861	0.225	Al663975	expressed sequence Al663975
A_55_P2131173	7.83E-06	0.225	Sphk2	sphingosine kinase 2
A_55_P2009187	6.05E-07	0.225	Iifo1	intermediate filament family orphan 1
A_55_P2111855	0.000199983	0.225	Gale	galactose-4-epimerase, UDP
A_52_P156190	1.69E-08	0.226	Ednra	endothelin receptor type A
A_55_P2058270	0.000227374	0.226	Gm6507	predicted gene 6507
A_55_P2252105	0.00035851	0.226	4921530L18Rik	RIKEN cDNA 4921530L18 gene
A_51_P488991	7.65E-08	0.226	Oaf	OAF homolog (Drosophila)
A_51_P145415	1.00E-06	0.226	Lpcat3	lysophosphatidylcholine acyltransferase 3

A_55_P2146520	3.58E-07	0.226	Carns1	carnosine synthase 1
A_30_P01021723	0.000663114	0.227		
A_51_P331207	9.36E-07	0.227	Tmem218	transmembrane protein 218
A_51_P436342	1.17E-05	0.227	Hoxb5	homeobox B5
A_55_P2186480	4.82E-10	0.227	LOC100038746	hypothetical LOC100038746
A_30_P01024211	3.90E-07	0.227		
A_51_P355943	0.000206941	0.227	Mvd	mevalonate (diphospho) decarboxylase
A_55_P2115875	3.22E-05	0.227	1700012D14Rik	RIKEN cDNA 1700012D14 gene
A_51_P399071	1.65E-07	0.227	Anp32a	acidic (leucine-rich) nuclear phosphoprotein 32 family, member A
A_51_P410949	8.79E-08	0.228	Polr3g	polymerase (RNA) III (DNA directed) polypeptide G
A_30_P01026923	3.29E-05	0.228		
A_51_P108489	5.48E-09	0.228	Gli3	gene trap locus 3
A_52_P272119	1.39E-05	0.228	Rab42-ps	RAB42, member RAS oncogene family, pseudogene
A_30_P01026306	0.000369402	0.228		
A_52_P504268	0.000107608	0.228	B3galnt1	UDP-GalNAc:betaGlcNAc beta 1,3-galactosaminyltransferase, polypeptide 1
A_30_P01022030	0.000195712	0.228		
A_52_P408530	1.32E-08	0.228	St3gal2	ST3 beta-galactoside alpha-2,3-sialyltransferase 2
A_52_P657800	9.09E-06	0.229	Cep152	centrosomal protein 152
A_55_P2302577	4.52E-06	0.229	AI426330	expressed sequence AI426330
A_55_P2019058	0.000865345	0.229	Acaca	acetyl-Coenzyme A carboxylase alpha
A_51_P450296	2.10E-08	0.229	Thap3	THAP domain containing, apoptosis associated protein 3
A_55_P2067563	9.30E-05	0.229		
A_30_P01019643	1.25E-06	0.229		
A_55_P2043434	2.53E-07	0.230	Atmin	ATM interactor
A_51_P106859	1.66E-08	0.230	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_55_P2056055	3.81E-07	0.230	Zfp114	zinc finger protein 114
A_51_P121275	1.63E-07	0.230	Cenpo	centromere protein O
A_55_P2295691	1.78E-06	0.230	9430083A17Rik	RIKEN cDNA 9430083A17 gene
A_52_P65077	1.08E-07	0.230	Zfp820	zinc finger protein 820
A_51_P279552	2.02E-07	0.231	Cav2	caveolin 2
A_55_P2053032	6.68E-07	0.231	Xkr8	X Kell blood group precursor related family member 8 homolog
A_52_P601021	5.75E-08	0.231	C1qtnf2	C1q and tumor necrosis factor related protein 2
A_55_P2060672	0.000173527	0.231	Hoxa3	homeobox A3
A_51_P121275	1.18E-08	0.231	Cenpo	centromere protein O
A_51_P106859	9.02E-10	0.232	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_51_P377390	2.33E-09	0.232	Ndst2	N-deacetylase/N-sulfotransferase (heparan glucosaminyl) 2
A_51_P279552	9.14E-07	0.232	Cav2	caveolin 2
A_51_P106859	1.12E-08	0.232	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_51_P121275	3.62E-08	0.232	Cenpo	centromere protein O
A_55_P2118891	2.52E-07	0.232	Zfp882	zinc finger protein 882
A_52_P342131	7.91E-05	0.232	Zfp532	zinc finger protein 532
A_51_P106859	5.22E-09	0.232	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_51_P208697	4.19E-07	0.232	Ttl	tubulin tyrosine ligase
A_52_P283524	1.68E-07	0.232	Rcan3	regulator of calcineurin 3
A_55_P1998154	0.000339792	0.232	Rab23	RAB23, member RAS oncogene family
A_52_P24690	0.000527069	0.232		
A_51_P462556	4.11E-07	0.232		
A_55_P2015232	7.42E-09	0.233		
A_55_P2071191	0.001412757	0.233	Prss8	protease, serine, 8 (prostasin)
A_51_P205326	2.56E-06	0.233	Fam198a	family with sequence similarity 198, member A
A_51_P280437	1.89E-06	0.233	Slc12a6	solute carrier family 12, member 6
A_51_P110341	0.000630075	0.233	Scgb3a1	secretoglobulin, family 3A, member 1
A_55_P2054362	0.000102544	0.233		
A_52_P409457	5.23E-05	0.233	Ppcdc	phosphopantothencysteine decarboxylase
A_55_P2067895	3.43E-08	0.233	Krba1	KRAB-A domain containing 1
A_55_P2151056	2.10E-07	0.234	Rarg	retinoic acid receptor, gamma
A_55_P2096973	1.50E-05	0.234	Glytk	glycerate kinase
A_55_P1953103	3.00E-05	0.234	Nudt7	nudix (nucleoside diphosphate linked moiety X)-type motif 7
A_52_P94521	3.39E-08	0.234	2510009E07Rik	RIKEN cDNA 2510009E07 gene
A_55_P2333580	3.97E-06	0.234	BC020402	cDNA sequence BC020402
A_51_P394558	1.19E-06	0.234	Dchs1	dachsous 1 (Drosophila)
A_55_P1981709	1.01E-05	0.234	Rreb1	ras responsive element binding protein 1
A_55_P2205650	1.24E-09	0.234	2610507I01Rik	RIKEN cDNA 2610507I01 gene
A_52_P28651	2.64E-06	0.234	Pvrl1	poliovirus receptor-related 1
A_51_P106859	5.19E-08	0.235	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_30_P01023457	0.000629514	0.235		
A_30_P01024363	1.97E-05	0.235		
A_52_P522372	3.32E-08	0.235	Aard	alanine and arginine rich domain containing protein
A_52_P393314	3.47E-06	0.235	P2rx7	purinergic receptor P2X, ligand-gated ion channel, 7
A_51_P168395	5.41E-07	0.236	Ttc30a1	tetratricopeptide repeat domain 30A1
A_55_P2207055	8.38E-07	0.236	Btl9	butyrophilin-like 9
A_51_P155723	4.09E-06	0.236	Abcg3	ATP-binding cassette, sub-family G (WHITE), member 3
A_51_P106859	1.44E-10	0.236	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_51_P499530	4.94E-09	0.236	Ankrd10	ankyrin repeat domain 10
A_51_P207706	0.000401959	0.236	Fam180a	family with sequence similarity 180, member A
A_51_P104430	0.000196748	0.236	Magee1	melanoma antigen, family E, 1
A_51_P175699	2.54E-07	0.236	Mtfp1	mitochondrial fission process 1
A_55_P2303868	0.00016922	0.236	5033421B08Rik	RIKEN cDNA 5033421B08 gene
A_51_P121275	6.15E-08	0.236	Cenpo	centromere protein O
A_30_P01026941	6.34E-07	0.236		
A_55_P2094706	3.76E-08	0.236	Sox17	SRY-box containing gene 17
A_51_P279552	1.81E-07	0.237	Cav2	caveolin 2
A_30_P01027029	1.71E-06	0.237		
A_55_P2017302	6.11E-07	0.237	Gnb1l	guanine nucleotide binding protein (G protein), beta polypeptide 1-like
A_30_P01020004	0.000145518	0.237		
A_30_P01029055	2.10E-08	0.237		
A_51_P100776	0.000250416	0.237	Zfp169	zinc finger protein 169
A_52_P534235	1.25E-05	0.237	Srms	src-related kinase lacking C-terminal regulatory tyrosine and N-terminal myristylation sites
A_55_P1958532	0.000950467	0.237	Hr	hairless
A_30_P01023824	7.32E-05	0.237		
A_55_P2018666	0.001865795	0.237	Thrsp	thyroid hormone responsive SPOT14 homolog (Rattus)
A_55_P2088440	3.76E-06	0.237	Arrdc2	arrestin domain containing 2
A_55_P2169059	1.02E-08	0.237	Strada	STE20-related kinase adaptor alpha
A_55_P1956812	1.70E-07	0.237	Fam83g	family with sequence similarity 83, member G
A_51_P447287	7.23E-05	0.237	Fkbp14	FK506 binding protein 14
A_55_P1981836	2.25E-06	0.238	BC020535	cDNA sequence BC020535
A_52_P127682	1.42E-06	0.238	Dagla	diacylglycerol lipase, alpha
A_52_P684642	9.86E-07	0.238	Ankmy2	ankyrin repeat and MYND domain containing 2
A_52_P108845	7.32E-05	0.238	Clip3	CAP-GLY domain containing linker protein 3
A_30_P01017502	0.00028103	0.238		



A_51_P104430	7.29E-07	0.238	Magee1	melanoma antigen, family E, 1
A_51_P463860	3.10E-06	0.238	Fam161b	family with sequence similarity 161, member B
A_52_P670812	2.03E-07	0.239	Snord123	small nucleolar RNA, C/D box 123
A_51_P507509	5.07E-08	0.239	Gimap1	GTPase, IMAP family member 1
A_55_P1997335	2.25E-07	0.239	1300018117Rik	RIKEN cDNA 1300018117 gene
A_55_P2001970	1.50E-07	0.239	6330408A02Rik	RIKEN cDNA 6330408A02 gene
A_30_P01017718	3.37E-05	0.239		
A_55_P2180744	0.002122293	0.239	Clstn3	calsynenin 3
A_55_P2017982	8.19E-06	0.239	Pde8b	phosphodiesterase 8B
A_51_P106859	4.25E-08	0.239	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_51_P224983	8.50E-08	0.239	Cln8	ceroid-lipofuscinosis, neuronal 8
A_55_P2167112	3.97E-07	0.239	Kank2	KN motif and ankyrin repeat domains 2
A_55_P2091631	3.19E-10	0.239	Chchd8	coiled-coil-helix-coiled-coil-helix domain containing 8
A_30_P01030265	2.14E-05	0.239		
A_55_P1966114	2.90E-09	0.240	Epn2	epsin 2
A_52_P367760	0.000555389	0.241	Calml4	calmodulin-like 4
A_51_P511899	2.84E-07	0.241	Mthfsd	methenyltetrahydrofolate synthetase domain containing
A_55_P2029051	1.65E-06	0.241	Fgd3	FYVE, RhoGEF and PH domain containing 3
A_55_P2070250	0.000731651	0.241		
A_55_P2003236	4.97E-06	0.241		
A_55_P2084002	4.39E-08	0.241	Aptx	aprataxin
A_30_P01030677	0.000115499	0.241		
A_55_P1972763	1.18E-05	0.241		
A_51_P316553	2.28E-07	0.241	Kdr	kinase insert domain protein receptor
A_51_P404377	0.000121271	0.241	Rnd2	Rho family GTPase 2
A_51_P316553	1.78E-07	0.241	Kdr	kinase insert domain protein receptor
A_51_P451516	8.10E-07	0.241	Arhgef25	Rho guanine nucleotide exchange factor (GEF) 25
A_30_P01025989	0.000184318	0.242		
A_51_P390377	1.97E-07	0.242	Rcor3	REST corepressor 3
A_30_P01024592	0.000417609	0.242		
A_51_P316553	6.16E-07	0.242	Kdr	kinase insert domain protein receptor
A_55_P2045812	2.18E-05	0.242	Sigmar1	sigma non-opioid intracellular receptor 1
A_51_P515120	4.77E-06	0.242	Hs3st3a1	heparan sulfate (glucosamine) 3-O-sulfotransferase 3A1
A_55_P2153621	1.06E-07	0.242	Ahnak	AHNAK nucleoprotein (desmoyokin)
A_55_P2126805	2.76E-07	0.243	Wdr81	WD repeat domain 81
A_52_P219372	5.45E-09	0.243	Tmem177	transmembrane protein 177
A_51_P345649	1.20E-06	0.243	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_51_P106859	5.47E-08	0.243	Lsm10	U7 snRNP-specific Sm-like protein LSM10
A_55_P2031681	0.000298055	0.243		
A_55_P2093163	8.81E-05	0.243	Zfp161	zinc finger protein 161
A_51_P121275	2.85E-09	0.243	Cenpo	centromere protein O
A_30_P01030228	2.70E-06	0.243		
A_55_P2177712	2.80E-07	0.243		
A_55_P2239317	1.59E-07	0.243	Afap111	actin filament associated protein 1-like 1
A_51_P336599	6.02E-08	0.244	Kcne3	potassium voltage-gated channel, Isk-related subfamily, gene 3
A_30_P01027948	2.98E-05	0.244		
A_30_P01025045	3.62E-06	0.244		
A_52_P244803	0.000361129	0.244	D630033O11Rik	RIKEN cDNA D630033O11 gene
A_55_P1956918	3.48E-06	0.245	Adamts5	a disintegrin-like and metallopeptidase (reprolysin type) with thrombospondin type 1 motif, 5 (aggrecanase
A_30_P01030378	9.49E-07	0.245		
A_51_P410451	3.58E-06	0.245	Tube1	epsilon-tubulin 1
A_52_P77204	1.20E-06	0.245	Lrrc20	leucine rich repeat containing 20
A_55_P2182810	6.73E-07	0.245	Arl16	ADP-ribosylation factor-like 16
A_51_P486068	3.07E-06	0.245	Zfp280b	zinc finger protein 280B
A_55_P2401971	0.000313666	0.245	AU015680	expressed sequence AU015680
A_51_P501312	8.43E-09	0.245	Gm16515	predicted gene, Gm16515
A_55_P2179378	4.02E-09	0.246	Zfp192	zinc finger protein 192
A_55_P2004268	0.000277665	0.246	Hic1	hypermethylated in cancer 1
A_51_P316553	6.44E-08	0.246	Kdr	kinase insert domain protein receptor
A_55_P2091116	7.29E-05	0.246	Kbtbd12	kelch repeat and BTB (POZ) domain containing 12
A_55_P1997509	1.88E-05	0.246	Zbtb32	zinc finger and BTB domain containing 32
A_55_P2045711	0.00049379	0.246		
A_51_P104430	0.000163282	0.246	Magee1	melanoma antigen, family E, 1
A_30_P01032656	0.003340834	0.246		
A_55_P2131899	1.82E-06	0.246	Sox4	SRY-box containing gene 4
A_55_P2124956	3.00E-08	0.246	Zfp444	zinc finger protein 444
A_51_P293938	7.69E-05	0.246	Ras11b	RAS-like, family 11, member B
A_51_P316553	5.46E-07	0.246	Kdr	kinase insert domain protein receptor
A_51_P316553	1.09E-07	0.247	Kdr	kinase insert domain protein receptor
A_51_P316553	6.11E-07	0.247	Kdr	kinase insert domain protein receptor
A_51_P121275	9.20E-08	0.247	Cenpo	centromere protein O
A_55_P2213348	0.000665902	0.247	5330421C15Rik	RIKEN cDNA 5330421C15 gene
A_30_P01030180	0.002129791	0.247		
A_51_P221651	2.98E-05	0.247	Adck3	aarF domain containing kinase 3
A_51_P147274	4.25E-05	0.247	Clec4a3	C-type lectin domain family 4, member a3
A_55_P2139905	4.21E-09	0.247	2310057J16Rik	RIKEN cDNA 2310057J16 gene
A_51_P109369	3.05E-05	0.247	Fbxo32	F-box protein 32
A_30_P01020443	0.000195317	0.247		
A_55_P2024555	8.33E-07	0.247	Ppap2a	phosphatidic acid phosphatase type 2A
A_55_P2099192	2.28E-06	0.247		
A_51_P245789	5.45E-05	0.247	Pcolce2	procollagen C-endopeptidase enhancer 2
A_66_P122158	2.25E-08	0.248	Plsd-ps3	phosphatidylserine decarboxylase, pseudogene 3
A_51_P175758	5.64E-07	0.248	9430023L20Rik	RIKEN cDNA 9430023L20 gene
A_51_P246471	2.74E-07	0.248	Pbx2	pre B-cell leukemia transcription factor 2
A_55_P2130535	1.19E-06	0.248	Dnmt3b	DNA methyltransferase 3B
A_66_P132832	1.22E-06	0.248	Gcom1	GRINL1A complex locus
A_55_P2171802	2.41E-05	0.248	Zfp786	zinc finger protein 786
A_55_P2126745	9.42E-05	0.248	Gm10037	predicted gene 10037
A_55_P2000543	0.000609713	0.248	Cd209f	CD209f antigen
A_51_P323521	1.59E-05	0.248	Snx21	sorting nexin family member 21
A_51_P431967	0.001549042	0.249	Gfod1	glucose-fructose oxidoreductase domain containing 1
A_51_P290207	2.10E-05	0.249	Insiq1	insulin induced gene 1
A_55_P2008874	4.48E-06	0.249	Dnmt3b	DNA methyltransferase 3B
A_51_P146970	0.000274913	0.249	Dmrt2	doublesex and mab-3 related transcription factor 2
A_55_P2171081	6.37E-06	0.249	Sec22c	SEC22 vesicle trafficking protein homolog C (S. cerevisiae)
A_51_P257419	3.14E-09	0.249	Lhx2	LIM homeobox protein 2
A_55_P2094158	1.03E-05	0.249	Lhx6	LIM homeobox protein 6
A_51_P446085	8.80E-05	0.249	4933403G14Rik	RIKEN cDNA 4933403G14 gene
A_51_P475995	1.57E-10	0.249	Thra	thyroid hormone receptor alpha
A_30_P01027042	9.62E-07	0.250		

A_30_P01029737	0.000164007	0.250		
A_30_P01024090	0.000335421	0.250		
A_55_P2004807	2.81E-06	0.250	Hexim2	hexamethylene bis-acetamide inducible 2
A_51_P279552	3.65E-08	0.251	Cav2	caveolin 2
A_52_P94401	2.31E-07	0.251	Rtn4r1	reticulon 4 receptor-like 1
A_51_P109369	6.04E-05	0.251	Fbxo32	F-box protein 32
A_52_P459276	0.000130598	0.251	Ift81	intraflagellar transport 81 homolog (Chlamydomonas)
A_55_P2172036	6.03E-06	0.251	Trim65	tripartite motif-containing 65
A_55_P1971759	3.46E-08	0.251	Zfp688	zinc finger protein 688
A_55_P1969356	2.25E-06	0.251	BC020535	cDNA sequence BC020535
A_55_P2042723	3.38E-05	0.252		
A_51_P279552	3.59E-07	0.252	Cav2	caveolin 2
A_55_P2254968	9.79E-05	0.252	BB212172	expressed sequence BB212172
A_51_P369516	4.10E-08	0.252	Nudt16l1	nudix (nucleoside diphosphate linked moiety X)-type motif 16-like 1
A_66_P122099	7.58E-07	0.252	Zc3h8	zinc finger CCCH type containing 8
A_55_P1956284	3.68E-05	0.252		
A_51_P279552	5.48E-07	0.252	Cav2	caveolin 2
A_55_P2172121	3.66E-08	0.253	Mxd4	Max dimerization protein 4
A_51_P277718	6.10E-07	0.253	Cenpc1	centromere protein C1
A_51_P316553	1.08E-06	0.253	Kdr	kinase insert domain protein receptor
A_51_P228295	0.000276769	0.253	Mpz1	myelin protein zero-like 1
A_51_P316553	3.79E-07	0.253	Kdr	kinase insert domain protein receptor
A_55_P1984961	4.02E-07	0.253	AV026068	expressed sequence AV026068
A_52_P336768	3.18E-08	0.253		
A_30_P01033336	0.000184054	0.254		
A_51_P110341	3.32E-05	0.254	Scgb3a1	secretoglobin, family 3A, member 1
A_51_P492410	2.67E-05	0.254	Pmvk	phosphomevalonate kinase
A_51_P117794	9.66E-05	0.254	Blk	BCL2-interacting killer
A_51_P181891	0.001784325	0.254	Fam123a	family with sequence similarity 123, member A
A_51_P277431	6.29E-05	0.254	Ccdc3	coiled-coil domain containing 3
A_55_P2054062	8.42E-06	0.254	Chst2	carbohydrate sulfotransferase 2
A_55_P2018706	1.08E-07	0.254	1500031L02Rik	RIKEN cDNA 1500031L02 gene
A_51_P122649	2.09E-05	0.254	Degs2	degenerative spermatocyte homolog 2 (Drosophila), lipid desaturase
A_51_P110341	3.93E-05	0.254	Scgb3a1	secretoglobin, family 3A, member 1
A_55_P2067722	1.11E-08	0.254	2310057J16Rik	RIKEN cDNA 2310057J16 gene
A_52_P495869	5.69E-05	0.254	Mafb	v-maf musculoaponeurotic fibrosarcoma oncogene family, protein B (avian)
A_30_P01023078	1.25E-07	0.255		
A_55_P1989539	0.000214463	0.255	Cklf	chemokine-like factor
A_52_P11441	1.08E-05	0.255	Rab6b	RAB6B, member RAS oncogene family
A_51_P521176	6.82E-07	0.255	Rassf7	Ras association (RalGDS/AF-6) domain family (N-terminal) member 7
A_51_P360918	2.11E-07	0.255	Ehd3	EH-domain containing 3
A_51_P158073	3.21E-06	0.255	A230050P20Rik	RIKEN cDNA A230050P20 gene
A_30_P01025511	0.000613784	0.255		
A_55_P2117169	4.32E-11	0.255	Zmym1	zinc finger, MYM domain containing 1
A_52_P473966	0.000693281	0.255	Kdelr3	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 3
A_52_P683441	1.95E-08	0.255	Capn5	calpain 5
A_51_P324651	1.13E-07	0.255	Lphn1	latrophilin 1
A_55_P1964832	1.50E-06	0.255	Reck	reversion-inducing-cysteine-rich protein with kazal motifs
A_55_P2076533	2.20E-05	0.256	Pmvk	phosphomevalonate kinase
A_51_P404413	9.94E-10	0.256	Bckdk	branched chain ketoacid dehydrogenase kinase
A_55_P2028837	0.000374164	0.256	Tspan2	tetraspanin 2
A_55_P2121608	1.28E-07	0.256	Sox4	SRY-box containing gene 4
A_55_P2031466	1.29E-05	0.256	Lrrc32	leucine rich repeat containing 32
A_55_P2233271	3.19E-07	0.256	Zfp626	zinc finger protein 626
A_55_P2052145	0.000455666	0.256	Ly6g6d	lymphocyte antigen 6 complex, locus G6D
A_55_P2197638	1.29E-05	0.256	1110046J04Rik	RIKEN cDNA 1110046J04 gene
A_30_P01020552	4.29E-05	0.256		
A_30_P01026974	0.0006428	0.256		
A_51_P316553	5.13E-07	0.257	Kdr	kinase insert domain protein receptor
A_52_P591166	8.08E-08	0.257	Dpysl2	dihydropyrimidinase-like 2
A_55_P2170109	1.15E-09	0.257	Blvm	basic, immunoglobulin-like variable motif containing
A_52_P305053	3.38E-05	0.257	B330016D10Rik	RIKEN cDNA B330016D10 gene
A_30_P01033383	2.93E-05	0.257		
A_55_P2021826	3.90E-05	0.257	Zbtb4	zinc finger and BTB domain containing 4
A_30_P01028063	4.15E-06	0.257		
A_51_P338728	3.03E-08	0.258	Sdhaf1	succinate dehydrogenase complex assembly factor 1
A_51_P437478	1.11E-07	0.258	Zfp566	zinc finger protein 566
A_51_P445912	5.52E-06	0.258	2310047K21Rik	RIKEN cDNA 2310047K21 gene
A_55_P1954302	1.28E-06	0.258	Esrrb	estrogen related receptor, beta
A_55_P2324976	1.56E-06	0.258	5033406O09Rik	RIKEN cDNA 5033406O09 gene
A_51_P121275	1.48E-07	0.258	Cenpo	centromere protein O
A_51_P132170	1.15E-06	0.258	Ccdc141	coiled-coil domain containing 141
A_51_P208931	6.73E-08	0.259	N4bp3	NEDD4 binding protein 3
A_55_P2022748	4.49E-05	0.259	Odz3	odd Oz/ten-m homolog 3 (Drosophila)
A_52_P208613	6.80E-08	0.259	Fancb	Fanconi anemia, complementation group B
A_55_P1988273	4.87E-05	0.259	Rnf103	ring finger protein 103
A_55_P1980421	1.41E-07	0.259	Wdr81	WD repeat domain 81
A_30_P01020057	9.61E-05	0.259		
A_51_P137111	3.73E-06	0.259	Chek2	CHK2 checkpoint homolog (S. pombe)
A_66_P134785	7.89E-09	0.259	2610044O15Rik	RIKEN cDNA 2610044O15 gene
A_51_P169880	2.37E-05	0.259	Zbtb3	zinc finger and BTB domain containing 3
A_55_P1982593	9.83E-07	0.260	Rad51l3	RAD51-like 3 (S. cerevisiae)
A_55_P2173623	2.72E-06	0.260	Samd1	sterile alpha motif domain containing 1
A_52_P384314	1.17E-08	0.260	1110012D08Rik	RIKEN cDNA 1110012D08 gene
A_55_P2151006	4.00E-09	0.260	C1qtnf7	C1q and tumor necrosis factor related protein 7
A_51_P405089	0.001919676	0.260	Lpcat1	lysophosphatidylcholine acyltransferase 1
A_55_P2168692	4.97E-07	0.260	Azi1	5-azacytidine induced gene 1
A_55_P2230484	1.18E-05	0.260	5033403F01Rik	RIKEN cDNA 5033403F01 gene
A_55_P1990086	1.29E-07	0.260	Mks1	Meckel syndrome, type 1
A_55_P2010076	9.46E-06	0.261	Fam73b	family with sequence similarity 73, member B
A_55_P2011116	1.89E-06	0.261	L3mbtl3	l(3)mbt-like 3 (Drosophila)
A_55_P2232325	0.001226752	0.261		
A_51_P191354	6.46E-06	0.261	Acot6	acyl-CoA thioesterase 6
A_51_P189272	1.11E-08	0.261	Tmcc3	transmembrane and coiled coil domains 3
A_51_P345649	6.79E-07	0.261	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_52_P172014	6.73E-05	0.261	Ramp1	receptor (calcitonin) activity modifying protein 1
A_66_P139159	1.03E-05	0.261	Hras1	Harvey rat sarcoma virus oncogene 1
A_55_P2175405	2.07E-06	0.261	Zfp467	zinc finger protein 467
A_55_P2076288	1.36E-07	0.262	Zfp661	zinc finger protein 661
A_51_P337662	3.31E-08	0.262	Ddx26b	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 26B

A_52_P357402	6.80E-11	0.262	Mlst8	MTOR associated protein, LST8 homolog (S. cerevisiae)
A_55_P1961993	2.38E-06	0.262		
A_55_P2051120	0.000153296	0.262	443040218Rik	RIKEN cDNA 443040218 gene
A_51_P279552	1.25E-08	0.262	Cav2	caveolin 2
A_52_P429876	4.32E-07	0.262	Tbx20	T-box 20
A_52_P476877	6.80E-07	0.262	Rfx4	regulatory factor X, 4 (influences HLA class II expression)
A_51_P502614	3.23E-07	0.262	Dusp6	dual specificity phosphatase 6
A_51_P151371	1.77E-08	0.262	Zfp444	zinc finger protein 444
A_51_P362538	1.15E-05	0.263	Syde2	synapse defective 1, Rho GTPase, homolog 2 (C. elegans)
A_52_P434841	5.48E-08	0.263	Chchd8	coiled-coil-helix-coiled-coil-helix domain containing 8
A_51_P374991	2.86E-05	0.263	Vmn2r29	vomeroneasal 2, receptor 29
A_30_P01032736	1.59E-07	0.263		
A_55_P2090025	1.53E-05	0.263	Mest	mesoderm specific transcript
A_51_P497768	3.32E-08	0.263	Gpat2	glycerol-3-phosphate acyltransferase 2, mitochondrial
A_66_P125226	1.51E-06	0.263		
A_55_P2169019	1.98E-06	0.263	Zfp879	zinc finger protein 879
A_55_P2269394	4.79E-07	0.264	BB116930	expressed sequence BB116930
A_55_P2279498	0.000421592	0.264	4933438K21Rik	RIKEN cDNA 4933438K21 gene
A_52_P539161	0.000116079	0.264	Rdh11	retinol dehydrogenase 11
A_55_P2068066	3.05E-05	0.264	Rapgef1	Rap guanine nucleotide exchange factor (GEF)-like 1
A_55_P2017075	7.06E-06	0.264	Zfp54	zinc finger protein 54
A_51_P440865	2.63E-06	0.264	Fam110b	family with sequence similarity 110, member B
A_55_P2306794	0.000254739	0.264	9030417H13Rik	RIKEN cDNA 9030417H13 gene
A_30_P01018803	4.63E-06	0.264		
A_55_P2088014	4.56E-08	0.264	Cdc42ep4	CDC42 effector protein (Rho GTPase binding) 4
A_55_P2139587	0.001949841	0.265		
A_55_P2018191	3.96E-06	0.265	BC020535	cDNA sequence BC020535
A_51_P284426	0.000474883	0.265	Cstad	CSA-conditional, T cell activation-dependent protein
A_51_P234788	4.12E-08	0.265	Cxxc5	CXXC finger 5
A_55_P1975852	5.06E-06	0.265	Zfp873	zinc finger protein 873
A_51_P489903	2.62E-10	0.265	Ogg1	8-oxoguanine DNA-glycosylase 1
A_55_P1968878	1.35E-05	0.265	Rhpn2	rhophilin, Rho GTPase binding protein 2
A_55_P2077522	8.11E-05	0.265		
A_55_P2173188	1.15E-06	0.266	Kank3	KN motif and ankyrin repeat domains 3
A_30_P01020007	0.000108873	0.266		
A_51_P143682	7.26E-08	0.266	Zfp318	zinc finger protein 318
A_55_P2052425	3.33E-06	0.266	Setd4	SET domain containing 4
A_66_P119191	2.78E-08	0.266	Inpp5e	inositol polyphosphate-5-phosphatase E
A_55_P2131672	0.000754596	0.266	Mical2	microtubule associated monooxygenase, calponin and LIM domain containing 2
A_55_P1991104	5.63E-07	0.267		
A_55_P1976744	7.13E-08	0.267		
A_51_P279552	1.17E-06	0.267	Cav2	caveolin 2
A_55_P1977478	6.82E-09	0.267	Zfp629	zinc finger protein 629
A_55_P2060592	0.000111415	0.267	Hoxa1	homeobox A1
A_55_P2346654	4.86E-05	0.267	AU035318	EST AU035318
A_55_P2049005	1.36E-08	0.267	Apoa5	apolipoprotein A-V
A_30_P01026962	2.56E-06	0.268		
A_52_P357611	0.000319517	0.268	Neu3	neuraminidase 3
A_52_P303841	1.23E-05	0.268	Gm5296	predicted gene 5296
A_55_P1993263	4.76E-06	0.268	Chic1	cysteine-rich hydrophobic domain 1
A_55_P2228918	2.13E-06	0.268	Rscan18	regulator of sex-limitation candidate 18
A_55_P2171086	0.001023331	0.268	Prcp	prolylcarboxypeptidase (angiotensinase C)
A_55_P2101336	1.30E-06	0.268	Ramp2	receptor (calcitonin) activity modifying protein 2
A_55_P2165334	1.25E-08	0.268	Nde1	nuclear distribution gene E homolog 1 (A nidulans)
A_51_P311905	9.33E-07	0.268	261000217Rik	RIKEN cDNA 261000217
A_55_P1971054	5.90E-07	0.269	Paqr9	progesterone and adiponectin receptor family member IX
A_51_P328089	7.11E-09	0.269	Crb3	crumbs homolog 3 (Drosophila)
A_51_P115715	8.55E-05	0.269	Asb2	ankyrin repeat and SOCS box-containing 2
A_55_P2103284	1.63E-07	0.269	Twf2	twinfilin, actin-binding protein, homolog 2 (Drosophila)
A_55_P2143095	5.86E-06	0.269		
A_52_P495372	3.20E-08	0.269	Peo1	progressive external ophthalmoplegia 1 (human)
A_55_P2065537	1.84E-08	0.270		
A_55_P2104363	0.000799077	0.270	Cysltr1	cysteinyl leukotriene receptor 1
A_55_P2233462	6.35E-06	0.270	2700022O18Rik	RIKEN cDNA 2700022O18 gene
A_55_P1980854	3.18E-08	0.270	Ankrd24	ankyrin repeat domain 24
A_55_P2220937	3.68E-06	0.270	Otu1	OTU domain containing 1
A_52_P409769	6.38E-07	0.270	Mrv1	MRV integration site 1
A_52_P614472	2.52E-05	0.270	Rpusd1	RNA pseudouridylation synthase domain containing 1
A_51_P279552	2.26E-06	0.270	Cav2	caveolin 2
A_55_P2284560	3.65E-05	0.271		
A_55_P2021729	1.66E-06	0.271	Gm7467	predicted gene 7467
A_52_P198898	3.19E-06	0.271	Samd5	sterile alpha motif domain containing 5
A_55_P2139256	1.25E-06	0.271	Rps6ka1	ribosomal protein S6 kinase polypeptide 1
A_55_P1973402	1.16E-09	0.271	Tada2a	transcriptional adaptor 2A
A_51_P143190	1.34E-06	0.271	Lyl1	lymphoblastic leukemia 1
A_52_P408025	3.28E-06	0.271	Mpped2	metallophosphoesterase domain containing 2
A_55_P2032147	0.000202195	0.271	Wnt9a	wingless-type MMTV integration site 9A
A_55_P2069012	9.09E-08	0.272	Lrdd	leucine-rich and death domain containing
A_55_P1992720	6.40E-06	0.272		
A_52_P262338	0.000314453	0.272	4931406H21Rik	RIKEN cDNA 4931406H21 gene
A_30_P01023671	9.76E-05	0.272		
A_51_P285271	1.74E-08	0.272	Ccdc61	coiled-coil domain containing 61
A_30_P01026339	0.001088503	0.273		
A_51_P396297	1.43E-06	0.273	Hsd11	hydroxysteroid dehydrogenase like 1
A_66_P109395	0.000402714	0.273	Rpl1	ribose 5-phosphate isomerase A
A_55_P2000853	1.69E-06	0.273	Fam125b	family with sequence similarity 125, member B
A_52_P93066	2.99E-08	0.273	Klhdc5	kelch domain containing 5
A_51_P102257	0.002145717	0.273		
A_51_P335770	6.35E-06	0.273	Afap1	actin filament associated protein 1
A_55_P2113071	1.23E-07	0.273	Eif2c4	eukaryotic translation initiation factor 2C, 4
A_51_P433769	0.000156883	0.273	Sgtb	small glutamine-rich tetratricopeptide repeat (TPR)-containing, beta
A_30_P01028429	2.03E-05	0.273		
A_51_P176042	0.000142942	0.273	Pkfr	pyruvate kinase liver and red blood cell
A_30_P01029468	3.07E-06	0.274		
A_30_P01033517	3.47E-05	0.274		
A_55_P2068862	5.71E-08	0.274	Pigv	phosphatidylinositol glycan anchor biosynthesis, class V
A_51_P104430	0.000719426	0.274	Magee1	melanoma antigen, family E, 1
A_55_P1978825	1.38E-05	0.274		
A_51_P417279	8.42E-06	0.275	0610012G03Rik	RIKEN cDNA 0610012G03 gene
A_52_P450835	1.29E-08	0.275	2210021J22Rik	RIKEN cDNA 2210021J22 gene

A_51_P195215	5.04E-07	0.275	Fam149a	family with sequence similarity 149, member A
A_52_P429774	0.000455036	0.275	Cnst	consortin, connexin sorting protein
A_51_P345649	6.94E-08	0.275	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_55_P2007470	5.31E-05	0.276	Pdgfa	platelet derived growth factor, alpha
A_66_P107680	6.78E-09	0.276	Med8	mediator of RNA polymerase II transcription, subunit 8 homolog (yeast)
A_55_P2083794	6.51E-05	0.276	Tmem159	transmembrane protein 159
A_55_P2214487	1.21E-05	0.276	E330013P08Rik	RIKEN cDNA E330013P08 gene
A_55_P2023419	1.64E-07	0.276		
A_55_P2133993	1.18E-07	0.276		
A_51_P465582	1.91E-06	0.276	Hdhd3	haloacid dehalogenase-like hydrolase domain containing 3
A_52_P428521	0.001309397	0.276	Fgd1	FYVE, RhoGEF and PH domain containing 1
A_55_P1967231	3.48E-05	0.276	Stbd1	starch binding domain 1
A_30_P01023459	0.000269477	0.276		
A_55_P2081780	6.04E-07	0.276	Asb7	ankyrin repeat and SOCS box-containing 7
A_55_P2050365	3.35E-06	0.277		
A_51_P416822	9.49E-09	0.277	Hhip	Hedgehog-interacting protein
A_30_P01029157	0.000315159	0.277		
A_66_P127224	6.04E-07	0.277	Krt10	keratin 10
A_52_P354202	4.93E-05	0.277	Erl2	exoribonuclease 2
A_55_P2099594	0.001135996	0.277	Scd3	stearoyl-coenzyme A desaturase 3
A_51_P325501	2.75E-05	0.277	Crip3	cysteine-rich protein 3
A_30_P01022795	2.12E-08	0.277		
A_30_P01020075	1.67E-07	0.277		
A_30_P01022187	7.15E-06	0.278		
A_55_P2293351	1.46E-06	0.278	Gm14462	predicted gene 14462
A_55_P2175356	7.82E-06	0.278	Uros	uroporphyrinogen III synthase
A_51_P345649	3.29E-07	0.278	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_30_P01026062	1.07E-06	0.278		
A_55_P1985514	9.11E-07	0.278	Dlg3	discs, large homolog 3 (Drosophila)
A_51_P283649	5.29E-08	0.278	AA881470	EST AA881470
A_51_P245989	3.46E-05	0.278	Ccr2	chemokine (C-C motif) receptor 2
A_52_P382149	1.38E-05	0.278	Cyp26a1	cytochrome P450, family 26, subfamily a, polypeptide 1
A_55_P2145376	1.38E-07	0.278		
A_55_P2125200	0.000137009	0.278	Gm9897	predicted gene 9897
A_30_P01021636	0.000400196	0.279		
A_51_P433615	5.74E-06	0.279	Klhl6	kelch-like 6 (Drosophila)
A_51_P407690	1.00E-10	0.279	3110056O03Rik	RIKEN cDNA 3110056O03 gene
A_51_P109050	1.85E-08	0.279	Paqr4	progesterone and adiponectin receptor family member IV
A_55_P2024675	6.03E-06	0.279	Fam35a	family with sequence similarity 35, member A
A_55_P2372902	9.56E-08	0.280	LOC100504423	hypothetical protein LOC100504423
A_55_P1978201	5.19E-07	0.280	Incenp	inner centromere protein
A_30_P01029071	8.94E-08	0.280		
A_30_P01029517	0.001490067	0.280		
A_55_P2091551	5.50E-05	0.281	Arhgap9	Rho GTPase activating protein 9
A_51_P155977	5.94E-05	0.281	Clec14a	C-type lectin domain family 14, member a
A_30_P01032483	4.69E-05	0.281		
A_55_P2349148	1.03E-06	0.281	5830408B19Rik	RIKEN cDNA 5830408B19 gene
A_66_P124732	2.53E-06	0.281	Zfp606	zinc finger protein 606
A_51_P224099	5.70E-06	0.281	Cntrob	centrobin, centrosomal BRCA2 interacting protein
A_55_P2125588	3.75E-05	0.281	Pdgfa	platelet derived growth factor, alpha
A_55_P2109717	0.002103491	0.281	Kif20b	kinesin family member 20B
A_52_P229997	2.80E-07	0.281	Cbx8	chromobox homolog 8 (Drosophila Pc class)
A_55_P2160296	0.000183598	0.281	Olfm1	olfactomedin 1
A_55_P2064351	4.54E-08	0.281	Vipr1	vasoactive intestinal peptide receptor 1
A_55_P2394968	2.47E-05	0.282	C530030K21Rik	RIKEN cDNA C530030K21 gene
A_55_P2038582	6.65E-07	0.282	Zfp2	zinc finger protein 2
A_51_P264825	0.000321183	0.282	Lag3	lymphocyte-activation gene 3
A_51_P317317	6.40E-08	0.282	Pdcc1	Parkinson disease 7 domain containing 1
A_55_P2086153	3.89E-09	0.282	Bcdin3d	BDCIN3 domain containing
A_30_P01020583	8.54E-08	0.282		
A_55_P2094084	1.07E-06	0.282	Zfp318	zinc finger protein 318
A_30_P01018425	7.67E-05	0.282		
A_52_P350537	0.002337928	0.282	Mttr11	myotubularin related protein 11
A_52_P574945	1.20E-06	0.282	1500026H17Rik	RIKEN cDNA 1500026H17 gene
A_55_P2146663	7.20E-05	0.282	Trim7	tripartite motif-containing 7
A_51_P200610	7.93E-06	0.282	Zbtb12	zinc finger and BTB domain containing 12
A_52_P326657	1.19E-08	0.282	Fam167b	family with sequence similarity 167, member B
A_66_P119350	1.23E-06	0.282	2310040G24Rik	RIKEN cDNA 2310040G24 gene
A_51_P327632	0.000114414	0.282	Igsf3	immunoglobulin superfamily, member 3
A_30_P01022985	5.55E-05	0.283		
A_51_P496309	3.12E-05	0.283	Rfx4	regulatory factor X, 4 (influences HLA class II expression)
A_51_P113274	4.84E-07	0.283	Hps6	Hermansky-Pudlak syndrome 6
A_55_P2174203	1.13E-05	0.283	Lims2	LIM and senescent cell antigen like domains 2
A_55_P2071596	2.28E-05	0.283	Ppara	peroxisome proliferator activated receptor alpha
A_55_P1990217	8.80E-06	0.283	Zfp13	zinc finger protein 13
A_66_P102879	2.17E-07	0.283	Thra	thyroid hormone receptor alpha
A_55_P2136935	4.15E-05	0.283	Rgs7bp	regulator of G-protein signalling 7 binding protein
A_55_P2419495	7.05E-06	0.283	1110028F11Rik	RIKEN cDNA 1110028F11 gene
A_55_P2040357	5.56E-09	0.283	Bola1	bolA-like 1 (E. coli)
A_30_P01028673	9.69E-08	0.283		
A_55_P2165774	5.87E-06	0.284	Cenpo	centromere protein O
A_30_P01026021	0.000270024	0.284		
A_55_P2156638	0.000236132	0.284	Gpr114	G protein-coupled receptor 114
A_52_P38964	3.87E-07	0.284	Sap25	sin3 associated polypeptide
A_66_P107578	5.23E-06	0.284	Nlrp9c	NLR family, pyrin domain containing 9C
A_51_P104430	0.000123388	0.284	Magee1	melanoma antigen, family E, 1
A_55_P2054342	6.08E-07	0.284		
A_55_P2020661	1.27E-08	0.284	Orai3	ORAI calcium release-activated calcium modulator 3
A_55_P1952714	3.71E-08	0.284	Kctd2	potassium channel tetramerisation domain containing 2
A_52_P387724	4.48E-05	0.285	Tcf7l1	transcription factor 7-like 1 (T-cell specific, HMG box)
A_52_P18937	1.15E-06	0.285	4930404N11Rik	RIKEN cDNA 4930404N11 gene
A_55_P1987984	6.97E-06	0.285		
A_55_P2110362	5.96E-10	0.285	Zfp637	zinc finger protein 637
A_30_P01026710	0.000106113	0.285		
A_55_P1965050	3.89E-08	0.285	Cks2	CDC28 protein kinase regulatory subunit 2
A_51_P100776	0.000256525	0.285	Zfp169	zinc finger protein 169
A_30_P01021625	3.27E-08	0.285		
A_30_P01031524	4.00E-06	0.285		
A_55_P2061064	0.003699417	0.286	Ggt5	gamma-glutamyltransferase 5
A_52_P413492	4.89E-09	0.286	Ldlrap1	low density lipoprotein receptor adaptor protein 1

A_55_P2116868	5.01E-08	0.286	A130010J15Rik	RIKEN cDNA A130010J15 gene
A_55_P2034491	0.000149335	0.286		
A_52_P144297	3.78E-08	0.286	Tspyl3	TSPY-like 3
A_55_P1985698	0.001086786	0.286		
A_51_P109369	8.37E-05	0.286	Fbxo32	F-box protein 32
A_51_P288479	9.32E-06	0.286	Slc25a29	solute carrier family 25 (mitochondrial carrier, palmitoylcarnitine transporter), member 29
A_55_P1998506	1.62E-05	0.286	Aplf	aprataxin and PNKP like factor
A_55_P2046509	1.20E-07	0.286	Amot	angiominin
A_55_P2096834	4.10E-08	0.286	Fbxl19	F-box and leucine-rich repeat protein 19
A_55_P2140656	3.85E-05	0.286	Gm6658	predicted gene 6658
A_55_P2074453	0.000851099	0.286	Slc16a9	solute carrier family 16 (monocarboxylic acid transporters), member 9
A_51_P238383	6.91E-08	0.287	B4galt4	UDP-Gal:betaGlcNAc beta 1,4-galactosyltransferase, polypeptide 4
A_52_P100242	2.10E-09	0.287	Ftsj2	FtsJ homolog 2 (E. coli)
A_55_P2034175	2.46E-07	0.287	Usp28	ubiquitin specific peptidase 28
A_66_P136801	2.21E-06	0.287	Peg13	paternally expressed 13
A_51_P519008	0.000290282	0.287	Mkx	mohawk homeobox
A_51_P109369	0.000298032	0.287	Fbxo32	F-box protein 32
A_55_P2086387	1.16E-08	0.287	1700030K09Rik	RIKEN cDNA 1700030K09 gene
A_55_P1985219	7.90E-09	0.288	Pnpla6	patatin-like phospholipase domain containing 6
A_55_P2010992	8.19E-06	0.288		
A_30_P01033159	2.08E-07	0.288		
A_55_P2004213	1.41E-05	0.288	Gprasp2	G protein-coupled receptor associated sorting protein 2
A_55_P2019054	5.57E-05	0.288	Acacb	acetyl-Coenzyme A carboxylase beta
A_52_P348720	1.20E-06	0.288	Rhobtb3	Rho-related BTB domain containing 3
A_30_P01024106	1.10E-06	0.288		
A_30_P01018593	7.31E-09	0.288		
A_55_P1961451	8.40E-05	0.288	Adams7	a disintegrin-like and metallopeptidase (repolysin type) with thrombospondin type 1 motif, 7
A_51_P179531	0.000309735	0.289	Flt4	FMS-like tyrosine kinase 4
A_30_P01024339	3.58E-08	0.289		
A_30_P01024128	1.05E-07	0.289		
A_51_P383194	2.03E-06	0.289	Pde9a	phosphodiesterase 9A
A_51_P436727	3.53E-09	0.289	Arrb1	arrestin, beta 1
A_66_P128702	8.17E-08	0.289	Nup43	nucleoporin 43
A_52_P348031	2.87E-07	0.290	Syt9	synaptotagmin IX
A_51_P490817	2.85E-06	0.290	Me2	malic enzyme 2, NAD(+)-dependent, mitochondrial
A_30_P01026107	2.20E-06	0.290		
A_51_P345649	8.61E-07	0.290	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_52_P134228	0.000207956	0.290	Lsm11	U7 snRNP-specific Sm-like protein LSM11
A_52_P287992	1.75E-05	0.290	Tbcel	tubulin folding cofactor E-like
A_30_P01030779	1.70E-07	0.290		
A_55_P2033917	6.60E-06	0.290	Fut10	fucosyltransferase 10
A_52_P494380	2.86E-10	0.290	Dgkq	diacylglycerol kinase, theta
A_51_P109369	0.000589622	0.291	Fbxo32	F-box protein 32
A_51_P163476	1.81E-07	0.291	5430403G16Rik	RIKEN cDNA 5430403G16 gene
A_30_P01028904	0.003286463	0.291		
A_51_P195875	7.22E-07	0.291	Notch4	Notch gene homolog 4 (Drosophila)
A_55_P2021792	1.10E-05	0.291	Dyrk1b	dual-specificity tyrosine-(Y)-phosphorylation regulated kinase 1b
A_55_P2012439	4.82E-05	0.291	Tnfrsf19	tumor necrosis factor receptor superfamily, member 19
A_55_P2020341	5.99E-10	0.291	Camk2g	calcium/calmodulin-dependent protein kinase II gamma
A_55_P2288645	0.001050809	0.291	LOC497255	hypothetical LOC497255
A_51_P128499	2.32E-05	0.291	Dennd3	DENN/MADD domain containing 3
A_55_P1967539	2.22E-05	0.291	Hunk	hormonally upregulated Neu-associated kinase
A_51_P108973	0.000171926	0.291	4931414P19Rik	RIKEN cDNA 4931414P19 gene
A_30_P01024768	4.11E-06	0.292		
A_30_P01024387	0.00038384	0.292		
A_52_P443544	6.90E-07	0.292	D330012F22Rik	RIKEN cDNA D330012F22 gene
A_55_P1979335	1.94E-07	0.292	1810062G17Rik	RIKEN cDNA 1810062G17 gene
A_66_P107745	1.18E-06	0.292	1110020A21Rik	RIKEN cDNA 1110020A21 gene
A_51_P485651	1.28E-06	0.292	3110052M02Rik	RIKEN cDNA 3110052M02 gene
A_51_P188271	2.45E-07	0.292	Cd248	CD248 antigen, endosialin
A_30_P01022860	5.25E-05	0.292		
A_30_P01032135	3.05E-07	0.292		
A_55_P2163928	5.74E-06	0.292	Cxx1c	CAAX box 1 homolog C (human)
A_30_P01021491	1.70E-05	0.292		
A_55_P2026275	6.50E-06	0.292	Ppp1r1b	protein phosphatase 1, regulatory (inhibitor) subunit 1B
A_66_P120208	5.38E-08	0.292	Cnm3	cyclin M3
A_51_P497661	4.38E-06	0.293	Ntn4	netrin 4
A_55_P2100705	5.32E-05	0.293		
A_51_P480328	1.18E-05	0.293	Eltf1	EGF, latrophilin seven transmembrane domain containing 1
A_55_P2098499	8.35E-07	0.293	Gnpda2	glucosamine-6-phosphate deaminase 2
A_30_P01021547	3.53E-05	0.293		
A_66_P136930	1.53E-05	0.293		
A_51_P367125	4.10E-07	0.293	Pold1	polymerase (DNA directed), delta 1, catalytic subunit
A_55_P2125972	3.68E-07	0.293	Gorasp1	golgi reassembly stacking protein 1
A_52_P679105	6.17E-06	0.294	Prss23	protease, serine, 23
A_55_P2115220	5.25E-06	0.294	Gm11437	predicted gene 11437
A_55_P2000533	9.50E-08	0.294	Polk	polymerase (DNA directed), kappa
A_55_P2137314	2.08E-06	0.294	Kctd21	potassium channel tetramerisation domain containing 21
A_30_P01018045	2.64E-06	0.294		
A_55_P2166990	6.37E-08	0.294	Ppcs	phosphopantothenoylcysteine synthetase
A_51_P279552	7.31E-07	0.294	Cav2	caveolin 2
A_52_P94454	3.75E-05	0.294		
A_30_P01029199	8.16E-05	0.294		
A_55_P2083023	2.49E-10	0.294	Sac3d1	SAC3 domain containing 1
A_55_P2121613	1.28E-06	0.294	Sox4	SRY-box containing gene 4
A_51_P116609	0.000515673	0.294	Tex12	testis expressed gene 12
A_55_P2119985	3.27E-06	0.294	Baiap2	brain-specific angiogenesis inhibitor 1-associated protein 2
A_52_P84275	2.03E-05	0.295	Der12	Der1-like domain family, member 2
A_30_P01019938	1.50E-08	0.295		
A_55_P2016739	1.89E-05	0.295	C430048L16Rik	RIKEN cDNA C430048L16 gene
A_30_P01019709	4.24E-05	0.295		
A_30_P01026892	0.001479777	0.295		
A_55_P1960298	8.54E-08	0.295	Tmem80	transmembrane protein 80
A_30_P01028975	0.000723323	0.295		
A_55_P2076631	6.63E-06	0.295	Gypc	glycophorin C
A_51_P345649	6.81E-07	0.295	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_55_P2075248	7.23E-06	0.296		
A_55_P2071596	3.18E-05	0.296	Ppara	peroxisome proliferator activated receptor alpha
A_51_P249193	1.07E-05	0.296	Gsg1l	GSG1-like
A_52_P534749	0.000419936	0.296	Npas2	neuronal PAS domain protein 2

A_55_P2175050	0.000361669	0.296		
A_55_P2041363	1.18E-05	0.296		
A_55_P1967736	2.16E-07	0.296	<b>Nkd1</b>	naked cuticle 1 homolog (Drosophila)
A_30_P01024829	1.17E-07	0.296		
A_51_P503542	1.07E-09	0.296	<b>Zfp414</b>	zinc finger protein 414
A_65_P07361	5.45E-08	0.296	<b>Trim14</b>	tripartite motif-containing 14
A_30_P01031183	2.42E-05	0.296		
A_55_P2128929	5.39E-06	0.296	<b>Cc2d2a</b>	coiled-coil and C2 domain containing 2A
A_55_P2157205	0.002530952	0.296	<b>Cdx1</b>	caudal type homeobox 1
A_55_P2436438	1.21E-07	0.296	<b>Dusp22</b>	dual specificity phosphatase 22
A_55_P2133943	5.36E-05	0.296		
A_30_P01024871	1.46E-05	0.296		
A_55_P1974442	2.07E-07	0.296	<b>Sumf2</b>	sulfatase modifying factor 2
A_66_P105319	1.39E-08	0.296		
A_51_P224164	0.001095223	0.296	<b>Slc26a4</b>	solute carrier family 26, member 4
A_52_P139740	4.47E-09	0.296	<b>Mdp1</b>	magnesium-dependent phosphatase 1
A_52_P529360	8.27E-05	0.296	<b>Rab11fip5</b>	RAB11 family interacting protein 5 (class I)
A_55_P2006479	0.000451991	0.297	<b>3300002108Rik</b>	RIKEN cDNA 3300002108 gene
A_55_P2163561	6.42E-06	0.297	<b>Sytl1</b>	synaptotagmin-like 1
A_30_P01032677	0.000270471	0.297		
A_55_P2007738	1.31E-06	0.297	<b>2210403K04Rik</b>	RIKEN cDNA 2210403K04 gene
A_55_P2035311	0.000185314	0.297	<b>3110099E03Rik</b>	RIKEN cDNA 3110099E03 gene
A_51_P222467	1.99E-06	0.297	<b>Abcg1</b>	ATP-binding cassette, sub-family G (WHITE), member 1
A_30_P01030141	0.000113387	0.297		
A_55_P2040815	5.04E-07	0.297	<b>Lrrc45</b>	leucine rich repeat containing 45
A_55_P2038479	4.66E-07	0.297	<b>Pddc1</b>	Parkinson disease 7 domain containing 1
A_55_P2046245	0.002676311	0.298	<b>Hes1</b>	hairy and enhancer of split 1 (Drosophila)
A_51_P345649	4.81E-07	0.298	<b>Pdgfra</b>	platelet derived growth factor receptor, alpha polypeptide
A_55_P2148531	2.46E-07	0.298	<b>1110049F12Rik</b>	RIKEN cDNA 1110049F12 gene
A_51_P256224	7.27E-07	0.298	<b>Zfp768</b>	zinc finger protein 768
A_30_P01033600	0.000265765	0.298		
A_52_P420500	4.15E-05	0.298	<b>Cry1</b>	cryptochrome 1 (photolyase-like)
A_55_P2168628	6.27E-11	0.298	<b>Sac3d1</b>	SAC3 domain containing 1
A_52_P330540	4.78E-06	0.298	<b>2610039C10Rik</b>	RIKEN cDNA 2610039C10 gene
A_51_P104430	4.49E-05	0.298	<b>Magee1</b>	melanoma antigen, family E, 1
A_55_P2002557	0.003828588	0.299	<b>Srebf1</b>	sterol regulatory element binding transcription factor 1
A_51_P226429	1.42E-06	0.299	<b>Rhobtb2</b>	Rho-related BTB domain containing 2
A_30_P01021921	4.58E-06	0.299		
A_30_P01018190	0.001103987	0.299		
A_52_P450934	8.91E-07	0.299	<b>Paqr9</b>	progesterin and adipoQ receptor family member IX
A_51_P370252	2.52E-07	0.299	<b>Capn10</b>	calpain 10
A_52_P244723	9.84E-06	0.299	<b>Tbcel</b>	tubulin folding cofactor E-like
A_55_P2010843	7.19E-09	0.299	<b>Fahd1</b>	fumarylacetoacetate hydrolase domain containing 1
A_52_P562267	0.000164115	0.299	<b>9130409I23Rik</b>	RIKEN cDNA 9130409I23 gene
A_55_P2035838	0.002033869	0.299		
A_55_P1954306	3.47E-07	0.300	<b>Esrra</b>	estrogen related receptor, alpha
A_52_P413646	6.42E-05	0.300	<b>Bmp6</b>	bone morphogenetic protein 6
A_55_P2251379	1.01E-07	0.300	<b>AV313155</b>	expressed sequence AV313155
A_30_P01025009	3.04E-08	0.300		
A_55_P2088571	1.09E-08	0.300	<b>Repin1</b>	replication initiator 1
A_51_P238734	4.83E-09	0.300	<b>Mfsd11</b>	major facilitator superfamily domain containing 11
A_51_P116609	0.000232083	0.300	<b>Tex12</b>	testis expressed gene 12
A_55_P1967553	1.19E-06	0.300	<b>D14Ert449e</b>	DNA segment, Chr 14, ERATO Doi 449, expressed
A_52_P355075	2.88E-10	0.301	<b>Rab40c</b>	Rab40c, member RAS oncogene family
A_51_P187625	0.000227973	0.301	<b>Calbp2</b>	calcium binding protein 2
A_55_P2089710	4.24E-07	0.301	<b>Ednrb</b>	endothelin receptor type B
A_66_P108188	6.01E-09	0.301	<b>Car5a</b>	carbonic anhydrase 5a, mitochondrial
A_55_P2087053	0.000103805	0.301	<b>Gm11437</b>	predicted gene 11437
A_55_P2060502	6.81E-08	0.301	<b>Zfp563</b>	zinc finger protein 563
A_55_P2382110	4.23E-06	0.301	<b>Slc38a9</b>	solute carrier family 38, member 9
A_55_P2046408	0.00047485	0.301		
A_55_P2083789	1.42E-06	0.301	<b>2810410L24Rik</b>	RIKEN cDNA 2810410L24 gene
A_55_P2052485	9.51E-07	0.302	<b>Ushbp1</b>	Usher syndrome 1C binding protein 1
A_66_P129769	1.05E-05	0.302	<b>Slk2</b>	salt inducible kinase 2
A_55_P2023191	3.08E-06	0.302	<b>Polg2</b>	polymerase (DNA directed), gamma 2, accessory subunit
A_66_P112305	9.51E-06	0.302	<b>Myo1f</b>	myosin IF
A_51_P149960	5.78E-06	0.302	<b>Letm2</b>	leucine zipper-EF-hand containing transmembrane protein 2
A_55_P1960043	2.69E-05	0.302	<b>Sec31b</b>	Sec31 homolog B (S. cerevisiae)
A_55_P2169064	0.000202646	0.302	<b>Olf1474</b>	olfactory receptor 1474
A_30_P01031056	1.96E-06	0.302		
A_52_P137559	0.000639565	0.302	<b>Rtn</b>	rotatin
A_52_P257472	4.16E-05	0.302	<b>Prr12</b>	proline rich 12
A_52_P255224	0.00030764	0.302	<b>Gm5784</b>	predicted gene 5784
A_30_P01028878	1.34E-06	0.303		
A_55_P1955325	6.12E-07	0.303	<b>Zfp820</b>	zinc finger protein 820
A_51_P463440	0.002089681	0.303	<b>Elovl6</b>	ELOVL family member 6, elongation of long chain fatty acids (yeast)
A_51_P250445	5.80E-06	0.303	<b>Zfp276</b>	zinc finger protein (C2H2 type) 276
A_55_P2003133	1.01E-09	0.303	<b>Ngrn</b>	neugrin, neurite outgrowth associated
A_55_P2090394	7.58E-06	0.303		
A_55_P2109337	1.18E-05	0.303	<b>Gba2</b>	glucosidase beta 2
A_51_P521090	0.000208177	0.303		
A_51_P487813	2.69E-06	0.304	<b>Lxn</b>	latexin
A_55_P2142393	0.000326924	0.304	<b>Cacna1a</b>	calcium channel, voltage-dependent, P/Q type, alpha 1A subunit
A_55_P2027801	9.18E-06	0.304	<b>BC052040</b>	cDNA sequence BC052040
A_51_P352283	2.34E-08	0.304	<b>Cyb561d1</b>	cytochrome b-561 domain containing 1
A_52_P226127	4.29E-07	0.304	<b>Dido1</b>	death inducer-obliterator 1
A_55_P2000588	0.000541901	0.305	<b>Rfx7</b>	regulatory factor X, 7
A_51_P107020	0.000521987	0.305	<b>Kif5a</b>	kinesin family member 5A
A_55_P2375194	7.08E-05	0.305	<b>P2rx3</b>	purinergic receptor P2X, ligand-gated ion channel, 3
A_52_P278295	1.53E-06	0.305	<b>Pear1</b>	platelet endothelial aggregation receptor 1
A_55_P2311208	0.00012714	0.305	<b>C130045F17Rik</b>	RIKEN cDNA C130045F17 gene
A_66_P116912	3.78E-05	0.305	<b>Tla1</b>	cytotoxic granule-associated RNA binding protein 1
A_55_P2063216	0.001575427	0.306	<b>Dusp14</b>	dual specificity phosphatase 14
A_30_P01022479	3.09E-09	0.306		
A_51_P107020	0.000159834	0.306	<b>Kif5a</b>	kinesin family member 5A
A_55_P2057577	7.33E-05	0.306	<b>Ugt1a6a</b>	UDP glucuronosyltransferase 1 family, polypeptide A6A
A_51_P382512	7.43E-06	0.306	<b>Zfp418</b>	zinc finger protein 418
A_51_P516133	1.99E-05	0.306	<b>Hist1h1c</b>	histone cluster 1, H1c
A_55_P2087944	1.72E-06	0.306		
A_30_P01027389	6.32E-05	0.306		

A_52_P381484	0.000646312	0.306	Spon2	spondin 2, extracellular matrix protein
A_52_P597634	1.00E-07	0.307	Fzd1	frizzled homolog 1 (Drosophila)
A_51_P502957	4.66E-05	0.307	Stxbp4	syntaxin binding protein 4
A_55_P2045946	2.40E-06	0.307	2410002I01Rik	RIKEN cDNA 2410002I01 gene
A_30_P01022963	2.64E-07	0.307		
A_55_P2090929	4.91E-05	0.307		
A_55_P2110062	8.13E-05	0.307		
A_55_P2196185	3.66E-06	0.307	4930412C18Rik	RIKEN cDNA 4930412C18 gene
A_51_P406557	8.77E-08	0.307	AI464131	expressed sequence AI464131
A_55_P1981664	5.67E-09	0.307	Sept8	septin 8
A_55_P1964965	7.57E-06	0.308	Gm1673	predicted gene 1673
A_55_P2044533	2.33E-05	0.308	Stard9	START domain containing 9
A_55_P1975315	0.000121264	0.308	Crygs	crystallin, gamma S
A_30_P01024256	0.000230027	0.308		
A_30_P01023617	1.05E-05	0.308		
A_55_P2177488	1.26E-06	0.308	Hist2h2be	histone cluster 2, H2be
A_55_P2286650	0.000238498	0.308	6720462K09Rik	RIKEN cDNA 6720462K09 gene
A_55_P2062250	1.41E-05	0.308	Gm5524	predicted gene 5524
A_51_P244531	9.63E-05	0.308		
A_30_P01030640	7.01E-06	0.308		
A_55_P2182273	0.000110471	0.309	Bin2	bridging integrator 2
A_55_P2133125	1.31E-05	0.309	D930015E06Rik	RIKEN cDNA D930015E06 gene
A_30_P01023130	3.95E-05	0.309		
A_55_P2112479	5.94E-07	0.309	Nudt16l1	nudix (nucleoside diphosphate linked moiety X)-type motif 16-like 1
A_30_P01025896	3.80E-06	0.309		
A_66_P128608	0.000101632	0.309	Fut11	fucosyltransferase 11
A_52_P552547	2.31E-07	0.309	1110054M08Rik	RIKEN cDNA 1110054M08 gene
A_55_P1989981	0.000198496	0.309	Fam129b	family with sequence similarity 129, member B
A_52_P296109	2.45E-07	0.309	Cstf1	cleavage stimulation factor, 3' pre-RNA, subunit 1
A_51_P277629	2.05E-05	0.309	Zfp81	zinc finger protein 81
A_55_P2160588	4.09E-07	0.310		
A_55_P2112170	9.33E-08	0.310	Crtc1	CREB regulated transcription coactivator 1
A_55_P1998001	0.000142808	0.310	DXBay18	DNA segment, Chr X, Baylor 18
A_30_P01022328	3.06E-05	0.310		
A_52_P504787	1.25E-05	0.310	Epha7	Eph receptor A7
A_52_P393589	1.58E-05	0.310	9030425E11Rik	RIKEN cDNA 9030425E11 gene
A_52_P144285	9.58E-07	0.311	Fam72a	family with sequence similarity 72, member A
A_52_P137691	1.74E-08	0.311	Trappc5	trafficking protein particle complex 5
A_55_P1986113	8.81E-06	0.311	Ppil1	peptidylprolyl isomerase (cyclophilin)-like 1
A_55_P2170519	0.003071104	0.311	4933406I18Rik	RIKEN cDNA 4933406I18 gene
A_55_P1970825	0.000313415	0.311		
A_51_P411345	0.00017758	0.311	Mogat2	monoacylglycerol O-acyltransferase 2
A_55_P2044847	0.000177202	0.311	Nhlrc1	NHL repeat containing 1
A_52_P220163	7.64E-07	0.312	5830454E08Rik	RIKEN cDNA 5830454E08 gene
A_51_P460048	3.33E-07	0.312	Cnr1p1	cannabinoid receptor interacting protein 1
A_30_P01020295	0.000762551	0.312		
A_55_P2020896	6.05E-06	0.312	Parp16	poly (ADP-ribose) polymerase family, member 16
A_55_P2010773	0.000148407	0.312	Tbx2	T-box 2
A_30_P01031879	2.22E-05	0.313		
A_55_P2117959	2.27E-05	0.313	Cyp4b1	cytochrome P450, family 4, subfamily b, polypeptide 1
A_55_P1964573	7.44E-07	0.313	Arhgef6	Rac/Cdc42 guanine nucleotide exchange factor (GEF) 6
A_55_P2135271	1.98E-08	0.313	Zfp358	zinc finger protein 358
A_30_P01019601	1.39E-06	0.313		
A_51_P160913	0.00397229	0.313	Mr1	major histocompatibility complex, class I-related
A_55_P2007334	1.16E-08	0.314	Mepce	methylphosphate capping enzyme
A_30_P01028802	1.53E-05	0.314		
A_55_P2057070	6.33E-06	0.314	Magix	MAGI family member, X-linked
A_30_P01021456	1.21E-07	0.314		
A_51_P300054	3.16E-07	0.314	4933440N22Rik	RIKEN cDNA 4933440N22 gene
A_55_P1989813	7.46E-05	0.314	Gcm1	glial cells missing homolog 1 (Drosophila)
A_51_P126198	2.75E-07	0.314	Dapk2	death-associated protein kinase 2
A_55_P2090817	2.18E-08	0.314	MacroD2	MACRO domain containing 2
A_66_P120414	1.26E-05	0.314	Adcy5	adenylate cyclase 5
A_66_P111285	5.13E-08	0.314	Pdp2	pyruvate dehydrogenase phosphatase catalytic subunit 2
A_52_P673307	1.33E-05	0.315	2610044O15Rik	RIKEN cDNA 2610044O15 gene
A_52_P166694	1.33E-06	0.315	Vamp1	vesicle-associated membrane protein 1
A_55_P2112120	5.72E-08	0.315	Tnk2	tyrosine kinase, non-receptor, 2
A_30_P01017968	6.87E-08	0.315		
A_55_P2387104	0.000119666	0.315	4930471M09Rik	RIKEN cDNA 4930471M09 gene
A_51_P254045	0.000527717	0.315	Traip	TRAF-interacting protein
A_51_P333923	0.00019853	0.315	Tspan1	tetraspanin 1
A_51_P345649	5.22E-07	0.315	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_55_P2279957	2.23E-07	0.315	5730414N17Rik	RIKEN cDNA 5730414N17 gene
A_51_P374101	5.36E-05	0.315	Pard6b	par-6 (partitioning defective 6) homolog beta (C. elegans)
A_51_P487668	0.000162924	0.316	H2afy3	H2A histone family, member Y3
A_55_P1964403	4.18E-06	0.316	Agfg2	ArfGAP with FG repeats 2
A_30_P01018761	0.000673154	0.316		
A_52_P469956	9.98E-05	0.316	Zc3h6	zinc finger CCCH type containing 6
A_52_P121502	9.53E-07	0.316	Plip	plasma membrane proteolipid
A_55_P2084910	0.000192442	0.316	Zfp385b	zinc finger protein 385B
A_66_P115531	1.24E-06	0.316	Crebzf	CREB/ATF bZIP transcription factor
A_55_P2182806	1.57E-07	0.316		
A_30_P01023371	9.48E-06	0.316		
A_30_P01028831	0.000345294	0.317		
A_52_P541175	2.18E-07	0.317	MarvelD1	MARVEL (membrane-associating) domain containing 1
A_55_P2390776	2.71E-05	0.317	1810064F22Rik	RIKEN cDNA 1810064F22 gene
A_51_P454190	3.17E-06	0.317	Hecw2	HECT, C2 and WW domain containing E3 ubiquitin protein ligase 2
A_51_P366290	3.53E-08	0.317	Zfp865	zinc finger protein 865
A_55_P2109857	6.62E-05	0.317	Rgs2	regulator of G-protein signaling 2
A_55_P1988413	0.000607929	0.317	Dpysl4	dihydropyrimidinase-like 4
A_66_P134405	0.001012825	0.317	Axin2	axin2
A_51_P295896	1.85E-05	0.317	4930452B06Rik	RIKEN cDNA 4930452B06 gene
A_51_P398260	4.36E-06	0.317	Tppp	tubulin polymerization promoting protein
A_55_P2023484	2.14E-07	0.317	Osbp15	oxysterol binding protein-like 5
A_51_P467837	5.18E-06	0.317	Ap3m2	adaptor-related protein complex 3, mu 2 subunit
A_51_P279100	5.82E-06	0.317	Ptgs1	prostaglandin-endoperoxide synthase 1
A_51_P487308	1.03E-06	0.317	Pstk	phosphoserine-tRNA kinase
A_51_P202801	3.40E-09	0.317	Abcb9	ATP-binding cassette, sub-family B (MDR/TAP), member 9
A_66_P113892	1.29E-05	0.317	1110017F19Rik	RIKEN cDNA 1110017F19 gene
A_51_P476851	4.97E-09	0.317	Fance	Fanconi anemia, complementation group E

A_51_P128499	6.95E-05	0.317	Dennd3	DENN/MADD domain containing 3
A_52_P15197	1.65E-08	0.317	Dcun1d2	DCN1, defective in cullin neddylation 1, domain containing 2 (S. cerevisiae)
A_55_P2110355	1.02E-10	0.317	Zfp637	zinc finger protein 637
A_51_P115374	2.61E-05	0.317	Pot1b	protection of telomeres 1B
A_55_P2106645	0.000242596	0.318	Adcy5	adenylate cyclase 5
A_30_P01027643	0.000114835	0.318		
A_52_P497056	5.53E-05	0.318	Fam48a	family with sequence similarity 48, member A
A_55_P2148268	3.11E-07	0.318	AI480653	expressed sequence AI480653
A_55_P2102624	0.001275587	0.318	Eaf2	ELL associated factor 2
A_30_P01020778	0.001375283	0.318		
A_30_P01027589	2.75E-07	0.318		
A_55_P1984023	2.53E-06	0.318	Arrb2	arrestin, beta 2
A_30_P01028949	0.000344676	0.318		
A_51_P383755	3.39E-05	0.318	1110006G14RIK	RIKEN cDNA 1110006G14 gene
A_52_P137371	0.001032787	0.318	Hmgcr	3-hydroxy-3-methylglutaryl-Coenzyme A reductase
A_55_P2028054	2.39E-07	0.319	Incenp	inner centromere protein
A_51_P348665	9.36E-06	0.319	Ramp1	receptor (calcitonin) activity modifying protein 1
A_51_P348397	1.57E-07	0.319	Hexim1	hexamethylene bis-acetamide inducible 1
A_51_P153973	1.28E-07	0.319	Zfp273	zinc finger protein 273
A_66_P124817	2.55E-06	0.319	Ing1	inhibitor of growth family, member 1
A_51_P265151	5.59E-05	0.319	Arhgef10	Rho guanine nucleotide exchange factor (GEF) 10
A_30_P01029148	9.16E-07	0.319		
A_51_P116609	0.00224005	0.319	Tex12	testis expressed gene 12
A_30_P01017889	2.32E-06	0.319		
A_55_P2344943	6.21E-05	0.319	B130055M24RIK	RIKEN cDNA B130055M24 gene
A_55_P2125947	1.49E-05	0.319	Agpat2	1-acylglycerol-3-phosphate O-acyltransferase 2 (lysophosphatidic acid acyltransferase, beta)
A_51_P105709	2.76E-05	0.320	Trlp13	thyroid hormone receptor interactor 13
A_55_P2104327	1.75E-06	0.320	Pxdn	peroxidasin homolog (Drosophila)
A_55_P2021125	1.46E-06	0.320		
A_30_P01017864	5.14E-05	0.320		
A_51_P126337	0.001943366	0.320	Fgf12	fibroblast growth factor 12
A_55_P1980636	0.000137413	0.320	Aurka	aurora kinase A
A_51_P417858	2.36E-07	0.320	Zfp825	zinc finger protein 825
A_51_P459070	8.31E-06	0.320	Ap1f	apataxin and PNKP like factor
A_55_P2088741	3.90E-09	0.320	Mtif3	mitochondrial translational initiation factor 3
A_55_P2361647	9.68E-06	0.321	4831440E17RIK	RIKEN cDNA 4831440E17 gene
A_55_P2031442	6.04E-08	0.321	1110049F12RIK	RIKEN cDNA 1110049F12 gene
A_52_P403764	4.35E-05	0.321	4930402H24RIK	RIKEN cDNA 4930402H24 gene
A_30_P01029673	1.22E-05	0.321		
A_55_P2140031	0.00030372	0.322	Fam129b	family with sequence similarity 129, member B
A_55_P2127478	9.95E-06	0.322		
A_55_P2041843	6.88E-09	0.322	Nde1	nuclear distribution gene E homolog 1 (A nidulans)
A_30_P01029645	4.28E-05	0.322		
A_30_P01025871	0.000294203	0.322		
A_52_P197772	1.59E-05	0.322	Xrcc2	X-ray repair complementing defective repair in Chinese hamster cells 2
A_51_P386648	0.001959891	0.322	Glod5	glyoxalase domain containing 5
A_52_P480266	1.43E-05	0.322	Atat1	alpha tubulin acetyltransferase 1
A_55_P2055854	6.36E-05	0.322	Ppara	peroxisome proliferator activated receptor alpha
A_52_P674357	1.74E-08	0.322	Thtpa	thiamine triphosphatase
A_55_P2156186	1.01E-06	0.323	BC028528	cDNA sequence BC028528
A_30_P01029834	0.000994033	0.323		
A_30_P01019398	1.72E-08	0.323		
A_55_P2027240	4.69E-07	0.323	Engase	endo-beta-N-acetylglucosaminidase
A_52_P260818	1.85E-05	0.323	Card10	caspase recruitment domain family, member 10
A_52_P434820	6.27E-06	0.323	Gnpda2	glucosamine-6-phosphate deaminase 2
A_55_P2104532	4.20E-05	0.323	Acacb	acetyl-Coenzyme A carboxylase beta
A_55_P1956267	3.20E-09	0.323	Syt11	synaptotagmin XI
A_55_P2200029	0.002756232	0.323	Dleu2	deleted in lymphocytic leukemia, 2
A_55_P2170732	5.86E-05	0.324	B930041F14RIK	RIKEN cDNA B930041F14 gene
A_55_P2119348	9.22E-06	0.324	1700066M21RIK	RIKEN cDNA 1700066M21 gene
A_51_P211968	1.05E-07	0.324	Lcmt1	leucine carboxyl methyltransferase 1
A_51_P123795	6.98E-09	0.324	Zfp637	zinc finger protein 637
A_51_P345649	4.29E-07	0.324	Pdgfra	platelet derived growth factor receptor, alpha polypeptide
A_55_P1970755	0.000326018	0.324	Hdac9	histone deacetylase 9
A_52_P381418	1.55E-06	0.324	Slc35b4	solute carrier family 35, member B4
A_55_P2058746	1.07E-07	0.324	Mterf	mitochondrial transcription termination factor
A_51_P495232	7.79E-07	0.324	Gpx8	glutathione peroxidase 8 (putative)
A_51_P123795	2.30E-10	0.324	Zfp637	zinc finger protein 637
A_51_P480881	1.87E-08	0.324	Thap11	THAP domain containing 11
A_52_P357309	0.001001556	0.324	Madd	MAP-kinase activating death domain
A_55_P2007389	2.99E-06	0.324	Fam189b	family with sequence similarity 189, member B
A_55_P2107334	5.14E-06	0.325	Trim14	tripartite motif-containing 14
A_51_P202050	2.60E-06	0.325	Dtx1	deltex 1 homolog (Drosophila)
A_55_P2140383	5.32E-07	0.325	2610039C10RIK	RIKEN cDNA 2610039C10 gene
A_55_P2028571	7.33E-08	0.325	Sgsh	N-sulfoglucosamine sulfohydrolase (sulfamidase)
A_55_P2322709	0.001360775	0.325	4633401B06RIK	RIKEN cDNA 4633401B06 gene
A_66_P109220	6.38E-06	0.325	4833442J19RIK	RIKEN cDNA 4833442J19 gene
A_51_P304125	0.000380993	0.325	Slc29a2	solute carrier family 29 (nucleoside transporters), member 2
A_55_P2026753	1.55E-05	0.325	Zmat1	zinc finger, matrin type 1
A_51_P346923	7.28E-06	0.325	Lepre1	leprecan 1
A_55_P2080308	1.38E-07	0.325		
A_51_P123795	4.33E-10	0.325	Zfp637	zinc finger protein 637
A_55_P2020656	2.39E-06	0.326	Oral3	ORAI calcium release-activated calcium modulator 3
A_55_P2166262	3.12E-09	0.326	Rnf215	ring finger protein 215
A_55_P2040936	3.72E-07	0.326	Eng	endoglin
A_52_P462257	0.00311723	0.326		
A_55_P1966804	0.000244058	0.326	Fdps	farnesyl diphosphate synthetase
A_30_P01025344	6.74E-06	0.326		
A_51_P116609	0.000215596	0.326	Tex12	testis expressed gene 12
A_55_P1960291	1.97E-05	0.326	Tjp3	tight junction protein 3
A_55_P1955970	3.33E-07	0.326	Cbfa2t2	core-binding factor, runt domain, alpha subunit 2, translocated to, 2 (human)
A_51_P123795	4.48E-09	0.327	Zfp637	zinc finger protein 637
A_30_P01029458	4.92E-05	0.327		
A_52_P63905	1.60E-07	0.327	Ddc	dopa decarboxylase
A_55_P2124273	2.46E-05	0.327	Myo1f	myosin IF
A_55_P2379480	0.000109381	0.327	A630065K11RIK	RIKEN cDNA A630065K11 gene
A_51_P221428	2.81E-07	0.327	Cbx6	chromobox homolog 6
A_55_P2330545	9.75E-08	0.328	Zfp81	zinc finger protein 81
A_66_P120832	0.00024229	0.328	Gm5887	predicted gene 5887
A_55_P2028936	1.96E-05	0.328	5033425G24RIK	RIKEN cDNA 5033425G24 gene



A_55_P2302290	0.000318908	0.328	E230012P03	hypothetical protein E230012P03
A_30_P01018363	0.000200952	0.328		
A_51_P110341	0.001040866	0.328	Scgb3a1	secretoglobin, family 3A, member 1
A_51_P365656	3.27E-08	0.328	Tmem101	transmembrane protein 101
A_55_P2035683	2.30E-05	0.328		
A_66_P104473	2.38E-06	0.328	Polg2	polymerase (DNA directed), gamma 2, accessory subunit
A_51_P109369	0.000113952	0.328	Fbxo32	F-box protein 32
A_55_P2430221	0.000221384	0.329	Fam35a	family with sequence similarity 35, member A
A_51_P488554	3.26E-05	0.329	3010026O09Rik	RIKEN cDNA 3010026O09 gene
A_51_P502964	1.18E-06	0.329	Tmem63a	transmembrane protein 63a
A_30_P01023067	4.05E-06	0.329		
A_51_P258766	7.19E-07	0.329	Smo	smoothed homolog (Drosophila)
A_51_P123795	7.86E-09	0.329	Zfp637	zinc finger protein 637
A_55_P2168267	0.000262573	0.329		
A_55_P2014987	3.77E-06	0.329	Gatsl2	GATS protein-like 2
A_30_P01017853	0.000102668	0.329		
A_55_P2104542	3.11E-05	0.329		
A_30_P01023561	0.000385942	0.330		
A_55_P1996414	0.002762746	0.330	5033417F24Rik	RIKEN cDNA 5033417F24 gene
A_55_P2459006	0.000325884	0.330	Agphd1	aminoglycoside phosphotransferase domain containing 1
A_51_P116609	0.000227263	0.330	Tex12	testis expressed gene 12
A_51_P172502	1.48E-06	0.330	Cxcl12	chemokine (C-X-C motif) ligand 12
A_55_P2185870	1.36E-05	0.330	Bcl7a	B-cell CLL/lymphoma 7A
A_55_P2204491	1.32E-05	0.330	AI131754	expressed sequence AI131754
A_30_P01019556	2.09E-05	0.330		
A_52_P302544	0.000504804	0.330	Col8a2	collagen, type VIII, alpha 2
A_55_P2053783	2.36E-06	0.330	Ppp2r3a	protein phosphatase 2, regulatory subunit B', alpha
A_55_P2183597	2.85E-05	0.330	Tbc1d2	TBC1 domain family, member 2
A_51_P123795	1.01E-10	0.330	Zfp637	zinc finger protein 637
A_52_P123400	5.97E-08	0.330	1110034A24Rik	RIKEN cDNA 1110034A24 gene
A_55_P2064862	2.88E-05	0.330	Ica1	islet cell autoantigen 1
A_55_P2079390	3.74E-05	0.331	4930579G24Rik	RIKEN cDNA 4930579G24 gene
A_51_P141554	2.18E-08	0.331	Med22	mediator complex subunit 22
A_51_P123795	5.08E-09	0.331	Zfp637	zinc finger protein 637
A_51_P487918	7.12E-05	0.331	Rnl	Ras and Rab interactor-like
A_55_P2035326	0.000418876	0.331	D5Ert605e	DNA segment, Chr 5, ERATO Doi 605, expressed
A_51_P247694	1.48E-05	0.331	Gpr97	G protein-coupled receptor 97
A_55_P2329298	0.00026085	0.331		
A_55_P1962906	1.76E-08	0.331	Als2cl	ALS2 C-terminal like
A_55_P2206461	0.000333959	0.331	A930006K02Rik	RIKEN cDNA A930006K02 gene
A_51_P173107	0.002628157	0.331	1810046K07Rik	RIKEN cDNA 1810046K07 gene
A_51_P415475	9.28E-07	0.331	Dok4	docking protein 4
A_51_P497724	2.47E-06	0.331	Apol7a	apolipoprotein L 7a
A_51_P394394	7.44E-07	0.331	Tspan2	tetraspanin 2
A_51_P328622	6.29E-05	0.332	Tlcd2	TLC domain containing 2
A_55_P2140449	0.001276167	0.332	B3galt4	UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase, polypeptide 4
A_55_P2097022	0.003525799	0.332	Eid1	EP300 interacting inhibitor of differentiation 1
A_51_P399853	5.06E-07	0.332	Zfp704	zinc finger protein 704
A_30_P01032160	0.001028541	0.332		
A_55_P2023391	0.001566584	0.332	Grlh3	grainyhead-like 3 (Drosophila)
A_51_P245631	4.50E-07	0.332	Rftn2	raftlin family member 2
A_52_P249856	4.94E-06	0.332	Cc2d2a	coiled-coil and C2 domain containing 2A
A_55_P2412319	2.84E-09	0.332	A830052D11Rik	RIKEN cDNA A830052D11 gene
A_55_P2032966	0.000491903	0.332	Hmgcs1	3-hydroxy-3-methylglutaryl-Coenzyme A synthase 1
A_30_P01024722	1.87E-07	0.332		
A_51_P346964	0.000266925	0.332	Mrap	melanocortin 2 receptor accessory protein
A_52_P518997	9.82E-06	0.332	Epha2	Eph receptor A2
A_51_P463120	0.000128239	0.332	Ptplad2	protein tyrosine phosphatase-like A domain containing 2
A_66_P113245	7.68E-06	0.332	Mfng	MFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
A_51_P460774	4.28E-06	0.332	Smyd4	SET and MYND domain containing 4
A_55_P1976097	2.37E-09	0.332		
A_30_P01031281	0.000211668	0.332		
A_52_P538447	9.64E-07	0.332	Muted	muted
A_55_P2036280	9.53E-06	0.333	Psen2	presenilin 2
A_55_P2006754	5.29E-06	0.333	F630110N24Rik	RIKEN cDNA F630110N24 gene
A_51_P364560	8.67E-05	0.333	D330050I16Rik	RIKEN cDNA D330050I16 gene
A_55_P2032363	1.36E-05	0.333	Tomm40l	translocase of outer mitochondrial membrane 40 homolog-like (yeast)
A_55_P2159070	1.13E-09	0.333	2810025M15Rik	RIKEN cDNA 2810025M15 gene
A_55_P2065364	0.000888004	0.333	Tdrkh	tudor and KH domain containing protein
A_30_P01029326	4.59E-06	0.333		
A_51_P272106	0.000165984	0.334	Cirbp	cold inducible RNA binding protein
A_55_P2180934	4.06E-06	0.334	Gm8273	predicted gene 8273
A_66_P117513	7.17E-05	0.334	A830049F12Rik	RIKEN cDNA A830049F12 gene
A_55_P2082869	2.79E-08	0.334	Ezh1	enhancer of zeste homolog 1 (Drosophila)
A_55_P2074085	0.00118999	0.334	Gimap8	GTPase, IMAP family member 8
A_66_P104190	6.45E-06	0.334	Gsk3b	glycogen synthase kinase 3 beta
A_51_P269634	0.003496818	0.334	Zfp14	zinc finger protein 14
A_30_P01022919	0.00243841	0.335		
A_66_P115389	7.55E-07	0.335		
A_52_P553316	1.81E-05	0.335	Snrk	SNF related kinase
A_55_P2128032	6.22E-06	0.335	Hsf2	heat shock factor 2
A_55_P2153740	4.59E-05	0.335		
A_51_P114634	8.45E-05	0.335	Amz1	archaeysin family metallopeptidase 1
A_52_P59264	8.54E-05	0.335	Sncalp	synuclein, alpha interacting protein (synphilin)
A_66_P106072	2.25E-06	0.336	Oral1	ORAL calcium release-activated calcium modulator 1
A_30_P01020749	7.52E-05	0.336		
A_51_P128499	0.000360857	0.336	Dennd3	DENN/MADD domain containing 3
A_51_P303725	1.57E-06	0.336	Tmem38a	transmembrane protein 38A
A_55_P2133840	2.79E-08	0.336	Sipa1	signal-induced proliferation associated gene 1
A_51_P372992	3.24E-06	0.336	4632428N05Rik	RIKEN cDNA 4632428N05 gene
A_30_P01020178	0.000153631	0.336		
A_30_P01032968	0.002654814	0.336		
A_51_P461894	0.001586522	0.336	Tnnc1	troponin C, cardiac/slow skeletal
A_30_P01017922	1.49E-05	0.336		
A_55_P2016540	1.40E-05	0.336	Cry2	cryptochrome 2 (photolyase-like)
A_55_P2070262	0.000155289	0.336	Gm10621	predicted gene 10621
A_52_P552665	5.33E-08	0.337	Fzd7	frizzled homolog 7 (Drosophila)
A_55_P1978089	2.89E-09	0.337	Dcaf17	DDB1 and CUL4 associated factor 17
A_51_P430929	2.96E-09	0.337	Fam20a	family with sequence similarity 20, member A
A_55_P2152771	5.81E-06	0.337	Lhfp12	lipoma HMGIC fusion partner-like 2

A_55_P2076805	3.24E-06	0.337		
A_51_P117618	2.65E-05	0.337	<b>Ethe1</b>	ethylmalonic encephalopathy 1
A_30_P01020902	2.47E-05	0.337		
A_66_P107231	2.15E-06	0.337	<b>Loxl4</b>	lysyl oxidase-like 4
A_52_P138205	1.81E-07	0.337	<b>Plekha8</b>	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 8
A_51_P278034	2.99E-07	0.337	<b>Ufsp1</b>	UFM1-specific peptidase 1
A_65_P19112	4.05E-06	0.337	<b>Zfp397</b>	zinc finger protein 397
A_51_P418056	4.04E-05	0.337	<b>Sc5d</b>	sterol-C5-desaturase (fungal ERG3, delta-5-desaturase) homolog (S. cerevisiae)
A_55_P2002517	0.000134951	0.337	<b>Fhl1</b>	four and a half LIM domains 1
A_51_P490023	0.002800852	0.337	<b>Tubb2a</b>	tubulin, beta 2A
A_55_P2050125	2.27E-07	0.338	<b>Fance</b>	Fanconi anemia, complementation group E
A_30_P01032537	2.38E-09	0.338		
A_30_P01021716	5.24E-05	0.338		
A_55_P2128686	0.001163147	0.338	<b>Ccdc21</b>	coiled-coil domain containing 21
A_51_P123795	2.40E-09	0.338	<b>Zfp637</b>	zinc finger protein 637
A_52_P198239	1.14E-06	0.338	<b>Ube2u</b>	ubiquitin-conjugating enzyme E2U (putative)
A_51_P173692	0.000101706	0.338	<b>Lingo4</b>	leucine rich repeat and Ig domain containing 4
A_51_P240986	1.61E-06	0.338	<b>Plekhg6</b>	pleckstrin homology domain containing, family G (with RhoGef domain) member 6
A_66_P135185	4.76E-09	0.338	<b>Etv1</b>	ets variant gene 1
A_55_P2072706	4.21E-07	0.339	<b>Chsy1</b>	chondroitin sulfate synthase 1
A_51_P363214	4.16E-05	0.339	<b>D630045J12Rik</b>	RIKEN cDNA D630045J12 gene
A_66_P128931	0.0011944	0.339		
A_55_P2045697	1.78E-07	0.339	<b>Sirt7</b>	sirtuin 7 (silent mating type information regulation 2, homolog) 7 (S. cerevisiae)
A_30_P01033385	3.66E-05	0.339		
A_51_P135357	4.65E-07	0.339	<b>Sike1</b>	suppressor of IKBKE 1
A_55_P1959828	0.00017701	0.339	<b>Tmem20</b>	transmembrane protein 20
A_55_P1952720	2.08E-07	0.339	<b>Kctd2</b>	potassium channel tetramerisation domain containing 2
A_51_P116609	0.000194157	0.339	<b>Tex12</b>	testis expressed gene 12
A_30_P01030147	7.24E-06	0.339		
A_55_P2105242	8.87E-07	0.339	<b>Arhgap39</b>	Rho GTPase activating protein 39
A_55_P1999361	1.21E-06	0.339	<b>Dip2a</b>	DIP2 disco-interacting protein 2 homolog A (Drosophila)
A_52_P197627	1.99E-05	0.340	<b>Umps</b>	uridine monophosphate synthetase
A_52_P151278	3.57E-05	0.340	<b>Lrch4</b>	leucine-rich repeats and calponin homology (CH) domain containing 4
A_51_P424561	7.06E-08	0.340	<b>Zfp93</b>	zinc finger protein 93
A_55_P2064876	1.72E-08	0.340	<b>Mtvr2</b>	mammary tumor virus receptor 2
A_55_P2095342	8.23E-08	0.340	<b>Rara</b>	retinoic acid receptor, alpha
A_55_P2005285	1.28E-07	0.340	<b>Klhl22</b>	kelch-like 22 (Drosophila)
A_51_P215097	1.98E-05	0.340	<b>Klf16</b>	Kruppel-like factor 16
A_55_P1968703	0.000344984	0.340	<b>Gfra2</b>	glial cell line derived neurotrophic factor family receptor alpha 2
A_52_P448466	0.000460901	0.340	<b>BC004004</b>	cDNA sequence BC004004
A_30_P01023927	3.60E-06	0.340		
A_55_P1958912	2.44E-05	0.340		
A_55_P1954356	4.95E-05	0.340	<b>Ttc23</b>	tetratricopeptide repeat domain 23
A_55_P2026761	0.00033305	0.340		
A_52_P471282	2.22E-06	0.340	<b>Fmo4</b>	flavin containing monooxygenase 4
A_55_P2141866	4.94E-05	0.340	<b>Zfp874b</b>	zinc finger protein 874b
A_52_P574720	4.55E-06	0.340	<b>Oit3</b>	oncoprotein induced transcript 3
A_52_P185044	5.95E-07	0.340	<b>Adipor2</b>	adiponectin receptor 2
A_30_P01030176	0.000326166	0.340		
A_55_P2377693	9.22E-05	0.340	<b>2310068J16Rik</b>	RIKEN cDNA 2310068J16 gene
A_51_P126302	0.000107138	0.340	<b>RbmX2</b>	RNA binding motif protein, X-linked 2
A_55_P2077783	0.002083445	0.341	<b>Tubb2a-ps2</b>	tubulin, beta 2a, pseudogene 2
A_55_P2023818	7.55E-06	0.341	<b>Cysltr1</b>	cysteinyl leukotriene receptor 1
A_66_P124659	0.000153273	0.341	<b>Mark1</b>	MAP/microtubule affinity-regulating kinase 1
A_55_P2419483	1.75E-05	0.341	<b>4732460I02Rik</b>	RIKEN cDNA 4732460I02 gene
A_51_P399614	1.04E-06	0.341	<b>Zkscan14</b>	zinc finger with KRAB and SCAN domains 14
A_52_P257728	2.30E-06	0.341	<b>Cnnm4</b>	cyclin M4
A_52_P594430	1.35E-07	0.341	<b>Anks3</b>	ankyrin repeat and sterile alpha motif domain containing 3
A_30_P01029377	2.59E-08	0.341		
A_55_P2118694	0.002413035	0.342	<b>Nkd1</b>	naked cuticle 1 homolog (Drosophila)
A_52_P335064	7.84E-06	0.342	<b>Mustn1</b>	musculoskeletal, embryonic nuclear protein 1
A_51_P345649	6.17E-08	0.342	<b>Pdgfra</b>	platelet derived growth factor receptor, alpha polypeptide
A_55_P2098911	3.98E-05	0.342	<b>Lrrcc1</b>	leucine rich repeat and coiled-coil domain containing 1
A_55_P2010121	3.26E-05	0.342	<b>Rab27b</b>	RAB27b, member RAS oncogene family
A_55_P2024406	1.52E-06	0.342	<b>Napepld</b>	N-acyl phosphatidylethanolamine phospholipase D
A_51_P308029	0.000168942	0.343	<b>2010107G23Rik</b>	RIKEN cDNA 2010107G23 gene
A_55_P1960197	8.44E-06	0.343	<b>P2ry14</b>	purinergic receptor P2Y, G-protein coupled, 14
A_51_P123795	4.37E-08	0.343	<b>Zfp637</b>	zinc finger protein 637
A_55_P1966327	4.01E-06	0.343		
A_51_P452798	4.16E-07	0.343	<b>Zfp524</b>	zinc finger protein 524
A_52_P613808	1.98E-06	0.343	<b>Zbtb7a</b>	zinc finger and BTB domain containing 7a
A_51_P288828	3.80E-08	0.343	<b>Gpr172b</b>	G protein-coupled receptor 172B
A_55_P2160291	0.000184403	0.343	<b>Olfm1</b>	olfactomedin 1
A_55_P2108067	4.01E-10	0.343	<b>Dgcr8</b>	DiGeorge syndrome critical region gene 8
A_55_P2089530	3.74E-06	0.343	<b>Fkbp10</b>	FK506 binding protein 10
A_51_P321965	9.13E-10	0.343	<b>Ssna1</b>	Sjogren's syndrome nuclear autoantigen 1
A_55_P2049572	8.32E-07	0.343	<b>Pld2</b>	phospholipase D2
A_52_P354123	0.002482481	0.343	<b>Rheb1l</b>	Ras homolog enriched in brain like 1
A_52_P182391	1.80E-05	0.343	<b>4930556M19Rik</b>	RIKEN cDNA 4930556M19 gene
A_52_P635271	1.89E-08	0.344	<b>Btdb6</b>	BTB (POZ) domain containing 6
A_52_P124173	0.002852434	0.344	<b>Zdhc8</b>	zinc finger, DHHC domain containing 8
A_51_P109258	0.001230443	0.344	<b>Cys1</b>	cystin 1
A_51_P179241	1.15E-07	0.344	<b>Tssc4</b>	tumor-suppressing subchromosomal transferable fragment 4
A_55_P2039566	2.99E-06	0.344	<b>Arhgap23</b>	Rho GTPase activating protein 23
A_52_P6828	3.47E-08	0.344	<b>Xk</b>	Kell blood group precursor (McLeod phenotype) homolog
A_55_P2185489	4.51E-08	0.344	<b>Zfp865</b>	zinc finger protein 865
A_55_P2054350	1.62E-05	0.344	<b>Fbxo44</b>	F-box protein 44
A_55_P1963364	1.60E-08	0.344	<b>Fam55c</b>	family with sequence similarity 55, member C
A_52_P472319	1.53E-06	0.344	<b>Plxd1</b>	plexin D1
A_55_P2165560	2.17E-05	0.345	<b>Plekhg5</b>	pleckstrin homology domain containing, family G (with RhoGef domain) member 5
A_51_P269687	0.0017521	0.345	<b>Pole2</b>	polymerase (DNA directed), epsilon 2 (p59 subunit)
A_52_P16877	1.09E-05	0.345	<b>Tmcc3</b>	transmembrane and coiled coil domains 3
A_66_P121459	0.000175	0.345	<b>Cenpa</b>	centromere protein A
A_51_P328883	6.60E-06	0.345	<b>Zfp810</b>	zinc finger protein 810
A_55_P2026863	5.74E-07	0.345	<b>Trim32</b>	tripartite motif-containing 32
A_30_P01023210	1.44E-07	0.345		
A_55_P2067727	6.56E-07	0.345	<b>Mxra7</b>	matrix-remodelling associated 7
A_55_P1972019	1.82E-07	0.345	<b>4632415L05Rik</b>	RRS1 ribosome biogenesis regulator homolog pseudogene
A_66_P106098	4.94E-06	0.346	<b>Kif3a</b>	kinesin family member 3A
A_55_P2032770	4.54E-06	0.346	<b>Inpp5e</b>	inositol polyphosphate-5-phosphatase E

A_65_P11504	1.40E-07	0.346	Zfp85-rs1	zinc finger protein 85, related sequence 1
A_55_P2025483	2.34E-05	0.346	Rfesd	Rieske (Fe-S) domain containing
A_30_P01031270	9.01E-05	0.346		
A_55_P2133220	0.001871828	0.346	E130306D19Rik	RIKEN cDNA E130306D19 gene
A_66_P138976	2.29E-05	0.346	Lpin2	lipin 2
A_52_P674759	1.21E-06	0.346	Btbd3	BTB (POZ) domain containing 3
A_66_P100696	0.000181353	0.346	Slc26a2	solute carrier family 26 (sulfate transporter), member 2
A_51_P134262	2.37E-08	0.346	1700052K11Rik	RIKEN cDNA 1700052K11 gene
A_55_P1993584	6.09E-05	0.346	BC048609	cDNA sequence BC048609
A_55_P2108883	1.11E-06	0.346	AV356131	expressed sequence AV356131
A_30_P01023264	4.35E-05	0.346		
A_51_P296528	3.20E-06	0.347	Lass4	LAG1 homolog, ceramide synthase 4
A_55_P1989573	2.49E-08	0.347	Tmem175	transmembrane protein 175
A_51_P209183	0.000986099	0.347	Cxcl14	chemokine (C-X-C motif) ligand 14
A_55_P2058962	0.000145981	0.347	Mcm10	minichromosome maintenance deficient 10 ( <i>S. cerevisiae</i> )
A_51_P322265	2.40E-06	0.347	Grap	GRB2-related adaptor protein
A_55_P2122718	2.08E-06	0.347	Gpr19	G protein-coupled receptor 19
A_51_P494863	2.17E-09	0.347	Vmac	vimentin-type intermediate filament associated coiled-coil protein
A_55_P2049771	5.02E-05	0.347		
A_55_P1957855	2.39E-08	0.347		
A_52_P456977	9.82E-08	0.348	Deaf1	deformed epidermal autoregulatory factor 1 ( <i>Drosophila</i> )
A_30_P01032781	0.004295958	0.348		
A_55_P2350617	1.45E-05	0.348	Slc37a2	solute carrier family 37 (glycerol-3-phosphate transporter), member 2
A_66_P112551	4.96E-06	0.348	Shf	Src homology 2 domain containing F
A_55_P1966159	5.09E-06	0.348	Dlg5	discs, large homolog 5 ( <i>Drosophila</i> )
A_55_P2046411	0.000356597	0.348		
A_55_P1992849	0.000197304	0.348	Adrb3	adrenergic receptor, beta 3
A_55_P2024327	2.19E-07	0.348	Suv420h2	suppressor of variegation 4-20 homolog 2 ( <i>Drosophila</i> )
A_51_P438859	7.23E-05	0.348	Pmf1	polyamine-modulated factor 1
A_30_P01021305	0.000188831	0.348		
A_55_P1953157	1.39E-07	0.348	2810422O20Rik	RIKEN cDNA 2810422O20 gene
A_52_P108447	2.93E-06	0.349	Gls2	GLIS family zinc finger 2
A_55_P1959560	0.000117282	0.349	5031425E22Rik	RIKEN cDNA 5031425E22 gene
A_55_P2049138	0.000198908	0.349	Zfp93	zinc finger protein 93
A_30_P01025814	0.000343418	0.349		
A_55_P1984391	0.000389302	0.349	Depdc5	DEP domain containing 5
A_51_P455366	2.79E-05	0.349	Ankrd27	ankyrin repeat domain 27 ( <i>VPS9</i> domain)
A_55_P1976814	0.000282756	0.349		
A_55_P2151061	0.000630123	0.350	Gm3613	predicted gene 3613
A_51_P123795	7.33E-10	0.350	Zfp637	zinc finger protein 637
A_30_P01029402	0.00011142	0.350		
A_55_P1993998	6.94E-06	0.350	Slc35d2	solute carrier family 35, member D2
A_55_P2119897	0.002101463	0.350	ErbB3	v-erb-b2 erythroblastic leukemia viral oncogene homolog 3 (avian)
A_55_P2143030	1.65E-05	0.350	Timd2	T-cell immunoglobulin and mucin domain containing 2
A_55_P2018132	1.43E-05	0.350	Blvm	basic, immunoglobulin-like variable motif containing
A_30_P01030566	3.37E-07	0.351		
A_30_P01029208	6.22E-05	0.351		
A_55_P2205459	9.99E-06	0.351	Hnf1b	HNF1 homeobox B
A_55_P2156016	3.10E-06	0.351		
A_30_P01019271	6.54E-07	0.351		
A_51_P194306	3.58E-05	0.351	Lrrc1	leucine rich repeat containing 1
A_51_P141521	3.26E-06	0.351	Sap130	Sin3A associated protein
A_52_P45841	2.96E-06	0.351	Gorasp1	golgi reassembly stacking protein 1
A_55_P2370210	1.96E-05	0.351	1700025K04Rik	RIKEN cDNA 1700025K04 gene
A_51_P369252	0.000892184	0.351	4632434I11Rik	RIKEN cDNA 4632434I11 gene
A_52_P81630	1.26E-05	0.352	2810001G20Rik	RIKEN cDNA 2810001G20 gene
A_55_P2249849	9.20E-06	0.352	Sema6a	sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A
A_52_P39083	6.33E-08	0.352	Ccbe1	collagen and calcium binding EGF domains 1
A_55_P2163659	2.87E-06	0.352	Rspo3	R-spondin 3 homolog ( <i>Xenopus laevis</i> )
A_55_P2073015	3.21E-08	0.352	Lin37	lin-37 homolog ( <i>C. elegans</i> )
A_55_P2101088	0.001958417	0.352	Slc5a11	solute carrier family 5 (sodium/glucose cotransporter), member 11
A_51_P166023	3.15E-05	0.352	Hip1	huntingtin interacting protein 1
A_55_P2270137	3.71E-07	0.352	B930036G03Rik	RIKEN cDNA B930036G03 gene
A_30_P01032827	1.30E-06	0.352		
A_52_P639101	2.41E-07	0.352	Lrrc14	leucine rich repeat containing 14
A_55_P2048096	2.38E-06	0.352	Mzf1	myeloid zinc finger 1
A_55_P2020143	6.14E-08	0.352	Slc39a3	solute carrier family 39 (zinc transporter), member 3
A_55_P1986958	2.64E-08	0.352	Brms1l	breast cancer metastasis-suppressor 1-like
A_51_P105709	0.000124825	0.352	Trip13	thyroid hormone receptor interactor 13
A_51_P287756	4.40E-05	0.352	Zscan2	zinc finger and SCAN domain containing 2
A_52_P637282	3.41E-07	0.353	Wipf1	WAS/WASL interacting protein family, member 1
A_51_P357561	0.000138212	0.353	Fbxw9	F-box and WD-40 domain protein 9
A_55_P2169694	1.03E-05	0.353		
A_51_P507792	3.23E-06	0.353	Tubgcp6	tubulin, gamma complex associated protein 6
A_30_P01029934	9.05E-08	0.353		
A_55_P2061170	9.50E-06	0.353	Tbc1d2	TBC1 domain family, member 2
A_55_P2084128	6.45E-05	0.353	C430048L16Rik	RIKEN cDNA C430048L16 gene
A_55_P2042958	8.04E-07	0.353	Rad50	RAD50 homolog ( <i>S. cerevisiae</i> )
A_55_P2038697	1.56E-05	0.353	Zfp235	zinc finger protein 235
A_55_P1955931	4.34E-05	0.353	Slc25a42	solute carrier family 25, member 42
A_52_P11174	4.26E-06	0.353	Hip1	huntingtin interacting protein 1
A_55_P2051139	7.56E-05	0.353	Zfp704	zinc finger protein 704
A_30_P01027159	2.79E-09	0.353		
A_55_P2113673	3.21E-06	0.353	Eml1	echinoderm microtubule associated protein like 1
A_55_P2108708	3.30E-06	0.354	Kcne3	potassium voltage-gated channel, Isk-related subfamily, gene 3
A_55_P2037897	1.75E-06	0.354	Brd3	bromodomain containing 3
A_55_P2004777	2.04E-07	0.354	Mical2	MICAL-like 2
A_55_P2063755	0.002371997	0.354	Naip6	NLR family, apoptosis inhibitory protein 6
A_51_P214825	3.43E-07	0.354	Orc5	origin recognition complex, subunit 5
A_55_P2054708	0.004219262	0.354		
A_55_P1970810	2.42E-05	0.354	Agpat2	1-acylglycerol-3-phosphate O-acyltransferase 2 (lysophosphatidic acid acyltransferase, beta)
A_30_P01024533	0.000517991	0.354		
A_55_P1957378	2.25E-05	0.354	Unc119	unc-119 homolog ( <i>C. elegans</i> )
A_55_P2179314	3.72E-08	0.354	MacroD2	MACRO domain containing 2
A_51_P105709	3.34E-05	0.354	Trip13	thyroid hormone receptor interactor 13
A_55_P2020306	2.79E-07	0.354	Aasdh	aminoadipate-semialdehydedehydrogenase
A_55_P2169124	6.36E-06	0.354	C730048C13Rik	RIKEN cDNA C730048C13 gene
A_55_P2075515	1.31E-05	0.354	5430405H02Rik	RIKEN cDNA 5430405H02 gene
A_66_P117058	7.28E-07	0.354	Aasdh	aminoadipate-semialdehydedehydrogenase
A_51_P307220	9.19E-08	0.355	Ankrd54	ankyrin repeat domain 54

A_55_P2077872	3.42E-07	0.355	Deaf1	deformed epidermal autoregulatory factor 1 (Drosophila)
A_30_P01029719	0.000136306	0.355		
A_30_P01030334	0.00043217	0.355		
A_55_P2086825	2.45E-06	0.355	Rgl3	ral guanine nucleotide dissociation stimulator-like 3
A_55_P2081560	9.28E-07	0.355	Phf20	PHD finger protein 20
A_55_P1954633	2.85E-06	0.355		
A_30_P01021448	0.000491855	0.355		
A_55_P2155347	7.07E-05	0.355	Grk4	G protein-coupled receptor kinase 4
A_52_P340669	0.003562612	0.356	Bhlha15	basic helix-loop-helix family, member a15
A_52_P219266	0.000172628	0.356	Frmd8	FERM domain containing 8
A_51_P107020	0.000230433	0.356	Klf5a	kinesin family member 5A
A_51_P389988	7.25E-05	0.356	Slc40a1	solute carrier family 40 (iron-regulated transporter), member 1
A_55_P2036547	8.13E-05	0.356	Hsd3b2	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2
A_55_P1973965	4.96E-07	0.356	Ppp1r13b	protein phosphatase 1, regulatory (inhibitor) subunit 13B
A_52_P663600	4.87E-05	0.356	Pak1	p21 protein (Cdc42/Rac)-activated kinase 1
A_55_P2142202	0.000493365	0.356		
A_51_P435339	4.76E-06	0.356	Epor	erythropoietin receptor
A_51_P155085	0.00301851	0.356	Dennd2a	DENN/MADD domain containing 2A
A_52_P234354	2.33E-07	0.357	Hic2	hypermethylated in cancer 2
A_51_P201971	5.88E-05	0.357	Setd8	SET domain containing (lysine methyltransferase) 8
A_55_P2106434	3.70E-05	0.357	Zfp114	zinc finger protein 114
A_30_P01020137	1.38E-07	0.357		
A_30_P01031417	2.38E-08	0.357		
A_55_P2147160	7.92E-09	0.357		
A_55_P2019615	1.88E-08	0.357		
A_52_P441044	0.000134894	0.357	Rfxap	regulatory factor X-associated protein
A_55_P2075523	6.79E-05	0.357	Anapc7	anaphase promoting complex subunit 7
A_55_P2129311	1.40E-08	0.358	2210016L21Rik	RIKEN cDNA 2210016L21 gene
A_55_P2013630	0.00095291	0.358		
A_30_P01031077	0.000450557	0.358		
A_52_P104562	1.15E-07	0.358	Lipt1	lipoyltransferase 1
A_30_P01029176	1.97E-06	0.358		
A_52_P819156	0.000936041	0.358		
A_55_P2334942	0.001426008	0.358	1700093J21Rik	RIKEN cDNA 1700093J21 gene
A_51_P482043	3.73E-08	0.358	Epm2aip1	EPM2A (laforin) interacting protein 1
A_51_P516637	3.24E-07	0.358	Bmp5	bone morphogenetic protein 5
A_30_P01032661	8.60E-05	0.358		
A_52_P168575	8.69E-06	0.359	Fam169b	family with sequence similarity 169, member B
A_51_P447866	0.000134465	0.359	Sash3	SAM and SH3 domain containing 3
A_51_P199608	1.36E-07	0.359	Tll1	tubulin tyrosine ligase-like 1
A_51_P114456	2.74E-06	0.359	2210012G02Rik	RIKEN cDNA 2210012G02 gene
A_55_P2373121	8.69E-07	0.359	Dcaf17	DDB1 and CUL4 associated factor 17
A_55_P2161585	4.16E-08	0.359	Coq10a	coenzyme Q10 homolog A (yeast)
A_52_P538709	7.47E-06	0.359	Tada3	transcriptional adaptor 3
A_55_P2005685	0.000187109	0.359		
A_55_P2037702	0.000149156	0.359	Gm10638	predicted gene 10638
A_52_P673863	0.000115582	0.359	Cdkn1b	cyclin-dependent kinase inhibitor 1B
A_51_P109881	5.27E-06	0.359		
A_30_P01027458	0.000238561	0.359		
A_55_P2155942	1.75E-08	0.359	Ezh1	enhancer of zeste homolog 1 (Drosophila)
A_30_P01021475	0.000766611	0.359		
A_30_P01021218	0.000443402	0.359		
A_55_P1963300	0.000155305	0.359	Vsig10	V-set and immunoglobulin domain containing 10
A_51_P361220	5.68E-07	0.359	Fzd4	frizzled homolog 4 (Drosophila)
A_52_P589119	2.22E-05	0.360	5930416119Rik	RIKEN cDNA 5930416119 gene
A_55_P2095108	0.000335275	0.360	A430033K04Rik	RIKEN cDNA A430033K04 gene
A_52_P432919	9.44E-08	0.360	Rab3d	RAB3D, member RAS oncogene family
A_51_P261107	1.21E-07	0.360	Ogt	O-linked N-acetylglucosamine (GlcNAc) transferase (UDP-N-acetylglucosamine:polypeptide-N-acetylgluc
A_30_P01027946	0.000793546	0.360		
A_66_P127458	1.79E-07	0.360	Zfp652	zinc finger protein 652
A_51_P128499	0.000119335	0.360	Dennd3	DENN/MADD domain containing 3
A_51_P299805	1.86E-07	0.360	Slc46a3	solute carrier family 46, member 3
A_52_P1831	4.01E-06	0.360	Zfp60	zinc finger protein 60
A_55_P2011545	2.71E-06	0.360	Pyroxd1	pyridine nucleotide-disulphide oxidoreductase domain 1
A_55_P1965592	4.18E-07	0.360	Comm7	COMM domain containing 7
A_52_P297457	1.27E-07	0.360	0610030E20Rik	RIKEN cDNA 0610030E20 gene
A_51_P128499	5.75E-05	0.360	Dennd3	DENN/MADD domain containing 3
A_52_P337427	7.83E-05	0.361	Izumo4	IZUMO family member 4
A_55_P2112125	5.28E-07	0.361	Tnk2	tyrosine kinase, non-receptor, 2
A_55_P1955108	4.71E-07	0.361	Fam65a	family with sequence similarity 65, member A
A_55_P2059904	1.88E-06	0.361	Chsy1	chondroitin sulfate synthase 1
A_52_P360112	0.002587334	0.361	Clp2	CAP-GLY domain containing linker protein 2
A_52_P284889	6.59E-06	0.361	Prkcz	protein kinase C, zeta
A_55_P1996653	4.37E-05	0.361	D030056L22Rik	RIKEN cDNA D030056L22 gene
A_52_P255250	0.000157415	0.361	Rnf103	ring finger protein 103
A_51_P435817	1.32E-06	0.362	Zbtb8a	zinc finger and BTB domain containing 8a
A_51_P122649	0.000345037	0.362	Degs2	degenerative spermatocyte homolog 2 (Drosophila), lipid desaturase
A_55_P2158458	3.02E-07	0.362	Iqcc	IQ motif containing C
A_30_P01020868	0.000681219	0.362		
A_51_P114634	0.000218915	0.362	Amz1	archaelysin family metalloproteinase 1
A_55_P1972842	4.24E-06	0.362	Klf3	Kruppel-like factor 3 (basic)
A_52_P84096	0.000279873	0.362	Pgd	phosphogluconate dehydrogenase
A_51_P365980	5.77E-06	0.362	2310022B05Rik	RIKEN cDNA 2310022B05 gene
A_52_P252258	4.73E-06	0.362	Mapk12	mitogen-activated protein kinase 12
A_52_P470401	1.28E-07	0.362	Tmem186	transmembrane protein 186
A_66_P108263	4.54E-05	0.363	Pwwp2a	PWWP domain containing 2A
A_51_P400016	2.88E-05	0.363		
A_55_P2144796	6.62E-08	0.363	Gfer	growth factor, erv1 (S. cerevisiae)-like (augmenter of liver regeneration)
A_55_P2455725	5.44E-08	0.364	Klhl20	kelch-like 20 (Drosophila)
A_55_P2368710	0.003881883	0.364	C230037E05Rik	RIKEN cDNA C230037E05 gene
A_51_P124606	1.15E-08	0.364	Nat2	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_55_P1988882	2.15E-05	0.364	Sept9	septin 9
A_51_P334789	9.36E-07	0.364	Nudt16	nudix (nucleoside diphosphate linked moiety X)-type motif 16
A_55_P2082826	6.88E-08	0.364	Fam160b1	family with sequence similarity 160, member B1
A_51_P274124	2.37E-05	0.364	Mansc1	MANSC domain containing 1
A_55_P2014066	6.25E-08	0.364		
A_55_P2027788	5.16E-06	0.364	Balap2	brain-specific angiogenesis inhibitor 1-associated protein 2
A_55_P1975732	2.24E-06	0.364	Sipa113	signal-induced proliferation-associated 1 like 3
A_55_P2161958	2.17E-07	0.365	Gm10324	predicted gene 10324
A_55_P2102887	6.26E-05	0.365	Zfp28	zinc finger protein 28

A_55_P2011467	2.07E-08	0.365		
A_51_P219061	8.13E-08	0.365	<b>Oxa1l</b>	oxidase assembly 1-like
A_30_P01026775	1.39E-05	0.365		
A_55_P2159890	5.08E-08	0.365	<b>Zbtb7a</b>	zinc finger and BTB domain containing 7a
A_55_P2298319	5.35E-06	0.365	<b>C730029A08RIK</b>	RIKEN cDNA C730029A08 gene
A_30_P01030123	0.000164222	0.365		
A_55_P1990964	1.11E-07	0.365	<b>Osbp11</b>	oxysterol binding protein-like 11
A_55_P2059357	4.04E-07	0.365	<b>Myo7a</b>	myosin VIIA
A_30_P01018964	4.36E-06	0.365		
A_55_P2059347	1.03E-06	0.365	<b>Ormdl3</b>	ORM1-like 3 (S. cerevisiae)
A_52_P255849	3.58E-06	0.365	<b>Fam57a</b>	family with sequence similarity 57, member A
A_55_P1980180	2.97E-05	0.365	<b>Tardbp</b>	TAR DNA binding protein
A_51_P114634	4.08E-05	0.365	<b>Amz1</b>	archaeysin family metalloproteinase 1
A_52_P282500	1.29E-05	0.365	<b>Kif21b</b>	kinesin family member 21B
A_51_P230439	1.91E-06	0.365	<b>Ppflbp2</b>	PTPRF interacting protein, binding protein 2 (liprin beta 2)
A_51_P466829	6.17E-06	0.365	<b>Fam109a</b>	family with sequence similarity 109, member A
A_30_P01027275	5.51E-05	0.365		
A_55_P1970826	0.000215426	0.365	<b>Adams5</b>	a disintegrin-like and metalloproteinase (repolysin type) with thrombospondin type 1 motif, 5 (aggrecanase
A_30_P01028309	1.11E-06	0.365		
A_55_P1959938	5.81E-07	0.365	<b>Pde7b</b>	phosphodiesterase 7B
A_55_P2153141	1.14E-05	0.366		
A_51_P114456	2.50E-05	0.366	<b>2210012G02RIK</b>	RIKEN cDNA 2210012G02 gene
A_55_P2083889	1.58E-06	0.366	<b>Pea15a</b>	phosphoprotein enriched in astrocytes 15A
A_55_P2078088	6.42E-07	0.366	<b>Pqlc1</b>	PQ loop repeat containing 1
A_51_P430552	3.54E-06	0.366	<b>G6pc3</b>	glucose 6 phosphatase, catalytic, 3
A_55_P2184751	2.14E-05	0.366	<b>Elf2c1</b>	eukaryotic translation initiation factor 2C, 1
A_55_P1979616	3.83E-05	0.366	<b>Tmem189</b>	transmembrane protein 189
A_30_P01018279	0.00025991	0.366		
A_55_P2151986	1.64E-05	0.366	<b>Gngt2</b>	guanine nucleotide binding protein (G protein), gamma transducing activity polypeptide 2
A_55_P2097553	1.06E-06	0.366	<b>C77080</b>	expressed sequence C77080
A_55_P2029791	0.000286943	0.366		
A_55_P2066827	2.34E-07	0.366	<b>Hexim2</b>	hexamethylene bis-acetamide inducible 2
A_51_P411130	7.68E-09	0.366	<b>2810432D09RIK</b>	RIKEN cDNA 2810432D09 gene
A_51_P100776	3.78E-05	0.367	<b>Zfp169</b>	zinc finger protein 169
A_55_P2065154	0.00016191	0.367	<b>Kdm2b</b>	lysine (K)-specific demethylase 2B
A_52_P141488	0.002614575	0.367	<b>Grk5</b>	G protein-coupled receptor kinase 5
A_52_P221776	3.68E-05	0.367	<b>Kif12</b>	kinesin family member 12
A_51_P164939	6.75E-08	0.367	<b>Tmem150a</b>	transmembrane protein 150A
A_55_P1977353	1.60E-08	0.367	<b>Ogfod2</b>	2-oxoglutarate and iron-dependent oxygenase domain containing 2
A_55_P1993599	6.33E-09	0.367	<b>Oaz2-ps</b>	ornithine decarboxylase antizyme 2, pseudogene
A_51_P510106	0.001461832	0.367	<b>B3gnt1</b>	UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase-like 1
A_51_P256384	0.002777398	0.367	<b>Atp2b2</b>	ATPase, Ca++ transporting, plasma membrane 2
A_55_P2373987	0.000918146	0.367	<b>A730009E18RIK</b>	RIKEN cDNA A730009E18 gene
A_30_P01032512	6.49E-06	0.367		
A_51_P229363	0.000190014	0.367	<b>Rg9mtd3</b>	RNA (guanine-9-) methyltransferase domain containing 3
A_55_P2099540	3.00E-05	0.368	<b>H2afj</b>	H2A histone family, member J
A_55_P2128646	3.28E-05	0.368	<b>Gmnn</b>	geminin
A_30_P01018321	6.78E-07	0.368		
A_55_P2083654	2.07E-05	0.368	<b>Prmt2</b>	protein arginine N-methyltransferase 2
A_52_P111031	0.000157004	0.368	<b>Pcdh17</b>	protocadherin 17
A_55_P2061159	3.80E-07	0.368	<b>Ing1</b>	inhibitor of growth family, member 1
A_51_P256957	1.24E-06	0.368	<b>Ankmy2</b>	ankyrin repeat and MYND domain containing 2
A_51_P124606	1.51E-07	0.368	<b>Nat2</b>	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_51_P105709	0.000248384	0.368	<b>Trip13</b>	thyroid hormone receptor interactor 13
A_66_P138363	0.000171988	0.369		
A_30_P01017538	2.62E-05	0.369		
A_30_P01022612	6.99E-07	0.369		
A_51_P124606	9.91E-09	0.369	<b>Nat2</b>	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_55_P2025820	0.000124327	0.369	<b>Plcb4</b>	phospholipase C, beta 4
A_55_P2026930	0.000590052	0.369	<b>Inpp5e</b>	inositol polyphosphate-5-phosphatase E
A_55_P2156288	2.84E-05	0.369		
A_51_P232551	3.38E-06	0.369	<b>Nphp3</b>	nephronophthisis 3 (adolescent)
A_51_P128499	3.65E-05	0.370	<b>Dennd3</b>	DENN/MADD domain containing 3
A_52_P591153	0.000454276	0.370	<b>Pld4</b>	phospholipase D family, member 4
A_55_P2085806	2.22E-05	0.370	<b>BC029214</b>	cDNA sequence BC029214
A_51_P101075	1.41E-05	0.370	<b>1810031K17RIK</b>	RIKEN cDNA 1810031K17 gene
A_51_P105709	2.92E-05	0.370	<b>Trip13</b>	thyroid hormone receptor interactor 13
A_51_P153693	0.00070287	0.370	<b>Utp14b</b>	UTP14, U3 small nucleolar ribonucleoprotein, homolog B (yeast)
A_51_P116609	0.000209627	0.370	<b>Tex12</b>	testis expressed gene 12
A_51_P247637	0.000296559	0.370	<b>Rnf144a</b>	ring finger protein 144A
A_55_P2009895	6.30E-05	0.370	<b>Gm5113</b>	predicted gene 5113
A_52_P213696	0.000884932	0.370	<b>Fndc5</b>	fibronectin type III domain containing 5
A_55_P1964375	1.79E-07	0.370	<b>Gm9731</b>	Fam58a pseudogene
A_55_P1999852	9.82E-06	0.371	<b>Tchp</b>	trichoplein, keratin filament binding
A_55_P1989544	2.06E-05	0.371	<b>Klf</b>	chemokine-like factor
A_51_P155843	7.19E-06	0.371	<b>Igsf10</b>	immunoglobulin superfamily, member 10
A_55_P2095271	5.80E-05	0.371	<b>Pkn3</b>	protein kinase N3
A_51_P264634	2.55E-07	0.371	<b>Strbp</b>	spermatid perinuclear RNA binding protein
A_30_P01031870	7.09E-08	0.371		
A_52_P367520	0.000152016	0.371	<b>Nexn</b>	nexilin
A_52_P75146	1.15E-06	0.371	<b>Lym2</b>	LYR motif containing 2
A_55_P2179726	6.15E-06	0.371	<b>2810422O20RIK</b>	RIKEN cDNA 2810422O20 gene
A_55_P1986486	9.71E-07	0.372	<b>Gtf2ird1</b>	general transcription factor II I repeat domain-containing 1
A_51_P175229	3.18E-05	0.372	<b>Fbx18</b>	F-box and leucine-rich repeat protein 18
A_51_P284244	1.98E-05	0.372	<b>Tmed3</b>	transmembrane emp24 domain containing 3
A_52_P380263	9.63E-05	0.372	<b>Podxl</b>	podocalyxin-like
A_55_P2060498	3.75E-06	0.372	<b>Zfp553</b>	zinc finger protein 553
A_66_P111301	1.28E-09	0.372	<b>2810021B07RIK</b>	RIKEN cDNA 2810021B07 gene
A_55_P1971991	2.24E-06	0.372	<b>1810019J16RIK</b>	RIKEN cDNA 1810019J16 gene
A_55_P2257381	0.001715643	0.372	<b>LOC100503619</b>	hypothetical LOC100503619
A_55_P2060330	3.03E-07	0.372	<b>3110062M04RIK</b>	RIKEN cDNA 3110062M04 gene
A_30_P01023038	3.45E-09	0.372		
A_55_P2053320	7.68E-05	0.372	<b>Zfr2</b>	zinc finger RNA binding protein 2
A_55_P2228710	1.82E-05	0.372	<b>5730422E09RIK</b>	RIKEN cDNA 5730422E09 gene
A_55_P1989384	6.53E-07	0.372	<b>Rnf181</b>	ring finger protein 181
A_52_P165521	0.000951243	0.372	<b>Fancg</b>	Fanconi anemia, complementation group G
A_55_P2047215	0.000285059	0.372	<b>Slc37a4</b>	solute carrier family 37 (glucose-6-phosphate transporter), member 4
A_55_P1966992	0.002561423	0.372	<b>Fam84b</b>	family with sequence similarity 84, member B
A_51_P126337	0.00094467	0.372	<b>Fgf12</b>	fibroblast growth factor 12
A_55_P1976224	8.81E-06	0.373	<b>Ckb</b>	creatine kinase, brain

A_52_P891775	5.56E-08	0.373	Cdr2l	cerebellar degeneration-related protein 2-like
A_30_P01029117	6.17E-06	0.373		
A_52_P128691	0.000106689	0.373	Gpr4	G protein-coupled receptor 4
A_51_P438149	3.77E-07	0.373	Mapre2	microtubule-associated protein, RP/EB family, member 2
A_51_P114634	0.000686983	0.373	Amz1	archaelysin family metallopeptidase 1
A_30_P01018499	2.11E-05	0.373		
A_55_P2007001	6.53E-06	0.373	Ctnnbp1	catenin beta interacting protein 1
A_55_P2031979	5.84E-05	0.373	Sspn	sarcospan
A_51_P392705	2.89E-07	0.374	Xpc	xeroderma pigmentosum, complementation group C
A_55_P2068406	0.001703946	0.374	2410018L13Rik	RIKEN cDNA 2410018L13 gene
A_55_P2038747	1.87E-07	0.374	Ano1	anoctamin 1, calcium activated chloride channel
A_30_P01018408	0.000545079	0.374		
A_66_P117578	0.0003037	0.374	Mtmr7	myotubularin related protein 7
A_52_P66371	1.37E-05	0.374	Nlr1	NLR family member X1
A_55_P2385749	4.30E-06	0.375	A130014A01Rik	RIKEN cDNA A130014A01 gene
A_30_P01025991	1.24E-06	0.375		
A_55_P2105888	2.52E-06	0.375	G6pc3	glucose 6 phosphatase, catalytic, 3
A_55_P2092760	1.02E-08	0.375	Rhbdd3	rhomoid domain containing 3
A_55_P1955472	3.64E-06	0.375	Bbs1	Bardet-Biedl syndrome 1 (human)
A_51_P109369	0.000672283	0.375	Fbxo32	F-box protein 32
A_55_P2057247	8.54E-05	0.375	Etohi1	ethanol induced 1
A_51_P124606	8.49E-08	0.375	Nat2	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_55_P2065866	4.50E-06	0.375	Cygb	cytoglobin
A_30_P01025316	1.49E-06	0.375		
A_55_P1961400	6.61E-05	0.375	Grid2ip	glutamate receptor, ionotropic, delta 2 (Grid2) interacting protein 1
A_30_P01031506	0.000224209	0.375		
A_30_P01020344	1.22E-05	0.375		
A_51_P317225	5.68E-05	0.375	Crmtm2a	CKLF-like MARVEL transmembrane domain containing 2A
A_51_P116609	0.002719389	0.375	Tex12	testis expressed gene 12
A_51_P110341	0.000234727	0.376	Scgb3a1	secretoglobin, family 3A, member 1
A_52_P577662	2.84E-06	0.376	Ednrb	endothelin receptor type B
A_30_P01031208	0.003295686	0.376		
A_30_P01027362	0.000142691	0.376		
A_51_P124606	2.44E-09	0.376	Nat2	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_52_P250555	0.001191368	0.376	Dynll1	dynein light chain LC8-type 1
A_51_P114634	0.000240483	0.376	Amz1	archaelysin family metallopeptidase 1
A_52_P370473	1.45E-07	0.376		
A_55_P2403135	1.35E-05	0.376	Ssh2	slingshot homolog 2 (Drosophila)
A_66_P118600	6.09E-06	0.376	Lama1	laminin, alpha 1
A_51_P315666	3.44E-05	0.377	Nid2	nidogen 2
A_30_P01029728	4.03E-05	0.377		
A_51_P104891	3.09E-10	0.377	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_51_P105709	0.000608836	0.377	Trip13	thyroid hormone receptor interactor 13
A_55_P2071472	0.000167113	0.377	Atf1	activating transcription factor 1
A_51_P268343	4.96E-08	0.377	Aagab	alpha- and gamma-adaptin binding protein
A_55_P2081697	0.000263989	0.377	A830093I24Rik	RIKEN cDNA A830093I24 gene
A_30_P01028509	5.50E-06	0.377		
A_55_P2078073	8.87E-08	0.377	Pqhc2	PQ loop repeat containing 2
A_52_P604515	3.49E-07	0.377	Zfp319	zinc finger protein 319
A_55_P1953327	8.58E-05	0.377		
A_51_P114634	0.00036607	0.377	Amz1	archaelysin family metallopeptidase 1
A_51_P114456	1.55E-05	0.377	2210012G02Rik	RIKEN cDNA 2210012G02 gene
A_51_P267494	1.98E-05	0.377	Cdc42ep3	CDC42 effector protein (Rho GTPase binding) 3
A_30_P01029729	3.43E-05	0.377		
A_52_P222967	5.82E-07	0.377	Adck2	aarF domain containing kinase 2
A_52_P397204	2.16E-05	0.377	Csk	c-src tyrosine kinase
A_55_P2260648	1.85E-07	0.378		
A_51_P208870	1.71E-05	0.378	Zdhc24	zinc finger, DHHC domain containing 24
A_55_P1954061	2.44E-06	0.378	Nrxn2	neurexin II
A_51_P259750	4.37E-05	0.378		
A_55_P2156895	4.73E-07	0.378	Tmem39b	transmembrane protein 39b
A_55_P2143693	8.14E-05	0.378	Sytl1	synaptotagmin-like 1
A_52_P378765	2.60E-05	0.378	Ccdc111	coiled-coil domain containing 111
A_55_P2172852	2.58E-06	0.378	Ptplad2	protein tyrosine phosphatase-like A domain containing 2
A_30_P01028367	1.06E-05	0.378		
A_52_P10181	0.000220764	0.378	Mmaa	methylmalonic aciduria (cobalamin deficiency) type A
A_51_P400217	0.000285542	0.378	Vpreb1	pre-B lymphocyte gene 1
A_30_P01031130	3.47E-06	0.378		
A_55_P2027653	0.000159126	0.378	Arhgap25	Rho GTPase activating protein 25
A_51_P358243	4.27E-07	0.378	2610029I01Rik	RIKEN cDNA 2610029I01 gene
A_51_P386389	2.51E-06	0.378	Actr6	ARP6 actin-related protein 6 homolog (yeast)
A_51_P104891	1.28E-10	0.378	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2429432	1.28E-07	0.378	2610301B20Rik	RIKEN cDNA 2610301B20 gene
A_52_P38627	0.002654688	0.379	Egf	epidermal growth factor
A_51_P337708	0.00435518	0.379	Ovgp1	oviductal glycoprotein 1
A_55_P2167999	2.47E-05	0.379	Ldlr	low density lipoprotein receptor
A_55_P2052690	0.001039382	0.379	Synm	synemin, intermediate filament protein
A_55_P2124676	1.82E-07	0.379	Epm2alp1	EPM2A (laforin) interacting protein 1
A_51_P104891	1.02E-07	0.379	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2149269	7.19E-06	0.379	Galt	galactose-1-phosphate uridyl transferase
A_51_P101075	7.96E-06	0.379	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_52_P385206	2.97E-07	0.379	Harb1	harbinger transposase derived 1
A_55_P2096737	9.59E-05	0.379	Elmod3	ELMO/CED-12 domain containing 3
A_30_P01032565	0.000738524	0.380		
A_55_P1978122	2.10E-05	0.380	Mutyh	mutY homolog (E. coli)
A_55_P2145680	0.000737801	0.380	Rilpl1	Rab interacting lysosomal protein-like 1
A_55_P2094852	1.20E-07	0.380	Rabep1	rabaptin, RAB GTPase binding effector protein 1
A_30_P01023450	1.47E-08	0.380		
A_55_P2120919	0.002337293	0.380		
A_51_P118779	3.00E-05	0.380	C330006K01Rik	RIKEN cDNA C330006K01 gene
A_55_P2145696	4.12E-07	0.380	Leprel4	leprecan-like 4
A_51_P104891	1.59E-08	0.380	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2075313	1.77E-07	0.380	Zfp619	zinc finger protein 619
A_55_P2175190	3.24E-07	0.380	Cep250	centrosomal protein 250
A_51_P104891	2.21E-09	0.380	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_51_P104891	6.94E-09	0.381	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2030958	1.63E-05	0.381	2610301B20Rik	RIKEN cDNA 2610301B20 gene
A_51_P114456	1.16E-06	0.381	2210012G02Rik	RIKEN cDNA 2210012G02 gene
A_52_P483928	6.37E-05	0.381	Cpsf4	cleavage and polyadenylation specific factor 4
A_55_P2111394	0.001707112	0.381	Ccdc48	coiled-coil domain containing 48

A_52_P176619	2.63E-09	0.381	Atat1	alpha tubulin acetyltransferase 1
A_51_P116609	0.001005354	0.381	Tex12	testis expressed gene 12
A_30_P01018931	2.74E-05	0.381		
A_30_P01023507	1.99E-05	0.381		
A_51_P101075	8.06E-06	0.381	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_55_P2156823	0.000189847	0.382	Pms2	postmeiotic segregation increased 2 (S. cerevisiae)
A_51_P342707	7.09E-06	0.382	Pold2	polymerase (DNA directed), delta 2, regulatory subunit
A_55_P2007776	3.09E-06	0.382	Catsper2	cation channel, sperm associated 2
A_51_P493037	0.000141044	0.382	Dclre1a	DNA cross-link repair 1A, PSO2 homolog (S. cerevisiae)
A_51_P102507	1.71E-06	0.382	Vps33a	vacuolar protein sorting 33A (yeast)
A_55_P1954486	0.000333617	0.382	Mapt	microtubule-associated protein tau
A_52_P371135	5.19E-06	0.382	C130050O18Rik	RIKEN cDNA C130050O18 gene
A_55_P2078403	2.03E-05	0.382	Rgs19	regulator of G-protein signaling 19
A_55_P2170309	1.14E-05	0.382	Ppflbp2	PTPRF interacting protein, binding protein 2 (liprin beta 2)
A_52_P27075	9.05E-06	0.382	0610040B10Rik	RIKEN cDNA 0610040B10 gene
A_52_P588539	1.92E-07	0.383	Snapl	SNAP-associated protein
A_30_P01017592	0.000204362	0.383		
A_52_P546660	9.85E-06	0.383	1700029I15Rik	RIKEN cDNA 1700029I15 gene
A_55_P1963344	1.81E-06	0.383	Upf3b	UPF3 regulator of nonsense transcripts homolog B (yeast)
A_55_P2153560	4.03E-05	0.383		
A_30_P01032333	0.003693715	0.383		
A_51_P154534	7.79E-07	0.383	Muted	muted
A_51_P124606	1.08E-06	0.383	Nat2	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_55_P2047753	1.91E-05	0.383	Tec	tec protein tyrosine kinase
A_55_P2175955	0.001774154	0.383	Ano9	anoctamin 9
A_51_P427476	1.74E-06	0.383	Mxra8	matrix-remodelling associated 8
A_51_P233947	6.76E-07	0.383	Tbc1d10b	TBC1 domain family, member 10b
A_55_P2041788	6.05E-07	0.383	Gna12	guanine nucleotide binding protein, alpha 12
A_30_P01030815	0.00016115	0.384		
A_51_P514405	0.000517431	0.384	Slc2a5	solute carrier family 2 (facilitated glucose transporter), member 5
A_51_P348183	3.35E-08	0.384	Tmem141	transmembrane protein 141
A_55_P2053459	1.76E-05	0.384	Tim2	T-cell immunoglobulin and mucin domain containing 2
A_51_P104891	6.81E-08	0.384	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_52_P243516	2.60E-05	0.384	Fam82a1	family with sequence similarity 82, member A1
A_55_P2050592	8.40E-07	0.384		
A_55_P1968718	5.79E-05	0.385	Plekha6	pleckstrin homology domain containing, family A member 6
A_55_P2129172	0.000338832	0.385	Rab40b	Rab40b, member RAS oncogene family
A_55_P2058851	1.64E-06	0.385	Fancf	Fanconi anemia, complementation group F
A_51_P497402	3.04E-07	0.385	Tonsl	tonsoku-like, DNA repair protein
A_55_P2062836	4.41E-09	0.385	Ttf2	transcription termination factor, RNA polymerase II
A_30_P01027147	0.001249224	0.385		
A_55_P2158478	1.50E-06	0.385	Nkiras2	NFKB inhibitor interacting Ras-like protein 2
A_30_P01020805	0.000114965	0.385		
A_52_P152631	1.17E-05	0.385	Tmem17	transmembrane protein 17
A_65_P07062	5.18E-09	0.385	Serf2	small EDRK-rich factor 2
A_51_P470311	2.22E-07	0.385	Cby1	chibby homolog 1 (Drosophila)
A_51_P101075	5.00E-06	0.385	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_30_P01026761	6.33E-07	0.386		
A_30_P01019577	5.75E-05	0.386		
A_52_P187940	0.000180718	0.386	Lfng	LFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
A_51_P143468	6.23E-05	0.386	Klhl26	kelch-like 26 (Drosophila)
A_55_P2075230	1.22E-05	0.386	BC051226	cDNA sequence BC051226
A_55_P2017640	1.29E-07	0.386	Phf7	PHD finger protein 7
A_52_P349467	8.14E-06	0.386	Tmlhe	trimethyllysine hydroxylase, epsilon
A_52_P193194	2.77E-05	0.386	Slc35d2	solute carrier family 35, member D2
A_52_P300445	0.000521459	0.386	Atp4a	ATPase, H+/K+ exchanging, gastric, alpha polypeptide
A_55_P2160143	4.45E-06	0.386		
A_52_P336290	1.56E-08	0.386	Rap2a	RAS related protein 2a
A_51_P170911	7.91E-06	0.386	Ptpn9	protein tyrosine phosphatase, non-receptor type 9
A_51_P105709	0.000326784	0.386	Trip13	thyroid hormone receptor interactor 13
A_51_P382121	3.32E-08	0.386	Ormdl1	ORM1-like 1 (S. cerevisiae)
A_30_P01018953	9.93E-07	0.386		
A_52_P590396	0.000151802	0.386	Sort1	sortilin 1
A_55_P1959174	0.000278437	0.386	Pmpa1	prostate transmembrane protein, androgen induced 1
A_55_P2095345	8.99E-07	0.386	Rara	retinoic acid receptor, alpha
A_51_P165098	7.25E-06	0.387	Gga2	golgi associated, gamma adaptin ear containing, ARF binding protein 2
A_55_P2401084	1.26E-05	0.387	4930558N01Rik	RIKEN cDNA 4930558N01 gene
A_66_P101261	0.00036634	0.387	Gm3367	predicted gene 3367
A_55_P2116917	0.001329278	0.387	Zfp219	zinc finger protein 219
A_55_P1954266	5.45E-07	0.387	Zfp672	zinc finger protein 672
A_55_P2059765	2.95E-07	0.387		
A_55_P1995417	3.10E-06	0.387	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_55_P2133577	1.71E-06	0.387	C030034I22Rik	RIKEN cDNA C030034I22 gene
A_55_P2102095	0.001418927	0.387	1810010H24Rik	RIKEN cDNA 1810010H24 gene
A_51_P101075	3.28E-06	0.387	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_55_P2179448	4.02E-06	0.387		
A_55_P2074197	1.57E-05	0.387	Zbtb24	zinc finger and BTB domain containing 24
A_51_P427516	9.55E-07	0.387	Thsd1	thrombospondin, type I, domain 1
A_55_P2100290	0.001070541	0.387	Adra1b	adrenergic receptor, alpha 1b
A_51_P476261	4.91E-07	0.387	Zfp120	zinc finger protein 120
A_52_P516091	4.14E-06	0.387	Pla2g15	phospholipase A2, group XV
A_51_P114634	7.73E-05	0.388	Amz1	archaealysin family metallopeptidase 1
A_51_P116609	0.000361258	0.388	Tex12	testis expressed gene 12
A_55_P1954850	4.56E-08	0.388	Pars2	prolyl-tRNA synthetase (mitochondrial)(putative)
A_55_P2101001	2.95E-07	0.388	Smad3	MAD homolog 3 (Drosophila)
A_51_P101075	5.36E-06	0.388	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_55_P2186122	1.78E-05	0.388		
A_30_P01021296	0.00014097	0.388		
A_51_P227445	0.001995198	0.388		
A_52_P120740	2.48E-08	0.388	0610030E20Rik	RIKEN cDNA 0610030E20 gene
A_55_P2013598	2.23E-08	0.388	Fam58b	family with sequence similarity 58, member B
A_51_P467505	2.47E-05	0.388	Tec	tec protein tyrosine kinase
A_51_P513311	2.25E-07	0.388	Rxrg	retinoid X receptor gamma
A_51_P307316	1.62E-06	0.388	Syde1	synapse defective 1, Rho GTPase, homolog 1 (C. elegans)
A_51_P485421	0.00019449	0.388		
A_51_P104891	2.14E-09	0.388	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_30_P01029791	0.001626295	0.388		
A_55_P2046605	0.000509857	0.389	1700030C10Rik	RIKEN cDNA 1700030C10 gene
A_51_P126337	0.00064007	0.389	Fgf12	fibroblast growth factor 12
A_51_P232474	0.000347671	0.389	Zswim1	zinc finger, SWIM domain containing 1

A_55_P1983588	6.76E-05	0.389	Pmepa1	prostate transmembrane protein, androgen induced 1
A_65_P08867	0.000741749	0.389	Zbtb37	zinc finger and BTB domain containing 37
A_52_P521882	3.16E-05	0.389	Hddc3	HD domain containing 3
A_55_P2103969	0.000183405	0.389		
A_52_P550932	1.48E-06	0.389	H1f0	H1 histone family, member 0
A_51_P102507	6.80E-08	0.389	Vps33a	vacuolar protein sorting 33A (yeast)
A_55_P2054455	7.23E-06	0.389	2310004I24Rik	RIKEN cDNA 2310004I24 gene
A_55_P2159299	4.63E-05	0.389	Ing1	inhibitor of growth family, member 1
A_51_P393518	0.00064693	0.389	Hmcn1	hemicentin 1
A_51_P155755	9.39E-06	0.389	Pld6	phospholipase D family, member 6
A_55_P2097736	0.000128782	0.389	Patz1	POZ (BTB) and AT hook containing zinc finger 1
A_52_P481780	4.75E-05	0.389	Cep78	centrosomal protein 78
A_66_P101631	1.14E-05	0.389	Zfp27	zinc finger protein 27
A_30_P01018666	0.000412238	0.389		
A_66_P125862	9.01E-09	0.389	A930005H10Rik	RIKEN cDNA A930005H10 gene
A_51_P366138	4.25E-05	0.389	Mertk	c-mer proto-oncogene tyrosine kinase
A_55_P2044439	6.80E-07	0.390	Mfng	MFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
A_55_P1973770	3.62E-05	0.390	Unc5b	unc-5 homolog B (C. elegans)
A_55_P2028660	2.05E-07	0.390	Dusp12	dual specificity phosphatase 12
A_55_P2175206	3.41E-05	0.390	Rbbp6	retinoblastoma binding protein 6
A_55_P2175489	6.03E-05	0.390	Sfxn5	sideroflexin 5
A_51_P180974	3.31E-05	0.390	Prkcdp	protein kinase C, delta binding protein
A_52_P402319	2.72E-07	0.390	Med20	mediator complex subunit 20
A_52_P484838	2.63E-07	0.390	Rfxank	regulatory factor X-associated ankyrin-containing protein
A_51_P126302	0.000253496	0.390	Rbmx2	RNA binding motif protein, X-linked 2
A_55_P2011141	0.000306235	0.390		
A_51_P124606	1.00E-07	0.390	Nat2	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_30_P01023205	0.000228477	0.390		
A_52_P245415	3.33E-05	0.390	AW554918	expressed sequence AW554918
A_51_P490678	1.17E-05	0.390	Trim68	tripartite motif-containing 68
A_51_P415809	2.24E-08	0.391	Tusc1	tumor suppressor candidate 1
A_55_P2106788	0.000327366	0.391		
A_51_P168695	0.000505656	0.391	Mast4	microtubule associated serine/threonine kinase family member 4
A_51_P114456	3.52E-07	0.391	2210012G02Rik	RIKEN cDNA 2210012G02 gene
A_51_P119401	3.61E-06	0.391	Tug1	taurine upregulated gene 1
A_55_P1960097	5.36E-05	0.391	Epb4.1l3	erythrocyte protein band 4.1-like 3
A_66_P136097	0.000150631	0.391	Trim13	tripartite motif-containing 13
A_52_P150950	0.001197311	0.391	Olfm3	olfactomedin 3
A_51_P488768	8.01E-05	0.391	Slc25a44	solute carrier family 25, member 44
A_52_P127643	2.14E-06	0.391		
A_55_P2026748	4.41E-05	0.391	Zmat1	zinc finger, matrin type 1
A_52_P132507	2.48E-05	0.391	Prune	prune homolog (Drosophila)
A_55_P2149951	2.60E-06	0.391	Prx	periaxin
A_55_P2073607	6.94E-08	0.392	Commf5	COMM domain containing 5
A_55_P1968493	2.20E-07	0.392	Telo2	TEL2, telomere maintenance 2, homolog (S. cerevisiae)
A_52_P494372	2.20E-08	0.392	Zxdc	ZXD family zinc finger C
A_51_P101075	8.10E-06	0.392	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_30_P01020323	1.73E-07	0.392		
A_51_P119401	2.02E-07	0.392	Tug1	taurine upregulated gene 1
A_51_P252784	1.67E-07	0.392	1500011H22Rik	RIKEN cDNA 1500011H22 gene
A_55_P2349747	0.001114788	0.392	9330159N05Rik	RIKEN cDNA 9330159N05 gene
A_51_P101075	1.94E-05	0.392	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_55_P2022337	0.000376225	0.392	Dhcr7	7-dehydrocholesterol reductase
A_55_P2021780	1.61E-06	0.393	Gm9897	predicted gene 9897
A_55_P2014780	0.000814415	0.393	Defb25	defensin beta 25
A_55_P2051949	0.000127543	0.393	Elmod3	ELMO/CED-12 domain containing 3
A_55_P2037787	0.000634448	0.393		
A_55_P2065360	6.03E-06	0.393	Siva1	SIVA1, apoptosis-inducing factor
A_55_P1988048	5.66E-05	0.393	Emcn	endomucin
A_51_P124606	1.69E-07	0.393	Nat2	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_52_P436700	2.95E-05	0.394	Gltp	glycolipid transfer protein
A_55_P1965368	6.11E-07	0.394	1500010J02Rik	RIKEN cDNA 1500010J02 gene
A_55_P1971347	7.06E-06	0.394	Mta3	metastasis associated 3
A_51_P464308	2.11E-05	0.394	Gnb4	guanine nucleotide binding protein (G protein), beta 4
A_30_P01020256	0.00021016	0.394		
A_55_P2004258	1.28E-07	0.394	Gm7102	predicted gene 7102
A_52_P282741	0.000131507	0.394	Sdc3	syndecan 3
A_55_P2016712	4.73E-08	0.394	Msl1	male-specific lethal 1 homolog (Drosophila)
A_52_P266459	3.66E-08	0.394	Ing2	inhibitor of growth family, member 2
A_55_P2258467	2.30E-06	0.394	4833445I07Rik	RIKEN cDNA 4833445I07 gene
A_51_P409893	4.36E-06	0.395	Prkar2a	protein kinase, cAMP dependent regulatory, type II alpha
A_30_P01026648	6.05E-06	0.395		
A_55_P2157770	0.000111153	0.395	Neu2	neuraminidase 2
A_55_P2085333	0.000129803	0.395	Fbxo44	F-box protein 44
A_30_P01031735	0.000222429	0.395		
A_52_P617838	8.74E-05	0.395		
A_51_P100776	0.00041753	0.395	Zfp169	zinc finger protein 169
A_30_P01021862	0.000883203	0.395		
A_55_P2165839	2.78E-05	0.395	Cebpe	CCAAT/enhancer binding protein (C/EBP), epsilon
A_52_P118706	1.28E-05	0.395		
A_51_P406429	1.87E-05	0.395	Pdk1	pyruvate dehydrogenase kinase, isoenzyme 1
A_52_P76402	1.03E-06	0.396	Eif2c1	eukaryotic translation initiation factor 2C, 1
A_66_P126094	1.41E-07	0.396	Pycrl	pyrroline-5-carboxylate reductase-like
A_55_P2086885	1.12E-06	0.396	Slc45a4	solute carrier family 45, member 4
A_52_P48767	2.49E-06	0.396	Rassf8	Ras association (RalGDS/AF-6) domain family (N-terminal) member 8
A_52_P78333	0.000148176	0.396	Lrrc29	leucine rich repeat containing 29
A_55_P1997691	0.000331847	0.396	4930579G22Rik	RIKEN cDNA 4930579G22 gene
A_55_P1985360	1.11E-07	0.396	Man1c1	mannosidase, alpha, class 1C, member 1
A_30_P01026024	0.00017021	0.396		
A_55_P2280581	3.21E-05	0.396	A130088B03Rik	RIKEN cDNA A130088B03 gene
A_51_P244969	2.79E-07	0.396	Rmnd5b	required for meiotic nuclear division 5 homolog B (S. cerevisiae)
A_51_P102507	2.75E-07	0.396	Vps33a	vacuolar protein sorting 33A (yeast)
A_66_P102733	3.52E-07	0.396	Ccdc28b	coiled coil domain containing 28B
A_55_P2144914	2.62E-05	0.396	Csnk1g3	casein kinase 1, gamma 3
A_55_P2060404	9.00E-07	0.396	Pus3	pseudouridine synthase 3
A_51_P194004	1.43E-05	0.396	Glyctk	glycerate kinase
A_55_P1964262	4.01E-06	0.396	Apol7a	apolipoprotein L 7a
A_55_P2160732	2.93E-08	0.396	Tcfcp2	transcription factor CP2
A_52_P122843	1.75E-07	0.396	BC032203	cDNA sequence BC032203
A_55_P2079659	0.000415982	0.396	Dnase2b	deoxyribonuclease II beta



A_52_P466853	0.000110901	0.396	<b>Bmyc</b>	brain expressed myelocytomatosis oncogene
A_51_P317505	0.000493651	0.397	<b>Nat1</b>	N-acetyl transferase 1
A_51_P104891	1.03E-08	0.397	<b>Ept1</b>	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2040170	4.38E-05	0.397	<b>Pmp22</b>	peripheral myelin protein 22
A_51_P288505	1.20E-08	0.397	<b>Tradd</b>	TNFRSF1A-associated via death domain
A_51_P124606	2.18E-07	0.397	<b>Nat2</b>	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_30_P01030627	2.64E-05	0.397		
A_52_P281033	5.50E-08	0.397	<b>Socs5</b>	suppressor of cytokine signaling 5
A_55_P2414707	2.99E-06	0.397	<b>4732463B04Rik</b>	RIKEN cDNA 4732463B04 gene
A_51_P125648	4.24E-06	0.397	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_55_P2234744	2.40E-05	0.397	<b>Spice1</b>	spindle and centriole associated protein 1
A_51_P107020	0.003959002	0.397	<b>Kif5a</b>	kinesin family member 5A
A_55_P1953723	9.06E-06	0.397	<b>Rab13</b>	RAB13, member RAS oncogene family
A_55_P2145506	4.36E-05	0.397	<b>Flt3l</b>	FMS-like tyrosine kinase 3 ligand
A_30_P01021270	8.18E-07	0.397		
A_55_P2009498	2.87E-06	0.398	<b>Ccdc28a</b>	coiled-coil domain containing 28A
A_66_P114722	0.001299915	0.398	<b>Pdp2</b>	pyruvate dehydrogenase phosphatase catalytic subunit 2
A_66_P132777	8.44E-07	0.398	<b>Cep68</b>	centrosomal protein 68
A_55_P2017183	1.35E-08	0.398	<b>Fuk</b>	fucokinase
A_52_P290221	0.000191976	0.398	<b>Zfp182</b>	zinc finger protein 182
A_51_P413916	8.66E-06	0.398	<b>Pgrmc2</b>	progesterone receptor membrane component 2
A_51_P143915	2.34E-06	0.398	<b>Rnf181</b>	ring finger protein 181
A_55_P1975354	0.000295527	0.398	<b>Tcf3</b>	transcription factor 3
A_30_P01027268	0.002046273	0.398		
A_55_P2072661	1.30E-06	0.398	<b>Prex1</b>	phosphatidylinositol-3,4,5-trisphosphate-dependent Rac exchange factor 1
A_52_P487436	2.21E-07	0.398	<b>Nags</b>	N-acetylglutamate synthase
A_51_P292116	1.06E-05	0.398	<b>Ica1</b>	islet cell autoantigen 1
A_52_P558368	1.30E-06	0.398	<b>Zdhhc1</b>	zinc finger, DHHC domain containing 1
A_55_P2114596	9.53E-08	0.398	<b>Zfp161</b>	zinc finger protein 161
A_30_P01023729	0.000359671	0.398		
A_55_P2142430	3.97E-05	0.398	<b>Bank1</b>	B-cell scaffold protein with ankyrin repeats 1
A_51_P246066	0.000390252	0.398	<b>Slamf9</b>	SLAM family member 9
A_30_P01027810	9.05E-05	0.398		
A_51_P382970	1.71E-05	0.399	<b>Itga9</b>	integrin alpha 9
A_51_P249051	7.88E-09	0.399	<b>Pycr2</b>	pyrroline-5-carboxylate reductase family, member 2
A_30_P01022467	5.88E-07	0.399		
A_51_P414396	9.14E-06	0.399	<b>Mmrn2</b>	multimerin 2
A_55_P2060072	1.31E-07	0.399	<b>Clk2</b>	CDC-like kinase 2
A_51_P119401	3.35E-07	0.399	<b>Tug1</b>	taurine upregulated gene 1
A_55_P2262136	5.20E-06	0.399	<b>Tek</b>	endothelial-specific receptor tyrosine kinase
A_55_P2127538	7.55E-08	0.399	<b>Klra1</b>	KLRAQ motif containing 1
A_51_P124606	1.58E-07	0.399	<b>Nat2</b>	N-acetyltransferase 2 (arylamine N-acetyltransferase)
A_55_P2049831	3.54E-06	0.399	<b>1700023D09Rik</b>	RIKEN cDNA 1700023D09 gene
A_51_P102507	3.37E-07	0.399	<b>Vps33a</b>	vacuolar protein sorting 33A (yeast)
A_55_P1974984	0.002894581	0.399		
A_30_P01020771	3.21E-06	0.399		
A_55_P2044385	0.001112281	0.400	<b>Fgfbp3</b>	fibroblast growth factor binding protein 3
A_51_P126302	0.003892306	0.400	<b>RbmX2</b>	RNA binding motif protein, X-linked 2
A_51_P216593	2.30E-05	0.400	<b>Wfs1</b>	Wolfram syndrome 1 homolog (human)
A_55_P2138878	0.000163606	0.400	<b>Lrfrn4</b>	leucine rich repeat and fibronectin type III domain containing 4
A_51_P104891	9.98E-10	0.400	<b>Ept1</b>	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_51_P114634	0.000266082	0.400	<b>Amz1</b>	archaelysin family metalloproteinase 1
A_55_P1984751	4.87E-06	0.400	<b>Ppp1r14b</b>	protein phosphatase 1, regulatory (inhibitor) subunit 14B
A_55_P1995992	7.93E-07	0.400	<b>OTTMUSG00000016</b>	predicted gene, OTTMUSG00000016609
A_55_P2023783	3.61E-07	0.400	<b>Leng8</b>	leukocyte receptor cluster (LRC) member 8
A_52_P661496	2.51E-05	0.400		
A_52_P188593	0.000244747	0.400		
A_55_P1984962	0.001486341	0.400		
A_51_P408749	5.50E-07	0.400	<b>4933439C10Rik</b>	RIKEN cDNA 4933439C10 gene
A_30_P01022191	1.54E-05	0.401		
A_55_P1986123	1.80E-05	0.401	<b>Sccpdh</b>	saccharopine dehydrogenase (putative)
A_30_P01022593	0.00021168	0.401		
A_55_P1976395	0.002041946	0.401	<b>Nsdhl</b>	NAD(P) dependent steroid dehydrogenase-like
A_55_P2139221	0.002392575	0.401		
A_55_P1973415	2.37E-05	0.401	<b>Csprs</b>	component of Sp100-rs
A_55_P1962516	0.001465869	0.401	<b>Fam19a2</b>	family with sequence similarity 19, member A2
A_55_P2150741	0.00129183	0.401	<b>Exoc3l</b>	exocyst complex component 3-like
A_52_P365660	4.97E-05	0.401	<b>Lrrc4c</b>	leucine rich repeat containing 4C
A_30_P01027373	0.002888512	0.401		
A_52_P491554	5.07E-06	0.401	<b>Zfp759</b>	zinc finger protein 759
A_51_P110341	0.001799742	0.401	<b>Scgb3a1</b>	secretoglobulin, family 3A, member 1
A_52_P399677	1.95E-05	0.401	<b>Tprkb</b>	Tp53rk binding protein
A_66_P139493	2.02E-07	0.401		
A_51_P125648	1.11E-05	0.401	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_55_P2035484	3.53E-06	0.401	<b>1110038D17Rik</b>	RIKEN cDNA 1110038D17 gene
A_51_P125648	5.41E-06	0.401	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_51_P324871	9.27E-08	0.401	<b>Cybas3</b>	cytochrome b, ascorbate dependent 3
A_30_P01032906	1.22E-05	0.402		
A_52_P625683	1.71E-05	0.402	<b>Pxmp4</b>	peroxisomal membrane protein 4
A_55_P2010778	7.37E-06	0.402	<b>Il11ra1</b>	interleukin 11 receptor, alpha chain 1
A_51_P339344	0.000981582	0.402	<b>Tmem81</b>	transmembrane protein 81
A_55_P2184009	0.000884803	0.402	<b>Rnd2</b>	Rho family GTPase 2
A_30_P01031414	0.000370248	0.402		
A_55_P2047867	0.000101416	0.402	<b>Elmod3</b>	ELMO/CED-12 domain containing 3
A_51_P125648	2.33E-05	0.402	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_30_P01020952	1.75E-07	0.402		
A_51_P222475	7.28E-08	0.402	<b>Ehbp111</b>	EH domain binding protein 1-like 1
A_51_P107020	0.002161221	0.402	<b>Kif5a</b>	kinesin family member 5A
A_30_P01023887	2.47E-05	0.402		
A_52_P481182	2.33E-05	0.402	<b>Stard5</b>	StAR-related lipid transfer (START) domain containing 5
A_51_P486618	4.20E-05	0.402	<b>Akr1b10</b>	aldo-keto reductase family 1, member B10 (aldose reductase)
A_55_P2076927	3.36E-07	0.402	<b>Ints10</b>	integrator complex subunit 10
A_55_P2057232	0.000375726	0.402	<b>Zfp282</b>	zinc finger protein 282
A_55_P2105833	5.55E-06	0.402	<b>Chchd5</b>	coiled-coil-helix-coiled-coil-helix domain containing 5
A_51_P342877	4.96E-06	0.403	<b>Scn1b</b>	sodium channel, voltage-gated, type I, beta
A_30_P01031532	0.00112393	0.403		
A_51_P511707	4.76E-08	0.403	<b>Ntpr</b>	nucleoside-triphosphatase, cancer-related
A_55_P1953143	0.002687207	0.403	<b>Wt1</b>	Wilms tumor 1 homolog
A_52_P498985	7.25E-07	0.403	<b>Zfp512</b>	zinc finger protein 512
A_52_P277104	0.000132341	0.403	<b>Bank1</b>	B-cell scaffold protein with ankyrin repeats 1

A_52_P600531	2.49E-05	0.403	Bahd1	bromo adjacent homology domain containing 1
A_51_P498631	1.01E-05	0.403	Dfna5	deafness, autosomal dominant 5 (human)
A_52_P385606	1.47E-05	0.403	Ckb	creatine kinase, brain
A_55_P2044252	1.34E-09	0.403	Znf512b	zinc finger protein 512B
A_51_P105709	0.00063926	0.403	Trip13	thyroid hormone receptor interactor 13
A_52_P201551	2.38E-05	0.403	Nav1	neuron navigator 1
A_52_P10037	6.48E-08	0.403	Asf1a	ASF1 anti-silencing function 1 homolog A (S. cerevisiae)
A_51_P101075	1.02E-05	0.403	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_55_P2182690	7.28E-08	0.403	Orai3	ORAI calcium release-activated calcium modulator 3
A_52_P515057	1.09E-06	0.403	Slc25a24	solute carrier family 25 (mitochondrial carrier, phosphate carrier), member 24
A_55_P2169839	8.57E-09	0.403		
A_55_P2023136	8.44E-07	0.403		
A_55_P2000102	4.25E-09	0.403	Fam119a	family with sequence similarity 119, member A
A_51_P327796	7.64E-09	0.403	Itgb5	integrin beta 5
A_30_P01021048	0.000157689	0.403		
A_51_P100776	0.000179451	0.403	Zfp169	zinc finger protein 169
A_55_P2081055	0.000207606	0.403	1700056E22Rik	RIKEN cDNA 1700056E22 gene
A_55_P2227967	9.20E-08	0.404	Zbtb38	zinc finger and BTB domain containing 38
A_51_P114456	6.30E-07	0.404	2210012G02Rik	RIKEN cDNA 2210012G02 gene
A_55_P2167999	8.35E-05	0.404	Ldlr	low density lipoprotein receptor
A_51_P319022	9.82E-05	0.404	Cxcr3	chemokine (C-X-C motif) receptor 3
A_55_P2017526	5.52E-05	0.404	Dand5	DAN domain family, member 5
A_51_P125648	7.62E-06	0.404	Vwce	von Willebrand factor C and EGF domains
A_51_P496054	4.29E-08	0.404	Zcchc14	zinc finger, CCHC domain containing 14
A_66_P135702	0.000208605	0.404	Stx2	syntaxin 2
A_51_P119401	1.85E-08	0.404	Tug1	taurine upregulated gene 1
A_52_P639064	9.09E-06	0.404	Strbp	spermatid perinuclear RNA binding protein
A_55_P2109263	3.75E-06	0.404	Ppp1r14b	protein phosphatase 1, regulatory (inhibitor) subunit 14B
A_51_P100776	0.001969858	0.404	Zfp169	zinc finger protein 169
A_55_P2107192	1.42E-06	0.404		
A_51_P215475	3.64E-06	0.404	Ptprb	protein tyrosine phosphatase, receptor type, B
A_51_P101075	5.87E-06	0.404	1810031K17Rik	RIKEN cDNA 1810031K17 gene
A_66_P116326	0.00027016	0.404	Tlcd2	TLC domain containing 2
A_51_P423880	7.54E-06	0.404	Smarcd3	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily d, member 3
A_51_P145662	3.80E-05	0.404	Clec4g	C-type lectin domain family 4, member g
A_51_P122085	4.03E-09	0.405	Usp20	ubiquitin specific peptidase 20
A_55_P2095688	3.29E-06	0.405	Sh3bp5l	SH3 binding domain protein 5 like
A_52_P38627	0.001838206	0.405	Egf	epidermal growth factor
A_51_P257885	0.00239631	0.405	Mmd2	monocyte to macrophage differentiation-associated 2
A_55_P2142937	0.000195697	0.405		
A_55_P2037294	2.36E-06	0.405		
A_55_P2062558	0.00041299	0.405		
A_55_P2092384	8.62E-08	0.405	Pik3r2	phosphatidylinositol 3-kinase, regulatory subunit, polypeptide 2 (p85 beta)
A_30_P01017489	2.70E-05	0.405		
A_55_P2154430	2.51E-06	0.405	Cd320	CD320 antigen
A_55_P2047305	2.24E-05	0.405	Adcy5	adenylate cyclase 5
A_51_P162471	2.64E-08	0.405	Dnajc9	DnaJ (Hsp40) homolog, subfamily C, member 9
A_55_P2100155	2.86E-06	0.405	Mapt	microtubule-associated protein tau
A_55_P2182736	0.000689406	0.406	Limd2	LIM domain containing 2
A_51_P262721	8.42E-06	0.406		
A_55_P2030383	6.14E-05	0.406	Frmd4a	FERM domain containing 4A
A_51_P433026	5.75E-09	0.406	Ppapdc2	phosphatidic acid phosphatase type 2 domain containing 2
A_55_P2059936	7.38E-06	0.406		
A_55_P2011647	2.20E-05	0.406		
A_55_P2184877	1.79E-05	0.406		
A_55_P2070401	1.93E-06	0.406	4930402H24Rik	RIKEN cDNA 4930402H24 gene
A_52_P151320	0.001385106	0.406	Tnfalp811	tumor necrosis factor, alpha-induced protein 8-like 1
A_51_P417720	3.32E-06	0.406	Itga11	integrin alpha 11
A_51_P331328	1.08E-06	0.406	Gpihbp1	GPI-anchored HDL-binding protein 1
A_51_P125648	7.52E-06	0.407	Vwce	von Willebrand factor C and EGF domains
A_55_P2060091	7.86E-07	0.407		
A_55_P1991802	2.02E-07	0.407	Csrp2bp	cysteine and glycine-rich protein 2 binding protein
A_51_P125648	1.85E-05	0.407	Vwce	von Willebrand factor C and EGF domains
A_51_P342786	8.11E-06	0.407	Mlh3	mutL homolog 3 (E coli)
A_51_P122085	2.35E-07	0.407	Usp20	ubiquitin specific peptidase 20
A_51_P122085	5.08E-10	0.407	Usp20	ubiquitin specific peptidase 20
A_55_P2136258	4.76E-06	0.407	Nsun6	NOL1/NOP2/Sun domain family member 6
A_52_P404461	3.11E-08	0.407	Tmem60	transmembrane protein 60
A_52_P16356	5.81E-05	0.407		
A_55_P1993708	2.91E-07	0.407	Lrp12	low density lipoprotein-related protein 12
A_52_P381430	4.18E-06	0.408	Tbc1d4	TBC1 domain family, member 4
A_55_P2034335	0.001421787	0.408	Cage1	cancer antigen 1
A_55_P2023057	2.96E-07	0.408	Dnajb2	DnaJ (Hsp40) homolog, subfamily B, member 2
A_66_P118776	5.43E-05	0.408	2310047B19Rik	RIKEN cDNA 2310047B19 gene
A_51_P196973	0.003466923	0.408	Chaf1a	chromatin assembly factor 1, subunit A (p150)
A_52_P595717	1.72E-06	0.408	Smug1	single-strand selective monofunctional uracil DNA glycosylase
A_52_P442852	1.14E-07	0.408	Kbtbd7	kelch repeat and BTB (POZ) domain containing 7
A_55_P1992019	0.000342981	0.408	Ptpru	protein tyrosine phosphatase, receptor type, U
A_52_P406036	7.88E-06	0.408	Cdkn2aip	CDKN2A interacting protein
A_55_P2186180	0.000228376	0.408	1810063B07Rik	RIKEN cDNA 1810063B07 gene
A_55_P2083894	0.003204068	0.408		
A_51_P102507	3.18E-07	0.408	Vps33a	vacuolar protein sorting 33A (yeast)
A_51_P236324	3.58E-06	0.408	Gtf2e1	general transcription factor II E, polypeptide 1 (alpha subunit)
A_55_P2056186	3.42E-05	0.408	Siva1	SIVA1, apoptosis-inducing factor
A_65_P20104	0.001226829	0.408	Mical2	microtubule associated monooxygenase, calponin and LIM domain containing 2
A_55_P2293414	2.76E-07	0.409	1700001C19Rik	RIKEN cDNA 1700001C19 gene
A_30_P01023478	0.000620837	0.409		
A_55_P2095820	5.21E-05	0.409	Kalrn	kalirin, RhoGEF kinase
A_52_P606826	6.44E-09	0.409	Pigh	phosphatidylinositol glycan anchor biosynthesis, class H
A_51_P317673	3.69E-07	0.409	Zfp764	zinc finger protein 764
A_55_P1955676	1.12E-06	0.409	Csrp2bp	cysteine and glycine-rich protein 2 binding protein
A_30_P01029585	9.64E-06	0.409		
A_52_P419162	3.89E-06	0.409		
A_55_P2024709	7.57E-08	0.409	4933427D14Rik	RIKEN cDNA 4933427D14 gene
A_51_P150430	4.05E-07	0.409	Mkrm2	makorin, ring finger protein, 2
A_51_P507172	2.79E-08	0.409	2310022A10Rik	RIKEN cDNA 2310022A10 gene
A_66_P134775	4.11E-06	0.409	Pter	phosphotriesterase related
A_30_P01026452	0.002423368	0.409		
A_55_P2012899	0.000561607	0.410	Vsig4	V-set and immunoglobulin domain containing 4
A_30_P01027160	0.000303553	0.410		

A_55_P2356840	6.98E-06	0.410	1600020E01Rik	RIKEN cDNA 1600020E01 gene
A_30_P01026732	3.30E-06	0.410		
A_52_P253748	0.000104452	0.410	Zbtb45	zinc finger and BTB domain containing 45
A_51_P345110	4.62E-07	0.410	Thap4	THAP domain containing 4
A_52_P561377	1.61E-08	0.410	Fam160b1	family with sequence similarity 160, member B1
A_55_P2015862	2.21E-07	0.410	Erg	avian erythroblastosis virus E-26 (v-ets) oncogene related
A_51_P125648	1.05E-05	0.411	Vwce	von Willebrand factor C and EGF domains
A_51_P464029	5.59E-06	0.411	Fads3	fatty acid desaturase 3
A_51_P335969	0.000264811	0.411	Des	desmin
A_51_P124647	6.32E-06	0.411	3200002M19Rik	RIKEN cDNA 3200002M19 gene
A_51_P114634	0.000183526	0.411	Amz1	archaealysin family metalloproteinase 1
A_55_P2126192	7.63E-05	0.411	Lgr5	leucine rich repeat containing G protein coupled receptor 5
A_55_P2019113	0.000192213	0.411	Apol7b	apolipoprotein L 7b
A_66_P126504	0.000341659	0.411	Gm12824	predicted gene 12824
A_30_P01021640	1.17E-05	0.411		
A_30_P01024304	6.20E-08	0.411		
A_51_P114456	8.84E-06	0.411	2210012G02Rik	RIKEN cDNA 2210012G02 gene
A_55_P2202043	0.000697341	0.411	C430045118Rik	RIKEN cDNA C430045118 gene
A_55_P2015258	0.000132869	0.412	Trim13	tripartite motif-containing 13
A_51_P507942	8.12E-06	0.412	Atp13a2	ATPase type 13A2
A_51_P462271	0.000105607	0.412	Acan	aggrecan
A_55_P1984730	1.44E-05	0.412	Sgpl1	sphingosine phosphate lyase 1
A_51_P394833	9.23E-06	0.412	Tshz1	teashirt zinc finger family member 1
A_55_P2072141	4.99E-06	0.412	Chic1	cysteine-rich hydrophobic domain 1
A_55_P2137840	0.000311699	0.412	4833442J19Rik	RIKEN cDNA 4833442J19 gene
A_55_P1986276	2.82E-07	0.412	Tmem41b	transmembrane protein 41B
A_55_P1991750	0.000317398	0.412	Mtcp1	mature T-cell proliferation 1
A_51_P121302	5.91E-06	0.412	Them4	thioesterase superfamily member 4
A_51_P119401	1.71E-07	0.412	Tug1	taurine upregulated gene 1
A_51_P121466	2.17E-05	0.412	Tab1	TGF-beta activated kinase 1/MAP3K7 binding protein 1
A_55_P2087205	2.20E-06	0.412	9530077C14Rik	RIKEN cDNA 9530077C14 gene
A_30_P01032641	0.003297811	0.412		
A_51_P114634	0.000234068	0.412	Amz1	archaealysin family metalloproteinase 1
A_30_P01026350	2.82E-05	0.412		
A_51_P173212	4.55E-07	0.412	Osbpl2	oxysterol binding protein-like 2
A_55_P2057102	1.21E-08	0.412	Sft2d3	SFT2 domain containing 3
A_30_P01025281	0.002811744	0.412		
A_52_P502771	0.000459219	0.413	Rad54b	RAD54 homolog B (S. cerevisiae)
A_52_P456561	0.000213471	0.413	Abcd1	ATP-binding cassette, sub-family D (ALD), member 1
A_55_P1981147	4.56E-07	0.413	Trub2	TruB pseudouridine (psi) synthase homolog 2 (E. coli)
A_55_P2058165	9.14E-06	0.413	Morn4	MORN repeat containing 4
A_55_P2172440	3.48E-07	0.413	Scarf2	scavenger receptor class F, member 2
A_55_P2069525	3.57E-06	0.413	Zmy6	zinc finger, MYM-type 6
A_30_P01023646	0.000160372	0.413		
A_55_P2240468	6.70E-07	0.413	1110019D14Rik	RIKEN cDNA 1110019D14 gene
A_55_P2127664	1.56E-06	0.413		
A_52_P196105	2.04E-06	0.413	Ttyh3	tweety homolog 3 (Drosophila)
A_55_P2087528	0.000169267	0.414	D930015E06Rik	RIKEN cDNA D930015E06 gene
A_51_P122085	1.20E-07	0.414	Usp20	ubiquitin specific peptidase 20
A_55_P2026109	1.82E-08	0.414	Rpap1	RNA polymerase II associated protein 1
A_55_P1976152	4.56E-08	0.414	Vrk2	vaccinia related kinase 2
A_55_P2118799	4.85E-06	0.414	Rmi1	RMI1, RecQ mediated genome instability 1, homolog (S. cerevisiae)
A_55_P2038737	1.42E-06	0.414	Slc29a1	solute carrier family 29 (nucleoside transporters), member 1
A_51_P314652	2.56E-05	0.414	GlT28d2	glycosyltransferase 28 domain containing 2
A_52_P658320	9.80E-05	0.414	Mfsd7a	major facilitator superfamily domain containing 7A
A_51_P336622	4.72E-07	0.414	Dex1	dexamethasone-induced transcript
A_30_P01026391	2.26E-05	0.414		
A_55_P2003228	0.000684257	0.414	Rerg	RAS-like, estrogen-regulated, growth-inhibitor
A_51_P122085	9.11E-09	0.414	Usp20	ubiquitin specific peptidase 20
A_55_P2146525	6.12E-08	0.414	Camta2	calmodulin binding transcription activator 2
A_55_P2113066	2.13E-08	0.414	Zkscan5	zinc finger with KRAB and SCAN domains 5
A_51_P111259	1.49E-06	0.414	Cdk2ap2	CDK2-associated protein 2
A_52_P101982	1.65E-09	0.414	Tmem129	transmembrane protein 129
A_51_P253732	0.00027375	0.414	Il17rd	interleukin 17 receptor D
A_30_P01018002	4.40E-07	0.414		
A_55_P2136817	3.32E-07	0.414	Coro2b	coronin, actin binding protein, 2B
A_66_P108793	3.51E-05	0.415		
A_51_P102507	2.72E-07	0.415	Vps33a	vacuolar protein sorting 33A (yeast)
A_30_P01030183	0.000196141	0.415		
A_52_P315369	2.76E-06	0.415	Cyb5r1	cytochrome b5 reductase 1
A_51_P448814	6.60E-08	0.415	Zfp90	zinc finger protein 90
A_52_P674309	3.23E-08	0.415	Mocs2	molybdenum cofactor synthesis 2
A_55_P2009285	9.02E-10	0.415	Fbxo25	F-box protein 25
A_51_P485421	0.000740889	0.415		
A_55_P2151868	0.003562313	0.415	Mest	mesoderm specific transcript
A_55_P1965989	0.00088652	0.415	Zfp329	zinc finger protein 329
A_55_P2048518	1.93E-06	0.415	Zfp1	zinc finger protein, multitype 1
A_30_P01024165	0.000324895	0.415		
A_51_P121302	1.31E-05	0.415	Them4	thioesterase superfamily member 4
A_55_P2120189	0.000514081	0.415	Gas2l3	growth arrest-specific 2 like 3
A_55_P2110998	0.000210704	0.415	Gpr153	G protein-coupled receptor 153
A_51_P496715	1.19E-06	0.415	4930444A02Rik	RIKEN cDNA 4930444A02 gene
A_55_P1986863	1.95E-07	0.415	Ccdc126	coiled-coil domain containing 126
A_30_P01024255	9.95E-08	0.415		
A_55_P1972204	1.43E-06	0.416	Fam160b2	family with sequence similarity 160, member B2
A_52_P32369	0.00019149	0.416	Hmgn3	high mobility group nucleosomal binding domain 3
A_30_P01018084	0.000731665	0.416		
A_55_P2131428	0.002449403	0.416	Tlr5	toll-like receptor 5
A_55_P2058864	4.91E-05	0.416	Mvk	mevalonate kinase
A_55_P1954258	2.09E-06	0.416	Zfp652	zinc finger protein 652
A_52_P65719	4.84E-05	0.416		
A_51_P502132	4.69E-05	0.416	Mmp23	matrix metalloproteinase 23
A_51_P475228	3.10E-08	0.416	Armc6	armadillo repeat containing 6
A_55_P2153296	1.14E-07	0.416	Pycl1	pyrroline-5-carboxylate reductase-like
A_55_P2062627	6.81E-06	0.416	2210411K11Rik	RIKEN cDNA 2210411K11 gene
A_55_P2065567	9.65E-07	0.416	Chac2	ChaC, cation transport regulator homolog 2 (E. coli)
A_51_P365019	4.92E-07	0.416	Gclc	glutamate-cysteine ligase, catalytic subunit
A_55_P2015860	2.08E-07	0.417	Plcg1	phospholipase C, gamma 1
A_55_P2149274	5.55E-06	0.417	Sh3bp5l	SH3 binding domain protein 5 like
A_51_P341177	3.48E-06	0.417	Ddah2	dimethylarginine dimethylaminohydrolase 2

A_30_P01033086	0.000304013	0.417		
A_52_P257686	5.66E-05	0.417	<b>Rwdd3</b>	RWD domain containing 3
A_66_P116888	1.18E-06	0.417	<b>Arid1a</b>	AT rich interactive domain 1A (SWI-like)
A_52_P38627	0.000665833	0.418	<b>Egf</b>	epidermal growth factor
A_51_P102507	3.22E-08	0.418	<b>Vps33a</b>	vacuolar protein sorting 33A (yeast)
A_52_P122696	5.56E-07	0.418	<b>Arl2</b>	ADP-ribosylation factor-like 2
A_51_P119401	2.80E-07	0.418	<b>Tug1</b>	taurine upregulated gene 1
A_55_P2150901	0.00027773	0.418	<b>Foxo4</b>	forkhead box O4
A_55_P2470474	6.74E-05	0.418	<b>9530082P21Rik</b>	RIKEN cDNA 9530082P21 gene
A_55_P2072611	1.58E-05	0.418	<b>Mosc1</b>	MOCO sulphurase C-terminal domain containing 1
A_51_P142421	0.002240973	0.418	<b>Rspo1</b>	R-spondin homolog (Xenopus laevis)
A_51_P119401	1.25E-05	0.418	<b>Tug1</b>	taurine upregulated gene 1
A_55_P2034535	7.10E-05	0.418	<b>Chchd5</b>	coiled-coil-helix-coiled-coil-helix domain containing 5
A_52_P309890	7.85E-05	0.418	<b>Mcc</b>	mutated in colorectal cancers
A_52_P916539	3.12E-05	0.418	<b>Zbtb34</b>	zinc finger and BTB domain containing 34
A_55_P2051656	0.000289377	0.418	<b>Shank2</b>	SH3/ankyrin domain gene 2
A_51_P443723	2.75E-09	0.419	<b>Slc35c1</b>	solute carrier family 35, member C1
A_51_P242414	2.88E-06	0.419	<b>Micall1</b>	microtubule associated monooxygenase, calponin and LIM domain containing -like 1
A_55_P2078123	1.15E-06	0.419	<b>Rora</b>	RAR-related orphan receptor alpha
A_55_P2013612	1.01E-05	0.419	<b>Gm11677</b>	predicted gene 11677
A_55_P1958280	3.43E-06	0.419	<b>Arndc1</b>	arrestin domain containing 1
A_55_P2042156	3.15E-05	0.419	<b>Aatk</b>	apoptosis-associated tyrosine kinase
A_30_P01031112	7.88E-06	0.419		
A_51_P119401	1.51E-06	0.419	<b>Tug1</b>	taurine upregulated gene 1
A_51_P293269	0.000255751	0.419	<b>Pde7a</b>	phosphodiesterase 7A
A_30_P01021359	0.000489143	0.419		
A_51_P243134	2.91E-06	0.419	<b>Adcy6</b>	adenylate cyclase 6
A_55_P2072080	0.000419981	0.419	<b>Zfp142</b>	zinc finger protein 142
A_51_P352264	3.31E-09	0.420	<b>Sirt7</b>	sirtuin 7 (silent mating type information regulation 2, homolog) 7 (S. cerevisiae)
A_51_P125648	1.67E-05	0.420	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_52_P394385	2.25E-07	0.420	<b>1600012H06Rik</b>	RIKEN cDNA 1600012H06 gene
A_55_P2289040	5.10E-05	0.420	<b>AI429363</b>	expressed sequence AI429363
A_55_P2037454	1.79E-06	0.420	<b>Etv5</b>	ets variant gene 5
A_30_P01032602	0.001340472	0.420		
A_66_P111578	0.000283121	0.420	<b>Zfp709</b>	zinc finger protein 709
A_51_P122085	3.33E-09	0.420	<b>Usp20</b>	ubiquitin specific peptidase 20
A_55_P2100295	5.94E-06	0.420	<b>Dnmbp</b>	dynamamin binding protein
A_66_P135534	9.17E-07	0.420		
A_52_P161087	2.25E-08	0.420	<b>2610008E11Rik</b>	RIKEN cDNA 2610008E11 gene
A_55_P1958140	4.94E-05	0.420	<b>B9d1</b>	B9 protein domain 1
A_55_P2141534	0.000123658	0.420		
A_51_P126337	0.000649062	0.421	<b>Fgf12</b>	fibroblast growth factor 12
A_51_P256093	0.000668285	0.421	<b>Map2k6</b>	mitogen-activated protein kinase kinase 6
A_51_P418935	0.000118059	0.421	<b>Neur12</b>	neuralized-like 2 (Drosophila)
A_55_P1998159	3.29E-09	0.421	<b>Deaf1</b>	deformed epidermal autoregulatory factor 1 (Drosophila)
A_51_P461475	2.81E-06	0.421	<b>Atn1</b>	atrophin 1
A_55_P2034600	4.94E-07	0.421	<b>Gm5523</b>	glyceraldehyde-3-phosphate dehydrogenase pseudogene
A_55_P1964213	0.000443612	0.421	<b>Tprkb</b>	TP53 binding protein
A_51_P363556	1.82E-05	0.421	<b>Abi2</b>	abl-interactor 2
A_55_P1996711	8.97E-07	0.421	<b>Olfir1443</b>	olfactory receptor 1443
A_52_P555235	1.39E-05	0.421	<b>Rgs19</b>	regulator of G-protein signaling 19
A_51_P485421	0.000274724	0.421		
A_51_P392546	2.76E-06	0.421	<b>Haus3</b>	HAUS augmin-like complex, subunit 3
A_51_P122085	2.06E-08	0.421	<b>Usp20</b>	ubiquitin specific peptidase 20
A_55_P2167769	8.38E-06	0.422	<b>Arid1a</b>	AT rich interactive domain 1A (SWI-like)
A_52_P610808	1.72E-06	0.422	<b>Hexdc</b>	hexosaminidase (glycosyl hydrolase family 20, catalytic domain) containing
A_51_P119401	1.02E-07	0.422	<b>Tug1</b>	taurine upregulated gene 1
A_55_P2067513	5.69E-07	0.422	<b>Slc10a3</b>	solute carrier family 10 (sodium/bile acid cotransporter family), member 3
A_52_P494930	1.36E-05	0.422	<b>Fnip2</b>	folliculin interacting protein 2
A_51_P405606	0.001289842	0.422	<b>Ndrq1</b>	N-myc downstream regulated gene 1
A_55_P2386622	5.11E-06	0.422	<b>A730015C16Rik</b>	RIKEN cDNA A730015C16 gene
A_30_P01026204	1.10E-05	0.422		
A_30_P01020606	0.00033329	0.423		
A_30_P01018402	2.33E-05	0.423		
A_55_P2417961	3.53E-05	0.423	<b>BC031361</b>	cDNA sequence BC031361
A_55_P2031786	4.85E-08	0.423	<b>Fuk</b>	fucokinase
A_55_P2098300	1.26E-07	0.423	<b>Chmp6</b>	chromatin modifying protein 6
A_51_P114456	1.02E-05	0.423	<b>2210012G02Rik</b>	RIKEN cDNA 2210012G02 gene
A_55_P2098734	3.80E-05	0.423	<b>Ttc21b</b>	tetratricopeptide repeat domain 21B
A_55_P2380132	6.01E-05	0.423	<b>AI844869</b>	expressed sequence AI844869
A_51_P398887	5.43E-08	0.423	<b>Ctns</b>	cystinosis, nephropathic
A_55_P2007871	9.35E-06	0.423	<b>Ptpdc1</b>	protein tyrosine phosphatase domain containing 1
A_55_P2084378	0.002675206	0.423	<b>Mtmr7</b>	myotubularin related protein 7
A_55_P2166985	4.21E-05	0.423	<b>Dedd2</b>	death effector domain-containing DNA binding protein 2
A_51_P481221	1.92E-05	0.424	<b>Bace2</b>	beta-site APP-cleaving enzyme 2
A_51_P154933	2.55E-09	0.424	<b>Zdhhc7</b>	zinc finger, DHHC domain containing 7
A_55_P2033250	0.00040797	0.424	<b>Fdft1</b>	farnesyl diphosphate farnesyl transferase 1
A_51_P122085	5.57E-09	0.424	<b>Usp20</b>	ubiquitin specific peptidase 20
A_55_P1960688	2.50E-07	0.424	<b>Tmem220</b>	transmembrane protein 220
A_55_P1973553	0.000314546	0.424	<b>Bbs12</b>	Bardet-Biedl syndrome 12 (human)
A_55_P2036863	1.05E-06	0.424	<b>Rab12</b>	RAB, member of RAS oncogene family-like 2
A_55_P1958887	0.000501782	0.424	<b>DXBay18</b>	DNA segment, Chr X, Baylor 18
A_51_P125648	6.72E-06	0.424	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_55_P1982454	4.65E-06	0.424	<b>Eps8</b>	epidermal growth factor receptor pathway substrate 8
A_55_P2147276	1.41E-07	0.424	<b>Orai1</b>	ORAI calcium release-activated calcium modulator 1
A_30_P01026392	3.64E-06	0.424		
A_66_P132295	1.08E-05	0.424	<b>Tfpi</b>	tissue factor pathway inhibitor
A_52_P538927	8.65E-05	0.424	<b>Zfp385b</b>	zinc finger protein 385B
A_51_P477738	8.74E-05	0.425	<b>Rab3d</b>	RAB3D, member RAS oncogene family
A_55_P2161180	0.001049836	0.425	<b>Zfp94</b>	zinc finger protein 94
A_51_P337125	1.48E-05	0.425	<b>Inpp5d</b>	inositol polyphosphate-5-phosphatase D
A_52_P510119	0.002416733	0.425	<b>Pgm211</b>	phosphoglucomutase 2-like 1
A_66_P129444	7.28E-08	0.425	<b>Pnkp</b>	polynucleotide kinase 3'-phosphatase
A_55_P2088705	0.000134346	0.425	<b>Sgsm1</b>	small G protein signaling modulator 1
A_55_P2047986	0.000302285	0.425	<b>Ankrd23</b>	ankyrin repeat domain 23
A_55_P2019512	6.49E-09	0.426	<b>Mocs2</b>	molybdenum cofactor synthesis 2
A_55_P2030717	1.41E-05	0.426		
A_52_P518233	8.93E-07	0.426	<b>Ndrq3</b>	N-myc downstream regulated gene 3
A_55_P2054456	8.94E-07	0.426	<b>2310004I24Rik</b>	RIKEN cDNA 2310004I24 gene
A_55_P2231342	1.97E-05	0.426	<b>A030010E16Rik</b>	RIKEN cDNA A030010E16 gene

A_30_P01027595	0.000174471	0.426		
A_51_P122085	2.39E-09	0.426	<b>Usp20</b>	ubiquitin specific peptidase 20
A_55_P2341468	1.21E-05	0.426	<b>Rbms3</b>	RNA binding motif, single stranded interacting protein
A_30_P01023774	2.03E-06	0.426		
A_55_P1972653	2.67E-07	0.426	<b>Tada3</b>	transcriptional adaptor 3
A_51_P244303	0.002042094	0.426	<b>Smc1b</b>	structural maintenance of chromosomes 1B
A_55_P2070179	2.21E-07	0.427	<b>Ing4</b>	inhibitor of growth family, member 4
A_30_P01027080	0.002783774	0.427		
A_55_P2156160	5.44E-05	0.427		
A_55_P2047788	1.22E-06	0.427	<b>Katnal1</b>	katanin p60 subunit A-like 1
A_51_P355151	0.000218241	0.427	<b>Camk2n2</b>	calcium/calmodulin-dependent protein kinase II inhibitor 2
A_30_P01025159	0.000511349	0.427		
A_30_P01019898	2.73E-07	0.427		
A_55_P1994887	4.53E-06	0.427	<b>Zfpm1</b>	zinc finger protein, multitype 1
A_30_P01020932	3.08E-06	0.427		
A_66_P115615	6.56E-06	0.427	<b>1700071A11Rik</b>	RIKEN cDNA 1700071A11 gene
A_51_P114456	9.82E-07	0.427	<b>2210012G02Rik</b>	RIKEN cDNA 2210012G02 gene
A_30_P01031134	6.11E-05	0.427		
A_55_P2371281	0.000368142	0.427	<b>9030601B04Rik</b>	RIKEN cDNA 9030601B04 gene
A_66_P106421	4.82E-05	0.427	<b>Ccdc30</b>	coiled-coil domain containing 30
A_51_P422124	4.56E-05	0.427	<b>Fam126a</b>	family with sequence similarity 126, member A
A_55_P2169276	0.000932847	0.427	<b>4732491K20Rik</b>	RIKEN cDNA 4732491K20 gene
A_66_P137462	0.001204858	0.427	<b>Nsdhl</b>	NAD(P) dependent steroid dehydrogenase-like
A_55_P2044463	2.42E-05	0.427		
A_55_P2050366	6.34E-06	0.427		
A_51_P232371	9.32E-06	0.428	<b>Stab1</b>	stabilin 1
A_66_P127161	0.00058137	0.428	<b>Cyp2u1</b>	cytochrome P450, family 2, subfamily u, polypeptide 1
A_30_P01029544	0.002326006	0.428		
A_51_P344046	1.55E-07	0.428	<b>Nt5m</b>	5',3'-nucleotidase, mitochondrial
A_52_P222096	0.000802674	0.428	<b>4931428F04Rik</b>	RIKEN cDNA 4931428F04 gene
A_55_P2034828	0.000194406	0.428	<b>Plas3</b>	protein inhibitor of activated STAT 3
A_55_P2137736	0.003031949	0.428	<b>Srgap3</b>	SLIT-ROBO Rho GTPase activating protein 3
A_51_P125446	2.10E-07	0.429	<b>Lzlc</b>	leucine zipper and CTNNBIP1 domain containing
A_51_P102507	3.34E-06	0.429	<b>Vps33a</b>	vacuolar protein sorting 33A (yeast)
A_52_P439995	1.26E-05	0.429	<b>Rab43</b>	RAB43, member RAS oncogene family
A_30_P01032852	0.002006663	0.429		
A_51_P297963	1.20E-07	0.429	<b>Recql</b>	RecQ protein-like
A_55_P2162344	6.27E-06	0.429	<b>Lrsam1</b>	leucine rich repeat and sterile alpha motif containing 1
A_30_P01020936	0.000573992	0.429		
A_55_P2050426	1.73E-05	0.429	<b>Ankrd50</b>	ankyrin repeat domain 50
A_30_P01022641	0.004276784	0.429		
A_55_P2116160	0.000605013	0.429	<b>Ccdc106</b>	coiled-coil domain containing 106
A_51_P122085	2.89E-09	0.429	<b>Usp20</b>	ubiquitin specific peptidase 20
A_55_P2131190	0.000339963	0.429		
A_55_P2006693	0.000148921	0.429	<b>Pstpip2</b>	proline-serine-threonine phosphatase-interacting protein 2
A_51_P285487	5.30E-05	0.429	<b>Rnf113a1</b>	ring finger protein 113A1
A_55_P1966332	1.72E-06	0.429	<b>Plac9</b>	placenta specific 9
A_51_P407675	3.08E-06	0.430	<b>Zrsr1</b>	zinc finger (CCCH type), RNA binding motif and serine/arginine rich 1
A_66_P140067	5.48E-07	0.430	<b>Wdyhv1</b>	WDYHV motif containing 1
A_55_P2156462	0.000854876	0.430	<b>Nt5c3l</b>	5'-nucleotidase, cytosolic III-like
A_55_P2122633	0.002254673	0.430	<b>Alrn</b>	antisense lgf2r RNA
A_55_P2032553	0.000148281	0.430	<b>9430024F10Rik</b>	RIKEN cDNA 9430024F10 gene
A_52_P275627	3.43E-05	0.430	<b>Kpnb1</b>	karyopherin (importin) beta 1
A_55_P2063366	1.35E-07	0.430	<b>Commd7</b>	COMM domain containing 7
A_30_P01024125	1.90E-05	0.430		
A_55_P2154724	3.26E-05	0.430	<b>Mettl4</b>	methyltransferase like 4
A_51_P456914	4.00E-07	0.430	<b>B630005N14Rik</b>	RIKEN cDNA B630005N14 gene
A_52_P458000	0.001729986	0.430	<b>AI467606</b>	expressed sequence AI467606
A_52_P399990	0.000846903	0.430	<b>B4galt2</b>	UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 2
A_55_P1991114	0.000924755	0.430	<b>Tom1l2</b>	target of myb1-like 2 (chicken)
A_30_P01018065	0.000220063	0.430		
A_55_P2052794	1.25E-05	0.431		
A_51_P121302	1.66E-05	0.431	<b>Them4</b>	thioesterase superfamily member 4
A_51_P263377	4.97E-06	0.431	<b>Thns1l</b>	threonine synthase-like 1 (bacterial)
A_66_P109941	7.49E-06	0.431	<b>Mamdc4</b>	MAM domain containing 4
A_51_P483280	4.24E-05	0.431	<b>Prnp</b>	prion protein
A_55_P2032823	7.37E-06	0.431	<b>Trim2</b>	tripartite motif-containing 2
A_52_P148678	3.62E-07	0.431		
A_55_P2071426	3.35E-07	0.431	<b>Fam86</b>	family with sequence similarity 86
A_51_P149373	5.85E-05	0.431	<b>Fbxl20</b>	F-box and leucine-rich repeat protein 20
A_30_P01024477	0.000183551	0.431		
A_55_P2016681	5.97E-08	0.431	<b>Alkbh7</b>	alkB, alkylation repair homolog 7 (E. coli)
A_55_P1981599	8.28E-07	0.431	<b>Ccdc125</b>	coiled-coil domain containing 125
A_55_P1983944	0.002487513	0.431	<b>Tmem44</b>	transmembrane protein 44
A_55_P2049095	9.01E-07	0.431	<b>Atat1</b>	alpha tubulin acetyltransferase 1
A_52_P232470	2.92E-06	0.431	<b>Smcr7</b>	Smith-Magenis syndrome chromosome region, candidate 7 homolog (human)
A_30_P01018093	0.000221254	0.431		
A_55_P2120254	4.43E-06	0.431	<b>Avp1l</b>	arginine vasopressin-induced 1
A_51_P121302	1.20E-05	0.432	<b>Them4</b>	thioesterase superfamily member 4
A_55_P2125258	1.39E-06	0.432	<b>Gm3852</b>	predicted gene 3852
A_51_P131561	0.000127643	0.432	<b>1600029D21Rik</b>	RIKEN cDNA 1600029D21 gene
A_52_P449417	8.62E-06	0.432	<b>Vangl1</b>	vang-like 1 (van gogh, Drosophila)
A_30_P01026276	0.001157962	0.432		
A_52_P587948	5.35E-07	0.432	<b>Zfp11</b>	zinc finger protein 11
A_55_P2055463	5.10E-07	0.432	<b>Snapin</b>	SNAP-associated protein
A_55_P1953650	2.17E-08	0.432	<b>Zdhhc18</b>	zinc finger, DHHC domain containing 18
A_55_P1987761	1.91E-05	0.432	<b>Prkcz</b>	protein kinase C, zeta
A_55_P2008512	1.98E-07	0.432	<b>B4galt7</b>	xylosylprotein beta1,4-galactosyltransferase, polypeptide 7 (galactosyltransferase I)
A_55_P2112302	7.73E-07	0.432		
A_55_P1980080	2.71E-08	0.432	<b>Rbms2</b>	RNA binding motif, single stranded interacting protein 2
A_55_P2065149	1.99E-05	0.433	<b>Kdm2b</b>	lysine (K)-specific demethylase 2B
A_55_P1995874	9.78E-05	0.433		
A_55_P1995647	0.000570789	0.433	<b>Rsph4a</b>	radial spoke head 4 homolog A (Chlamydomonas)
A_66_P132144	0.000506078	0.433	<b>Gm9959</b>	predicted gene 9959
A_52_P655285	0.002287957	0.433	<b>Zfp462</b>	zinc finger protein 462
A_30_P01017550	0.000815455	0.433		
A_55_P2059332	1.09E-06	0.433	<b>Pnkd</b>	paroxysmal nonkinesigenic dyskinesia
A_55_P2415197	2.80E-05	0.433	<b>2810013P06Rik</b>	RIKEN cDNA 2810013P06 gene
A_51_P173961	6.13E-08	0.433	<b>Pdrg1</b>	p53 and DNA damage regulated 1
A_55_P1967720	7.59E-06	0.434	<b>Poir2l</b>	polymerase (RNA) II (DNA directed) polypeptide I

A_51_P447189	0.001713591	0.434	LOC100503215	hypothetical protein LOC100503215
A_52_P90289	1.17E-07	0.434	Oaz2-ps	ornithine decarboxylase antizyme 2, pseudogene
A_55_P1976242	8.22E-07	0.434	Arhgef7	Rho guanine nucleotide exchange factor (GEF7)
A_66_P130887	3.05E-05	0.434	Pcdh18	protocadherin 18
A_30_P01031034	2.90E-06	0.434		
A_55_P2327177	2.02E-05	0.434	Exoc8	exocyst complex component 8
A_30_P01027411	3.91E-05	0.434		
A_51_P335969	0.000273518	0.434	Des	desmin
A_52_P482124	6.62E-05	0.434	Fam32a	family with sequence similarity 32, member A
A_51_P121302	1.78E-05	0.434	Them4	thioesterase superfamily member 4
A_55_P2007876	4.81E-05	0.434	Rnf144b	ring finger protein 144B
A_55_P2079981	1.79E-06	0.434		
A_55_P1958285	0.000129984	0.434	Arrdc1	arrestin domain containing 1
A_55_P2466575	7.90E-05	0.434	4930402H24RIK	RIKEN cDNA 4930402H24 gene
A_51_P473229	1.36E-06	0.434	Zbtb7b	zinc finger and BTB domain containing 7B
A_51_P509229	8.15E-06	0.435	Tnrc6a	trinucleotide repeat containing 6a
A_55_P1984981	0.000503061	0.435		
A_55_P2032294	2.58E-07	0.435	Zfp932	zinc finger protein 932
A_52_P330984	0.000531166	0.435	Lin9	lin-9 homolog (C. elegans)
A_30_P01025229	0.00136031	0.435		
A_55_P1974019	2.92E-07	0.435	Dapk1	death associated protein kinase 1
A_55_P2030229	0.000722879	0.435	Fan1	FANCD2/FANCI-associated nuclease 1
A_51_P410744	1.46E-05	0.435	Dgke	diacylglycerol kinase, epsilon
A_30_P01023446	0.000635443	0.435		
A_55_P2045891	1.36E-06	0.435	Cpeb2	cytoplasmic polyadenylation element binding protein 2
A_55_P2070786	7.52E-05	0.435		
A_30_P01032194	0.004197482	0.435		
A_51_P102507	2.94E-07	0.435	Vps33a	vacuolar protein sorting 33A (yeast)
A_55_P1963585	7.54E-06	0.435	Mbd5	methyl-CpG binding domain protein 5
A_55_P2002129	6.80E-05	0.435	Rgs12	regulator of G-protein signaling 12
A_55_P2022094	1.36E-07	0.435	Mta3	metastasis associated 3
A_55_P2179964	3.78E-05	0.435		
A_55_P2078213	5.03E-06	0.435		
A_51_P121302	2.46E-05	0.435	Them4	thioesterase superfamily member 4
A_55_P1966528	0.000110232	0.436	Pmf1	polyamine-modulated factor 1
A_30_P01023344	4.88E-05	0.436		
A_51_P133612	0.000624439	0.436	Cdt1	chromatin licensing and DNA replication factor 1
A_55_P2097670	0.000445908	0.436		
A_55_P2123421	2.77E-07	0.436	Dnalc4	dynein, axonemal, light chain 4
A_52_P450188	7.47E-08	0.436	Mtmr4	myotubularin related protein 4
A_55_P1963712	3.20E-05	0.436	Cyb5b	cytochrome b5 type B
A_55_P2045367	1.80E-05	0.436	G630025P09RIK	RIKEN cDNA G630025P09 gene
A_55_P2006236	0.000244024	0.436	Ugdh	UDP-glucose dehydrogenase
A_55_P2010116	2.09E-06	0.436	Rab27b	RAB27b, member RAS oncogene family
A_65_P10195	0.00104582	0.436	Myl7	myosin, light polypeptide 7, regulatory
A_52_P675617	2.71E-06	0.437		
A_51_P126337	0.000731224	0.437	Fgf12	fibroblast growth factor 12
A_51_P465273	6.04E-07	0.437	Mett11d1	methyltransferase 11 domain containing 1
A_51_P484764	2.65E-07	0.437	Fam3a	family with sequence similarity 3, member A
A_30_P01017519	0.003307086	0.437		
A_30_P01030872	0.000804967	0.437		
A_55_P1983070	8.60E-07	0.437	Uhrf1bp1	UHRF1 (ICBP90) binding protein 1
A_51_P210340	3.73E-06	0.437	2610306M01RIK	RIKEN cDNA 2610306M01 gene
A_55_P1984841	4.80E-07	0.437		
A_51_P128499	0.000457822	0.437	Dennd3	DENN/MADD domain containing 3
A_51_P317695	0.000367345	0.437	Trpc3	transient receptor potential cation channel, subfamily C, member 3
A_55_P2064074	8.02E-06	0.437	Vps37d	vacuolar protein sorting 37D (yeast)
A_65_P09032	1.46E-05	0.437	Rab43	RAB43, member RAS oncogene family
A_51_P121302	5.16E-05	0.438	Them4	thioesterase superfamily member 4
A_55_P2014690	0.000337397	0.438	Taok3	TAO kinase 3
A_55_P2183692	4.15E-05	0.438	Rgs19	regulator of G-protein signaling 19
A_51_P451106	2.95E-05	0.438	Brca2	breast cancer 2
A_51_P351413	1.11E-05	0.438	Phospho2	phosphatase, orphan 2
A_55_P2029121	1.25E-07	0.438		
A_55_P2024853	4.74E-07	0.438	Cep57l1	centrosomal protein 57-like 1
A_55_P2020472	8.51E-07	0.438	Rufy2	RUN and FYVE domain-containing 2
A_52_P652104	8.34E-07	0.438	Brd3	bromodomain containing 3
A_55_P2048378	2.04E-06	0.438	Gm5595	predicted gene 5595
A_55_P1958876	0.000353995	0.438	4833422C13RIK	RIKEN cDNA 4833422C13 gene
A_55_P2061934	1.32E-05	0.439	6430550D23RIK	RIKEN cDNA 6430550D23 gene
A_55_P2161465	5.02E-05	0.439	Gm10516	predicted gene 10516
A_51_P170641	0.001705284	0.439	Dcaf4	DDB1 and CUL4 associated factor 4
A_55_P2023114	1.86E-06	0.439	Hsd3b2	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2
A_52_P175376	1.03E-05	0.439	Tcfcp2l1	transcription factor CP2-like 1
A_52_P537852	0.000170293	0.439	Fam120b	family with sequence similarity 120, member B
A_51_P439612	1.25E-07	0.439	Dnajb2	DnaJ (Hsp40) homolog, subfamily B, member 2
A_51_P517012	1.22E-06	0.439	Tysnd1	trypsin domain containing 1
A_52_P647906	2.99E-06	0.439		
A_55_P2070406	6.12E-05	0.439		
A_55_P2313033	5.94E-07	0.439	Ptprb	protein tyrosine phosphatase, receptor type, B
A_30_P01030436	0.000914052	0.439		
A_30_P01029109	0.000100797	0.439		
A_55_P2043122	1.40E-05	0.439	Arsg	arylsulfatase G
A_55_P2094016	5.50E-05	0.440	Slc17a4	solute carrier family 17 (sodium phosphate), member 4
A_66_P123155	2.59E-06	0.440	Ddo	D-aspartate oxidase
A_52_P424778	0.000786521	0.440	Adra1a	adrenergic receptor, alpha 1a
A_51_P363905	6.04E-06	0.440	Slc25a23	solute carrier family 25 (mitochondrial carrier; phosphate carrier), member 23
A_52_P651948	0.000563473	0.440	1700025K23RIK	RIKEN cDNA 1700025K23 gene
A_55_P2095859	0.000459302	0.440	Rdh18-ps	retinol dehydrogenase 18, pseudogene
A_55_P2115990	0.001058206	0.440		
A_55_P2024245	1.01E-05	0.440	Mthfr	5,10-methylenetetrahydrofolate reductase
A_55_P1973698	4.96E-08	0.440	Htra2	HtrA serine peptidase 2
A_55_P2154709	9.60E-06	0.440	Pter	phosphotriesterase related
A_52_P69756	5.54E-06	0.440	Mterfd2	MTERF domain containing 2
A_51_P477285	0.000231391	0.441	1810014B01RIK	RIKEN cDNA 1810014B01 gene
A_55_P2157695	2.71E-07	0.441	Tsc1	tuberous sclerosis 1
A_55_P2026420	3.96E-06	0.441	Pou6f1	POU domain, class 6, transcription factor 1
A_55_P2174601	0.000123463	0.441	LOC100047292	pleckstrin homology domain-containing family A member 7-like
A_30_P01020301	2.96E-06	0.441		
A_55_P2170054	0.000451995	0.441	Gm7854	predicted gene 7854

A_52_P511381	2.11E-06	0.441	Tesk1	testis specific protein kinase 1
A_55_P1957593	4.87E-07	0.441	Ino80b	INO80 complex subunit B
A_51_P485421	0.00086298	0.441		
A_55_P1972634	4.92E-06	0.441	Mtcp1	mature T-cell proliferation 1
A_55_P2148688	0.000111212	0.442		
A_30_P01033104	1.06E-07	0.442		
A_52_P684130	9.40E-07	0.442	2510002D24Rik	RIKEN cDNA 2510002D24 gene
A_52_P676271	0.000439297	0.442	Tuba4a	tubulin, alpha 4A
A_55_P2024290	4.23E-05	0.442	Fam149a	family with sequence similarity 149, member A
A_55_P1983903	5.96E-05	0.442	Thap4	THAP domain containing 4
A_52_P571938	6.35E-06	0.442	Arv1	ARV1 homolog (yeast)
A_55_P2313163	6.01E-05	0.442	D10Bwg1070e	DNA segment, Chr 10, Brigham & Women's Genetics 1070 expressed
A_30_P01030338	8.12E-07	0.442		
A_55_P1952779	1.75E-05	0.442	Dcp1b	DCP1 decapping enzyme homolog b (S. cerevisiae)
A_55_P2077884	0.001446232	0.442		
A_55_P1991763	3.67E-07	0.442	Mtcp1	mature T-cell proliferation 1
A_55_P1962339	1.10E-07	0.442	Trim41	tripartite motif-containing 41
A_51_P100776	0.000480687	0.442	Zfp169	zinc finger protein 169
A_55_P2304337	0.000148156	0.442	5730407M17Rik	RIKEN cDNA 5730407M17 gene
A_51_P464911	2.96E-07	0.443	Msrb2	methionine sulfoxide reductase B2
A_51_P306710	0.002082341	0.443	Cldn15	claudin 15
A_55_P2071059	7.22E-05	0.443	Nab2	Ngfi-A binding protein 2
A_51_P416137	3.41E-07	0.443	Slc31a2	solute carrier family 31, member 2
A_55_P1965391	3.90E-08	0.443	Klhl18	kelch-like 18 (Drosophila)
A_55_P2107347	2.56E-05	0.443	Trove2	TROVE domain family, member 2
A_55_P1977766	0.000103881	0.443	Ttc14	tetratricopeptide repeat domain 14
A_55_P2009677	0.000261482	0.443	Zmiz1	zinc finger, MIZ-type containing 1
A_51_P125446	8.72E-07	0.443	Lzlc	leucine zipper and CTNNBIP1 domain containing
A_30_P01027805	1.86E-06	0.443		
A_52_P613643	0.000402689	0.443	Zfp3	zinc finger protein 3
A_51_P483261	5.42E-06	0.443	Pomt1	protein-O-mannosyltransferase 1
A_55_P2056876	0.001009088	0.444		
A_51_P472329	4.99E-07	0.444	4632415K11Rik	RIKEN cDNA 4632415K11 gene
A_55_P1971672	0.000132336	0.444	Ankrd50	ankyrin repeat domain 50
A_55_P2071799	1.16E-06	0.444	Slbp	stem-loop binding protein
A_52_P467726	2.24E-07	0.444	Nsg1	neuron specific gene family member 1
A_55_P2102857	8.72E-07	0.444	Krtcap3	keratinocyte associated protein 3
A_51_P317640	0.002044278	0.444	Tgfb2	transforming growth factor, beta 2
A_30_P01018725	0.000503069	0.444		
A_51_P485421	0.000783579	0.444		
A_55_P2112484	2.91E-05	0.444	Rwdd3	RWD domain containing 3
A_55_P2035559	0.003579868	0.445	Fam40a	family with sequence similarity 40, member A
A_52_P187217	0.000452452	0.445	Phka2	phosphorylase kinase alpha 2
A_66_P102607	1.29E-05	0.445	Btrc	beta-transducin repeat containing protein
A_51_P129720	1.89E-06	0.445	Hectd3	HECT domain containing 3
A_55_P2086423	0.000273619	0.445	Recql4	RecQ protein-like 4
A_55_P2156625	0.001952691	0.445		
A_51_P184353	1.42E-07	0.445	Nr2f6	nuclear receptor subfamily 2, group F, member 6
A_66_P136489	4.70E-05	0.445	Gm9456	predicted gene 9456
A_55_P2122255	1.81E-05	0.445	Polm	polymerase (DNA directed), mu
A_52_P307749	0.001040822	0.445	Slc35a5	solute carrier family 35, member A5
A_51_P106527	8.41E-07	0.445	Fam195a	family with sequence similarity 195, member A
A_55_P2007656	4.20E-06	0.445	Cryab	crystallin, alpha B
A_55_P1990490	1.92E-05	0.445	Recql	RecQ protein-like
A_55_P2105820	4.35E-06	0.445	Wdr67	WD repeat domain 67
A_55_P2048279	1.72E-05	0.445	Tlr13	toll-like receptor 13
A_30_P01021647	3.13E-05	0.445		
A_55_P2134735	2.13E-09	0.445	Fdxacb1	ferredoxin-fold anticodon binding domain containing 1
A_55_P2005229	1.48E-08	0.445	LOC100502632	zinc finger protein 709-like
A_55_P2101920	1.27E-05	0.446	4931408A02Rik	RIKEN cDNA 4931408A02 gene
A_55_P2057821	1.35E-07	0.446	Golga1	golgi autoantigen, golgin subfamily a, 1
A_55_P2046488	4.05E-05	0.446	Nbeal2	neurobeachin-like 2
A_51_P292447	7.75E-08	0.446	Klhl36	kelch-like 36 (Drosophila)
A_55_P2106525	7.06E-05	0.446	Nmnat3	nicotinamide nucleotide adenyltransferase 3
A_55_P2062722	0.000171137	0.446		
A_51_P279183	0.000222557	0.446	Dak	dihydroxyacetone kinase 2 homolog (yeast)
A_55_P2166421	6.37E-07	0.446	Rpsd3	RNA pseudouridylation synthase domain containing 3
A_52_P581390	1.76E-05	0.446	Kif1c	kinesin family member 1C
A_55_P2152407	0.000268668	0.446		
A_51_P275976	4.38E-05	0.446	Dok1	docking protein 1
A_30_P01026482	6.09E-05	0.446		
A_51_P121302	4.98E-05	0.446	Them4	thioesterase superfamily member 4
A_55_P1980411	3.60E-06	0.446	Zkscan1	zinc finger with KRAB and SCAN domains 1
A_55_P2094197	2.74E-05	0.447	Dnase1l3	deoxyribonuclease 1-like 3
A_51_P295034	0.002608255	0.447	Klk1b4	kallikrein 1-related peptidase b4
A_52_P339742	0.000375907	0.447	Cyb5r3	cytochrome b5 reductase 3
A_55_P2136622	4.21E-07	0.447	Camta2	calmodulin binding transcription activator 2
A_51_P494446	0.003334788	0.447	Tmem201	transmembrane protein 201
A_51_P220062	1.18E-06	0.447	Mmp15	matrix metalloproteinase 15
A_55_P2099930	2.29E-05	0.447	Lass5	LAG1 homolog, ceramide synthase 5
A_51_P121302	3.31E-05	0.447	Them4	thioesterase superfamily member 4
A_55_P1999710	2.82E-06	0.447	Smad2	MAD homolog 2 (Drosophila)
A_52_P161400	2.12E-07	0.447	Cnpy4	canopy 4 homolog (zebrafish)
A_52_P496870	3.85E-08	0.447	2310011J03Rik	RIKEN cDNA 2310011J03 gene
A_55_P2007919	3.75E-05	0.447	Akr1c19	aldo-keto reductase family 1, member C19
A_55_P2100700	8.54E-08	0.447	Pygo2	pygopus 2
A_51_P341832	3.92E-07	0.447	Nthl1	nth (endonuclease III)-like 1 (E. coli)
A_51_P338461	3.70E-06	0.447	Numa1	nuclear mitotic apparatus protein 1
A_55_P1973683	5.18E-05	0.447	Morn4	MORN repeat containing 4
A_52_P543869	0.000256853	0.447	Shpk	sedoheptulokinase
A_55_P2083484	5.86E-07	0.448	Fam119a	family with sequence similarity 119, member A
A_55_P1983968	0.003275258	0.448	Slc24a6	solute carrier family 24 (sodium/potassium/calcium exchanger), member 6
A_66_P134265	0.000279736	0.448	Fam47e	family with sequence similarity 47, member E
A_55_P2058942	1.01E-05	0.448	Aldh3b1	aldehyde dehydrogenase 3 family, member B1
A_51_P479321	0.000121737	0.448	Acss1	acyl-CoA synthetase short-chain family member 1
A_51_P483280	3.75E-05	0.448	Prnp	prion protein
A_52_P406507	1.36E-06	0.448	Mus81	MUS81 endonuclease homolog (yeast)
A_52_P362981	4.78E-05	0.448		
A_55_P2124425	1.86E-05	0.448	Zfp661	zinc finger protein 661
A_51_P119401	9.28E-06	0.448	Tug1	taurine upregulated gene 1

A_55_P1980119	1.29E-08	0.448	<b>Gltpd1</b>	glycolipid transfer protein domain containing 1
A_55_P2020348	1.92E-07	0.448	<b>Zbtb7b</b>	zinc finger and BTB domain containing 7B
A_55_P1976067	4.02E-05	0.448		
A_52_P211418	1.64E-05	0.448	<b>G2e3</b>	G2/M-phase specific E3 ubiquitin ligase
A_51_P283344	7.98E-05	0.448	<b>1700011H14Rik</b>	RIKEN cDNA 1700011H14 gene
A_52_P638513	1.90E-05	0.448	<b>2310061J03Rik</b>	RIKEN cDNA 2310061J03 gene
A_30_P01024134	2.08E-05	0.449		
A_55_P1954393	0.002582176	0.449	<b>Susd4</b>	sushi domain containing 4
A_66_P132077	0.000376892	0.449	<b>Iqcb1</b>	IQ calmodulin-binding motif containing 1
A_55_P2067453	1.67E-06	0.449	<b>Tspan17</b>	tetraspanin 17
A_30_P01027884	0.000319368	0.449		
A_51_P154083	5.23E-07	0.449	<b>Mettl3</b>	methyltransferase like 3
A_30_P01031864	1.22E-05	0.449		
A_30_P01024332	0.004354789	0.449		
A_52_P38627	0.000519921	0.449	<b>Egf</b>	epidermal growth factor
A_51_P265106	3.17E-05	0.449	<b>Dlat</b>	dihydrolipoamide S-acetyltransferase (E2 component of pyruvate dehydrogenase complex)
A_55_P2062213	8.80E-07	0.449	<b>Tmem41a</b>	transmembrane protein 41a
A_55_P2068822	3.72E-05	0.449	<b>Cdk20</b>	cyclin-dependent kinase 20
A_30_P01024936	0.00126593	0.449		
A_52_P38627	0.000225017	0.449	<b>Egf</b>	epidermal growth factor
A_52_P359502	9.69E-08	0.450	<b>Pdxk</b>	pyridoxal (pyridoxine, vitamin B6) kinase
A_55_P2138065	0.00239216	0.450		
A_55_P2322620	0.000566261	0.450		
A_55_P2167339	0.000335225	0.450	<b>Cnot3</b>	CCR4-NOT transcription complex, subunit 3
A_52_P538673	3.51E-06	0.450	<b>Fgf1</b>	fibroblast growth factor 1
A_55_P2158227	0.000149876	0.450	<b>Angpt1</b>	angiopoietin 1
A_52_P476904	0.000450005	0.450		
A_55_P2130388	9.34E-05	0.450	<b>Mical1</b>	microtubule associated monoxygenase, calponin and LIM domain containing 1
A_55_P2109257	7.69E-05	0.450	<b>Nlpa13</b>	NIPA-like domain containing 3
A_55_P2138816	2.40E-07	0.450	<b>2810021B07Rik</b>	RIKEN cDNA 2810021B07 gene
A_51_P335969	0.000151918	0.450	<b>Des</b>	desmin
A_55_P1985882	5.84E-06	0.451	<b>Fastkd1</b>	FAST kinase domains 1
A_55_P1984675	1.41E-07	0.451	<b>Abhd6</b>	abhydrolase domain containing 6
A_55_P2147126	0.001075151	0.451	<b>Zfp712</b>	zinc finger protein 712
A_51_P240421	0.003767572	0.451	<b>Pcdhb14</b>	protocadherin beta 14
A_55_P2095196	2.67E-05	0.451	<b>Akr1b10</b>	aldo-keto reductase family 1, member B10 (aldose reductase)
A_52_P11618	0.00066058	0.451	<b>Dusp19</b>	dual specificity phosphatase 19
A_51_P485421	0.001292343	0.451		
A_51_P126337	0.001834765	0.451	<b>Fgf12</b>	fibroblast growth factor 12
A_66_P126563	6.28E-05	0.451	<b>1700113I22Rik</b>	RIKEN cDNA 1700113I22 gene
A_51_P124748	5.53E-05	0.451	<b>Tgfb3</b>	transforming growth factor, beta 3
A_30_P01017972	2.41E-05	0.451		
A_51_P176883	2.70E-05	0.451	<b>2700050L05Rik</b>	RIKEN cDNA 2700050L05 gene
A_51_P121302	4.26E-05	0.451	<b>Them4</b>	thioesterase superfamily member 4
A_55_P1965114	5.90E-07	0.452	<b>Spsb3</b>	splA/ryanodine receptor domain and SOCS box containing 3
A_52_P569549	0.000107583	0.452	<b>Lig4</b>	ligase IV, DNA, ATP-dependent
A_55_P2159865	4.12E-06	0.452	<b>Zfp59</b>	zinc finger protein 59
A_51_P483280	2.94E-05	0.452	<b>Prnp</b>	prion protein
A_51_P418560	1.41E-05	0.452	<b>Lnx2</b>	ligand of numb-protein X 2
A_51_P323299	3.83E-08	0.452	<b>Trim28</b>	tripartite motif-containing 28
A_55_P2074154	4.75E-06	0.452	<b>Dhx57</b>	DEAH (Asp-Glu-Ala-Asp/His) box polypeptide 57
A_55_P2197338	9.20E-06	0.452		
A_51_P117739	4.26E-05	0.452	<b>Figf</b>	c-fos induced growth factor
A_55_P2114009	6.37E-08	0.452	<b>Ankra2</b>	ankyrin repeat, family A (RFXANK-like), 2
A_30_P01027568	0.001472656	0.452		
A_55_P2061465	2.74E-08	0.452	<b>Klraq1</b>	KLRAQ motif containing 1
A_55_P2031133	1.99E-05	0.453		
A_30_P01022288	2.51E-07	0.453		
A_55_P2007878	1.57E-05	0.453	<b>Rnf144b</b>	ring finger protein 144B
A_51_P438952	6.90E-06	0.453	<b>Bag4</b>	BCL2-associated athanogene 4
A_51_P483280	5.53E-05	0.453	<b>Prnp</b>	prion protein
A_55_P2063336	0.000525053	0.453	<b>4930427A07Rik</b>	RIKEN cDNA 4930427A07 gene
A_55_P2234361	2.04E-06	0.453	<b>Rnf150</b>	ring finger protein 150
A_55_P2040416	2.81E-06	0.453	<b>1700040I03Rik</b>	RIKEN cDNA 1700040I03 gene
A_55_P2425437	1.57E-05	0.453	<b>D030036P13Rik</b>	RIKEN cDNA D030036P13 gene
A_55_P2130399	1.08E-07	0.453	<b>Rilp</b>	Rab interacting lysosomal protein
A_55_P1988970	4.11E-07	0.453	<b>Mkks</b>	McKusick-Kaufman syndrome protein
A_51_P464394	2.00E-05	0.453	<b>Klb</b>	klotho beta
A_30_P01027793	0.003137209	0.453		
A_55_P2373872	0.000212166	0.453	<b>C630016N16Rik</b>	RIKEN cDNA C630016N16 gene
A_51_P338262	0.000639695	0.453	<b>Tnnt2</b>	tropoin T2, cardiac
A_52_P355095	2.10E-05	0.454	<b>Dstyk</b>	dual serine/threonine and tyrosine protein kinase
A_55_P1988718	0.004091493	0.454		
A_51_P279623	1.86E-07	0.454	<b>2900092E17Rik</b>	RIKEN cDNA 2900092E17 gene
A_55_P2033586	0.000237221	0.454	<b>Mmab</b>	methylmalonic aciduria (cobalamin deficiency) type B homolog (human)
A_52_P167114	4.20E-06	0.454	<b>Recql5</b>	RecQ protein-like 5
A_51_P134972	7.21E-09	0.454	<b>Shkbp1</b>	Sh3kbp1 binding protein 1
A_55_P2002389	8.83E-08	0.454	<b>Cobra1</b>	cofactor of BRCA1
A_55_P2176025	0.003246915	0.454	<b>Gm4532</b>	predicted gene 4532
A_30_P01032690	2.57E-07	0.454		
A_52_P175028	0.000104908	0.454		
A_51_P483280	0.000143898	0.454	<b>Prnp</b>	prion protein
A_51_P102507	2.40E-07	0.454	<b>Vps33a</b>	vacuolar protein sorting 33A (yeast)
A_51_P455241	9.82E-08	0.454	<b>Rrp36</b>	ribosomal RNA processing 36 homolog (S. cerevisiae)
A_51_P230552	6.06E-06	0.454	<b>Rfng</b>	RFNGO-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
A_51_P336827	1.75E-05	0.454	<b>Cyb5b</b>	cytochrome b5 type B
A_55_P2015485	0.001999393	0.454	<b>Ccdc19</b>	coiled-coil domain containing 19
A_51_P312997	1.11E-06	0.455	<b>Zfp346</b>	zinc finger protein 346
A_55_P2054409	0.001106395	0.455	<b>Pira2</b>	paired-Ig-like receptor A2
A_55_P1985094	3.18E-07	0.455	<b>Wdr8</b>	WD repeat domain 8
A_55_P2029203	0.00045276	0.455	<b>Dopey2</b>	dopey family member 2
A_55_P1960023	1.29E-05	0.455	<b>Trmt5</b>	TRM5 tRNA methyltransferase 5 homolog (S. cerevisiae)
A_52_P11833	9.09E-07	0.455	<b>Opa3</b>	optic atrophy 3 (human)
A_30_P01030572	0.000110343	0.455		
A_51_P483280	0.000126227	0.455	<b>Prnp</b>	prion protein
A_52_P142191	0.000804568	0.455	<b>Aph1b</b>	anterior pharynx defective 1b homolog (C. elegans)
A_55_P1966755	1.47E-06	0.456	<b>Cyp2r1</b>	cytochrome P450, family 2, subfamily r, polypeptide 1
A_55_P2024808	5.71E-06	0.456	<b>Abl1</b>	c-abl oncogene 1, non-receptor tyrosine kinase
A_55_P1991295	0.000286005	0.456	<b>BC029214</b>	cDNA sequence BC029214
A_55_P2014928	9.21E-05	0.456	<b>Zfp341</b>	zinc finger protein 341



A_55_P2067181	8.49E-08	0.456	Usp21	ubiquitin specific peptidase 21
A_52_P670188	0.000160925	0.456	Sdr9c7	4short chain dehydrogenase/reductase family 9C, member 7
A_55_P2135383	2.80E-06	0.456	Taf6l	TAF6-like RNA polymerase II, p300/CBP-associated factor (PCAF)-associated factor
A_55_P2157610	8.04E-08	0.456	Rpusd3	RNA pseudouridylate synthase domain containing 3
A_55_P2167630	0.000989947	0.456	6330416G13RIK	RIKEN cDNA 6330416G13 gene
A_55_P1965308	6.85E-07	0.456	Ccdc66	coiled-coil domain containing 66
A_66_P115453	2.47E-06	0.456	Coro1c	coronin, actin binding protein 1C
A_55_P2053097	0.003514019	0.456	Myo9a	myosin IXa
A_55_P2184741	4.68E-07	0.457	Katnal1	katanin p60 subunit A-like 1
A_30_P01022541	0.000964675	0.457		
A_55_P2026547	3.12E-06	0.457	Gal3st2	galactose-3-O-sulfotransferase 2
A_55_P1991124	0.000170128	0.457	Tom1l2	target of myb1-like 2 (chicken)
A_55_P2024953	8.39E-06	0.457	Tbc1d4	TBC1 domain family, member 4
A_55_P2076906	7.66E-05	0.457	Ehd2	EH-domain containing 2
A_51_P483280	5.38E-05	0.457	Prnp	prion protein
A_55_P2090708	2.17E-07	0.457	1810008A18RIK	RIKEN cDNA 1810008A18 gene
A_55_P2025959	3.27E-05	0.457	Chd9	chromodomain helicase DNA binding protein 9
A_55_P1983162	0.000455253	0.457	Pstpip2	proline-serine-threonine phosphatase-interacting protein 2
A_30_P01028021	2.82E-05	0.457		
A_55_P2152872	6.93E-05	0.457	Fgfr1	fibroblast growth factor receptor-like 1
A_51_P505696	5.08E-06	0.457	Inpp5k	inositol polyphosphate 5-phosphatase K
A_51_P483280	1.37E-05	0.457	Prnp	prion protein
A_51_P454691	5.04E-06	0.457	4930430F08RIK	RIKEN cDNA 4930430F08 gene
A_30_P01026441	0.000266803	0.457		
A_55_P2045658	0.000915103	0.457	Nme6	non-metastatic cells 6, protein expressed in (nucleoside-diphosphate kinase)
A_30_P01024465	0.002139691	0.457		
A_30_P01033176	9.25E-05	0.458		
A_51_P483280	3.83E-05	0.458	Prnp	prion protein
A_51_P125446	6.72E-07	0.458	Lzic	leucine zipper and CTNNBIP1 domain containing
A_51_P159565	0.000315038	0.458	Arhgef9	CDC42 guanine nucleotide exchange factor (GEF) 9
A_55_P2094019	1.74E-05	0.458	Slc17a4	solute carrier family 17 (sodium phosphate), member 4
A_52_P253567	7.89E-06	0.458	Hsd3b6	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 6
A_51_P219385	1.89E-05	0.458	Six5	sine oculis-related homeobox 5 homolog (Drosophila)
A_51_P486512	2.00E-07	0.458	Letmd1	LETM1 domain containing 1
A_55_P1960366	0.000400792	0.458	Fam47e	family with sequence similarity 47, member E
A_52_P655297	2.87E-05	0.459	6430550D23RIK	RIKEN cDNA 6430550D23 gene
A_51_P226962	0.000101098	0.459	Solh	small optic lobes homolog (Drosophila)
A_55_P2120956	0.000182905	0.459		
A_55_P2173331	6.68E-06	0.459	LOC100044193	hypothetical protein LOC100044193
A_55_P2112934	1.07E-05	0.459	C030034I22RIK	RIKEN cDNA C030034I22 gene
A_55_P1993762	9.91E-05	0.459		
A_55_P2153743	0.000335111	0.459	Slc26a6	solute carrier family 26, member 6
A_55_P2355330	2.28E-06	0.459	C1qtnf5	C1q and tumor necrosis factor related protein 5
A_66_P134501	0.000689565	0.459	Olfm1	olfactomedin 1
A_55_P2175060	2.44E-05	0.459	Ppapdc1b	phosphatidic acid phosphatase type 2 domain containing 1B
A_51_P314153	9.62E-07	0.460	Nr2c2ap	nuclear receptor 2C2-associated protein
A_55_P2127587	0.000249788	0.460	Smcr8	Smith-Magenis syndrome chromosome region, candidate 8 homolog (human)
A_55_P1996299	1.62E-07	0.460	Pofut1	protein O-fucosyltransferase 1
A_30_P01026232	0.000833466	0.460		
A_55_P2032362	0.001206324	0.460		
A_51_P428781	0.002136445	0.460	Pbx4	pre-B-cell leukemia homeobox 4
A_55_P1967153	2.49E-05	0.460	Ston1	stonin 1
A_55_P2117472	8.05E-06	0.460	Acap2	ArfGAP with coiled-coil, ankyrin repeat and PH domains 2
A_52_P487362	0.000461386	0.460	Ppp4r4	protein phosphatase 4, regulatory subunit 4
A_52_P112178	5.97E-07	0.460	Srgap2	SLIT-ROBO Rho GTPase activating protein 2
A_51_P337543	1.46E-05	0.460	Glce	glucuronyl C5-epimerase
A_52_P128964	3.64E-07	0.460	Nhej1	nonhomologous end-joining factor 1
A_51_P125446	8.85E-08	0.460	Lzic	leucine zipper and CTNNBIP1 domain containing
A_55_P2042184	0.001095754	0.460		
A_55_P2110290	2.51E-06	0.460	D14Ert449e	DNA segment, Chr 14, ERATO Doi 449, expressed
A_55_P2013996	0.001836037	0.460		
A_55_P1971938	0.002111339	0.460	Atp2b2	ATPase, Ca++ transporting, plasma membrane 2
A_52_P488427	8.79E-08	0.461	Sec14l2	SEC14-like 2 (S. cerevisiae)
A_55_P1961241	3.43E-05	0.461		
A_55_P2085546	1.15E-05	0.461	Dnaj4	DnaJ (Hsp40) homolog, subfamily A, member 4
A_55_P2045802	3.41E-07	0.461	Nelf	nasal embryonic LHRH factor
A_51_P139651	0.000212084	0.461	Nos3	nitric oxide synthase 3, endothelial cell
A_30_P01026674	0.003768995	0.461		
A_51_P118763	9.67E-06	0.461	Ahctf1	AT hook containing transcription factor 1
A_55_P2070194	6.74E-08	0.461	Caprin1	cell cycle associated protein 1
A_51_P370341	1.19E-06	0.461	Zbtb48	zinc finger and BTB domain containing 48
A_30_P01021116	0.000147014	0.461		
A_55_P2072925	0.000373752	0.462		
A_55_P2078650	0.000335918	0.462		
A_52_P240453	2.94E-05	0.462	Polr3k	polymerase (RNA) III (DNA directed) polypeptide K
A_51_P126302	0.001746155	0.462	Rbmx2	RNA binding motif protein, X-linked 2
A_51_P122649	0.000562189	0.462	Degs2	degenerative spermatocyte homolog 2 (Drosophila), lipid desaturase
A_55_P2168243	1.53E-06	0.462		
A_52_P10017	7.68E-08	0.462	Tmem64	transmembrane protein 64
A_55_P1968544	0.003191863	0.462	6330549D23RIK	RIKEN cDNA 6330549D23 gene
A_55_P2033605	0.000134338	0.462		
A_51_P456366	4.04E-06	0.462	Pard6a	par-6 (partitioning defective 6,) homolog alpha (C. elegans)
A_55_P1999561	6.80E-05	0.462	Pram1	PML-RAR alpha-regulated adaptor molecule 1
A_51_P124748	1.99E-05	0.462	Tgfb3	transforming growth factor, beta 3
A_30_P01027487	0.000912108	0.462		
A_55_P2127497	4.38E-06	0.463	Trim35	tripartite motif-containing 35
A_55_P2088331	6.63E-06	0.463	Ctdsp2	CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) small phosphatase 2
A_65_P16542	0.000526488	0.463		
A_51_P158584	2.28E-07	0.463	Poll	polymerase (DNA directed), lambda
A_52_P138723	0.000211111	0.463	Edc3	enhancer of mRNA decapping 3 homolog (S. cerevisiae)
A_51_P378558	5.18E-08	0.463	Rpap2	RNA polymerase II associated protein 2
A_55_P2043322	1.86E-07	0.463	Rnf26	ring finger protein 26
A_55_P1983314	7.01E-05	0.463	Crat	carnitine acetyltransferase
A_55_P1962937	2.39E-05	0.463	Trem2	triggering receptor expressed on myeloid cells 2
A_66_P127118	8.42E-07	0.464	Trmt112	tRNA methyltransferase 11-2 homolog (S. cerevisiae)
A_52_P532074	1.15E-05	0.464	Zfyve27	zinc finger, FYVE domain containing 27
A_55_P2088131	1.28E-06	0.464	Gm5595	predicted gene 5595
A_55_P1989728	9.11E-06	0.464	C2cd2l	C2 calcium-dependent domain containing 2-like
A_51_P335969	0.000337254	0.464	Des	desmin
A_51_P114456	1.41E-05	0.464	2210012G02RIK	RIKEN cDNA 2210012G02 gene

A_55_P2102529	1.10E-05	0.464	Fuca2	fucosidase, alpha-L- 2, plasma
A_65_P10673	1.13E-05	0.464	Tmem44	transmembrane protein 44
A_55_P2064442	4.73E-07	0.464	Pabpn1	poly(A) binding protein, nuclear 1
A_51_P335969	3.94E-05	0.464	Des	desmin
A_51_P142046	4.87E-07	0.464	1810049H13Rik	RIKEN cDNA 1810049H13 gene
A_52_P481686	1.12E-05	0.464	Wtip	WT1-interacting protein
A_55_P1981259	1.23E-05	0.464	Fkbp14	FK506 binding protein 14
A_51_P422335	1.50E-05	0.464	Zfp420	zinc finger protein 420
A_51_P310254	0.004350036	0.465	Fam118a	family with sequence similarity 118, member A
A_52_P110068	4.03E-07	0.465	Rqcd1	rcd1 (required for cell differentiation) homolog 1 (S. pombe)
A_52_P155124	4.00E-05	0.465	Zfp229	zinc finger protein
A_30_P01028372	9.47E-06	0.465		
A_51_P460890	2.67E-06	0.465	Rgl2	ral guanine nucleotide dissociation stimulator-like 2
A_30_P01030406	0.000477115	0.465		
A_55_P1996988	2.64E-06	0.465	Papd5	PAP associated domain containing 5
A_55_P1999962	7.82E-06	0.465	Podn	podocan
A_55_P2169963	1.79E-05	0.465	Gm13152	predicted gene 13152
A_55_P1961270	0.001632573	0.465	Cd72	CD72 antigen
A_51_P479583	0.002048239	0.465	Obs1	obscurin-like 1
A_51_P405565	2.38E-08	0.466	Msh6	mutS homolog 6 (E. coli)
A_30_P01031474	3.82E-05	0.466		
A_55_P2335529	3.38E-05	0.466	4921531C22Rik	RIKEN cDNA 4921531C22 gene
A_55_P2077879	5.24E-06	0.466	Myst4	MYST histone acetyltransferase monocytic leukemia 4
A_30_P01027361	0.001549098	0.466		
A_51_P124748	6.69E-06	0.466	Tgfb3	transforming growth factor, beta 3
A_52_P682382	0.000353389	0.467	Scd1	stearoyl-Coenzyme A desaturase 1
A_55_P2022293	2.59E-07	0.467	Zfp579	zinc finger protein 579
A_55_P2117741	1.52E-05	0.467	Nck2	non-catalytic region of tyrosine kinase adaptor protein 2
A_51_P511386	3.58E-05	0.467	D3Ertd254e	DNA segment, Chr 3, ERATO Doi 254, expressed
A_55_P2115567	0.00010855	0.467	Slc26a1	solute carrier family 26 (sulfate transporter), member 1
A_55_P1986993	0.000116891	0.467	Brd8	bromodomain containing 8
A_51_P118763	1.55E-05	0.467	Ahctf1	AT hook containing transcription factor 1
A_55_P2131506	8.45E-06	0.467		
A_30_P01029168	1.01E-06	0.467		
A_55_P1967439	3.38E-06	0.467	Gtf2h2	general transcription factor II H, polypeptide 2
A_55_P1984497	9.15E-07	0.467	Usp48	ubiquitin specific peptidase 48
A_55_P1993909	2.92E-06	0.467	Taz	tafazzin
A_55_P2177953	2.97E-06	0.467	Aqp11	aquaporin 11
A_66_P124052	0.001648242	0.467	Bok	BCL2-related ovarian killer protein
A_66_P104446	0.000845915	0.467	Gm98	predicted gene 98
A_51_P483280	0.000155769	0.467	Pmp	prion protein
A_55_P2003614	0.000557693	0.467	4930480K23Rik	RIKEN cDNA 4930480K23 gene
A_51_P154485	0.001624228	0.468	Fcrla	Fc receptor-like A
A_52_P275678	0.003963744	0.468	Gpr135	G protein-coupled receptor 135
A_30_P01019500	0.001587165	0.468		
A_55_P2016466	0.000631441	0.468	Rccd1	RCC1 domain containing 1
A_52_P488596	2.84E-05	0.468	Ap1s2	adaptor-related protein complex 1, sigma 2 subunit
A_52_P249920	3.16E-06	0.468		
A_55_P2071802	3.13E-07	0.468	Slbp	stem-loop binding protein
A_55_P2082050	0.000461675	0.468	Ankrd12	ankyrin repeat domain 12
A_55_P2162890	5.51E-05	0.468	Zfp780b	zinc finger protein 780B
A_52_P545831	7.05E-05	0.468	Tssc1	tumor suppressing subtransferable candidate 1
A_51_P295085	5.10E-05	0.468	Ogn	osteoglycin
A_52_P644690	9.22E-07	0.468	Fit3l	FMS-like tyrosine kinase 3 ligand
A_30_P01018616	0.000652144	0.468		
A_52_P494126	1.46E-07	0.468	Usp46	ubiquitin specific peptidase 46
A_52_P407035	0.00219191	0.468	P2ry4	pyrimidinergic receptor P2Y, G-protein coupled, 4
A_51_P437144	1.47E-07	0.468	Dynll2	dynein light chain LC8-type 2
A_51_P485421	0.003343748	0.469		
A_52_P282987	4.36E-07	0.469	Yeats2	YEATS domain containing 2
A_55_P1959076	3.47E-05	0.469	Zfp930	zinc finger protein 930
A_30_P01026205	3.37E-09	0.469		
A_51_P415220	8.68E-07	0.469	Zmat3	zinc finger matrin type 3
A_55_P1995572	9.34E-06	0.469	Meis1	Meis homeobox 1
A_51_P249313	0.000115644	0.469	Herc3	hect domain and RLD 3
A_51_P124748	3.22E-06	0.469	Tgfb3	transforming growth factor, beta 3
A_51_P255657	0.003411736	0.469	2210011C24Rik	RIKEN cDNA 2210011C24 gene
A_51_P509971	1.59E-05	0.469	Plekho1	pleckstrin homology domain containing, family O member 1
A_66_P121474	1.31E-07	0.469	Chmp6	chromatin modifying protein 6
A_30_P01026904	1.87E-05	0.469		
A_52_P215418	7.47E-06	0.469	Armc9	armadillo repeat containing 9
A_30_P01020428	4.95E-05	0.469		
A_55_P2368355	0.000876257	0.469	2610319H10Rik	RIKEN cDNA 2610319H10 gene
A_51_P124748	1.49E-05	0.470	Tgfb3	transforming growth factor, beta 3
A_51_P107433	7.25E-06	0.470	Mrp134	mitochondrial ribosomal protein L34
A_55_P1973254	5.21E-05	0.470	Cmtm7	CKLF-like MARVEL transmembrane domain containing 7
A_51_P124748	7.96E-05	0.470	Tgfb3	transforming growth factor, beta 3
A_51_P244194	5.80E-07	0.470	Cadm3	cell adhesion molecule 3
A_55_P2055975	1.78E-05	0.470	Ppip5k1	diphosphoinositol pentakisphosphate kinase 1
A_51_P234174	3.76E-06	0.470	Pms2	postmeiotic segregation increased 2 (S. cerevisiae)
A_51_P271665	3.50E-07	0.470	Rev3l	REV3-like, catalytic subunit of DNA polymerase zeta RAD54 like (S. cerevisiae)
A_52_P475040	3.23E-07	0.470	Etaa1	Ewing's tumor-associated antigen 1
A_51_P292757	3.04E-07	0.470	Acbd4	acyl-Coenzyme A binding domain containing 4
A_55_P2013601	1.13E-05	0.470	Ldb2	LIM domain binding 2
A_55_P2128792	0.000116561	0.470	LOC100040377	hypothetical protein LOC100040377
A_55_P2100256	6.55E-05	0.470	6330408A02Rik	RIKEN cDNA 6330408A02 gene
A_52_P481279	4.73E-05	0.470	Gm1060	predicted gene 1060
A_55_P2022861	2.48E-07	0.470	Elov1	elongation of very long chain fatty acids (FEN1/Elo2, SUR4/Elo3, yeast)-like 1
A_51_P335969	0.000314419	0.470	Des	desmin
A_55_P2341950	6.47E-06	0.470	Crebzf	CREB/ATF bZIP transcription factor
A_51_P128499	0.002485981	0.470	Dennd3	DENN/MADD domain containing 3
A_51_P126302	0.000698432	0.470	Rbmx2	RNA binding motif protein, X-linked 2
A_51_P287069	4.71E-06	0.470	Serpinh1	serine (or cysteine) peptidase inhibitor, clade H, member 1
A_55_P2058861	2.17E-05	0.470	Mvk	mevalonate kinase
A_66_P102706	0.000380283	0.470	2700012I20Rik	RIKEN cDNA 2700012I20 gene
A_51_P431996	4.25E-06	0.470	Zfp367	zinc finger protein 367
A_30_P01029649	0.000465783	0.470		
A_52_P221804	4.92E-05	0.470	Trim23	tripartite motif-containing 23
A_55_P1969276	0.000192836	0.471	Hhip	Hedgehog-interacting protein
A_55_P2163774	1.25E-06	0.471	Crip1	cysteine-rich protein 1 (intestinal)

A_55_P2008687	2.21E-07	0.471	Nlk	nemo like kinase
A_51_P428134	5.71E-07	0.471	Lrig3	leucine-rich repeats and immunoglobulin-like domains 3
A_30_P01028031	0.003771539	0.471		
A_30_P01019899	0.002146711	0.471		
A_51_P378667	1.33E-07	0.471	Wrap53	WD repeat containing, antisense to TP53
A_55_P2214003	0.001797512	0.471	4932439E07RIK	RIKEN cDNA 4932439E07 gene
A_55_P1989534	6.29E-06	0.471	Cklf	chemokine-like factor
A_55_P2014450	9.21E-07	0.471	B430105G09RIK	RIKEN cDNA B430105G09 gene
A_52_P404363	1.20E-06	0.471	Cdc42bpb	CDC42 binding protein kinase beta
A_51_P213592	2.51E-07	0.471	BC002230	cDNA sequence BC002230
A_55_P2083919	0.001261869	0.471	Robo2	roundabout homolog 2 (Drosophila)
A_55_P2150108	0.000132867	0.471	Pgm2l1	phosphoglucomutase 2-like 1
A_51_P176912	4.82E-05	0.471	Hlcs	holocarboxylase synthetase (biotin- [propionyl-Coenzyme A-carboxylase (ATP-hydrolysing)] ligase)
A_55_P1993719	6.80E-06	0.471	Tmem216	transmembrane protein 216
A_51_P124748	1.37E-06	0.472	Tgfb3	transforming growth factor, beta 3
A_66_P127175	1.81E-05	0.472	Ankrd16	ankyrin repeat domain 16
A_52_P242445	1.89E-07	0.472	Fam149b	family with sequence similarity 149, member B
A_55_P2093241	7.19E-10	0.472	Zc3h4	zinc finger CCCH-type containing 4
A_51_P122425	5.19E-07	0.472	Ctf1	cardiotrophin 1
A_55_P2020463	3.73E-06	0.472	Rufy2	RUN and FYVE domain-containing 2
A_51_P196127	2.87E-06	0.472	Papss1	3'-phosphoadenosine 5'-phosphosulfate synthase 1
A_55_P1980416	7.42E-07	0.472	Zkscan1	zinc finger with KRAB and SCAN domains 1
A_51_P509384	2.20E-06	0.472	Aldh8a1	aldehyde dehydrogenase 8 family, member A1
A_51_P485161	4.34E-05	0.472	Cplx2	complexin 2
A_51_P394735	4.38E-06	0.472	Arhgef18	rho/rac guanine nucleotide exchange factor (GEF) 18
A_51_P118763	3.19E-05	0.472	Ahctf1	AT hook containing transcription factor 1
A_52_P30550	1.30E-07	0.473	Acp2	acid phosphatase 2, lysosomal
A_55_P2138120	1.56E-05	0.473	Atxn7l3	ataxin 7-like 3
A_55_P2299116	1.25E-05	0.473	LOC100503774	hypothetical LOC100503774
A_30_P01018735	0.0020557	0.473		
A_51_P122425	1.48E-06	0.473	Ctf1	cardiotrophin 1
A_30_P01023575	0.000220817	0.473		
A_55_P1999309	2.91E-05	0.474	Zfp668	zinc finger protein 668
A_51_P444069	8.04E-07	0.474	Tubgcp6	tubulin, gamma complex associated protein 6
A_55_P2050997	3.32E-05	0.474	Serinc4	serine incorporator 4
A_55_P1960587	9.58E-06	0.474	Msh3	mutS homolog 3 (E. coli)
A_55_P2011325	0.000189357	0.474	Gm6598	predicted gene 6598
A_55_P2062981	0.000268996	0.474	Abca9	ATP-binding cassette, sub-family A (ABC1), member 9
A_55_P2348582	0.000235121	0.474	4833439F03RIK	RIKEN cDNA 4833439F03 gene
A_55_P2007022	0.000193179	0.474	Cd97	CD97 antigen
A_52_P473953	0.00017914	0.474	Ctdspl	CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) small phosphatase-like
A_55_P2112937	0.002388534	0.474	Olf1033	olfactory receptor 1033
A_55_P2095325	5.19E-06	0.474	AI182371	expressed sequence AI182371
A_55_P1964228	2.35E-05	0.474	Elac1	elaC homolog 1 (E. coli)
A_30_P01032116	0.000180654	0.474		
A_51_P498947	2.78E-06	0.474	Loh12cr1	loss of heterozygosity, 12, chromosomal region 1 homolog (human)
A_30_P01032456	0.000157902	0.474		
A_51_P118763	1.02E-05	0.475	Ahctf1	AT hook containing transcription factor 1
A_55_P2077548	1.26E-06	0.475	Git1	G protein-coupled receptor kinase-interactor 1
A_51_P389714	2.12E-05	0.475	Phlpp2	PH domain and leucine rich repeat protein phosphatase 2
A_55_P2083464	6.68E-05	0.475	Lpin3	lipin 3
A_51_P443872	9.06E-08	0.475	Slu7	SLU7 splicing factor homolog (S. cerevisiae)
A_52_P606679	1.41E-07	0.475	Tceb3	transcription elongation factor B (SIII), polypeptide 3
A_30_P01024001	0.000435174	0.475		
A_51_P237834	5.70E-06	0.475	Tmcc1	transmembrane and coiled coil domains 1
A_55_P1993594	4.01E-05	0.475	Dcp1b	DCP1 decapping enzyme homolog b (S. cerevisiae)
A_55_P2108476	4.18E-08	0.475	Mavs	mitochondrial antiviral signaling protein
A_55_P1971244	2.03E-05	0.475	Ndufa4l2	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 4-like 2
A_55_P2041090	4.13E-06	0.475	1110034B05RIK	RIKEN cDNA 1110034B05 gene
A_55_P2110615	0.001697392	0.475	Slc37a2	solute carrier family 37 (glycerol-3-phosphate transporter), member 2
A_55_P2096599	0.000106568	0.475	Tsc22d4	TSC22 domain family, member 4
A_52_P110270	2.51E-05	0.475	Rdbp	RD RNA-binding protein
A_52_P163021	0.000658541	0.475	Slc17a8	solute carrier family 17 (sodium-dependent inorganic phosphate cotransporter), member 8
A_51_P151433	2.66E-06	0.475	Ncbp2	nuclear cap binding protein subunit 2
A_52_P217604	1.74E-06	0.475	Zfp692	zinc finger protein 692
A_52_P253230	3.39E-07	0.475	Ankrd46	ankyrin repeat domain 46
A_55_P1957125	0.001369962	0.475	Vmn2r46	vomer nasal 2, receptor 46
A_55_P2079344	1.80E-05	0.475	Zfp362	zinc finger protein 362
A_51_P438527	7.75E-06	0.475	Cyb5r1	cytochrome b5 reductase 1
A_55_P2106901	0.000458997	0.475	Nkain4	Na <sup>+</sup> /K <sup>+</sup> transporting ATPase interacting 4
A_51_P212420	0.000349874	0.475	Lama4	laminin, alpha 4
A_51_P369971	2.62E-08	0.475	5730455O13RIK	RIKEN cDNA 5730455O13 gene
A_52_P425706	5.26E-06	0.476	Rnf168	ring finger protein 168
A_55_P2069306	3.61E-05	0.476	Ptpn18	protein tyrosine phosphatase, non-receptor type 18
A_30_P01026445	1.36E-07	0.476		
A_51_P267194	2.41E-07	0.476	Faim	Fas apoptotic inhibitory molecule
A_55_P2008982	1.02E-05	0.476		
A_55_P1954856	0.003747348	0.476	Pars2	polyl-tRNA synthetase (mitochondrial)(putative)
A_55_P2269497	3.60E-05	0.476	Pdp1	pyruvate dehydrogenase phosphatase catalytic subunit 1
A_55_P2170009	0.000573654	0.476	Lactb2	lactamase, beta 2
A_55_P2056473	0.000164638	0.476	Spc24	SPC24, NDC80 kinetochore complex component, homolog (S. cerevisiae)
A_55_P2102050	3.43E-08	0.476	Cc2d1b	coiled-coil and C2 domain containing 1B
A_51_P427934	1.23E-05	0.476	Megf8	multiple EGF-like-domains 8
A_52_P449694	1.58E-05	0.476	EG668643	predicted gene, EG668643
A_55_P1963737	8.40E-06	0.476	Aktip	thymoma viral proto-oncogene 1 interacting protein
A_30_P01028059	0.000484007	0.476		
A_51_P508191	1.08E-07	0.477	Dscr3	Down syndrome critical region gene 3
A_55_P2050207	3.88E-08	0.477	Ankrd27	ankyrin repeat domain 27 (VPS9 domain)
A_55_P2005972	1.41E-05	0.477		
A_66_P113487	7.02E-06	0.477	Pacsin2	protein kinase C and casein kinase substrate in neurons 2
A_55_P2263053	0.00103764	0.477	Hal	histidine ammonia lyase
A_51_P331661	8.60E-07	0.477	Ubiad1	UbiA prenyltransferase domain containing 1
A_55_P2402134	0.001895459	0.477		
A_52_P195922	1.50E-05	0.477	Exosc6	exosome component 6
A_30_P01027254	0.004049723	0.477		
A_30_P01019766	1.00E-05	0.477		
A_52_P275354	0.0001828	0.477	Osbpl7	oxysterol binding protein-like 7
A_55_P2006703	1.03E-06	0.477	Bmp1	bone morphogenetic protein 1
A_51_P208769	0.000103579	0.477	Metrn	meteorin, glial cell differentiation regulator
A_55_P2056493	0.000622357	0.477		

A_51_P118763	1.60E-05	0.477	Ahctf1	AT hook containing transcription factor 1
A_51_P454152	2.23E-06	0.477	Ercc6	excision repair cross-complementing rodent repair deficiency, complementation group 6
A_51_P114826	0.000326283	0.477	Cdh13	cadherin 13
A_30_P01024556	3.33E-05	0.477		
A_55_P2014927	5.50E-05	0.477	Zfp341	zinc finger protein 341
A_55_P2030732	0.000109218	0.478	Cln3	ceroid lipofuscinosis, neuronal 3, juvenile (Batten, Spielmeier-Vogt disease)
A_30_P01024314	0.000943468	0.478		
A_51_P122425	8.79E-06	0.478	Ctf1	cardiotrophin 1
A_55_P2413458	0.000110445	0.478	Tcfcp2l1	transcription factor CP2-like 1
A_30_P01033124	0.000538677	0.478		
A_55_P1959606	1.14E-05	0.478	Tom1l1	target of myb1-like 1 (chicken)
A_55_P2060737	2.47E-07	0.478	Rg9mtd3	RNA (guanine-9-) methyltransferase domain containing 3
A_55_P2072776	6.06E-07	0.479	Fpgs	folypolylglutamyl synthetase
A_52_P324754	0.000346107	0.479	4930579G22RIK	RIKEN cDNA 4930579G22 gene
A_55_P2002122	1.83E-06	0.479	Rgs12	regulator of G-protein signaling 12
A_55_P2288232	6.83E-06	0.479	6330407118RIK	RIKEN cDNA 6330407118 gene
A_55_P1998601	0.000476749	0.479	Slc17a9	solute carrier family 17, member 9
A_51_P328968	1.69E-06	0.479	Zfp322a	zinc finger protein 322A
A_55_P2052185	1.00E-06	0.479	2400001E08RIK	RIKEN cDNA 2400001E08 gene
A_55_P2091136	0.001029279	0.479		
A_55_P2002497	0.001737876	0.479	Srcap	Snf2-related CREBBP activator protein
A_55_P1959703	0.001451814	0.479		
A_55_P2302383	0.001380408	0.479	3300002A11RIK	RIKEN cDNA 3300002A11 gene
A_55_P2153555	6.26E-07	0.479	Zkscan3	zinc finger with KRAB and SCAN domains 3
A_55_P2046494	7.93E-05	0.479	Anubl1	AN1, ubiquitin-like, homolog (Xenopus laevis)
A_51_P259571	1.95E-06	0.479	Angptl6	angiopoietin-like 6
A_51_P118763	2.35E-05	0.479	Ahctf1	AT hook containing transcription factor 1
A_51_P125446	6.89E-08	0.479	Lzlc	leucine zipper and CTNNBIP1 domain containing
A_55_P2156515	8.29E-05	0.479		
A_52_P244702	0.000319622	0.480	Tcf7	transcription factor 7, T-cell specific
A_55_P1957967	1.50E-06	0.480	Dhx32	DEAH (Asp-Glu-Ala-His) box polypeptide 32
A_55_P2168048	0.00067976	0.480	Grand4	GRAM domain containing 4
A_51_P124748	0.000137848	0.480	Tgfb3	transforming growth factor, beta 3
A_51_P122425	1.18E-05	0.480	Ctf1	cardiotrophin 1
A_55_P2166681	9.24E-06	0.480		
A_30_P01019901	6.30E-05	0.480		
A_52_P668715	2.47E-06	0.480	Nutf2	nuclear transport factor 2
A_52_P235278	1.04E-06	0.480	Pms1	postmeiotic segregation increased 1 (S. cerevisiae)
A_30_P01022056	0.003186266	0.480		
A_51_P335969	0.000236895	0.480	Des	desmin
A_30_P01028318	2.82E-05	0.480		
A_66_P112816	0.001691032	0.480	B4galt6	UDP-Gal:betaGlcNAc beta 1,4-galactosyltransferase, polypeptide 6
A_55_P2023727	0.001742265	0.480	Limch1	LIM and calponin homology domains 1
A_51_P245393	5.38E-08	0.480	L3mbtl2	l(3)mbt-like 2 (Drosophila)
A_51_P345792	1.51E-06	0.480	Tmem180	transmembrane protein 180
A_52_P68477	0.000268467	0.480	Zfp809	zinc finger protein 809
A_51_P161554	3.02E-05	0.481	Arid3b	AT rich interactive domain 3B (BRIGHT-like)
A_51_P107433	3.20E-06	0.481	Mrpl34	mitochondrial ribosomal protein L34
A_51_P431554	4.80E-05	0.481	2310004N24RIK	RIKEN cDNA 2310004N24 gene
A_51_P122425	1.46E-05	0.481	Ctf1	cardiotrophin 1
A_55_P2139937	6.24E-05	0.481	Lrrc56	leucine rich repeat containing 56
A_55_P2063096	6.14E-06	0.481	Txnrd3	thioredoxin reductase 3
A_52_P58471	5.39E-06	0.481	Tmem199	transmembrane protein 199
A_55_P2015032	1.38E-06	0.481	Kazal1	Kazal-type serine peptidase inhibitor domain 1
A_51_P187665	1.92E-07	0.481	Rmi1	RMI1, RecQ mediated genome instability 1, homolog (S. cerevisiae)
A_55_P2160286	0.000497069	0.481	Olfm1	olfactomedin 1
A_52_P157450	1.93E-06	0.481	Abhd1	abhydrolase domain containing 1
A_51_P359137	0.00022481	0.481	Doc2g	double C2, gamma
A_51_P256945	2.38E-08	0.481	Opa3	optic atrophy 3 (human)
A_51_P408989	3.26E-06	0.481	2810055F11RIK	RIKEN cDNA 2810055F11 gene
A_51_P220343	0.000197092	0.481	Wisp1	WNT1 inducible signaling pathway protein 1
A_51_P474169	1.26E-05	0.481	5430407P10RIK	RIKEN cDNA 5430407P10 gene
A_55_P2150452	1.45E-05	0.481		
A_55_P2031496	2.27E-05	0.481	Rufy3	RUN and FYVE domain containing 3
A_30_P01017563	7.77E-05	0.482		
A_65_P05238	1.97E-06	0.482	2310008H09RIK	RIKEN cDNA 2310008H09 gene
A_30_P01019173	1.39E-05	0.482		
A_30_P01022642	0.000629942	0.482		
A_51_P107433	1.44E-06	0.482	Mrpl34	mitochondrial ribosomal protein L34
A_55_P2050622	1.35E-06	0.482	Sh3d19	SH3 domain protein D19
A_51_P125446	7.62E-06	0.482	Lzlc	leucine zipper and CTNNBIP1 domain containing
A_51_P117739	0.000243366	0.482	Figf	c-fos induced growth factor
A_51_P261351	2.34E-08	0.482	Mrpl49	mitochondrial ribosomal protein L49
A_52_P672740	1.03E-05	0.483	Rala	v-ral simian leukemia viral oncogene homolog A (ras related)
A_55_P2109585	0.000831155	0.483	Plekha7	pleckstrin homology domain containing, family A member 7
A_30_P01022259	0.002088552	0.483		
A_51_P310398	7.52E-06	0.483	Tk2	thymidine kinase 2, mitochondrial
A_30_P01025069	0.001984541	0.483		
A_55_P2085816	0.001917374	0.483	1700037H04RIK	RIKEN cDNA 1700037H04 gene
A_51_P328932	5.60E-07	0.483	Tmem165	transmembrane protein 165
A_65_P09657	3.21E-06	0.483	Zfp213	zinc finger protein 213
A_55_P2052744	9.19E-07	0.483		
A_51_P117739	0.000136435	0.483	Figf	c-fos induced growth factor
A_55_P2121456	2.31E-05	0.483	Fam43a	family with sequence similarity 43, member A
A_52_P24365	8.75E-05	0.483	Lrrlq3	leucine-rich repeats and IQ motif containing 3
A_30_P01022253	5.50E-05	0.483		
A_51_P209372	0.001389137	0.483	Sc4mol	sterol-C4-methyloxidase-like
A_51_P317115	1.26E-06	0.483	Wdr18	WD repeat domain 18
A_66_P124806	0.001468652	0.483	Tlr4	toll-like receptor 4
A_55_P2057523	1.14E-07	0.483	Ppm1b	protein phosphatase 1B, magnesium dependent, beta isoform
A_55_P1957918	1.11E-05	0.483	Asap2	ArfGAP with SH3 domain, ankyrin repeat and PH domain 2
A_51_P180140	2.80E-06	0.483	Hist1h2ba	histone cluster 1, H2ba
A_55_P2143219	0.002616699	0.484	Rasgrp2	RAS, guanyl releasing protein 2
A_52_P670263	7.75E-05	0.484	Tfpi	tissue factor pathway inhibitor
A_51_P125446	1.29E-05	0.484	Lzlc	leucine zipper and CTNNBIP1 domain containing
A_52_P526372	0.000635459	0.484	Zeb2	zinc finger E-box binding homeobox 2
A_55_P2046348	1.08E-07	0.484	Itpripl2	inositol 1,4,5-triphosphate receptor interacting protein-like 2
A_55_P2114427	4.82E-06	0.484	Creb1	cAMP responsive element binding protein 1
A_52_P361081	0.002596795	0.484	Arhgef16	Rho guanine nucleotide exchange factor (GEF) 16
A_55_P2065824	6.43E-06	0.484	Smtn	smoothelin

A_66_P115236	0.002225674	0.484	1810010D01RIK	RIKEN cDNA 1810010D01 gene
A_55_P1981731	0.000116622	0.484	Nr2c2	nuclear receptor subfamily 2, group C, member 2
A_51_P117739	0.000239632	0.485	Fgf	c-fos induced growth factor
A_55_P2159432	2.07E-05	0.485	Fndc4	fibronectin type III domain containing 4
A_55_P2094362	2.74E-06	0.485	Erp29	endoplasmic reticulum protein 29
A_52_P554679	3.01E-05	0.485		
A_55_P1984496	2.40E-06	0.485	Usp48	ubiquitin specific peptidase 48
A_51_P401987	4.73E-06	0.485	Tmem37	transmembrane protein 37
A_55_P2087746	0.001368817	0.485	Ppp6r2	protein phosphatase 6, regulatory subunit 2
A_55_P1998651	9.97E-05	0.485	Entpd5	ectonucleoside triphosphate diphosphohydrolase 5
A_51_P164296	0.001023012	0.485	Adamdec1	ADAM-like, decysin 1
A_30_P01028722	0.002441361	0.485		
A_51_P105709	8.39E-05	0.485	Trip13	thyroid hormone receptor interactor 13
A_52_P381953	2.84E-06	0.485	Irf2bp1	interferon regulatory factor 2 binding protein 1
A_51_P292073	1.77E-06	0.485	Haghl	hydroxyacylglutathione hydrolase-like
A_55_P1952269	1.63E-08	0.485	Xylt2	xylosyltransferase II
A_51_P493720	2.27E-07	0.485	Tfam	transcription factor A, mitochondrial
A_51_P420415	1.31E-05	0.485	Srd5a1	steroid 5 alpha-reductase 1
A_55_P2036220	0.001375519	0.485	Chadl	chondroadherin-like
A_55_P2274378	0.00162103	0.485	AW549542	expressed sequence AW549542
A_55_P2279807	0.000112769	0.485	6720427I07RIK	RIKEN cDNA 6720427I07 gene
A_55_P2064243	3.12E-07	0.485	Rhot2	ras homolog gene family, member T2
A_55_P1961750	4.11E-08	0.485	6530401N04RIK	RIKEN cDNA 6530401N04 gene
A_55_P2133806	5.56E-06	0.485	Tnrc6c	trinucleotide repeat containing 6C
A_55_P1997372	8.41E-05	0.485	Ccdc142	coiled-coil domain containing 142
A_51_P335969	0.000214107	0.486	Des	desmin
A_30_P01026526	1.01E-05	0.486		
A_51_P125446	1.65E-06	0.486	Lzlc	leucine zipper and CTNNBIP1 domain containing
A_52_P38627	0.000521042	0.486	Egf	epidermal growth factor
A_51_P176387	6.89E-06	0.486	Hook3	hook homolog 3 (Drosophila)
A_30_P01018548	0.00012553	0.486		
A_55_P2424459	4.67E-05	0.486	Atg9a	autophagy-related 9A (yeast)
A_55_P2087518	0.00021179	0.486	Exoc8	exocyst complex component 8
A_55_P2070711	0.001901371	0.487		
A_55_P2059318	1.13E-08	0.487	Dgkz	diacylglycerol kinase zeta
A_52_P559817	0.001862508	0.487	Fbln7	fibulin 7
A_66_P106716	0.000161326	0.487	Akap8	A kinase (PRKA) anchor protein 8
A_52_P639229	1.81E-05	0.487	Fgd4	FYVE, RhoGEF and PH domain containing 4
A_51_P174275	1.66E-07	0.487	Colec11	collectin sub-family member 11
A_51_P513941	8.30E-06	0.487	Lrpap1	low density lipoprotein receptor-related protein associated protein 1
A_55_P2175494	0.001265015	0.487		
A_55_P2334112	5.95E-06	0.487	1700096K18RIK	RIKEN cDNA 1700096K18 gene
A_55_P2012389	9.66E-07	0.487	Sfn3	sideroflexin 3
A_30_P01019438	0.002988374	0.487		
A_55_P2062593	0.00382796	0.487		
A_66_P106470	4.76E-05	0.487	Ppp2r3a	protein phosphatase 2, regulatory subunit B', alpha
A_65_P03719	8.29E-05	0.487	Fuca2	fucosidase, alpha-L-2, plasma
A_51_P501757	2.74E-06	0.487	Rgmb	RGM domain family, member B
A_55_P1968133	1.39E-07	0.487	Ttc4	tetratricopeptide repeat domain 4
A_55_P1996583	8.04E-10	0.487	Pdpdf	pancreatic progenitor cell differentiation and proliferation factor homolog (zebrafish)RIKEN cDNA 2700038
A_55_P2022187	0.000628472	0.487	Arvcf	armadillo repeat gene deleted in velo-cardio-facial syndrome
A_52_P141628	0.000176251	0.487	Slc23a1	solute carrier family 23 (nucleobase transporters), member 1
A_51_P122425	3.33E-06	0.487	Ctf1	cardiotrophin 1
A_55_P2003586	3.27E-06	0.488	Unkl	unkempt-like (Drosophila)
A_55_P2065334	1.85E-05	0.488	Gm14326	predicted gene 14326
A_52_P537566	2.34E-05	0.488	Cenpt	centromere protein T
A_52_P200207	7.30E-07	0.488	Rmnd5a	required for meiotic nuclear division 5 homolog A (S. cerevisiae)
A_55_P2157620	0.000231429	0.488		
A_52_P623775	5.55E-08	0.488	Eri2	exoribonuclease 2
A_55_P2158866	0.003464349	0.488	Nme6	non-metastatic cells 6, protein expressed in (nucleoside-diphosphate kinase)
A_55_P2068366	8.43E-05	0.488		
A_51_P290074	0.002296293	0.488	Fabp7	fatty acid binding protein 7, brain
A_51_P185846	6.19E-06	0.488	Dnalc4	dynein, axonemal, light chain 4
A_52_P685999	2.37E-06	0.488	Mettl7b	methyltransferase like 7B
A_55_P2081178	0.000251911	0.488	Msl3l2	male-specific lethal 3-like 2 (Drosophila)
A_55_P2153291	0.002141257	0.488		
A_55_P2045855	0.00045912	0.488	Zfp944	zinc finger protein 944
A_51_P286373	3.92E-06	0.489	Ttll12	tubulin tyrosine ligase-like family, member 12
A_55_P1999172	4.65E-08	0.489	Nat10	N-acetyltransferase 10
A_55_P2022885	3.09E-06	0.489	Zfp866	zinc finger protein 866
A_55_P2068391	1.85E-05	0.489		
A_55_P2052370	0.000678298	0.489	Tla1	cytotoxic granule-associated RNA binding protein 1
A_51_P266958	3.17E-05	0.489	Nr1l2	nuclear receptor subfamily 1, group I, member 2
A_55_P2033864	4.24E-07	0.489	Plekha8	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 8
A_55_P2026562	7.84E-06	0.489	Cdkn1b	cyclin-dependent kinase inhibitor 1B
A_51_P153170	0.000374862	0.489	Cyb5r3	cytochrome b5 reductase 3
A_51_P403413	0.001026647	0.489	Pcdhb6	protocadherin beta 6
A_51_P122425	3.96E-06	0.489	Ctf1	cardiotrophin 1
A_55_P2143233	0.002855184	0.489	Rasgrp2	RAS, guanyl releasing protein 2
A_51_P372141	0.000114771	0.489	Pnkd	paroxysmal nonkinesinogenic dyskinesia
A_55_P2168791	0.000122982	0.489	4732440D04RIK	RIKEN cDNA 4732440D04 gene
A_51_P455671	3.74E-07	0.489	Psm5	proteasome (prosome, macropain) 26S subunit, non-ATPase, 5
A_55_P2080748	1.13E-06	0.489	BC003965	cDNA sequence BC003965
A_51_P118763	1.79E-05	0.490	Ahctf1	AT hook containing transcription factor 1
A_52_P667477	1.86E-06	0.490	Fyco1	FYVE and coiled-coil domain containing 1
A_30_P01025102	6.24E-05	0.490		
A_55_P2079324	0.000190756	0.490	Seps2	selenophosphate synthetase 2
A_51_P269078	3.44E-06	0.490	Habp4	hyaluronic acid binding protein 4
A_51_P335969	0.000809154	0.490	Des	desmin
A_51_P118763	3.80E-05	0.490	Ahctf1	AT hook containing transcription factor 1
A_52_P920129	0.001098635	0.490	Gnai1	guanine nucleotide binding protein (G protein), alpha inhibiting 1
A_66_P120707	0.000350358	0.490	Ston2	stonin 2
A_55_P2015520	1.00E-05	0.490	Plekha1	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 1
A_55_P1952235	4.84E-05	0.490	Spry1	sprouty homolog 1 (Drosophila)
A_55_P2042590	1.41E-06	0.490	Polm	polymerase (DNA directed), mu
A_55_P2086835	3.34E-05	0.490		
A_51_P107433	4.04E-06	0.490	Mrp134	mitochondrial ribosomal protein L34
A_51_P155747	6.96E-06	0.490	Scyl3	SCY1-like 3 (S. cerevisiae)
A_51_P128499	0.000676058	0.490	Dennd3	DENN/MADD domain containing 3
A_52_P284348	2.12E-06	0.491	1810013D10RIK	RIKEN cDNA 1810013D10 gene

A_51_P388801	9.46E-07	0.491	Tbcc	tubulin-specific chaperone C
A_51_P314186	1.36E-05	0.491	Syne1	synaptic nuclear envelope 1
A_51_P122425	1.13E-06	0.491	Ctf1	cardiotrophin 1
A_52_P184042	0.000224471	0.491	Adamts2	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 2
A_51_P126302	9.24E-05	0.491	Rbmx2	RNA binding motif protein, X-linked 2
A_52_P235102	8.53E-07	0.491	Gm5595	predicted gene 5595
A_52_P325116	5.95E-06	0.491		
A_52_P111963	8.01E-07	0.491	1810030O07Rik	RIKEN cDNA 1810030O07 gene
A_55_P2135039	0.000373171	0.491	Hyl	hydroxypyruvate isomerase homolog (E. coli)
A_52_P424272	5.40E-07	0.491	Gatc	glutamyl-tRNA(Gln) amidotransferase, subunit C homolog (bacterial)
A_55_P2105416	0.000960287	0.491	Gm10319	predicted pseudogene 10319
A_51_P476509	0.00016326	0.491	Zbtb38	zinc finger and BTB domain containing 38
A_55_P2410106	1.12E-05	0.491	9130230N09Rik	RIKEN cDNA 9130230N09 gene
A_55_P1952186	2.63E-06	0.491	2810403A07Rik	RIKEN cDNA 2810403A07 gene
A_51_P212038	0.000522593	0.491	Atp6v0e2	ATPase, H <sup>+</sup> transporting, lysosomal V0 subunit E2
A_66_P111572	5.73E-05	0.491	Fam122b	family with sequence similarity 122, member B
A_65_P06453	3.65E-06	0.491	Nup35	nucleoporin 35
A_55_P2372897	0.00198861	0.491	5730480H06Rik	RIKEN cDNA 5730480H06 gene
A_30_P01032125	0.002430478	0.491		
A_51_P248304	3.26E-08	0.491	Vps26b	vacuolar protein sorting 26 homolog B (yeast)
A_55_P2180415	0.003156824	0.491	Cd72	CD72 antigen
A_51_P370380	2.76E-08	0.491	Rdh14	retinol dehydrogenase 14 (all-trans and 9-cis)
A_51_P227165	1.46E-06	0.491	2310030G06Rik	RIKEN cDNA 2310030G06 gene
A_52_P278354	0.000171262	0.491	Bmp7	bone morphogenetic protein 7
A_55_P2257765	0.00031364	0.492	Gm7111	predicted gene 7111
A_51_P118763	9.83E-05	0.492	Ahctf1	AT hook containing transcription factor 1
A_55_P1976926	8.20E-06	0.492	Tmem104	transmembrane protein 104
A_55_P1995507	6.38E-05	0.492	Aqp11	aquaporin 11
A_51_P126302	0.000459727	0.492	Rbmx2	RNA binding motif protein, X-linked 2
A_51_P107433	5.59E-06	0.492	Mrpl34	mitochondrial ribosomal protein L34
A_55_P2036407	3.71E-05	0.492	Slc26a6	solute carrier family 26, member 6
A_55_P2159573	6.72E-07	0.492	Reep6	receptor accessory protein 6
A_30_P01033437	0.000582185	0.492		
A_30_P01019594	2.17E-06	0.492		
A_55_P2022703	0.003544572	0.492	1700086O06Rik	RIKEN cDNA 1700086O06 gene
A_51_P323531	2.39E-05	0.492	Fam71e1	family with sequence similarity 71, member E1
A_52_P550218	1.63E-06	0.492	Trm12	tRNA methyltransferase 12 homolog (S. cerevisiae)
A_55_P2158483	1.09E-05	0.492	Nkiras2	NFKB inhibitor interacting Ras-like protein 2
A_51_P427232	0.002522752	0.492	Scand3	SCAN domain containing 3
A_52_P376135	2.67E-05	0.492	Mknk2	MAP kinase-interacting serine/threonine kinase 2
A_55_P2004263	0.000894921	0.492	BC025920	zinc finger protein pseudogene
A_55_P2158841	0.000323559	0.492	Xpot	exportin, tRNA (nuclear export receptor for tRNAs)
A_51_P124748	3.80E-05	0.492	Tgfb3	transforming growth factor, beta 3
A_55_P2086746	4.19E-07	0.493	Fam3a	family with sequence similarity 3, member A
A_51_P126302	0.001594858	0.493	Rbmx2	RNA binding motif protein, X-linked 2
A_55_P1964408	1.06E-06	0.493	Cryab	crystallin, alpha B
A_55_P2071551	1.37E-05	0.493		
A_51_P217382	1.45E-07	0.493	Kif1c	kinesin family member 1C
A_51_P358112	2.94E-05	0.493	Fads1	fatty acid desaturase 1
A_52_P615401	9.72E-06	0.493	Tpra1	transmembrane protein, adipocyte associated 1
A_55_P2110758	0.00097672	0.493	B430306N03Rik	RIKEN cDNA B430306N03 gene
A_66_P124755	0.000607813	0.493	Fut8	fucosyltransferase 8
A_55_P1959164	2.21E-05	0.493	Gm10324	predicted gene 10324
A_51_P107433	1.16E-05	0.493	Mrpl34	mitochondrial ribosomal protein L34
A_51_P284966	1.29E-08	0.494	Dolk	dolichol kinase
A_55_P2131452	0.001318987	0.494		
A_52_P661587	5.14E-06	0.494	Ccdc141	coiled-coil domain containing 141
A_65_P03022	0.000575628	0.494	Cdc14b	CDC14 cell division cycle 14 homolog B (S. cerevisiae)
A_55_P1977761	2.54E-05	0.494	Ttc14	tetratricopeptide repeat domain 14
A_52_P546459	0.001138309	0.494	Ube2d1	ubiquitin-conjugating enzyme E2D 1, UBC4/5 homolog (yeast)
A_66_P119155	4.74E-07	0.494	Dusp3	dual specificity phosphatase 3 (vaccinia virus phosphatase VH1-related)
A_66_P107437	4.66E-05	0.494	Sfxn5	sideroflexin 5
A_55_P2115245	1.75E-09	0.494	Zfyve19	zinc finger, FYVE domain containing 19
A_52_P264647	9.04E-06	0.494		
A_51_P394515	8.16E-05	0.494	Tkt	transketolase
A_51_P321886	0.000158709	0.494	Cmtm3	CKLF-like MARVEL transmembrane domain containing 3
A_55_P1983152	9.94E-05	0.494	Gramd4	GRAM domain containing 4
A_51_P202033	1.88E-05	0.494	Wls	wntless homolog (Drosophila)
A_55_P2044982	2.69E-06	0.495	Zfp74	zinc finger protein 74
A_51_P498388	0.00134088	0.495	Sbk1	SH3-binding kinase 1
A_55_P2182407	0.001624339	0.495	Adat1	adenosine deaminase, tRNA-specific 1
A_51_P225224	0.000969046	0.495	Htra1	HtrA serine peptidase 1
A_52_P526265	6.88E-06	0.495	Wdr73	WD repeat domain 73
A_52_P257523	5.13E-08	0.495	1110065P20Rik	RIKEN cDNA 1110065P20 gene
A_52_P574668	5.52E-05	0.495	Nt5e	5' nucleotidase, ecto
A_51_P365409	3.69E-08	0.495	Rpusd4	RNA pseudouridylylase synthase domain containing 4
A_52_P64687	0.000360705	0.495	Camk2n1	calcium/calmodulin-dependent protein kinase II inhibitor 1
A_52_P608132	2.36E-06	0.495	Snx32	sorting nexin 32
A_51_P352303	1.44E-05	0.495	Homer2	homer homolog 2 (Drosophila)
A_52_P600822	1.52E-06	0.495	Prkcζ	protein kinase C, zeta
A_51_P107433	6.67E-07	0.495	Mrpl34	mitochondrial ribosomal protein L34
A_30_P01018124	2.71E-05	0.495		
A_55_P2055404	1.38E-05	0.495	Slc15a4	solute carrier family 15, member 4
A_66_P122173	1.95E-07	0.495	Mkl2	MKL/myocardin-like 2
A_51_P499441	2.18E-07	0.495	Prkd2	protein kinase D2
A_55_P2184905	4.66E-07	0.495	Rpap2	RNA polymerase II associated protein 2
A_52_P118461	0.001099053	0.495	Ipmk	inositol polyphosphate multikinase
A_55_P2148323	0.000778194	0.495	2810021J22Rik	RIKEN cDNA 2810021J22 gene
A_51_P104608	0.001516755	0.495	Rnase6	ribonuclease, RNase A family, 6
A_55_P2178592	1.00E-06	0.496	Rbbp9	retinoblastoma binding protein 9
A_51_P450573	3.03E-05	0.496	Tgfb2	transforming growth factor, beta receptor II
A_55_P2141306	0.000159145	0.496	Synj2bp	synaptojanin 2 binding protein
A_55_P2096101	0.00043006	0.496	Cyp20a1	cytochrome P450, family 20, subfamily A, polypeptide 1
A_55_P2098354	1.09E-05	0.496	Shf	Src homology 2 domain containing F
A_55_P1962234	9.11E-08	0.496	Bad	BCL2-associated agonist of cell death
A_52_P506344	9.30E-07	0.496	B3gat3	beta-1,3-glucuronyltransferase 3 (glucuronosyltransferase I)
A_51_P109541	1.90E-06	0.496	E130308A19Rik	RIKEN cDNA E130308A19 gene
A_30_P01021267	5.36E-06	0.496		
A_55_P2072955	1.15E-05	0.496	Zfp954	zinc finger protein 954
A_51_P490924	0.000410527	0.496	Hapln4	hyaluronan and proteoglycan link protein 4

A_51_P484998	0.001187016	0.496	Hgf	hepatocyte growth factor
A_55_P2096917	1.14E-07	0.496	Mreg	melanoregulin
A_51_P175424	8.12E-05	0.496	Car14	carbonic anhydrase 14
A_66_P119045	0.000255049	0.496		
A_55_P2087561	1.37E-05	0.496	Gm5506	predicted gene 5506
A_55_P1953377	6.53E-06	0.496		
A_51_P245275	1.94E-05	0.496	H2afx	H2A histone family, member X
A_51_P141610	9.64E-07	0.496	Cables2	CDK5 and Abl enzyme substrate 2
A_55_P1957815	3.35E-07	0.496	Tmub1	transmembrane and ubiquitin-like domain containing 1
A_51_P338600	0.000142963	0.496	Tmem14c	transmembrane protein 14C
A_55_P1983974	6.09E-07	0.497	Neur14	neuronalized homolog 4 (Drosophila)
A_51_P167971	2.75E-05	0.497	Bace1	beta-site APP cleaving enzyme 1
A_51_P244923	2.01E-06	0.497	AI837181	expressed sequence AI837181
A_52_P576837	3.73E-05	0.497	BC088983	cDNA sequence BC088983
A_66_P119810	0.002009754	0.497	H2afb1	H2A histone family, member B1
A_55_P2072115	0.004253992	0.497	AW011738	expressed sequence AW011738
A_55_P2107292	0.000207413	0.497	Ptch1	patched homolog 1
A_52_P596755	1.60E-05	0.497	BC048355	cDNA sequence BC048355
A_55_P2062054	1.74E-05	0.497	Dnnd2	dysbindin (dystrobrevin binding protein 1) domain containing 2
A_52_P411331	0.000181607	0.497	Vac14	Vac14 homolog (S. cerevisiae)
A_51_P323435	3.07E-05	0.497	Gtf2h2	general transcription factor II H, polypeptide 2
A_51_P185175	6.85E-05	0.497	Fkbp4	FK506 binding protein 4
A_51_P296416	1.28E-06	0.497	Orc6	origin recognition complex, subunit 6
A_52_P139413	0.004049512	0.498	Tmem221	transmembrane protein 221
A_52_P516097	3.18E-05	0.498	Leng9	leukocyte receptor cluster (LRC) member 9
A_55_P2149500	0.000276398	0.498	Kifc2	kinesin family member C2
A_55_P2068350	5.99E-05	0.498	Ido2	indoleamine 2,3-dioxygenase 2
A_55_P1997661	7.42E-07	0.498	2810008M24Rik	RIKEN cDNA 2810008M24 gene
A_52_P79639	3.51E-05	0.498	Vat1	vesicle amine transport protein 1 homolog (T. californica)
A_55_P2028710	2.35E-06	0.498	Rnf170	ring finger protein 170
A_30_P01031845	0.001568677	0.498		
A_30_P01029681	0.001267721	0.498		
A_51_P461031	2.46E-08	0.498	Ostm1	osteopetrosis associated transmembrane protein 1
A_52_P527106	3.10E-05	0.498	Arhgap12	Rho GTPase activating protein 12
A_55_P2027822	6.27E-07	0.498	Ccdc101	coiled-coil domain containing 101
A_55_P1994487	2.63E-05	0.498	Mamdc4	MAM domain containing 4
A_55_P2077618	0.000249916	0.498	Csgalnact1	chondroitin sulfate N-acetylgalactosaminyltransferase 1
A_55_P1981464	2.55E-05	0.498	5430410E06Rik	RIKEN cDNA 5430410E06 gene
A_51_P139651	0.000325166	0.498	Nos3	nitric oxide synthase 3, endothelial cell
A_51_P160544	2.41E-05	0.499	Efemp2	epidermal growth factor-containing fibulin-like extracellular matrix protein 2
A_55_P2024260	4.27E-07	0.499	Vps33b	vacuolar protein sorting 33B (yeast)
A_55_P2023001	4.81E-06	0.499	Slc47a1	solute carrier family 47, member 1
A_51_P201884	0.00025175	0.499	Dsp	desmoplakin
A_55_P2047703	9.46E-06	0.499	Serac1	serine active site containing 1
A_51_P359603	0.000372136	0.499	Itgb7	integrin beta 7
A_51_P455906	5.41E-05	0.499	Pold4	polymerase (DNA-directed), delta 4
A_66_P124806	0.000297779	0.499	Tlr4	toll-like receptor 4
A_51_P415225	0.000129006	0.499	Zfp105	zinc finger protein 105
A_55_P1987261	0.000104225	0.499	B230312A22Rik	RIKEN cDNA B230312A22 gene
A_51_P344399	1.66E-05	0.499	Rilpl2	Rab interacting lysosomal protein-like 2
A_51_P243930	5.44E-05	0.499	Qrs1	glutamyl-tRNA synthase (glutamine-hydrolyzing)-like 1
A_52_P81101	0.000239887	0.499	Ipmk	inositol polyphosphate multikinase
A_51_P117739	0.000928479	0.499	Figf	c-fos induced growth factor
A_66_P131091	5.81E-07	0.499	B230208H17Rik	RIKEN cDNA B230208H17 gene
A_55_P1987364	1.48E-07	0.499	C330006K01Rik	RIKEN cDNA C330006K01 gene
A_55_P2105220	0.000207017	0.499	Hscb	HscB iron-sulfur cluster co-chaperone homolog (E. coli)
A_51_P205779	0.003902973	0.499	Cd5l	CD5 antigen-like
A_51_P130994	4.08E-07	0.499	BC005537	cDNA sequence BC005537
A_65_P16688	3.24E-05	0.499	Taok2	TAO kinase 2
A_51_P139651	0.000176343	0.499	Nos3	nitric oxide synthase 3, endothelial cell
A_51_P251736	4.86E-05	0.499	Reep5	receptor accessory protein 5
A_51_P130447	0.000259759	0.499	C920006O11Rik	RIKEN cDNA C920006O11 gene
A_51_P125446	1.23E-07	0.500	Lzic	leucine zipper and CTNBP1 domain containing
A_55_P2134487	1.29E-07	0.500		
A_52_P407280	0.000341278	0.500	Adamts15	ADAMTS-like 5
A_52_P351418	3.02E-06	0.500	Sgsm3	small G protein signaling modulator 3
A_55_P2038183	0.004199804	0.500	Insc	inscuteable homolog (Drosophila)
A_51_P242733	5.79E-06	0.500	Tex261	testis expressed gene 261
A_66_P136102	0.001034942	0.500	Lefty2	left-right determination factor 2

Genes that increased by more than 2 fold in livers of mice treated with Con A and vehicle for 3 hours compared with livers without any treatment.

ProbeID	pvalue	Fold Change	GeneSymbol	GeneName
A_55_P2119257	1.43E-05	2123.03	Serpine1	serine (or cysteine) peptidase inhibitor, clade E, member 1
A_55_P2016459	7.51E-06	1091.62	Cxcl10	chemokine (C-X-C motif) ligand 10
A_51_P217463	0.001896289	821.21	Cxcl2	chemokine (C-X-C motif) ligand 2
A_51_P462192	2.20E-05	616.24	Olr1	oxidized low density lipoprotein (lectin-like) receptor 1
A_51_P331752	1.74E-08	531.20	Ccl11	chemokine (C-C motif) ligand 11
A_51_P436652	5.55E-06	451.10	Ccl7	chemokine (C-C motif) ligand 7
A_55_P2016462	5.64E-12	424.45	Cxcl10	chemokine (C-X-C motif) ligand 10
A_51_P363187	7.74E-05	342.08	Cxcl1	chemokine (C-X-C motif) ligand 1
A_55_P1960386	4.72E-06	311.92	Ccl1	chemokine (C-C motif) ligand 1
A_55_P1953169	4.06E-06	291.19	Saa3	serum amyloid A 3
A_55_P2008987	9.50E-05	262.77	Ch25h	cholesterol 25-hydroxylase
A_51_P286488	2.44E-05	262.10	Ier3	immediate early response 3
A_51_P279606	7.80E-08	251.91	Socs1	suppressor of cytokine signaling 1
A_55_P2079535	0.000726748	246.63		
A_55_P1977038	2.32E-08	205.75	Cxcl9	chemokine (C-X-C motif) ligand 9
A_51_P123625	2.69E-05	196.17	Irg1	immunoresponsive gene 1
A_51_P488739	3.24E-08	191.81	Niacr1	niacin receptor 1
A_51_P286737	1.92E-07	189.80	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	1.82E-06	188.05	Ccl2	chemokine (C-C motif) ligand 2
A_51_P455326	0.000140508	186.69	Sele	selectin, endothelial cell
A_51_P452629	5.79E-08	183.51	Tlr2	toll-like receptor 2
A_51_P286737	1.35E-06	182.89	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	1.09E-06	182.06	Ccl2	chemokine (C-C motif) ligand 2
A_51_P123625	1.56E-05	181.58	Irg1	immunoresponsive gene 1
A_51_P286737	1.54E-06	180.81	Ccl2	chemokine (C-C motif) ligand 2
A_51_P452629	6.95E-09	180.56	Tlr2	toll-like receptor 2
A_51_P286737	1.96E-06	179.46	Ccl2	chemokine (C-C motif) ligand 2
A_51_P123625	1.18E-05	179.43	Irg1	immunoresponsive gene 1
A_51_P286737	1.31E-06	179.33	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	1.15E-06	179.27	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	7.48E-07	178.84	Ccl2	chemokine (C-C motif) ligand 2
A_51_P452629	5.48E-08	175.24	Tlr2	toll-like receptor 2
A_51_P286737	4.10E-07	175.11	Ccl2	chemokine (C-C motif) ligand 2
A_51_P452629	1.03E-07	172.62	Tlr2	toll-like receptor 2
A_51_P123625	1.70E-05	172.21	Irg1	immunoresponsive gene 1
A_51_P123625	1.70E-05	170.02	Irg1	immunoresponsive gene 1
A_51_P123625	2.38E-05	169.62	Irg1	immunoresponsive gene 1
A_51_P452629	6.59E-09	169.58	Tlr2	toll-like receptor 2
A_51_P452629	3.54E-08	167.06	Tlr2	toll-like receptor 2
A_51_P452629	6.69E-08	166.81	Tlr2	toll-like receptor 2
A_51_P452629	2.31E-08	165.33	Tlr2	toll-like receptor 2
A_51_P461665	5.18E-09	164.13	Cxcl9	chemokine (C-X-C motif) ligand 9
A_51_P452629	1.57E-08	161.89	Tlr2	toll-like receptor 2
A_51_P452629	5.46E-09	159.39	Tlr2	toll-like receptor 2
A_51_P123625	2.20E-05	154.16	Irg1	immunoresponsive gene 1
A_51_P123625	2.74E-05	152.00	Irg1	immunoresponsive gene 1
A_51_P203955	3.06E-07	149.24	Gbp2	guanylate binding protein 2
A_51_P123625	1.52E-05	147.95	Irg1	immunoresponsive gene 1
A_51_P184484	0.000467008	140.92	Mmp13	matrix metalloproteinase 13
A_55_P2053838	4.38E-05	139.87	Tnfrsf3	tumor necrosis factor, alpha-induced protein 3
A_51_P123625	6.96E-06	138.25	Irg1	immunoresponsive gene 1
A_51_P100852	3.06E-08	127.02	Fam26f	family with sequence similarity 26, member F
A_51_P100852	3.68E-07	126.89	Fam26f	family with sequence similarity 26, member F
A_51_P509573	1.05E-06	125.65	Ccl4	chemokine (C-C motif) ligand 4
A_51_P100852	1.58E-07	120.87	Fam26f	family with sequence similarity 26, member F
A_51_P100852	1.77E-08	119.53	Fam26f	family with sequence similarity 26, member F
A_55_P2033362	3.88E-07	118.96	Egr2	early growth response 2
A_51_P100852	1.60E-07	116.69	Fam26f	family with sequence similarity 26, member F
A_51_P100852	7.31E-08	114.94	Fam26f	family with sequence similarity 26, member F
A_51_P100852	1.86E-07	114.90	Fam26f	family with sequence similarity 26, member F
A_51_P100852	9.57E-08	112.86	Fam26f	family with sequence similarity 26, member F
A_51_P100852	1.02E-07	111.69	Fam26f	family with sequence similarity 26, member F
A_52_P452689	3.33E-06	109.64	Atf3	activating transcription factor 3
A_52_P68893	3.36E-05	108.05	Irf3	interferon gamma
A_51_P100852	7.66E-08	107.86	Fam26f	family with sequence similarity 26, member F
A_52_P327664	4.69E-06	105.36	Gbp5	guanylate binding protein 5
A_55_P2125208	1.45E-08	101.79	Arid5a	AT rich interactive domain 5A (MRF1-like)
A_51_P474459	1.02E-07	92.32	Socs3	suppressor of cytokine signaling 3
A_51_P256827	0.000368691	88.97	S100a8	S100 calcium binding protein A8 (calgranulin A)
A_52_P338066	7.85E-05	83.67	Ubd	ubiquitin D
A_55_P2011385	1.58E-08	82.41		
A_55_P2070869	4.14E-06	82.14	Lcn2	lipocalin 2
A_55_P2116165	1.61E-08	82.12	Pfkfb3	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 3
A_51_P385099	0.000256671	81.42	Tnf	tumor necrosis factor
A_52_P425839	3.64E-05	79.75	Retnlg	resistin like gamma
A_52_P68893	2.98E-05	79.69	Irf3	interferon gamma
A_52_P608322	1.10E-08	79.56	Mafk	v-maf musculoaponeurotic fibrosarcoma oncogene family, protein F (avian)
A_55_P2011387	4.18E-08	79.14	Tifa	TRAF-interacting protein with forkhead-associated domain
A_55_P2054897	2.75E-07	77.64	Rnd1	Rho family GTPase 1
A_52_P534583	0.000597553	76.79	Ahsp	alpha hemoglobin stabilizing protein
A_55_P1998471	0.000193026	75.57	S100a9	S100 calcium binding protein A9 (calgranulin B)
A_55_P1962400	2.19E-07	75.31	Il1rn	interleukin 1 receptor antagonist
A_55_P2104975	0.000133099	74.71	Serpina3f	serine (or cysteine) peptidase inhibitor, clade A, member 3F
A_55_P1955778	0.000305014	73.17	Adamts4	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 4
A_51_P263246	2.43E-06	72.76	Dusp8	dual specificity phosphatase 8
A_52_P613241	3.96E-05	72.35	Icam1	intercellular adhesion molecule 1
A_52_P179785	3.08E-06	71.25	Ripk2	receptor (TNFRSF)-interacting serine-threonine kinase 2
A_55_P2147081	8.11E-06	70.84	Tnfrsf6	tumor necrosis factor alpha induced protein 6
A_55_P2073024	6.84E-05	69.77	Gm4841	predicted gene 4841
A_55_P2142226	4.52E-06	68.09	Serpina3f	serine (or cysteine) peptidase inhibitor, clade A, member 3F
A_51_P385099	9.40E-05	67.67	Tnf	tumor necrosis factor
A_51_P385099	5.10E-05	67.24	Tnf	tumor necrosis factor
A_51_P111164	2.48E-10	67.17	Rnd1	Rho family GTPase 1
A_52_P15388	0.00132291	65.16	Ltf	lactotransferrin
A_51_P385099	0.000121764	65.11	Tnf	tumor necrosis factor
A_51_P385099	0.000106895	64.17	Tnf	tumor necrosis factor
A_51_P140710	0.000133483	62.59	Ccl3	chemokine (C-C motif) ligand 3
A_55_P2042813	4.12E-05	61.58	Gbp11	guanylate binding protein 11
A_51_P385099	0.000138761	61.00	Tnf	tumor necrosis factor
A_52_P362917	1.52E-06	59.45	Pfkfb3	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 3
A_51_P385099	8.22E-05	58.74	Tnf	tumor necrosis factor
A_51_P478722	9.28E-08	58.00	Tgtp1	T-cell specific GTPase 1
A_51_P172853	3.90E-05	57.36	Cd14	CD14 antigen



A_51_P385099	0.000157207	57.11	Tnf	tumor necrosis factor
A_51_P385099	9.27E-05	57.06	Tnf	tumor necrosis factor
A_51_P183812	5.49E-06	56.09	Slfn4	schlafen 4
A_52_P1197913	2.34E-06	54.49	Gadd45b	growth arrest and DNA-damage-inducible 45 beta
A_55_P1984556	3.28E-05	53.08	Ccl12	chemokine (C-C motif) ligand 12
A_52_P681310	0.000166115	51.97	Plaur	plasminogen activator, urokinase receptor
A_52_P410765	5.51E-07	51.74	Sema7a	sema domain, immunoglobulin domain (Ig), and GPI membrane anchor, (semaphorin) 7A
A_55_P1976655	0.000933597	51.47	Fgf23	fibroblast growth factor 23
A_51_P248666	9.64E-07	50.58	Cd274	CD274 antigen
A_55_P1997756	0.000487708	50.56	Il6	interleukin 6
A_55_P2142232	0.00087465	50.10	Serpina3l	serine (or cysteine) peptidase inhibitor, clade A, member 3l
A_55_P2038882	7.45E-06	49.24	Niacr1	niacin receptor 1
A_55_P1997756	0.0006379	49.17	Il6	interleukin 6
A_55_P2049867	8.69E-07	49.00	Ccr12	chemokine (C-C motif) receptor-like 2
A_55_P2048855	0.000439737	48.65	Spr2a2	small proline-rich protein 2A2
A_52_P386627	6.46E-07	47.86	Irak3	interleukin-1 receptor-associated kinase 3
A_51_P231320	0.001142977	47.57	Mmp8	matrix metalloproteinase 8
A_51_P254855	0.000375529	47.26	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P2147083	0.000436986	47.05	Tnfaip6	tumor necrosis factor alpha induced protein 6
A_51_P385099	8.94E-05	46.96	Tnf	tumor necrosis factor
A_51_P401907	9.67E-06	46.42	Gm5483	predicted gene 5483
A_51_P254855	0.001390128	46.13	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P2186005	0.002227957	45.73	Sphk1	sphingosine kinase 1
A_55_P2052380	1.02E-09	45.60	Mpa2l	macrophage activation 2 like
A_52_P31543	1.03E-06	45.02	Btg2	B-cell translocation gene 2, anti-proliferative
A_51_P484158	0.000890244	44.75	Steap1	six transmembrane epithelial antigen of the prostate 1
A_55_P2159555	3.31E-05	43.94	Adamts4	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 4
A_52_P429450	0.002949673	43.66	Ngp	neutrophilic granule protein
A_55_P2052385	1.13E-09	43.60	Mpa2l	macrophage activation 2 like
A_55_P1989225	3.57E-07	42.72	Tgtp2	T-cell specific GTPase 2
A_51_P114462	7.37E-05	41.99	Ccl17	chemokine (C-C motif) ligand 17
A_52_P354823	2.09E-06	41.73	Irf8	interferon regulatory factor 8
A_52_P161488	0.000284023	41.57	Clec4e	C-type lectin domain family 4, member e
A_52_P262219	0.003353002	41.09	Fos	FBJ osteosarcoma oncogene
A_55_P1998416	2.40E-08	40.80	Ifi47	interferon gamma inducible protein 47
A_51_P254855	0.000761867	40.45	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P2017636	1.52E-05	39.80	Thbs1	thrombospondin 1
A_52_P262219	0.003115028	39.72	Fos	FBJ osteosarcoma oncogene
A_51_P501248	0.000868301	39.44	Sphk1	sphingosine kinase 1
A_51_P254855	0.000364182	39.41	Ptgs2	prostaglandin-endoperoxide synthase 2
A_52_P262219	0.004214035	38.86	Fos	FBJ osteosarcoma oncogene
A_51_P143893	1.04E-07	38.84	Steap4	STEAP family member 4
A_55_P2036693	1.49E-06	38.61	Cd40	CD40 antigen
A_51_P254855	0.001578627	38.02	Ptgs2	prostaglandin-endoperoxide synthase 2
A_52_P262219	0.001991506	37.88	Fos	FBJ osteosarcoma oncogene
A_55_P2085012	5.17E-09	37.73		
A_52_P262219	0.002515635	37.45	Fos	FBJ osteosarcoma oncogene
A_52_P262219	0.004257924	37.06	Fos	FBJ osteosarcoma oncogene
A_30_P01032196	7.86E-06	37.04		
A_52_P262219	0.004350045	36.98	Fos	FBJ osteosarcoma oncogene
A_52_P318673	2.21E-09	36.87	Saa1	serum amyloid A 1
A_51_P326191	2.78E-06	36.82	Serpina3g	serine (or cysteine) peptidase inhibitor, clade A, member 3G
A_55_P2011106	7.95E-07	36.59	Junb	Jun-B oncogene
A_51_P367866	2.83E-06	36.42	Egr1	early growth response 1
A_51_P254855	0.002518432	36.28	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.000725549	35.89	Ptgs2	prostaglandin-endoperoxide synthase 2
A_52_P262219	0.003203437	35.67	Fos	FBJ osteosarcoma oncogene
A_55_P2062246	7.52E-08	35.65	Tgtp2	T-cell specific GTPase 2
A_51_P254855	0.0003085	35.64	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P2103837	0.001037708	35.53	Gbp4	guanylate binding protein 4
A_55_P2269819	0.002548513	35.36	Fam107a	family with sequence similarity 107, member A
A_55_P2105140	0.000228752	35.34	Mrap2	melanocortin 2 receptor accessory protein 2
A_52_P262219	0.004036557	34.94	Fos	FBJ osteosarcoma oncogene
A_51_P389751	9.63E-10	34.62	Relb	avian reticuloendotheliosis viral (v-rel) oncogene related B
A_51_P254855	0.000874577	34.34	Ptgs2	prostaglandin-endoperoxide synthase 2
A_30_P01020131	2.91E-06	34.12		
A_51_P161021	8.17E-05	34.07	Ifit2	interferon-induced protein with tetratricopeptide repeats 2
A_30_P01022682	5.06E-06	34.01		
A_52_P65237	0.000127999	32.97	Zbtb7c	zinc finger and BTB domain containing 7C
A_55_P2000409	7.21E-07	32.59	Rab44	RAB44, member RAS oncogene family
A_51_P470079	0.000146971	32.53	Il1r2	interleukin 1 receptor, type II
A_52_P398925	0.000246215	32.09	Stfa2l1	stefin A2 like 1
A_55_P1990032	0.000400392	31.80	Cxcl5	chemokine (C-X-C motif) ligand 5
A_55_P1994807	2.95E-09	31.74	Saa2	serum amyloid A 2
A_52_P239086	0.000532621	30.66	Apol10a	apolipoprotein L 10a
A_51_P323180	7.66E-05	30.39	Gbp9	guanylate-binding protein 9
A_51_P234956	0.000105954	30.31	Xcl1	chemokine (C motif) ligand 1
A_55_P2158741	2.38E-06	29.90	Nos2	nitric oxide synthase 2, inducible
A_55_P2137049	0.000361204	29.87	AA467197	expressed sequence AA467197
A_52_P496726	8.17E-05	29.39	Rasd1	RAS, dexamethasone-induced 1
A_55_P2158741	5.82E-06	29.16	Nos2	nitric oxide synthase 2, inducible
A_30_P01017522	0.000359589	29.06		
A_51_P254855	0.000943078	29.03	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P165182	3.15E-06	28.72	Batf2	basic leucine zipper transcription factor, ATF-like 2
A_55_P2090172	0.000288488	28.68		
A_52_P550173	0.000368584	28.63	Slamf1	signaling lymphocytic activation molecule family member 1
A_55_P2000062	4.74E-06	28.59	Irf1	interferon regulatory factor 1
A_55_P2168736	1.37E-09	28.54	Relb	avian reticuloendotheliosis viral (v-rel) oncogene related B
A_51_P480241	9.23E-05	27.47	Elf3	E74-like factor 3
A_55_P2158990	1.21E-08	27.45	Jun	Jun oncogene
A_52_P559975	7.53E-05	25.75	Cxcr2	chemokine (C-X-C motif) receptor 2
A_30_P01031049	0.002109929	25.74		
A_55_P2153431	8.98E-05	25.65	Ralgds	ral guanine nucleotide dissociation stimulator
A_55_P1994289	8.38E-06	25.64		
A_55_P2317575	0.000218049	25.39	1700016F12Rik	RIKEN cDNA 1700016F12 gene
A_51_P241769	0.000940862	25.38	Rhd	Rh blood group, D antigen
A_55_P2472435	3.88E-08	24.70	Gbp3	guanylate binding protein 3
A_55_P2160825	0.00051524	24.51		
A_30_P01022435	0.002077082	24.48		
A_55_P1994290	5.22E-05	24.47		
A_51_P265571	0.000139343	24.38	Adm	adrenomedullin
A_55_P2025248	3.16E-05	24.16	Mxd1	MAX dimerization protein 1
A_66_P126459	5.31E-07	24.14		
A_66_P108380	0.000111091	24.07	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2109559	1.53E-06	23.73	Trim6	tripartite motif-containing 6

A_52_P566396	2.66E-06	23.59	Rnf122	ring finger protein 122
A_51_P210956	5.51E-06	23.47	Vcam1	vascular cell adhesion molecule 1
A_51_P229676	5.39E-06	22.94	Plscr1	phospholipid scramblase 1
A_55_P2058928	0.000246697	22.76	Ralgds	ral guanine nucleotide dissociation stimulator
A_55_P1985850	0.00197721	22.75	Timp1	tissue inhibitor of metalloproteinase 1
A_55_P2057936	1.00E-06	22.29	Gm12250	predicted gene 12250
A_52_P425092	5.89E-05	22.03		
A_55_P1962723	7.79E-05	22.01		
A_51_P215489	3.56E-07	21.99	Slc37a1	solute carrier family 37 (glycerol-3-phosphate transporter), member 1
A_55_P2006494	9.47E-08	21.11	Apol10b	apolipoprotein L 10b
A_52_P89567	3.62E-07	21.04	Rhob	ras homolog gene family, member B
A_55_P1971889	1.86E-05	20.88	F3	coagulation factor III
A_55_P2119917	1.37E-07	20.25	Ikzf4	IKAROS family zinc finger 4
A_55_P2118441	3.53E-06	20.25	Mx1	myxovirus (influenza virus) resistance 1
A_52_P487686	0.000185135	20.24	BC100530	cDNA sequence BC100530
A_30_P01033187	0.000759593	20.14		
A_51_P464703	0.000237136	20.09	Ccl8	chemokine (C-C motif) ligand 8
A_51_P383032	2.50E-05	19.98	Clec4d	C-type lectin domain family 4, member d
A_55_P1988368	0.00165286	19.76	Upp1	uridine phosphorylase 1
A_52_P604629	9.90E-06	19.74	Csrnp1	cysteine-serine-rich nuclear protein 1
A_55_P1997126	0.000309458	19.54	Ctse	cathepsin E
A_55_P2071132	3.02E-06	19.43	Tnfrsf23	tumor necrosis factor receptor superfamily, member 23
A_51_P235123	1.71E-08	19.40	Nfkb2	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, epsilon
A_55_P2082880	1.71E-07	19.18		
A_55_P2026238	1.36E-05	19.07		
A_52_P621588	9.75E-09	18.91	Il28ra	interleukin 28 receptor alpha
A_52_P480044	7.21E-07	18.90	BC023105	cDNA sequence BC023105
A_51_P181565	8.37E-05	18.84	Hbegf	heparin-binding EGF-like growth factor
A_52_P520495	1.99E-06	18.82	Vcam1	vascular cell adhesion molecule 1
A_30_P01029955	0.001590802	18.60		
A_55_P2188862	0.000167017	18.58	C030034E14Rik	RIKEN cDNA C030034E14 gene
A_52_P374897	0.000821128	18.56	Arg2	arginase type II
A_55_P1979674	1.19E-08	18.47	Ikzf4	IKAROS family zinc finger 4
A_51_P116601	0.000462478	18.36	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_30_P01020928	0.000101575	18.30		
A_51_P513568	4.57E-05	18.23	Stx11	syntaxin 11
A_55_P2062108	1.78E-05	18.06	Apold1	apolipoprotein L domain containing 1
A_55_P1985890	1.07E-07	18.05	Tiparp	TCDD-inducible poly(ADP-ribose) polymerase
A_52_P466090	3.28E-06	18.04	Samhd1	SAM domain and HD domain, 1
A_51_P116601	0.000144806	17.69	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_52_P530291	3.49E-06	17.40	Pim1	proviral integration site 1
A_52_P423247	1.88E-08	17.38	Pde4b	phosphodiesterase 4B, cAMP specific
A_55_P1998843	3.76E-06	17.33	Irf203	interferon activated gene 203
A_51_P327751	1.64E-07	17.23	Irf1	interferon-induced protein with tetratricopeptide repeats 1
A_51_P514961	2.08E-07	17.23	Tiparp	TCDD-inducible poly(ADP-ribose) polymerase
A_55_P2179577	0.001438317	17.14	Nmur1	neuromedin U receptor 1
A_51_P116601	0.000133583	17.14	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P116601	0.000146066	17.04	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P297925	7.08E-09	16.88	Zc3h12a	zinc finger CCCH type containing 12A
A_55_P2001818	8.88E-06	16.85	Tnfaip6	tumor necrosis factor alpha induced protein 6
A_51_P401343	1.95E-06	16.62	Cldn14	claudin 14
A_55_P1999902	4.59E-08	16.56		
A_51_P464918	5.08E-06	16.53	Mefv	Mediterranean fever
A_51_P116601	0.00021087	16.53	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P116601	0.000502503	16.51	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2103206	5.72E-07	16.42		
A_65_P01319	4.83E-07	16.34	Pde4b	phosphodiesterase 4B, cAMP specific
A_51_P211854	0.000837854	16.31	Selp	selectin, platelet
A_51_P514319	4.22E-08	16.30	Slc13a4	solute carrier family 13 (sodium/sulfate symporters), member 4
A_55_P1988714	0.000293268	16.29	Psors1c2	psoriasis susceptibility 1 candidate 2 (human)
A_55_P2072586	1.96E-05	16.29		
A_51_P454217	5.23E-06	16.18	Nfkb2	nuclear factor of kappa light polypeptide gene enhancer in B-cells 2, p49/p100
A_55_P2107374	0.001471985	16.02	Duoxa2	dual oxidase maturation factor 2
A_55_P2029558	5.88E-08	15.82	Adrb2	adrenergic receptor, beta 2
A_51_P362066	0.000210697	15.76	Chi3l1	chitinase 3-like 1
A_55_P2073099	5.34E-07	15.63	Trex1	three prime repair exonuclease 1
A_51_P463846	2.10E-08	15.56	Gbp6	guanylate binding protein 6
A_55_P2107542	0.003156574	15.47		
A_51_P211854	0.000753033	15.46	Selp	selectin, platelet
A_65_P08971	3.37E-05	15.31	F3	coagulation factor III
A_55_P2048759	0.000169082	15.27	4930583H14Rik	RIKEN cDNA 4930583H14 gene
A_51_P211854	0.000913082	15.23	Selp	selectin, platelet
A_51_P222280	6.49E-09	15.16	Ikke	inhibitor of kappaB kinase epsilon
A_51_P116601	0.000194015	15.16	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P428372	4.11E-09	15.15	Ppbp	pro-platelet basic protein
A_66_P101942	7.94E-06	15.11	Gm9706	predicted gene 9706
A_51_P211854	0.000803811	15.08	Selp	selectin, platelet
A_51_P211854	0.000700414	14.93	Selp	selectin, platelet
A_55_P2168140	0.001858166	14.86	Gm5958	predicted pseudogene 5958
A_51_P116601	0.00032331	14.85	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_52_P578562	6.32E-06	14.75	Slc41a1	solute carrier family 41, member 1
A_30_P01032985	4.17E-06	14.71		
A_51_P171075	1.11E-06	14.71	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_51_P116601	0.000235066	14.61	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_66_P109183	0.000261401	14.61	Apold1	apolipoprotein L domain containing 1
A_52_P594756	0.000205271	14.58	Asb4	ankyrin repeat and SOCS box-containing 4
A_51_P211854	0.000761021	14.41	Selp	selectin, platelet
A_55_P2004797	3.16E-05	14.33	Tacc2	transforming, acidic coiled-coil containing protein 2
A_51_P211854	0.00048002	14.32	Selp	selectin, platelet
A_65_P03364	0.00018273	14.27		
A_52_P353905	0.001704401	14.17	Fam83a	family with sequence similarity 83, member A
A_51_P181286	8.48E-05	14.16	Cd69	CD69 antigen
A_55_P2128203	0.001005256	13.97		
A_55_P2005833	1.56E-08	13.96	Adamts8	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 8
A_55_P2187918	3.39E-05	13.94	Cep55	centrosomal protein 55
A_55_P2179463	0.000393056	13.89	Tnfsf8	tumor necrosis factor (ligand) superfamily, member 8
A_55_P1977008	0.0010331	13.87	Gfi1	growth factor independent 1
A_55_P2141786	8.75E-06	13.85	Pard6g	par-6 partitioning defective 6 homolog gamma (C. elegans)
A_66_P119283	3.82E-06	13.80	LOC675594	hypothetical LOC675594
A_52_P290783	0.001656027	13.76	BC016579	cDNA sequence, BC016579
A_55_P1981479	1.44E-07	13.76	Irgm1	immunity-related GTPase family M member 1
A_51_P263965	8.68E-08	13.75	Hmox1	heme oxygenase (decycling) 1
A_51_P514085	1.54E-09	13.73	Mx2	myxovirus (influenza virus) resistance 2
A_66_P121086	3.43E-06	13.63	Map3k8	mitogen-activated protein kinase kinase kinase 8
A_52_P399934	1.88E-05	13.60	Dusp2	dual specificity phosphatase 2

A_55_P2180839	1.91E-06	13.57	Il13	interleukin 13
A_55_P2028986	3.90E-07	13.51		
A_55_P1962918	3.86E-05	13.51	Mnda	myeloid cell nuclear differentiation antigen
A_30_P01026993	4.88E-05	13.42		
A_30_P01019474	0.000233998	13.40		
A_51_P211854	0.000763827	13.38	Selp	selectin, platelet
A_30_P01031797	0.000805702	13.31		
A_51_P171075	1.15E-07	13.16	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_51_P171075	3.96E-07	13.15	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_51_P171075	3.58E-06	13.14	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_51_P226269	1.49E-05	13.13	1190002H23Rik	RIKEN cDNA 1190002H23 gene
A_30_P01024852	0.000133685	13.10		
A_30_P01027958	8.95E-06	13.06		
A_51_P211854	0.00068453	13.03	Selp	selectin, platelet
A_51_P211854	0.001284158	13.02	Selp	selectin, platelet
A_55_P1963508	0.000591649	13.01	Slc13a5	solute carrier family 13 (sodium-dependent citrate transporter), member 5
A_51_P470715	8.95E-08	13.00	Cish	cytokine inducible SH2-containing protein
A_51_P171075	8.90E-08	12.99	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_55_P1988228	1.27E-06	12.96	Aspm	asp (abnormal spindle)-like, microcephaly associated (Drosophila)
A_30_P01024629	1.85E-06	12.94		
A_55_P1973352	2.46E-05	12.91	LOC100503910	hypothetical LOC100503910
A_51_P204080	1.49E-06	12.84	Hk2	hexokinase 2
A_55_P2172001	1.89E-05	12.80	Mrgpra2a	MAS-related GPR, member A2A
A_55_P2044242	0.00039836	12.80	Slc13a5	solute carrier family 13 (sodium-dependent citrate transporter), member 5
A_55_P2179587	4.83E-05	12.62	Celsr3	cadherin, EGF LAG seven-pass G-type receptor 3 (flamingo homolog, Drosophila)
A_51_P116601	0.000192637	12.57	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2071176	6.21E-05	12.53	Il1f9	interleukin 1 family, member 9
A_55_P2034110	4.19E-06	12.52	Tgm2	transglutaminase 2, C polypeptide
A_52_P222230	1.20E-06	12.30		
A_55_P2044932	0.000184854	12.29	Gpr84	G protein-coupled receptor 84
A_55_P2318934	0.000214498	12.29		
A_52_P423810	6.46E-07	12.27		
A_55_P2012989	0.000412421	12.25	Slamf7	SLAM family member 7
A_55_P2337074	6.29E-05	12.25	Mid1	midline 1
A_51_P120093	2.46E-07	12.20	Snx10	sorting nexin 10
A_51_P262171	2.49E-11	12.19	Irgm1	immunity-related GTPase family M member 1
A_30_P01019306	0.00012962	12.15		
A_30_P01019531	2.06E-05	12.11		
A_55_P2179266	0.000219667	12.10		
A_51_P271503	0.000738971	11.96	Il1r1	interleukin 1 receptor, type I
A_51_P120093	7.62E-08	11.96	Snx10	sorting nexin 10
A_66_P110343	8.75E-06	11.92	Snx10	sorting nexin 10
A_51_P120093	7.28E-08	11.87	Snx10	sorting nexin 10
A_55_P2036240	4.01E-05	11.83	LOC100503637	envelope glycoprotein-like
A_51_P120093	1.98E-07	11.80	Snx10	sorting nexin 10
A_51_P499698	0.000245599	11.75	Asprv1	aspartic peptidase, retroviral-like 1
A_30_P01027314	0.000181169	11.75		
A_55_P1990891	0.000437387	11.74		
A_51_P120093	1.11E-07	11.73	Snx10	sorting nexin 10
A_55_P2068607	7.99E-08	11.73	Rnf19b	ring finger protein 19B
A_51_P120093	7.97E-08	11.71	Snx10	sorting nexin 10
A_51_P120093	8.57E-09	11.70	Snx10	sorting nexin 10
A_51_P120093	6.41E-08	11.70	Snx10	sorting nexin 10
A_51_P375201	8.46E-07	11.69	Plk3	polo-like kinase 3 (Drosophila)
A_51_P120093	5.27E-08	11.66	Snx10	sorting nexin 10
A_51_P120093	1.35E-07	11.63	Snx10	sorting nexin 10
A_52_P1087486	3.14E-06	11.62	Catsper1	cation channel, sperm associated 1
A_66_P134808	4.42E-05	11.59	Nos1ap	nitric oxide synthase 1 (neuronal) adaptor protein
A_52_P273812	1.51E-06	11.57	Iltm5	interferon induced transmembrane protein 5
A_55_P2156855	7.22E-05	11.55	Car13	carbonic anhydrase 13
A_51_P171075	1.36E-07	11.52	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_51_P417891	7.32E-06	11.51	Trim10	tripartite motif-containing 10
A_51_P459908	0.001722761	11.49	Olfir56	olfactory receptor 56
A_30_P01025986	7.08E-06	11.47		
A_52_P383653	0.000123212	11.42	Cpne8	copine VIII
A_55_P2109445	0.000260288	11.42	Irf4	interferon regulatory factor 4
A_51_P322640	0.001186909	11.42	Ccl24	chemokine (C-C motif) ligand 24
A_55_P2086334	0.000225945	11.24	Krt85	keratin 85
A_55_P2041784	0.000258062	11.22	Gna13	guanine nucleotide binding protein, alpha 13
A_55_P2069515	7.47E-05	11.20	Dennd4a	DENN/MADD domain containing 4A
A_55_P1960238	0.000143172	11.18	Slc2a6	solute carrier family 2 (facilitated glucose transporter), member 6
A_52_P220879	4.03E-07	11.16	Tgm2	transglutaminase 2, C polypeptide
A_52_P91274	0.000103789	11.15	1700018G05Rik	RIKEN cDNA 1700018G05 gene
A_52_P64514	3.24E-06	11.14	Herc6	hect domain and RLD 6
A_55_P2039086	1.76E-06	11.08	Nfkbiz	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, zeta
A_51_P477364	2.57E-07	11.02	Rhob	ras homolog gene family, member B
A_55_P1978424	0.000133092	10.98	Bcl2a1d	B-cell leukemia/lymphoma 2 related protein A1d
A_51_P444447	7.91E-09	10.96	Cebpd	CCAAT/enhancer binding protein (C/EBP), delta
A_51_P171075	3.01E-05	10.95	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_55_P2114953	5.27E-08	10.94	Usp18	ubiquitin specific peptidase 18
A_66_P128537	1.73E-06	10.94	Isg15	ISG15 ubiquitin-like modifier
A_51_P171075	0.000267569	10.93	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_51_P296608	2.59E-05	10.91	Gadd45a	growth arrest and DNA-damage-inducible 45 alpha
A_55_P2103698	3.94E-06	10.86	Isg15	ISG15 ubiquitin-like modifier
A_51_P171075	8.74E-06	10.83	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_55_P1980796	3.08E-05	10.82	Il2ra	interleukin 2 receptor, alpha chain
A_51_P348280	8.85E-09	10.82	Il17ra	interleukin 17 receptor A
A_51_P418432	0.000100099	10.82	Lrrc18	leucine rich repeat containing 18
A_52_P282762	2.21E-07	10.77	Myd88	myeloid differentiation primary response gene 88
A_55_P1984168	3.58E-05	10.77	Casp4	caspase 4, apoptosis-related cysteine peptidase
A_55_P2091461	9.91E-05	10.77	Casp4	caspase 4, apoptosis-related cysteine peptidase
A_51_P444290	0.000360196	10.75	Slamf8	SLAM family member 8
A_55_P2115330	0.000461086	10.73	Nrg4	neuregulin 4
A_52_P282762	6.40E-08	10.69	Myd88	myeloid differentiation primary response gene 88
A_55_P2088995	8.13E-06	10.63	Plscr1	phospholipid scramblase 1
A_52_P434055	0.000229377	10.63	Birc3	baculoviral IAP repeat-containing 3
A_52_P282762	1.07E-07	10.62	Myd88	myeloid differentiation primary response gene 88
A_55_P2367803	0.003172638	10.61	Il2	interleukin 2
A_55_P2164492	8.04E-05	10.60		
A_52_P282762	3.07E-07	10.59	Myd88	myeloid differentiation primary response gene 88
A_55_P1985985	0.004351863	10.57	Il3	interleukin 3
A_55_P2066116	6.45E-10	10.52	Bcl3	B-cell leukemia/lymphoma 3
A_51_P417701	1.06E-06	10.51	Apaf1	apoptotic peptidase activating factor 1
A_52_P282762	2.91E-07	10.50	Myd88	myeloid differentiation primary response gene 88
A_52_P282762	9.36E-08	10.48	Myd88	myeloid differentiation primary response gene 88

A_52_P282762	3.36E-07	10.45	Myd88	myeloid differentiation primary response gene 88
A_52_P282762	1.17E-07	10.44	Myd88	myeloid differentiation primary response gene 88
A_51_P115005	5.66E-05	10.41	Edn1	endothelin 1
A_52_P282762	1.86E-07	10.36	Myd88	myeloid differentiation primary response gene 88
A_51_P195958	1.98E-06	10.27	Phlda1	pleckstrin homology-like domain, family A, member 1
A_55_P2243431	1.46E-05	10.25	Gdap10	ganglioside-induced differentiation-associated-protein 10
A_55_P1980287	5.43E-09	10.24	Birc3	baculoviral IAP repeat-containing 3
A_55_P2078433	0.000190728	10.13	Mcoln2	mucoilin 2
A_30_P01022005	0.000156728	10.13		
A_51_P100327	4.49E-09	10.12	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P167292	0.004066066	10.11	Chi3l3	chitinase 3-like 3
A_52_P282762	5.37E-08	10.03	Myd88	myeloid differentiation primary response gene 88
A_51_P100327	6.65E-09	10.02	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_52_P403484	0.000710593	10.02	Ptpn2	protein tyrosine phosphatase, non-receptor type 2
A_51_P351015	6.42E-08	10.00	Lta	lymphotoxin A
A_55_P2136880	4.07E-08	9.97	Ppp1r15a	protein phosphatase 1, regulatory (inhibitor) subunit 15A
A_51_P100327	4.02E-09	9.95	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_52_P679860	4.63E-06	9.95	Herc6	hect domain and RLD 6
A_30_P01033084	0.000721129	9.92		
A_30_P01021483	2.73E-08	9.92		
A_55_P2057118	7.68E-06	9.91		
A_30_P01032273	6.38E-05	9.87		
A_51_P100327	3.53E-09	9.83	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_52_P422494	1.80E-07	9.82	Cd300lf	CD300 antigen like family member F
A_55_P1981455	9.28E-07	9.79		
A_51_P237865	3.53E-05	9.79	Il4	interleukin 4
A_51_P473953	1.20E-09	9.78	Arhgef26	Rho guanine nucleotide exchange factor (GEF) 26
A_51_P100327	2.68E-10	9.75	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P100327	2.62E-09	9.73	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P100327	5.73E-09	9.69	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P489996	0.000105777	9.68		
A_51_P196972	0.000174368	9.67	Slc4a1	solute carrier family 4 (anion exchanger), member 1
A_51_P100327	5.48E-09	9.66	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P100327	3.34E-08	9.66	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P342567	0.003322643	9.65	Akap12	A kinase (PRKA) anchor protein (gravin) 12
A_55_P2017347	9.45E-07	9.59	Krtap11-1	keratin associated protein 11-1
A_51_P100327	3.10E-09	9.59	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P199135	7.63E-06	9.57	Cd83	CD83 antigen
A_30_P01028308	2.49E-05	9.54		
A_30_P01028688	0.000196428	9.53		
A_55_P2133776	0.000694354	9.52	Dppa1	developmental pluripotency associated 1
A_52_P174915	5.98E-05	9.50	Gja1	gap junction protein, alpha 1
A_30_P01032748	0.00034049	9.49		
A_55_P2155103	0.00267568	9.44	Syp12	synaptophysin-like 2
A_55_P2187141	2.19E-07	9.43	Pdcd1lg2	programmed cell death 1 ligand 2
A_51_P254471	6.50E-09	9.37	Birc2	baculoviral IAP repeat-containing 2
A_55_P2183438	9.58E-05	9.34	Runx1	runt related transcription factor 1
A_52_P174915	8.73E-05	9.33	Gja1	gap junction protein, alpha 1
A_30_P01025357	2.36E-06	9.33		
A_30_P01026610	2.28E-05	9.18		
A_55_P2029687	1.41E-05	9.17	Hmox1	heme oxygenase (decycling) 1
A_30_P01025572	2.94E-05	9.16		
A_51_P107362	9.93E-06	9.14	Socs2	suppressor of cytokine signaling 2
A_30_P01031618	0.001002835	9.13		
A_30_P01025452	0.000997479	9.11		
A_66_P130813	6.03E-07	9.10	Samd4	sterile alpha motif domain containing 4
A_51_P228768	8.73E-05	9.10	Slnf3	schlafen 3
A_30_P01028093	0.000133185	9.09		
A_51_P237865	1.70E-05	9.08	Il4	interleukin 4
A_55_P1966194	0.000176825	9.07	Plek	pleckstrin
A_51_P514712	2.75E-08	8.94	Parp14	poly (ADP-ribose) polymerase family, member 14
A_55_P1990633	7.50E-08	8.93	Ilgp1	interferon inducible GTPase 1
A_51_P237865	5.84E-05	8.86	Il4	interleukin 4
A_55_P2032232	1.94E-08	8.81	Rgs9	regulator of G-protein signaling 9
A_51_P237865	5.29E-05	8.78	Il4	interleukin 4
A_30_P01024838	0.003071256	8.76		
A_55_P2093614	8.01E-05	8.76		
A_51_P115005	1.01E-05	8.76	Edn1	endothelin 1
A_30_P01029443	0.000686174	8.73		
A_55_P2118674	1.36E-08	8.73	Tnfp1	TNFAIP3 interacting protein 1
A_30_P01031137	0.002746394	8.72		
A_51_P189746	2.36E-07	8.70	Plm3	proviral integration site 3
A_55_P2012979	0.000495406	8.69	Itgb2l	integrin beta 2-like
A_52_P563825	0.000546224	8.62	B3galt1	UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase, polypeptide 1
A_51_P171075	3.52E-05	8.62	Csf2	colony stimulating factor 2 (granulocyte-macrophage)
A_51_P107362	8.03E-06	8.60	Socs2	suppressor of cytokine signaling 2
A_51_P333274	0.000800617	8.60	Gzmb	granzyme B
A_55_P2171493	8.26E-05	8.59	BC030867	cDNA sequence BC030867
A_51_P246653	0.000233981	8.57	Clec7a	C-type lectin domain family 7, member a
A_55_P2118675	3.65E-09	8.57	Tnfp1	TNFAIP3 interacting protein 1
A_51_P508838	7.40E-05	8.56	Kcne4	potassium voltage-gated channel, Isk-related subfamily, gene 4
A_55_P2159485	0.000241166	8.55		
A_55_P1977149	3.78E-09	8.55	4933426M11Rik	RIKEN cDNA 4933426M11 gene
A_51_P107362	5.07E-06	8.54	Socs2	suppressor of cytokine signaling 2
A_55_P1966731	1.43E-05	8.53	Ifi203	interferon activated gene 203
A_51_P237865	2.44E-05	8.52	Il4	interleukin 4
A_52_P85174	3.55E-07	8.51	Tlr3	toll-like receptor 3
A_51_P443754	2.32E-08	8.50	Hivp2	human immunodeficiency virus type I enhancer binding protein 2
A_51_P315904	7.80E-07	8.49	Gadd45g	growth arrest and DNA-damage-inducible 45 gamma
A_30_P01023244	8.31E-07	8.49		
A_30_P01028475	2.35E-05	8.49		
A_55_P1969032	7.83E-08	8.48	Rgs9	regulator of G-protein signaling 9
A_55_P2076462	0.000155077	8.48	Ln timer	ligand of numb-protein X 1
A_30_P01030435	0.001486408	8.46		
A_51_P107362	5.82E-06	8.46	Socs2	suppressor of cytokine signaling 2
A_51_P115005	1.88E-06	8.43	Edn1	endothelin 1
A_55_P2395911	0.000882467	8.43	D2Ertd295e	DNA segment, Chr 2, ERATO Doi 295, expressed
A_55_P1992834	8.29E-06	8.42	Socs2	suppressor of cytokine signaling 2
A_30_P01032599	0.003626703	8.42		
A_52_P174915	0.000285423	8.40	Gja1	gap junction protein, alpha 1
A_30_P01024596	0.000367356	8.40		
A_55_P1978521	6.06E-07	8.40	Gbp10	guanylate-binding protein 10
A_51_P284946	1.06E-07	8.36	Rnd3	Rho family GTPase 3
A_55_P1973809	5.73E-05	8.36	Hbb-b1	hemoglobin, beta adult major chain
A_66_P125389	1.25E-05	8.36	F830016B08Rik	RIKEN cDNA F830016B08 gene

A_51_P212782	0.000179066	8.35	Il1b	interleukin 1 beta
A_55_P2081488	0.000566467	8.34	Pglyrp1	peptidoglycan recognition protein 1
A_52_P174915	6.37E-05	8.34	Gja1	gap junction protein, alpha 1
A_51_P107362	5.47E-06	8.33	Socs2	suppressor of cytokine signaling 2
A_51_P107362	1.16E-05	8.32	Socs2	suppressor of cytokine signaling 2
A_55_P2410304	2.01E-08	8.30	Ilgp1	interferon inducible GTPase 1
A_55_P2019699	6.51E-09	8.30	Samhd1	SAM domain and HD domain, 1
A_55_P2071952	2.14E-05	8.30	Wdr92	WD repeat domain 92
A_51_P107362	7.50E-06	8.29	Socs2	suppressor of cytokine signaling 2
A_51_P260683	0.000469712	8.26	Rgs1	regulator of G-protein signaling 1
A_30_P01023590	2.85E-08	8.26		
A_51_P107362	1.11E-05	8.26	Socs2	suppressor of cytokine signaling 2
A_51_P107362	5.08E-06	8.25	Socs2	suppressor of cytokine signaling 2
A_55_P2081164	9.28E-06	8.25	Cd300lf	CD300 antigen like family member F
A_51_P107362	1.32E-05	8.24	Socs2	suppressor of cytokine signaling 2
A_30_P01030934	0.000906651	8.21		
A_51_P237865	0.000166684	8.20	Il4	interleukin 4
A_51_P112355	7.09E-07	8.19	Igtp	interferon gamma induced GTPase
A_66_P114705	3.96E-05	8.18	Adams6	a disintegrin-like and metallopeptidase (repolysin type) with thrombospondin type 1 motif, 6
A_55_P1966928	0.000161556	8.18	LnX1	ligand of numb-protein X 1
A_51_P212782	9.95E-05	8.18	Il1b	interleukin 1 beta
A_55_P2170405	6.43E-08	8.17		
A_51_P258721	0.004228615	8.16	Tpsg1	tryptase gamma 1
A_66_P110769	0.000763125	8.16	Cabyr	calcium-binding tyrosine-(Y)-phosphorylation regulated (fibrousheathin 2)
A_51_P115005	5.48E-06	8.16	Edn1	endothelin 1
A_30_P01018928	0.000831707	8.15		
A_30_P01021136	7.81E-05	8.13		
A_51_P159453	4.66E-06	8.13	Serpina3n	serine (or cysteine) peptidase inhibitor, clade A, member 3N
A_51_P112355	4.45E-07	8.12	Igtp	interferon gamma induced GTPase
A_51_P351015	4.70E-07	8.12	Lta	lymphotoxin A
A_52_P87843	4.67E-08	8.10	Aldh1a3	aldehyde dehydrogenase family 1, subfamily A3
A_52_P174915	0.000158779	8.08	Gja1	gap junction protein, alpha 1
A_55_P2000067	1.04E-06	8.08	Irf1	interferon regulatory factor 1
A_52_P108346	6.43E-06	8.07	Myc	myelocytomatosis oncogene
A_30_P01027576	1.93E-05	8.07		
A_51_P112355	1.36E-06	8.07	Igtp	interferon gamma induced GTPase
A_55_P2096947	0.001607342	8.05	Ereg	epiregulin
A_51_P112355	1.08E-07	8.05	Igtp	interferon gamma induced GTPase
A_55_P2051596	4.78E-05	8.04		
A_51_P112355	7.00E-07	8.03	Igtp	interferon gamma induced GTPase
A_51_P115005	3.39E-06	8.02	Edn1	endothelin 1
A_51_P325223	0.001301922	8.02	Lin7b	lin-7 homolog B (C. elegans)
A_55_P1971378	0.000244893	8.01	Nlrp12	NLR family, pyrin domain containing 12
A_51_P112355	6.90E-07	8.00	Igtp	interferon gamma induced GTPase
A_51_P351015	2.44E-08	7.98	Lta	lymphotoxin A
A_55_P2028259	8.50E-08	7.98	Rhbf2	rhomoid 5 homolog 2 (Drosophila)
A_55_P2094868	0.000100918	7.97	Ly75	lymphocyte antigen 75
A_55_P2020090	0.00043421	7.97	Mum11	melanoma associated antigen (mutated) 1-like 1
A_51_P112355	6.96E-07	7.97	Igtp	interferon gamma induced GTPase
A_51_P162955	5.08E-05	7.96	Serpina7	serine (or cysteine) peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 7
A_30_P01027543	4.69E-06	7.95		
A_51_P115005	1.17E-05	7.93	Edn1	endothelin 1
A_51_P112355	3.52E-07	7.93	Igtp	interferon gamma induced GTPase
A_51_P212782	0.000200629	7.92	Il1b	interleukin 1 beta
A_30_P01023276	1.16E-05	7.92		
A_51_P112355	2.16E-06	7.87	Igtp	interferon gamma induced GTPase
A_51_P115005	1.65E-05	7.86	Edn1	endothelin 1
A_51_P114616	7.21E-06	7.86	Batf	basic leucine zipper transcription factor, ATF-like
A_52_P248403	5.00E-05	7.85		
A_30_P01023083	2.72E-06	7.84		
A_55_P1998811	7.00E-05	7.82		
A_52_P174915	0.000149836	7.77	Gja1	gap junction protein, alpha 1
A_51_P385718	0.003497069	7.77	Cd177	CD177 antigen
A_51_P212782	0.000130424	7.76	Il1b	interleukin 1 beta
A_51_P312336	0.003524598	7.75	Slc14a1	solute carrier family 14 (urea transporter), member 1
A_55_P2004224	0.000508087	7.75		
A_55_P1992838	9.97E-06	7.74	Socs2	suppressor of cytokine signaling 2
A_51_P115005	4.32E-06	7.74	Edn1	endothelin 1
A_66_P140121	4.45E-06	7.74		
A_52_P100926	0.001646028	7.73	Il1a	interleukin 1 alpha
A_55_P2085165	0.000653452	7.72		
A_51_P212782	0.000173813	7.70	Il1b	interleukin 1 beta
A_51_P509643	4.88E-05	7.69	Snca	synuclein, alpha
A_51_P176972	0.000513449	7.69	Amigo2	adhesion molecule with Ig like domain 2
A_30_P01020502	8.56E-08	7.69		
A_55_P1983708	5.17E-05	7.68	Insrr	insulin receptor-related receptor
A_51_P112355	1.52E-06	7.67	Igtp	interferon gamma induced GTPase
A_51_P115005	5.05E-06	7.67	Edn1	endothelin 1
A_51_P450278	7.38E-05	7.65	2010003K11Rik	RIKEN cDNA 2010003K11 gene
A_30_P01023338	1.25E-05	7.65		
A_51_P212782	7.37E-05	7.64	Il1b	interleukin 1 beta
A_52_P108346	1.35E-05	7.63	Myc	myelocytomatosis oncogene
A_51_P114616	2.72E-05	7.63	Batf	basic leucine zipper transcription factor, ATF-like
A_51_P451346	2.77E-07	7.62	Klf6	Kruppel-like factor 6
A_55_P1982030	0.000416161	7.62	H3f3b	H3 histone, family 3B
A_51_P490795	2.57E-08	7.61	Mxd1	MAX dimerization protein 1
A_51_P212782	0.00014952	7.60	Il1b	interleukin 1 beta
A_30_P01023737	3.61E-05	7.60		
A_30_P01025756	7.27E-05	7.60		
A_66_P105585	7.15E-07	7.60	Slnf8	schlafen 8
A_51_P212782	0.000183206	7.59	Il1b	interleukin 1 beta
A_66_P139683	4.96E-06	7.59	Zbp1	Z-DNA binding protein 1
A_51_P114616	2.26E-05	7.57	Batf	basic leucine zipper transcription factor, ATF-like
A_51_P212782	0.000122943	7.56	Il1b	interleukin 1 beta
A_51_P237865	4.17E-05	7.56	Il4	interleukin 4
A_51_P185757	8.00E-06	7.54	Casz1	castor homolog 1, zinc finger (Drosophila)
A_51_P351015	1.56E-06	7.52	Lta	lymphotoxin A
A_55_P2023294	8.12E-07	7.52	Il20rb	interleukin 20 receptor beta
A_52_P174915	5.04E-05	7.52	Gja1	gap junction protein, alpha 1
A_51_P329003	0.000185135	7.51	Slc25a31	solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 31
A_51_P114616	1.31E-05	7.51	Batf	basic leucine zipper transcription factor, ATF-like
A_30_P01033671	0.000190471	7.47		
A_51_P212782	0.000162267	7.47	Il1b	interleukin 1 beta
A_55_P2233373	0.001608777	7.46	D930023I05Rik	RIKEN cDNA D930023I05 gene
A_51_P419286	3.31E-05	7.44	Batf3	basic leucine zipper transcription factor, ATF-like 3

A_52_P280832	8.24E-06	7.44	Defb34	defensin beta 34
A_51_P114616	3.35E-05	7.43	Batf	basic leucine zipper transcription factor, ATF-like
A_52_P590474	2.47E-07	7.43	Ccnl1	cyclin L1
A_52_P174915	7.14E-05	7.40	Gja1	gap junction protein, alpha 1
A_51_P115005	5.02E-06	7.40	Edn1	endothelin 1
A_51_P359570	4.69E-08	7.40	Ifit3	interferon-induced protein with tetratricopeptide repeats 3
A_55_P2038540	0.000489502	7.38	Hbb-b2	hemoglobin, beta adult minor chain
A_51_P150302	9.22E-05	7.37	Crtam	cytotoxic and regulatory T cell molecule
A_52_P98625	3.18E-11	7.37	Ankrd57	ankyrin repeat domain 57
A_55_P1990815	0.001384405	7.36	Tcp10c	t-complex protein 10c
A_51_P114616	1.42E-05	7.35	Batf	basic leucine zipper transcription factor, ATF-like
A_55_P2080850	1.39E-06	7.34	Ptpn2	protein tyrosine phosphatase, non-receptor type 2
A_55_P2007496	0.000157194	7.32		
A_55_P2095583	0.000925396	7.31	Tcp10b	t-complex protein 10b
A_66_P116098	5.50E-07	7.30	Ptpn2	protein tyrosine phosphatase, non-receptor type 2
A_55_P2180519	0.000124065	7.30		
A_51_P114616	7.03E-05	7.28	Batf	basic leucine zipper transcription factor, ATF-like
A_55_P2033690	0.000122191	7.28	LOC637916	midline-1-like
A_55_P2159885	0.001724946	7.25	Tead1	TEA domain family member 1
A_51_P114616	2.32E-05	7.24	Batf	basic leucine zipper transcription factor, ATF-like
A_30_P01023508	1.06E-06	7.23		
A_55_P1974005	3.36E-06	7.22	Tnfrsf23	tumor necrosis factor receptor superfamily, member 23
A_51_P351015	0.000264468	7.21	Lta	lymphotoxin A
A_52_P628590	2.16E-05	7.21	Pvr	poliovirus receptor
A_30_P01021573	2.16E-06	7.18		
A_30_P01018875	1.40E-08	7.17		
A_55_P2337073	6.60E-05	7.15	Mid1	midline 1
A_51_P351015	9.16E-07	7.13	Lta	lymphotoxin A
A_55_P2025765	5.14E-08	7.12	Adam8	a disintegrin and metallopeptidase domain 8
A_51_P237865	8.76E-06	7.11	Il4	interleukin 4
A_30_P01018879	0.000251085	7.10		
A_55_P1995055	5.29E-05	7.09	Prr7	proline rich 7 (synaptic)
A_55_P2063237	0.000866449	7.09	Dusp5	dual specificity phosphatase 5
A_30_P01022549	6.49E-06	7.07		
A_52_P174915	4.86E-05	7.06	Gja1	gap junction protein, alpha 1
A_55_P1966774	2.15E-05	7.04	Serpina3l	serine (or cysteine) peptidase inhibitor, clade A, member 3l
A_55_P2038983	2.04E-06	7.04		
A_51_P417854	3.99E-09	7.03	Rab20	RAB20, member RAS oncogene family
A_51_P114616	2.40E-05	7.00	Batf	basic leucine zipper transcription factor, ATF-like
A_55_P2046802	2.74E-05	6.99	Mlkl	mixed lineage kinase domain-like
A_52_P541161	3.07E-07	6.96	Rgs18	regulator of G-protein signaling 18
A_52_P517098	0.000794418	6.95	Il18rap	interleukin 18 receptor accessory protein
A_51_P237865	7.81E-06	6.93	Il4	interleukin 4
A_30_P01030277	6.96E-05	6.93		
A_51_P459489	3.59E-07	6.90	Tmco5	transmembrane and coiled-coil domains 5
A_52_P299771	0.001142031	6.89	Bcl2a1c	B-cell leukemia/lymphoma 2 related protein A1c
A_51_P187750	3.39E-05	6.89	Neur13	neuronalized homolog 3 homolog (Drosophila)
A_51_P421958	0.000196591	6.89	Sgms1	sphingomyelin synthase 1
A_52_P184149	0.0013127	6.89	Mthfd2	methylenetetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate cyclohydrolase
A_55_P1968743	1.49E-07	6.88	Nfkb1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
A_55_P2106504	7.48E-05	6.83	Skor1	SKI family transcriptional corepressor 1
A_30_P01024637	0.000322564	6.83		
A_55_P2111603	9.54E-05	6.82		
A_66_P124724	1.88E-06	6.81	Rnf19b	ring finger protein 19B
A_55_P2108151	0.000418707	6.81	Beta-s	hemoglobin subunit beta-1-like
A_55_P1978666	0.000446148	6.79	Sybu	syntabulin (syntaxin-interacting)
A_51_P153995	1.63E-07	6.79	Gp9	glycoprotein 9 (platelet)
A_55_P2090633	2.06E-07	6.79	Ptp4a1	protein tyrosine phosphatase 4a1
A_55_P1991874	0.002590505	6.79	Dcpp3	demilune cell and parotid protein 3
A_55_P2099810	0.001590379	6.76	Akap12	A kinase (PRKA) anchor protein (gravin) 12
A_55_P2090060	3.65E-05	6.75	BC037703	cDNA sequence BC037703
A_51_P246317	3.56E-08	6.71	Mt2	metallothionein 2
A_55_P2258956	0.000480174	6.70	AU044856	expressed sequence AU044856
A_52_P77080	0.003615314	6.69	Gypa	glycophorin A
A_51_P159503	3.33E-08	6.68		
A_30_P01025433	1.85E-05	6.67		
A_55_P2402781	0.00036246	6.67	B230216N24Rik	RIKEN cDNA B230216N24 gene
A_30_P01030466	0.000459052	6.66		
A_52_P174915	3.45E-05	6.65	Gja1	gap junction protein, alpha 1
A_55_P1983668	6.42E-05	6.65	Gm6377	predicted gene 6377
A_55_P2022419	2.00E-06	6.65	D030018L15Rik	nuclear receptor coactivator 2 pseudogene
A_51_P114616	9.52E-06	6.64	Batf	basic leucine zipper transcription factor, ATF-like
A_30_P01025491	7.11E-06	6.63		
A_30_P01026855	0.0009743	6.63		
A_55_P2046852	0.003575985	6.61	Gata1	GATA binding protein 1
A_55_P2016034	3.64E-09	6.61	Nlr5	NLR family, CARD domain containing 5
A_30_P01021493	0.000128883	6.60		
A_66_P128525	3.05E-07	6.59	Slfn5	schlafen 5
A_30_P01028387	6.97E-10	6.58		
A_51_P237865	7.37E-05	6.57	Il4	interleukin 4
A_51_P496751	1.04E-07	6.53	Nop58	NOP58 ribonucleoprotein homolog (yeast)
A_51_P351481	2.11E-07	6.52	Ccnl1	cyclin L1
A_30_P01022729	0.000580833	6.52		
A_55_P1964347	2.78E-09	6.52		
A_30_P01032078	0.002111282	6.50		
A_30_P01018695	2.37E-06	6.50		
A_52_P23308	9.28E-06	6.50	5730508B09Rik	RIKEN cDNA 5730508B09 gene
A_51_P176086	0.001088371	6.48	Ffar2	free fatty acid receptor 2
A_55_P2022399	0.000292362	6.48	Ghrl	ghrelin
A_30_P01018824	7.01E-06	6.46		
A_55_P1991199	1.06E-05	6.45	Nos1ap	nitric oxide synthase 1 (neuronal) adaptor protein
A_55_P1966833	3.99E-07	6.44	Xaf1	XIAP associated factor 1
A_55_P2019557	6.49E-05	6.43	Mrgpra2b	MAS-related GPR, member A2B
A_55_P1994042	5.09E-05	6.42	Zbp1	Z-DNA binding protein 1
A_55_P2091676	2.58E-07	6.42	Fas	Fas (TNF receptor superfamily member 6)
A_55_P1957459	7.25E-05	6.40	Lilrb4	leukocyte immunoglobulin-like receptor, subfamily B, member 4
A_51_P219505	0.000204045	6.37	Slc41a2	solute carrier family 41, member 2
A_51_P146753	0.001366318	6.36	Csf2rb2	colony stimulating factor 2 receptor, beta 2, low-affinity (granulocyte-macrophage)
A_55_P2090505	1.16E-05	6.36		
A_52_P617327	7.66E-05	6.35	Rcan1	regulator of calcineurin 1
A_55_P2130839	0.000198529	6.35		
A_30_P01024661	6.37E-06	6.33		
A_52_P489295	2.22E-05	6.33	Adams1	a disintegrin-like and metallopeptidase (reprolysin type) with thrombospondin type 1 motif, 1
A_30_P01026595	0.0014627	6.32		
A_30_P01024610	1.88E-05	6.30		

A_55_P2055587	2.68E-08	6.30	Enpp4	ectonucleotide pyrophosphatase/phosphodiesterase 4
A_55_P2035623	7.72E-05	6.29	Zfp473	zinc finger protein 473
A_52_P642239	5.80E-07	6.29	Plk3ap1	phosphoinositide-3-kinase adaptor protein 1
A_52_P232580	2.11E-05	6.29	Dyrk3	dual-specificity tyrosine-(Y)-phosphorylation regulated kinase 3
A_55_P2100884	1.33E-05	6.29	Fjx1	four jointed box 1 (Drosophila)
A_51_P304170	5.72E-10	6.27	Rtp4	receptor transporter protein 4
A_55_P1956593	0.001377885	6.25	Plekha4	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 4
A_30_P01029901	0.000362073	6.24		
A_30_P01019079	0.000886545	6.23		
A_52_P319438	0.000330683	6.18	Ankrd37	ankyrin repeat domain 37
A_51_P254656	0.000160304	6.18	Hdc	histidine decarboxylase
A_55_P2082180	0.000222667	6.17	Tnfrsf9	tumor necrosis factor receptor superfamily, member 9
A_55_P1968738	1.28E-06	6.16	Nfkb1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
A_52_P247927	2.26E-05	6.15		
A_65_P06572	6.54E-07	6.14	Smad5	MAD homolog 5 (Drosophila)
A_55_P2010271	1.13E-05	6.14	Samsn1	SAM domain, SH3 domain and nuclear localization signals, 1
A_30_P01021837	0.000240415	6.13		
A_55_P2040295	2.07E-08	6.13	Ptp4a1	protein tyrosine phosphatase 4a1
A_55_P1979682	6.43E-05	6.13	Ikzf4	IKAROS family zinc finger 4
A_55_P2348948	0.000160964	6.12		
A_52_P599055	2.57E-08	6.12	Atg14	VATG14 autophagy related 14 homolog (S. cerevisiae)
A_55_P2104026	4.54E-05	6.12		
A_51_P295192	5.66E-09	6.10	Nfkb1a	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha
A_51_P200517	0.000379733	6.10	Rasgef1a	RasGEF domain family, member 1A
A_66_P108019	9.12E-06	6.10	Heatr1	HEAT repeat containing 1
A_30_P01018715	4.59E-07	6.10		
A_30_P01025810	4.91E-09	6.09		
A_55_P2004016	0.000226488	6.09	Crispld2	cysteine-rich secretory protein LCCL domain containing 2
A_52_P516034	1.64E-07	6.08	Ptp4a1	protein tyrosine phosphatase 4a1
A_55_P2174524	1.05E-05	6.07		
A_55_P2091676	2.53E-07	6.06	Fas	Fas (TNF receptor superfamily member 6)
A_51_P279062	8.13E-08	6.06	Trem1	triggering receptor expressed on myeloid cells-like 1
A_55_P2067473	8.10E-06	6.04		
A_55_P1985337	0.00011127	6.04	Sytl3	synaptotagmin-like 3
A_52_P667287	6.99E-05	6.04	Lass6	LAG1 homolog, ceramide synthase 6
A_30_P01021037	1.16E-08	6.03		
A_66_P114102	7.37E-08	6.03	Zfp3612	zinc finger protein 36, C3H type-like 2
A_55_P2361652	9.87E-05	6.02	C230085N15Rik	RIKEN cDNA C230085N15 gene
A_55_P2219194	0.000233436	6.01	4930568E12Rik	RIKEN cDNA 4930568E12 gene
A_30_P01029344	9.97E-05	6.00		
A_55_P2155197	3.20E-08	6.00	Tnfrsf22	tumor necrosis factor receptor superfamily, member 22
A_30_P01029868	1.95E-08	6.00		
A_55_P2032775	0.002048165	5.98		
A_30_P01019832	1.28E-05	5.97		
A_55_P2230913	1.58E-05	5.97	Etv6	ets variant gene 6 (TEL oncogene)
A_52_P250644	0.0001242	5.96		
A_55_P2058783	0.00147218	5.95	2310016C08Rik	RIKEN cDNA 2310016C08 gene
A_55_P1968738	5.13E-07	5.93	Nfkb1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
A_55_P1956762	0.000457879	5.93		
A_55_P2027022	5.70E-07	5.92	Prdm1	PR domain containing 1, with ZNF domain
A_55_P2050268	1.54E-07	5.92	Nfkb1d	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, delta
A_55_P2013760	9.62E-11	5.91	Slc39a14	solute carrier family 39 (zinc transporter), member 14
A_51_P351015	2.12E-06	5.90	Lta	lymphotoxin A
A_30_P01023429	0.000538511	5.89		
A_55_P1969128	0.001751381	5.89	Cidec	cell death-inducing DFFA-like effector c
A_55_P2051666	7.55E-05	5.89	Nfkb1b	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, beta
A_51_P414746	2.07E-06	5.87	Defb15	defensin beta 15
A_55_P2135200	6.25E-08	5.87	Sifn10-ps	schlafen 10, pseudogene
A_52_P199633	7.62E-06	5.87	Trim30d	tripartite motif-containing 30D
A_51_P428578	1.92E-08	5.86	Fam134b	family with sequence similarity 134, member B
A_30_P01032288	4.28E-05	5.86		
A_30_P01024450	9.87E-06	5.83		
A_51_P468240	7.14E-09	5.80	Dennd4a	DENN/MADD domain containing 4A
A_51_P439085	0.00258719	5.78	2310016C08Rik	RIKEN cDNA 2310016C08 gene
A_51_P240801	4.71E-07	5.78	Tmem173	transmembrane protein 173
A_52_P106259	0.00016169	5.77	Egfr	epidermal growth factor receptor
A_55_P2116059	2.31E-09	5.76	Alm1	absent in melanoma 1
A_51_P389885	0.000297041	5.75	Spic	Spi-C transcription factor (Spi-1/PU.1 related)
A_30_P01023623	2.75E-06	5.75		
A_55_P1990780	9.42E-10	5.73	Ptp4a1	protein tyrosine phosphatase 4a1
A_51_P196925	1.40E-06	5.73	Cx3cl1	chemokine (C-X3-C motif) ligand 1
A_30_P01032592	2.82E-06	5.73		
A_55_P1953241	1.96E-09	5.72	Mafk	v-maf musculoaponeurotic fibrosarcoma oncogene family, protein K (avian)
A_52_P106259	0.000107616	5.72	Egfr	epidermal growth factor receptor
A_66_P106661	0.000124586	5.71	Slc7a1	solute carrier family 7 (cationic amino acid transporter, y+ system), member 1
A_52_P354744	0.00022866	5.71	Slc2a3	solute carrier family 2 (facilitated glucose transporter), member 3
A_55_P2083619	3.49E-05	5.70	Rab8b	RAB8B, member RAS oncogene family
A_52_P494730	0.000388591	5.69	Gm12185	predicted gene 12185
A_52_P106259	5.80E-05	5.69	Egfr	epidermal growth factor receptor
A_52_P106259	9.25E-05	5.69	Egfr	epidermal growth factor receptor
A_52_P49321	4.40E-05	5.69	Adams9	a disintegrin-like and metalloprotease (reprolysin type) with thrombospondin type 1 motif, 9
A_52_P557059	2.96E-05	5.68	Olf536	olfactory receptor 536
A_30_P01021730	0.000321414	5.68		
A_52_P106259	0.000112962	5.67	Egfr	epidermal growth factor receptor
A_55_P1995195	4.99E-09	5.67	Fosl2	fos-like antigen 2
A_51_P127681	5.34E-07	5.66	Clc4	chloride intracellular channel 4 (mitochondrial)
A_55_P2093277	3.18E-05	5.66	Olf1077-ps1	olfactory receptor 1077, pseudogene 1
A_55_P1962303	1.61E-05	5.66	Hba-a1	hemoglobin alpha, adult chain 1
A_55_P1985433	5.85E-07	5.66	Nrg1	neuregulin 1
A_51_P297369	0.000182931	5.64	Olf530	olfactory receptor 530
A_55_P2140745	8.09E-08	5.64		
A_51_P195506	1.56E-05	5.62	Csf1	colony stimulating factor 1 (macrophage)
A_51_P127681	8.76E-07	5.62	Clc4	chloride intracellular channel 4 (mitochondrial)
A_55_P2401403	9.06E-07	5.62	C030046G05	hypothetical protein C030046G05
A_51_P127681	5.53E-07	5.62	Clc4	chloride intracellular channel 4 (mitochondrial)
A_51_P127681	4.86E-07	5.61	Clc4	chloride intracellular channel 4 (mitochondrial)
A_52_P14456	8.67E-05	5.61	Srrm4	serine/arginine repetitive matrix 4
A_55_P1974288	8.83E-10	5.60	Rela	v-rel reticuloendotheliosis viral oncogene homolog A (avian)
A_52_P106259	8.67E-05	5.60	Egfr	epidermal growth factor receptor
A_30_P01031641	1.25E-05	5.60		
A_30_P01029548	0.000372504	5.60		
A_52_P106259	8.88E-05	5.58	Egfr	epidermal growth factor receptor
A_30_P01033049	0.000103334	5.57		
A_52_P468068	1.24E-06	5.56	Tchh	trichohyalin
A_55_P2114187	0.003312556	5.56	Gm6522	predicted gene 6522

A_55_P1957353	1.51E-06	5.56		
A_51_P195506	1.64E-05	5.56	Csf1	colony stimulating factor 1 (macrophage)
A_30_P01024007	0.001317035	5.55		
A_51_P127681	2.77E-07	5.54	Clc4	chloride intracellular channel 4 (mitochondrial)
A_55_P2015687	9.79E-05	5.54	D14Erttd668e	DNA segment, Chr 14, ERATO Doi 668, expressed
A_55_P2052016	4.13E-05	5.54	Crispld2	cysteine-rich secretory protein LCCL domain containing 2
A_51_P127681	6.85E-07	5.53	Clc4	chloride intracellular channel 4 (mitochondrial)
A_51_P195506	7.73E-06	5.53	Csf1	colony stimulating factor 1 (macrophage)
A_55_P2007408	0.001124068	5.52		
A_30_P01033378	2.39E-05	5.52		
A_55_P2444515	0.000106545	5.51	Akap2	A kinase (PRKA) anchor protein 2
A_51_P299739	1.69E-06	5.51	D10Wsu102e	DNA segment, Chr 10, Wayne State University 102, expressed
A_51_P423578	0.000181846	5.51	Slnf2	schlafen 2
A_51_P127681	5.71E-07	5.50	Clc4	chloride intracellular channel 4 (mitochondrial)
A_30_P01028457	9.36E-08	5.47		
A_51_P127681	1.55E-06	5.46	Clc4	chloride intracellular channel 4 (mitochondrial)
A_51_P195506	6.98E-06	5.46	Csf1	colony stimulating factor 1 (macrophage)
A_52_P106259	7.46E-05	5.46	Egfr	epidermal growth factor receptor
A_30_P01026746	5.18E-06	5.45		
A_52_P106259	7.08E-05	5.45	Egfr	epidermal growth factor receptor
A_55_P1959496	0.00041744	5.44		
A_51_P127681	4.68E-07	5.44	Clc4	chloride intracellular channel 4 (mitochondrial)
A_51_P362661	6.39E-07	5.44	Spin4	spindlin family, member 4
A_30_P01025587	2.25E-05	5.43		
A_51_P127681	7.15E-07	5.43	Clc4	chloride intracellular channel 4 (mitochondrial)
A_55_P2103225	0.000319807	5.42	Slc25a18	solute carrier family 25 (mitochondrial carrier), member 18
A_55_P1972872	2.93E-06	5.42	I830012O16Rik	RIKEN cDNA I830012O16 gene
A_55_P1984881	3.55E-06	5.42	I700024P16Rik	RIKEN cDNA I700024P16 gene
A_55_P2082806	2.72E-07	5.42	Trib1	tribbles homolog 1 (Drosophila)
A_55_P2011084	4.23E-06	5.41		
A_55_P2102936	2.67E-05	5.41	Pnrc1	proline-rich nuclear receptor coactivator 1
A_30_P01028471	9.79E-05	5.41		
A_30_P01031553	0.002640599	5.41		
A_52_P106259	0.000113271	5.41	Egfr	epidermal growth factor receptor
A_51_P195506	5.07E-06	5.40	Csf1	colony stimulating factor 1 (macrophage)
A_52_P573552	3.30E-07	5.40	Trib1	tribbles homolog 1 (Drosophila)
A_55_P2154252	5.72E-05	5.40	Gfpt2	glutamine fructose-6-phosphate transaminase 2
A_30_P01027537	7.31E-06	5.39		
A_66_P109986	0.002878345	5.39	Cd33	CD33 antigen
A_52_P363216	2.62E-07	5.39	Gcnt2	glucosaminyl (N-acetyl) transferase 2, I-branching enzyme
A_51_P407193	5.08E-06	5.39	Clp1	CLP1, cleavage and polyadenylation factor I subunit, homolog (S. cerevisiae)
A_51_P271439	1.33E-08	5.39	Fam59a	family with sequence similarity 59, member A
A_55_P2029746	1.88E-05	5.39		
A_52_P548202	8.46E-05	5.38	Gm10030	predicted gene 10030
A_55_P2087622	0.00050457	5.38	Il4i1	interleukin 4 induced 1
A_51_P195506	1.28E-05	5.37	Csf1	colony stimulating factor 1 (macrophage)
A_51_P195506	9.97E-06	5.36	Csf1	colony stimulating factor 1 (macrophage)
A_51_P351015	4.20E-08	5.35	Lta	lymphotoxin A
A_55_P1995135	1.63E-07	5.34	Casz1	castor homolog 1, zinc finger (Drosophila)
A_55_P2041738	1.79E-06	5.34	Il15ra	interleukin 15 receptor, alpha chain
A_30_P01022335	3.05E-09	5.33		
A_55_P1958480	6.60E-05	5.33	LOC545005	hypothetical protein LOC545005
A_30_P01024706	2.17E-09	5.33		
A_51_P484880	0.001080212	5.33	Bcl2l11	BCL2-like 11 (apoptosis facilitator)
A_55_P2087628	1.36E-07	5.32	LOC640793	schlafen family member 13-like
A_55_P2149011	0.001321643	5.32	Hlf1a	hypoxia inducible factor 1, alpha subunit
A_55_P2122075	4.07E-05	5.32	Pdcd1lg2	programmed cell death 1 ligand 2
A_51_P195506	1.02E-05	5.32	Csf1	colony stimulating factor 1 (macrophage)
A_55_P2092909	0.000134625	5.30	Rassf1	Ras association (RalGDS/AF-6) domain family member 1
A_51_P275454	5.61E-05	5.29	Trim30a	tripartite motif-containing 30A
A_51_P351015	7.37E-06	5.29	Lta	lymphotoxin A
A_30_P01024238	2.69E-05	5.28		
A_51_P195506	1.68E-05	5.28	Csf1	colony stimulating factor 1 (macrophage)
A_55_P2097259	1.56E-09	5.28		
A_52_P559919	6.42E-06	5.28	Elf2ak2	eukaryotic translation initiation factor 2-alpha kinase 2
A_55_P2116689	1.69E-05	5.28	I700024P16Rik	RIKEN cDNA I700024P16 gene
A_30_P01018298	5.40E-05	5.27		
A_51_P195506	9.23E-07	5.26	Csf1	colony stimulating factor 1 (macrophage)
A_52_P616332	1.75E-05	5.25	Atp10d	ATPase, class V, type 10D
A_55_P2177073	0.000773812	5.25		
A_51_P170807	0.002516488	5.23	Map3k6	mitogen-activated protein kinase kinase kinase 6
A_30_P01025287	0.000202414	5.22		
A_55_P2120169	0.000123219	5.21		
A_30_P01024377	0.001792389	5.21		
A_51_P417074	4.20E-06	5.21	Arhgap8	Rho GTPase activating protein 8
A_55_P2100194	2.43E-05	5.20		
A_55_P2183587	3.52E-05	5.20	Gli1	GLI-Kruppel family member GLI1
A_55_P2111790	1.25E-07	5.18	Gem	GTP binding protein (gene overexpressed in skeletal muscle)
A_55_P2140212	8.31E-05	5.18		
A_30_P01020988	0.000168259	5.17		
A_55_P2032815	7.45E-07	5.17	Rnase13	ribonuclease, RNase A family, 13 (non-active)
A_55_P2149896	0.000147077	5.16	BC046404	cDNA sequence BC046404
A_30_P01030607	0.001779996	5.16		
A_55_P2017115	0.000294311	5.16		
A_30_P01019195	0.001154325	5.16		
A_30_P01024163	6.38E-05	5.16		
A_51_P319460	2.86E-05	5.15	Osmr	oncostatin M receptor
A_55_P2173892	0.000376857	5.15	Isg20	interferon-stimulated protein
A_55_P2186080	0.000582183	5.13		
A_55_P2172022	1.26E-08	5.12	B4galt1	UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 1
A_30_P01027214	3.00E-06	5.12		
A_55_P2165869	1.08E-07	5.12	Cebpb	CCAAT/enhancer binding protein (C/EBP), beta
A_66_P120603	2.34E-06	5.12	Trps1	trichorhinophalangeal syndrome I (human)
A_55_P2137611	9.43E-07	5.12	Irgm2	immunity-related GTPase family M member 2
A_55_P1990629	4.93E-06	5.11		
A_52_P654703	6.97E-05	5.10	Trim69	tripartite motif-containing 69
A_55_P2107785	0.00014868	5.09		
A_55_P2025595	7.20E-05	5.09	Gcnt2	glucosaminyl (N-acetyl) transferase 2, I-branching enzyme
A_30_P01018532	0.000429258	5.09		
A_51_P513244	4.54E-06	5.08	Zfp949	zinc finger protein 949
A_51_P382152	0.001868158	5.07	Procr	protein C receptor, endothelial
A_55_P1978136	6.56E-08	5.04	Tnfp2	TNFAIP3 interacting protein 2
A_55_P2019690	0.000133112	5.04	Slc43a1	solute carrier family 43, member 1
A_30_P01017601	0.004065184	5.02		
A_51_P454008	6.22E-06	5.02	Lbp	lipopolysaccharide binding protein



A_55_P2063736	0.003096325	5.02	Gp49a	glycoprotein 49 A
A_52_P226348	0.001806402	5.02		
A_55_P2173210	0.000256666	5.02		
A_30_P01021725	0.000457404	5.01		
A_55_P2056973	9.26E-06	5.01	Trem12	triggering receptor expressed on myeloid cells-like 2
A_55_P1960916	0.00014202	5.00	Egln3	EGL nine homolog 3 (C. elegans)
A_66_P117933	0.000410581	4.99	I830012O16Rik	RIKEN cDNA I830012O16 gene
A_30_P01031069	7.27E-05	4.98		
A_30_P01030818	1.06E-07	4.98		
A_30_P01030594	6.63E-06	4.98		
A_66_P132515	2.37E-05	4.98	Chmp4c	chromatin modifying protein 4C
A_30_P01023693	3.35E-05	4.97		
A_51_P501364	1.23E-05	4.97	Tbx21	T-box 21
A_30_P01033097	0.000140977	4.97		
A_51_P142989	3.20E-08	4.96	Zfp429	zinc finger protein 429
A_30_P01018494	8.69E-05	4.96		
A_30_P01033434	3.10E-06	4.95		
A_55_P2028015	5.09E-09	4.94	Pawr	PRKC, apoptosis, WT1, regulator
A_30_P01032106	0.000256319	4.94		
A_51_P412835	5.04E-06	4.94	Daxx	Fas death domain-associated protein
A_55_P1971729	4.22E-08	4.93	Cr2	complement receptor 2
A_30_P01032129	0.004305505	4.92		
A_66_P125734	1.31E-06	4.92	Tnlp2	TNFAIP3 interacting protein 2
A_30_P01031653	2.95E-05	4.92		
A_55_P2095754	3.24E-05	4.91	Mrgpra5	MAS-related GPR, member A5
A_51_P286995	0.000101557	4.91	3110001I22Rik	RIKEN cDNA 3110001I22 gene
A_51_P427171	2.45E-06	4.89	9030625A04Rik	RIKEN cDNA 9030625A04 gene
A_30_P01021597	9.42E-05	4.88		
A_55_P2091846	9.25E-07	4.87	Zcchc11	zinc finger, CCHC domain containing 11
A_55_P2133195	4.86E-08	4.86	Gm4951	predicted gene 4951
A_51_P124254	3.92E-06	4.85	Col4a1	collagen, type IV, alpha 1
A_55_P2360501	3.37E-05	4.85	D6Ertd131e	DNA segment, Chr 6, ERATO Doi 131, expressed
A_51_P330369	4.29E-05	4.85	Ssx2lp	synovial sarcoma, X breakpoint 2 interacting protein
A_30_P01026217	1.23E-05	4.83		
A_51_P176365	0.00033672	4.83	Gimap5	GTPase, IMAP family member 5
A_30_P01032868	9.86E-05	4.83		
A_55_P2258832	0.00094449	4.82	LOC100502767	hypothetical LOC100502767
A_52_P186937	0.003400808	4.81	Cmpk2	cytidine monophosphate (UMP-CMP) kinase 2, mitochondrial
A_30_P01027083	0.000156793	4.81		
A_55_P2108077	0.000125715	4.81		
A_55_P2034784	6.85E-06	4.80	9430008C03Rik	RIKEN cDNA 9430008C03 gene
A_52_P306305	0.000100894	4.80	Akap2	A kinase (PRKA) anchor protein 2
A_30_P01030286	7.24E-05	4.79		
A_30_P01022432	0.00019851	4.79		
A_52_P217875	9.25E-05	4.78	H3f3b	H3 histone, family 3B
A_55_P2376547	0.000336486	4.78		
A_51_P105017	8.14E-05	4.77	Rad52	RAD52 homolog (S. cerevisiae)
A_51_P179461	3.34E-05	4.77	Eid3	EP300 interacting inhibitor of differentiation 3
A_30_P01019523	2.84E-05	4.75		
A_30_P01025137	0.001276113	4.74		
A_55_P2023037	0.00044888	4.74	Gm4759	GTPase, very large interferon inducible 1 pseudogene
A_55_P2170876	0.00016208	4.74	Tcp10c	t-complex protein 10c
A_51_P241457	0.001939029	4.74	Lilrb4	leukocyte immunoglobulin-like receptor, subfamily B, member 4
A_66_P139250	5.62E-05	4.74	Kctd3	potassium channel tetramerisation domain containing 3
A_52_P463977	2.40E-06	4.74	Tmem140	transmembrane protein 140
A_55_P2122564	7.62E-06	4.73	Dcp2	DCP2 decapping enzyme homolog (S. cerevisiae)
A_51_P105017	0.000104941	4.73	Rad52	RAD52 homolog (S. cerevisiae)
A_51_P346938	8.95E-05	4.73	Lrg1	leucine-rich alpha-2-glycoprotein 1
A_30_P01032921	0.000512714	4.72		
A_52_P387009	3.92E-05	4.70	Egln3	EGL nine homolog 3 (C. elegans)
A_51_P504833	1.13E-06	4.70	Fam5b	family with sequence similarity 5, member B
A_30_P01018472	0.002857093	4.69		
A_55_P2212733	0.001668455	4.68	C80012	expressed sequence C80012
A_51_P124254	4.51E-05	4.68	Col4a1	collagen, type IV, alpha 1
A_30_P01017499	5.49E-06	4.67		
A_55_P2159934	1.78E-07	4.67	Rnf186	ring finger protein 186
A_55_P2014337	1.68E-09	4.67	Bach1	BTB and CNC homology 1
A_51_P105017	0.000204123	4.66	Rad52	RAD52 homolog (S. cerevisiae)
A_55_P1985428	6.41E-07	4.66	Atg16l2	autophagy related 16 like 2 (S. cerevisiae)
A_55_P1962299	1.95E-06	4.65	Hba-a2	hemoglobin alpha, adult chain 2
A_66_P106060	2.52E-06	4.64	Dtx3l	deltex 3-like (Drosophila)
A_52_P323852	1.12E-07	4.63	Tnfrsf22	tumor necrosis factor receptor superfamily, member 22
A_55_P2086810	0.000588476	4.63	Sp140	Sp140 nuclear body protein
A_51_P185660	9.15E-08	4.63	Ccl9	chemokine (C-C motif) ligand 9
A_55_P2088720	2.21E-05	4.63		
A_55_P2179599	3.46E-05	4.63	Gbp8	guanylate-binding protein 8
A_55_P1975560	2.21E-05	4.63	Ifi204	interferon activated gene 204
A_51_P124254	2.64E-05	4.63	Col4a1	collagen, type IV, alpha 1
A_51_P387123	4.91E-05	4.63	Oas2	2'-5' oligoadenylate synthetase-like 2
A_55_P2090557	0.000403487	4.62	BC046404	cDNA sequence BC046404
A_52_P117294	0.000573054	4.62		
A_30_P01028787	7.55E-05	4.61		
A_51_P458384	3.06E-07	4.61	Slc38a2	solute carrier family 38, member 2
A_52_P303891	0.003217021	4.61	Nr1d2	nuclear receptor subfamily 1, group D, member 2
A_51_P124254	2.92E-05	4.61	Col4a1	collagen, type IV, alpha 1
A_66_P128058	0.00052083	4.61	Mtap7d2	MAP7 domain containing 2
A_30_P01020703	9.03E-07	4.60		
A_55_P2179027	8.16E-06	4.59	Gem	GTP binding protein (gene overexpressed in skeletal muscle)
A_51_P249286	8.07E-05	4.58	Rgs16	regulator of G-protein signaling 16
A_65_P13459	8.83E-05	4.57	Cd300lb	CD300 antigen like family member B
A_51_P124254	1.37E-05	4.57	Col4a1	collagen, type IV, alpha 1
A_55_P2006983	1.40E-05	4.56	Plec	plectin
A_52_P458647	4.51E-05	4.55		
A_55_P2073313	0.000206157	4.55	Unc79	unc-79 homolog (C. elegans)
A_30_P01027929	0.000227202	4.55		
A_55_P2092262	3.48E-08	4.55	Gm7694	predicted gene 7694
A_51_P124254	1.74E-05	4.55	Col4a1	collagen, type IV, alpha 1
A_30_P01027837	7.33E-08	4.54		
A_55_P2035757	0.000424292	4.54	Gm8884	predicted gene 8884
A_55_P2255206	0.003945872	4.54	A730021G18Rik	RIKEN cDNA A730021G18 gene
A_51_P272553	5.54E-07	4.54	Bhlhe40	basic helix-loop-helix family, member e40
A_55_P2174541	3.36E-05	4.54	Dtx3l	deltex 3-like (Drosophila)
A_55_P2209273	0.001538756	4.53		
A_55_P1985815	0.000123767	4.53		
A_51_P124254	2.61E-05	4.52	Col4a1	collagen, type IV, alpha 1

A_55_P2163028	8.42E-06	4.52	Ier2	immediate early response 2
A_55_P2091831	0.00275671	4.51	Krtap1-4	keratin associated protein 1-4
A_51_P105017	7.44E-05	4.51	Rad52	RAD52 homolog (S. cerevisiae)
A_51_P105017	7.25E-05	4.50	Rad52	RAD52 homolog (S. cerevisiae)
A_66_P108462	0.002453622	4.49		
A_51_P369803	7.99E-08	4.49	Psmb9	proteasome (prosome, macropain) subunit, beta type 9 (large multifunctional peptidase 2)
A_66_P137605	4.15E-07	4.49	E330016A19Rik	RIKEN cDNA E330016A19 gene
A_66_P112573	0.000300415	4.48	Isg20	interferon-stimulated protein
A_55_P1989733	9.43E-07	4.47	Nfkbib	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, beta
A_51_P124254	2.03E-05	4.47	Col4a1	collagen, type IV, alpha 1
A_55_P2154049	8.08E-07	4.47		
A_65_P03874	8.77E-08	4.45	Nav2	neuron navigator 2
A_55_P2101055	1.76E-05	4.45	Alpk1	alpha-kinase 1
A_51_P388737	2.70E-07	4.45	Slc11a2	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2
A_55_P2082418	8.62E-08	4.44		
A_51_P124254	3.41E-05	4.44	Col4a1	collagen, type IV, alpha 1
A_55_P2037618	4.18E-05	4.44	C130039O16Rik	RIKEN cDNA C130039O16 gene
A_51_P472249	4.00E-10	4.44	Slc7a7	solute carrier family 7 (cationic amino acid transporter, y+ system), member 7
A_55_P1962344	5.46E-06	4.43	Trim21	tripartite motif-containing 21
A_30_P01018665	0.003310853	4.43		
A_65_P17218	3.23E-06	4.43	Mndal	myeloid nuclear differentiation antigen like
A_51_P201480	0.000105452	4.43	Stat3	signal transducer and activator of transcription 3
A_51_P493857	3.57E-06	4.42	Katna1	katanin p60 (ATPase-containing) subunit A1
A_51_P448127	0.000105017	4.42	2410004A20Rik	RIKEN cDNA 2410004A20 gene
A_30_P01033540	2.64E-05	4.42		
A_55_P2023607	0.000627309	4.42		
A_55_P1953489	1.73E-06	4.41	Lrrc8b	leucine rich repeat containing 8 family, member B
A_30_P01021486	0.000118287	4.41		
A_55_P1993463	1.63E-07	4.41		
A_51_P202745	8.13E-06	4.41	Zc3h13	zinc finger CCCH type containing 13
A_55_P2094925	0.002344958	4.41	Srgn	serglycin
A_30_P01031526	3.63E-05	4.40		
A_51_P105017	5.51E-05	4.40	Rad52	RAD52 homolog (S. cerevisiae)
A_55_P2180969	0.001313933	4.40		
A_55_P2382105	0.000107417	4.39	BC035044	cDNA sequence BC035044
A_51_P105017	0.000202255	4.39	Rad52	RAD52 homolog (S. cerevisiae)
A_55_P2118794	0.003649327	4.38	Otop2	otopetrin 2
A_30_P01023797	6.60E-05	4.38		
A_51_P124254	2.88E-05	4.38	Col4a1	collagen, type IV, alpha 1
A_55_P2124976	0.003041268	4.36	Grhl1	grainyhead-like 1 (Drosophila)
A_52_P103391	7.06E-08	4.36	B4galt1	UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 1
A_51_P415126	4.61E-06	4.35	Tgfa	transforming growth factor alpha
A_51_P207988	9.97E-08	4.35	Ptger4	prostaglandin E receptor 4 (subtype EP4)
A_55_P2080151	2.88E-05	4.35	Hspa2	heat shock protein 2
A_30_P01017852	0.003685948	4.35		
A_55_P2059164	4.85E-07	4.35	H3f3b	H3 histone, family 3B
A_30_P01025945	5.99E-06	4.35		
A_51_P105017	0.000147242	4.34	Rad52	RAD52 homolog (S. cerevisiae)
A_51_P492893	7.64E-06	4.34	Foxp4	forkhead box P4
A_30_P01023436	4.62E-05	4.34		
A_52_P438919	0.000715996	4.33	Olfir524	olfactory receptor 524
A_51_P415126	5.68E-06	4.33	Tgfa	transforming growth factor alpha
A_52_P243102	2.06E-05	4.33	Kctd3	potassium channel tetramerisation domain containing 3
A_30_P01026275	2.87E-05	4.33		
A_55_P2007495	8.92E-06	4.31		
A_51_P201480	8.98E-05	4.31	Stat3	signal transducer and activator of transcription 3
A_55_P2050044	5.28E-07	4.31		
A_66_P123209	0.000141749	4.31	Vmn1r56	vomer nasal 1 receptor 56
A_30_P01032488	0.000804476	4.30		
A_30_P01020562	0.000743458	4.30		
A_51_P415126	6.22E-06	4.30	Tgfa	transforming growth factor alpha
A_51_P135340	1.55E-05	4.30	Panx1	pannexin 1
A_55_P2062921	0.00081911	4.30		
A_51_P233797	3.51E-08	4.30	Adh7	alcohol dehydrogenase 7 (class IV), mu or sigma polypeptide
A_55_P2422164	0.000481212	4.30	C130093G08Rik	RIKEN cDNA C130093G08 gene
A_51_P201480	0.000279114	4.29	Stat3	signal transducer and activator of transcription 3
A_30_P01022711	0.001880222	4.29		
A_55_P2160761	9.57E-07	4.28	Zcchc2	zinc finger, CCHC domain containing 2
A_51_P335480	0.000188345	4.28	1810055G02Rik	RIKEN cDNA 1810055G02 gene
A_51_P105017	0.00025985	4.28	Rad52	RAD52 homolog (S. cerevisiae)
A_51_P270904	0.000115099	4.27	9930023K05Rik	RIKEN cDNA 9930023K05 gene
A_51_P262515	0.000166633	4.27	Phf11	PHD finger protein 11
A_55_P2141876	3.67E-05	4.27	Ldha	lactate dehydrogenase A
A_51_P201480	0.000319844	4.27	Stat3	signal transducer and activator of transcription 3
A_51_P201480	0.00012434	4.27	Stat3	signal transducer and activator of transcription 3
A_55_P2381821	0.001580259	4.26	6430706H07Rik	RIKEN cDNA 6430706H07 gene
A_51_P214423	0.002635731	4.26	Tead1	TEA domain family member 1
A_55_P2162807	7.94E-06	4.26	Pla2g2e	phospholipase A2, group IIE
A_30_P01029545	6.19E-07	4.26		
A_51_P201480	0.000138201	4.26	Stat3	signal transducer and activator of transcription 3
A_51_P279712	2.08E-06	4.25	Rel1	RELT-like 1
A_51_P201480	0.000147108	4.25	Stat3	signal transducer and activator of transcription 3
A_30_P01025270	1.29E-06	4.24		
A_51_P415126	7.10E-06	4.24	Tgfa	transforming growth factor alpha
A_55_P2102621	1.67E-05	4.24	Eaf2	ELL associated factor 2
A_55_P2117656	1.35E-05	4.23	Sln8	schlafen 8
A_30_P01021884	0.000123265	4.23		
A_55_P2066578	7.96E-05	4.23	Ifi204	interferon activated gene 204
A_52_P512553	2.98E-07	4.23	Atg16l2	autophagy related 16 like 2 (S. cerevisiae)
A_30_P01024922	0.002966524	4.23		
A_51_P201480	0.000110916	4.23	Stat3	signal transducer and activator of transcription 3
A_51_P201480	0.000325048	4.23	Stat3	signal transducer and activator of transcription 3
A_51_P351015	2.61E-07	4.22	Lta	lymphotoxin A
A_51_P325281	4.53E-05	4.22		
A_52_P658122	4.18E-06	4.22	Ets2	E26 avian leukemia oncogene 2, 3' domain
A_51_P105017	2.23E-05	4.21	Rad52	RAD52 homolog (S. cerevisiae)
A_55_P1979330	0.000102504	4.21	Dapp1	dual adaptor for phosphotyrosine and 3-phosphoinositides 1
A_51_P208121	9.14E-05	4.21	Klhl25	kelch-like 25 (Drosophila)
A_51_P456826	0.003547822	4.21	Slc19a3	solute carrier family 19 (sodium/hydrogen exchanger), member 3
A_55_P2031167	0.00036956	4.20	Efna1	ephrin A1
A_51_P148037	0.002384154	4.20	Sh3pxd2b	SH3 and PX domains 2B
A_66_P120882	5.31E-07	4.20	Nfkbib	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, beta
A_30_P01026036	0.000337291	4.19		
A_55_P2005585	1.30E-05	4.19	Trps1	trichorhinophalangeal syndrome I (human)
A_51_P507242	0.000759996	4.19	Fosl2	fos-like antigen 2

A_55_P2054437	0.000665723	4.18	Ttpal	tocopherol (alpha) transfer protein-like
A_51_P513032	2.83E-05	4.18	Trps1	trichorhinophalangeal syndrome I (human)
A_55_P2062549	5.38E-07	4.18	Gm6524	katanin p60 (ATPase-containing) subunit A1 pseudogene
A_30_P01029582	8.11E-05	4.17		
A_55_P2018636	1.39E-05	4.17	9530077C05Rik	RIKEN cDNA 9530077C05 gene
A_55_P2423616	4.80E-05	4.17	2900057C01Rik	RIKEN cDNA 2900057C01 gene
A_51_P502152	2.79E-05	4.16	Slc19a1	solute carrier family 19 (sodium/hydrogen exchanger), member 1
A_30_P01021838	0.000228783	4.15		
A_55_P2009861	5.24E-06	4.15		
A_55_P2133248	9.18E-05	4.15	Gm8995	predicted gene 8995
A_55_P2169356	0.000720958	4.14		
A_30_P01025295	6.32E-06	4.14		
A_30_P01022139	0.000209476	4.14		
A_55_P2066240	3.26E-06	4.14	Zufsp	zinc finger with UFM1-specific peptidase domain
A_55_P2069995	1.00E-05	4.14		
A_55_P2148961	0.000622952	4.13		
A_55_P2105843	1.52E-06	4.13		
A_51_P286563	9.21E-05	4.13	Gna13	guanine nucleotide binding protein, alpha 13
A_52_P89683	2.14E-05	4.12		
A_51_P358462	0.000263876	4.12	4930579J09Rik	RIKEN cDNA 4930579J09 gene
A_55_P2166501	3.10E-05	4.12	Cd44	CD44 antigen
A_51_P440568	1.10E-05	4.12	Stk19	serine/threonine kinase 19
A_51_P267783	6.03E-05	4.11	Il11	interleukin 11
A_55_P2085955	0.000129921	4.11	Dnajb11	DnaJ (Hsp40) homolog, subfamily B, member 11
A_51_P153013	6.30E-07	4.11	Gm16516	predicted gene, Gm16516
A_30_P01021254	7.61E-05	4.11		
A_55_P2032695	5.86E-08	4.10	Zcchc11	zinc finger, CCHC domain containing 11
A_55_P2216976	1.58E-05	4.10	D13Ert608e	DNA segment, Chr 13, ERATO Doi 608, expressed
A_55_P2012537	0.00114522	4.09	Gm10847	predicted gene 10847
A_51_P378903	0.001429502	4.09	Olf1260	olfactory receptor 1260
A_51_P408946	4.16E-05	4.08	Ccne1	cyclin E1
A_55_P1991219	5.77E-08	4.08	Stat3	signal transducer and activator of transcription 3
A_65_P10399	4.69E-05	4.08	Gna13	guanine nucleotide binding protein, alpha 13
A_52_P52618	0.003910874	4.08	Csf2rb	colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage)
A_55_P2138856	0.003078192	4.08		
A_55_P2120946	0.000116846	4.08	Mefv	Mediterranean fever
A_30_P01020873	1.20E-05	4.07		
A_52_P32353	0.000433187	4.07		
A_52_P343856	3.66E-08	4.07	Creb3l2	cAMP responsive element binding protein 3-like 2
A_51_P201480	0.000356367	4.07	Stat3	signal transducer and activator of transcription 3
A_52_P83913	5.28E-06	4.06	Ssx2lp	synovial sarcoma, X breakpoint 2 interacting protein
A_51_P295315	4.38E-06	4.06	Ankrd2	ankyrin repeat domain 2 (stretch responsive muscle)
A_51_P294643	8.40E-05	4.05	Cdr2	cerebellar degeneration-related 2
A_55_P1954718	1.25E-05	4.04	Cyb561	cytochrome b-561
A_66_P111660	2.53E-08	4.04	Mt1	metallothionein 1
A_30_P01027893	0.001813905	4.04		
A_55_P2051229	8.44E-07	4.03	Gpr132	G protein-coupled receptor 132
A_55_P1953788	1.08E-05	4.03	Itk	IL2-inducible T-cell kinase
A_55_P2037689	2.14E-06	4.03		
A_51_P208240	7.31E-06	4.03	Tnfsf14	tumor necrosis factor (ligand) superfamily, member 14
A_55_P2185900	2.58E-05	4.02	Nrg4	neuregulin 4
A_55_P2082529	2.04E-07	4.01	Sav1	salvador homolog 1 (Drosophila)
A_52_P616392	2.66E-06	4.00	Sbno2	strawberry notch homolog 2 (Drosophila)
A_30_P01024788	0.000828838	4.00		
A_55_P2114318	1.21E-05	3.99		
A_66_P113868	9.31E-09	3.99	Cdh3	cadherin 3
A_30_P01019529	0.000186426	3.98		
A_55_P2059154	2.54E-06	3.98	Dtx3l	deltex 3-like (Drosophila)
A_51_P447545	0.000138795	3.97	Igf1bp1	insulin-like growth factor binding protein 1
A_55_P2030282	8.11E-05	3.97	ENSMUSG00000068790	predicted gene, ENSMUSG00000068790
A_30_P01025275	0.001473578	3.97		
A_30_P01018526	7.62E-06	3.97		
A_55_P2030080	9.69E-07	3.96	Kdm6b	KDM1 lysine (K)-specific demethylase 6B
A_51_P415126	6.78E-06	3.96	Tgfa	transforming growth factor alpha
A_52_P656714	6.15E-06	3.96	Map3k5	mitogen-activated protein kinase kinase kinase 5
A_51_P508029	7.22E-08	3.96	Pcyox1	prenylcysteine oxidase 1
A_30_P01027508	1.37E-08	3.95		
A_30_P01027549	1.18E-05	3.95		
A_55_P2019009	1.32E-05	3.95	Ncoa7	nuclear receptor coactivator 7
A_51_P415126	4.41E-07	3.95	Tgfa	transforming growth factor alpha
A_55_P2014149	0.000347768	3.94		
A_55_P2099560	0.000768828	3.94	Apoec1	apolipoprotein B mRNA editing enzyme, catalytic polypeptide 1
A_55_P2161450	0.000117674	3.93	Serpina3b	serine (or cysteine) peptidase inhibitor, clade A, member 3B
A_51_P415126	1.58E-06	3.93	Tgfa	transforming growth factor alpha
A_51_P468020	8.99E-07	3.92	Lrrc50	leucine rich repeat containing 50
A_51_P415126	4.16E-06	3.92	Tgfa	transforming growth factor alpha
A_52_P241484	2.02E-06	3.92	Rcl1	RNA terminal phosphate cyclase-like 1
A_30_P01018521	9.71E-05	3.91		
A_55_P1973046	2.67E-05	3.91	Cttnbp2nl	CTTNBP2 N-terminal like
A_55_P2181634	2.74E-06	3.91		
A_55_P2171528	2.39E-06	3.91	3110082I17Rik	RIKEN cDNA 3110082I17 gene
A_51_P453736	0.000868502	3.90	Apol11b	apolipoprotein L 11b
A_55_P2059323	4.10E-06	3.90	Gm13315	lactate dehydrogenase A pseudogene
A_30_P01029590	0.001596193	3.90		
A_30_P01030868	0.003175068	3.89		
A_55_P2121275	3.99E-05	3.89	Gm4907	predicted gene 4907
A_51_P464064	1.38E-06	3.89	Zc3h13	zinc finger CCCH type containing 13
A_51_P411917	4.62E-07	3.89	Gata6	GATA binding protein 6
A_52_P625215	0.001864022	3.89	Wfikkn2	WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 2
A_52_P174775	7.21E-10	3.88	Rlpk1	receptor (TNFRSF)-interacting serine-threonine kinase 1
A_30_P01021366	0.000478782	3.88		
A_51_P377171	0.001782858	3.88	5830405N20Rik	RIKEN cDNA 5830405N20 gene
A_51_P343833	3.97E-06	3.87	Traf1	TNF receptor-associated factor 1
A_55_P2031891	0.002153611	3.86		
A_51_P507622	0.001757526	3.86	Itpkc	inositol 1,4,5-trisphosphate 3-kinase C
A_52_P117352	0.000335559	3.86	Gja4	gap junction protein, alpha 4
A_55_P2013273	2.32E-05	3.86		
A_52_P1093529	0.002031248	3.85	Plk3r5	phosphoinositide-3-kinase, regulatory subunit 5, p101
A_30_P01024184	5.78E-05	3.84		
A_55_P2182740	4.10E-07	3.84	2310047D07Rik	RIKEN cDNA 2310047D07 gene
A_55_P1996973	0.000604295	3.83	Gvin1	GTPase, very large interferon inducible 1
A_52_P95910	1.04E-06	3.83	Ugcg	UDP-glucose ceramide glucosyltransferase
A_52_P93467	1.02E-08	3.83	Sdc4	syndecan 4
A_51_P132081	2.03E-08	3.83	Rsl1	regulator of sex limited protein 1
A_55_P1972582	0.000178611	3.83		

A_66_P135176	0.000291081	3.83	Trak2	trafficking protein, kinesin binding 2
A_52_P127925	0.000493832	3.82	Tcfec	transcription factor EC
A_52_P579640	1.05E-05	3.81	Rrs1	RRS1 ribosome biogenesis regulator homolog (S. cerevisiae)
A_51_P387235	8.26E-09	3.81	Nampt	nicotinamide phosphoribosyltransferase
A_55_P1955906	6.84E-06	3.81	Stat1	signal transducer and activator of transcription 1
A_52_P315423	0.000150294	3.80		
A_51_P377760	0.000653769	3.80	RnaseL	ribonuclease L (2', 5'-oligoadenylate synthetase-dependent)
A_52_P8922	3.17E-08	3.80	Sntb2	syntrophin, basic 2
A_52_P135873	0.000347771	3.79		
A_55_P1971093	1.07E-05	3.79		
A_51_P272563	5.92E-05	3.79	Naa25	N(alpha)-acetyltransferase 25, NatB auxiliary subunit
A_51_P436002	9.57E-06	3.78	Hivep1	human immunodeficiency virus type I enhancer binding protein 1
A_55_P2050602	9.92E-05	3.78	Ncam1	neural cell adhesion molecule 1
A_52_P535484	0.000704188	3.78	Gvin1	GTPase, very large interferon inducible 1
A_55_P1989653	0.000175047	3.78	Slco4a1	solute carrier organic anion transporter family, member 4a1
A_55_P1986228	4.22E-05	3.77		
A_52_P244193	6.40E-05	3.77	Cd24a	CD24a antigen
A_55_P1988202	6.88E-05	3.77	Ifi203	interferon activated gene 203
A_55_P2178808	3.42E-06	3.76	Zbtb5	zinc finger and BTB domain containing 5
A_51_P415126	2.91E-07	3.76	Tgfa	transforming growth factor alpha
A_55_P2242550	1.20E-05	3.76	4930542D17Rik	RIKEN cDNA 4930542D17 gene
A_30_P01018941	0.000441369	3.76		
A_52_P308875	0.000357169	3.75		
A_55_P2076273	6.13E-07	3.75		
A_30_P01021303	6.62E-05	3.75		
A_55_P2168781	1.78E-06	3.74		
A_51_P324228	4.76E-05	3.74	Satb1	special AT-rich sequence binding protein 1
A_52_P624107	6.81E-06	3.74	Gm5039	eukaryotic translation initiation factor 1A pseudogene
A_30_P01027310	0.001734334	3.74		
A_52_P494622	3.82E-08	3.74	Nr4a2	nuclear receptor subfamily 4, group A, member 2
A_52_P366525	0.00021594	3.74	Coq10b	coenzyme Q10 homolog B (S. cerevisiae)
A_55_P2118810	2.20E-05	3.74		
A_55_P2127139	9.83E-07	3.73	Hist1h3d	histone cluster 1, H3d
A_55_P1988010	0.000187328	3.73	Gm10406	predicted gene 10406
A_55_P2182452	0.000259057	3.73	Tnfsf15	tumor necrosis factor (ligand) superfamily, member 15
A_66_P128761	1.52E-05	3.73	Pydc3	pyrin domain containing 3
A_30_P01017895	0.00023366	3.73		
A_55_P1971076	4.87E-06	3.73	Atp11a	ATPase, class VI, type 11A
A_55_P2009857	5.57E-05	3.73		
A_30_P01025420	2.09E-08	3.72		
A_55_P1955279	5.66E-05	3.72	Specc1	sperm antigen with calponin homology and coiled-coil domains 1
A_30_P01026400	0.000495018	3.72		
A_55_P2180949	0.000296902	3.72		
A_30_P01020958	0.001463351	3.72		
A_30_P01028201	1.16E-05	3.71		
A_30_P01030084	8.96E-05	3.70		
A_52_P193301	9.45E-06	3.70	Chmp4c	chromatin modifying protein 4C
A_51_P346453	7.34E-06	3.70	Noc4l	nucleolar complex associated 4 homolog (S. cerevisiae)
A_51_P252859	8.76E-05	3.70	Cyr61	cysteine rich protein 61
A_55_P2147310	3.17E-07	3.70	Mkl1	MKL (megakaryoblastic leukemia)/myocardin-like 1
A_55_P2135526	0.000419168	3.70	Gzmc	granzyme C
A_55_P2026688	2.03E-08	3.70		
A_30_P01033093	2.51E-06	3.69		
A_30_P01018687	4.03E-07	3.69		
A_66_P106113	0.000311814	3.69	Rhoj	ras homolog gene family, member J
A_51_P105380	0.003715997	3.69	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_55_P2214348	0.000375016	3.69	4930469K13Rik	RIKEN cDNA 4930469K13 gene
A_51_P377376	8.70E-08	3.69	Gnl3	guanine nucleotide binding protein-like 3 (nucleolar)
A_30_P01021698	0.00144555	3.69		
A_55_P2037812	1.77E-08	3.68	Palmd	palmdelphin
A_30_P01027289	0.000254588	3.68		
A_55_P1997061	8.66E-05	3.68		
A_52_P1020860	1.14E-09	3.68	AW112010	expressed sequence AW112010
A_55_P2020538	0.000137516	3.67		
A_55_P2249556	1.33E-05	3.67	A630081D01Rik	RIKEN cDNA A630081D01 gene
A_30_P01031029	2.58E-05	3.67		
A_52_P214630	6.71E-05	3.67	Sox9	SRY-box containing gene 9
A_51_P505795	6.31E-06	3.67	Tapbpl	TAP binding protein-like
A_55_P2399688	0.000764953	3.66	Glipr2	GLI pathogenesis-related 2
A_55_P2076757	5.13E-07	3.66	Znfx1	zinc finger, NFX1-type containing 1
A_30_P01027623	0.001250743	3.66		
A_55_P2126444	1.27E-05	3.66	1810032O08Rik	RIKEN cDNA 1810032O08 gene
A_30_P01027087	0.000592243	3.66		
A_55_P1991812	2.17E-05	3.66	Gm5431	predicted gene 5431
A_51_P312121	1.69E-07	3.65	Xdh	xanthine dehydrogenase
A_52_P214630	0.00031678	3.65	Sox9	SRY-box containing gene 9
A_51_P148744	0.001825657	3.64	A930005I04Rik	RIKEN cDNA A930005I04 gene
A_52_P471395	9.65E-07	3.64	Ifngr2	interferon gamma receptor 2
A_51_P415126	1.43E-06	3.64	Tgfa	transforming growth factor alpha
A_52_P532029	4.26E-08	3.64	Tbk1	TANK-binding kinase 1
A_51_P378856	0.000138967	3.62	Pfkip	phosphofructokinase, platelet
A_51_P239654	4.06E-05	3.62	Nr4a1	nuclear receptor subfamily 4, group A, member 1
A_52_P467449	0.000127996	3.62	Alox12	arachidonate 12-lipoxygenase
A_55_P2015605	2.38E-06	3.62	Foxp4	forkhead box P4
A_55_P2010152	6.66E-05	3.61	Sell	selectin, lymphocyte
A_30_P01020222	0.000288364	3.61		
A_55_P1969341	3.11E-07	3.61	Brip1	BRCA1 interacting protein C-terminal helicase 1
A_55_P1971458	1.52E-05	3.61	Jak2	Janus kinase 2
A_55_P2251121	7.63E-06	3.61	B230214O09Rik	RIKEN cDNA B230214O09 gene
A_30_P01028927	0.002215766	3.61		
A_30_P01031203	0.000976547	3.61		
A_55_P2157093	0.000732528	3.61	Bcl2l14	BCL2-like 14 (apoptosis facilitator)
A_66_P102260	0.000170419	3.60	Irs2	insulin receptor substrate 2
A_30_P01021814	1.00E-05	3.60		
A_66_P129800	2.16E-05	3.60	Rab8b	RAB8B, member RAS oncogene family
A_55_P2156293	2.48E-08	3.59	Pcyox1	prenylcysteine oxidase 1
A_55_P2083059	8.37E-08	3.59	Hps1	Hermansky-Pudlak syndrome 1 homolog (human)
A_55_P2101441	0.000142289	3.59	Gpbar1	G protein-coupled bile acid receptor 1
A_55_P2097111	4.77E-05	3.59	Ptpn1	protein tyrosine phosphatase, non-receptor type 1
A_51_P137419	3.25E-05	3.59	Cst7	cystatin F (leukocystatin)
A_55_P2132697	0.000112501	3.59		
A_30_P01030785	0.000393933	3.58		
A_55_P2146577	0.000162757	3.58	Gm13570	predicted gene 13570
A_55_P2004007	0.000694388	3.58		
A_51_P105380	0.002006033	3.57	2010005H15Rik	RIKEN cDNA 2010005H15 gene

A_30_P01024370	0.001015116	3.57		
A_51_P175580	3.14E-05	3.56	Trp53lnp1	transformation related protein 53 inducible nuclear protein 1
A_51_P388847	5.01E-06	3.56	Stap2	signal transducing adaptor family member 2
A_51_P380178	0.000484493	3.56	Id3	inhibitor of DNA binding 3
A_55_P2130970	4.93E-06	3.56	Parp10	poly (ADP-ribose) polymerase family, member 10
A_52_P214630	9.40E-05	3.56	Sox9	SRY-box containing gene 9
A_52_P364130	6.91E-06	3.56	Map3k14	mitogen-activated protein kinase kinase kinase 14
A_52_P380369	0.000105558	3.56	D14Erttd668e	DNA segment, Chr 14, ERATO Doi 668, expressed
A_55_P2167776	1.58E-05	3.56	Peci1	peroxisomal delta3, delta2-enoyl-Coenzyme A isomerase
A_55_P2093665	0.000217624	3.56		
A_55_P2147791	2.01E-05	3.55	Fam129c	family with sequence similarity 129, member C
A_55_P2071970	1.09E-07	3.55	Nav2	neuron navigator 2
A_55_P2089488	0.001597689	3.55	Coq10b	coenzyme Q10 homolog B (S. cerevisiae)
A_55_P2045136	0.000150086	3.55	I830127L07Rik	RIKEN cDNA I830127L07 gene
A_30_P01026233	2.70E-05	3.55		
A_52_P183181	2.09E-10	3.55	Adar	adenosine deaminase, RNA-specific
A_51_P409988	0.000412575	3.54	Arl13b	ADP-ribosylation factor-like 13B
A_30_P01026592	0.000125292	3.54		
A_55_P2082974	8.72E-08	3.53	Irak2	interleukin-1 receptor-associated kinase 2
A_55_P2141878	0.000144958	3.53	Ldha	lactate dehydrogenase A
A_55_P1955998	1.13E-07	3.53	Nlrp1a	NLR family, pyrin domain containing 1A
A_55_P1965655	2.62E-11	3.53	Mtmt14	myotubularin related protein 14
A_51_P488196	0.000305273	3.53	Bmper	BMP-binding endothelial regulator
A_55_P2347384	3.44E-05	3.53	D430040L24Rik	RIKEN cDNA D430040L24 gene
A_52_P214630	0.000422402	3.52	Sox9	SRY-box containing gene 9
A_52_P214630	4.96E-05	3.51	Sox9	SRY-box containing gene 9
A_55_P2094945	0.003692651	3.51		
A_55_P2341890	0.000239326	3.51	4921511C10Rik	RIKEN cDNA 4921511C10 gene
A_30_P01029428	0.000116004	3.51		
A_55_P2010038	0.000396512	3.51	Tnfsf9	tumor necrosis factor (ligand) superfamily, member 9
A_55_P1996837	8.35E-07	3.51	Baz2b	bromodomain adjacent to zinc finger domain, 2B
A_30_P01018462	1.82E-05	3.50		
A_30_P01025839	0.000149086	3.50		
A_30_P01024472	0.000760504	3.50		
A_55_P2245422	0.000100375	3.50	D11Wsu173e	DNA segment, Chr 11, Wayne State University 173, expressed
A_55_P1971074	1.19E-08	3.50	Atp11a	ATPase, class VI, type 11A
A_55_P2122195	0.001384987	3.49	Kcnk9	potassium channel, subfamily K, member 9
A_55_P2000833	0.004267521	3.49	E2f8	E2F transcription factor 8
A_30_P01023379	0.001170683	3.47		
A_55_P2149083	0.00237113	3.47	Fpr-rs6	formyl peptide receptor, related sequence 6
A_55_P2162204	6.41E-05	3.47	Kctd15	potassium channel tetramerisation domain containing 15
A_51_P364485	4.73E-06	3.47	Tnfr2	tumor necrosis factor, alpha-induced protein 2
A_55_P1963144	3.87E-10	3.46	Mtmt14	myotubularin related protein 14
A_30_P01023350	0.000264495	3.46		
A_55_P2126448	1.11E-06	3.46	1810032O08Rik	RIKEN cDNA 1810032O08 gene
A_52_P281659	0.000486274	3.45		
A_55_P2038303	1.34E-07	3.45		
A_30_P01023799	9.82E-07	3.45		
A_55_P2098697	1.51E-05	3.45	Tnfr2	tumor necrosis factor, alpha-induced protein 2
A_52_P46085	2.39E-05	3.45	Mvp	major vault protein
A_55_P1957213	0.000151122	3.45	3930401B19Rik	RIKEN cDNA 3930401B19 gene
A_55_P2149921	0.002683004	3.45		
A_30_P01019537	0.000150563	3.45		
A_55_P1991960	0.001014319	3.45	Nwd1	NACHT and WD repeat domain containing 1
A_51_P500949	2.14E-05	3.44	Aff1	AF4/FMR2 family, member 1
A_52_P431615	0.000217554	3.44	Gm1966	predicted gene 1966
A_55_P1987805	0.000777068	3.44	Rps6ka5	ribosomal protein S6 kinase, polypeptide 5
A_51_P276149	0.000203465	3.43	Olf1030	olfactory receptor 1030
A_30_P01020436	0.00015886	3.43		
A_52_P371949	8.09E-05	3.43	Elf6	eukaryotic translation initiation factor 6
A_55_P1960748	0.000264677	3.43	Arl13b	ADP-ribosylation factor-like 13B
A_51_P311958	1.01E-05	3.43	Orm3	orosomucoid 3
A_51_P486239	0.000173197	3.42	Clec3b	C-type lectin domain family 3, member b
A_55_P2089233	0.00023886	3.42	Pou2af1	POU domain, class 2, associating factor 1
A_55_P1978866	1.10E-06	3.42		
A_55_P1961730	0.003148484	3.42	Kcnt2	potassium channel, subfamily T, member 2
A_30_P01026866	3.40E-05	3.41		
A_55_P2093749	8.12E-05	3.41		
A_30_P01030574	1.95E-06	3.41		
A_51_P283708	4.28E-06	3.41	Msh2	mutS homolog 2 (E. coli)
A_30_P01026073	1.59E-06	3.40		
A_55_P1954724	0.000220818	3.40	A130040M12Rik	RIKEN cDNA A130040M12 gene
A_52_P214630	9.64E-05	3.40	Sox9	SRY-box containing gene 9
A_55_P2081105	0.000149882	3.40	AI607873	expressed sequence AI607873
A_55_P2404733	0.000131759	3.39	LOC552909	hypothetical LOC552909
A_52_P214630	0.000127784	3.39	Sox9	SRY-box containing gene 9
A_51_P282508	0.000243272	3.39	Rhoc	ras homolog gene family, member C
A_65_P16208	2.39E-06	3.39	Baz1a	bromodomain adjacent to zinc finger domain 1A
A_66_P123989	6.82E-07	3.39	Ikzf5	IKAROS family zinc finger 5
A_51_P152990	6.55E-05	3.39	Grem2	gremlin 2 homolog, cysteine knot superfamily (Xenopus laevis)
A_30_P01026520	2.55E-05	3.38		
A_30_P01033300	0.000491281	3.38		
A_55_P2142863	1.79E-09	3.37	Parp9	poly (ADP-ribose) polymerase family, member 9
A_52_P214630	0.001104497	3.37	Sox9	SRY-box containing gene 9
A_55_P2014853	0.00021836	3.37		
A_30_P01028695	3.40E-05	3.37		
A_55_P2035315	0.000200329	3.37	Rasgef1b	RasGEF domain family, member 1B
A_52_P214630	0.000189942	3.36	Sox9	SRY-box containing gene 9
A_30_P01024586	0.002244281	3.36		
A_52_P516021	3.36E-05	3.36	Ptpn1	protein tyrosine phosphatase, non-receptor type 1
A_30_P01027032	0.002884008	3.36		
A_30_P01029470	9.66E-06	3.35		
A_30_P01017507	0.000105297	3.35		
A_55_P1960936	8.59E-06	3.35		
A_51_P220135	6.46E-07	3.35	Nfatc1	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 1
A_30_P01021447	0.000244917	3.35		
A_30_P01032012	5.74E-05	3.35		
A_52_P214630	0.000145082	3.34	Sox9	SRY-box containing gene 9
A_52_P321140	8.13E-05	3.34	Defb1	defensin beta 1
A_55_P2001489	0.000410275	3.34	Il19	interleukin 19
A_55_P1954092	7.36E-06	3.33	LOC100503637	envelope glycoprotein-like
A_51_P267239	1.45E-07	3.33	Litaf	LPS-induced TN factor
A_55_P2045622	6.03E-06	3.33	Setdb2	SET domain, bifurcated 2
A_55_P1964628	9.97E-06	3.33		
A_52_P5567	0.000309281	3.33	Fam50b	family with sequence similarity 50, member B

A_55_P1988009	1.36E-05	3.33		
A_55_P1969650	0.000326216	3.33	<b>Rasgrp1</b>	RAS guanyl releasing protein 1
A_52_P468683	0.00363878	3.32	<b>6430571L13Rik</b>	RIKEN cDNA 6430571L13 gene
A_55_P2157914	2.17E-09	3.32		
A_30_P01031562	0.000851891	3.32		
A_55_P2142064	0.00151365	3.32	<b>Synj2</b>	synaptojanin 2
A_30_P01029783	1.56E-06	3.32		
A_55_P2359797	0.00213164	3.31	<b>Nod2</b>	nucleotide-binding oligomerization domain containing 2
A_30_P01026903	6.98E-05	3.31		
A_52_P570266	1.72E-07	3.31	<b>Psmb10</b>	proteasome (prosome, macropain) subunit, beta type 10
A_52_P398989	8.12E-05	3.30	<b>Cytip</b>	cytohesin 1 interacting protein
A_55_P2116621	9.53E-05	3.30	<b>Cited2</b>	Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 2
A_55_P2180944	5.74E-06	3.30	<b>Tmco4</b>	transmembrane and coiled-coil domains 4
A_30_P01026627	2.16E-06	3.30		
A_51_P183630	3.40E-07	3.30	<b>Bcor</b>	BCL6 interacting corepressor
A_51_P517870	7.35E-05	3.29	<b>Nfatc1</b>	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 1
A_30_P01023853	0.000497079	3.29		
A_30_P01024929	2.30E-07	3.29		
A_30_P01022938	0.001684436	3.29		
A_30_P01021222	2.98E-05	3.29		
A_30_P01028633	0.000127888	3.28		
A_55_P2027259	3.06E-07	3.28	<b>Zcchc2</b>	zinc finger, CCHC domain containing 2
A_30_P01027969	0.000405621	3.28		
A_55_P2086433	3.45E-05	3.28	<b>Oasl1</b>	2'-5' oligoadenylate synthetase-like 1
A_51_P128463	8.43E-05	3.27	<b>Grrp1</b>	glycine/arginine rich protein 1
A_30_P01021751	1.95E-05	3.27		
A_30_P01027202	0.000412695	3.27		
A_55_P2011286	0.000200286	3.27	<b>Hopx</b>	HOP homeobox
A_52_P457567	0.001436831	3.27	<b>Slc4a4</b>	solute carrier family 4 (anion exchanger), member 4
A_52_P557293	4.76E-06	3.26	<b>Tmprss2</b>	transmembrane protease, serine 2
A_51_P234113	5.09E-05	3.26	<b>Nod1</b>	nucleotide-binding oligomerization domain containing 1
A_51_P233160	0.003457016	3.26	<b>Lysmd2</b>	LysM, putative peptidoglycan-binding, domain containing 2
A_30_P01033413	0.001283805	3.26		
A_55_P2100620	0.000162398	3.25	<b>Gm12216</b>	predicted gene 12216
A_55_P2023314	0.001794451	3.25	<b>Casz1</b>	castor homolog 1, zinc finger (Drosophila)
A_30_P01023635	0.000550101	3.25		
A_52_P463962	0.00079591	3.25	<b>Krtap16-10</b>	keratin associated protein 16-10
A_30_P01019255	5.12E-05	3.24		
A_55_P2138306	5.54E-05	3.24		
A_55_P2272748	0.000509632	3.24	<b>AI645535</b>	expressed sequence AI645535
A_55_P2019841	0.001505476	3.24		
A_30_P01020672	0.002025055	3.24		
A_55_P2244112	0.000753353	3.24	<b>Amotl1</b>	angiomin-like 1
A_55_P2064652	0.000118491	3.23	<b>9230105E10Rik</b>	RIKEN cDNA 9230105E10 gene
A_55_P2036627	0.000113988	3.23	<b>Pydc3</b>	pyrin domain containing 3
A_30_P01025047	0.000234631	3.23		
A_55_P1956588	0.000101348	3.23		
A_30_P01023451	0.000909222	3.23		
A_52_P15461	0.000750087	3.23	<b>Il15</b>	interleukin 15
A_55_P2090045	2.16E-06	3.23		
A_51_P225592	7.10E-06	3.22	<b>Tpm4</b>	tropomyosin 4
A_55_P2025490	0.000598263	3.22	<b>Tnfrsf18</b>	tumor necrosis factor receptor superfamily, member 18
A_30_P01022068	0.000875166	3.22		
A_55_P2141241	9.67E-09	3.22	<b>E330016A19Rik</b>	RIKEN cDNA E330016A19 gene
A_55_P2028159	0.000302015	3.22	<b>3110043O21Rik</b>	RIKEN cDNA 3110043O21 gene
A_55_P2140751	8.05E-05	3.22		
A_66_P113749	0.001552521	3.22	<b>Il2rg</b>	interleukin 2 receptor, gamma chain
A_55_P2017377	1.05E-05	3.21	<b>Olf424</b>	olfactory receptor 424
A_52_P640386	8.82E-07	3.21	<b>Usp53</b>	ubiquitin specific peptidase 53
A_55_P2114994	7.00E-05	3.21		
A_51_P419656	0.001559396	3.21	<b>Klk1b27</b>	kallikrein 1-related peptidase b27
A_30_P01028842	0.000291494	3.21		
A_30_P01024494	2.46E-05	3.20		
A_55_P2034227	0.000322127	3.20		
A_55_P2042823	1.24E-08	3.20	<b>Sh3bp2</b>	SH3-domain binding protein 2
A_30_P01018558	5.05E-05	3.20		
A_55_P2071251	0.000186298	3.20	<b>D030016E14Rik</b>	RIKEN cDNA D030016E14 gene
A_65_P14951	5.89E-07	3.20	<b>Cblb</b>	Casitas B-lineage lymphoma b
A_55_P1990495	3.39E-06	3.19	<b>Stat5a</b>	signal transducer and activator of transcription 5A
A_55_P2127765	1.75E-06	3.19	<b>Crp</b>	C-reactive protein, pentraxin-related
A_30_P01023954	0.001119651	3.18		
A_51_P473576	0.000253894	3.18	<b>Apex1</b>	apurinic/aprimidinic endonuclease 1
A_51_P139716	3.99E-05	3.17	<b>Fam26e</b>	family with sequence similarity 26, member E
A_30_P01017746	5.25E-05	3.17		
A_55_P2055168	9.43E-08	3.17	<b>Gm2016</b>	predicted gene 2016
A_55_P1952981	1.80E-06	3.17	<b>Rps6ka3</b>	ribosomal protein S6 kinase polypeptide 3
A_52_P248013	5.03E-06	3.17	<b>Chsy3</b>	chondroitin sulfate synthase 3
A_55_P1963920	0.0009301	3.17	<b>A430084P05Rik</b>	RIKEN cDNA A430084P05 gene
A_55_P2082203	3.10E-06	3.17	<b>Baz1a</b>	bromodomain adjacent to zinc finger domain 1A
A_52_P582261	9.60E-05	3.17	<b>Ikzf5</b>	IKAROS family zinc finger 5
A_30_P01023606	3.72E-07	3.17		
A_55_P2011341	2.76E-05	3.16		
A_30_P01024439	0.002523768	3.16		
A_55_P2106815	0.000279126	3.16		
A_55_P1973906	0.000368125	3.16	<b>Trp53inp1</b>	transformation related protein 53 inducible nuclear protein 1
A_55_P2147686	0.000387893	3.16	<b>Sectm1a</b>	secreted and transmembrane 1A
A_55_P2198648	0.000672734	3.16	<b>5830420C07Rik</b>	RIKEN cDNA 5830420C07 gene
A_52_P595824	0.000166415	3.15	<b>Cpeb4</b>	cytoplasmic polyadenylation element binding protein 4
A_51_P108901	1.69E-05	3.15	<b>Ccdc86</b>	coiled-coil domain containing 86
A_30_P01026079	3.76E-07	3.14		
A_51_P104820	6.17E-07	3.14	<b>Alkbh5</b>	alkB, alkylation repair homolog 5 (E. coli)
A_55_P1976351	0.000733417	3.14	<b>Gpcpd1</b>	glycerophosphocholine phosphodiesterase GDE1 homolog (S. cerevisiae)
A_52_P138110	0.00050911	3.14	<b>1110032A03Rik</b>	RIKEN cDNA 1110032A03 gene
A_52_P512575	0.000134643	3.14	<b>Hopx</b>	HOP homeobox
A_55_P2114995	3.47E-05	3.14		
A_55_P2037613	4.19E-06	3.14	<b>C130039O16Rik</b>	RIKEN cDNA C130039O16 gene
A_52_P475854	0.00044824	3.13	<b>Nol10</b>	nucleolar protein 10
A_52_P546635	0.00031698	3.13	<b>Zeb1</b>	zinc finger E-box binding homeobox 1
A_30_P01032815	0.003735799	3.13		
A_55_P2000007	0.000605544	3.12		
A_30_P01024730	0.000126852	3.12		
A_55_P2094060	3.16E-05	3.12	<b>Gzma</b>	granzyme A
A_30_P01019072	0.001312469	3.12		
A_55_P2178064	1.26E-12	3.12		
A_55_P2010196	2.32E-06	3.12	<b>Serpina10</b>	serine (or cysteine) peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 10

A_55_P2098398	0.002060764	3.11	Trim30c	tripartite motif-containing 30C
A_55_P2079430	7.04E-06	3.11	Spred1	sprouty protein with EVH-1 domain 1, related sequence
A_51_P291361	0.001798359	3.11	Osm	oncostatin M
A_55_P2026738	3.93E-05	3.10	Rgs4	regulator of G-protein signaling 4
A_30_P01032176	8.08E-05	3.10		
A_55_P2019714	0.000808905	3.10	Tagap1	T-cell activation GTPase activating protein 1
A_51_P209930	3.82E-05	3.10	Rtn2	reticulon 2 (Z-band associated protein)
A_66_P121787	5.58E-07	3.10	Samd9l	sterile alpha motif domain containing 9-like
A_30_P01022806	0.0002618	3.10		
A_55_P1975640	1.26E-06	3.10	Zfp217	zinc finger protein 217
A_55_P2051322	2.40E-05	3.09	Efh2	EF hand domain containing 2
A_55_P1994032	1.12E-06	3.09	Xbp1	X-box binding protein 1
A_52_P467389	0.002636139	3.09	Slc15a3	solute carrier family 15, member 3
A_55_P1953508	8.46E-06	3.08	Mobkl2c	MOB1, Mps One Binder kinase activator-like 2C (yeast)
A_30_P01030965	0.001915129	3.08		
A_51_P502150	1.15E-05	3.08	Slc9a3r1	solute carrier family 9 (sodium/hydrogen exchanger), member 3 regulator 1
A_51_P201338	1.22E-06	3.07	Mtss1	metastasis suppressor 1
A_55_P1955502	6.43E-06	3.07	BC016423	cDNA sequence BC016423
A_55_P1955276	9.45E-06	3.07	Specc1	sperm antigen with calponin homology and coiled-coil domains 1
A_55_P1954161	0.000181635	3.07	Plagl2	pleiomorphic adenoma gene-like 2
A_52_P87964	0.001961875	3.07	Pla2g12a	phospholipase A2, group X1IA
A_55_P2025829	4.21E-05	3.07		
A_30_P01017723	0.000218271	3.07		
A_55_P2120577	0.000106813	3.05	Cited2	Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 2
A_66_P125823	0.00015852	3.05	Nupl1	nucleoporin like 1
A_55_P1980308	0.000141457	3.05	Stap1	signal transducing adaptor family member 1
A_30_P01018981	0.001191864	3.05		
A_52_P299053	6.33E-06	3.05	Ptplb	protein tyrosine phosphatase-like (proline instead of catalytic arginine), member b
A_30_P01022725	4.86E-05	3.05		
A_55_P2108165	2.05E-05	3.04	Gm6907	predicted gene 6907
A_55_P2042487	0.000190458	3.04	Dpysl3	dihydropyrimidinase-like 3
A_52_P665675	3.99E-10	3.04	Abca1	ATP-binding cassette, sub-family A (ABC1), member 1
A_55_P1994074	9.39E-06	3.04	Mkl1	MKL (megakaryoblastic leukemia)/myocardin-like 1
A_55_P2279140	0.00031685	3.04	F830014O18Rik	RIKEN cDNA F830014O18 gene
A_30_P01026728	0.00011867	3.03		
A_66_P112853	1.94E-07	3.03	Eif1a	eukaryotic translation initiation factor 1A
A_51_P520793	0.000147663	3.03		
A_51_P134812	0.00138888	3.03	Chac1	ChaC, cation transport regulator-like 1 (E. coli)
A_52_P104961	0.000192509	3.03		
A_52_P207509	0.000296824	3.03	C230081A13Rik	RIKEN cDNA C230081A13 gene
A_51_P513163	0.00040004	3.02	Tra2a	transformer 2 alpha homolog (Drosophila)
A_55_P2155504	5.75E-05	3.02	Lck	lymphocyte protein tyrosine kinase
A_51_P285916	5.37E-05	3.02	Rapgef4	Rap guanine nucleotide exchange factor (GEF) 4
A_30_P01033400	0.001053097	3.02		
A_55_P2104387	0.000306873	3.02		
A_52_P202029	1.10E-07	3.02	Trak2	trafficking protein, kinesin binding 2
A_30_P01023832	3.31E-05	3.02		
A_51_P128463	0.000152517	3.02	Grp1	glycine/arginine rich protein 1
A_52_P332788	4.09E-05	3.02	C130026I21Rik	RIKEN cDNA C130026I21 gene
A_51_P505823	0.00026236	3.01	Endod1	endonuclease domain containing 1
A_55_P2184013	0.004298153	3.00	C130026I21Rik	RIKEN cDNA C130026I21 gene
A_55_P2014854	0.000466999	3.00		
A_51_P100289	2.94E-06	3.00	Srf	serum response factor
A_55_P2327518	7.28E-05	3.00	1500032P08Rik	RIKEN cDNA 1500032P08 gene
A_55_P2354336	5.66E-05	2.99	F830223B06Rik	RIKEN cDNA F830223B06 gene
A_30_P01021918	0.00026312	2.99		
A_55_P1997407	3.26E-06	2.99	C130039O16Rik	RIKEN cDNA C130039O16 gene
A_51_P268843	0.000610122	2.98	Rasip1	Ras interacting protein 1
A_55_P2137121	7.24E-07	2.98	Sp140	Sp140 nuclear body protein
A_30_P01032750	8.86E-05	2.98		
A_52_P72237	0.00026134	2.98	Actg1	actin, gamma, cytoplasmic 1
A_55_P2010197	4.63E-06	2.98	Serpina10	serine (or cysteine) peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 10
A_55_P2169888	0.000324719	2.98	D8Ert82e	DNA segment, Chr 8, ERATO Doi 82, expressed
A_52_P404329	0.000211727	2.98	Saa4	serum amyloid A 4
A_55_P2001403	4.83E-05	2.97	Gm5478	predicted pseudogene 5478
A_55_P2088028	5.77E-07	2.97	Mtss1	metastasis suppressor 1
A_55_P2178803	2.23E-07	2.97	Zbtb5	zinc finger and BTB domain containing 5
A_51_P427530	0.00107857	2.97	Pgm1	phosphoglucomutase 1
A_55_P2015405	1.34E-05	2.97	9930111J21Rik1	RIKEN cDNA 9930111J21 gene 1
A_30_P01023681	7.51E-08	2.97		
A_30_P01023142	0.000157507	2.97		
A_51_P356283	1.30E-05	2.97	Fbxo31	F-box protein 31
A_30_P01027703	0.000273758	2.97		
A_55_P1957277	4.11E-07	2.97		
A_30_P01019630	2.66E-05	2.97		
A_52_P254298	2.39E-07	2.97	Slc11a2	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2
A_51_P294555	0.002669056	2.96	Ifitm6	interferon induced transmembrane protein 6
A_52_P348250	2.30E-05	2.96	Klhl29	kelch-like 29 (Drosophila)
A_55_P2166049	0.000146799	2.96	Vmn1r65	vomeroneasal 1 receptor 65
A_30_P01027281	1.07E-05	2.96		
A_55_P2088145	3.05E-05	2.96		
A_51_P513062	0.000344646	2.96	B630019K06Rik	RIKEN cDNA B630019K06 gene
A_55_P2066409	1.18E-06	2.96	Gabpb1	GA repeat binding protein, beta 1
A_55_P2263098	0.000197192	2.96	A130078K24Rik	RIKEN cDNA A130078K24 gene
A_55_P2004821	0.003932356	2.96	Olf1r1417	olfactory receptor 1417
A_66_P120380	0.00055944	2.96	Apol10b	apolipoprotein L 10b
A_30_P01032083	9.24E-05	2.96		
A_55_P2131253	7.73E-05	2.96	Shroom2	shroom family member 2
A_55_P2099742	7.93E-05	2.95	Ccl19	chemokine (C-C motif) ligand 19
A_30_P01020286	0.000287477	2.95		
A_66_P118430	4.82E-05	2.95	Slc17a2	solute carrier family 17 (sodium phosphate), member 2
A_51_P477121	0.000656834	2.95	Pmaip1	phorbol-12-myristate-13-acetate-induced protein 1
A_55_P2124461	3.82E-05	2.95		
A_55_P2056808	0.00011108	2.95	Tanc1	tetratricopeptide repeat, ankyrin repeat and coiled-coil containing 1
A_52_P283628	0.000564977	2.95	Rps6ka3	ribosomal protein S6 kinase polypeptide 3
A_51_P446469	0.001463473	2.95	Dok2	docking protein 2
A_30_P01022571	5.85E-05	2.95		
A_30_P01030340	0.000504752	2.95		
A_55_P2160543	7.14E-05	2.94	Tcp10a	t-complex protein 10a
A_55_P2073377	0.000117041	2.94	Mkl67	antigen identified by monoclonal antibody Ki 67
A_55_P2037817	0.000107848	2.94	Palmd	palmdelphin
A_55_P2151601	1.79E-07	2.94	Samd9l	sterile alpha motif domain containing 9-like
A_55_P2038152	0.000750725	2.93	Ankrd43	ankyrin repeat domain 43
A_55_P2141938	1.14E-06	2.93	1810058I24Rik	RIKEN cDNA 1810058I24 gene
A_66_P128997	1.26E-09	2.93	Pml	promyelocytic leukemia

A_52_P574653	3.05E-07	2.93	Bid	BH3 interacting domain death agonist
A_30_P01032271	0.000134527	2.93		
A_30_P01029942	0.001260348	2.93		
A_55_P2060604	0.000592325	2.92	Gm5797	predicted gene 5797
A_66_P133255	0.000780702	2.92	Prkch	protein kinase C, eta
A_30_P01029652	0.000189534	2.92		
A_55_P2346736	0.000907502	2.92	A430105D02Rik	RIKEN cDNA A430105D02 gene
A_55_P1957762	1.55E-06	2.92	Tsr1	TSR1, 20S rRNA accumulation, homolog (yeast)
A_52_P451888	6.09E-06	2.92	Tlk2	tousled-like kinase 2 (Arabidopsis)
A_52_P522023	3.99E-06	2.92	Alkbh1	alkB, alkylation repair homolog 1 (E. coli)
A_55_P2030752	2.88E-08	2.91	Nedd4l	neural precursor cell expressed, developmentally down-regulated gene 4-like
A_55_P2023667	2.37E-06	2.91	Apex2	apurinic/aprimidinic endonuclease 2
A_55_P2013391	1.25E-05	2.90	Gm4402	predicted gene 4402
A_30_P01026776	0.000224459	2.90		
A_30_P01022401	0.002080416	2.89		
A_30_P01017973	0.000226595	2.89		
A_55_P2114993	2.91E-05	2.89	Actg1	actin, gamma, cytoplasmic 1
A_51_P473498	4.96E-05	2.89	Gpr171	G protein-coupled receptor 171
A_30_P01019579	0.000390623	2.89		
A_52_P323975	0.000212024	2.88		
A_55_P2142425	5.83E-06	2.88	LOC100502708	hypothetical LOC100502708
A_55_P2129442	6.86E-06	2.88		
A_55_P2145922	0.000588911	2.88		
A_51_P105380	0.002803233	2.88	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_55_P2026734	3.91E-05	2.88	Rgs4	regulator of G-protein signaling 4
A_30_P01030969	1.38E-05	2.88		
A_51_P128463	8.54E-05	2.88	Grrp1	glycine/arginine rich protein 1
A_30_P01029869	5.75E-05	2.87		
A_51_P371174	2.13E-07	2.87	Bag3	BCL2-associated athanogene 3
A_55_P2051894	6.33E-07	2.87	Zfp598	zinc finger protein 598
A_51_P296448	5.95E-06	2.87	Casp2	caspase 2
A_55_P2064512	5.13E-05	2.87		
A_55_P1971373	0.001977966	2.86	Nlrp12	NLR family, pyrin domain containing 12
A_55_P2015941	0.000439937	2.86		
A_30_P01018074	0.002318	2.86		
A_51_P240614	0.003191625	2.86	Tm4sf1	transmembrane 4 superfamily member 1
A_55_P1968643	0.000892689	2.86	Vmn1r173	vomerolateral 1 receptor 173
A_51_P125986	3.25E-05	2.86	Gan	giant axonal neuropathy
A_51_P128463	0.000404969	2.86	Grrp1	glycine/arginine rich protein 1
A_55_P2149983	5.86E-07	2.86	Foxp4	forkhead box P4
A_55_P2023449	0.000805024	2.85	Gm6337	predicted gene 6337
A_30_P01025507	1.66E-06	2.85		
A_55_P2114153	0.000363081	2.85		
A_66_P122758	5.32E-07	2.85	Tsr1	TSR1, 20S rRNA accumulation, homolog (yeast)
A_55_P2095727	1.53E-05	2.85	Pml	promyelocytic leukemia
A_30_P01023168	0.000350968	2.84		
A_55_P2111649	7.58E-05	2.84	Mbd1	methyl-CpG binding domain protein 1
A_30_P01018204	0.000461935	2.84		
A_30_P01026785	0.000246282	2.84		
A_52_P490272	1.75E-05	2.84	Nup98	nucleoporin 98
A_30_P01019626	7.34E-06	2.84		
A_30_P01024414	2.56E-05	2.84		
A_30_P01024188	7.13E-07	2.84		
A_30_P01019611	0.001363015	2.83		
A_55_P1961265	7.16E-05	2.83	LOC638517	cyclic AMP-responsive element-binding protein 3-like protein 2-like
A_55_P1958547	0.00280919	2.83	Gm7550	predicted gene 7550
A_52_P25812	3.50E-07	2.83	Prdm2	PR domain containing 2, with ZNF domain
A_52_P502577	2.32E-08	2.83	S1pr3	sphingosine-1-phosphate receptor 3
A_30_P01031197	0.002623324	2.83		
A_55_P2142870	3.73E-06	2.83	BC016423	cDNA sequence BC016423
A_55_P2049582	2.47E-06	2.83	Apbb3	amyloid beta (A4) precursor protein-binding, family B, member 3
A_55_P2086811	6.31E-05	2.83	Sp140	Sp140 nuclear body protein
A_51_P275591	2.57E-05	2.83	Zfp292	zinc finger protein 292
A_30_P01022250	0.000254156	2.82		
A_55_P2122709	9.53E-07	2.82	Arhgef3	Rho guanine nucleotide exchange factor (GEF) 3
A_55_P2005605	6.22E-05	2.82	Olfir576	olfactory receptor 576
A_51_P191469	7.01E-09	2.81	Rnf31	ring finger protein 31
A_55_P2372228	5.00E-05	2.81	A430104N18Rik	RIKEN cDNA A430104N18 gene
A_55_P2075429	0.002271072	2.80	Ttll4	tubulin tyrosine ligase-like family, member 4
A_52_P3412	5.18E-07	2.80	Med17	mediator complex subunit 17
A_55_P2079860	0.00152758	2.80	Asap3	ArfGAP with SH3 domain, ankyrin repeat and PH domain 3
A_51_P502054	2.63E-05	2.80	Gtf2b	general transcription factor IIB
A_30_P01023279	3.42E-05	2.80		
A_51_P340829	3.03E-05	2.80	AA986860	expressed sequence AA986860
A_55_P2300913	0.00148982	2.80	D130095D21Rik	RIKEN cDNA D130095D21 gene
A_51_P100991	0.00352144	2.80	Gucy2c	guanylate cyclase 2c
A_51_P275751	0.00013109	2.79	D17H6S53E	DNA segment, Chr 17, human D6S53E
A_51_P209527	5.39E-10	2.79	Bcl10	B-cell leukemia/lymphoma 10
A_55_P2180685	0.000724285	2.79	Olfir649	olfactory receptor 649
A_51_P172131	7.78E-06	2.79	D4Bwg0951e	DNA segment, Chr 4, Brigham & Women's Genetics 0951 expressed
A_55_P2107972	6.55E-08	2.79	Smad5	MAD homolog 5 (Drosophila)
A_51_P440460	0.001018129	2.79	Hip1r	huntingtin interacting protein 1 related
A_30_P01030104	0.002974288	2.79		
A_51_P128463	0.000311686	2.79	Grrp1	glycine/arginine rich protein 1
A_51_P126437	0.003235769	2.79	Enc1	ectodermal-neural cortex 1
A_51_P316523	2.00E-06	2.78	Irf2	interferon regulatory factor 2
A_55_P2029116	0.002086795	2.78	Pex11c	peroxisomal biogenesis factor 11 gamma
A_51_P165060	0.003093756	2.78	Slc22a5	solute carrier family 22 (organic cation transporter), member 5
A_66_P109519	0.003154682	2.78	Ehf	ets homologous factor
A_30_P01031347	0.000697353	2.78		
A_55_P2035509	0.001232897	2.78	Pyhin1	pyrin and HIN domain family, member 1
A_52_P646979	8.72E-05	2.78	D16Erttd472e	DNA segment, Chr 16, ERATO Doi 472, expressed
A_55_P2129291	8.96E-05	2.78	Dclre1c	DNA cross-link repair 1C, PSO2 homolog (S. cerevisiae)
A_55_P2116111	0.000389895	2.78	D8Erttd82e	DNA segment, Chr 8, ERATO Doi 82, expressed
A_52_P636830	9.61E-07	2.78	G3bp2	GTPase activating protein (SH3 domain) binding protein 2
A_30_P01027922	0.001265803	2.77		
A_51_P105380	0.001774744	2.77	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_51_P126437	0.003700171	2.77	Enc1	ectodermal-neural cortex 1
A_55_P1983508	0.0032017	2.77	Nr4a2	nuclear receptor subfamily 4, group A, member 2
A_51_P126437	0.003510719	2.77	Enc1	ectodermal-neural cortex 1
A_30_P01028635	0.000100471	2.77		
A_30_P01018576	0.001678739	2.77		
A_52_P597461	0.000249488	2.76	Skil	SKI-like
A_55_P1970597	3.24E-05	2.76	Actg1	actin, gamma, cytoplasmic 1
A_51_P487690	2.74E-05	2.76	Irf44	interferon-induced protein 44



A_55_P2335718	0.00138935	2.76		
A_51_P447668	1.24E-05	2.76	<b>Ptpn12</b>	protein tyrosine phosphatase, non-receptor type 12
A_55_P2002093	1.66E-05	2.76	<b>Wdr85</b>	WD repeat domain 85
A_51_P302358	4.34E-05	2.76	<b>Ltb</b>	lymphotoxin B
A_30_P01028003	0.001450143	2.76		
A_52_P267391	1.52E-05	2.76	<b>Trim12a</b>	tripartite motif-containing 12A
A_52_P556281	8.85E-09	2.76	<b>G3bp2</b>	GTPase activating protein (SH3 domain) binding protein 2
A_52_P356204	1.57E-07	2.76	<b>Nostrin</b>	nitric oxide synthase trafficker
A_55_P2116898	1.31E-05	2.76		
A_30_P01033359	0.00040901	2.75		
A_51_P395473	8.51E-06	2.75	<b>Tenc1</b>	tensin like C1 domain-containing phosphatase
A_55_P2023637	0.000105245	2.75	<b>Prg4</b>	proteoglycan 4 (megakaryocyte stimulating factor, articular superficial zone protein)
A_30_P01028276	3.29E-05	2.75		
A_30_P01025109	0.000204448	2.74		
A_55_P2066697	0.002150168	2.74	<b>Trim47</b>	tripartite motif-containing 47
A_55_P2022778	0.00242355	2.74	<b>Trpc2</b>	transient receptor potential cation channel, subfamily C, member 2
A_30_P01026092	0.00071862	2.73		
A_51_P253803	0.000461459	2.73	<b>Mki67</b>	antigen identified by monoclonal antibody Ki 67
A_55_P2079425	1.48E-08	2.73	<b>Spred1</b>	sprouty protein with EVH-1 domain 1, related sequence
A_51_P136870	0.001848505	2.73		
A_51_P288138	0.001611001	2.73	<b>Fpr2</b>	formyl peptide receptor 2
A_30_P01028052	0.003812864	2.73		
A_30_P01029761	1.47E-05	2.73		
A_55_P2027102	0.001088778	2.72	<b>Rgs3</b>	regulator of G-protein signaling 3
A_30_P01025436	0.00012919	2.72		
A_51_P126437	0.002790489	2.72	<b>Enc1</b>	ectodermal-neural cortex 1
A_55_P1961320	0.000120456	2.72	<b>Tes</b>	testis derived transcript
A_30_P01025875	0.001868464	2.72		
A_52_P85864	0.00010061	2.71	<b>Elf6</b>	eukaryotic translation initiation factor 6
A_55_P2397400	0.003043321	2.71	<b>F830034J09Rik</b>	RIKEN cDNA F830034J09 gene
A_51_P433000	0.000396358	2.71	<b>Chmp4c</b>	chromatin modifying protein 4C
A_51_P126437	0.002168455	2.71	<b>Enc1</b>	ectodermal-neural cortex 1
A_51_P126437	0.002380285	2.71	<b>Enc1</b>	ectodermal-neural cortex 1
A_30_P01033384	4.07E-05	2.71		
A_55_P2017491	8.73E-06	2.71	<b>Rbm43</b>	RNA binding motif protein 43
A_52_P68702	9.15E-05	2.71	<b>Frm4b</b>	FERM domain containing 4B
A_55_P1991500	4.84E-07	2.71	<b>Obfc1</b>	oligonucleotide/oligosaccharide-binding fold containing 1
A_55_P1965313	4.72E-08	2.71	<b>Mctp2</b>	multiple C2 domains, transmembrane 2
A_30_P01022924	0.0006672	2.71		
A_55_P1983016	3.13E-05	2.71	<b>Gm3556</b>	predicted gene 3556
A_55_P2282361	9.73E-06	2.70		
A_51_P442097	0.000550273	2.70	<b>Slc41a3</b>	solute carrier family 41, member 3
A_55_P1970596	2.07E-05	2.70		
A_52_P217240	4.95E-06	2.70	<b>Ppme1</b>	protein phosphatase methylesterase 1
A_51_P367060	1.55E-05	2.70	<b>lfrd1</b>	interferon-related developmental regulator 1
A_51_P295215	5.32E-08	2.70	<b>Alkbh5</b>	alkB, alkylation repair homolog 5 (E. coli)
A_55_P2392625	0.003499757	2.69	<b>Slc1a2</b>	solute carrier family 1 (glial high affinity glutamate transporter), member 2
A_55_P1963234	0.000661695	2.69	<b>Olf1396</b>	olfactory receptor 1396
A_51_P235984	3.33E-05	2.69	<b>Il10ra</b>	interleukin 10 receptor, alpha
A_30_P01019905	0.002632755	2.69		
A_51_P381230	5.19E-05	2.68	<b>Zhx2</b>	zinc fingers and homeoboxes 2
A_51_P369862	0.000115749	2.68	<b>Nceh1</b>	arylacetylase-like 1
A_30_P01032845	2.97E-06	2.68		
A_30_P01030011	0.000164369	2.68		
A_30_P01023449	1.19E-05	2.68		
A_55_P2013321	0.002732443	2.68		
A_30_P01027459	2.67E-05	2.68		
A_55_P2056205	0.000228327	2.67	<b>Fpr3</b>	formyl peptide receptor 3
A_55_P2182437	0.000225135	2.67		
A_30_P01028177	0.000827631	2.67		
A_55_P2036357	0.00307341	2.67	<b>Pyhin1</b>	pyrin and HIN domain family, member 1
A_30_P01017514	0.000561753	2.66		
A_55_P2074381	7.89E-07	2.66		
A_55_P1999790	7.26E-05	2.66	<b>Pkdcc</b>	protein kinase domain containing, cytoplasmic
A_30_P01019428	6.04E-06	2.66		
A_55_P2109702	0.001440371	2.65		
A_51_P126437	0.002638533	2.65	<b>Enc1</b>	ectodermal-neural cortex 1
A_52_P646783	0.00018266	2.65	<b>Fbxl22</b>	F-box and leucine-rich repeat protein 22
A_55_P2177899	0.00048126	2.65	<b>Dact1</b>	dapper homolog 1, antagonist of beta-catenin (xenopus)
A_66_P124139	0.001212688	2.65	<b>Ikzf1</b>	IKAROS family zinc finger 1
A_55_P1977426	0.00259869	2.65	<b>Oscar</b>	osteoclast associated receptor
A_55_P2167025	0.002795044	2.65	<b>Pvrl2</b>	poliovirus receptor-related 2
A_51_P126437	0.00360933	2.65	<b>Enc1</b>	ectodermal-neural cortex 1
A_55_P2147487	7.05E-05	2.65	<b>Cyth3</b>	cytohesin 3
A_30_P01024571	3.67E-06	2.65		
A_55_P2075366	5.48E-05	2.65	<b>Tead3</b>	TEA domain family member 3
A_55_P2027392	2.26E-06	2.64	<b>Gpr146</b>	G protein-coupled receptor 146
A_55_P2077313	0.002782659	2.64	<b>Ddr1</b>	discoidin domain receptor family, member 1
A_30_P01028218	0.000865877	2.64		
A_55_P1955568	1.68E-06	2.64	<b>Extl2</b>	exostosins (multiple)-like 2
A_55_P2123381	1.68E-05	2.64	<b>Fga</b>	fibrinogen alpha chain
A_55_P2001233	3.52E-05	2.64	<b>Pydc3</b>	pyrin domain containing 3
A_55_P1964648	0.000647426	2.64	<b>Btla</b>	B and T lymphocyte associated
A_30_P01029336	0.002099913	2.64		
A_66_P136186	0.000627204	2.64	<b>Wee1</b>	WEE 1 homolog 1 (S. pombe)
A_65_P20699	3.13E-09	2.64	<b>Tlk2</b>	tousled-like kinase 2 (Arabidopsis)
A_51_P375509	2.62E-05	2.63	<b>Spty2d1</b>	SPT2, Suppressor of Ty, domain containing 1 (S. cerevisiae)
A_51_P506674	5.96E-07	2.63	<b>Rpp38</b>	ribonuclease P/MRP 38 subunit (human)
A_52_P480402	3.63E-06	2.62	<b>Avl9</b>	AVL9 homolog (S. cerevisiae)
A_51_P101375	2.36E-05	2.62	<b>St6gal1</b>	beta galactoside alpha 2,6 sialyltransferase 1
A_55_P1989013	0.000310683	2.62	<b>Elf6</b>	eukaryotic translation initiation factor 6
A_51_P125842	6.18E-07	2.62	<b>Tmem51</b>	transmembrane protein 51
A_55_P2072041	0.000718111	2.62		
A_55_P2180551	0.000146092	2.62	<b>Fam60a</b>	family with sequence similarity 60, member A
A_30_P01017480	0.000801508	2.61		
A_51_P114177	1.18E-05	2.61	<b>1810022C23Rik</b>	RIKEN cDNA 1810022C23 gene
A_51_P499838	0.000669994	2.61	<b>Bst1</b>	bone marrow stromal cell antigen 1
A_55_P2359560	0.002927087	2.61	<b>C230073G13Rik</b>	RIKEN cDNA C230073G13 gene
A_55_P2081761	0.000844861	2.61		
A_51_P128463	0.000473976	2.61	<b>Grp1</b>	glycine/arginine rich protein 1
A_55_P2003673	6.21E-07	2.61	<b>Mtmr12</b>	myotubularin related protein 12
A_52_P462203	0.000138569	2.61	<b>Dclre1c</b>	DNA cross-link repair 1C, PSO2 homolog (S. cerevisiae)
A_55_P2051778	5.61E-06	2.61	<b>Sult2b1</b>	sulfotransferase family, cytosolic, 2B, member 1
A_55_P2064004	3.64E-07	2.61	<b>Rapgef2</b>	Rap guanine nucleotide exchange factor (GEF) 2
A_55_P2086329	6.85E-08	2.60	<b>Krt85</b>	keratin 85

A_55_P2036952	0.000130039	2.60		
A_55_P2007165	3.01E-05	2.60		
A_55_P2016114	1.82E-05	2.60	Fasl	Fas ligand (TNF superfamily, member 6)
A_55_P1979684	0.000689947	2.60	Rhoc	ras homolog gene family, member C
A_55_P2128324	0.001390324	2.60	Ubap2l	ubiquitin associated protein 2-like
A_30_P01026736	4.55E-05	2.60		
A_66_P138137	6.72E-07	2.60	Pnp	purine-nucleoside phosphorylase
A_55_P2108845	2.31E-06	2.60	Gm7160	predicted gene 7160
A_30_P01027393	0.004346533	2.60		
A_52_P432580	7.53E-05	2.60	Arid5b	AT rich interactive domain 5B (MRF1-like)
A_55_P1988488	0.002766745	2.60	Npc1l1	NPC1-like 1
A_55_P2209298	0.000233991	2.60	AA589532	expressed sequence AA589532
A_51_P300936	3.20E-06	2.60	Rbbp8	retinoblastoma binding protein 8
A_55_P2181181	0.000506074	2.59		
A_51_P463765	0.000465889	2.59	Timp3	tissue inhibitor of metalloproteinase 3
A_52_P664506	0.00185133	2.59	Abhd2	abhydrolase domain containing 2
A_66_P140856	0.000200336	2.59	Gm4588	predicted gene 4588
A_51_P114177	4.72E-06	2.59	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_55_P2014540	7.72E-06	2.59	BC068281	cDNA sequence BC068281
A_30_P01026806	0.000253149	2.58		
A_66_P123635	0.002554342	2.58	Csf2rb	colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage)
A_55_P2113683	0.000167409	2.58	Raph1	Ras association (RalGDS/AF-6) and pleckstrin homology domains 1
A_30_P01030058	1.98E-06	2.58		
A_52_P109304	2.37E-06	2.58	Tbl2	transducin (beta)-like 2
A_55_P2105944	0.000690863	2.58	Olfir224	olfactory receptor 224
A_51_P417839	6.83E-05	2.58	Hdac4	histone deacetylase 4
A_52_P281209	0.000145817	2.58	Kdm4a	lysine (K)-specific demethylase 4A
A_55_P2184146	0.00347498	2.58		
A_55_P2006277	9.14E-06	2.57	Ogdh	oxoglutarate dehydrogenase (lipoamide)
A_30_P01030639	0.000407491	2.57		
A_55_P1985638	0.001213656	2.57	Shisa7	shisa homolog 7 (Xenopus laevis)
A_30_P01019551	0.002558477	2.56		
A_65_P10491	0.001182253	2.56	Raph1	Ras association (RalGDS/AF-6) and pleckstrin homology domains 1
A_52_P640296	9.89E-05	2.56	Fmnl2	formin-like 2
A_30_P01019266	2.10E-06	2.56		
A_52_P161630	4.10E-09	2.56	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_55_P2146976	0.000201785	2.56		
A_51_P418725	1.08E-05	2.56	Plekhf1	pleckstrin homology domain containing, family F (with FYVE domain) member 1
A_55_P2170536	2.45E-06	2.56	Zfp949	zinc finger protein 949
A_65_P08864	2.74E-05	2.55	Dph5	DPH5 homolog (S. cerevisiae)
A_51_P121447	0.000339533	2.55	1110038F14Rik	RIKEN cDNA 1110038F14 gene
A_55_P2123912	0.003385772	2.55	Tmem200b	transmembrane protein 200B
A_51_P481482	7.30E-05	2.55	Dram1	DNA-damage regulated autophagy modulator 1
A_55_P1958400	0.000389923	2.55	LOC236220	hypothetical protein LOC236220
A_51_P128463	6.37E-05	2.55	Grrp1	glycine/arginine rich protein 1
A_52_P289893	4.31E-07	2.55	Prdm4	PR domain containing 4
A_51_P177491	2.77E-05	2.55	Ctrl	chymotrypsin-like
A_55_P2312654	2.41E-05	2.55	BB070754	expressed sequence BB070754
A_51_P154842	0.00036201	2.54	Oas1f	2'-5' oligoadenylate synthetase 1F
A_55_P1952587	0.000999817	2.54		
A_55_P2063471	1.84E-06	2.54		
A_51_P101375	1.44E-05	2.54	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_66_P110161	0.002042473	2.54	Eppk1	epiplakin 1
A_52_P156852	0.002393436	2.54		
A_51_P405668	4.99E-09	2.54	March5	membrane-associated ring finger (C3HC4) 5
A_52_P77764	0.000272627	2.54	Slc7a2	solute carrier family 7 (cationic amino acid transporter, y+ system), member 2
A_55_P2108738	4.79E-06	2.54	Nck1	non-catalytic region of tyrosine kinase adaptor protein 1
A_65_P09031	4.56E-05	2.53	Cdc42se2	CDC42 small effector 2
A_52_P261496	3.96E-06	2.53	Gabpb1	GA repeat binding protein, beta 1
A_52_P128068	5.36E-05	2.53	9030409G11Rik	RIKEN cDNA 9030409G11 gene
A_55_P1989419	5.83E-08	2.53	AI987944	expressed sequence AI987944
A_55_P1998942	0.000593596	2.53	Oas1a	2'-5' oligoadenylate synthetase 1A
A_51_P128463	0.000110114	2.52	Grrp1	glycine/arginine rich protein 1
A_30_P01019360	6.57E-05	2.52		
A_52_P451834	0.000612896	2.52	Stk35	serine/threonine kinase 35
A_30_P01031796	0.000525727	2.52		
A_52_P329250	9.40E-07	2.52	Chd1	chromodomain helicase DNA binding protein 1
A_55_P2123957	0.002949527	2.52	Acvr1b	activin A receptor, type 1B
A_30_P01021617	0.001988691	2.51		
A_55_P2098941	0.000273948	2.51		
A_52_P229943	0.001231597	2.51	Ostb	organic solute transporter beta
A_30_P01032397	0.001746108	2.51		
A_55_P2110351	0.001587743	2.51	Eppk1	epiplakin 1
A_55_P1962304	8.07E-06	2.51	Plac8	placenta-specific 8
A_55_P2072656	0.000294642	2.51	Ckmt1	creatine kinase, mitochondrial 1, ubiquitous
A_30_P01020772	0.001287755	2.51		
A_55_P2452259	4.41E-06	2.50	Gls	glutaminase
A_51_P426096	0.001630364	2.50	Mmp7	matrix metalloproteinase 7
A_51_P105380	0.004150177	2.50	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_51_P114177	1.09E-05	2.50	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_55_P2021109	0.000240294	2.50	Ier5	immediate early response 5
A_30_P01025615	0.000665987	2.49		
A_55_P2141943	4.86E-08	2.49		
A_55_P1984253	0.001031757	2.49		
A_55_P2106801	0.001268594	2.48	Bglap-rs1	bone gamma-carboxyglutamate protein, related sequence 1
A_55_P2165539	8.91E-07	2.48	Aebp2	AE binding protein 2
A_51_P101375	1.54E-05	2.48	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_65_P16231	6.26E-05	2.48	Ttc39b	tetratricopeptide repeat domain 39B
A_51_P487718	0.000687984	2.48	E2f3	E2F transcription factor 3
A_55_P2017100	0.000564856	2.48		
A_52_P601688	0.001275453	2.48	Abcc1	ATP-binding cassette, sub-family C (CFTR/MRP), member 1
A_55_P2181222	0.000101767	2.48	Pydc3	pyrin domain containing 3
A_51_P224980	3.26E-05	2.48	BC027231	cDNA sequence BC027231
A_51_P156857	0.000102364	2.47	2010002N04Rik	RIKEN cDNA 2010002N04 gene
A_30_P01033414	0.003795191	2.47		
A_55_P1989321	2.40E-05	2.47	Sat1	spermidine/spermine N1-acetyl transferase 1
A_55_P2009077	0.00215913	2.47	Sybu	syntabulin (syntaxin-interacting)
A_55_P1981155	9.79E-05	2.47	Phldb1	pleckstrin homology-like domain, family B, member 1
A_52_P212756	9.95E-06	2.47	Tor1aip2	torsin A interacting protein 2
A_55_P1961084	2.34E-05	2.46	Map3k1	mitogen-activated protein kinase kinase kinase 1
A_55_P1982563	0.000214767	2.46	Rhbdf1	rhomboid family 1 (Drosophila)
A_30_P01028097	1.22E-05	2.46		
A_51_P402193	1.31E-05	2.46	Map3k1	mitogen-activated protein kinase kinase kinase 1
A_52_P104761	1.61E-06	2.46	Rlim	ring finger protein, LIM domain interacting
A_55_P2032458	0.000250311	2.46	Gm6934	predicted gene 6934

A_30_P01025442	0.000647272	2.46		
A_30_P01031296	0.000114562	2.46		
A_30_P01021912	0.003320097	2.46		
A_55_P2115225	0.001339584	2.45	Fap	fibroblast activation protein
A_52_P615247	6.75E-05	2.45		
A_51_P114177	1.76E-05	2.45	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_30_P01017679	0.00233556	2.45		
A_51_P251357	0.000801738	2.45	Ctps	cytidine 5'-triphosphate synthase
A_55_P2052062	0.002046376	2.45	Cd200	CD200 antigen
A_51_P224227	6.76E-06	2.45	Rif	rearranged L-myc fusion sequence
A_55_P1998943	0.000282302	2.45	Oas1a	2'-5' oligoadenylate synthetase 1A
A_55_P2041325	4.01E-05	2.45	Cep350	centrosomal protein 350
A_55_P2000683	7.77E-06	2.45	Peci	peroxisomal delta3, delta2-enoyl-Coenzyme A isomerase
A_55_P2037186	0.000167532	2.44	Alkbh2	alkB, alkylation repair homolog 2 (E. coli)
A_55_P1998539	2.16E-05	2.44	C1qtnf1	C1q and tumor necrosis factor related protein 1
A_66_P140185	0.001080088	2.44	Rgs9	regulator of G-protein signaling 9
A_51_P114177	9.45E-06	2.44	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_30_P01021524	0.003817617	2.44		
A_51_P101375	1.07E-08	2.44	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_51_P114177	2.35E-05	2.43	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_51_P255456	0.000868514	2.43	Cyp1b1	cytochrome P450, family 1, subfamily b, polypeptide 1
A_51_P126067	0.000495136	2.43	Cd2	CD2 antigen
A_51_P295420	8.99E-08	2.43	Zc3h7a	zinc finger CCCH type containing 7 A
A_55_P2095570	0.000198569	2.43		
A_55_P2013058	3.48E-07	2.43	Shb	src homology 2 domain-containing transforming protein B
A_55_P1970474	2.08E-06	2.43	Tmem67	transmembrane protein 67
A_51_P131335	8.40E-06	2.43	Lrrc66	leucine rich repeat containing 66
A_51_P114177	1.29E-05	2.43	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_30_P01030177	0.000989355	2.43		
A_55_P2115176	1.64E-06	2.43	Pdhx	pyruvate dehydrogenase complex, component X
A_51_P453351	8.04E-07	2.42	Lpgat1	lysophosphatidylglycerol acyltransferase 1
A_51_P114177	2.32E-05	2.42	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_51_P161362	8.91E-06	2.42	Gnl2	guanine nucleotide binding protein-like 2 (nucleolar)
A_51_P114177	5.20E-05	2.42	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_55_P2181191	0.002696068	2.42	Btg1	B-cell translocation gene 1, anti-proliferative
A_55_P1955548	6.91E-06	2.42	Ezr	ezrin
A_55_P2041397	0.00016999	2.42	Ezh2	enhancer of zeste homolog 2 (Drosophila)
A_55_P1981050	0.000669274	2.42	Gemin8	gem (nuclear organelle) associated protein 8
A_52_P373893	0.000105048	2.42	Acvr1b	activin A receptor, type 1B
A_55_P1985984	0.000933592	2.42	Actg1	actin, gamma, cytoplasmic 1
A_55_P2154054	1.92E-06	2.41	Myo18a	myosin XVIIIa
A_30_P01027757	2.98E-05	2.41		
A_55_P1962801	1.08E-07	2.41	Max	Max protein
A_51_P391454	0.000515957	2.41	Il7	interleukin 7
A_51_P114177	4.39E-05	2.41	1810022C23Rik	RIKEN cDNA 1810022C23 gene
A_55_P2122260	2.09E-05	2.41	Tmem87b	transmembrane protein 87B
A_52_P593465	2.82E-05	2.41	Arap2	ArfGAP with RhoGAP domain, ankyrin repeat and PH domain 2
A_52_P495553	0.000118262	2.41	Zbtb10	zinc finger and BTB domain containing 10
A_66_P113043	6.16E-06	2.40	Nlrc5	NLR family, CARD domain containing 5
A_51_P101375	2.28E-06	2.40	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_30_P01018386	5.48E-07	2.40		
A_51_P499195	0.000282964	2.40	Nkg7	natural killer cell group 7 sequence
A_65_P08239	0.000170849	2.40	Mef2a	myocyte enhancer factor 2A
A_55_P2012599	0.003532476	2.40	Kif5c-ps	kinesin family member C5C, pseudogene
A_30_P01031241	4.39E-07	2.40		
A_55_P2076555	0.003006659	2.40	Hsd17b13	hydroxysteroid (17-beta) dehydrogenase 13
A_55_P2021810	0.000741087	2.39	Arc	activity regulated cytoskeletal-associated protein
A_55_P1983309	8.67E-05	2.39	LOC677368	hypothetical protein LOC677368
A_55_P2117345	1.96E-05	2.39	Fcer2a	Fc receptor, IgE, low affinity II, alpha polypeptide
A_51_P175567	6.88E-05	2.39	Dact1	dapper homolog 1, antagonist of beta-catenin (xenopus)
A_55_P2071447	0.001046041	2.39	Il21r	interleukin 21 receptor
A_55_P2005552	3.41E-06	2.39	Arhgef10l	Rho guanine nucleotide exchange factor (GEF) 10-like
A_52_P83959	2.38E-05	2.39	Taf7	TAF7 RNA polymerase II, TATA box binding protein (TBP)-associated factor
A_55_P2117380	0.001738113	2.39	Asb4	ankyrin repeat and SOCS box-containing 4
A_55_P2294224	0.002135305	2.39	Dennd1b	DENN/MADD domain containing 1B
A_55_P2150299	0.003443354	2.39	E030030I06Rik	RIKEN cDNA E030030I06 gene
A_52_P375312	4.18E-05	2.38	Amica1	adhesion molecule, interacts with CXADR antigen 1
A_55_P2004541	0.002113469	2.38	Klra7	killer cell lectin-like receptor, subfamily A, member 7
A_51_P131942	5.25E-06	2.38	Dph5	DPH5 homolog (S. cerevisiae)
A_51_P421876	0.000269414	2.38	Irf7	interferon regulatory factor 7
A_55_P2129000	4.86E-05	2.38	Cypr1	cysteine and tyrosine-rich protein 1
A_66_P136354	1.84E-05	2.38	Lcp2	lymphocyte cytosolic protein 2
A_55_P2294184	0.000814683	2.38	Tmem2	transmembrane protein 2
A_55_P1971124	5.20E-05	2.38	Mbd1	methyl-CpG binding domain protein 1
A_30_P01029386	0.000934935	2.38		
A_55_P2423646	2.86E-07	2.38	Nf2	neurofibromatosis 2
A_30_P01023320	3.13E-07	2.38		
A_55_P2012984	9.73E-07	2.38	Ldha	lactate dehydrogenase A
A_55_P2129614	0.001462037	2.38	Itrip1	inositol 1,4,5-triphosphate receptor interacting protein
A_55_P2028666	7.50E-05	2.37		
A_30_P01025110	0.001823302	2.37		
A_55_P1990046	0.000113683	2.37		
A_30_P01026822	0.000926596	2.37		
A_51_P101375	7.01E-07	2.37	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_51_P143712	0.001391878	2.37	Tdh	L-threonine dehydrogenase
A_55_P2041310	0.000170193	2.37		
A_30_P01017596	0.000794965	2.37		
A_51_P101375	2.73E-06	2.37	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_55_P1954156	0.000212063	2.37	Wdr43	WD repeat domain 43
A_30_P01032721	0.002443427	2.36		
A_55_P2136737	1.89E-06	2.36	D930016D06Rik	RIKEN cDNA D930016D06 gene
A_51_P382849	0.00323774	2.36	Emb	embigin
A_55_P2054435	0.000140763	2.36	Ttpal	tocopherol (alpha) transfer protein-like
A_55_P2165074	6.77E-07	2.36	Rnf31	ring finger protein 31
A_30_P01028492	8.94E-06	2.36		
A_30_P01029384	0.000331634	2.36		
A_55_P1966838	0.001349482	2.36	Xaf1	XIAP associated factor 1
A_30_P01023209	0.000818365	2.36		
A_30_P01024953	0.00077602	2.36		
A_55_P1994654	4.99E-05	2.36	1810029B16Rik	RIKEN cDNA 1810029B16 gene
A_30_P01033291	0.000840362	2.35		
A_55_P1959953	4.97E-06	2.35	BC006779	cDNA sequence BC006779
A_52_P70796	0.000646067	2.35	Cxcr5	chemokine (C-X-C motif) receptor 5
A_55_P2033922	0.002843311	2.35	Tsga8	testis specific gene A8
A_55_P2042183	7.13E-05	2.35		

A_51_P101375	1.86E-05	2.35	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_51_P118132	0.000127369	2.35	Skil	SKI-like
A_51_P345367	7.77E-05	2.35	Psmb8	proteasome (prosome, macropain) subunit, beta type 8 (large multifunctional peptidase 7)
A_55_P1967776	0.000833778	2.35	Slc4a4	solute carrier family 4 (anion exchanger), member 4
A_55_P2075587	2.80E-07	2.35	Gpatch2	G patch domain containing 2
A_55_P1955656	1.52E-05	2.35	Ctla2a	cytotoxic T lymphocyte-associated protein 2 alpha
A_30_P01028694	0.001839509	2.35		
A_55_P1983583	0.001028966	2.35		
A_55_P2161545	0.000148341	2.35	Ddx21	DEAD (Asp-Glu-Ala-Asp) box polypeptide 21
A_30_P01024368	0.000818046	2.34		
A_66_P106388	5.14E-06	2.34	Ms4a4c	membrane-spanning 4-domains, subfamily A, member 4C
A_55_P1959818	0.003230503	2.34	Tmem40	transmembrane protein 40
A_55_P2122285	0.000184098	2.34		
A_55_P2142908	0.000640461	2.34	Nr5a2	nuclear receptor subfamily 5, group A, member 2
A_51_P148069	0.000140049	2.34	Lpgat1	lysophosphatidylglycerol acyltransferase 1
A_55_P2131325	0.002025047	2.34		
A_55_P2143184	0.00243012	2.34	Hrh4	histamine receptor H4
A_55_P2192729	0.001258144	2.34	5830469G19Rik	RIKEN cDNA 5830469G19 gene
A_55_P1968355	0.000517493	2.34	Tle1	transducin-like enhancer of split 1, homolog of Drosophila E(spl)
A_55_P2201612	2.26E-05	2.34	Slc30a7	solute carrier family 30 (zinc transporter), member 7
A_55_P2025840	0.000161913	2.34	Spred2	sprouty-related, EVH1 domain containing 2
A_55_P2038007	0.000589804	2.34	Csrp1	cysteine and glycine-rich protein 1
A_51_P101375	1.12E-05	2.33	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_55_P1961039	1.20E-06	2.33	Pnpla2	patatin-like phospholipase domain containing 2
A_51_P136589	0.003592878	2.33	Olfir796	olfactory receptor 796
A_55_P1989663	3.92E-06	2.33	Slco3a1	solute carrier organic anion transporter family, member 3a1
A_30_P01021435	0.001093176	2.33		
A_55_P1968231	3.16E-05	2.33	Rbpms	RNA binding protein gene with multiple splicing
A_51_P101375	1.02E-06	2.33	St6gal1	beta galactoside alpha 2,6 sialyltransferase 1
A_55_P1979575	4.09E-06	2.33	Shroom2	shroom family member 2
A_30_P01019207	0.000104305	2.33		
A_65_P01834	3.84E-07	2.33	Lima1	LIM domain and actin binding 1
A_55_P2088075	0.002386955	2.32		
A_30_P01026619	0.003279556	2.32		
A_51_P245368	1.21E-05	2.32	Abcb1b	ATP-binding cassette, sub-family B (MDR/TAP), member 1B
A_51_P327451	0.000113346	2.32	Alas2	aminolevulinic acid synthase 2, erythroid
A_52_P244463	1.72E-06	2.32	D16Erttd472e	DNA segment, Chr 16, ERATO Doi 472, expressed
A_55_P2021149	0.000547979	2.32	Cltb	clathrin, light polypeptide (Lcb)
A_55_P2074005	3.76E-05	2.32	Tctn1	tectonic family member 1
A_55_P2165544	2.48E-07	2.31	Aebp2	AE binding protein 2
A_55_P2061779	4.43E-05	2.31	Zfp456	zinc finger protein 456
A_55_P2016691	2.26E-05	2.31	1700039I01Rik	RIKEN cDNA 1700039I01 gene
A_55_P1984640	7.91E-05	2.31	Ube2f	ubiquitin-conjugating enzyme E2F (putative)
A_65_P16630	3.98E-07	2.31	BC068281	cDNA sequence BC068281
A_52_P586004	0.002055639	2.31	Hk3	hexokinase 3
A_51_P481693	0.000183519	2.31	Ero1l	ERO1-like (S. cerevisiae)
A_51_P193813	1.05E-05	2.31	Fga	fibrinogen alpha chain
A_55_P2034928	0.002002024	2.31	BC147527	cDNA sequence BC147527
A_52_P520940	0.000102258	2.30	Taf7	TAF7 RNA polymerase II, TATA box binding protein (TBP)-associated factor
A_52_P485905	9.04E-06	2.30	Mdm4	transformed mouse 3T3 cell double minute 4
A_55_P2139027	0.00032362	2.30	Plec	plectin
A_30_P01023914	0.004303958	2.30		
A_55_P2034300	3.62E-05	2.30	Tmem40	transmembrane protein 40
A_51_P257550	4.54E-05	2.30	Marcks1	MARCKS-like 1
A_55_P2045682	1.71E-05	2.30	Rassf5	Ras association (RalGDS/AF-6) domain family member 5
A_30_P01030876	0.004316831	2.30		
A_30_P01018337	0.001520944	2.30		
A_30_P01030999	0.001387356	2.30		
A_51_P366061	3.29E-05	2.30	Fscn1	fascin homolog 1, actin bundling protein (Strongylocentrotus purpuratus)
A_66_P101935	0.001847584	2.29	Krt6b	keratin 6B
A_51_P418420	1.02E-06	2.29	Ddx3x	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3, X-linked
A_55_P1999102	0.001326704	2.29	Pi16	peptidase inhibitor 16
A_30_P01026496	0.000149056	2.29		
A_52_P574214	0.000259525	2.29	Rrp1b	ribosomal RNA processing 1 homolog B (S. cerevisiae)
A_55_P2084032	6.35E-08	2.29	AW146154	expressed sequence AW146154
A_52_P185343	0.003938394	2.29		
A_30_P01027297	0.001564349	2.29		
A_55_P1959228	0.001679182	2.29	Slc4a4	solute carrier family 4 (anion exchanger), member 4
A_51_P118132	0.000266179	2.29	Skil	SKI-like
A_52_P218976	0.000670778	2.29	Cyld	cylindromatosis (turban tumor syndrome)
A_55_P2032302	0.000474901	2.29	B230307C23Rik	RIKEN cDNA B230307C23 gene
A_55_P1968898	0.00178501	2.29		
A_55_P2120551	0.001790837	2.29		
A_30_P01029632	0.003080627	2.29		
A_30_P01021434	0.001905874	2.29		
A_55_P2041976	0.001405837	2.29	Akap4	A kinase (PRKA) anchor protein 4
A_55_P2213418	0.000236404	2.28	4933417E11Rik	RIKEN cDNA 4933417E11 gene
A_55_P1984035	3.00E-05	2.28	Litaf	LPS-induced TN factor
A_51_P128463	0.000217907	2.28	Grrp1	glycine/arginine rich protein 1
A_55_P2016675	6.06E-06	2.28	Ogfr	opioid growth factor receptor
A_55_P2024515	1.82E-08	2.28	Crtc2	CREB regulated transcription coactivator 2
A_55_P2022678	8.24E-07	2.28	C1qtnf1	C1q and tumor necrosis factor related protein 1
A_51_P118132	0.000120311	2.28	Skil	SKI-like
A_55_P2055107	0.001656675	2.28	Agpat1	1-acylglycerol-3-phosphate O-acyltransferase 1 (lysophosphatidic acid acyltransferase, alpha)
A_55_P2047285	0.00226746	2.28	Lcn6	lipocalin 6
A_55_P2035003	0.000763413	2.28	LOC100503847	hypothetical LOC100503847
A_55_P2193512	0.001642874	2.28	AI661384	expressed sequence AI661384
A_52_P108502	0.001051182	2.27	Slc4a7	solute carrier family 4, sodium bicarbonate cotransporter, member 7
A_55_P1979863	4.85E-07	2.27	Syne2	synaptic nuclear envelope 2
A_30_P01029002	0.002429193	2.27		
A_52_P254149	6.45E-07	2.27	Irgg	immunity-related GTPase family, Q
A_55_P2003139	0.001003571	2.27	Phf8	PHD finger protein 8
A_51_P126177	8.06E-06	2.27	Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_30_P01032110	0.002543695	2.27		
A_51_P118132	8.17E-05	2.27	Skil	SKI-like
A_55_P2090254	0.000332924	2.27	Sntg2	syntrophin, gamma 2
A_51_P118132	9.73E-05	2.27	Skil	SKI-like
A_55_P2094602	5.35E-06	2.27	Lrch1	leucine-rich repeats and calponin homology (CH) domain containing 1
A_55_P2021555	5.80E-05	2.27	Tbrg1	transforming growth factor beta regulated gene 1
A_51_P423976	9.97E-05	2.27	Crem	cAMP responsive element modulator
A_55_P1957168	0.002773878	2.27	Ube2s	ubiquitin-conjugating enzyme E2S
A_51_P235801	1.25E-06	2.27	Zfp361l	zinc finger protein 36, C3H type-like 1
A_51_P514449	5.31E-05	2.27	Nr5a2	nuclear receptor subfamily 5, group A, member 2
A_55_P2067505	0.000464841	2.27	Slc16a3	solute carrier family 16 (monocarboxylic acid transporters), member 3
A_55_P2128499	1.02E-05	2.27	Mgl2	macrophage galactose N-acetyl-galactosamine specific lectin 2

A_55_P2105963	3.20E-05	2.27	P2ry10	purinergic receptor P2Y, G-protein coupled 10
A_66_P137556	0.001264862	2.27	Tle1	transducin-like enhancer of split 1, homolog of Drosophila E(spl)
A_30_P01018872	1.83E-05	2.26		
A_51_P118132	0.00023003	2.26	Skil	SKI-like
A_30_P01021825	0.001283498	2.26		
A_51_P126177	2.71E-06	2.26	Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_30_P01028331	0.001612651	2.26		
A_55_P2383877	0.001408988	2.26	2810040C05Rik	RIKEN cDNA 2810040C05 gene
A_55_P2009762	1.01E-05	2.26	Mapkapk3	mitogen-activated protein kinase-activated protein kinase 3
A_55_P2180884	3.86E-06	2.26	Psm10	proteasome (prosome, macropain) 26S subunit, non-ATPase, 10
A_51_P481930	0.000747704	2.26	Cdh15	cadherin 15
A_51_P441426	4.86E-05	2.25	Pf4	platelet factor 4
A_55_P2462358	1.50E-05	2.25	Fam118b	family with sequence similarity 118, member B
A_55_P2113349	0.00048516	2.25		
A_30_P01030948	0.000680603	2.25		
A_55_P2286503	0.003089636	2.25	A930001C03Rik	RIKEN cDNA A930001C03 gene
A_55_P2180216	4.31E-05	2.25		
A_55_P1956827	2.56E-06	2.25	Ogfr	opioid growth factor receptor
A_55_P2141978	0.003678507	2.25	Nr3c2	nuclear receptor subfamily 3, group C, member 2
A_51_P346165	0.001477994	2.25	Agpat4	1-acylglycerol-3-phosphate O-acyltransferase 4 (lysophosphatidic acid acyltransferase, delta)
A_30_P01019132	0.001223699	2.24		
A_55_P1966721	5.02E-05	2.24	9930105H17Rik	RIKEN cDNA 9930105H17 gene
A_52_P583458	1.72E-05	2.23	E2f3	E2F transcription factor 3
A_55_P2064659	9.94E-05	2.23	Trim12a	tripartite motif-containing 12A
A_51_P142515	5.41E-06	2.23	Antxr2	anthrax toxin receptor 2
A_55_P2068289	2.21E-05	2.23	Slc17a2	solute carrier family 17 (sodium phosphate), member 2
A_55_P2083649	0.000311829	2.23	Alas1	aminolevulinic acid synthase 1
A_55_P2092881	0.00015496	2.23		
A_55_P2100899	0.000216953	2.23	Arnt	aryl hydrocarbon receptor nuclear translocator
A_52_P178904	7.91E-06	2.23	Seh1l	SEH1-like (S. cerevisiae)
A_51_P126177	6.47E-06	2.22	Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_52_P135822	0.000655967	2.22		
A_55_P2125491	9.14E-05	2.22	Tnfrsf4	tumor necrosis factor receptor superfamily, member 4
A_55_P2105262	9.87E-05	2.22		
A_55_P2125149	0.003737801	2.22	Tulp1	tubby like protein 1
A_55_P2012849	0.000326986	2.22	Dock10	dedicator of cytokinesis 10
A_51_P387608	5.91E-06	2.22	Hif1a	hypoxia inducible factor 1, alpha subunit
A_51_P423091	3.11E-05	2.22	Flot1	flotillin 1
A_66_P109720	0.000150157	2.22	Hn1l	hematological and neurological expressed 1-like
A_51_P247799	9.21E-05	2.22	Casp8	caspase 8
A_30_P01024908	0.003408097	2.22		
A_66_P131754	0.000120032	2.22	Vwa5a	von Willebrand factor A domain containing 5A
A_30_P01022529	0.001105278	2.22		
A_51_P126177	1.34E-05	2.22	Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_52_P237159	9.28E-07	2.22	Spy2d1	SPT2, Suppressor of Ty, domain containing 1 (S. cerevisiae)
A_51_P126177	1.85E-05	2.22	Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_30_P01023112	0.001409171	2.21		
A_51_P172573	4.41E-07	2.21	Sod2	superoxide dismutase 2, mitochondrial
A_51_P126177	1.07E-05	2.21	Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_55_P2067942	9.34E-06	2.21	D16Erd472e	DNA segment, Chr 16, ERATO Doi 472, expressed
A_30_P01031898	0.000303561	2.21		
A_51_P118132	0.000201269	2.21	Skil	SKI-like
A_30_P01022317	0.000393376	2.21		
A_30_P01025118	0.000891222	2.21		
A_55_P1959425	0.000112793	2.21	Slc16a3	solute carrier family 16 (monocarboxylic acid transporters), member 3
A_51_P118132	0.000260529	2.20	Skil	SKI-like
A_51_P118132	0.000136277	2.20	Skil	SKI-like
A_51_P141546	0.00357444	2.20	Orm2	orosomuroid 2
A_55_P2035018	0.002181319	2.20	Clec4n	C-type lectin domain family 4, member n
A_55_P2175440	0.000761423	2.20		
A_52_P50329	0.001844465	2.20	Tmem110	transmembrane protein 110
A_30_P01025628	4.96E-05	2.20		
A_55_P2061994	0.002392011	2.20		
A_55_P1966216	0.001621505	2.20		
A_55_P2021530	2.68E-05	2.20	Clc4	chloride intracellular channel 4 (mitochondrial)
A_30_P01032646	0.002660616	2.20		
A_55_P2096515	0.001909318	2.20		
A_52_P492081	2.21E-05	2.20	Dusp16	dual specificity phosphatase 16
A_55_P2034705	4.29E-08	2.20	Nmi	N-myc (and STAT) interactor
A_55_P2010912	2.56E-06	2.20	Jak3	Janus kinase 3
A_30_P01021885	0.000712994	2.20		
A_55_P2148478	0.000283796	2.20	Klhl25	kelch-like 25 (Drosophila)
A_55_P2076580	1.46E-05	2.20	Acaa1a	acetyl-Coenzyme A acyltransferase 1A
A_55_P1959550	0.000351716	2.19	Rltpr	RGD motif, leucine rich repeats, tropomodulin domain and proline-rich containing
A_55_P2081437	0.001388044	2.19		
A_30_P01031718	0.000210449	2.19		
A_55_P2136184	0.001457146	2.19	Sva	seminal vesicle antigen
A_55_P1975110	9.08E-08	2.19	Pnpt1	polyribonucleotide nucleotidyltransferase 1
A_66_P128128	0.002814328	2.19		
A_55_P1967648	1.82E-07	2.19	Flcn	folliculin
A_55_P2448776	4.40E-05	2.19	Mdn1	midasin homolog (yeast)
A_55_P2027836	0.002909713	2.19	Tnfrsf10b	tumor necrosis factor receptor superfamily, member 10b
A_55_P1982578	0.001695339	2.19	Kdm3a	lysine (K)-specific demethylase 3A
A_52_P463235	0.000135082	2.18	Ankrd33b	ankyrin repeat domain 33B
A_51_P118132	0.00060682	2.18	Skil	SKI-like
A_55_P2213843	3.60E-05	2.18	Cgnl1	cingulin-like 1
A_55_P2140151	1.82E-06	2.18	Flcn	folliculin
A_51_P126177	1.08E-05	2.18	Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_55_P2005145	2.29E-06	2.18	Zfp455	zinc finger protein 455
A_52_P110052	0.002097876	2.18	Darc	Duffy blood group, chemokine receptor
A_55_P2001891	9.68E-05	2.18	Prps1	phosphoribosyl pyrophosphate synthetase 1
A_51_P126177	8.16E-06	2.18	Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_55_P2123551	0.001442096	2.18		
A_51_P357744	7.98E-08	2.18	Jund	Jun proto-oncogene related gene d
A_55_P2344463	0.001047525	2.18	LOC553089	hypothetical LOC553089
A_55_P2172470	0.00194467	2.17	Nrgn	neurogranin
A_30_P01030888	0.000458262	2.17		
A_55_P2150555	1.62E-06	2.17	Pcgf5	polycomb group ring finger 5
A_51_P285736	0.002445682	2.17	Pdcd1	programmed cell death 1
A_51_P219444	4.15E-05	2.17	Plcl2	phospholipase C-like 2
A_55_P2020532	0.003478431	2.17	BC089491	cDNA sequence BC089491
A_55_P1997574	5.35E-05	2.17	Gm4850	THO complex 4 pseudogene
A_52_P468041	3.08E-07	2.17	Alkbh5	alkB, alkylation repair homolog 5 (E. coli)
A_51_P493700	8.50E-06	2.17	Cep350	centrosomal protein 350
A_55_P1953578	0.000348606	2.17	Top3a	topoisomerase (DNA) III alpha

A_52_P543040	0.001346886	2.17		Utp14a	UTP14, U3 small nucleolar ribonucleoprotein, homolog A (yeast)
A_52_P430262	1.28E-08	2.16		Rbm15	RNA binding motif protein 15
A_51_P423290	0.000743101	2.16		Mmr1	multimerin 1
A_55_P1965681	0.000759117	2.16			
A_51_P126177	2.23E-05	2.16		Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_30_P01019972	0.00031504	2.16			
A_55_P2002133	0.003935355	2.16		Elf2c2	eukaryotic translation initiation factor 2C, 2
A_55_P1987827	0.002516682	2.16			
A_52_P527500	2.96E-05	2.16		Helb	helicase (DNA) B
A_55_P1997375	0.001472439	2.16			
A_30_P01019226	0.000137404	2.16			
A_55_P1992814	7.39E-06	2.16		Shq1	SHQ1 homolog (S. cerevisiae)
A_55_P2013833	8.34E-10	2.16		Ddx3x	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3, X-linked
A_55_P2000718	0.000487803	2.15		Gabarap	gamma-aminobutyric acid receptor associated protein
A_65_P11455	1.27E-05	2.15		Pph1n1	periphilin 1
A_55_P1991693	9.12E-05	2.15		Pprc1	peroxisome proliferative activated receptor, gamma, coactivator-related 1
A_55_P1985544	0.000792027	2.15		Kcnk10	potassium channel, subfamily K, member 10
A_52_P147666	1.38E-05	2.15		Slc30a7	solute carrier family 30 (zinc transporter), member 7
A_51_P126177	2.16E-05	2.15		Map1lc3b	microtubule-associated protein 1 light chain 3 beta
A_51_P223458	0.000226486	2.15		Polr3d	polymerase (RNA) III (DNA directed) polypeptide D
A_51_P396708	0.000228105	2.15		Med21	mediator complex subunit 21
A_55_P2017645	9.29E-08	2.15		Tap2	transporter 2, ATP-binding cassette, sub-family B (MDR/TAP)
A_55_P1970655	2.95E-05	2.15			
A_55_P2015124	0.000249767	2.15			
A_30_P01022060	0.000738626	2.15			
A_51_P184385	1.82E-05	2.15		Pla2g12b	phospholipase A2, group XIIB
A_55_P2099378	4.18E-05	2.14		Tcfe3	transcription factor E3
A_51_P455647	0.000177622	2.14		Car2	carbonic anhydrase 2
A_52_P239726	1.99E-06	2.14		Larp4	La ribonucleoprotein domain family, member 4
A_55_P2045916	8.43E-06	2.14			
A_55_P2044729	0.00096557	2.14		Aoc2	amine oxidase, copper containing 2 (retina-specific)
A_55_P2163857	5.97E-05	2.14		9230105E10Rik	RIKEN cDNA 9230105E10 gene
A_30_P01033039	0.000191153	2.14			
A_52_P481423	0.001666161	2.14		Cttnbp2nl	CTTNBP2 N-terminal like
A_30_P01030111	0.002789597	2.13			
A_55_P2364755	0.003293976	2.13		LOC100505078	hypothetical protein LOC100505078
A_51_P268234	2.35E-06	2.13		Il34	interleukin 34
A_51_P322109	0.000764974	2.13		Pptc7	PTC7 protein phosphatase homolog (S. cerevisiae)
A_30_P01017794	0.000127941	2.13			
A_55_P1996171	2.75E-07	2.13		Pcgf5	polycomb group ring finger 5
A_51_P520966	0.000108571	2.13		Icosl	icos ligand
A_51_P322972	0.000156662	2.13		Hkdc1	hexokinase domain containing 1
A_55_P2216822	0.003643029	2.13			
A_30_P01024578	0.003400495	2.12			
A_30_P01032009	0.001198371	2.12			
A_55_P2111293	4.49E-05	2.12		3110009E18Rik	RIKEN cDNA 3110009E18 gene
A_51_P131025	7.76E-05	2.12		Ngdn	neuroguidin, EIF4E binding protein
A_65_P15245	0.000119388	2.12		Nrp2	neuropilin 2
A_30_P01025660	0.000980919	2.12			
A_51_P239203	0.000977459	2.11		Mapk13	mitogen-activated protein kinase 13
A_52_P504478	0.003551338	2.11		Adprh	ADP-ribosylarginine hydrolase
A_30_P01017756	0.0009614	2.11			
A_55_P2149931	0.000277034	2.11		Arap2	ArfGAP with RhoGAP domain, ankyrin repeat and PH domain 2
A_55_P2358002	1.93E-06	2.11		March5	membrane-associated ring finger (C3HC4) 5
A_55_P2162152	3.37E-07	2.11			
A_52_P638319	6.37E-06	2.11			
A_30_P01027619	0.001256179	2.11			
A_30_P01025826	0.001373556	2.11			
A_55_P1968043	0.000665667	2.11		Jmjd1c	jumonji domain containing 1C
A_55_P2079388	0.000378825	2.11		Snora74a	small nucleolar RNA, H/ACA box 74A
A_55_P2021358	7.29E-08	2.11		Klhl15	kelch-like 15 (Drosophila)
A_51_P450527	4.21E-05	2.10		Tagln	transgelin
A_52_P676956	1.61E-05	2.10		Tirap	toll-interleukin 1 receptor (TIR) domain-containing adaptor protein
A_30_P01028793	0.000415946	2.10			
A_51_P509808	8.82E-06	2.10		Fnbp4	formin binding protein 4
A_52_P329314	0.001416512	2.10			
A_51_P407774	0.002712632	2.10		Slc22a21	solute carrier family 22 (organic cation transporter), member 21
A_55_P1967069	3.72E-05	2.10		Lpar6	lysophosphatidic acid receptor 6
A_55_P2065874	0.000945915	2.10		D430042O09Rik	RIKEN cDNA D430042O09 gene
A_55_P2083806	0.001117083	2.10		Sp8	trans-acting transcription factor 8
A_51_P184806	1.08E-07	2.09		Elmod2	ELMO domain containing 2
A_55_P2099379	2.68E-05	2.09		Tcfe3	transcription factor E3
A_52_P420216	0.003651056	2.09		N4bp1	NEDD4 binding protein 1
A_30_P01018730	0.002583402	2.09			
A_52_P364232	0.001026758	2.09		Plk3c2a	phosphatidylinositol 3-kinase, C2 domain containing, alpha polypeptide
A_55_P2052709	0.003066016	2.09			
A_30_P01023409	0.002912516	2.09			
A_55_P2140870	0.002834869	2.09		Gm6034	predicted gene 6034
A_30_P01028559	0.001611099	2.09			
A_55_P2186352	0.001143096	2.09		Ttc12	tetratricopeptide repeat domain 12
A_55_P2161132	0.000159576	2.09			
A_52_P672689	0.00010143	2.09		Btc	betacellulin, epidermal growth factor family member
A_55_P2105100	5.48E-05	2.09		Lrig1	leucine-rich repeats and immunoglobulin-like domains 1
A_51_P214747	7.00E-05	2.08		Parp12	poly (ADP-ribose) polymerase family, member 12
A_52_P261322	4.17E-05	2.08		Tanc1	tetratricopeptide repeat, ankyrin repeat and coiled-coil containing 1
A_55_P2026233	3.66E-06	2.08		Uba7	ubiquitin-like modifier activating enzyme 7
A_55_P2096807	3.27E-06	2.08		Rbms1	RNA binding motif, single stranded interacting protein 1
A_55_P2078780	2.85E-07	2.08		Etv4	ets variant gene 4 (E1A enhancer binding protein, E1AF)
A_55_P1989748	8.23E-05	2.08			
A_55_P2119877	0.001113109	2.08			
A_30_P01022079	0.003292564	2.08			
A_55_P2018017	0.000152151	2.08		Tnfsf10	tumor necrosis factor (ligand) superfamily, member 10
A_51_P314679	2.32E-06	2.08		Rrm3	RRN3 RNA polymerase I transcription factor homolog (yeast)
A_55_P2073169	0.002795433	2.08		Padl4	peptidyl arginine deiminase, type IV
A_52_P88091	0.000406954	2.07		Dsg2	desmoglein 2
A_51_P293069	8.22E-06	2.07		Mfsd7b	major facilitator superfamily domain containing 7B
A_55_P1968068	2.39E-05	2.07		Trp53	transformation related protein 53
A_55_P2108351	9.08E-05	2.07			
A_30_P01018827	0.002353324	2.07			
A_55_P2048176	1.27E-05	2.07			
A_30_P01019834	0.000838475	2.07			
A_52_P260787	0.000244681	2.07		Dopey1	dopey family member 1
A_52_P168271	0.002433074	2.06		Spq20	spastic paraplegia 20, spartin (Troyer syndrome) homolog (human)
A_55_P1986306	8.26E-06	2.06		Ltv1	LTV1 homolog (S. cerevisiae)
A_55_P2103661	0.001839884	2.06		Zfp366	zinc finger protein 366

A_30_P01027717	0.003262831	2.06		
A_55_P2028595	0.002812293	2.06	AW551984	expressed sequence AW551984
A_51_P126067	0.000411027	2.06	Cd2	CD2 antigen
A_55_P2029285	5.82E-07	2.06	Smad1	MAD homolog 1 (Drosophila)
A_55_P1956687	7.85E-05	2.05	Rab37	RAB37, member of RAS oncogene family
A_52_P131458	6.49E-06	2.05	Ttc39b	tetratricopeptide repeat domain 39B
A_55_P1969876	0.00344341	2.05	Morf412	mortality factor 4 like 2
A_51_P441974	1.21E-07	2.05	Pip5k1a	phosphatidylinositol-4-phosphate 5-kinase, type 1 alpha
A_55_P2077068	0.001034076	2.05	Malt1	mucosa associated lymphoid tissue lymphoma translocation gene 1
A_55_P2136204	9.82E-05	2.05	Rnf38	ring finger protein 38
A_55_P2149763	4.90E-06	2.05	Tapbp	TAP binding protein
A_30_P01023974	0.003779187	2.05		
A_55_P2076797	4.82E-05	2.05	Ddx5	DEAD (Asp-Glu-Ala-Asp) box polypeptide 5
A_30_P01030215	0.0014167	2.04		
A_55_P2041070	7.16E-05	2.04	Tle3	transducin-like enhancer of split 3, homolog of Drosophila E(spl)
A_52_P138806	0.000500801	2.04	Dlgap3	discs, large (Drosophila) homolog-associated protein 3
A_52_P488361	0.000123199	2.04	Tmem110	transmembrane protein 110
A_30_P01025290	0.000255419	2.04		
A_55_P1978987	1.68E-05	2.04	Ifih1	interferon induced with helicase C domain 1
A_55_P2054857	5.52E-05	2.04	Ube2v2	ubiquitin-conjugating enzyme E2 variant 2
A_55_P1986296	6.34E-05	2.04	Tagln2	transgelin 2
A_51_P172231	5.31E-05	2.04	Gsdmd	gasdermin D
A_55_P2056871	2.35E-06	2.03	Akap13	A kinase (PRKA) anchor protein 13
A_55_P2074206	3.20E-07	2.03	Dlgap4	discs, large homolog-associated protein 4 (Drosophila)
A_55_P2201454	0.00162317	2.03	2310079F09Rik	RIKEN cDNA 2310079F09 gene
A_51_P504815	2.50E-05	2.03	Stfa3	stefin A3
A_55_P2111292	7.71E-06	2.03	3110009E18Rik	RIKEN cDNA 3110009E18 gene
A_51_P320539	2.91E-07	2.03	Fam105b	family with sequence similarity 105, member B
A_51_P212068	4.00E-05	2.03	Abp1	amiloride binding protein 1 (amine oxidase, copper-containing)
A_52_P64707	2.44E-05	2.03	Foxa3	forkhead box A3
A_51_P263220	1.42E-06	2.03	Taf5	TAF5 RNA polymerase II, TATA box binding protein (TBP)-associated factor
A_51_P128463	0.002024726	2.03	Grrp1	glycine/arginine rich protein 1
A_51_P483324	0.001424467	2.03	Ptpn22	protein tyrosine phosphatase, non-receptor type 22 (lymphoid)
A_55_P2035504	4.14E-05	2.03	Nt5c3	5'-nucleotidase, cytosolic III
A_52_P92472	0.000184051	2.02		
A_55_P2081615	0.002797272	2.02	Timeless	timeless homolog (Drosophila)
A_30_P01027263	0.000687885	2.02		
A_51_P234728	3.13E-05	2.02	Lpar6	lysophosphatidic acid receptor 6
A_51_P172231	1.72E-05	2.02	Gsdmd	gasdermin D
A_52_P361551	0.000106546	2.02	Hspa14	heat shock protein 14
A_51_P365318	0.000192285	2.02	Pcf11	cleavage and polyadenylation factor subunit homolog (S. cerevisiae)
A_51_P458866	4.85E-08	2.02	F11r	F11 receptor
A_55_P1961894	2.65E-08	2.02	Fbxw11	F-box and WD-40 domain protein 11
A_55_P2066081	0.000665277	2.02	Prmt6	protein arginine N-methyltransferase 6
A_55_P2131088	1.33E-06	2.02	Vwa5a	von Willebrand factor A domain containing 5A
A_51_P374900	0.003344995	2.02	P2ry13	purinergic receptor P2Y, G-protein coupled 13
A_30_P01018611	9.18E-05	2.02		
A_66_P117204	0.00050368	2.01		
A_55_P1995045	0.001060805	2.01	Zc3hav1	zinc finger CCCH type, antiviral 1
A_55_P2168113	7.75E-05	2.01	Nudcd1	NudC domain containing 1
A_55_P1973848	1.04E-05	2.01	Sema4b	sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin)
A_55_P2010487	1.24E-05	2.01	Unk	unkempt homolog (Drosophila)
A_55_P2008452	3.22E-05	2.01	Wtap	Wilms' tumour 1-associating protein
A_51_P507801	0.00059879	2.01	F13a1	coagulation factor XIII, A1 subunit
A_55_P2040863	8.19E-07	2.01	Cnn3	calponin 3, acidic
A_55_P2074366	0.000325992	2.00	Yars	tyrosyl-tRNA synthetase
A_52_P36680	7.66E-06	2.00	Pggt1b	protein geranylgeranyltransferase type I, beta subunit
A_65_P02327	0.000280183	2.00	Pogk	pogo transposable element with KRAB domain
A_55_P2015799	4.46E-07	2.00		
A_51_P511511	0.002376502	2.00	Stk33	serine/threonine kinase 33
A_30_P01022771	0.004055962	2.00		
A_55_P2047912	0.001590526	2.00	Dad1	defender against cell death 1

Genes that decreased by more than 2 fold in livers of mice treated with Con A and vehicle for 24 hours compared with livers without any treatment.

ProbeID	pvalue	FoldChange	GeneSymbol	GeneName
A_52_P84027	5.72E-06	0.007	Cyp7a1	cytochrome P450, family 7, subfamily a, polypeptide 1
A_51_P162162	9.67E-09	0.011	Inmt	indolethylamine N-methyltransferase
A_51_P217498	0.001744126	0.014	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P217498	0.001360754	0.015	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P389265	0.003121996	0.015	Pnpla3	patatin-like phospholipase domain containing 3
A_51_P217498	0.001287491	0.016	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_55_P2154645	0.001734766	0.017	Pnpla5	patatin-like phospholipase domain containing 5
A_51_P217498	0.001770466	0.018	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P217498	0.001366294	0.018	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_52_P100252	0.001081782	0.018	Fasn	fatty acid synthase
A_51_P217498	0.001771676	0.018	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P217498	0.001425474	0.019	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_55_P2111980	2.81E-05	0.020	Hsd3b5	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 5
A_51_P217498	0.001972031	0.020	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P114722	0.000107635	0.021	Hao2	hydroxyacid oxidase 2
A_51_P431329	2.12E-05	0.022	Car3	carbonic anhydrase 3
A_51_P217498	0.002148849	0.022	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_51_P266618	3.62E-07	0.022	Cyp8b1	cytochrome P450, family 8, subfamily b, polypeptide 1
A_51_P114722	0.000191517	0.022	Hao2	hydroxyacid oxidase 2
A_51_P114722	0.000262998	0.022	Hao2	hydroxyacid oxidase 2
A_51_P114722	0.000203648	0.023	Hao2	hydroxyacid oxidase 2
A_51_P145662	7.67E-08	0.023	Clec4g	C-type lectin domain family 4, member g
A_51_P114722	0.000189785	0.023	Hao2	hydroxyacid oxidase 2
A_51_P217498	0.001260892	0.024	Slc2a4	solute carrier family 2 (facilitated glucose transporter), member 4
A_55_P2036547	9.60E-07	0.026	Hsd3b2	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2
A_51_P114722	0.000240596	0.026	Hao2	hydroxyacid oxidase 2
A_51_P463440	0.000244933	0.026	Elovl6	ELOVL family member 6, elongation of long chain fatty acids (yeast)
A_55_P2128606	5.59E-07	0.026	Nr1h5	nuclear receptor subfamily 1, group H, member 5
A_51_P114722	7.42E-05	0.026	Hao2	hydroxyacid oxidase 2
A_51_P114722	0.000213554	0.028	Hao2	hydroxyacid oxidase 2
A_55_P2139587	0.000324866	0.028		
A_51_P114722	0.000132158	0.028	Hao2	hydroxyacid oxidase 2
A_55_P2018666	0.000375905	0.029	Thrsp	thyroid hormone responsive SPOT14 homolog (Rattus)
A_51_P114722	0.0002871	0.031	Hao2	hydroxyacid oxidase 2
A_52_P350750	0.004674395	0.031	Chrna4	cholinergic receptor, nicotinic, alpha polypeptide 4
A_52_P293682	0.000471252	0.035	Sult2a7	sulfotransferase family 2A, dehydroepiandrosterone (DHEA)-preferring, member 7
A_55_P2178036	4.73E-08	0.036	Serpina6	serine (or cysteine) peptidase inhibitor, clade A, member 6
A_51_P144160	7.79E-09	0.038	Colec10	collectin sub-family member 10
A_52_P21486	9.38E-05	0.041	Hamp2	hepcidin antimicrobial peptide 2
A_52_P240796	0.00018368	0.042	Rdh16	retinol dehydrogenase 16
A_55_P2046671	7.81E-06	0.043		
A_51_P133562	3.09E-08	0.043	Serpina6	serine (or cysteine) peptidase inhibitor, clade A, member 6
A_52_P54280	1.01E-07	0.043	Adck3	aarF domain containing kinase 3
A_52_P614777	5.42E-05	0.044	Sucnr1	succinate receptor 1
A_51_P178772	1.41E-09	0.046	Ces1f	carboxylesterase 1F
A_51_P174275	3.41E-12	0.049	Colec11	collectin sub-family member 11
A_51_P383774	0.000123508	0.049	Gngt1	guanine nucleotide binding protein (G protein), gamma transducing activity polypeptide 1
A_52_P219904	6.21E-11	0.049	Afmid	arylfornamidase
A_52_P572178	2.39E-05	0.050	D130043K22Rik	RIKEN cDNA D130043K22 gene
A_55_P2049771	1.27E-06	0.051		
A_55_P2025514	0.00064786	0.053	Pnpla3	patatin-like phospholipase domain containing 3
A_51_P221256	0.006538257	0.053	Slc34a2	solute carrier family 34 (sodium phosphate), member 2
A_55_P2143923	4.19E-05	0.054	Slc13a2	solute carrier family 13 (sodium-dependent dicarboxylate transporter), member 2
A_55_P2147136	7.62E-07	0.055	Akr1d1	aldo-keto reductase family 1, member D1
A_51_P245503	1.19E-10	0.056	Ugt2b1	UDP glucuronosyltransferase 2 family, polypeptide B1
A_55_P2099840	4.48E-05	0.056		
A_52_P93837	2.79E-07	0.057	Mme	membrane metallo endopeptidase
A_55_P2340448	3.01E-08	0.057	B230114P17Rik	RIKEN cDNA B230114P17 gene
A_52_P653825	0.000513061	0.059	Keg1	kidney expressed gene 1
A_55_P2172532	8.27E-06	0.059	Sult2a6	sulfotransferase family 2A, dehydroepiandrosterone (DHEA)-preferring, member 6
A_55_P1989248	8.84E-06	0.059		
A_55_P2023114	4.19E-10	0.059	Hsd3b2	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2
A_51_P369784	8.49E-06	0.060	Ces1e	carboxylesterase 1E
A_52_P253567	6.86E-10	0.060	Hsd3b6	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 6
A_55_P1988795	0.000300725	0.060	Acss2	acyl-CoA synthetase short-chain family member 2
A_52_P595871	1.01E-07	0.061	Cyp1a2	cytochrome P450, family 1, subfamily a, polypeptide 2
A_52_P207314	2.02E-06	0.062	Htra4	Htra serine peptidase 4
A_55_P1963134	9.99E-08	0.062		
A_55_P1952512	1.31E-05	0.062	Sult2a2	sulfotransferase family 2A, dehydroepiandrosterone (DHEA)-preferring, member 2
A_51_P328622	3.94E-06	0.063	Tlcd2	TLC domain containing 2
A_51_P157462	2.78E-09	0.063	Rgn	regucalcin
A_55_P2020477	2.02E-07	0.064	Cyp2c50	cytochrome P450, family 2, subfamily c, polypeptide 50
A_51_P335569	2.42E-11	0.064	Slco1a4	solute carrier organic anion transporter family, member 1a4
A_52_P57622	2.50E-07	0.064	Acss3	acyl-CoA synthetase short-chain family member 3
A_51_P324633	6.01E-05	0.065	Elovl3	elongation of very long chain fatty acids (FEN1/Elo2, SUR4/Elo3, yeast)-like 3
A_51_P224164	6.48E-05	0.065	Slc26a4	solute carrier family 26, member 4
A_52_P121342	4.28E-10	0.065	Nrxn1	neurexin I
A_55_P2170054	2.89E-07	0.066	Gm7854	predicted gene 7854
A_55_P2054628	1.80E-08	0.067	Nrxn1	neurexin I
A_51_P189733	3.03E-10	0.067	2810007J24Rik	RIKEN cDNA 2810007J24 gene
A_55_P2107223	8.40E-06	0.067	Sult2a6	sulfotransferase family 2A, dehydroepiandrosterone (DHEA)-preferring, member 6
A_30_P0101812	1.39E-06	0.068		
A_55_P1991841	3.06E-05	0.069	AB056442	cDNA sequence AB056442
A_55_P1988789	0.000332611	0.069	Acss2	acyl-CoA synthetase short-chain family member 2
A_52_P289091	2.24E-06	0.069	Cyp2b13	cytochrome P450, family 2, subfamily b, polypeptide 13
A_55_P1952517	2.42E-05	0.070	Sult2a1	sulfotransferase family 2A, dehydroepiandrosterone (DHEA)-preferring, member 1
A_51_P498882	6.11E-06	0.070	Cyp2c37	cytochrome P450, family 2, subfamily c, polypeptide 37
A_55_P2000543	8.31E-05	0.071	Cd209f	CD209f antigen
A_55_P1958804	5.37E-09	0.071	Hsd3b3	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 3
A_51_P144531	2.39E-05	0.071	D630002G06Rik	RIKEN cDNA D630002G06 gene
A_66_P113268	1.07E-07	0.071	Mme	membrane metallo endopeptidase
A_51_P452768	9.38E-09	0.072	Cyp4f14	cytochrome P450, family 4, subfamily f, polypeptide 14
A_55_P2156304	1.39E-06	0.072	Kcnj16	potassium inwardly-rectifying channel, subfamily J, member 16
A_55_P2050226	2.68E-05	0.073	Ccr1l	chemokine (C-C motif) receptor-like 1
A_55_P2069907	4.77E-05	0.073	Acot3	acyl-CoA thioesterase 3
A_55_P2169259	5.60E-09	0.074	Cyp3a25	cytochrome P450, family 3, subfamily a, polypeptide 25
A_51_P221651	4.16E-06	0.074	Adck3	aarF domain containing kinase 3
A_66_P116326	9.73E-06	0.075	Tlcd2	TLC domain containing 2
A_55_P2066036	0.000499247	0.075		
A_52_P154580	5.69E-07	0.076	Cyp2c54	cytochrome P450, family 2, subfamily c, polypeptide 54
A_55_P2038347	1.71E-06	0.076	Acot3	acyl-CoA thioesterase 3
A_55_P2288232	1.20E-08	0.077	6330407I18Rik	RIKEN cDNA 6330407I18 gene
A_55_P1961466	0.000219295	0.077	Dct	dopachrome tautomerase
A_55_P1993419	7.96E-08	0.077	Cyp2c54	cytochrome P450, family 2, subfamily c, polypeptide 54
A_55_P2162880	1.41E-09	0.078	Cyp3a57	cytochrome P450, family 3, subfamily a, polypeptide 57
A_55_P2016842	0.000103512	0.078	Me1	malic enzyme 1, NADP(+)-dependent, cytosolic



A_52_P402127	1.62E-05	0.078	Mup9	major urinary protein 9
A_55_P2171413	0.000371646	0.079	Me1	malic enzyme 1, NADP(+)-dependent, cytosolic
A_52_P562267	1.91E-05	0.079	9130409123Rik	RIKEN cDNA 9130409123 gene
A_66_P124420	9.45E-05	0.081		
A_51_P205326	7.26E-08	0.081	Fam198a	family with sequence similarity 198, member A
A_51_P176042	2.10E-05	0.081	Pklr	pyruvate kinase liver and red blood cell
A_55_P2040860	6.28E-06	0.082	Sun3	Sad1 and UNC84 domain containing 3
A_51_P391616	1.69E-06	0.082	Agxt2l1	alanine-glyoxylate aminotransferase 2-like 1
A_51_P309920	6.28E-08	0.082	Itga8	integrin alpha 8
A_55_P2003053	0.000121342	0.082	Dct	dopachrome tautomerase
A_55_P1952507	2.95E-05	0.083	Sult2a4	sulfotransferase family 2A, dehydroepiandrosterone (DHEA)-preferring, member 4
A_51_P175424	2.27E-08	0.083	Car14	carbonic anhydrase 14
A_55_P2122464	3.54E-08	0.083		
A_55_P2178798	1.06E-06	0.084	LOC100048662	UDP-glucuronosyltransferase 1-9-like
A_52_P69109	7.62E-09	0.086	Slc10a1	solute carrier family 10 (sodium/bile acid cotransporter family), member 1
A_55_P2009952	0.000285412	0.086	Me1	malic enzyme 1, NADP(+)-dependent, cytosolic
A_51_P271865	3.34E-06	0.087	Clec4f	C-type lectin domain family 4, member f
A_51_P353895	1.10E-05	0.087	Sult1c2	sulfotransferase family, cytosolic, 1C, member 2
A_51_P395856	3.80E-05	0.088	Slc22a7	solute carrier family 22 (organic anion transporter), member 7
A_55_P1973259	4.53E-07	0.089	Gamt	guanidinoacetate methyltransferase
A_55_P2095039	1.45E-06	0.090	A330049M08Rik	RIKEN cDNA A330049M08 gene
A_66_P120125	0.000462006	0.091	D0H4S114	DNA segment, human D4S114
A_55_P2078955	0.000112596	0.091	Aqp8	aquaporin 8
A_52_P682382	1.12E-06	0.091	Scd1	stearoyl-Coenzyme A desaturase 1
A_51_P420415	1.18E-07	0.092	Srd5a1	steroid 5 alpha-reductase 1
A_52_P574720	1.95E-08	0.092	Oit3	oncprotein induced transcript 3
A_55_P2064351	4.88E-09	0.094	Vlpr1	vasoactive intestinal peptide receptor 1
A_55_P1961423	1.32E-09	0.096	Gsta3	glutathione S-transferase, alpha 3
A_55_P2082914	0.000800376	0.096	Acly	ATP citrate lyase
A_51_P326685	0.000741953	0.097	Lrtm1	leucine-rich repeats and transmembrane domains 1
A_51_P277088	2.40E-07	0.098	Igfals	insulin-like growth factor binding protein, acid labile subunit
A_55_P2025954	0.000564037	0.098	Acly	ATP citrate lyase
A_51_P126563	4.04E-09	0.098	Otc	ornithine transcarbamylase
A_55_P2084703	0.000290649	0.098	Acaca	acetyl-Coenzyme A carboxylase alpha
A_51_P213030	1.10E-07	0.098	Macrocl1	MACRO domain containing 1
A_51_P462385	5.81E-05	0.101	G6pc	glucose-6-phosphatase, catalytic
A_55_P2039044	1.80E-08	0.101	Cyp3a59	cytochrome P450, subfamily 3A, polypeptide 59
A_51_P215438	6.45E-07	0.101	Prodh	proline dehydrogenase
A_55_P2116272	5.19E-09	0.102	Cyp2c38	cytochrome P450, family 2, subfamily c, polypeptide 38
A_66_P129153	0.000505049	0.102	Ptk6	PTK6 protein tyrosine kinase 6
A_55_P2119892	0.000101362	0.102	ErbB4	v-erb-a erythroblastic leukemia viral oncogene homolog 4 (avian)
A_51_P164630	0.000205968	0.102	Fitm1	fat storage-inducing transmembrane protein 1
A_55_P2005859	2.46E-11	0.102	Fn3k	fructosamine 3 kinase
A_55_P2002557	0.000464927	0.102	Sreb1	sterol regulatory element binding transcription factor 1
A_51_P253481	1.42E-07	0.102	Ces1g	carboxylesterase 1G
A_55_P1991505	7.60E-07	0.102	Gamt	guanidinoacetate methyltransferase
A_51_P209782	3.34E-06	0.102	Cyp2c44	cytochrome P450, family 2, subfamily c, polypeptide 44
A_55_P2016662	2.16E-06	0.103		
A_51_P126563	1.46E-10	0.103	Otc	ornithine transcarbamylase
A_55_P2060138	7.32E-05	0.104	Cyp2a22	cytochrome P450, family 2, subfamily a, polypeptide 22
A_55_P2313033	2.15E-09	0.104	Ptprb	protein tyrosine phosphatase, receptor type, B
A_55_P2141058	0.003363528	0.104	LOC100504710	camello-like 3-like
A_51_P185693	2.45E-08	0.105	Slc2a2	solute carrier family 2 (facilitated glucose transporter), member 2
A_51_P126563	1.51E-09	0.105	Otc	ornithine transcarbamylase
A_51_P419439	1.49E-07	0.105	Gnmt	glycine N-methyltransferase
A_51_P126563	6.26E-11	0.105	Otc	ornithine transcarbamylase
A_55_P1989658	0.002006019	0.105	Slco1a1	solute carrier organic anion transporter family, member 1a1
A_51_P126563	2.68E-09	0.106	Otc	ornithine transcarbamylase
A_51_P126563	1.30E-10	0.106	Otc	ornithine transcarbamylase
A_51_P126563	4.92E-10	0.106	Otc	ornithine transcarbamylase
A_51_P126563	1.23E-09	0.106	Otc	ornithine transcarbamylase
A_52_P136914	8.84E-06	0.107	Nudt7	nudix (nucleoside diphosphate linked moiety X)-type motif 7
A_51_P164296	3.87E-06	0.107	Adamdec1	ADAM-like, decysin 1
A_51_P126563	1.02E-09	0.107	Otc	ornithine transcarbamylase
A_51_P126563	3.80E-10	0.108	Otc	ornithine transcarbamylase
A_55_P2121392	0.000637179	0.108	Acaca	acetyl-Coenzyme A carboxylase alpha
A_51_P451458	8.91E-09	0.108	Mamdc2	MAM domain containing 2
A_55_P2087053	1.65E-05	0.110	Gm11437	predicted gene 11437
A_55_P2019054	6.64E-06	0.110	Acacb	acetyl-Coenzyme A carboxylase beta
A_55_P1953103	8.74E-06	0.111	Nudt7	nudix (nucleoside diphosphate linked moiety X)-type motif 7
A_51_P334318	1.00E-06	0.111	2010110P09Rik	RIKEN cDNA 2010110P09 gene
A_55_P2158547	3.04E-07	0.112	Cyp2c54	cytochrome P450, family 2, subfamily c, polypeptide 54
A_52_P218833	5.95E-05	0.113	Sult2a3	sulfotransferase family 2A, dehydroepiandrosterone (DHEA)-preferring, member 3
A_55_P2084706	0.000328794	0.114	Acaca	acetyl-Coenzyme A carboxylase alpha
A_55_P1979295	2.66E-07	0.114	Lrit1	leucine-rich repeat, immunoglobulin-like and transmembrane domains 1
A_51_P189082	1.40E-08	0.114	Akr1c6	aldo-keto reductase family 1, member C6
A_55_P2135203	3.43E-05	0.114		
A_55_P2115220	6.61E-07	0.115	Gm11437	predicted gene 11437
A_52_P175199	1.96E-06	0.115	Lrit2	leucine-rich repeat, immunoglobulin-like and transmembrane domains 2
A_55_P2148171	1.81E-05	0.116	A330049M08Rik	RIKEN cDNA A330049M08 gene
A_51_P117618	9.11E-07	0.116	Ethe1	ethylmalonic encephalopathy 1
A_55_P2058433	5.25E-06	0.116	Cyp2c68	cytochrome P450, family 2, subfamily c, polypeptide 68
A_55_P2019058	0.000322799	0.117	Acaca	acetyl-Coenzyme A carboxylase alpha
A_55_P2027083	3.74E-06	0.117	Kcnj10	potassium inwardly-rectifying channel, subfamily J, member 10
A_51_P377856	8.13E-06	0.117	Gstt3	glutathione S-transferase, theta 3
A_51_P383755	1.49E-06	0.117	1110006G14Rik	RIKEN cDNA 1110006G14 gene
A_51_P342200	2.79E-06	0.118	Ces1h	carboxylesterase 1H
A_55_P2102060	4.62E-05	0.118	Gstm3	glutathione S-transferase, mu 3
A_52_P244803	0.000105529	0.120	D630033O11Rik	RIKEN cDNA D630033O11 gene
A_55_P1965931	7.02E-08	0.120	Cml1	camello-like 1
A_52_P468564	7.48E-08	0.120	Cyp2c38	cytochrome P450, family 2, subfamily c, polypeptide 38
A_51_P473259	6.54E-10	0.120	Dpyd	dihydropyrimidine dehydrogenase
A_51_P112817	5.21E-08	0.120	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_66_P108188	1.31E-09	0.121	Car5a	carbonic anhydrase 5a, mitochondrial
A_51_P112817	9.61E-09	0.121	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_55_P1990870	7.83E-07	0.121		
A_55_P2051159	2.14E-06	0.121	Upp2	uridine phosphorylase 2
A_55_P1962661	4.01E-06	0.122	Cyp2c67	cytochrome P450, family 2, subfamily c, polypeptide 67
A_51_P112817	5.78E-09	0.122	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P110381	0.000197292	0.122	Cd207	CD207 antigen
A_55_P2121225	3.81E-07	0.122	Cyp3a11	cytochrome P450, family 3, subfamily a, polypeptide 11
A_51_P342926	4.40E-06	0.123	Omd	osteomodulin
A_51_P513992	1.31E-07	0.123	Spag4	sperm associated antigen 4
A_55_P2088615	2.81E-07	0.123	Fbln5	fibulin 5
A_51_P112817	1.69E-08	0.124	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P355301	1.15E-05	0.124	Cyp3a11	cytochrome P450, family 3, subfamily a, polypeptide 11
A_51_P112817	1.22E-08	0.124	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_65_P17602	5.38E-05	0.124	Pgm5	phosphoglucomutase 5
A_51_P112817	1.88E-08	0.125	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1

A_55_P2085400	0.001585475	0.125	Gpam	glycerol-3-phosphate acyltransferase, mitochondrial
A_55_P1964483	5.17E-07	0.125	Cyp2c37	cytochrome P450, family 2, subfamily c, polypeptide 37
A_51_P465292	2.75E-06	0.125	Hnmt	histamine N-methyltransferase
A_51_P112817	1.12E-08	0.125	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P237585	2.19E-10	0.126	Btnl9	butyrophilin-like 9
A_51_P447785	0.000195619	0.126	Cyp2c55	cytochrome P450, family 2, subfamily c, polypeptide 55
A_51_P112817	6.85E-09	0.126	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_55_P2050778	0.002778407	0.127	Gpam	glycerol-3-phosphate acyltransferase, mitochondrial
A_55_P2095251	0.000474868	0.127	Eil3	elongation factor RNA polymerase II-like 3
A_55_P2178800	2.61E-09	0.127	Ugt1a10	UDP glycosyltransferase 1 family, polypeptide A10
A_55_P2043509	6.47E-06	0.127	Hnmt	histamine N-methyltransferase
A_55_P2129449	1.37E-06	0.127	Sult3a1	sulfotransferase family 3A, member 1
A_51_P112817	1.51E-08	0.128	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_51_P259571	1.38E-08	0.128	Angptl6	angiopoietin-like 6
A_55_P2048441	8.15E-08	0.128	Syt3	synaptotagmin III
A_55_P2116674	3.66E-05	0.128		
A_51_P103706	4.07E-08	0.128	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P419637	4.02E-07	0.128	Dclk3	doublecortin-like kinase 3
A_30_P0102625	0.00447491	0.129		
A_51_P103706	6.06E-08	0.129	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P244194	4.01E-08	0.130	Cadm3	cell adhesion molecule 3
A_55_P2080021	5.14E-07	0.130	Papss2	3'-phosphoadenosine 5'-phosphosulfate synthase 2
A_51_P503625	5.64E-09	0.130	Gsta3	glutathione S-transferase, alpha 3
A_55_P2006008	2.28E-05	0.130	Serpib1a	serine (or cysteine) peptidase inhibitor, clade B, member 1a
A_51_P112817	1.10E-08	0.130	Cyp27a1	cytochrome P450, family 27, subfamily a, polypeptide 1
A_55_P2119969	9.87E-07	0.131	Bdh2	3-hydroxybutyrate dehydrogenase, type 2
A_55_P2028046	4.15E-06	0.131	Cyp3a59	cytochrome P450, subfamily 3A, polypeptide 59
A_55_P2102769	2.16E-06	0.131	Abca8a	ATP-binding cassette, sub-family A (ABC1), member 8a
A_55_P2023001	3.99E-08	0.131	Slc47a1	solute carrier family 47, member 1
A_51_P338262	4.29E-06	0.131	Tnnt2	troponin T2, cardiac
A_51_P103706	5.93E-08	0.132	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_55_P2101231	5.07E-09	0.132	Aldh7a1	aldehyde dehydrogenase family 7, member A1
A_51_P103706	4.66E-08	0.132	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P288341	4.30E-10	0.132	Hpd	4-hydroxyphenylpyruvic acid dioxygenase
A_51_P295896	3.95E-06	0.133	4930452B06Rik	RIKEN cDNA 4930452B06 gene
A_55_P2057070	9.34E-08	0.134	Magix	MAGI family member, X-linked
A_55_P2041723	6.10E-05	0.134	Mid1ip1	Mid1 interacting protein 1 (gastrulation specific G12-like (zebrafish))
A_51_P215475	2.24E-08	0.134	Ptprb	protein tyrosine phosphatase, receptor type, B
A_66_P104624	0.002931273	0.134	4930509E16Rik	RIKEN cDNA 4930509E16 gene
A_52_P286360	9.49E-11	0.134	Otc	ornithine transcarbamylase
A_55_P2318584	6.79E-05	0.135	Aqp8	aquaporin 8
A_52_P629748	3.01E-09	0.135		
A_52_P375323	2.22E-07	0.135	Slc9a9	solute carrier family 9 (sodium/hydrogen exchanger), member 9
A_55_P2164608	1.72E-05	0.135	Gm5724	predicted gene 5724
A_52_P153291	4.49E-05	0.135	Ccr1l	chemokine (C-C motif) receptor-like 1
A_55_P1988108	2.67E-07	0.136	Mrc1	mannose receptor, C type 1
A_55_P2094016	8.50E-08	0.136	Slc17a4	solute carrier family 17 (sodium phosphate), member 4
A_51_P103706	7.75E-08	0.136	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_52_P281702	1.29E-05	0.137	Igfbp5	insulin-like growth factor binding protein 5
A_51_P431737	2.85E-06	0.138	Cth	cystathionase (cystathionine gamma-lyase)
A_55_P2081116	0.000239017	0.138	Fam89a	family with sequence similarity 89, member A
A_55_P2143070	2.57E-07	0.138	Ass1	argininosuccinate synthetase 1
A_51_P298023	7.30E-11	0.139	Ugt2a3	UDP glucuronosyltransferase 2 family, polypeptide A3
A_51_P103706	5.26E-08	0.139	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P304109	1.89E-07	0.139	Cyp2c39	cytochrome P450, family 2, subfamily c, polypeptide 39
A_52_P35048	1.48E-10	0.139	Serpinf1	serine (or cysteine) peptidase inhibitor, clade F, member 1
A_55_P2095103	1.40E-07	0.139	Gucy1a2	guanylate cyclase 1, soluble, alpha 2
A_52_P163021	9.20E-08	0.140	Slc17a8	solute carrier family 17 (sodium-dependent inorganic phosphate cotransporter), member 8
A_51_P257885	2.10E-05	0.141	Mmd2	monocyte to macrophage differentiation-associated 2
A_51_P157083	4.33E-08	0.141	Gas1	growth arrest specific 1
A_51_P469951	0.000391417	0.141	Srgap3	SLIT-ROBO Rho GTPase activating protein 3
A_55_P2186961	2.54E-07	0.141		
A_55_P2028029	8.11E-11	0.141	Abcb11	ATP-binding cassette, sub-family B (MDR/TAP), member 11
A_52_P40293	3.36E-09	0.142	Hgd	homogentisate 1, 2-dioxygenase
A_51_P103706	6.09E-08	0.142	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_51_P103706	9.14E-08	0.142	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_52_P382149	6.66E-08	0.142	Cyp26a1	cytochrome P450, family 26, subfamily a, polypeptide 1
A_55_P2071906	7.60E-07	0.142		
A_51_P103706	1.01E-07	0.143	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_55_P2104532	4.97E-06	0.143	Acacb	acetyl-Coenzyme A carboxylase beta
A_55_P1981195	3.33E-05	0.143		
A_55_P2263053	3.96E-10	0.144	Hal	histidine ammonia lyase
A_55_P2080774	5.65E-07	0.144	Qdpr	quinoid dihydropteridine reductase
A_51_P103706	1.67E-07	0.144	Cyp2c29	cytochrome P450, family 2, subfamily c, polypeptide 29
A_52_P423174	2.56E-05	0.145	Acaa1b	acetyl-Coenzyme A acyltransferase 1B
A_55_P1959923	3.22E-06	0.145	Cth	cystathionase (cystathionine gamma-lyase)
A_55_P2303972	1.05E-05	0.145	LOC100503880	hypothetical protein LOC100503880
A_51_P286357	3.04E-05	0.146	Emr4	EGF-like module containing, mucin-like, hormone receptor-like sequence 4
A_55_P2065231	9.42E-07	0.146	Gstm3	glutathione S-transferase, mu 3
A_52_P256914	1.24E-06	0.146	Cyp2b9	cytochrome P450, family 2, subfamily b, polypeptide 9
A_66_P121480	1.11E-08	0.146	Sardh	sarcosine dehydrogenase
A_55_P2112986	0.000158966	0.147	Klk1b22	kallikrein 1-related peptidase b22
A_55_P2099952	1.20E-05	0.147	Car1	carbonic anhydrase 1
A_52_P669005	8.47E-09	0.148	Lrat	lecithin-retinol acyltransferase (phosphatidylcholine-retinol-O-acyltransferase)
A_65_P02177	9.94E-07	0.148	Gstm4	glutathione S-transferase, mu 4
A_55_P1966432	1.59E-07	0.149	Gstm1	glutathione S-transferase, mu 1
A_55_P2034531	5.71E-08	0.150		
A_51_P186547	1.06E-09	0.150	Pah	phenylalanine hydroxylase
A_55_P2364738	6.15E-06	0.151	Pldc1	plexin domain containing 1
A_51_P244950	9.43E-09	0.151	Dpys	dihydropyrimidinase
A_55_P2110062	2.17E-05	0.152		
A_52_P150950	2.09E-06	0.152	Olfm3	olfactomedin 3
A_55_P2020428	0.00011835	0.152	BC014805	cDNA sequence BC014805
A_55_P2303310	0.000312798	0.153	C730036E19Rik	RIKEN cDNA C730036E19 gene
A_51_P155977	1.21E-08	0.153	Clec14a	C-type lectin domain family 14, member a
A_52_P16752	1.77E-06	0.154	Aox3	aldehyde oxidase 3
A_55_P2274378	3.95E-05	0.154	AW549542	expressed sequence AW549542
A_55_P2055423	2.93E-07	0.156	Nat8b	N-acetyltransferase 8B
A_55_P1991560	0.000126803	0.156	Lilra5	leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 5
A_51_P191611	1.74E-09	0.156	Cat	catalase
A_52_P681557	7.95E-05	0.156		
A_55_P2139087	3.12E-08	0.156	Gm5631	predicted gene 5631
A_55_P2142146	2.75E-08	0.156	Glul	glutamate-ammonia ligase (glutamine synthetase)
A_30_P0102139	6.47E-06	0.157		
A_51_P375969	2.36E-10	0.157	Ces1d	carboxylesterase 1D
A_51_P249302	4.42E-05	0.157	Abcd2	ATP-binding cassette, sub-family D (ALD), member 2
A_66_P108810	6.24E-09	0.158	Reln	reelin
A_51_P272993	1.37E-06	0.158	Ntm	neurotrimin
A_55_P2033393	3.09E-07	0.158	Slc25a21	solute carrier family 25 (mitochondrial oxocarboxylate carrier), member 21

A_51_P295034	0.000104704	0.158	Klk1b4	kallikrein 1-related peptidase b4
A_55_P2065059	9.93E-07	0.159	Wnt2	wingless-related MMTV integration site 2
A_55_P2004781	2.18E-07	0.159	Ass1	argininosuccinate synthetase 1
A_55_P2004532	7.33E-06	0.160	C530028O21Rik	RIKEN cDNA C530028O21 gene
A_55_P2062250	8.77E-08	0.160	Gm5524	predicted gene 5524
A_51_P277431	1.58E-05	0.160	Ccdc3	coiled-coil domain containing 3
A_55_P2007816	9.09E-05	0.160	Mup4	major urinary protein 4
A_55_P2120931	9.59E-06	0.160	Dleu2	deleted in lymphocytic leukemia, 2
A_55_P1966690	7.84E-07	0.161	Cyp2e1	cytochrome P450, family 2, subfamily e, polypeptide 1
A_52_P550147	1.41E-07	0.161	Sned1	sushi, nidogen and EGF-like domains 1
A_51_P137452	0.000572022	0.161	Cyp2g1	cytochrome P450, family 2, subfamily g, polypeptide 1
A_51_P453043	0.000544128	0.161	Aacs	acetoacetyl-CoA synthetase
A_51_P497768	9.31E-09	0.162	Gpat2	glycerol-3-phosphate acyltransferase 2, mitochondrial
A_51_P110471	1.26E-07	0.162	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P136337	1.69E-10	0.162	Galm	galactose mutarotase
A_52_P554382	1.77E-05	0.163		
A_55_P2043627	8.35E-05	0.163	Fam89a	family with sequence similarity 89, member A
A_51_P110471	3.17E-07	0.163	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_55_P2059820	3.50E-08	0.163	Aadat	aminoadipate aminotransferase
A_51_P110471	1.66E-07	0.164	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P453909	1.11E-09	0.164	Cyp2f2	cytochrome P450, family 2, subfamily f, polypeptide 2
A_52_P543079	5.01E-06	0.164	Dhtkd1	dehydrogenase E1 and transketolase domain containing 1
A_51_P110471	2.27E-07	0.164	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P110471	5.25E-07	0.165	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P247184	1.45E-07	0.165	Npr3	natriuretic peptide receptor 3
A_51_P307168	9.16E-09	0.166	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P110471	1.98E-07	0.166	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_51_P379478	0.000781895	0.166	Nckap5	NCK-associated protein 5
A_51_P110471	1.51E-07	0.166	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_30_P0102835	3.98E-05	0.167		
A_55_P1998115	5.33E-08	0.167	Klkb1	kallikrein B, plasma 1
A_51_P110471	2.88E-07	0.167	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_55_P2094019	4.55E-10	0.167	Slc17a4	solute carrier family 17 (sodium phosphate), member 4
A_51_P363905	1.75E-07	0.168	Slc25a23	solute carrier family 25 (mitochondrial carrier; phosphate carrier), member 23
A_52_P522372	2.43E-09	0.168	Aard	alanine and arginine rich domain containing protein
A_51_P295085	1.83E-06	0.168	Ogn	osteolectin
A_51_P462428	1.20E-06	0.168	Galnt12	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylglucosaminyltransferase-like 2
A_55_P2143688	3.94E-06	0.168	Ntm	neurotrimin
A_51_P110471	4.01E-07	0.169	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_30_P0101990	3.47E-07	0.169		
A_52_P161297	8.37E-08	0.169	Tcea3	transcription elongation factor A (SII), 3
A_55_P1952628	7.58E-07	0.169	Dpys	dihydropyrimidinase
A_55_P2031676	8.86E-06	0.170	Gstm6	glutathione S-transferase, mu 6
A_51_P110471	6.71E-08	0.171	Ddah1	dimethylarginine dimethylaminohydrolase 1
A_52_P412506	3.01E-07	0.171	Mup5	major urinary protein 5
A_55_P2320313	3.26E-07	0.171	LOC100502627	hypothetical LOC100502627
A_55_P2033500	2.14E-09	0.171	Ltbp4	latent transforming growth factor beta binding protein 4
A_51_P299149	0.000180983	0.171	Gpx6	glutathione peroxidase 6
A_55_P2209046	1.98E-07	0.172	B830008H07Rik	RIKEN cDNA B830008H07 gene
A_55_P2011300	5.76E-09	0.172	Fggy	FGGY carbohydrate kinase domain containing
A_66_P109802	9.56E-08	0.172	Ces3b	carboxylesterase 3B
A_55_P2024841	3.27E-09	0.172	Gstt1	glutathione S-transferase, theta 1
A_55_P1999082	1.57E-08	0.172	Clec14a	C-type lectin domain family 14, member a
A_55_P2139402	6.95E-12	0.172	Amy2a5	amylase 2a5
A_30_P0101954	4.36E-05	0.173		
A_55_P2056729	0.000419328	0.174	Igf1bp2	insulin-like growth factor binding protein 2
A_52_P629895	4.66E-09	0.174	Adh1	alcohol dehydrogenase 1 (class I)
A_51_P291749	1.41E-07	0.174	Pecr	peroxisomal trans-2-enoyl-CoA reductase
A_55_P2089500	3.25E-06	0.175	Cyp4f40	cytochrome P450, family 4, subfamily f, polypeptide 40
A_51_P110341	0.000291723	0.175	Scgb3a1	secretoglobin, family 3A, member 1
A_51_P290074	1.36E-05	0.175	Fabp7	fatty acid binding protein 7, brain
A_51_P382764	4.47E-08	0.175	Akr1c20	aldo-keto reductase family 1, member C20
A_55_P1983418	1.15E-09	0.175	Amy1	amylase 1, salivary
A_52_P89335	6.13E-07	0.176	Tmle	transmembrane inner ear
A_51_P331429	0.000327802	0.176	Glit2d2	glycosyltransferase 25 domain containing 2
A_52_P259817	4.26E-06	0.176	Upp2	uridine phosphorylase 2
A_55_P2169124	1.60E-06	0.177	C730048C13Rik	RIKEN cDNA C730048C13 gene
A_55_P2148071	0.00153801	0.177		
A_51_P393654	1.85E-05	0.177	Fam171b	family with sequence similarity 171, member B
A_55_P1977144	1.33E-06	0.178	Cyp2c67	cytochrome P450, family 2, subfamily c, polypeptide 67
A_52_P305230	0.00045247	0.178	Igsf21	immunoglobulin superfamily, member 21
A_30_P0102003	3.01E-06	0.178		
A_55_P2059412	6.24E-09	0.178	Ghr	growth hormone receptor
A_55_P2093770	3.43E-06	0.179		
A_55_P2136847	4.50E-07	0.179	Slc1a2	solute carrier family 1 (glial high affinity glutamate transporter), member 2
A_52_P671794	3.07E-05	0.179	Plscr4	phospholipid scramblase 4
A_55_P2412349	1.74E-08	0.179	AW111846	expressed sequence AW111846
A_55_P2050628	5.85E-07	0.180	Cyp4a31	cytochrome P450, family 4, subfamily a, polypeptide 31
A_51_P169087	7.78E-08	0.180	Gls2	glutaminase 2 (liver, mitochondrial)
A_55_P1972040	0.001874429	0.181	Nox4	NADPH oxidase 4
A_51_P267063	2.85E-09	0.181	Ugt3a2	UDP glycosyltransferases 3 family, polypeptide A2
A_55_P2146495	1.09E-05	0.181		
A_55_P2024046	4.01E-05	0.182	Slc16a5	solute carrier family 16 (monocarboxylic acid transporters), member 5
A_51_P302566	5.16E-09	0.182	Maob	monoamine oxidase B
A_51_P108659	1.60E-11	0.182	Pon1	paraoxonase 1
A_55_P2074035	3.91E-08	0.182	Haao	3-hydroxyanthranilate 3,4-dioxygenase
A_51_P446825	1.24E-05	0.183	6430573F11Rik	RIKEN cDNA 6430573F11 gene
A_51_P452779	5.37E-08	0.183	Pygl	liver glycogen phosphorylase
A_55_P2293013	3.97E-07	0.183	Ces2a	carboxylesterase 2A
A_52_P118706	9.07E-07	0.184		
A_55_P2022181	1.76E-08	0.184	Arvcf	armadillo repeat gene deleted in velo-cardio-facial syndrome
A_51_P206225	1.05E-08	0.185	Uroc1	urocanase domain containing 1
A_51_P481679	1.62E-06	0.185	Angptl3	angiopoietin-like 3
A_55_P1961130	1.85E-05	0.186	Egfm1	EGF-like and EMI domain containing 1
A_66_P135391	0.00043167	0.186	Igf1bp2	insulin-like growth factor binding protein 2
A_55_P1955147	1.98E-09	0.186	Camk1d	calcium/calmodulin-dependent protein kinase ID
A_51_P165451	2.70E-08	0.186	Pbld2	phenazine biosynthesis-like protein domain containing 2
A_51_P393518	1.89E-05	0.186	Hmcn1	hemicentin 1
A_51_P363871	8.69E-06	0.186	March2	membrane-associated ring finger (C3HC4) 2
A_51_P483159	2.48E-09	0.187	Gchfr	GTP cyclohydrolase I feedback regulator
A_52_P557240	2.01E-08	0.187	Ugt3a2	UDP glycosyltransferases 3 family, polypeptide A2
A_55_P2008651	1.06E-06	0.188	Qdpr	quinoid dihydropteridine reductase
A_51_P110341	0.000170421	0.188	Scgb3a1	secretoglobin, family 3A, member 1
A_51_P400463	4.02E-09	0.188	Agmat	agmatine ureohydrolase (agmatinase)
A_51_P110341	1.40E-05	0.188	Scgb3a1	secretoglobin, family 3A, member 1
A_55_P2023191	5.42E-07	0.188	Polg2	polymerase (DNA directed), gamma 2, accessory subunit
A_30_P0102855	5.78E-06	0.188		
A_52_P73552	0.003750914	0.189	A1bg	alpha-1-B glycoprotein
A_51_P213691	2.05E-07	0.189	Scnn1a	sodium channel, nonvoltage-gated 1 alpha

A_52_P407035	3.04E-06	0.189	P2ry4	pyrimidinergic receptor P2Y, G-protein coupled, 4
A_55_P2157225	2.33E-08	0.190	Nqo2	NAD(P)H dehydrogenase, quinone 2
A_52_P236448	2.69E-06	0.190	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_51_P336952	3.45E-08	0.191	Cryl1	crystallin, lambda 1
A_55_P2114863	3.45E-08	0.191	Mgll	monoglyceride lipase
A_55_P2018061	1.01E-06	0.191	Cd209a	CD209a antigen
A_55_P2011111	2.89E-06	0.191	Cyp4a10	cytochrome P450, family 4, subfamily a, polypeptide 10
A_51_P108659	4.35E-10	0.191	Pon1	paraoxonase 1
A_51_P108659	9.93E-10	0.191	Pon1	paraoxonase 1
A_55_P2121956	0.001089116	0.191	Gck	glucokinase
A_55_P2063312	5.70E-08	0.192	Mgll	monoglyceride lipase
A_55_P2048368	2.38E-09	0.192	Fggy	FGGY carbohydrate kinase domain containing
A_52_P562612	1.73E-05	0.192		
A_55_P2293414	4.08E-09	0.192	1700001C19RIK	RIKEN cDNA 1700001C19 gene
A_51_P254895	4.18E-06	0.193	Cyp4a10	cytochrome P450, family 4, subfamily a, polypeptide 10
A_55_P2418311	0.000327165	0.193	AU021884	expressed sequence AU021884
A_55_P2024033	4.63E-07	0.193	Cyp4a31	cytochrome P450, family 4, subfamily a, polypeptide 31
A_51_P327874	4.98E-08	0.193	Pth1r	parathyroid hormone 1 receptor
A_51_P497661	1.23E-06	0.193	Ntn4	netrin 4
A_55_P2075127	0.000817617	0.193	Pax2	paired box gene 2
A_55_P2159585	1.28E-07	0.193	Pm20d1	peptidase M20 domain containing 1
A_51_P173107	0.000323953	0.193	1810046K07RIK	RIKEN cDNA 1810046K07 gene
A_51_P121915	6.31E-09	0.193	BC089597	cDNA sequence BC089597
A_51_P108659	4.87E-11	0.194	Pon1	paraoxonase 1
A_55_P2051656	1.51E-05	0.194	Shank2	SH3/ankyrin domain gene 2
A_52_P141136	7.61E-09	0.194	Fggy	FGGY carbohydrate kinase domain containing
A_55_P2228122	5.60E-07	0.195	BC024137	cDNA sequence BC024137
A_52_P236448	1.05E-06	0.195	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_51_P110341	1.22E-05	0.195	Scgb3a1	secretoglobulin, family 3A, member 1
A_55_P2056473	2.33E-06	0.195	Spc24	SPC24, NDC80 kinetochore complex component, homolog (S. cerevisiae)
A_55_P2028798	1.80E-08	0.195	Nqo2	NAD(P)H dehydrogenase, quinone 2
A_55_P2126951	1.58E-07	0.196	Zfp467	zinc finger protein 467
A_52_P236448	2.80E-06	0.196	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_51_P108659	1.13E-10	0.196	Pon1	paraoxonase 1
A_51_P279183	1.11E-05	0.196	Dak	dihydroxyacetone kinase 2 homolog (yeast)
A_51_P121915	1.13E-08	0.196	BC089597	cDNA sequence BC089597
A_66_P128918	4.28E-06	0.196	Hacl1	2-hydroxyacyl-CoA lyase 1
A_51_P389539	1.31E-06	0.196	Gpr98	G protein-coupled receptor 98
A_51_P108659	5.63E-11	0.197	Pon1	paraoxonase 1
A_51_P121915	1.05E-08	0.197	BC089597	cDNA sequence BC089597
A_55_P1973159	2.89E-10	0.197	Serpinf1	serine (or cysteine) peptidase inhibitor, clade F, member 1
A_51_P176352	4.75E-10	0.198	Ndrg2	N-myc downstream regulated gene 2
A_55_P2046657	4.43E-09	0.198	Dio1	deiodinase, iodothyronine, type I
A_55_P2110497	7.22E-07	0.198	Ddc	dopa decarboxylase
A_55_P2108599	9.02E-06	0.198	Tlcd1	TLC domain containing 1
A_55_P2298319	6.34E-08	0.198	C730029A08RIK	RIKEN cDNA C730029A08 gene
A_51_P499854	1.05E-08	0.198	Ghr	growth hormone receptor
A_55_P2289819	0.003770717	0.198	Cd163	CD163 antigen
A_52_P673499	7.47E-09	0.198	Shmt1	serine hydroxymethyltransferase 1 (soluble)
A_55_P2002849	2.85E-08	0.198	Alfm3	apoptosis-inducing factor, mitochondrion-associated 3
A_52_P198239	1.74E-07	0.198	Ube2u	ubiquitin-conjugating enzyme E2U (putative)
A_51_P121915	7.43E-09	0.199	BC089597	cDNA sequence BC089597
A_55_P2031692	1.68E-05	0.199	Gstm6	glutathione S-transferase, mu 6
A_55_P2098100	0.000227022	0.199	Arhgef9	CDC42 guanine nucleotide exchange factor (GEF) 9
A_51_P108659	3.01E-11	0.199	Pon1	paraoxonase 1
A_51_P482051	0.001015629	0.199	Cyp3a16	cytochrome P450, family 3, subfamily a, polypeptide 16
A_55_P2091116	4.04E-05	0.199	Kbtbd12	kelch repeat and BTB (POZ) domain containing 12
A_51_P229655	3.58E-07	0.199	Acsm5	acyl-CoA synthetase medium-chain family member 5
A_51_P121915	1.02E-08	0.199	BC089597	cDNA sequence BC089597
A_51_P121915	3.66E-09	0.199	BC089597	cDNA sequence BC089597
A_55_P2086143	2.53E-07	0.200	Cyp39a1	cytochrome P450, family 39, subfamily a, polypeptide 1
A_51_P121915	3.44E-09	0.200	BC089597	cDNA sequence BC089597
A_55_P2001474	6.41E-05	0.200	Klk1b26	kallikrein 1-related peptidase b26
A_55_P2159264	0.000140751	0.200	Lifr	leukemia inhibitory factor receptor
A_55_P2044207	1.19E-07	0.200	Bphl	biphenyl hydrolase-like (serine hydrolase, breast epithelial mucin-associated antigen)
A_51_P401184	4.71E-09	0.200	Rarres1	retinoic acid receptor responder (tazarotene induced) 1
A_52_P493477	0.000377728	0.200	Serpinb1c	serine (or cysteine) peptidase inhibitor, clade B, member 1c
A_55_P2044232	7.83E-07	0.200	Slc10a5	solute carrier family 10 (sodium/bile acid cotransporter family), member 5
A_52_P458279	1.89E-07	0.201	Prlr	prolactin receptor
A_51_P331328	1.02E-09	0.201	Gpihbp1	GPI-anchored HDL-binding protein 1
A_52_P327156	6.42E-05	0.201	0610008F07RIK	RIKEN cDNA 0610008F07 gene
A_55_P2190299	2.82E-08	0.201	Fggy	FGGY carbohydrate kinase domain containing
A_51_P121915	1.36E-08	0.202	BC089597	cDNA sequence BC089597
A_51_P215077	4.75E-07	0.202	Mgst3	microsomal glutathione S-transferase 3
A_55_P1997465	0.000187376	0.202	Ggnbp1	gametogenetin binding protein 1
A_52_P527822	2.10E-06	0.202	Slc22a3	solute carrier family 22 (organic cation transporter), member 3
A_65_P06029	1.01E-06	0.202	Fam171b	family with sequence similarity 171, member B
A_55_P2031671	3.28E-05	0.202	Gstm6	glutathione S-transferase, mu 6
A_51_P198675	8.32E-08	0.203	Ttc36	tetratricopeptide repeat domain 36
A_51_P308298	2.67E-06	0.203	Myl9	myosin, light polypeptide 9, regulatory
A_52_P59681	8.22E-10	0.203	Hrsp12	heat-responsive protein 12
A_55_P2148873	4.42E-09	0.203	Cat	catalase
A_52_P679105	2.09E-06	0.203	Prss23	protease, serine, 23
A_52_P236448	2.57E-06	0.204	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_55_P2038362	0.000439251	0.204	Acot5	acyl-CoA thioesterase 5
A_55_P2041708	2.59E-07	0.204	Gas2	growth arrest specific 2
A_52_P236448	1.71E-06	0.204	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_55_P1978186	3.53E-09	0.204	BC089597	cDNA sequence BC089597
A_55_P2305420	0.000938108	0.204	D9Wsu90e	DNA segment, Chr 9, Wayne State University 90, expressed
A_52_P508991	1.63E-08	0.204	Fmo1	flavin containing monooxygenase 1
A_52_P467232	9.82E-10	0.204	Il1rap	interleukin 1 receptor accessory protein
A_55_P2062190	4.59E-07	0.204	Gstm1	glutathione S-transferase, mu 1
A_30_P0102228	4.92E-09	0.205		
A_55_P2014114	1.76E-08	0.205		
A_55_P2092030	1.14E-06	0.205	Cyp4a10	cytochrome P450, family 4, subfamily a, polypeptide 10
A_52_P236448	2.58E-06	0.205	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_51_P121915	4.50E-09	0.205	BC089597	cDNA sequence BC089597
A_55_P1953919	0.000117713	0.205	Me3	malic enzyme 3, NADP(+)-dependent, mitochondrial
A_52_P63905	3.64E-08	0.206	Ddc	dopa decarboxylase
A_52_P236448	9.80E-06	0.206	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_51_P446570	1.10E-09	0.206	Bbox1	butyrobetaine (gamma), 2-oxoglutarate dioxygenase 1 (gamma-butyrobetaine hydroxylase)
A_51_P426994	0.000942151	0.206	Nars2	asparaginyl-tRNA synthetase 2 (mitochondrial)(putative)
A_52_P48569	1.91E-09	0.206	Slc38a4	solute carrier family 38, member 4
A_51_P126337	1.85E-06	0.206	Fgf12	fibroblast growth factor 12
A_51_P108659	1.91E-09	0.207	Pon1	paraoxonase 1
A_51_P108659	2.47E-10	0.207	Pon1	paraoxonase 1
A_55_P2168722	1.15E-06	0.208	Fmo5	flavin containing monooxygenase 5
A_51_P267933	0.002804858	0.208	Snhg11	small nucleolar RNA host gene 11
A_55_P2015495	2.94E-08	0.208	Abat	4-aminobutyrate aminotransferase

A_55_P2157586	4.04E-08	0.208		
A_51_P505493	1.55E-06	0.209	Elovl5	ELOVL family member 5, elongation of long chain fatty acids (yeast)
A_55_P2160686	0.000230974	0.209	Tsc22d1	TSC22 domain family, member 1
A_52_P853177	2.27E-05	0.209	Angptl2	angiopoietin-like 2
A_52_P236448	4.13E-06	0.209	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_52_P236448	1.79E-06	0.209	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_51_P158638	1.13E-07	0.209		
A_51_P475138	7.35E-08	0.210	Duox1	dual oxidase 1
A_55_P2151556	8.51E-10	0.211	C8g	complement component 8, gamma polypeptide
A_55_P2032478	1.38E-06	0.211		
A_52_P243516	2.40E-06	0.211	Fam82a1	family with sequence similarity 82, member A1
A_51_P121915	1.67E-08	0.211	BC089597	cDNA sequence BC089597
A_55_P2099594	0.000446759	0.211	Scd3	stearoyl-coenzyme A desaturase 3
A_51_P352738	0.000104173	0.211	Mpv17l	Mpv17 transgene, kidney disease mutant-like
A_51_P463452	9.79E-08	0.212	Acsl1	acyl-CoA synthetase long-chain family member 1
A_55_P2135039	6.04E-06	0.212	Hyl	hydroxypyruvate isomerase homolog (E. coli)
A_55_P2001481	8.43E-05	0.213	Pde6c	phosphodiesterase 6C, cGMP specific, cone, alpha prime
A_55_P1963724	1.07E-07	0.214		
A_55_P2207055	9.21E-07	0.214	Btnl9	butyrophilin-like 9
A_55_P2081697	2.93E-05	0.214	A830093I24RIK	RIKEN cDNA A830093I24 gene
A_51_P330044	1.53E-06	0.214	Cyp2j9	cytochrome P450, family 2, subfamily j, polypeptide 9
A_55_P1953301	1.15E-08	0.214	Sord	sorbitol dehydrogenase
A_51_P141535	8.20E-07	0.215	Oat	ornithine aminotransferase
A_55_P2040245	0.00020518	0.215	Fam38b	family with sequence similarity 38, member B
A_30_P0102264	3.05E-05	0.215		
A_51_P429366	0.0004834	0.215	Hes6	hairy and enhancer of split 6 (Drosophila)
A_52_P339742	2.85E-05	0.215	Cyb5r3	cytochrome b5 reductase 3
A_55_P2153740	6.21E-06	0.216		
A_55_P2028837	0.000298844	0.216	Tspan2	tetraspanin 2
A_51_P475138	5.08E-08	0.216	Duox1	dual oxidase 1
A_55_P2070976	2.96E-08	0.216		
A_51_P283876	1.59E-07	0.216	Bphl	biphenyl hydrolase-like (serine hydrolase, breast epithelial mucin-associated antigen)
A_51_P126337	1.13E-05	0.216	Fgf12	fibroblast growth factor 12
A_51_P493117	5.59E-06	0.216	Slc16a9	solute carrier family 16 (monocarboxylic acid transporters), member 9
A_55_P2070510	3.30E-05	0.216	Gas1	growth arrest specific 1
A_55_P1952399	2.07E-06	0.217	Cyp4a31	cytochrome P450, family 4, subfamily a, polypeptide 31
A_66_P130115	4.73E-06	0.217	Fads2	fatty acid desaturase 2
A_55_P2051738	0.000108549	0.217	Lcn8	lipocalin 8
A_51_P108659	1.44E-10	0.217	Pon1	paraoxonase 1
A_55_P2150831	7.83E-06	0.217	Cdh4	cadherin 4
A_55_P1965975	3.55E-06	0.217	Kynu	kynureninase (L-kynurenine hydrolase)
A_55_P2012439	2.74E-06	0.217	Tnfrsf19	tumor necrosis factor receptor superfamily, member 19
A_51_P290626	7.85E-09	0.218	Gulo	gulonolactone (L-) oxidase
A_52_P488427	5.71E-09	0.218	Sec14l2	SEC14-like 2 (S. cerevisiae)
A_55_P2059640	9.07E-08	0.218	Abhd14b	abhydrolase domain containing 14b
A_55_P1952577	0.000447565	0.218	Ces1a	carboxylesterase 1A
A_55_P2085806	1.40E-06	0.218	BC029214	cDNA sequence BC029214
A_55_P2279957	4.06E-09	0.218	5730414N17RIK	RIKEN cDNA 5730414N17 gene
A_51_P445841	2.25E-06	0.218	Deptor	DEP domain containing MTOR-interacting protein
A_51_P140803	2.78E-09	0.218	Slco1b2	solute carrier organic anion transporter family, member 1b2
A_52_P236448	8.63E-06	0.218	Ngfr	nerve growth factor receptor (TNFR superfamily, member 16)
A_51_P475138	2.06E-07	0.219	Duox1	dual oxidase 1
A_51_P475138	3.63E-08	0.219	Duox1	dual oxidase 1
A_51_P272147	6.06E-07	0.219	Fam158a	family with sequence similarity 158, member A
A_51_P403477	1.13E-08	0.219	Dio1	deiodinase, iodothyronine, type I
A_30_P0102841	3.29E-07	0.220		
A_30_P0102644	2.20E-05	0.220		
A_51_P475138	2.70E-08	0.221	Duox1	dual oxidase 1
A_55_P2143251	2.46E-05	0.221		
A_51_P249360	2.03E-08	0.221	Suox	sulfite oxidase
A_55_P2054854	1.41E-06	0.221	Art4	ADP-ribosyltransferase 4
A_51_P337195	1.84E-08	0.221	Pipox	pipecolic acid oxidase
A_55_P2038514	0.000113059	0.221		
A_51_P475138	4.85E-09	0.222	Duox1	dual oxidase 1
A_52_P298002	7.85E-06	0.222	Gch1	GTP cyclohydrolase 1
A_55_P2039429	3.17E-08	0.223	Dio1	deiodinase, iodothyronine, type I
A_51_P289742	1.77E-09	0.223	Slc27a5	solute carrier family 27 (fatty acid transporter), member 5
A_51_P464394	2.38E-08	0.224	Klb	klotho beta
A_51_P333923	0.000110557	0.224	Tspan1	tetraspanin 1
A_51_P153170	1.59E-05	0.224	Cyb5r3	cytochrome b5 reductase 3
A_51_P283473	1.76E-07	0.224	Fibin	fin bud initiation factor homolog (zebrafish)
A_55_P2007919	3.43E-07	0.225	Akr1c19	aldo-keto reductase family 1, member C19
A_55_P2085761	7.35E-07	0.225	Calr3	calreticulin 3
A_51_P475138	1.01E-08	0.225	Duox1	dual oxidase 1
A_55_P2063316	3.02E-08	0.226	Mgll	monoglyceride lipase
A_30_P0102616	1.84E-06	0.227		
A_51_P475138	1.10E-08	0.228	Duox1	dual oxidase 1
A_55_P2159573	4.64E-08	0.228	Reep6	receptor accessory protein 6
A_66_P107437	5.85E-07	0.228	Sfxn5	sideroflexin 5
A_51_P512172	2.22E-08	0.228	Tet1	tet oncogene 1
A_55_P2056493	2.53E-05	0.229		
A_51_P475138	6.45E-08	0.229	Duox1	dual oxidase 1
A_55_P1970846	1.24E-07	0.229	Pemt	phosphatidylethanolamine N-methyltransferase
A_55_P1987620	8.34E-06	0.229	Cyp4a32	cytochrome P450, family 4, subfamily a, polypeptide 32
A_52_P215170	7.77E-09	0.229	Acot4	acyl-CoA thioesterase 4
A_55_P2056926	6.25E-08	0.229	Mtss1l	metastasis suppressor 1-like
A_51_P127297	1.86E-09	0.229	Hsd11b1	hydroxysteroid 11-beta dehydrogenase 1
A_51_P181319	5.10E-07	0.229	Dcxr	dicarbonyl L-xylulose reductase
A_55_P1983944	8.87E-06	0.229	Tmem44	transmembrane protein 44
A_55_P2077920	2.19E-05	0.229	Naaladl2	N-acetylated alpha-linked acidic dipeptidase-like 2
A_30_P0102421	0.000482615	0.230		
A_55_P2178801	2.99E-07	0.230	Ugt1a10	UDP glycosyltransferase 1 family, polypeptide A10
A_55_P2026275	4.09E-06	0.230	Ppp1r1b	protein phosphatase 1, regulatory (inhibitor) subunit 1B
A_52_P131353	9.04E-10	0.230	Camk1d	calcium/calmodulin-dependent protein kinase ID
A_52_P353417	2.04E-10	0.231	Gm2a	GM2 ganglioside activator protein
A_55_P2124016	7.09E-07	0.232	Nlpsnap1	4-nitrophenylphosphatase domain and non-neuronal SNAP25-like protein homolog 1 (C. elegans)
A_52_P204331	0.000211935	0.232	D630039A03RIK	RIKEN cDNA D630039A03 gene
A_52_P118560	1.37E-07	0.232	Kynu	kynureninase (L-kynurenine hydrolase)
A_55_P2060243	1.60E-05	0.232	Itgbl1	integrin, beta-like 1
A_51_P341918	0.000323391	0.232	Tsc22d1	TSC22 domain family, member 1
A_51_P496432	5.29E-07	0.232	Acsl1	acyl-CoA synthetase long-chain family member 1
A_55_P2056342	1.61E-06	0.232	Mgst3	microsomal glutathione S-transferase 3
A_55_P2026340	6.62E-06	0.232	Fmo5	flavin containing monooxygenase 5
A_51_P358112	1.54E-06	0.233	Fads1	fatty acid desaturase 1
A_51_P406165	3.40E-07	0.233	Fam55b	family with sequence similarity 55, member B
A_51_P348665	4.20E-06	0.234	Ramp1	receptor (calcitonin) activity modifying protein 1
A_51_P394172	1.38E-08	0.234	Ces1c	carboxylesterase 1C
A_51_P438859	1.30E-05	0.234	Pmf1	polyamine-modulated factor 1
A_51_P161830	8.19E-08	0.234	Enpep	glutamyl aminopeptidase

A_30_P0102322	4.05E-05	0.235		
A_55_P2136776	2.54E-06	0.235	<b>Sult1b1</b>	sulfotransferase family 1B, member 1
A_55_P2108248	8.38E-06	0.236	<b>Art4</b>	ADP-ribosyltransferase 4
A_51_P174645	1.83E-07	0.237	<b>Asl</b>	argininosuccinate lyase
A_51_P413147	6.45E-05	0.237	<b>Klk1b3</b>	kallikrein 1-related peptidase b3
A_55_P2016667	1.88E-06	0.237	<b>Gstm7</b>	glutathione S-transferase, mu 7
A_51_P475138	7.57E-08	0.237	<b>Duox1</b>	dual oxidase 1
A_55_P2037717	1.02E-07	0.238	<b>Slc22a18</b>	solute carrier family 22 (organic cation transporter), member 18
A_51_P224042	0.001274734	0.238	<b>Ppil6</b>	peptidylprolyl isomerase (cyclophilin)-like 6
A_51_P116932	0.000500341	0.238	<b>Lad1</b>	ladinin
A_52_P223704	1.24E-08	0.238	<b>Faah</b>	fatty acid amide hydrolase
A_55_P1967295	2.80E-08	0.238	<b>Pemt</b>	phosphatidylethanolamine N-methyltransferase
A_55_P2171406	4.59E-06	0.238	<b>Tm7sf2</b>	transmembrane 7 superfamily member 2
A_66_P125828	7.20E-09	0.238		
A_51_P360918	1.21E-07	0.238	<b>Ehd3</b>	EH-domain containing 3
A_51_P331003	1.33E-07	0.239	<b>Sema4g</b>	sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 4G
A_55_P2038358	0.001505048	0.239	<b>Acot1</b>	acyl-CoA thioesterase 1
A_51_P127297	4.92E-09	0.239	<b>Hsd11b1</b>	hydroxysteroid 11-beta dehydrogenase 1
A_55_P2198983	3.05E-06	0.239	<b>4930415C11Rik</b>	RIKEN cDNA 4930415C11 gene
A_55_P2087066	1.16E-06	0.239	<b>Slc25a10</b>	solute carrier family 25 (mitochondrial carrier, dicarboxylate transporter), member 10
A_51_P418056	8.86E-06	0.239	<b>Sc5d</b>	sterol-C5-desaturase (fungal ERG3, delta-5-desaturase) homolog (S. cerevisiae)
A_51_P126337	0.000249089	0.239	<b>Fgf12</b>	fibroblast growth factor 12
A_52_P288251	5.70E-07	0.240	<b>Tmem204</b>	transmembrane protein 204
A_51_P126337	1.98E-05	0.240	<b>Fgf12</b>	fibroblast growth factor 12
A_55_P2100155	1.56E-06	0.240	<b>Mapt</b>	microtubule-associated protein tau
A_55_P2021177	1.45E-07	0.240	<b>Abca2</b>	ATP-binding cassette, sub-family A (ABC1), member 2
A_55_P2034491	0.000109497	0.240		
A_52_P251699	4.29E-08	0.240	<b>Prodh2</b>	proline dehydrogenase (oxidase) 2
A_55_P2056496	4.33E-06	0.240	<b>Tk1</b>	thymidine kinase 1
A_66_P100419	2.24E-05	0.240	<b>Rpl7a-ps8</b>	ribosomal protein L7A, pseudogene 8
A_51_P263993	7.51E-08	0.241	<b>Lipc</b>	lipase, hepatic
A_52_P9703	1.04E-05	0.241	<b>Cyp2a4</b>	cytochrome P450, family 2, subfamily a, polypeptide 4
A_51_P126337	0.000105974	0.242	<b>Fgf12</b>	fibroblast growth factor 12
A_55_P2108609	2.10E-05	0.242	<b>Srgap3</b>	SLIT-ROBO Rho GTPase activating protein 3
A_55_P1963712	1.68E-06	0.242	<b>Cyb5b</b>	cytochrome b5 type B
A_51_P127297	2.01E-09	0.242	<b>Hsd11b1</b>	hydroxysteroid 11-beta dehydrogenase 1
A_55_P2077628	3.05E-06	0.242		
A_51_P127297	1.21E-08	0.243	<b>Hsd11b1</b>	hydroxysteroid 11-beta dehydrogenase 1
A_55_P2058957	1.36E-06	0.243	<b>Syt1</b>	synaptotagmin I
A_51_P273679	3.33E-07	0.243	<b>Dmgdh</b>	dimethylglycine dehydrogenase precursor
A_55_P1972025	2.50E-06	0.243	<b>Mycl1</b>	v-myc myelocytomatosis viral oncogene homolog 1, lung carcinoma derived (avian)
A_55_P2051120	0.000121945	0.243	<b>4430402I18Rik</b>	RIKEN cDNA 4430402I18 gene
A_51_P459944	2.57E-08	0.243	<b>Tcf21</b>	transcription factor 21
A_30_P0102411	5.80E-05	0.243		
A_52_P448006	6.18E-09	0.244	<b>Nit2</b>	nitrilase family, member 2
A_51_P484254	4.27E-07	0.244	<b>Pcca</b>	propionyl-Coenzyme A carboxylase, alpha polypeptide
A_51_P394394	4.87E-08	0.244	<b>Tspan2</b>	tetraspanin 2
A_30_P0103302	0.000997539	0.244		
A_51_P127297	7.31E-09	0.245	<b>Hsd11b1</b>	hydroxysteroid 11-beta dehydrogenase 1
A_51_P136303	6.77E-08	0.245	<b>Cyp4f15</b>	cytochrome P450, family 4, subfamily f, polypeptide 15
A_51_P127297	1.50E-09	0.245	<b>Hsd11b1</b>	hydroxysteroid 11-beta dehydrogenase 1
A_65_P20641	5.90E-07	0.245	<b>Fads2</b>	fatty acid desaturase 2
A_52_P647919	2.00E-07	0.245	<b>Usf2</b>	upstream transcription factor 2
A_55_P2074453	0.00017234	0.246	<b>Slc16a9</b>	solute carrier family 16 (monocarboxylic acid transporters), member 9
A_51_P234864	1.18E-06	0.246	<b>Sfxn5</b>	sideroflexin 5
A_55_P1962404	2.09E-09	0.246	<b>Ugt1a6b</b>	UDP glucuronosyltransferase 1 family, polypeptide A6B
A_55_P2011678	0.00550441	0.246	<b>Pdzk1ip1</b>	PDZK1 interacting protein 1
A_51_P159565	4.66E-05	0.246	<b>Arhgef9</b>	CDC42 guanine nucleotide exchange factor (GEF) 9
A_51_P155313	2.02E-07	0.247	<b>Gsto1</b>	glutathione S-transferase omega 1
A_55_P2007326	2.42E-05	0.247	<b>Cyp2a4</b>	cytochrome P450, family 2, subfamily a, polypeptide 4
A_30_P0102692	7.36E-06	0.247		
A_55_P2048406	1.44E-07	0.247		
A_51_P265806	9.07E-06	0.247	<b>Clca2</b>	chloride channel calcium activated 2
A_30_P0103286	1.48E-07	0.247		
A_51_P127297	1.06E-08	0.247	<b>Hsd11b1</b>	hydroxysteroid 11-beta dehydrogenase 1
A_55_P1987730	3.93E-07	0.248	<b>5730469M10Rik</b>	RIKEN cDNA 5730469M10 gene
A_51_P290207	2.67E-05	0.248	<b>Insig1</b>	insulin induced gene 1
A_51_P460332	2.92E-08	0.248	<b>Apoc4</b>	apolipoprotein C-IV
A_52_P424767	1.87E-08	0.248	<b>Rbbp4</b>	retinoblastoma binding protein 4
A_30_P0103168	5.54E-05	0.248		
A_52_P72434	1.06E-06	0.248	<b>Khk</b>	ketoheokinase
A_30_P0102077	0.000263803	0.249		
A_52_P508920	9.73E-08	0.249	<b>Abca6</b>	ATP-binding cassette, sub-family A (ABC1), member 6
A_51_P127297	1.73E-09	0.249	<b>Hsd11b1</b>	hydroxysteroid 11-beta dehydrogenase 1
A_52_P365660	1.26E-05	0.249	<b>Lrrc4c</b>	leucine rich repeat containing 4C
A_30_P0102295	0.000104747	0.250		
A_55_P2143765	3.44E-07	0.250	<b>Ugt1a6b</b>	UDP glucuronosyltransferase 1 family, polypeptide A6B
A_51_P127297	4.68E-09	0.251	<b>Hsd11b1</b>	hydroxysteroid 11-beta dehydrogenase 1
A_30_P0102457	1.27E-10	0.251		
A_55_P2135725	1.67E-09	0.251	<b>C8g</b>	complement component 8, gamma polypeptide
A_66_P118600	2.03E-06	0.251	<b>Lama1</b>	laminin, alpha 1
A_51_P114005	3.70E-06	0.252	<b>Gstm7</b>	glutathione S-transferase, mu 7
A_55_P2041961	1.34E-07	0.253	<b>Bmp2</b>	bone morphogenetic protein 2
A_52_P29743	9.08E-08	0.253	<b>5033411D12Rik</b>	RIKEN cDNA 5033411D12 gene
A_51_P250807	1.58E-06	0.253	<b>Spata2L</b>	spermatogenesis associated 2-like
A_51_P113205	1.93E-08	0.253	<b>F13b</b>	coagulation factor XIII, beta subunit
A_51_P114005	4.66E-07	0.253	<b>Gstm7</b>	glutathione S-transferase, mu 7
A_51_P140742	8.46E-06	0.254	<b>Islr</b>	immunoglobulin superfamily containing leucine-rich repeat
A_66_P105175	6.95E-08	0.254	<b>Bche</b>	butyrylcholinesterase
A_55_P2073557	5.77E-10	0.254	<b>Slc27a5</b>	solute carrier family 27 (fatty acid transporter), member 5
A_52_P200207	3.40E-09	0.254	<b>Rmnd5a</b>	required for meiotic nuclear division 5 homolog A (S. cerevisiae)
A_30_P0103029	1.50E-07	0.254		
A_51_P142896	4.01E-09	0.254	<b>Cd59a</b>	CD59a antigen
A_51_P114005	1.02E-06	0.254	<b>Gstm7</b>	glutathione S-transferase, mu 7
A_55_P2111770	4.15E-07	0.255	<b>Klhl13</b>	kelch-like 13 (Drosophila)
A_55_P2076533	2.26E-05	0.255	<b>Pmvk</b>	phosphomevalonate kinase
A_30_P0102952	0.000219368	0.255		
A_55_P2179676	4.82E-10	0.255	<b>Spp2</b>	secreted phosphoprotein 2
A_55_P2085974	1.36E-05	0.255	<b>Igf1</b>	insulin-like growth factor 1
A_55_P2107528	1.75E-07	0.255		
A_55_P2044653	2.85E-06	0.255	<b>Cyp2b10</b>	cytochrome P450, family 2, subfamily b, polypeptide 10
A_55_P2069530	1.40E-07	0.255		
A_30_P0101807	1.19E-05	0.255		
A_51_P272283	3.14E-08	0.256	<b>Cmb1</b>	carboxymethylenebutenolidase-like (Pseudomonas)
A_52_P601021	1.83E-08	0.256	<b>C1qtnf2</b>	C1q and tumor necrosis factor related protein 2
A_51_P114005	7.25E-07	0.256	<b>Gstm7</b>	glutathione S-transferase, mu 7
A_55_P1999301	2.87E-07	0.256	<b>Cyp2e1</b>	cytochrome P450, family 2, subfamily e, polypeptide 1
A_55_P2025468	2.71E-09	0.256	<b>Tst</b>	thiosulfate sulfurtransferase, mitochondrial
A_55_P1988273	4.32E-05	0.256	<b>Rnf103</b>	ring finger protein 103

A_55_P2058601	0.000263498	0.256		
A_55_P2085974	4.73E-06	0.257	Igf1	insulin-like growth factor 1
A_51_P497724	1.81E-06	0.257	Apol7a	apolipoprotein L 7a
A_52_P229972	4.04E-08	0.257	Slc22a1	solute carrier family 22 (organic cation transporter), member 1
A_51_P113205	3.10E-08	0.257	F13b	coagulation factor XIII, beta subunit
A_55_P2159522	5.87E-07	0.257	Col14a1	collagen, type XIV, alpha 1
A_55_P2032936	8.83E-07	0.258	Cisd1	CDGSH iron sulfur domain 1
A_51_P114826	2.71E-06	0.258	Cdh13	cadherin 13
A_51_P394115	6.69E-09	0.259	Aadac	arylacetylamine deacetylase (esterase)
A_51_P483511	1.75E-07	0.259	Dock8	dedicator of cytokinesis 8
A_55_P1986441	9.47E-09	0.259	Gcdh	glutaryl-Coenzyme A dehydrogenase
A_51_P327585	2.28E-05	0.259	Gstm4	glutathione S-transferase, mu 4
A_51_P113205	1.64E-08	0.259	F13b	coagulation factor XIII, beta subunit
A_55_P2039071	5.64E-09	0.259	Dhdh	dihydrodiol dehydrogenase (dimeric)
A_55_P2031681	0.000755413	0.259		
A_55_P1956918	9.67E-06	0.259	Adamts5	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 5 (aggrecanase-2)
A_51_P113205	1.51E-08	0.259	F13b	coagulation factor XIII, beta subunit
A_30_P0103195	1.04E-05	0.259		
A_51_P113205	3.29E-08	0.260	F13b	coagulation factor XIII, beta subunit
A_51_P165165	6.50E-08	0.260	Hibadh	3-hydroxyisobutyrate dehydrogenase
A_51_P113205	5.04E-08	0.260	F13b	coagulation factor XIII, beta subunit
A_55_P1992329	0.000122103	0.260	Gmpr	guanosine monophosphate reductase
A_55_P2095859	6.47E-05	0.260	Rdh18-ps	retinol dehydrogenase 18, pseudogene
A_51_P256066	0.001199235	0.260	Tiam2	T-cell lymphoma invasion and metastasis 2
A_52_P394395	1.51E-08	0.260	Abcd3	ATP-binding cassette, sub-family D (ALD), member 3
A_51_P113205	6.82E-08	0.260	F13b	coagulation factor XIII, beta subunit
A_51_P383194	8.82E-07	0.261	Pde9a	phosphodiesterase 9A
A_51_P113205	2.53E-08	0.261	F13b	coagulation factor XIII, beta subunit
A_55_P2118694	0.000895314	0.261	Nkd1	naked cuticle 1 homolog (Drosophila)
A_51_P510764	5.50E-10	0.261	Tmem195	transmembrane protein 195
A_51_P205390	0.000351129	0.262	1700040L02Rik	RIKEN cDNA 1700040L02 gene
A_55_P1983733	1.12E-06	0.262	Aldh1l1	aldehyde dehydrogenase 1 family, member L1
A_51_P406429	1.43E-06	0.262	Pdk1	pyruvate dehydrogenase kinase, isoenzyme 1
A_55_P2118866	4.11E-07	0.262	Cmah	cytidine monophospho-N-acetylneuraminic acid hydroxylase
A_51_P113205	1.72E-08	0.262	F13b	coagulation factor XIII, beta subunit
A_51_P492410	2.93E-05	0.262	Pmvk	phosphomevalonate kinase
A_51_P102438	3.06E-09	0.262	Ugt2b36	UDP glucuronosyltransferase 2 family, polypeptide B36
A_55_P2258261	4.99E-06	0.262	1810008I18Rik	RIKEN cDNA 1810008I18 gene
A_55_P2010097	5.43E-07	0.262	Mup2	major urinary protein 2
A_55_P2073754	6.39E-05	0.263	Adam23	a disintegrin and metalloproteinase domain 23
A_52_P35064	1.95E-05	0.263	Tm7sf2	transmembrane 7 superfamily member 2
A_55_P2129867	0.000390471	0.263	Sh3pxd2a	SH3 and PX domains 2A
A_51_P166288	8.58E-08	0.263	Acy1	aminoacylase 1
A_52_P485007	6.26E-08	0.263	Abca2	ATP-binding cassette, sub-family A (ABC1), member 2
A_30_P0102357	2.57E-09	0.263		
A_55_P2227321	3.10E-08	0.264	Ptprd	protein tyrosine phosphatase, receptor type, D
A_51_P113205	1.51E-08	0.264	F13b	coagulation factor XIII, beta subunit
A_51_P114005	4.71E-07	0.264	Gstm7	glutathione S-transferase, mu 7
A_55_P1954486	0.00010747	0.265	Mapt	microtubule-associated protein tau
A_51_P436469	1.21E-08	0.265	AI317395	expressed sequence AI317395
A_52_P685999	1.54E-07	0.265	Mettl7b	methyltransferase like 7B
A_52_P182659	1.03E-05	0.265	Cs	citrate synthase
A_51_P245414	5.25E-05	0.266	Klk1	kallikrein 1
A_51_P404377	0.000139238	0.266	Rnd2	Rho family GTPase 2
A_51_P114005	3.48E-06	0.266	Gstm7	glutathione S-transferase, mu 7
A_51_P290931	0.001045331	0.266		
A_55_P2052490	4.71E-07	0.266	Ushbp1	Usher syndrome 1C binding protein 1
A_30_P0102905	1.55E-08	0.266		
A_51_P114005	8.72E-07	0.266	Gstm7	glutathione S-transferase, mu 7
A_55_P1982291	2.73E-06	0.266	Clca1	chloride channel calcium activated 1
A_55_P1952235	6.53E-07	0.267	Spry1	sprouty homolog 1 (Drosophila)
A_51_P471458	0.001502555	0.267	Sult5a1	sulfotransferase family 5A, member 1
A_30_P0102919	3.96E-05	0.267		
A_51_P334942	1.78E-05	0.268	Aldh1a1	aldehyde dehydrogenase family 1, subfamily A1
A_55_P2045812	2.84E-05	0.268	Sigmar1	sigma non-opioid intracellular receptor 1
A_51_P235726	1.85E-05	0.268	Icam4	intercellular adhesion molecule 4, Landsteiner-Wiener blood group
A_55_P2025006	0.000250897	0.268	Klk1b26	kallikrein 1-related peptidase b26
A_55_P2132781	9.71E-08	0.268	Slc16a2	solute carrier family 16 (monocarboxylic acid transporters), member 2
A_51_P133097	3.66E-08	0.269	Gm4013	predicted gene 4013
A_55_P1972039	0.003725337	0.269		
A_55_P2102624	0.000404605	0.269	Eaf2	ELL associated factor 2
A_52_P425734	1.52E-08	0.269	Afm	afamin
A_55_P2048478	3.83E-07	0.269	Olfml1	olfactomedin-like 1
A_55_P1996711	7.17E-10	0.269	Olf1443	olfactory receptor 1443
A_51_P337918	7.20E-08	0.269	Aldh4a1	aldehyde dehydrogenase 4 family, member A1
A_51_P403536	1.11E-07	0.269	Ltbp4	latent transforming growth factor beta binding protein 4
A_52_P674467	4.28E-07	0.269	Lin7a	lin-7 homolog A (C. elegans)
A_55_P2103033	2.93E-05	0.269		
A_55_P2126572	1.69E-05	0.270	Tmem25	transmembrane protein 25
A_55_P2167803	1.31E-07	0.270	Abi3bp	ABI gene family, member 3 (NESH) binding protein
A_65_P11092	0.006491867	0.270	Tspan15	tetraspanin 15
A_30_P0102915	0.000694853	0.270		
A_55_P1967736	1.05E-07	0.271	Nkd1	naked cuticle 1 homolog (Drosophila)
A_51_P426739	1.09E-06	0.271	Gpt	glutamic pyruvic transaminase, soluble
A_51_P145631	1.87E-09	0.271	Svlp	small VCP/p97-interacting protein
A_55_P2096174	2.02E-05	0.271	LOC665792	alpha-fetoprotein-like
A_51_P127297	3.09E-09	0.271	Hsd11b1	hydroxysteroid 11-beta dehydrogenase 1
A_55_P1969904	3.10E-09	0.271	Abcc6	ATP-binding cassette, sub-family C (CFTR/MRP), member 6
A_51_P114005	4.73E-07	0.271	Gstm7	glutathione S-transferase, mu 7
A_30_P0103033	0.000144401	0.271		
A_55_P2005213	3.00E-07	0.272	Ces2c	carboxylesterase 2C
A_51_P397934	0.000519582	0.272	Grin3b	glutamate receptor, ionotropic, NMDA3B
A_55_P1992582	2.89E-06	0.272	Hmgcs2	3-hydroxy-3-methylglutaryl-Coenzyme A synthase 2
A_55_P2124736	7.42E-07	0.272	Col14a1	collagen, type XIV, alpha 1
A_52_P574668	8.21E-07	0.272	Nt5e	5' nucleotidase, ecto
A_55_P2061219	7.54E-07	0.272	Ces3a	carboxylesterase 3A
A_51_P278550	3.87E-07	0.272	Tecr	trans-2,3-enoyl-CoA reductase
A_55_P1967712	8.40E-09	0.273	Adamts13	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 13
A_52_P543869	1.10E-05	0.273	Shpk	sedoheptulokinase
A_55_P2392625	0.000331287	0.273	Slc1a2	solute carrier family 1 (glial high affinity glutamate transporter), member 2
A_51_P510418	3.03E-06	0.273	Aldh1b1	aldehyde dehydrogenase 1 family, member B1
A_55_P2144386	2.03E-05	0.274	Emr1	EGF-like module containing, mucin-like, hormone receptor-like sequence 1
A_51_P469789	2.96E-08	0.274	Agxt	alanine-glyoxylate aminotransferase
A_51_P467110	4.76E-08	0.274	Dpp4	dipeptidylpeptidase 4
A_30_P0102623	0.001755506	0.274		
A_55_P2072493	1.70E-05	0.274	F8	coagulation factor VIII
A_55_P1999962	9.54E-07	0.275	Podn	podocan
A_55_P2143131	4.25E-06	0.275	Rwdd3	RWD domain containing 3
A_55_P2153191	0.000129872	0.276		

A_55_P2303868	0.000219174	0.276	5033421B08RIK	RIKEN cDNA 5033421B08 gene
A_30_P0103296	0.00128517	0.276		
A_51_P475613	7.90E-07	0.276	Fahd2a	fumarylacetoacetate hydrolase domain containing 2A
A_55_P2036280	4.55E-06	0.276	Psen2	presenilin 2
A_55_P1967168	3.95E-08	0.276	Lrp4	low density lipoprotein receptor-related protein 4
A_51_P263591	3.44E-09	0.277	Pank1	pantothenate kinase 1
A_30_P0103347	2.81E-06	0.277		
A_66_P137268	1.39E-07	0.277	Abcc6	ATP-binding cassette, sub-family C (CFTR/MRP), member 6
A_55_P2156062	7.71E-10	0.277		
A_66_P106744	4.69E-06	0.278	1700007E06RIK	RIKEN cDNA 1700007E06 gene
A_55_P2011802	9.19E-09	0.278	Pdk2	pyruvate dehydrogenase kinase, isoenzyme 2
A_51_P175699	4.33E-07	0.278	Mtff1	mitochondrial fission process 1
A_51_P205779	0.000127772	0.278	Cd5l	CD5 antigen-like
A_51_P391897	1.93E-05	0.278	Olf125	olfactory receptor 125
A_66_P130887	5.43E-07	0.278	Pcdh18	protocadherin 18
A_55_P2054708	0.001720422	0.278		
A_65_P13713	4.05E-07	0.279	Ank3	ankyrin 3, epithelial
A_55_P2097962	7.53E-06	0.279		
A_55_P2038737	1.88E-08	0.279	Slc29a1	solute carrier family 29 (nucleoside transporters), member 1
A_66_P100565	3.84E-09	0.279	Ccdc107	coiled-coil domain containing 107
A_51_P309184	2.34E-08	0.279	Pxmp2	peroxisomal membrane protein 2
A_30_P0102975	3.06E-08	0.279		
A_51_P276802	9.66E-06	0.279	Akr1c20	aldo-keto reductase family 1, member C20
A_55_P2156126	7.27E-07	0.279		
A_52_P559817	0.000103517	0.280	Fbln7	fibulin 7
A_66_P106611	0.000154443	0.280	Gna14	guanine nucleotide binding protein, alpha 14
A_30_P0102759	9.72E-07	0.280		
A_55_P1966327	1.23E-07	0.280		
A_52_P581390	5.06E-07	0.280	Kif1c	kinesin family member 1C
A_55_P2382741	0.001819111	0.281	AI314604	expressed sequence AI314604
A_55_P2051313	1.21E-07	0.281	Gstk1	glutathione S-transferase kappa 1
A_55_P2139089	4.92E-08	0.281	Gm5631	predicted gene 5631
A_55_P2101246	3.34E-09	0.281	Aldh6a1	aldehyde dehydrogenase family 6, subfamily A1
A_52_P1003335	0.000801894	0.281		
A_30_P0102464	0.002074453	0.282		
A_55_P2032714	8.53E-06	0.282	Fhit	fragile histidine triad gene
A_55_P2126950	4.91E-07	0.282	Zfp467	zinc finger protein 467
A_55_P2057076	3.70E-08	0.282	Magix	MAGI family member, X-linked
A_30_P0103260	0.001423818	0.282		
A_65_P19089	0.000115045	0.282	Esrrg	estrogen-related receptor gamma
A_30_P0102960	1.10E-06	0.283		
A_30_P0102809	2.17E-06	0.284		
A_55_P2211748	9.37E-06	0.284	9030411M13RIK	RIKEN cDNA 9030411M13 gene
A_51_P159402	3.58E-07	0.284	Gcat	glycine C-acetyltransferase (2-amino-3-ketobutyrate-coenzyme A ligase)
A_55_P2145531	4.76E-06	0.284	Mpst	mercaptopyruvate sulfurtransferase
A_51_P352303	7.98E-07	0.284	Homer2	homer homolog 2 (Drosophila)
A_52_P175242	4.68E-07	0.285	Irs1	insulin receptor substrate 1
A_51_P440047	5.55E-08	0.285	1110067D22RIK	RIKEN cDNA 1110067D22 gene
A_55_P2080248	1.00E-07	0.285	Cyp2j8-ps	cytochrome P450, family 2, subfamily j, polypeptide 8, pseudogene
A_66_P114054	8.05E-08	0.285	Sco2	SCO cytochrome oxidase deficient homolog 2 (yeast)
A_51_P110341	0.000615265	0.286	Scgb3a1	secretoglobin, family 3A, member 1
A_55_P1966438	0.000118518	0.287	Gstm2	glutathione S-transferase, mu 2
A_55_P1964262	2.51E-06	0.287	Apol7a	apolipoprotein L 7a
A_51_P422893	1.43E-06	0.287	Tmem14a	transmembrane protein 14A
A_51_P112223	5.44E-06	0.288	Gsta4	glutathione S-transferase, alpha 4
A_55_P1958434	3.78E-07	0.288	Got1	glutamate oxaloacetate transaminase 1, soluble
A_30_P0101766	9.67E-07	0.288		
A_55_P1959595	0.000162227	0.288	Fmo5	flavin containing monooxygenase 5
A_30_P0102786	7.28E-09	0.289		
A_55_P2446231	7.98E-07	0.289	D730040F13RIK	RIKEN cDNA D730040F13 gene
A_30_P0102476	3.10E-06	0.289		
A_30_P0102204	2.27E-09	0.289		
A_51_P145415	1.55E-06	0.290	Lpcat3	lysophosphatidylcholine acyltransferase 3
A_30_P0102989	1.59E-06	0.290		
A_30_P0102030	0.000638606	0.290		
A_55_P2119957	2.24E-07	0.290	Mlxipl	MLX interacting protein-like
A_51_P114005	3.18E-06	0.291	Gstm7	glutathione S-transferase, mu 7
A_55_P1971815	3.60E-08	0.291	Clcn2	chloride channel 2
A_51_P162671	0.000192233	0.292	Folr2	folate receptor 2 (fetal)
A_55_P2007155	2.22E-06	0.292	Akr1c14	aldo-keto reductase family 1, member C14
A_55_P1997585	9.81E-05	0.292		
A_51_P379373	1.38E-05	0.292	Lactb2	lactamase, beta 2
A_51_P438083	1.49E-11	0.292	Slc6a13	solute carrier family 6 (neurotransmitter transporter, GABA), member 13
A_51_P279693	0.000169059	0.292	Cyp1a1	cytochrome P450, family 1, subfamily a, polypeptide 1
A_52_P507305	1.84E-08	0.293	Iah1	isoamyl acetate-hydrolyzing esterase 1 homolog (S. cerevisiae)
A_51_P338485	2.95E-09	0.293	Aldh6a1	aldehyde dehydrogenase family 6, subfamily A1
A_55_P2055217	1.10E-06	0.293		
A_55_P2158962	1.96E-06	0.293	Dixdc1	DIX domain containing 1
A_55_P1988708	1.67E-07	0.293	Gstz1	glutathione transferase zeta 1 (maleylacetoacetate isomerase)
A_30_P0102932	0.001214395	0.293		
A_51_P160913	0.00312309	0.294	Mr1	major histocompatibility complex, class I-related
A_52_P645862	9.00E-07	0.295	Agtr1a	angiotensin II receptor, type 1a
A_66_P106421	2.22E-05	0.295	Ccdc30	coiled-coil domain containing 30
A_55_P2028370	8.72E-05	0.295		
A_52_P487599	2.55E-05	0.295	Thns12	threonine synthase-like 2 (bacterial)
A_55_P2168643	2.72E-05	0.295		
A_30_P0102891	2.42E-07	0.295		
A_51_P376347	1.64E-07	0.296	Hebp1	heme binding protein 1
A_30_P0103226	2.66E-05	0.296		
A_51_P265106	2.00E-06	0.296	Dlat	dihydrolipoamide S-acetyltransferase (E2 component of pyruvate dehydrogenase complex)
A_55_P2042319	3.33E-08	0.296	Cyp2d40	cytochrome P450, family 2, subfamily d, polypeptide 40
A_66_P139387	0.000453934	0.297	Prlr	prolactin receptor
A_51_P112223	6.39E-06	0.297	Gsta4	glutathione S-transferase, alpha 4
A_30_P0102244	2.17E-08	0.297		
A_51_P392928	8.98E-09	0.297	Mthfd1	methylenetetrahydrofolate dehydrogenase (NADP+ dependent), methylenetetrahydrofolate cyclohydrolase, formyltetrahydrofolate sy
A_52_P505192	4.48E-05	0.298	Ntn3	netrin 3
A_52_P302544	9.60E-05	0.298	Col8a2	collagen, type VIII, alpha 2
A_52_P183524	1.35E-06	0.298	Tmem86b	transmembrane protein 86B
A_55_P1968193	8.85E-06	0.298	Fhit	fragile histidine triad gene
A_66_P131389	1.10E-08	0.298	Ugt2b38	UDP glucuronosyltransferase 2 family, polypeptide B38
A_66_P101519	5.37E-09	0.298	Abcc9	ATP-binding cassette, sub-family C (CFTR/MRP), member 9
A_30_P0101804	2.21E-06	0.298		
A_55_P2159575	2.29E-08	0.298	Reep6	receptor accessory protein 6
A_51_P268529	0.00340262	0.298	Csad	cysteine sulfinic acid decarboxylase
A_55_P2095508	8.68E-06	0.299	Pvrl3	poliovirus receptor-related 3
A_52_P660945	6.53E-06	0.299	Ctsf	cathepsin F
A_55_P2153783	2.14E-06	0.299	Fmo1	flavin containing monooxygenase 1
A_55_P1981829	0.000107451	0.299	Rhox8	reproductive homeobox 8
A_55_P2061338	7.21E-05	0.299	Slc16a11	solute carrier family 16 (monocarboxylic acid transporters), member 11



A_51_P170959	2.02E-08	0.299	Proz	protein Z, vitamin K-dependent plasma glycoprotein
A_52_P552547	7.39E-08	0.300	1110054M08RIK	RIKEN cDNA 1110054M08 gene
A_55_P2096043	0.003511563	0.300	Acot11	acyl-CoA thioesterase 11
A_51_P196590	9.99E-08	0.300	Hadh	hydroxyacyl-Coenzyme A dehydrogenase
A_55_P1954393	5.14E-05	0.300	Susd4	sushi domain containing 4
A_51_P435068	5.34E-11	0.300	Acadsb	acyl-Coenzyme A dehydrogenase, short/branched chain
A_55_P2120354	7.42E-08	0.300	Cib2	calcium and integrin binding family member 2
A_55_P1975973	1.49E-07	0.300	Syt3	synaptotagmin III
A_55_P2412319	7.53E-08	0.300	A830052D11RIK	RIKEN cDNA A830052D11 gene
A_51_P114005	5.18E-06	0.301	Gstm7	glutathione S-transferase, mu 7
A_55_P1992555	6.77E-08	0.301	Gys2	glycogen synthase 2
A_55_P2018116	7.47E-05	0.301	Pabpc4l	poly(A) binding protein, cytoplasmic 4-like
A_51_P445683	1.39E-07	0.301	4931406C07RIK	RIKEN cDNA 4931406C07 gene
A_55_P2069755	5.22E-07	0.301	Tymp	thymidine phosphorylase
A_51_P112223	1.91E-06	0.301	Gsta4	glutathione S-transferase, alpha 4
A_52_P156452	1.02E-06	0.301	Cmah	cytidine monophospho-N-acetylneuraminic acid hydroxylase
A_55_P2118709	1.87E-06	0.301	A830093I24RIK	RIKEN cDNA A830093I24 gene
A_66_P134704	6.42E-05	0.301	Gm4952	predicted gene 4952
A_55_P2154719	4.76E-05	0.301		
A_66_P134394	0.000214049	0.301	Pde6c	phosphodiesterase 6C, cGMP specific, cone, alpha prime
A_55_P1953980	2.68E-08	0.302	Sdhb	succinate dehydrogenase complex, subunit B, iron sulfur (lp)
A_55_P2006499	0.000200417	0.302	Esrrg	estrogen-related receptor gamma
A_55_P2083919	0.00047915	0.302	Robo2	roundabout homolog 2 (Drosophila)
A_55_P2103963	2.56E-05	0.302	Bhmt	betaine-homocysteine methyltransferase
A_55_P2083629	5.15E-07	0.302	Tle2	transducin-like enhancer of split 2, homolog of Drosophila E(spl)
A_55_P2057430	0.001307527	0.302	Lipn	lipase, family member N
A_51_P134142	5.00E-07	0.302	Cyp2c70	cytochrome P450, family 2, subfamily c, polypeptide 70
A_51_P132978	2.60E-06	0.303	Idh1	isocitrate dehydrogenase 1 (NADP+), soluble
A_55_P2057523	2.11E-10	0.303	Ppm1b	protein phosphatase 1B, magnesium dependent, beta isoform
A_51_P430082	1.59E-08	0.303	Tst	thiosulfate sulfurtransferase, mitochondrial
A_51_P392303	0.002451685	0.304	Lrrn3	leucine rich repeat protein 3, neuronal
A_55_P2030030	4.66E-07	0.304	Adssl1	adenylosuccinate synthetase like 1
A_55_P2097964	7.54E-05	0.305		
A_51_P219266	4.81E-09	0.305	Tmprss6	transmembrane serine protease 6
A_55_P2098865	4.56E-07	0.305	Accn5	amiloride-sensitive cation channel 5, intestinal
A_51_P194498	3.10E-07	0.305	Wfdc1	WAP four-disulfide core domain 1
A_55_P1966992	0.001069298	0.305	Fam84b	family with sequence similarity 84, member B
A_30_P0102797	6.92E-05	0.305		
A_51_P408584	1.96E-08	0.306	Enpp1	ectonucleotide pyrophosphatase/phosphodiesterase 1
A_55_P2143030	7.60E-07	0.306	Timd2	T-cell immunoglobulin and mucin domain containing 2
A_66_P125722	8.54E-09	0.306	Cyb5	cytochrome b-5
A_51_P392005	1.31E-06	0.306	Car8	carbonic anhydrase 8
A_65_P11773	7.66E-11	0.306	Adi1	acireductone dioxygenase 1
A_51_P331288	2.02E-05	0.306	Akr1b7	aldo-keto reductase family 1, member B7
A_51_P112223	8.61E-06	0.307	Gsta4	glutathione S-transferase, alpha 4
A_52_P684378	1.13E-07	0.307	Gpx1	glutathione peroxidase 1
A_55_P2325698	5.87E-06	0.307	2010002M09RIK	RIKEN cDNA 2010002M09 gene
A_55_P1971054	2.35E-07	0.307	Paqr9	progesterin and adipoQ receptor family member IX
A_55_P1995647	5.76E-05	0.308	Rsph4a	radial spoke head 4 homolog A (Chlamydomonas)
A_51_P371745	3.69E-08	0.308	Havcr1	hepatitis A virus cellular receptor 1
A_55_P2179271	5.34E-05	0.308	Ccdc30	coiled-coil domain containing 30
A_55_P2017982	0.000188517	0.308	Pde8b	phosphodiesterase 8B
A_55_P1970860	1.50E-08	0.308	Pemt	phosphatidylethanolamine N-methyltransferase
A_55_P2002933	0.000187218	0.308	Klk1b5	kallikrein 1-related peptidase b5
A_52_P71686	0.000805733	0.308	Atp6v0d2	ATPase, H+ transporting, lysosomal V0 subunit D2
A_51_P480328	1.38E-05	0.308	Eltf1	EGF, latrophilin seven transmembrane domain containing 1
A_55_P2156425	2.30E-06	0.308	Upk1a	uroplakin 1A
A_30_P0101953	4.14E-07	0.308		
A_51_P375693	5.70E-07	0.309	Tmem135	transmembrane protein 135
A_51_P112223	3.10E-06	0.309	Gsta4	glutathione S-transferase, alpha 4
A_55_P1963863	1.50E-06	0.309	Arhgef17	Rho guanine nucleotide exchange factor (GEF) 17
A_51_P112223	1.04E-05	0.309	Gsta4	glutathione S-transferase, alpha 4
A_52_P248343	0.000186733	0.309	Myllp	myosin regulatory light chain interacting protein
A_51_P462271	4.48E-06	0.309	Acan	aggrecan
A_55_P2133427	8.53E-08	0.310	Vkorc1	vitamin K epoxide reductase complex, subunit 1
A_55_P1964832	1.64E-06	0.310	Reck	reversion-inducing-cysteine-rich protein with kazal motifs
A_51_P112223	6.64E-06	0.310	Gsta4	glutathione S-transferase, alpha 4
A_51_P383399	2.62E-05	0.310	Aldh1a7	aldehyde dehydrogenase family 1, subfamily A7
A_51_P167660	0.000383477	0.310	2610204G22RIK	RIKEN cDNA 2610204G22 gene
A_55_P2133007	2.11E-05	0.310	Cntfr	ciliary neurotrophic factor receptor
A_51_P464182	3.44E-06	0.310	Mat1a	methionine adenosyltransferase I, alpha
A_52_P590661	7.30E-05	0.310		
A_30_P0102012	9.37E-09	0.310		
A_52_P282905	1.30E-07	0.311	Ces1b	carboxylesterase 1B
A_51_P299805	1.21E-08	0.311	Slc46a3	solute carrier family 46, member 3
A_51_P112223	1.74E-06	0.311	Gsta4	glutathione S-transferase, alpha 4
A_30_P0102357	1.86E-06	0.312		
A_55_P1970578	1.25E-07	0.312	1810020D17RIK	RIKEN cDNA 1810020D17 gene
A_55_P2118684	9.33E-08	0.312	Idh2	isocitrate dehydrogenase 2 (NADP+), mitochondrial
A_51_P346179	2.64E-08	0.312	Aspdh	aspartate dehydrogenase domain containing
A_55_P2075140	7.39E-09	0.312	Sirt3	sirtuin 3 (silent mating type information regulation 2, homolog) 3 (S. cerevisiae)
A_55_P2008056	1.70E-08	0.312	Cideb	cell death-inducing DNA fragmentation factor, alpha subunit-like effector B
A_66_P108685	2.43E-09	0.312	Cideb	cell death-inducing DNA fragmentation factor, alpha subunit-like effector B
A_51_P316553	3.33E-08	0.312	Kdr	kinase insert domain protein receptor
A_52_P172014	8.47E-05	0.312	Ramp1	receptor (calcitonin) activity modifying protein 1
A_52_P255250	0.000123609	0.313	Rnf103	ring finger protein 103
A_30_P0103059	0.000210177	0.313		
A_30_P0102923	3.20E-07	0.313		
A_55_P1988899	7.41E-07	0.313	Mblac2	metallo-beta-lactamase domain containing 2
A_51_P459661	6.36E-10	0.313	Lipa	lysosomal acid lipase A
A_51_P256384	0.001790006	0.313	Atp2b2	ATPase, Ca++ transporting, plasma membrane 2
A_55_P2031636	4.88E-06	0.313	Igf1	insulin-like growth factor 1
A_51_P112223	2.23E-05	0.313	Gsta4	glutathione S-transferase, alpha 4
A_55_P1979645	3.05E-09	0.313	S100a1	S100 calcium binding protein A1
A_55_P2123706	2.76E-06	0.314	Plekhh1	pleckstrin homology domain containing, family B (evectins) member 1
A_52_P179925	6.98E-06	0.314	Abcg8	ATP-binding cassette, sub-family G (WHITE), member 8
A_51_P406077	1.73E-08	0.314	1110001J03RIK	RIKEN cDNA 1110001J03 gene
A_52_P540219	3.53E-09	0.314	Timp2	tissue inhibitor of metalloproteinase 2
A_55_P1977418	1.68E-07	0.314	Ugt2b34	UDP glucuronosyltransferase 2 family, polypeptide B34
A_51_P509384	5.08E-09	0.315	Aldh8a1	aldehyde dehydrogenase 8 family, member A1
A_51_P506309	9.20E-10	0.315	Hrg	histidine-rich glycoprotein
A_51_P425680	2.76E-08	0.315	Ivd	isovaleryl coenzyme A dehydrogenase
A_55_P2062936	4.15E-08	0.315	Abca3	ATP-binding cassette, sub-family A (ABC1), member 3
A_55_P2088425	1.62E-09	0.315	Tcn2	transcobalamin 2
A_51_P316553	1.48E-07	0.315	Kdr	kinase insert domain protein receptor
A_55_P2383283	3.29E-06	0.315	2310001H17RIK	RIKEN cDNA 2310001H17 gene
A_55_P1954061	4.17E-07	0.315	Nrxn2	neurexin II
A_55_P1966528	2.85E-05	0.316	Pmf1	polyamine-modulated factor 1
A_55_P2054673	1.01E-06	0.316	Gpld1	glycosylphosphatidylinositol specific phospholipase D1

A_55_P1967553	1.84E-06	0.316	D14Erd449e	DNA segment, Chr 14, ERATO Doi 449, expressed
A_51_P137604	0.000126882	0.316	Fcna	ficolin A
A_51_P161342	3.88E-08	0.316	Abcb6	ATP-binding cassette, sub-family B (MDR/TAP), member 6
A_55_P2112484	3.24E-06	0.316	Rwdd3	RWD domain containing 3
A_51_P478952	1.51E-07	0.316	N4bp2l1	NEDD4 binding protein 2-like 1
A_55_P2126391	0.003824653	0.317	Srl	sarcalumenin
A_55_P2031100	2.59E-08	0.317	Ahcy	S-adenosylhomocysteine hydrolase
A_66_P111285	1.56E-10	0.317	Pdp2	pyruvate dehydrogenase phosphatase catalytic subunit 2
A_52_P476877	4.37E-07	0.317	Rfx4	regulatory factor X, 4 (influences HLA class II expression)
A_30_P0102147	0.000430509	0.318		
A_55_P1975052	5.90E-06	0.318	Amt	aminomethyltransferase
A_55_P2107225	0.004137797	0.318	Sult2a6	sulfotransferase family 2A, dehydroepiandrosterone (DHEA)-preferring, member 6
A_55_P2020035	8.51E-05	0.318		
A_55_P1976789	9.69E-08	0.318	Dgcr6	DiGeorge syndrome critical region gene 6
A_55_P2008936	1.35E-06	0.319	Slc2a9	solute carrier family 2 (facilitated glucose transporter), member 9
A_51_P316553	3.17E-08	0.319	Kdr	kinase insert domain protein receptor
A_55_P2035804	2.34E-05	0.319	Fzd8	frizzled homolog 8 (Drosophila)
A_51_P513460	5.10E-08	0.319	Cfhr1	complement factor H-related 1
A_51_P462918	6.07E-05	0.319	Ehhadh	enoyl-Coenzyme A, hydratase/3-hydroxyacyl Coenzyme A dehydrogenase
A_52_P617636	1.31E-09	0.320	Klf12	Kruppel-like factor 12
A_55_P2027979	7.49E-05	0.320	Impg2	interphotoreceptor matrix proteoglycan 2
A_51_P103975	8.56E-10	0.320	Brp44	brain protein 44
A_51_P153053	2.57E-09	0.320	Smpd3a	sphingomyelin phosphodiesterase, acid-like 3A
A_55_P2031636	1.74E-06	0.320	Igf1	insulin-like growth factor 1
A_55_P2168667	1.52E-10	0.320	Rbpm5	RNA binding protein with multiple splicing 2
A_55_P2092501	1.27E-06	0.320	Med1	mediator complex subunit 1
A_55_P1983162	0.000119498	0.320	Pstplp2	proline-serine-threonine phosphatase-interacting protein 2
A_55_P2115567	1.66E-05	0.320	Slc26a1	solute carrier family 26 (sulfate transporter), member 1
A_51_P196862	3.01E-08	0.320	Amdhd1	amidohydrolase domain containing 1
A_52_P322181	0.0002135	0.321	Adrb1	adrenergic receptor, beta 1
A_30_P0102894	0.000155592	0.321		
A_52_P287992	1.88E-05	0.322	Tbcel	tubulin folding cofactor E-like
A_30_P0103122	3.99E-05	0.322		
A_51_P103975	3.89E-09	0.322	Brp44	brain protein 44
A_55_P2157902	8.36E-06	0.322	Igsf10	immunoglobulin superfamily, member 10
A_55_P1994194	4.50E-08	0.322	Heph	hephaestin
A_66_P130035	0.000457474	0.322	Klk1b24	kallikrein 1-related peptidase b24
A_55_P2018934	8.79E-05	0.323	Emr1	EGF-like module containing, mucin-like, hormone receptor-like sequence 1
A_55_P2034285	3.87E-06	0.323		
A_55_P1962429	2.93E-06	0.323	Maf	avian musculoaponeurotic fibrosarcoma (v-maf) AS42 oncogene homolog
A_52_P597371	0.000215133	0.323	Ncald	neurocalcin delta
A_51_P316553	2.49E-07	0.323	Kdr	kinase insert domain protein receptor
A_51_P116609	3.65E-05	0.323	Tex12	testis expressed gene 12
A_55_P2171378	0.005948686	0.324	Pdzk1lp1	PDZK1 interacting protein 1
A_55_P2143896	0.000227523	0.324	Slc17a2	solute carrier family 17 (sodium phosphate), member 2
A_55_P2169064	3.01E-05	0.324	Olf1474	olfactory receptor 1474
A_51_P436068	2.76E-06	0.324	Gpr182	G protein-coupled receptor 182
A_55_P1955412	2.77E-07	0.324	Slc1a2	solute carrier family 1 (glial high affinity glutamate transporter), member 2
A_51_P308844	1.47E-08	0.324	Nrn1	neuritin 1
A_51_P385351	0.000382162	0.324	Slc44a3	solute carrier family 44, member 3
A_30_P0103015	9.56E-05	0.324		
A_55_P1955072	2.24E-06	0.324	Alad	aminolevulinic acid, delta-, dehydratase
A_51_P416822	2.26E-05	0.324	Hhip	Hedgehog-interacting protein
A_51_P484054	2.48E-08	0.324	F7	coagulation factor VII
A_55_P2015182	0.000621473	0.325		
A_51_P386539	3.44E-05	0.325	Rnf125	ring finger protein 125
A_51_P475378	7.75E-08	0.325	Echdc3	enoyl Coenzyme A hydratase domain containing 3
A_52_P462257	0.001820082	0.325		
A_51_P103975	4.42E-09	0.325	Brp44	brain protein 44
A_30_P0102435	4.12E-07	0.325		
A_55_P2204491	2.48E-06	0.325	AI131754	expressed sequence AI131754
A_55_P2047673	5.64E-08	0.325	Srr	serine racemase
A_52_P653902	2.24E-07	0.325	Eny2	enhancer of yellow 2 homolog (Drosophila)
A_55_P2113723	1.62E-06	0.326	Pecr	peroxisomal trans-2-enoyl-CoA reductase
A_52_P5567	1.17E-06	0.326	Fam50b	family with sequence similarity 50, member B
A_55_P2107437	0.001247504	0.327		
A_51_P332141	6.59E-08	0.327	Clcn2	chloride channel 2
A_51_P289239	4.21E-05	0.327	F8	coagulation factor VIII
A_55_P2096883	3.64E-06	0.327	Steap3	STEAP family member 3
A_52_P69558	1.43E-05	0.327	Gm8221	apolipoprotein L, 3-like
A_51_P316553	1.31E-07	0.327	Kdr	kinase insert domain protein receptor
A_66_P119350	7.34E-06	0.327	2310040G24Rik	RIKEN cDNA 2310040G24 gene
A_55_P2326260	1.38E-05	0.327	4930525G20Rik	RIKEN cDNA 4930525G20 gene
A_52_P515769	1.07E-06	0.327	Pcdh12	protocadherin 12
A_30_P0103147	0.000110259	0.327		
A_52_P59264	2.80E-05	0.328	Sncalp	synuclein, alpha interacting protein (synphilin)
A_55_P2028847	0.000205253	0.328		
A_52_P337427	0.000102042	0.328	Izumo4	IZUMO family member 4
A_55_P2025343	2.96E-05	0.328	Mup21	major urinary protein 21
A_55_P2054261	0.000245432	0.328	C2cd4b	C2 calcium-dependent domain containing 4B
A_30_P0101833	3.28E-05	0.328		
A_55_P2106641	2.84E-06	0.328	Aqp9	aquaporin 9
A_55_P2116149	0.000156304	0.328		
A_55_P2037428	0.000594297	0.328	Mogat1	monoacylglycerol O-acyltransferase 1
A_51_P143682	1.01E-07	0.329	Zfp318	zinc finger protein 318
A_51_P103975	1.81E-09	0.329	Brp44	brain protein 44
A_66_P104473	2.15E-08	0.329	Polg2	polymerase (DNA directed), gamma 2, accessory subunit
A_51_P395555	8.63E-08	0.330	Vkorc1	vitamin K epoxide reductase complex, subunit 1
A_30_P0102570	0.000762868	0.330		
A_51_P110341	0.000229184	0.330	Scgb3a1	secretoglobin, family 3A, member 1
A_51_P413916	3.39E-06	0.330	Pgrmc2	progesterone receptor membrane component 2
A_55_P2032668	7.87E-08	0.330		
A_55_P2045040	2.63E-08	0.330	F7	coagulation factor VII
A_30_P0102313	7.63E-06	0.331		
A_55_P1973813	3.09E-07	0.331		
A_51_P103975	1.10E-08	0.331	Brp44	brain protein 44
A_51_P372141	3.38E-07	0.331	Pnkd	paroxysmal nonkinesigenic dyskinesia
A_55_P2012444	0.000380465	0.331	Tnfrsf19	tumor necrosis factor receptor superfamily, member 19
A_52_P176160	3.20E-10	0.331	Ahcy	S-adenosylhomocysteine hydrolase
A_52_P659312	0.000289788	0.331	Spsb4	splA/ryanodine receptor domain and SOCS box containing 4
A_66_P118430	0.000417784	0.332	Slc17a2	solute carrier family 17 (sodium phosphate), member 2
A_55_P2005956	0.000248044	0.332	Egfbp2	epidermal growth factor binding protein type B
A_55_P2094084	1.06E-06	0.332	Zfp318	zinc finger protein 318
A_52_P584188	6.07E-06	0.332	Frat1	frequently rearranged in advanced T-cell lymphomas
A_51_P316553	5.55E-07	0.332	Kdr	kinase insert domain protein receptor
A_51_P138060	1.43E-08	0.332	Rnf13	ring finger protein 13
A_52_P257686	1.39E-06	0.332	Rwdd3	RWD domain containing 3
A_52_P554703	2.20E-05	0.332	Gprln3	GPRIN family member 3
A_51_P316553	9.22E-07	0.332	Kdr	kinase insert domain protein receptor

A_52_P593037	1.43E-05	0.332	Acsf5	acyl-CoA synthetase long-chain family member 5
A_55_P2114697	0.000490307	0.332	Gcm1	glial cells missing homolog 1 (Drosophila)
A_30_P0102042	5.37E-06	0.333		
A_55_P2077153	1.03E-05	0.333	Slc27a2	solute carrier family 27 (fatty acid transporter), member 2
A_51_P112223	1.34E-05	0.333	Gsta4	glutathione S-transferase, alpha 4
A_51_P408989	7.25E-09	0.333	Z810055F11Rik	RIKEN cDNA Z810055F11 gene
A_51_P383270	0.000596551	0.333	Fras1	Fraser syndrome 1 homolog (human)
A_51_P259975	1.90E-06	0.333	Aspa	aspartoacylase
A_55_P1982762	9.48E-08	0.333	Hsd3b7	hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 7
A_55_P2010106	7.70E-05	0.334		
A_55_P2047621	4.70E-07	0.334	D730039F16Rik	RIKEN cDNA D730039F16 gene
A_52_P330950	5.97E-08	0.334	C2cd2	C2 calcium-dependent domain containing 2
A_51_P464911	2.82E-07	0.334	Msrb2	methionine sulfoxide reductase B2
A_55_P1954302	9.83E-07	0.334	Esrb	estrogen related receptor, beta
A_51_P116609	0.000169143	0.334	Tex12	testis expressed gene 12
A_51_P103975	4.20E-08	0.334	Brp44	brain protein 44
A_51_P316553	1.78E-07	0.334	Kdr	kinase insert domain protein receptor
A_55_P2110185	5.62E-06	0.335	Echdc1	enoyl Coenzyme A hydratase domain containing 1
A_51_P429682	2.56E-06	0.335	Ebp	phenylalkylamine Ca <sup>2+</sup> antagonist (emopamil) binding protein
A_30_P0102203	0.000743642	0.335		
A_66_P107745	6.42E-07	0.335	Z110020A21Rik	RIKEN cDNA Z110020A21 gene
A_55_P2346859	2.48E-06	0.335	C630007K24Rik	RIKEN cDNA C630007K24 gene
A_52_P225584	3.74E-07	0.335	Abhd15	abhydrolase domain containing 15
A_52_P507498	8.94E-06	0.335	Plxnc1	plexin C1
A_55_P2103026	9.73E-05	0.335	Sema3d	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3D
A_51_P295610	1.87E-08	0.335	Cyc1	cytochrome c-1
A_30_P0102913	4.67E-07	0.335		
A_55_P2048779	0.003738425	0.335	Fam84b	family with sequence similarity 84, member B
A_51_P103975	2.45E-09	0.336	Brp44	brain protein 44
A_55_P1993777	4.05E-06	0.336	Rbfox3	RNA binding protein, fox-1 homolog (C. elegans) 3
A_55_P2029678	4.60E-08	0.336	Etfa	electron transferring flavoprotein, alpha polypeptide
A_55_P1984601	9.60E-07	0.336	Vapb	vesicle-associated membrane protein, associated protein B and C
A_51_P466148	1.02E-09	0.336	Bckdha	branched chain ketoacid dehydrogenase E1, alpha polypeptide
A_30_P0102954	0.001020527	0.336		
A_51_P103975	5.01E-09	0.336	Brp44	brain protein 44
A_30_P0102482	5.29E-06	0.336		
A_55_P2078670	5.77E-07	0.336	Cbs	cystathionine beta-synthase
A_55_P2133637	2.46E-08	0.336	Etfa	electron transferring flavoprotein, alpha polypeptide
A_55_P2045876	9.83E-08	0.336		
A_30_P0101897	0.000166716	0.337		
A_55_P2071930	8.80E-06	0.337		
A_51_P424878	8.64E-06	0.337	Z810405K02Rik	RIKEN cDNA Z810405K02 gene
A_66_P116126	4.47E-07	0.337	Sdhb	succinate dehydrogenase complex, subunit B, iron sulfur (Ip)
A_52_P349318	8.80E-06	0.337	B3gat1	beta-1,3-glucuronyltransferase 1 (glucuronosyltransferase P)
A_55_P2180899	2.11E-07	0.337	Aldh3a2	aldehyde dehydrogenase family 3, subfamily A2
A_51_P316553	3.23E-07	0.337	Kdr	kinase insert domain protein receptor
A_66_P140507	5.85E-08	0.338	Lhpp	phospholysine phosphohistidine inorganic pyrophosphate phosphatase
A_55_P2072453	3.44E-09	0.338	Mosc1	MOCO sulphurase C-terminal domain containing 1
A_55_P2112230	2.45E-08	0.338	Pcyt2	phosphate cytidyltransferase 2, ethanolamine
A_52_P539161	0.000215765	0.338	Rdh11	retinol dehydrogenase 11
A_51_P318618	1.17E-05	0.338	Anks4b	ankyrin repeat and sterile alpha motif domain containing 4B
A_55_P2367007	6.08E-05	0.338	C330020G15Rik	RIKEN cDNA C330020G15 gene
A_52_P244723	1.21E-05	0.338	Tbcel	tubulin folding cofactor E-like
A_55_P2145617	7.03E-07	0.338	Krt80	keratin 80
A_51_P104891	3.69E-08	0.338	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2173702	3.29E-05	0.338	Ebpl	emopamil binding protein-like
A_51_P484842	7.27E-09	0.339	Asgr2	asialoglycoprotein receptor 2
A_51_P465582	5.59E-06	0.339	Hdh3	haloacid dehalogenase-like hydrolase domain containing 3
A_51_P302856	2.50E-07	0.339	Ugt2b37	UDP glucuronosyltransferase 2 family, polypeptide B37
A_51_P502422	7.72E-07	0.340	Acot13	acyl-CoA thioesterase 13
A_51_P372473	4.98E-08	0.340	Auh	AU RNA binding protein/enoyl-coenzyme A hydratase
A_55_P2293917	0.001361235	0.340	Z1700007F19Rik	RIKEN cDNA Z1700007F19 gene
A_51_P251129	6.22E-07	0.340	Stard8	START domain containing 8
A_51_P139320	3.99E-09	0.340	Pcbd1	pterin 4 alpha carbinolamine dehydratase/dimerization cofactor of hepatocyte nuclear factor 1 alpha (TCF1) 1
A_55_P2170009	9.76E-05	0.340	Lactb2	lactamase, beta 2
A_55_P2175545	1.01E-07	0.340	Gys2	glycogen synthase 2
A_55_P2094906	1.68E-06	0.340		
A_55_P1954216	2.10E-07	0.340	Ugt3a1	UDP glycosyltransferases 3 family, polypeptide A1
A_51_P400366	2.86E-06	0.341	Rhbg	Rhesus blood group-associated B glycoprotein
A_51_P103975	2.31E-10	0.341	Brp44	brain protein 44
A_52_P305053	1.92E-05	0.341	Z8330016D10Rik	RIKEN cDNA Z8330016D10 gene
A_51_P257675	6.75E-05	0.341	Tspyl4	TSPY-like 4
A_55_P2181542	1.18E-06	0.341	Sult1d1	sulfotransferase family 1D, member 1
A_66_P119123	1.63E-07	0.341	A1cf	APOBEC1 complementation factor
A_51_P316553	5.48E-07	0.341	Kdr	kinase insert domain protein receptor
A_55_P2051455	3.26E-06	0.342	D2hgdh	D-2-hydroxyglutarate dehydrogenase
A_51_P104891	1.18E-08	0.342	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2169963	2.22E-07	0.342	Gm13152	predicted gene 13152
A_55_P1996583	1.05E-10	0.342	Ppdpf	pancreatic progenitor cell differentiation and proliferation factor homolog (zebrafish)RIKEN cDNA Z700038C09 gene
A_51_P221132	1.70E-08	0.342	L2hgdh	L-2-hydroxyglutarate dehydrogenase
A_55_P2230638	5.87E-08	0.342	Ece1	endothelin converting enzyme 1
A_55_P1961760	0.00012059	0.343		
A_51_P521090	0.000379046	0.343		
A_51_P498388	5.25E-05	0.343	Sbk1	SH3-binding kinase 1
A_52_P408736	5.76E-06	0.343	Slc16a7	solute carrier family 16 (monocarboxylic acid transporters), member 7
A_55_P1999057	1.45E-06	0.343	Cps1	carbamoyl-phosphate synthetase 1
A_55_P2019751	1.12E-05	0.343	Paox	polyamine oxidase (exo-N4-amino)
A_55_P2177463	1.01E-05	0.343		
A_55_P2042698	5.35E-07	0.343	Hsd17b10	hydroxysteroid (17-beta) dehydrogenase 10
A_52_P24843	1.31E-08	0.343	Pten	phosphatase and tensin homolog
A_51_P474658	0.00036881	0.344	Esr1	estrogen receptor 1 (alpha)
A_55_P2392365	2.07E-09	0.344	D930001B02	hypothetical protein D930001B02
A_55_P2075731	5.24E-05	0.344		
A_55_P2007751	0.000887527	0.344		
A_55_P2113026	0.000276107	0.344	Foxo4	forkhead box O4
A_55_P2134004	0.000122335	0.344	Gstm2	glutathione S-transferase, mu 2
A_66_P102250	1.73E-06	0.345	Gcsh	glycine cleavage system protein H (aminomethyl carrier)
A_55_P2065050	0.000888826	0.345		
A_30_P0102154	0.000127774	0.345		
A_55_P2016014	0.000957799	0.345	Cpsf4l	cleavage and polyadenylation specific factor 4-like
A_52_P125485	4.10E-06	0.345	Slc25a48	solute carrier family 25, member 48
A_51_P104891	3.77E-08	0.345	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_51_P116609	0.0001643	0.345	Tex12	testis expressed gene 12
A_51_P155843	2.38E-07	0.345	Igsf10	immunoglobulin superfamily, member 10
A_66_P101393	0.000341945	0.345	A530001N23Rik	RIKEN cDNA A530001N23 gene
A_55_P2152872	1.20E-05	0.346	Fgfr1l	fibroblast growth factor receptor-like 1
A_51_P139030	3.95E-06	0.346	Slc38a3	solute carrier family 38, member 3
A_51_P284486	0.000126302	0.346	Gstm2	glutathione S-transferase, mu 2
A_55_P2062737	7.67E-06	0.346	Elovl2	elongation of very long chain fatty acids (FEN1/Elo2, SUR4/Elo3, yeast)-like 2

A_51_P470414	6.24E-08	0.346	<b>Aldh7a1</b>	aldehyde dehydrogenase family 7, member A1
A_55_P2033580	0.000968355	0.346	<b>Mwab</b>	methylmalonic aciduria (cobalamin deficiency) type B homolog (human)
A_55_P2125947	1.95E-05	0.346	<b>Agpat2</b>	1-acylglycerol-3-phosphate O-acyltransferase 2 (lysophosphatidic acid acyltransferase, beta)
A_30_P0102000	0.000356707	0.346		
A_55_P2002309	1.07E-06	0.347	<b>Pip5k1l</b>	phosphatidylinositol-4-phosphate 5-kinase-like 1
A_52_P30920	2.19E-06	0.347	<b>Srr</b>	serine racemase
A_51_P213334	3.52E-05	0.347	<b>Hdac11</b>	histone deacetylase 11
A_52_P141628	1.51E-05	0.347	<b>Slc23a1</b>	solute carrier family 23 (nucleobase transporters), member 1
A_30_P0102558	0.0004022	0.347		
A_51_P355943	0.000994755	0.348	<b>Mvd</b>	mevalonate (diphospho) decarboxylase
A_55_P1989215	4.90E-08	0.348	<b>Entpd8</b>	ectonucleoside triphosphate diphosphohydrolase 8
A_55_P1997837	7.77E-06	0.348	<b>Osbp2</b>	oxysterol binding protein 2
A_52_P964651	0.000198938	0.348	<b>Fam65c</b>	family with sequence similarity 65, member C
A_30_P0102163	0.002005062	0.348		
A_55_P2426941	2.36E-05	0.348	<b>Gprn3</b>	GPRIN family member 3
A_55_P2176535	2.18E-06	0.348	<b>Cyp2j5</b>	cytochrome P450, family 2, subfamily j, polypeptide 5
A_55_P2059332	8.83E-08	0.348	<b>Pnkd</b>	paroxysmal nonkinesigenic dyskinesia
A_52_P274028	2.96E-05	0.348	<b>Ssr1</b>	signal sequence receptor, alpha
A_55_P1979019	5.78E-07	0.349	<b>Etnk2</b>	ethanolamine kinase 2
A_52_P399677	5.26E-06	0.349	<b>Tprkb</b>	Tp53rk binding protein
A_55_P2085445	9.76E-07	0.349	<b>Acsm1</b>	acyl-CoA synthetase medium-chain family member 1
A_51_P178828	1.72E-07	0.349	<b>Mbl2</b>	mannose-binding lectin (protein C) 2
A_30_P0102408	0.000167817	0.349		
A_51_P488554	2.90E-07	0.350	<b>3010026009RIK</b>	RIKEN cDNA 3010026009 gene
A_55_P2037912	1.77E-07	0.350	<b>Cyp2d10</b>	cytochrome P450, family 2, subfamily d, polypeptide 10
A_52_P58181	4.30E-07	0.350	<b>Suc1g2</b>	succinate-Coenzyme A ligase, GDP-forming, beta subunit
A_55_P2171788	0.000220691	0.350		
A_55_P2115955	4.52E-07	0.350	<b>Raet1e</b>	retinoic acid early transcript 1E
A_51_P443618	2.68E-09	0.350	<b>0610011F06RIK</b>	RIKEN cDNA 0610011F06 gene
A_55_P2046198	0.000255347	0.350	<b>Slc25a25</b>	solute carrier family 25 (mitochondrial carrier, phosphate carrier), member 25
A_55_P1990505	1.86E-07	0.350	<b>Masp2</b>	mannan-binding lectin serine peptidase 2
A_30_P0102171	9.00E-05	0.351		
A_51_P104891	1.16E-08	0.351	<b>Ept1</b>	ethanolaminophosphotransferase 1 (CDP-ethanolamine-specific)
A_52_P384574	2.11E-07	0.351	<b>Stard4</b>	StAR-related lipid transfer (START) domain containing 4
A_51_P477419	6.56E-06	0.351	<b>Nfic</b>	nuclear factor I/C
A_30_P0102641	3.74E-05	0.351		
A_51_P277336	4.13E-08	0.351	<b>Sdpr</b>	serum deprivation response
A_51_P172155	1.71E-07	0.352	<b>Hal</b>	histidine ammonia lyase
A_30_P0102156	0.001371585	0.352		
A_51_P239737	3.60E-07	0.352	<b>Ptgr</b>	polymeric immunoglobulin receptor
A_30_P0102425	0.000358509	0.352		
A_55_P2067563	0.000379057	0.352		
A_51_P404193	0.001108165	0.352	<b>Sp5</b>	trans-acting transcription factor 5
A_51_P273684	5.03E-06	0.353	<b>Gbe1</b>	glucan (1,4-alpha-), branching enzyme 1
A_30_P0102338	1.58E-08	0.353		
A_30_P0102905	1.83E-07	0.353		
A_55_P2022123	6.89E-05	0.353	<b>Spata22</b>	spermatogenesis associated 22
A_30_P0102317	0.002653551	0.353		
A_30_P0102937	4.91E-05	0.353		
A_51_P515120	6.62E-06	0.353	<b>Hs3st3a1</b>	heparan sulfate (glucosamine) 3-O-sulfotransferase 3A1
A_55_P1974019	1.55E-08	0.354	<b>Dapk1</b>	death associated protein kinase 1
A_55_P2120662	7.26E-08	0.354		
A_55_P2097414	0.000577425	0.354	<b>Hs6st1</b>	heparan sulfate 6-O-sulfotransferase 1
A_55_P2152049	5.72E-06	0.354	<b>Xrcc3</b>	X-ray repair complementing defective repair in Chinese hamster cells 3
A_55_P2097508	4.97E-06	0.354	<b>Mcc</b>	mutated in colorectal cancers
A_30_P0103268	6.00E-07	0.354		
A_55_P2150976	0.002562599	0.354	<b>Fabp5l2</b>	fatty acid binding protein 5-like 2
A_55_P1961983	2.79E-08	0.354	<b>Uqcr11</b>	ubiquinol-cytochrome c reductase, complex III subunit XI
A_51_P104891	3.18E-09	0.354	<b>Ept1</b>	ethanolaminophosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2217876	4.64E-05	0.355		
A_55_P2000938	8.22E-08	0.355	<b>Ahcy</b>	S-adenosylhomocysteine hydrolase
A_66_P118863	2.73E-06	0.355	<b>Ncald</b>	neurocalcin delta
A_55_P1969431	1.35E-08	0.355	<b>Lym5</b>	LYR motif containing 5
A_66_P117417	1.12E-06	0.355	<b>Pvrl3</b>	poliovirus receptor-related 3
A_51_P451588	8.60E-06	0.355	<b>Plekhh1</b>	pleckstrin homology domain containing, family B (evectins) member 1
A_55_P2255449	0.000547191	0.355	<b>AI663975</b>	expressed sequence AI663975
A_55_P2029846	1.65E-07	0.356	<b>BC031353</b>	cDNA sequence BC031353
A_55_P2088018	4.01E-06	0.356	<b>Fhod3</b>	formin homology 2 domain containing 3
A_52_P239536	6.80E-06	0.356	<b>Ppp1r9a</b>	protein phosphatase 1, regulatory (inhibitor) subunit 9A
A_51_P188795	6.23E-08	0.356	<b>Akr7a5</b>	aldo-keto reductase family 7, member A5 (aflatoxin aldehyde reductase)
A_30_P0102328	0.000331034	0.356		
A_52_P553316	2.93E-06	0.356	<b>Snrk</b>	SNF related kinase
A_52_P547662	4.60E-05	0.356	<b>P2ry1</b>	purinergic receptor P2Y, G-protein coupled 1
A_55_P2105181	1.69E-05	0.356	<b>Bhmt</b>	betaine-homocysteine methyltransferase
A_55_P2150901	5.79E-05	0.356	<b>Foxo4</b>	forkhead box O4
A_55_P1953894	5.71E-07	0.356	<b>Mccc2</b>	methylcrotonyl-Coenzyme A carboxylase 2 (beta)
A_55_P1952714	4.23E-07	0.356	<b>Kctd2</b>	potassium channel tetramerisation domain containing 2
A_55_P1984307	7.24E-07	0.356	<b>Gpr116</b>	G protein-coupled receptor 116
A_52_P16419	7.03E-06	0.357	<b>Gpd1</b>	glycerol-3-phosphate dehydrogenase 1 (soluble)
A_51_P323812	1.07E-06	0.357	<b>Slc6a12</b>	solute carrier family 6 (neurotransmitter transporter, betaine/GABA), member 12
A_55_P2003393	9.02E-06	0.357		
A_30_P0103022	0.003072082	0.357		
A_30_P0102390	2.24E-07	0.357		
A_55_P2186584	1.87E-08	0.357	<b>Shmt1</b>	serine hydroxymethyltransferase 1 (soluble)
A_55_P2081805	1.94E-08	0.357	<b>Slc46a1</b>	solute carrier family 46, member 1
A_55_P2099610	3.63E-06	0.357	<b>Plekha6</b>	pleckstrin homology domain containing, family A member 6
A_55_P1959223	6.83E-05	0.357		
A_51_P286946	2.39E-07	0.358	<b>Lhpp</b>	phospholysine phosphohistidine inorganic pyrophosphate phosphatase
A_55_P2119633	4.83E-06	0.358	<b>Gnal</b>	guanine nucleotide binding protein, alpha stimulating, olfactory type
A_51_P103975	3.24E-08	0.358	<b>Brp44</b>	brain protein 44
A_55_P1963915	6.16E-05	0.358	<b>Gm7298</b>	predicted gene 7298
A_66_P128931	0.001437041	0.358		
A_55_P1963184	1.76E-05	0.359		
A_66_P124715	5.96E-06	0.359	<b>Ppard</b>	peroxisome proliferator activator receptor delta
A_55_P1973447	0.000161637	0.359	<b>Ybx2</b>	Y box protein 2
A_55_P1981544	1.46E-07	0.359	<b>Lactb</b>	lactamase, beta
A_55_P2121446	0.000418814	0.359		
A_51_P339540	4.01E-08	0.360	<b>Cdkn1c</b>	cyclin-dependent kinase inhibitor 1C (P57)
A_55_P2006693	9.35E-05	0.360	<b>Pstpip2</b>	proline-serine-threonine phosphatase-interacting protein 2
A_51_P104891	2.81E-08	0.360	<b>Ept1</b>	ethanolaminophosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2278775	2.79E-07	0.360	<b>9130016M20RIK</b>	RIKEN cDNA 9130016M20 gene
A_55_P2144285	1.32E-10	0.360	<b>Nnt</b>	nicotinamide nucleotide transhydrogenase
A_52_P24365	0.000528935	0.360	<b>Lrr1q3</b>	leucine-rich repeats and IQ motif containing 3
A_55_P2081273	0.000474061	0.360	<b>Gabbr2</b>	gamma-aminobutyric acid (GABA) B receptor, 2
A_30_P0101987	0.000145596	0.360		
A_51_P506045	2.61E-12	0.360	<b>Pgcp</b>	plasma glutamate carboxypeptidase
A_55_P2079009	2.78E-07	0.360	<b>Slco2b1</b>	solute carrier organic anion transporter family, member 2b1
A_55_P2205156	1.04E-07	0.360	<b>1810020D17RIK</b>	RIKEN cDNA 1810020D17 gene
A_55_P2046494	4.25E-06	0.362	<b>Anubl1</b>	AN1, ubiquitin-like, homolog (Xenopus laevis)

A_55_P2152014	4.49E-05	0.362		
A_52_P337259	2.61E-05	0.362	Heyl	hairy/enhancer-of-split related with YRPW motif-like
A_55_P2167501	1.84E-05	0.362	Acsl3	acyl-CoA synthetase family member 2
A_51_P104891	3.59E-09	0.362	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_51_P346893	0.005511496	0.362	Extl1	exostosins (multiple)-like 1
A_55_P2079927	2.95E-05	0.362	Ccdc68	coiled-coil domain containing 68
A_55_P2128929	8.13E-06	0.363	Cc2d2a	coiled-coil and C2 domain containing 2A
A_51_P496309	1.42E-06	0.363	Rfx4	regulatory factor X, 4 (influences HLA class II expression)
A_30_P0103360	0.000580619	0.363		
A_51_P151484	1.72E-05	0.363	Atp1b1	ATPase, Na <sup>+</sup> /K <sup>+</sup> transporting, beta 1 polypeptide
A_51_P104891	7.42E-09	0.363	Ept1	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2035424	1.85E-07	0.363	Hpgd	hydroxyprostaglandin dehydrogenase 15 (NAD)
A_51_P212679	2.07E-06	0.363	Cwf19i1	CWF19-like 1, cell cycle control (S. pombe)
A_55_P2024290	1.56E-07	0.363	Fam149a	family with sequence similarity 149, member A
A_51_P422369	3.64E-05	0.364	Odf3b	outer dense fiber of sperm tails 3B
A_66_P138584	2.51E-09	0.364	Mnd1	meiotic nuclear divisions 1 homolog (S. cerevisiae)
A_51_P264634	1.82E-06	0.364	Strbp	spermatid perinuclear RNA binding protein
A_52_P18765	1.43E-05	0.364	Hsbp111	heat shock factor binding protein 1-like 1
A_30_P0102070	0.002752905	0.364		
A_30_P0101754	8.82E-07	0.364		
A_55_P1954758	2.75E-05	0.364	Prickle1	prickle homolog 1 (Drosophila)
A_51_P238183	1.33E-06	0.364	Etnk2	ethanolamine kinase 2
A_52_P239735	3.68E-06	0.365	Sdf4	stromal cell derived factor 4
A_55_P2419514	0.000317744	0.365	Ccny	cyclin Y
A_51_P217382	3.06E-10	0.365	Kif1c	kinesin family member 1C
A_55_P2113310	5.80E-06	0.365		
A_30_P0101960	2.41E-07	0.365		
A_51_P130110	3.67E-08	0.366	Idh3b	isocitrate dehydrogenase 3 (NAD <sup>+</sup> ) beta
A_55_P2117164	2.28E-09	0.366	Tmem106b	transmembrane protein 106B
A_52_P132165	2.77E-08	0.366	Hsd17b11	hydroxysteroid (17-beta) dehydrogenase 11
A_55_P2128085	1.02E-08	0.366	LOC674321	glycine cleavage system H protein, mitochondrial-like
A_51_P101573	3.54E-09	0.366	Klc4	kinesin light chain 4
A_55_P1996504	2.00E-06	0.366	Abcg2	ATP-binding cassette, sub-family G (WHITE), member 2
A_55_P2109033	1.62E-05	0.366	Hmgcs2	3-hydroxy-3-methylglutaryl-Coenzyme A synthase 2
A_55_P1960043	4.21E-05	0.366	Sec31b	Sec31 homolog B (S. cerevisiae)
A_55_P2078285	5.18E-05	0.366	Uck1	uridine-cytidine kinase 1
A_66_P104815	4.83E-07	0.367	Ecm1	extracellular matrix protein 1
A_55_P1953387	0.004094145	0.367	Fabp5	fatty acid binding protein 5, epidermal
A_55_P2013465	1.82E-06	0.367	L2hgdh	L-2-hydroxyglutarate dehydrogenase
A_30_P0102413	8.25E-06	0.367		
A_52_P30451	3.54E-05	0.367	Ppp1r3c	protein phosphatase 1, regulatory (inhibitor) subunit 3C
A_51_P245789	0.000149003	0.367	Pcolce2	procollagen C-endopeptidase enhancer 2
A_55_P1971237	4.65E-07	0.367	Mup3	major urinary protein 3
A_51_P426276	2.97E-08	0.367	Pdk2	pyruvate dehydrogenase kinase, isoenzyme 2
A_55_P2413458	3.13E-05	0.367	Tcfcp2l1	transcription factor CP2-like 1
A_55_P2126192	9.50E-06	0.367	Lgr5	leucine rich repeat containing G protein coupled receptor 5
A_66_P111021	1.58E-06	0.367	Nlrp6	NLR family, pyrin domain containing 6
A_55_P2018549	1.41E-08	0.367	Gcsh	glycine cleavage system protein H (aminomethyl carrier)
A_55_P2090577	4.89E-05	0.367	Abat	4-aminobutyrate aminotransferase
A_55_P2165324	0.000224781	0.368	Acsl3	acyl-CoA synthetase long-chain family member 3
A_51_P116609	0.001343153	0.368	Tex12	testis expressed gene 12
A_66_P136099	5.67E-09	0.368	Coasy	Coenzyme A synthase
A_55_P2071834	2.82E-06	0.368	Tln2	talin 2
A_55_P2059352	7.55E-08	0.368	Col18a1	collagen, type XVIII, alpha 1
A_55_P1987694	6.66E-07	0.368	Ptprd	protein tyrosine phosphatase, receptor type, D
A_52_P341339	4.12E-05	0.368	Sos1	son of sevenless homolog 1 (Drosophila)
A_51_P411909	4.75E-05	0.369	Sirt5	sirtuin 5 (silent mating type information regulation 2 homolog) 5 (S. cerevisiae)
A_55_P2207342	1.99E-06	0.369	1810059H22Rik	RIKEN cDNA 1810059H22 gene
A_52_P185044	2.74E-07	0.369	Adipor2	adiponectin receptor 2
A_51_P198694	2.38E-06	0.369	Gckr	glucokinase regulatory protein
A_51_P106527	5.27E-07	0.369	Fam195a	family with sequence similarity 195, member A
A_52_P521882	5.26E-05	0.369	Hddc3	HD domain containing 3
A_66_P126640	1.37E-06	0.369	Car8	carbonic anhydrase 8
A_55_P2099700	1.75E-09	0.370		
A_55_P2288117	2.55E-07	0.370	Ppp2ca	protein phosphatase 2 (formerly 2A), catalytic subunit, alpha isoform
A_52_P661722	5.09E-08	0.370	Mosc2	MOCO sulphurase C-terminal domain containing 2
A_51_P418935	5.09E-05	0.370	Neur12	neuronalized-like 2 (Drosophila)
A_51_P280401	0.000929922	0.371	Tcta	T-cell leukemia translocation altered gene
A_55_P2370210	8.47E-06	0.371	1700025K04Rik	RIKEN cDNA 1700025K04 gene
A_51_P386503	3.35E-07	0.371	Abhd15	abhydrolase domain containing 15
A_52_P127325	4.74E-08	0.371	AI182371	expressed sequence AI182371
A_55_P2086687	3.50E-08	0.371	Nfib	nuclear factor I/B
A_51_P148612	1.77E-05	0.372	Cox7a1	cytochrome c oxidase, subunit VIIa 1
A_55_P2056995	8.12E-07	0.372	Gcgr	glucagon receptor
A_51_P308048	4.09E-08	0.372	Cmtm8	CKLF-like MARVEL transmembrane domain containing 8
A_30_P0102941	2.27E-07	0.372		
A_55_P2132512	4.44E-08	0.372	Ngef	neuronal guanine nucleotide exchange factor
A_30_P0103252	4.96E-08	0.372		
A_55_P2131428	0.000321187	0.372	Tlr5	toll-like receptor 5
A_51_P245156	1.83E-09	0.373	Gdf2	growth differentiation factor 2
A_55_P2136935	3.16E-05	0.373	Rgs7bp	regulator of G-protein signalling 7 binding protein
A_55_P2048767	2.30E-07	0.373	Efemp1	epidermal growth factor-containing fibulin-like extracellular matrix protein 1
A_51_P137388	1.41E-06	0.373	Zadh2	zinc binding alcohol dehydrogenase, domain containing 2
A_52_P474814	1.62E-05	0.373	4921506M07Rik	RIKEN cDNA 4921506M07 gene
A_51_P144581	5.25E-08	0.374	Pgrmc1	progesterone receptor membrane component 1
A_52_P660047	2.20E-05	0.374		
A_55_P2050622	1.41E-07	0.374	Sh3d19	SH3 domain protein D19
A_55_P2141068	3.47E-05	0.374	Ccdc109a	coiled-coil domain containing 109A
A_30_P0103277	1.45E-06	0.374		
A_66_P135372	1.17E-05	0.375		
A_51_P116609	4.06E-05	0.375	Tex12	testis expressed gene 12
A_55_P2122334	4.74E-06	0.375	Nfic	nuclear factor I/C
A_52_P579531	0.000737268	0.375	Pdlim3	PDZ and LIM domain 3
A_55_P2090519	2.01E-10	0.375	Pdpdf	pancreatic progenitor cell differentiation and proliferation factor homolog (zebrafish)RIKEN cDNA 2700038C09 gene
A_30_P0101913	1.34E-07	0.375		
A_52_P609868	0.000221174	0.375	Timd4	T-cell immunoglobulin and mucin domain containing 4
A_55_P2029101	0.001922716	0.376	Lcorl	ligand dependent nuclear receptor corepressor-like
A_51_P463087	0.004341041	0.376	Cenpm	centromere protein M
A_55_P2000783	0.000256327	0.376	Axin2	axin2
A_55_P1954378	0.000403213	0.376		
A_52_P116134	1.62E-09	0.376	Aldh2	aldehyde dehydrogenase 2, mitochondrial
A_55_P2002572	2.03E-07	0.376	Ephx2	epoxide hydrolase 2, cytoplasmic
A_55_P2068723	1.08E-06	0.376	Ccl27a	chemokine (C-C motif) ligand 27A
A_55_P1970414	7.68E-08	0.376	Mccc1	methylcrotonyl-Coenzyme A carboxylase 1 (alpha)
A_55_P2096967	8.10E-08	0.377	Gjb1	gap junction protein, beta 1
A_51_P295967	1.84E-08	0.377	Proc	protein C
A_55_P2093023	2.02E-06	0.377	Xrcc6bp1	XRCC6 binding protein 1
A_55_P1972104	2.68E-07	0.377	Acsm3	acyl-CoA synthetase medium-chain family member 3
A_55_P1975080	2.83E-07	0.377	Ugt2b5	UDP glucuronosyltransferase 2 family, polypeptide B5

A_52_P59579	1.28E-08	0.377	<b>Tmbim6</b>	transmembrane BAX inhibitor motif containing 6
A_52_P171212	5.10E-05	0.377	<b>Irs1</b>	insulin receptor substrate 1
A_51_P444052	4.79E-07	0.377	<b>Scp2</b>	sterol carrier protein 2, liver
A_30_P0102743	1.58E-08	0.377		
A_55_P1990383	0.001392182	0.377	<b>Car5b</b>	carbonic anhydrase 5b, mitochondrial
A_30_P0103340	6.74E-05	0.377		
A_55_P1960738	1.09E-05	0.377	<b>Gm4470</b>	predicted gene 4470
A_30_P0101977	9.05E-08	0.377		
A_55_P2079324	2.77E-07	0.378	<b>Sephs2</b>	selenophosphate synthetase 2
A_55_P2014169	5.36E-09	0.378	<b>Ppa2</b>	pyrophosphatase (inorganic) 2
A_55_P1969181	0.000171036	0.378	<b>Paox</b>	polyamine oxidase (exo-N4-amino)
A_30_P0102396	5.73E-07	0.378		
A_51_P104891	4.23E-09	0.378	<b>Ept1</b>	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_55_P2021398	0.000307686	0.379		
A_51_P465161	3.52E-05	0.379	<b>Hoga1</b>	4-hydroxy-2-oxoglutarate aldolase 1
A_55_P2076545	1.00E-06	0.379	<b>F5</b>	coagulation factor V
A_55_P2419495	8.07E-05	0.379	<b>1110028F11Rik</b>	RIKEN cDNA 1110028F11 gene
A_51_P503654	1.64E-07	0.379	<b>Tmem205</b>	transmembrane protein 205
A_55_P2068734	4.16E-08	0.379	<b>Ccl27a</b>	chemokine (C-C motif) ligand 27A
A_52_P275678	0.001402561	0.379	<b>Gpr135</b>	G protein-coupled receptor 135
A_52_P592909	4.74E-06	0.380	<b>Dgat2</b>	diacylglycerol O-acyltransferase 2
A_51_P176387	2.27E-08	0.380	<b>Hook3</b>	hook homolog 3 (Drosophila)
A_55_P2116054	2.69E-06	0.380	<b>Caprin1</b>	cell cycle associated protein 1
A_55_P2146640	3.70E-06	0.380		
A_51_P124126	7.05E-08	0.380	<b>Cyp2d22</b>	cytochrome P450, family 2, subfamily d, polypeptide 22
A_51_P200667	9.58E-05	0.380	<b>Clmn</b>	calmin
A_51_P410949	6.24E-07	0.381	<b>Polr3g</b>	polymerase (RNA) III (DNA directed) polypeptide G
A_55_P2119772	0.002295818	0.381	<b>Scn3a</b>	sodium channel, voltage-gated, type III, alpha
A_66_P134405	0.001786572	0.381	<b>Axin2</b>	axin2
A_55_P1961241	9.78E-08	0.381		
A_55_P1970810	2.66E-05	0.381	<b>Agpat2</b>	1-acylglycerol-3-phosphate O-acyltransferase 2 (lysophosphatidic acid acyltransferase, beta)
A_52_P111145	0.00141946	0.381	<b>Gabbr2</b>	gamma-aminobutyric acid (GABA) B receptor, 2
A_51_P242859	2.42E-07	0.381	<b>Akr1c12</b>	aldo-keto reductase family 1, member C12
A_55_P2346644	0.002997724	0.381	<b>C730037M02Rik</b>	RIKEN cDNA C730037M02 gene
A_52_P388359	1.87E-06	0.381	<b>Prdx6</b>	peroxiredoxin 6
A_55_P1954356	2.83E-05	0.381	<b>Ttc23</b>	tetratricopeptide repeat domain 23
A_30_P0102636	0.000268587	0.382		
A_51_P419971	1.06E-08	0.382	<b>Tmem106b</b>	transmembrane protein 106B
A_52_P428735	2.33E-05	0.382	<b>Lrp2bp</b>	Lrp2 binding protein
A_51_P491504	5.11E-06	0.382	<b>Aldh5a1</b>	aldehyde dehydrogenase family 5, subfamily A1
A_52_P412529	2.18E-09	0.382	<b>Fbxo3</b>	F-box protein 3
A_51_P125648	4.00E-06	0.382	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_30_P0102178	3.00E-06	0.382		
A_30_P0102716	2.72E-07	0.382		
A_55_P1960366	9.74E-05	0.382	<b>Fam47e</b>	family with sequence similarity 47, member E
A_55_P1996578	1.58E-06	0.383	<b>Fgfr3</b>	fibroblast growth factor receptor 3
A_30_P0102472	4.20E-08	0.383		
A_65_P03022	1.04E-06	0.383	<b>Cdc14b</b>	CDC14 cell division cycle 14 homolog B (S. cerevisiae)
A_55_P2119927	1.09E-05	0.383		
A_52_P449871	0.001353057	0.383	<b>Id4</b>	inhibitor of DNA binding 4
A_55_P2045528	0.001042369	0.383		
A_52_P603038	0.0064645	0.383	<b>Olig1</b>	oligodendrocyte transcription factor 1
A_66_P108152	5.60E-08	0.384	<b>Cbr1</b>	carbonyl reductase 1
A_51_P249335	1.58E-06	0.384	<b>Sds</b>	serine dehydratase
A_55_P2058933	1.44E-09	0.384	<b>Kif1b</b>	kinesin family member 1B
A_52_P381430	2.76E-08	0.384	<b>Tbc1d4</b>	TBC1 domain family, member 4
A_55_P1995404	1.76E-05	0.384	<b>Cd59b</b>	CD59b antigen
A_55_P1985239	5.14E-05	0.384	<b>Necab1</b>	N-terminal EF-hand calcium binding protein 1
A_55_P1991295	3.06E-05	0.384	<b>BC029214</b>	cDNA sequence BC029214
A_55_P1966169	4.15E-11	0.385	<b>Pdpf</b>	pancreatic progenitor cell differentiation and proliferation factor homolog (zebrafish)RIKEN cDNA 2700038C09 gene
A_55_P2180086	0.000197127	0.385	<b>Lrrc28</b>	leucine rich repeat containing 28
A_55_P2181752	1.94E-05	0.385		
A_51_P385598	1.44E-05	0.385	<b>Slc37a4</b>	solute carrier family 37 (glucose-6-phosphate transporter), member 4
A_51_P207706	0.003262595	0.385	<b>Fam180a</b>	family with sequence similarity 180, member A
A_52_P534749	4.71E-05	0.385	<b>Npas2</b>	neuronal PAS domain protein 2
A_51_P104891	5.48E-09	0.386	<b>Ept1</b>	ethanolaminephosphotransferase 1 (CDP-ethanolamine-specific)
A_51_P461877	0.000135184	0.386	<b>Thbs2</b>	thrombospondin 2
A_66_P102879	1.76E-07	0.386	<b>Thra</b>	thyroid hormone receptor alpha
A_30_P0102347	0.000100739	0.386		
A_55_P1996314	3.53E-06	0.386	<b>Amy2a5</b>	amylase 2a5
A_51_P232399	7.23E-08	0.387	<b>Acy3</b>	aspartoacylase (aminoacylase) 3
A_55_P2117843	8.79E-09	0.387	<b>Coasy</b>	Coenzyme A synthase
A_55_P2148062	6.58E-05	0.387	<b>Apol7c</b>	apolipoprotein L 7c
A_52_P356068	1.13E-07	0.387	<b>Proz</b>	protein Z, vitamin K-dependent plasma glycoprotein
A_52_P137371	0.001962967	0.387	<b>Hmgcr</b>	3-hydroxy-3-methylglutaryl-Coenzyme A reductase
A_51_P487175	4.29E-07	0.387	<b>Acsm3</b>	acyl-CoA synthetase medium-chain family member 3
A_55_P2168301	1.71E-08	0.387	<b>Slc46a1</b>	solute carrier family 46, member 1
A_55_P1993263	3.06E-06	0.387	<b>Chic1</b>	cysteine-rich hydrophobic domain 1
A_51_P428781	0.001030866	0.387	<b>Pbx4</b>	pre-B-cell leukemia homeobox 4
A_52_P515036	2.56E-07	0.388	<b>Htatip2</b>	HIV-1 tat interactive protein 2, homolog (human)
A_51_P512783	2.34E-07	0.388	<b>Fam82b</b>	family with sequence similarity 82, member B
A_55_P2003483	8.00E-06	0.388	<b>Gldc</b>	glycine decarboxylase
A_52_P171019	1.56E-06	0.388	<b>Man1a</b>	mannosidase 1, alpha
A_52_P582112	3.67E-07	0.388	<b>Hcfc1r1</b>	host cell factor C1 regulator 1 (XPO1-dependent)
A_55_P2130399	5.43E-07	0.389	<b>Rilp</b>	Rab interacting lysosomal protein
A_55_P2051885	7.73E-09	0.389	<b>Bco2</b>	beta-carotene oxygenase 2
A_55_P2047188	2.79E-06	0.389	<b>Fgf1</b>	fibroblast growth factor 1
A_51_P269078	2.78E-06	0.389	<b>Habp4</b>	hyaluronic acid binding protein 4
A_55_P2084910	5.16E-05	0.389	<b>Zfp385b</b>	zinc finger protein 385B
A_51_P193173	0.000213111	0.389	<b>Slc25a25</b>	solute carrier family 25 (mitochondrial carrier, phosphate carrier), member 25
A_55_P1967659	7.80E-07	0.390	<b>Lactb</b>	lactamase, beta
A_51_P491227	2.19E-07	0.390	<b>Suclg1</b>	succinate-CoA ligase, GDP-forming, alpha subunit
A_51_P499816	1.16E-06	0.390	<b>Pbld1</b>	phenazine biosynthesis-like protein domain containing 1
A_52_P51548	1.92E-05	0.391	<b>Pard3</b>	par-3 (partitioning defective 3) homolog (C. elegans)
A_51_P372456	0.003521646	0.391	<b>Wdr86</b>	WD repeat domain 86
A_51_P435198	2.58E-06	0.391	<b>Cryz</b>	crystallin, zeta
A_51_P401964	6.63E-08	0.391	<b>Aph1a</b>	anterior pharynx defective 1a homolog (C. elegans)
A_51_P461429	6.26E-05	0.391	<b>Cyp7b1</b>	cytochrome P450, family 7, subfamily b, polypeptide 1
A_55_P2184009	0.000637603	0.391	<b>Rnd2</b>	Rho family GTPase 2
A_30_P0103118	0.000201586	0.391		
A_55_P2061690	1.90E-08	0.392	<b>Atp5d</b>	ATP synthase, H+ transporting, mitochondrial F1 complex, delta subunit
A_55_P2058122	2.36E-05	0.392	<b>Ccbl2</b>	cysteine conjugate-beta lyase 2
A_66_P114451	0.000324432	0.392	<b>Gpr126</b>	G protein-coupled receptor 126
A_51_P516615	3.45E-07	0.392	<b>Ndufb10</b>	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 10
A_55_P1970583	7.72E-08	0.392	<b>Ttc38</b>	tetratricopeptide repeat domain 38
A_51_P396917	1.66E-06	0.393	<b>Zfyve21</b>	zinc finger, FYVE domain containing 21
A_55_P1990500	9.97E-08	0.393	<b>Masp2</b>	mannan-binding lectin serine peptidase 2
A_66_P109800	4.97E-08	0.393	<b>Gcsh</b>	glycine cleavage system protein H (aminomethyl carrier)
A_55_P2163812	2.51E-06	0.393	<b>Sept4</b>	septin 4

A_55_P2072611	7.24E-07	0.393	Mosc1	MOCO sulphurase C-terminal domain containing 1
A_55_P1972991	3.36E-09	0.394	Pcsk6	proprotein convertase subtilisin/kexin type 6
A_52_P134141	1.68E-09	0.394	Plgy	phosphatidylinositol glycan anchor biosynthesis, class Y
A_51_P312437	4.32E-05	0.394	Dhrs7	dehydrogenase/reductase (SDR family) member 7
A_30_P0102225	0.000516727	0.394		
A_55_P2112225	1.34E-05	0.394		
A_51_P125648	1.19E-05	0.394	Vwce	von Willebrand factor C and EGF domains
A_55_P2068350	7.66E-08	0.394	Ido2	indoleamine 2,3-dioxygenase 2
A_55_P2035029	1.54E-07	0.395		
A_51_P437144	1.19E-08	0.395	Dynl12	dynein light chain LC8-type 2
A_55_P2020128	5.51E-08	0.395	Dhrs3	dehydrogenase/reductase (SDR family) member 3
A_55_P1975315	0.000199002	0.395	Crygs	crystallin, gamma S
A_55_P2083481	0.004573151	0.395	Lpin1	lipin 1
A_55_P2065567	2.53E-09	0.395	Chac2	ChaC, cation transport regulator homolog 2 (E. coli)
A_51_P320481	1.79E-09	0.395	Mcee	methylmalonyl CoA epimerase
A_55_P1994942	2.36E-05	0.395	Rorc	RAR-related orphan receptor gamma
A_55_P1981836	1.34E-05	0.396	BC020535	cDNA sequence BC020535
A_55_P2016193	2.46E-05	0.396	1110018J18RIK	RIKEN cDNA 1110018J18 gene
A_51_P490023	0.001155633	0.396	Tubb2a	tubulin, beta 2A
A_55_P2302290	0.000281887	0.396	E230012P03	hypothetical protein E230012P03
A_55_P2112637	1.11E-06	0.396		
A_51_P110341	0.005512182	0.397	Scgb3a1	secretoglobulin, family 3A, member 1
A_55_P2185504	3.22E-08	0.397	Masp2	mannan-binding lectin serine peptidase 2
A_51_P259750	1.76E-05	0.397		
A_52_P559557	5.01E-06	0.397	BC026585	cDNA sequence BC026585
A_55_P2427685	2.07E-07	0.397	Agl	amylase-1,6-glycosidase, 4-alpha-glucoamyltransferase
A_51_P112308	0.002099781	0.398	1810011O10RIK	RIKEN cDNA 1810011O10 gene
A_30_P0103282	4.08E-08	0.398		
A_30_P0103078	4.49E-05	0.398		
A_55_P2077048	0.001217839	0.398	Itih5	inter-alpha (globulin) inhibitor H5
A_55_P2176731	1.74E-09	0.398	Prdx6	peroxiredoxin 6
A_55_P2070766	0.00043475	0.398		
A_51_P399071	7.53E-07	0.398	Anp32a	acidic (leucine-rich) nuclear phosphoprotein 32 family, member A
A_51_P395111	2.85E-07	0.398	Nme3	non-metastatic cells 3, protein expressed in
A_51_P125648	3.46E-06	0.399	Vwce	von Willebrand factor C and EGF domains
A_51_P249118	9.22E-07	0.399	Abcb4	ATP-binding cassette, sub-family B (MDR/TAP), member 4
A_51_P472879	1.78E-06	0.399	Masp1	mannan-binding lectin serine peptidase 1
A_55_P1979743	1.00E-07	0.399	Uqcr11	ubiquinol-cytochrome c reductase, complex III subunit XI
A_52_P883557	5.81E-06	0.399	Slc30a10	solute carrier family 30, member 10
A_51_P125648	6.92E-06	0.399	Vwce	von Willebrand factor C and EGF domains
A_55_P2394968	0.000195059	0.400	C530030K21RIK	RIKEN cDNA C530030K21 gene
A_55_P2143431	5.84E-10	0.400	Nfib	nuclear factor I/B
A_55_P2121913	4.86E-10	0.400	Adi1	acireductone dioxygenase 1
A_51_P116609	0.000767171	0.400	Tex12	testis expressed gene 12
A_55_P2161585	2.45E-08	0.401	Coq10a	coenzyme Q10 homolog A (yeast)
A_51_P125648	2.52E-06	0.401	Vwce	von Willebrand factor C and EGF domains
A_30_P0101756	2.49E-05	0.401		
A_51_P112308	0.003958422	0.401	1810011O10RIK	RIKEN cDNA 1810011O10 gene
A_30_P0101895	3.88E-07	0.401		
A_55_P2149500	1.68E-05	0.401	Kifc2	kinesin family member C2
A_55_P1968195	1.36E-06	0.402	Cyp2d13	cytochrome P450, family 2, subfamily d, polypeptide 13
A_55_P1957282	7.23E-05	0.402		
A_55_P2083929	0.00091862	0.402	Robo2	roundabout homolog 2 (Drosophila)
A_51_P389988	7.59E-05	0.402	Slc40a1	solute carrier family 40 (iron-regulated transporter), member 1
A_55_P2109932	3.49E-06	0.403	Tmem63b	transmembrane protein 63b
A_51_P338878	0.000297482	0.403	P2ry12	purinergic receptor P2Y, G-protein coupled 12
A_51_P116651	0.00073907	0.403	Dpt	dermatopontin
A_51_P125648	1.88E-06	0.403	Vwce	von Willebrand factor C and EGF domains
A_51_P204898	0.000180435	0.403	1700008A04RIK	RIKEN cDNA 1700008A04 gene
A_55_P2013586	0.006388867	0.403	Prss8	protease, serine, 8 (prostasin)
A_55_P1985015	1.51E-06	0.403	Pard3	par-3 (partitioning defective 3) homolog (C. elegans)
A_55_P2066559	0.002305245	0.404	Endou	endonuclease, polyU-specific
A_66_P136778	6.29E-06	0.404	Mapk15	mitogen-activated protein kinase 15
A_51_P112308	0.00230042	0.404	1810011O10RIK	RIKEN cDNA 1810011O10 gene
A_51_P112308	0.002922714	0.404	1810011O10RIK	RIKEN cDNA 1810011O10 gene
A_51_P317640	2.92E-05	0.404	Tgfb2	transforming growth factor, beta 2
A_51_P440238	4.35E-05	0.404	Ggt6	gamma-glutamyltransferase 6
A_51_P112308	0.002813246	0.404	1810011O10RIK	RIKEN cDNA 1810011O10 gene
A_55_P2183172	7.93E-09	0.405	Rdx	radixin
A_55_P1984366	4.95E-08	0.405	Cdadc1	cytidine and dCMP deaminase domain containing 1
A_55_P2095899	0.000217482	0.405	2310057B04RIK	RIKEN cDNA 2310057B04 gene
A_55_P1991109	2.25E-07	0.405	D10Jhu81e	DNA segment, Chr 10, Johns Hopkins University 81 expressed
A_55_P1998001	8.52E-05	0.405	DXBay18	DNA segment, Chr X, Baylor 18
A_55_P2074766	2.25E-05	0.405	Mug2	murinoglobulin 2
A_55_P2011410	1.34E-07	0.405	Pdzk1	PDZ domain containing 1
A_51_P458778	5.46E-07	0.405	Hpgd	hydroxyprostaglandin dehydrogenase 15 (NAD)
A_55_P2052485	4.29E-06	0.405	Ushbp1	Usher syndrome 1C binding protein 1
A_55_P2015032	1.07E-06	0.405	Kazald1	Kazal-type serine peptidase inhibitor domain 1
A_52_P348031	4.89E-06	0.406	Syt9	synaptotagmin IX
A_55_P2161465	2.82E-05	0.406	Gm10516	predicted gene 10516
A_55_P1992019	0.00012316	0.406	Ptpru	protein tyrosine phosphatase, receptor type, U
A_55_P1958137	2.73E-06	0.406		
A_65_P10195	0.002241401	0.406	Myl7	myosin, light polypeptide 7, regulatory
A_66_P123155	6.21E-08	0.406	Ddo	D-aspartate oxidase
A_51_P117995	8.26E-07	0.407	Pfkm	phosphofructokinase, muscle
A_55_P1979650	6.48E-08	0.407	S100a1	S100 calcium binding protein A1
A_51_P112308	0.002473013	0.407	1810011O10RIK	RIKEN cDNA 1810011O10 gene
A_51_P368823	0.000136172	0.407	Grb7	growth factor receptor bound protein 7
A_55_P2013601	4.30E-07	0.407	Ldb2	LIM domain binding 2
A_55_P2079713	7.32E-06	0.407	Gramd1c	GRAM domain containing 1C
A_51_P260035	2.64E-07	0.407	Sar1b	SAR1 gene homolog B (S. cerevisiae)
A_51_P338600	1.12E-06	0.407	Tmem14c	transmembrane protein 14C
A_55_P2027701	1.94E-10	0.407		
A_51_P116609	3.80E-05	0.408	Tex12	testis expressed gene 12
A_51_P453963	2.28E-05	0.408	9530008L14RIK	RIKEN cDNA 9530008L14 gene
A_51_P491916	0.002366212	0.408	Rassf6	Ras association (RalGDS/AF-6) domain family member 6
A_55_P2386236	4.49E-08	0.408	Ceacam2	carcinoembryonic antigen-related cell adhesion molecule 2
A_55_P2048194	0.000189464	0.409	Wscd1	WSC domain containing 1
A_51_P449995	0.000285703	0.409	C6	complement component 6
A_55_P2061076	3.39E-05	0.409	Gm3219	B-cell CLL/lymphoma 7C pseudogene
A_30_P0102108	0.001186848	0.409		
A_51_P117995	2.39E-07	0.409	Pfkm	phosphofructokinase, muscle
A_55_P2091928	4.27E-06	0.409	Raet1b	retinoic acid early transcript beta
A_55_P2144090	1.15E-06	0.409		
A_55_P1998651	3.77E-05	0.409	Entpd5	ectonucleoside triphosphate diphosphohydrolase 5
A_51_P125648	2.99E-06	0.409	Vwce	von Willebrand factor C and EGF domains
A_55_P1970826	0.000525392	0.409	Adamts5	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 5 (aggrecanase-2)
A_51_P117995	2.12E-07	0.409	Pfkm	phosphofructokinase, muscle
A_51_P348183	9.33E-07	0.410	Tmem141	transmembrane protein 141

A_51_P247873	8.10E-08	0.410	<b>Ndufb8</b>	NADH dehydrogenase (ubiquinone) 1 beta subcomplex 8
A_55_P1959938	7.02E-05	0.410	<b>Pde7b</b>	phosphodiesterase 7B
A_51_P303089	3.63E-05	0.410	<b>Ttc28</b>	tetratricopeptide repeat domain 28
A_55_P2096827	1.13E-05	0.410	<b>Art3</b>	ADP-ribosyltransferase 3
A_51_P375987	4.13E-05	0.411	<b>Fign</b>	fidgetin
A_52_P338956	2.56E-06	0.411	<b>Aspg</b>	asparaginase homolog (S. cerevisiae)
A_55_P2051701	1.00E-09	0.411	<b>Pbx1</b>	pre B-cell leukemia transcription factor 1
A_52_P51078	6.83E-09	0.411	<b>Ctsh</b>	cathepsin H
A_51_P117995	1.59E-07	0.411	<b>Pfkm</b>	phosphofructokinase, muscle
A_55_P2077497	6.47E-05	0.411	<b>BC005624</b>	cDNA sequence BC005624
A_55_P1953899	9.01E-08	0.411	<b>Mccc1</b>	methylcrotonoyl-Coenzyme A carboxylase 1 (alpha)
A_55_P2198946	4.64E-08	0.412	<b>Gm10768</b>	predicted gene 10768
A_66_P105830	7.67E-08	0.412	<b>1700028B04RIK</b>	RIKEN cDNA 1700028B04 gene
A_55_P2330822	3.88E-07	0.412	<b>AU019278</b>	expressed sequence AU019278
A_51_P116651	0.001048707	0.412	<b>Dpt</b>	dermatopontin
A_51_P178735	1.10E-07	0.412	<b>Hlbch</b>	3-hydroxyisobutyryl-Coenzyme A hydrolase
A_30_P0103088	0.001324574	0.413		
A_55_P1996518	7.92E-09	0.413	<b>Arhgap42</b>	Rho GTPase activating protein 42
A_51_P117995	3.37E-07	0.413	<b>Pfkm</b>	phosphofructokinase, muscle
A_55_P2092668	9.22E-05	0.413	<b>Ccbl2</b>	cysteine conjugate-beta lyase 2
A_52_P534235	0.000150086	0.413	<b>Srms</b>	src-related kinase lacking C-terminal regulatory tyrosine and N-terminal myristylation sites
A_52_P423364	6.24E-05	0.413	<b>Fbxl7</b>	F-box and leucine-rich repeat protein 7
A_51_P116651	0.000267143	0.413	<b>Dpt</b>	dermatopontin
A_30_P0103032	1.56E-07	0.413		
A_55_P2164909	3.07E-07	0.413	<b>D10Jhu81e</b>	DNA segment, Chr 10, Johns Hopkins University 81 expressed
A_55_P1953972	3.36E-05	0.413	<b>Pdhb</b>	pyruvate dehydrogenase (lipoamide) beta
A_51_P117995	9.10E-07	0.413	<b>Pfkm</b>	phosphofructokinase, muscle
A_55_P1961129	0.000181292	0.413	<b>Egfem1</b>	EGF-like and EMI domain containing 1
A_52_P237077	2.91E-07	0.414	<b>Esr1</b>	estrogen receptor 1 (alpha)
A_65_P06147	4.63E-07	0.414	<b>Fgfr3</b>	fibroblast growth factor receptor 3
A_55_P1992617	4.09E-05	0.414	<b>Clec1b</b>	C-type lectin domain family 1, member b
A_55_P2066976	1.01E-06	0.414	<b>Acsm1</b>	acyl-CoA synthetase medium-chain family member 1
A_30_P0102126	1.07E-07	0.414		
A_51_P456721	1.07E-08	0.414	<b>Azgp1</b>	alpha-2-glycoprotein 1, zinc
A_30_P0102727	9.42E-09	0.414		
A_55_P1988433	4.01E-08	0.414	<b>Stard7</b>	START domain containing 7
A_52_P506529	1.20E-06	0.414	<b>Rabgap1l</b>	RAB GTPase activating protein 1-like
A_51_P287198	0.001076757	0.414	<b>Krt23</b>	keratin 23
A_55_P2033435	6.47E-08	0.415	<b>1300002K09RIK</b>	RIKEN cDNA 1300002K09 gene
A_51_P112308	0.002784998	0.415	<b>1810011010RIK</b>	RIKEN cDNA 1810011010 gene
A_51_P116651	0.001279676	0.415	<b>Dpt</b>	dermatopontin
A_55_P2045802	2.56E-08	0.415	<b>Nelf</b>	nasal embryonic LHRH factor
A_51_P125648	4.54E-06	0.415	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_55_P2063654	1.58E-05	0.415	<b>Mup20</b>	major urinary protein 20
A_30_P0103284	8.60E-07	0.415		
A_51_P140347	6.40E-07	0.415	<b>Slc4a9</b>	solute carrier family 4, sodium bicarbonate cotransporter, member 9
A_30_P0101998	9.45E-05	0.415		
A_51_P441914	6.26E-06	0.415	<b>Hsd17b2</b>	hydroxysteroid (17-beta) dehydrogenase 2
A_52_P302496	1.00E-08	0.415	<b>Fah</b>	fumarylacetoacetate hydrolase
A_55_P2129172	0.000299801	0.416	<b>Rab40b</b>	Rab40b, member RAS oncogene family
A_51_P212420	0.000125066	0.416	<b>Lama4</b>	laminin, alpha 4
A_55_P2008417	4.80E-09	0.416	<b>Mnd1</b>	meiotic nuclear divisions 1 homolog (S. cerevisiae)
A_51_P448971	5.17E-05	0.416	<b>Sncb</b>	synuclein, beta
A_51_P331207	1.41E-05	0.416	<b>Tmem218</b>	transmembrane protein 218
A_55_P2060996	3.10E-06	0.416		
A_55_P2039289	5.82E-06	0.416	<b>Hspb6</b>	heat shock protein, alpha-crystallin-related, B6
A_51_P112308	0.002383196	0.416	<b>1810011010RIK</b>	RIKEN cDNA 1810011010 gene
A_55_P2168663	1.99E-07	0.416	<b>Atp5k</b>	ATP synthase, H <sup>+</sup> transporting, mitochondrial F1F0 complex, subunit e
A_51_P340355	4.39E-09	0.416	<b>Tarsl2</b>	threonyl-tRNA synthetase-like 2
A_51_P116651	0.000341297	0.416	<b>Dpt</b>	dermatopontin
A_55_P1966332	6.44E-07	0.416	<b>Plac9</b>	placenta specific 9
A_55_P2100928	0.002011962	0.417	<b>Ptgds</b>	prostaglandin D2 synthase (brain)
A_55_P1988413	0.005305902	0.417	<b>Dpysl4</b>	dihydropyrimidinase-like 4
A_55_P2185323	3.61E-06	0.417	<b>Gmps</b>	guanine monophosphate synthetase
A_51_P117995	6.17E-07	0.417	<b>Pfkm</b>	phosphofructokinase, muscle
A_51_P512627	3.04E-06	0.417	<b>Syngr4</b>	synaptogyrin 4
A_30_P0103343	0.00050649	0.417		
A_30_P0101827	0.00081447	0.417		
A_55_P2020497	0.000249448	0.417	<b>Dcaf12l1</b>	DDB1 and CUL4 associated factor 12-like 1
A_55_P2030155	1.26E-06	0.417	<b>Slco2b1</b>	solute carrier organic anion transporter family, member 2b1
A_55_P2006703	7.62E-08	0.417	<b>Bmp1</b>	bone morphogenetic protein 1
A_52_P476560	2.44E-06	0.417	<b>Tpcn1</b>	two pore channel 1
A_52_P471282	1.24E-06	0.417	<b>Fmo4</b>	flavin containing monooxygenase 4
A_66_P128446	8.77E-07	0.417	<b>Ttpa</b>	tocopherol (alpha) transfer protein
A_55_P2032823	3.29E-06	0.418	<b>Trim2</b>	tripartite motif-containing 2
A_55_P1989772	7.97E-07	0.418	<b>Sqrdl</b>	sulfide quinone reductase-like (yeast)
A_55_P2000022	0.002494654	0.418	<b>Ccdc151</b>	coiled-coil domain containing 151
A_51_P116609	0.000138735	0.418	<b>Tex12</b>	testis expressed gene 12
A_51_P257419	6.03E-07	0.418	<b>Lhx2</b>	LIM homeobox protein 2
A_55_P2074762	1.36E-05	0.418	<b>Lect2</b>	leukocyte cell-derived chemotaxin 2
A_52_P506316	7.46E-06	0.418	<b>Fbxo8</b>	F-box protein 8
A_52_P480088	1.64E-06	0.418	<b>Col27a1</b>	collagen, type XXVII, alpha 1
A_55_P2073526	2.23E-08	0.418	<b>H2-Ke6</b>	H2-K region expressed gene 6
A_55_P2151308	7.89E-07	0.419		
A_55_P2087399	2.11E-06	0.419	<b>Tex22</b>	testis expressed gene 22
A_51_P125260	1.57E-07	0.419	<b>Acaa2</b>	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_51_P432659	3.28E-08	0.419	<b>Pex7</b>	peroxisomal biogenesis factor 7
A_51_P483544	3.62E-06	0.419	<b>Aass</b>	aminoadipate-semialdehyde synthase
A_51_P125648	7.47E-06	0.419	<b>Vwce</b>	von Willebrand factor C and EGF domains
A_55_P1970105	0.000183519	0.419	<b>Ltbp2</b>	latent transforming growth factor beta binding protein 2
A_55_P2131473	1.06E-06	0.419	<b>Rmnd5a</b>	required for meiotic nuclear division 5 homolog A (S. cerevisiae)
A_55_P2035038	4.17E-05	0.419		
A_52_P456561	0.000141151	0.419	<b>Abcd1</b>	ATP-binding cassette, sub-family D (ALD), member 1
A_55_P2085880	8.66E-08	0.420	<b>Aco1</b>	aconitase 1
A_55_P2133125	3.91E-05	0.420	<b>D930015E06RIK</b>	RIKEN cDNA D930015E06 gene
A_55_P2006930	3.29E-07	0.420	<b>2610005L07RIK</b>	cadherin 11 pseudogene
A_55_P2074536	2.75E-07	0.420	<b>Ppm1b</b>	protein phosphatase 1B, magnesium dependent, beta isoform
A_30_P0102894	0.001964663	0.420		
A_30_P0102107	1.46E-07	0.420		
A_51_P220062	6.33E-06	0.420	<b>Mmp15</b>	matrix metalloproteinase 15
A_55_P1961993	1.32E-05	0.420		
A_55_P1978321	3.54E-09	0.420	<b>Fbxo8</b>	F-box protein 8
A_51_P431967	0.00566237	0.420	<b>Gfod1</b>	glucose-fructose oxidoreductase domain containing 1
A_55_P1984976	1.32E-05	0.420	<b>Wnt5b</b>	wingless-related MMTV integration site 5B
A_55_P1985544	0.001580584	0.420	<b>Kcnk10</b>	potassium channel, subfamily K, member 10
A_51_P386270	1.19E-08	0.420	<b>Cyp2d12</b>	cytochrome P450, family 2, subfamily d, polypeptide 12
A_51_P249193	0.001699572	0.421	<b>Gsg1l</b>	GSG1-like
A_55_P2042923	0.000184002	0.421	<b>Sgk2</b>	serum/glucocorticoid regulated kinase 2
A_55_P2149719	5.75E-08	0.421	<b>Atp5k</b>	ATP synthase, H <sup>+</sup> transporting, mitochondrial F1F0 complex, subunit e



A_55_P2086954	0.000129659	0.421		
A_30_P0102736	5.76E-05	0.421		
A_51_P142046	8.45E-10	0.421	1810049H13Rik	RIKEN cDNA 1810049H13 gene
A_30_P0103081	0.000219212	0.422		
A_52_P602091	0.000211892	0.422	Csf1r	colony stimulating factor 1 receptor
A_51_P149373	9.14E-07	0.422	Fbxl20	F-box and leucine-rich repeat protein 20
A_52_P424778	0.003390972	0.422	Adra1a	adrenergic receptor, alpha 1a
A_55_P2079928	6.29E-06	0.423	Ccdc68	coiled-coil domain containing 68
A_55_P1961761	2.33E-05	0.423	Dcc	deleted in colorectal carcinoma
A_55_P1995133	6.97E-06	0.423		
A_30_P0103178	1.40E-08	0.423		
A_66_P135700	6.27E-09	0.423	Cyp2d11	cytochrome P450, family 2, subfamily d, polypeptide 11
A_51_P401987	2.72E-06	0.423	Tmem37	transmembrane protein 37
A_52_P322421	1.36E-06	0.424	Mpzl2	myelin protein zero-like 2
A_55_P2115467	9.21E-06	0.424	Tmem63b	transmembrane protein 63b
A_30_P0102648	1.43E-08	0.424		
A_55_P2010567	7.68E-05	0.424		
A_55_P2048334	6.85E-07	0.424	Ubr3	ubiquitin protein ligase E3 component n-recogin 3
A_55_P1994898	2.87E-07	0.424		
A_55_P2084807	1.29E-08	0.424	Rarb	retinoic acid receptor, beta
A_51_P385952	1.30E-07	0.424	Man2a2	mannosidase 2, alpha 2
A_55_P2154387	0.000100418	0.425	Bmp4	bone morphogenetic protein 4
A_55_P2031288	1.64E-07	0.425	Abcg5	ATP-binding cassette, sub-family G (WHITE), member 5
A_30_P0102345	0.002991003	0.425		
A_52_P130907	0.000275594	0.425	Exph5	exophilin 5
A_30_P0101892	2.72E-09	0.425		
A_55_P2093889	8.49E-07	0.425	Arhgef19	Rho guanine nucleotide exchange factor (GEF) 19
A_55_P2302577	3.24E-05	0.425	AI426330	expressed sequence AI426330
A_51_P125260	1.00E-07	0.425	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_52_P237077	1.05E-06	0.425	Esr1	estrogen receptor 1 (alpha)
A_51_P125648	1.63E-06	0.426	Vwce	von Willebrand factor C and EGF domains
A_51_P112308	0.00377089	0.426	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_51_P112308	0.002610337	0.426	1810011O10Rik	RIKEN cDNA 1810011O10 gene
A_51_P125260	3.33E-07	0.426	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_55_P2086682	9.88E-10	0.426	Nfib	nuclear factor I/B
A_51_P269084	7.57E-07	0.426	Chchd10	coiled-coil-helix-coiled-coil-helix domain containing 10
A_55_P1969356	4.59E-05	0.426	BC020535	cDNA sequence BC020535
A_52_P177021	3.97E-07	0.426	Pts	6-pyruvoyl-tetrahydropterin synthase
A_51_P399853	1.05E-06	0.426	Zfp704	zinc finger protein 704
A_55_P2138159	0.001474788	0.426		
A_51_P357622	5.40E-05	0.426	Olfir638	olfactory receptor 638
A_55_P2051486	5.15E-06	0.426	Mup20	major urinary protein 20
A_66_P120472	7.56E-09	0.426	Pglyrp2	peptidoglycan recognition protein 2
A_51_P159352	3.04E-07	0.426	Sub1	SUB1 homolog (S. cerevisiae)
A_55_P2068289	0.000757694	0.427	Slc17a2	solute carrier family 17 (sodium phosphate), member 2
A_55_P1962284	0.00125368	0.427	Klhl24	kelch-like 24 (Drosophila)
A_52_P237077	5.06E-06	0.427	Esr1	estrogen receptor 1 (alpha)
A_55_P2052744	1.54E-07	0.427		
A_30_P0101939	3.82E-08	0.427		
A_51_P118885	1.10E-09	0.427	Amacr	alpha-methylacyl-CoA racemase
A_51_P423825	2.75E-07	0.427	Morn1	MORN repeat containing 1
A_65_P06872	2.57E-06	0.428	4933403F05Rik	RIKEN cDNA 4933403F05 gene
A_55_P2178317	5.10E-09	0.428	Gm9199	glycine cleavage system protein H (aminomethyl carrier) pseudogene
A_55_P2130393	5.06E-06	0.428	Pnpla1	patatin-like phospholipase domain containing 1
A_55_P2155499	2.96E-07	0.428	Tmem9	transmembrane protein 9
A_55_P2102095	0.000607067	0.428	1810010H24Rik	RIKEN cDNA 1810010H24 gene
A_51_P117995	2.70E-07	0.428	Pfkm	phosphofructokinase, muscle
A_55_P2083233	1.01E-06	0.428		
A_52_P526372	7.59E-05	0.428	Zeb2	zinc finger E-box binding homeobox 2
A_30_P0103003	6.06E-06	0.428		
A_55_P2058073	6.50E-05	0.428	Ggt6	gamma-glutamyltransferase 6
A_51_P414706	3.59E-07	0.429	Ddt	D-dopachrome tautomerase
A_51_P179919	0.00086459	0.429	Ces2e	carboxylesterase 2E
A_51_P125260	8.91E-08	0.429	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_55_P2027496	0.006457969	0.429	Adck5	aarF domain containing kinase 5
A_30_P0102798	2.91E-06	0.430		
A_30_P0103082	0.0001894	0.430		
A_52_P612137	6.80E-05	0.430	Runx1t1	runt-related transcription factor 1; translocated to, 1 (cyclin D-related)
A_55_P2056070	9.32E-08	0.430	Hfe	hemochromatosis
A_55_P2003638	1.96E-06	0.430	Stxbp6	syntaxin binding protein 6 (amisyn)
A_66_P120832	0.000730032	0.430	Gm5887	predicted gene 5887
A_55_P2018482	1.83E-06	0.430	Adh5	alcohol dehydrogenase 5 (class III), chi polypeptide
A_52_P307749	0.000465729	0.430	Slc35a5	solute carrier family 35, member A5
A_51_P319070	7.40E-05	0.431	Retsat	retinol saturase (all trans retinol 13,14 reductase)
A_52_P27122	3.59E-06	0.431	Elf2c4	eukaryotic translation initiation factor 2C, 4
A_51_P358872	3.69E-05	0.431	Disc1	disrupted in schizophrenia 1
A_51_P125260	1.48E-07	0.431	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_30_P0103154	6.20E-06	0.431		
A_55_P1992049	7.24E-07	0.431	Gucy1a3	guanylate cyclase 1, soluble, alpha 3
A_52_P450934	4.18E-06	0.431	Paqr9	progesterin and adipoQ receptor family member IX
A_51_P117995	4.97E-07	0.431	Pfkm	phosphofructokinase, muscle
A_51_P520936	6.81E-07	0.431	Bcar3	breast cancer anti-estrogen resistance 3
A_55_P2155848	1.97E-05	0.431	Gm14207	predicted gene 14207
A_52_P552832	1.73E-07	0.432	Ndufa4	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 4
A_51_P172502	8.24E-06	0.432	Cxcl12	chemokine (C-X-C motif) ligand 12
A_55_P2177658	0.000279846	0.432	Mast1	microtubule associated serine/threonine kinase 1
A_55_P2107468	1.79E-07	0.432	Rab5b	RAB5B, member RAS oncogene family
A_55_P2319035	6.51E-06	0.433	AW011956	expressed sequence AW011956
A_51_P480982	1.15E-07	0.433	Glo1	glyoxalase 1
A_55_P2057916	4.12E-06	0.433	Pex5	peroxisomal biogenesis factor 5
A_66_P116451	1.02E-05	0.433	2210039B01Rik	RIKEN cDNA 2210039B01 gene
A_51_P324651	5.51E-06	0.434	Lphn1	latrophilin 1
A_51_P125260	1.96E-07	0.434	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_52_P237077	2.42E-07	0.434	Esr1	estrogen receptor 1 (alpha)
A_55_P1978618	1.70E-09	0.434	Grcc10	gene rich cluster, C10 gene
A_55_P2137937	1.60E-07	0.434	Fxyd1	FXYD domain-containing ion transport regulator 1
A_52_P407796	2.14E-07	0.434	Mdh1	malate dehydrogenase 1, NAD (soluble)
A_52_P400224	1.05E-06	0.434	Ccs	copper chaperone for superoxide dismutase
A_55_P2173832	4.01E-05	0.434	Gpr125	G protein-coupled receptor 125
A_55_P2026530	3.47E-05	0.434	Erc2	ELKS/RAB6-interacting/CAST family member 2
A_52_P218379	6.59E-06	0.434	Kif26a	kinesin family member 26A
A_55_P1962011	3.73E-05	0.434	Clec1b	C-type lectin domain family 1, member b
A_30_P0102177	1.26E-07	0.434		
A_55_P2280821	9.79E-06	0.434	Dlc1	deleted in liver cancer 1
A_55_P2100149	8.15E-07	0.435	Mapt	microtubule-associated protein tau
A_52_P817257	2.26E-05	0.435	Gm5480	predicted gene 5480
A_55_P2063096	2.42E-06	0.435	Txnrd3	thioredoxin reductase 3
A_66_P138829	1.93E-07	0.435	Ndufs8	NADH dehydrogenase (ubiquinone) Fe-S protein 8
A_55_P2002517	0.000309355	0.435	Fhl1	four and a half LIM domains 1

A_55_P2058962	0.000272985	0.436	Mcm10	minichromosome maintenance deficient 10 (S. cerevisiae)
A_55_P2172440	4.31E-08	0.436	Scarf2	scavenger receptor class F, member 2
A_55_P2003158	1.59E-08	0.436	Wwp1	WW domain containing E3 ubiquitin protein ligase 1
A_51_P116651	0.003361396	0.436	Dpt	dermatopontin
A_51_P116651	0.001123544	0.436	Dpt	dermatopontin
A_66_P135165	2.96E-06	0.436	Nfib	nuclear factor I/B
A_51_P161890	4.91E-07	0.436	Fcgrt	Fc receptor, IgG, alpha chain transporter
A_55_P2289035	6.55E-06	0.436	B230308N11RIK	RIKEN cDNA B230308N11 gene
A_51_P118885	2.38E-08	0.436	Amacr	alpha-methylacyl-CoA racemase
A_52_P636427	3.76E-07	0.436	Pglyrp2	peptidoglycan recognition protein 2
A_55_P2073329	8.99E-08	0.437		
A_52_P533792	2.60E-08	0.437	Sucla2	succinate-Coenzyme A ligase, ADP-forming, beta subunit
A_51_P511680	3.39E-08	0.437	Ttc38	tetratricopeptide repeat domain 38
A_55_P2145833	1.65E-05	0.438	Dmpk	dystrophia myotonica-protein kinase
A_55_P2125633	2.70E-07	0.438	Acbd5	acyl-Coenzyme A binding domain containing 5
A_55_P2136373	3.97E-05	0.438		
A_55_P2115235	2.92E-07	0.438	Bckdhd	branched chain ketoacid dehydrogenase E1, beta polypeptide
A_55_P2219059	1.15E-06	0.438	Lmnb2	lamin B2
A_66_P132888	8.48E-07	0.438	Dhfr	dihydrofolate reductase
A_51_P125260	1.82E-07	0.438	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_55_P2181538	0.000574178	0.438	Sult1d1	sulfotransferase family 1D, member 1
A_51_P117995	3.97E-07	0.438	Pfkm	phosphofructokinase, muscle
A_30_P0101884	1.53E-06	0.438		
A_51_P468140	1.30E-06	0.438	Serpind1	serine (or cysteine) peptidase inhibitor, clade D, member 1
A_55_P2019833	0.000209122	0.438		
A_55_P1981197	6.14E-05	0.438		
A_51_P324303	2.99E-05	0.438	Myllp	myosin regulatory light chain interacting protein
A_51_P321341	1.06E-06	0.439	Sult1a1	sulfotransferase family 1A, phenol-preferring, member 1
A_55_P1952533	2.76E-06	0.439	Fis1	fission 1 (mitochondrial outer membrane) homolog (yeast)
A_30_P0103190	4.02E-06	0.439		
A_30_P0101873	2.11E-07	0.439		
A_55_P2073705	2.84E-06	0.439	Tfdp2	transcription factor Dp 2
A_55_P2035454	8.45E-10	0.439	Oaz1	ornithine decarboxylase antizyme 1
A_51_P414305	1.62E-05	0.439	Acot12	acyl-CoA thioesterase 12
A_52_P237077	1.20E-06	0.439	Esr1	estrogen receptor 1 (alpha)
A_55_P1989296	0.000114542	0.440	Tnxb	tenascin XB
A_51_P405397	1.39E-06	0.440	Ecm1	extracellular matrix protein 1
A_51_P349727	2.14E-05	0.440	Slc25a45	solute carrier family 25, member 45
A_52_P278354	7.37E-05	0.440	Bmp7	bone morphogenetic protein 7
A_55_P2138703	0.00345122	0.440		
A_51_P493886	0.000246894	0.440	Gpt2	glutamic pyruvate transaminase (alanine aminotransferase) 2
A_30_P0102252	0.004975497	0.440		
A_30_P0101767	0.000974965	0.440		
A_55_P2025123	0.003785649	0.440	Proca1	protein interacting with cyclin A1
A_51_P116651	0.000351196	0.441	Dpt	dermatopontin
A_55_P2071526	8.97E-05	0.441	Papln	papilin, proteoglycan-like sulfated glycoprotein
A_55_P2049752	1.58E-06	0.441	Pamr1	peptidase domain containing associated with muscle regeneration 1
A_30_P0103267	0.000367524	0.441		
A_52_P481182	2.52E-06	0.441	Stard5	StAR-related lipid transfer (START) domain containing 5
A_51_P217395	2.36E-06	0.441	Cyp2d34	cytochrome P450, family 2, subfamily d, polypeptide 34
A_55_P1968523	7.14E-07	0.441	Btbd1	BTB (POZ) domain containing 1
A_55_P2030160	5.61E-05	0.441	Tcf7l2	transcription factor 7-like 2, T-cell specific, HMG-box
A_55_P2072000	2.68E-06	0.441	Pcmdt1	protein-L-isoaspartate (D-aspartate) O-methyltransferase domain containing 1
A_55_P2010093	8.71E-07	0.442	Mup4	major urinary protein 4
A_55_P2354531	8.57E-07	0.442	2610029K11RIK	RIKEN cDNA 2610029K11 gene
A_55_P2394490	0.000274543	0.442	D630004K10RIK	RIKEN cDNA D630004K10 gene
A_55_P2158946	1.58E-07	0.442	Lama2	laminin, alpha 2
A_51_P125260	9.99E-08	0.442	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_55_P2147160	1.19E-06	0.442		
A_52_P231292	8.06E-06	0.443	Cyp2j6	cytochrome P450, family 2, subfamily j, polypeptide 6
A_52_P265877	4.15E-07	0.443	Aldh9a1	aldehyde dehydrogenase 9, subfamily A1
A_55_P2115477	2.30E-06	0.443	Parva	parvin, alpha
A_52_P237077	1.18E-07	0.443	Esr1	estrogen receptor 1 (alpha)
A_51_P435339	1.08E-05	0.444	Epor	erythropoietin receptor
A_66_P134775	1.94E-05	0.444	Pter	phosphotriesterase related
A_30_P0103187	4.79E-08	0.444		
A_52_P489202	0.000320735	0.444		
A_55_P2120141	0.000121878	0.444		
A_55_P2010778	1.21E-05	0.444	Il11ra1	interleukin 11 receptor, alpha chain 1
A_55_P2033660	4.90E-08	0.444	Cris1	cardiolipin synthase 1
A_55_P2138183	0.000134985	0.444	Psd3	pleckstrin and Sec7 domain containing 3
A_51_P157255	1.98E-07	0.445	Sdc2	syndecan 2
A_55_P2163682	1.85E-08	0.445	LOC386400	carbonyl reductase [NADPH] 1-like
A_51_P284665	7.16E-07	0.445	Plcb1	phospholipase C, beta 1
A_51_P476481	1.63E-06	0.445	Cyp2j13	cytochrome P450, family 2, subfamily j, polypeptide 13
A_51_P454196	0.000336413	0.445	Sh2d4a	SH2 domain containing 4A
A_65_P15689	1.66E-07	0.445	Mut	methylmalonyl-Coenzyme A mutase
A_51_P208361	1.94E-08	0.445	Ak3	adenylate kinase 3
A_51_P394014	1.04E-06	0.445	Qprt	quinolinate phosphoribosyltransferase
A_30_P0103141	6.84E-08	0.445		
A_55_P2184541	2.71E-07	0.445	Cdadcl1	cytidine and dCMP deaminase domain containing 1
A_66_P118093	2.57E-05	0.446		
A_55_P1971174	7.48E-06	0.446	Cd1d2	CD1d2 antigen
A_52_P14526	7.37E-07	0.446	Zyg11b	zyg-11 homolog B (C. elegans)
A_52_P639064	1.45E-06	0.446	Strbp	spermatid perinuclear RNA binding protein
A_51_P206824	2.00E-05	0.446	Hfe2	hemochromatosis type 2 (juvenile) (human homolog)
A_55_P2018047	1.85E-05	0.446	Vps4b	vacuolar protein sorting 4b (yeast)
A_51_P140211	2.54E-06	0.446	Ndufv3	NADH dehydrogenase (ubiquinone) flavoprotein 3
A_51_P118885	7.91E-08	0.446	Amacr	alpha-methylacyl-CoA racemase
A_51_P125260	1.11E-07	0.447	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_55_P1962516	0.004388577	0.447	Fam19a2	family with sequence similarity 19, member A2
A_55_P2105413	0.000439412	0.447	Mug1	murinoglobulin 1
A_55_P2187909	6.99E-05	0.447	4930560O18RIK	RIKEN cDNA 4930560O18 gene
A_55_P2392370	6.65E-06	0.447	D930001B02	hypothetical protein D930001B02
A_51_P122425	2.44E-07	0.447	Ctf1	cardiotrophin 1
A_30_P0102937	5.85E-08	0.448		
A_66_P137654	8.30E-07	0.448	Smpd2	sphingomyelin phosphodiesterase 2, neutral
A_52_P249856	2.93E-07	0.448	Cc2d2a	coiled-coil and C2 domain containing 2A
A_51_P192751	1.04E-08	0.448	Mrpl14	mitochondrial ribosomal protein L14
A_55_P2016252	0.003640089	0.448	Ctnnal1	catenin (cadherin associated protein), alpha-like 1
A_52_P553013	1.47E-06	0.448	Cadm3	cell adhesion molecule 3
A_51_P116651	0.001284801	0.448	Dpt	dermatopontin
A_55_P2094896	2.12E-08	0.448	Phyhd1	phytanoyl-CoA dioxygenase domain containing 1
A_55_P2157517	8.29E-06	0.448	Fam20c	family with sequence similarity 20, member C
A_66_P134265	0.00050119	0.449	Fam47e	family with sequence similarity 47, member E
A_51_P109835	4.41E-07	0.449	Uqcrc1	ubiquinol-cytochrome c reductase core protein 1
A_55_P2102126	3.83E-08	0.449	Lamp2	lysosomal-associated membrane protein 2
A_55_P2012974	6.05E-08	0.449	Sdha	succinate dehydrogenase complex, subunit A, flavoprotein (Fp)
A_51_P170562	2.19E-06	0.449	Cpn2	carboxypeptidase N, polypeptide 2

A_55_P1960556	1.08E-05	0.449	Acox1	acyl-Coenzyme A oxidase 1, palmitoyl
A_66_P105046	2.30E-05	0.449	Il18	interleukin 18
A_51_P122425	9.41E-07	0.450	Ctf1	cardiotrophin 1
A_55_P2115846	0.000888193	0.450		
A_52_P311297	2.13E-06	0.450	Als2	amyotrophic lateral sclerosis 2 (juvenile) homolog (human)
A_55_P2146663	0.000364926	0.450	Trim7	tripartite motif-containing 7
A_51_P118885	2.45E-08	0.450	Amacr	alpha-methylacyl-CoA racemase
A_55_P1993168	0.000654062	0.450	Ppargc1b	peroxisome proliferative activated receptor, gamma, coactivator 1 beta
A_51_P116651	0.002563907	0.450	Dpt	dermatopontin
A_51_P220162	2.84E-05	0.450	Notch3	Notch gene homolog 3 (Drosophila)
A_52_P302345	7.90E-07	0.450	Cyp4v3	cytochrome P450, family 4, subfamily v, polypeptide 3
A_51_P403799	0.000112404	0.450	Spnb3	spectrin beta 3
A_55_P2082658	1.91E-06	0.450		
A_55_P2018191	5.38E-05	0.451	BC020535	cDNA sequence BC020535
A_51_P269166	9.00E-06	0.451	Mmp19	matrix metalloproteinase 19
A_52_P237077	3.52E-07	0.451	Esr1	estrogen receptor 1 (alpha)
A_30_P0102753	5.25E-08	0.451		
A_55_P1966204	7.88E-06	0.451	Cxcl12	chemokine (C-X-C motif) ligand 12
A_66_P100840	2.25E-06	0.451		
A_55_P2010871	1.29E-06	0.451	Daam2	dishevelled associated activator of morphogenesis 2
A_55_P2087528	3.21E-05	0.451	D930015E06Rik	RIKEN cDNA D930015E06 gene
A_55_P2120919	0.006370106	0.451		
A_55_P2077558	1.01E-05	0.451	Sod3	superoxide dismutase 3, extracellular
A_55_P1964213	0.000294485	0.451	Tprkb	Tp53rk binding protein
A_55_P2094197	1.57E-05	0.451	Dnase1l3	deoxyribonuclease 1-like 3
A_55_P1993636	2.31E-07	0.452	Rab9	RAB9, member RAS oncogene family
A_52_P159050	0.000297145	0.452		
A_51_P118885	2.33E-08	0.452	Amacr	alpha-methylacyl-CoA racemase
A_55_P2162910	5.48E-06	0.452	Rtn1	reticulon 1
A_30_P0102530	5.66E-05	0.452		
A_55_P2106645	0.00095737	0.452	Adcy5	adenylate cyclase 5
A_30_P0101755	0.00027472	0.452		
A_51_P122425	3.09E-06	0.453	Ctf1	cardiotrophin 1
A_55_P2079619	1.60E-05	0.453	Rnf43	ring finger protein 43
A_51_P314186	5.56E-07	0.453	Syne1	synaptic nuclear envelope 1
A_55_P2032272	7.42E-07	0.453	Habp2	hyaluronic acid binding protein 2
A_51_P309988	0.000294636	0.453	Gprc5c	G protein-coupled receptor, family C, group 5, member C
A_55_P1979904	4.88E-07	0.453	Mup9	major urinary protein 9
A_30_P0102602	0.000138491	0.453		
A_52_P320279	7.85E-06	0.453	Inca1	inhibitor of CDK, cyclin A1 interacting protein 1
A_55_P1965219	8.40E-07	0.454	Syt6	synaptotagmin VI
A_51_P409039	8.49E-07	0.454	Echs1	enoyl Coenzyme A hydratase, short chain, 1, mitochondrial
A_55_P2099520	2.55E-05	0.454	H2afv	H2A histone family, member V
A_55_P2222870	1.81E-07	0.454	Myk	myosin, light polypeptide kinase
A_52_P620898	0.00057416	0.454	Ajap1	adherens junction associated protein 1
A_55_P2013218	1.65E-06	0.454	Paip1	polyadenylate binding protein-interacting protein 1
A_55_P2141534	0.001702758	0.454		
A_55_P2123933	2.56E-06	0.454	D2hgdh	D-2-hydroxyglutarate dehydrogenase
A_52_P601958	8.02E-06	0.454	Mtch2	mitochondrial carrier homolog 2 (C. elegans)
A_30_P0102810	5.42E-07	0.455		
A_52_P175376	1.79E-06	0.455	Tcfcp2l1	transcription factor CP2-like 1
A_52_P137378	5.95E-08	0.455	Prkaa2	protein kinase, AMP-activated, alpha 2 catalytic subunit
A_51_P130666	9.90E-08	0.455	Adk	adenosine kinase
A_55_P2059890	5.10E-07	0.455	Fdx1	ferredoxin 1
A_55_P2121871	1.76E-05	0.455	Fgfr4	fibroblast growth factor receptor 4
A_51_P272106	0.000608248	0.455	Cirbp	cold inducible RNA binding protein
A_51_P407323	5.22E-06	0.455	F5	coagulation factor V
A_51_P383991	3.44E-06	0.455	Sept4	septin 4
A_55_P2186085	0.000121602	0.456	Atp11c	ATPase, class VI, type 11C
A_55_P2046403	3.70E-05	0.456	Ucn3	urocortin 3
A_51_P116609	0.000233445	0.456	Tex12	testis expressed gene 12
A_55_P2162002	1.20E-05	0.456	Pkhd1	polycystic kidney and hepatic disease 1
A_51_P118885	7.95E-08	0.456	Amacr	alpha-methylacyl-CoA racemase
A_52_P1016836	0.006046878	0.456		
A_30_P0102254	6.78E-05	0.456		
A_55_P2149122	5.85E-08	0.456	Farp2	FERM, RhoGEF and pleckstrin domain protein 2
A_51_P125260	2.63E-07	0.456	Acaa2	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)
A_52_P538447	3.34E-06	0.456	Muted	muted
A_66_P114333	6.17E-05	0.456	Tlr12	toll-like receptor 12
A_52_P473953	1.41E-05	0.457	Ctdspl	CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) small phosphatase-like
A_51_P177552	2.94E-08	0.457	Ndufb9	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 9
A_55_P1969776	4.46E-05	0.457	Pdhb	pyruvate dehydrogenase (lipoamide) beta
A_55_P2168664	1.78E-07	0.457	Atp5k	ATP synthase, H+ transporting, mitochondrial F1F0 complex, subunit e
A_51_P517430	9.16E-07	0.457	Cd1d1	CD1d1 antigen
A_55_P2112105	1.87E-06	0.457		
A_52_P877015	4.35E-08	0.457	Thrb	thyroid hormone receptor beta
A_30_P0102502	2.09E-10	0.457		
A_55_P1971179	1.33E-06	0.457	Cd1d1	CD1d1 antigen
A_55_P2232410	0.00068162	0.457	AI195470	expressed sequence AI195470
A_55_P1966664	2.50E-06	0.457	Cdc14b	CDC14 cell division cycle 14 homolog B (S. cerevisiae)
A_55_P2024054	0.002767494	0.458	Slc16a5	solute carrier family 16 (monocarboxylic acid transporters), member 5
A_55_P1968553	8.15E-09	0.458	Btbd9	BTB (POZ) domain containing 9
A_51_P318856	5.28E-07	0.458	Glyat	glycine-N-acyltransferase
A_51_P152845	0.003298875	0.458	Trim24	tripartite motif-containing 24
A_55_P2008422	1.71E-07	0.458	Brp44l	brain protein 44-like
A_52_P237077	1.75E-06	0.458	Esr1	estrogen receptor 1 (alpha)
A_55_P1974080	9.88E-07	0.458	Mup19	major urinary protein 19
A_51_P258409	0.001424191	0.458	Hey1	hairly/enhancer-of-split related with YRPW motif 1
A_55_P2165249	0.000281276	0.458	Papln	papilin, proteoglycan-like sulfated glycoprotein
A_52_P485850	2.56E-06	0.458	Mgam	maltase-glucoamylase
A_55_P2100290	0.003012758	0.458	Adra1b	adrenergic receptor, alpha 1b
A_30_P0101799	0.000321496	0.458		
A_30_P0102600	1.56E-05	0.458		
A_52_P38157	1.29E-07	0.458	Lypla1	lysophospholipase 1
A_51_P329332	4.50E-06	0.458	Slc19a2	solute carrier family 19 (thiamine transporter), member 2
A_51_P504588	3.58E-10	0.458	Tm2d2	TM2 domain containing 2
A_55_P2115875	0.002511934	0.459	1700012D14Rik	RIKEN cDNA 1700012D14 gene
A_55_P2081510	4.37E-10	0.459	Atp5j2	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit F2
A_55_P2079089	2.45E-08	0.459	Fuca1	fucosidase, alpha-L- 1, tissue
A_55_P2144736	0.00033553	0.459	Prelp	proline arginine-rich end leucine-rich repeat
A_55_P2033605	0.00032864	0.459		
A_51_P257156	2.72E-09	0.459	Ddrgk1	DDRCK domain containing 1
A_51_P136792	0.000104557	0.459	Calcoco1	calcium binding and coiled coil domain 1
A_51_P510437	9.49E-05	0.459	Slc25a15	solute carrier family 25 (mitochondrial carrier ornithine transporter), member 15
A_52_P657396	0.004294301	0.459	4933406B17Rik	RIKEN cDNA 4933406B17 gene
A_51_P155503	0.001131201	0.459	Klk1b8	kallikrein 1-related peptidase b8
A_66_P122883	6.51E-05	0.459	Pde8a	phosphodiesterase 8A
A_30_P0102720	0.000479992	0.459		
A_55_P2027698	7.32E-07	0.459	Ndufa5	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 5

A_55_P2452914	1.42E-05	0.459	<b>N4bp2</b>	NEDD4 binding protein 2
A_55_P2123942	2.94E-08	0.460	<b>Lmbrd1</b>	LMBR1 domain containing 1
A_52_P458870	2.45E-09	0.460	<b>Slc25a16</b>	solute carrier family 25 (mitochondrial carrier, Graves disease autoantigen), member 16
A_55_P1994132	8.42E-06	0.460	<b>Tmem184a</b>	transmembrane protein 184a
A_55_P2013296	9.33E-08	0.460	<b>Prkag2</b>	protein kinase, AMP-activated, gamma 2 non-catalytic subunit
A_55_P1980566	1.37E-07	0.460	<b>Ndufb11</b>	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 11
A_55_P1955039	3.16E-06	0.460	<b>Myo1b</b>	myosin IB
A_55_P1978052	5.53E-07	0.460	<b>Pet112l</b>	PET112-like (yeast)
A_55_P2016681	3.25E-08	0.460	<b>Alkbh7</b>	alkB, alkylation repair homolog 7 (E. coli)
A_52_P237077	1.93E-06	0.460	<b>Esr1</b>	estrogen receptor 1 (alpha)
A_51_P135654	4.50E-09	0.460	<b>Eif4ebp2</b>	eukaryotic translation initiation factor 4E binding protein 2
A_55_P2005475	2.00E-06	0.461	<b>Sult1a1</b>	sulfotransferase family 1A, phenol-preferring, member 1
A_66_P119884	9.81E-07	0.461	<b>Wdr91</b>	WD repeat domain 91
A_55_P2053459	3.38E-06	0.461	<b>Timd2</b>	T-cell immunoglobulin and mucin domain containing 2
A_51_P184796	1.96E-08	0.461	<b>Zfp101</b>	zinc finger protein 101
A_52_P444637	2.42E-05	0.461	<b>Rcctb2</b>	regulator of chromosome condensation (RCC1) and BTB (POZ) domain containing protein 2
A_55_P2090817	8.82E-09	0.461	<b>MacroD2</b>	MACRO domain containing 2
A_51_P105589	3.26E-07	0.461	<b>Dcl1</b>	dodecenoyl-Coenzyme A delta isomerase (3,2 trans-enoyl-Coenzyme A isomerase)
A_51_P359800	8.04E-07	0.461	<b>Clec11a</b>	C-type lectin domain family 11, member a
A_51_P122425	7.18E-06	0.461	<b>Ctf1</b>	cardiotrophin 1
A_51_P108853	9.87E-06	0.461	<b>Lyplal1</b>	lysophospholipase-like 1
A_30_P0103050	0.000490275	0.461		
A_52_P267824	3.10E-06	0.462	<b>Ces2g</b>	carboxylesterase 2G
A_51_P122425	9.38E-07	0.462	<b>Ctf1</b>	cardiotrophin 1
A_55_P1983758	8.72E-08	0.462	<b>Sdhc</b>	succinate dehydrogenase complex, subunit C, integral membrane protein
A_30_P0102993	2.06E-07	0.462		
A_52_P475356	2.07E-06	0.462	<b>Sox6</b>	SRY-box containing gene 6
A_51_P122425	1.35E-07	0.462	<b>Ctf1</b>	cardiotrophin 1
A_55_P2152771	2.01E-05	0.462	<b>Lhfp12</b>	lipoma HMGIC fusion partner-like 2
A_55_P2114427	3.45E-05	0.462	<b>Creb1</b>	cAMP responsive element binding protein 1
A_51_P474701	6.74E-07	0.462	<b>Fbp1</b>	fructose biphosphatase 1
A_55_P2120080	5.57E-06	0.462		
A_51_P337269	4.46E-08	0.463	<b>Aldob</b>	aldolase B, fructose-bisphosphate
A_55_P2167999	9.99E-05	0.463	<b>Ldlr</b>	low density lipoprotein receptor
A_55_P2128511	0.000849971	0.463	<b>Oclad2</b>	OCIA domain containing 2
A_55_P2017689	2.13E-05	0.463	<b>Gprc5c</b>	G protein-coupled receptor, family C, group 5, member C
A_51_P108853	1.67E-05	0.463	<b>Lyplal1</b>	lysophospholipase-like 1
A_51_P138923	3.85E-05	0.463	<b>Peg12</b>	paternally expressed 12
A_51_P169047	8.47E-07	0.463	<b>Tdp2</b>	tyrosyl-DNA phosphodiesterase 2
A_52_P517063	6.33E-06	0.463	<b>Imp2l</b>	IMP2 inner mitochondrial membrane peptidase-like (S. cerevisiae)
A_51_P362054	1.09E-08	0.463	<b>Atp5e</b>	ATP synthase, H+ transporting, mitochondrial F1 complex, epsilon subunit
A_52_P84901	0.000438815	0.464	<b>Slc44a1</b>	solute carrier family 44, member 1
A_55_P1990041	6.28E-08	0.464	<b>Nxt2</b>	nuclear transport factor 2-like export factor 2
A_51_P122425	3.96E-07	0.464	<b>Ctf1</b>	cardiotrophin 1
A_30_P0102260	0.000291078	0.464		
A_55_P2074226	2.80E-07	0.464	<b>Fbxo8</b>	F-box protein 8
A_55_P2068988	4.32E-08	0.464		
A_51_P507778	9.13E-06	0.464	<b>Sdr42e1</b>	short chain dehydrogenase/reductase family 42E, member 1
A_51_P130447	0.000435615	0.464	<b>C920006O11Rik</b>	RIKEN cDNA C920006O11 gene
A_52_P485971	3.55E-06	0.464	<b>Scap</b>	SREBF chaperone
A_55_P1962092	6.93E-07	0.464	<b>Brp44l</b>	brain protein 44-like
A_55_P2017302	4.99E-05	0.464	<b>Gnb1l</b>	guanine nucleotide binding protein (G protein), beta polypeptide 1-like
A_51_P228574	0.000936879	0.465	<b>Tat</b>	tyrosine aminotransferase
A_52_P551011	0.000249729	0.465	<b>1190007F08Rik</b>	RIKEN cDNA 1190007F08 gene
A_55_P2030756	3.17E-05	0.465	<b>Nedd4l</b>	neural precursor cell expressed, developmentally down-regulated gene 4-like
A_51_P118885	3.60E-08	0.465	<b>Amacr</b>	alpha-methylacyl-CoA racemase
A_55_P2004071	4.12E-07	0.465	<b>Gm2058</b>	predicted gene 2058
A_51_P327451	1.01E-05	0.465	<b>Alas2</b>	aminolevulinic acid synthase 2, erythroid
A_51_P201904	1.02E-07	0.465	<b>Ndufb5</b>	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 5
A_52_P674309	3.38E-08	0.465	<b>Mocs2</b>	molybdenum cofactor synthesis 2
A_52_P670188	0.000111132	0.465	<b>Sdr9c7</b>	4short chain dehydrogenase/reductase family 9C, member 7
A_55_P2105632	5.16E-06	0.465	<b>BC024139</b>	cDNA sequence BC024139
A_51_P247637	6.78E-06	0.466	<b>Rnf144a</b>	ring finger protein 144A
A_52_P419162	1.12E-06	0.466		
A_51_P464588	1.53E-05	0.466	<b>Dnajc28</b>	DnaJ (Hsp40) homolog, subfamily C, member 28
A_51_P108853	2.98E-05	0.466	<b>Lyplal1</b>	lysophospholipase-like 1
A_30_P0101799	6.30E-06	0.466		
A_51_P336161	8.15E-08	0.466	<b>Man2b1</b>	mannosidase 2, alpha B1
A_52_P52849	0.000285266	0.466	<b>Cpxm2</b>	carboxypeptidase X 2 (M14 family)
A_51_P483280	3.92E-05	0.467	<b>Prnp</b>	prion protein
A_55_P2112693	1.41E-06	0.467	<b>Sipa1l1</b>	signal-induced proliferation-associated 1 like 1
A_51_P462556	2.91E-06	0.467		
A_55_P2049061	2.32E-06	0.467		
A_66_P121774	2.52E-08	0.467	<b>Tmem59</b>	transmembrane protein 59
A_66_P112551	2.90E-05	0.467	<b>Shf</b>	Src homology 2 domain containing F
A_51_P293339	3.14E-05	0.468	<b>Tob1</b>	transducer of ErbB-2.1
A_30_P0101962	4.21E-06	0.468		
A_30_P0103339	4.44E-05	0.468		
A_66_P126504	0.001863456	0.468	<b>Gm12824</b>	predicted gene 12824
A_30_P0101849	3.78E-06	0.468		
A_55_P1975772	1.73E-07	0.468	<b>Ppp2r5a</b>	protein phosphatase 2, regulatory subunit B (B56), alpha isoform
A_55_P2355330	5.05E-06	0.468	<b>C1qtnf5</b>	C1q and tumor necrosis factor related protein 5
A_51_P173343	5.95E-08	0.468	<b>6530401N04Rik</b>	RIKEN cDNA 6530401N04 gene
A_55_P2009042	0.000122101	0.468	<b>LOC100503757</b>	putative transposase element L1Md-A101/L1Md-A102/L1Md-A2-like
A_30_P0102984	4.90E-05	0.468		
A_55_P2025523	3.97E-05	0.468	<b>Arhgap6</b>	Rho GTPase activating protein 6
A_30_P0102414	9.01E-06	0.468		
A_51_P108853	5.01E-06	0.468	<b>Lyplal1</b>	lysophospholipase-like 1
A_55_P1971734	1.43E-05	0.468	<b>Reck</b>	reversion-inducing-cysteine-rich protein with kazal motifs
A_51_P272123	5.06E-08	0.468	<b>Ndufa10</b>	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex 10
A_55_P1991475	8.24E-06	0.468	<b>Sesn1</b>	sestrin 1
A_51_P317505	0.000488261	0.468	<b>Nat1</b>	N-acetyl transferase 1
A_55_P2096917	6.46E-08	0.468	<b>Mreg</b>	melanoregulin
A_55_P2006940	7.51E-07	0.469	<b>Sfmbt1</b>	Scm-like with four mbt domains 1
A_52_P409746	3.56E-09	0.469	<b>Serpinc1</b>	serine (or cysteine) peptidase inhibitor, clade C (antithrombin), member 1
A_51_P313581	0.000326238	0.469	<b>Fabp2</b>	fatty acid binding protein 2, intestinal
A_52_P119350	2.77E-05	0.469	<b>4732419C18Rik</b>	RIKEN cDNA 4732419C18 gene
A_30_P0103029	0.001590239	0.469		
A_30_P0102612	0.00052645	0.469		
A_55_P1977653	0.000153389	0.469	<b>Pald</b>	palladin, cytoskeletal associated protein
A_51_P257743	1.34E-07	0.469	<b>Dnajc22</b>	DnaJ (Hsp40) homolog, subfamily C, member 22
A_55_P1971938	0.003140577	0.469	<b>Atp2b2</b>	ATPase, Ca++ transporting, plasma membrane 2
A_55_P2158227	0.005146785	0.469	<b>Angpt1</b>	angiopoietin 1
A_51_P155085	1.74E-06	0.469	<b>Dennd2a</b>	DENN/MADD domain containing 2A
A_52_P11441	0.000330863	0.469	<b>Rab6b</b>	RAB6B, member RAS oncogene family
A_55_P1968399	1.13E-07	0.470	<b>Rdh7</b>	retinol dehydrogenase 7
A_55_P2031045	3.92E-06	0.470	<b>Stat5b</b>	signal transducer and activator of transcription 5B
A_52_P467930	2.65E-08	0.470		
A_30_P0103189	0.00037574	0.470		

A_51_P108853	1.50E-05	0.470	Lyplal1	lysophospholipase-like 1
A_30_P0102378	9.80E-08	0.470		
A_66_P119421	9.67E-06	0.471	Prdx1	peroxiredoxin 1
A_55_P1953998	2.26E-07	0.471	Pbx1	pre B-cell leukemia transcription factor 1
A_55_P2033932	5.11E-06	0.471	Zzz3	zinc finger, ZZ domain containing 3
A_51_P183051	1.82E-05	0.471	Upb1	ureidopropionase, beta
A_30_P0103238	1.39E-07	0.471		
A_66_P127458	4.31E-07	0.471	Zfp652	zinc finger protein 652
A_51_P440210	5.36E-05	0.471	Prkg1	protein kinase, cGMP-dependent, type I
A_30_P0102976	9.10E-08	0.471		lincRNA:chr6:86425510-86450160 forward strand
A_51_P266774	1.42E-07	0.471	Mfn2	mitofusin 2
A_52_P641282	0.000182965	0.471	Pdilt	protein disulfide isomerase-like, testis expressed
A_51_P335419	5.86E-05	0.472	Csl	citrate synthase like
A_55_P1986900	5.05E-07	0.472		
A_51_P103780	3.75E-08	0.472	Sft2d2	SFT2 domain containing 2
A_55_P2008258	2.31E-06	0.472	Larp1b	La ribonucleoprotein domain family, member 1B
A_51_P101545	3.89E-07	0.472	Hgfac	hepatocyte growth factor activator
A_30_P0102910	1.72E-07	0.472		
A_55_P2207186	0.000212814	0.472	Slc30a7	solute carrier family 30 (zinc transporter), member 7
A_30_P0102121	0.00485235	0.472		
A_55_P2136765	2.15E-07	0.472	Uqcr10	ubiquinol-cytochrome c reductase, complex III subunit X
A_52_P110812	6.09E-07	0.473	Ggcx	gamma-glutamyl carboxylase
A_51_P104430	0.001248403	0.473	Magee1	melanoma antigen, family E, 1
A_55_P2369474	4.60E-08	0.473	Nr1h4	nuclear receptor subfamily 1, group H, member 4
A_55_P1960688	3.50E-07	0.473	Tmem220	transmembrane protein 220
A_55_P1958887	6.00E-05	0.473	DXBay18	DNA segment, Chr X, Baylor 18
A_30_P0102627	0.001841736	0.474		
A_52_P464003	3.90E-07	0.474	Atg3	autophagy-related 3 (yeast)
A_51_P262230	1.16E-05	0.474	A2ld1	AIG2-like domain 1
A_55_P2055369	1.07E-06	0.474		
A_30_P0102210	3.89E-07	0.475		
A_55_P2022104	8.14E-10	0.475	Rfwd2	ring finger and WD repeat domain 2
A_52_P129697	1.15E-06	0.475	Stradb	STE20-related kinase adaptor beta
A_55_P2060036	1.98E-06	0.475	Ulk2	Unc-51 like kinase 2 (C. elegans)
A_51_P230552	2.31E-05	0.475	Rfng	RFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
A_55_P2038682	0.001617357	0.475		
A_51_P122425	1.58E-06	0.475	Ctf1	cardiotrophin 1
A_55_P2090798	1.11E-07	0.475	Mtus1	mitochondrial tumor suppressor 1
A_55_P2003398	2.39E-07	0.475	Fam82b	family with sequence similarity 82, member B
A_51_P103780	3.54E-08	0.475	Sft2d2	SFT2 domain containing 2
A_30_P0103184	0.00144331	0.475		
A_55_P2116924	1.44E-06	0.475	Dbl	diazepam binding inhibitor
A_51_P103780	1.83E-08	0.475	Sft2d2	SFT2 domain containing 2
A_51_P118885	8.42E-08	0.475	Amacr	alpha-methylacyl-CoA racemase
A_51_P118885	1.20E-08	0.476	Amacr	alpha-methylacyl-CoA racemase
A_55_P2022444	1.87E-06	0.476	Pdss2	prenyl (solanosyl) diphosphate synthase, subunit 2
A_55_P2095394	3.34E-05	0.476	Dhx37	DEAH (Asp-Glu-Ala-His) box polypeptide 37
A_51_P393761	8.73E-09	0.476	Ndufs2	NADH dehydrogenase (ubiquinone) Fe-S protein 2
A_55_P2138792	6.83E-07	0.476	Fdx1	ferredoxin 1
A_55_P2041678	1.45E-06	0.476	Ttc38	tetratricopeptide repeat domain 38
A_30_P0102303	1.04E-08	0.476		
A_55_P2177445	7.13E-05	0.476		
A_30_P0102213	1.45E-07	0.476		
A_51_P394515	4.25E-05	0.476	Tkt	transketolase
A_30_P0102090	0.000679253	0.476		
A_30_P0101797	3.97E-05	0.477		
A_55_P2154536	2.71E-07	0.477	Hagh	hydroxyacyl glutathione hydrolase
A_55_P2087240	1.82E-06	0.477	Mlpep	mitochondrial intermediate peptidase
A_55_P2025078	0.0003458	0.477	Csf1r	colony stimulating factor 1 receptor
A_55_P2072666	9.34E-07	0.477	Cyp2d37-ps	cytochrome P450, family 2, subfamily d, polypeptide 37, pseudogene
A_55_P2001963	8.73E-08	0.477		
A_55_P2333580	0.000152077	0.477	BC020402	cDNA sequence BC020402
A_51_P340947	1.64E-07	0.477	1300018J18Rik	RIKEN cDNA 1300018J18 gene
A_51_P379597	7.58E-08	0.477	Ndufs1	NADH dehydrogenase (ubiquinone) Fe-S protein 1
A_51_P339444	9.17E-07	0.477	Rab9	RAB9, member RAS oncogene family
A_55_P2038747	3.52E-08	0.477	Ano1	anoctamin 1, calcium activated chloride channel
A_51_P512820	3.61E-06	0.478	Dera	2-deoxyribose-5-phosphate aldolase homolog (C. elegans)
A_65_P05358	4.18E-06	0.478	ND1	NADH dehydrogenase subunit 1
A_30_P0101825	1.37E-05	0.478		
A_55_P2003976	0.000449064	0.478	Gm4980	predicted gene 4980
A_55_P2163561	4.30E-05	0.478	Syt11	synaptotagmin-like 1
A_55_P2177953	1.47E-06	0.478	Aqp11	aquaporin 11
A_55_P2109922	3.90E-07	0.478	Gm2921	predicted gene 2921
A_55_P2064328	8.41E-06	0.478	Lama2	laminin, alpha 2
A_51_P270364	4.74E-08	0.478	Mmaa	methylmalonic aciduria (cobalamin deficiency) type A
A_55_P2041340	1.70E-07	0.478	Atp5a1	ATP synthase, H+ transporting, mitochondrial F1 complex, alpha subunit 1
A_55_P2032538	4.10E-06	0.478	Pde3b	phosphodiesterase 3B, cGMP-inhibited
A_51_P103780	1.22E-08	0.478	Sft2d2	SFT2 domain containing 2
A_52_P362981	5.35E-05	0.478		
A_30_P0103253	1.04E-07	0.479		
A_52_P8685	3.32E-05	0.479	Tmem183a	transmembrane protein 183A
A_51_P216496	1.26E-05	0.479	Tfpi2	tissue factor pathway inhibitor 2
A_52_P282035	1.25E-08	0.479	Rnf5	ring finger protein 5
A_55_P2249942	0.000132082	0.479	6330531I01Rik	RIKEN cDNA 6330531I01 gene
A_65_P16483	1.13E-06	0.479	Pdzk1	PDZ domain containing 1
A_51_P229602	0.000275104	0.479	Plxna2	plexin A2
A_55_P2024337	6.41E-09	0.479	Tmem53	transmembrane protein 53
A_55_P2171047	9.46E-07	0.479	Oaz1	ornithine decarboxylase antizyme 1
A_55_P1978696	5.97E-05	0.479		
A_55_P2002864	2.37E-08	0.479	Alfm1	apoptosis-inducing factor, mitochondrion-associated 1
A_55_P2361647	0.000251068	0.479	4831440E17Rik	RIKEN cDNA 4831440E17 gene
A_55_P2120545	1.04E-05	0.479	Wdtd1	WD and tetratricopeptide repeats 1
A_55_P1962154	5.60E-08	0.480	Rarb	retinoic acid receptor, beta
A_51_P483261	6.93E-06	0.480	Pomt1	protein-O-mannosyltransferase 1
A_55_P2108903	2.21E-06	0.480		
A_55_P1969276	0.00052981	0.480	Hhip	Hedgehog-interacting protein
A_55_P1978502	0.003924757	0.480	H2-Q1	histocompatibility 2, Q region locus 1
A_55_P1984481	8.86E-08	0.480	Mfn2	mitofusin 2
A_55_P2063126	7.77E-06	0.480	Inadl	InaD-like (Drosophila)
A_55_P2436715	9.10E-09	0.480	Paics	phosphoribosylaminoimidazole carboxylase, phosphoribosylaminoimidazole, succinocarboxamide synthetase
A_30_P0103217	9.95E-07	0.480		
A_52_P28651	7.94E-05	0.480	Pvrl1	poliovirus receptor-related 1
A_55_P2032818	5.35E-05	0.480	Trim2	tripartite motif-containing 2
A_30_P0103038	4.33E-07	0.480		
A_51_P276039	4.08E-08	0.480	Txndc15	thioredoxin domain containing 15
A_66_P126836	1.26E-05	0.481	Zbtb44	zinc finger and BTB domain containing 44
A_55_P2175400	1.50E-05	0.481	Zfp467	zinc finger protein 467
A_51_P104430	0.000800237	0.481	Magee1	melanoma antigen, family E, 1
A_55_P1952720	5.59E-07	0.481	Kctd2	potassium channel tetramerisation domain containing 2

A_51_P167048	5.62E-06	0.481	Hs6st1	heparan sulfate 6-O-sulfotransferase 1
A_55_P2053718	2.44E-07	0.481	Pink1	PTEN induced putative kinase 1
A_51_P381360	7.36E-09	0.481	Ndufa13	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 13
A_51_P103780	1.36E-08	0.482	Sft2d2	SFT2 domain containing 2
A_52_P655803	5.43E-06	0.482	Chpt1	choline phosphotransferase 1
A_30_P0103283	3.58E-05	0.482		
A_52_P246277	0.001793355	0.482	LOC633417	h-2 class I histocompatibility antigen, TLA(B) alpha chain-like
A_55_P1958374	2.22E-06	0.482		
A_51_P315042	3.78E-05	0.482	Avpr1a	arginine vasopressin receptor 1A
A_30_P0101866	5.92E-09	0.482		
A_55_P2128944	6.81E-06	0.482	Bcl2l13	BCL2-like 13 (apoptosis facilitator)
A_51_P309854	1.82E-06	0.483	Kcnn2	potassium intermediate/small conductance calcium-activated channel, subfamily N, member 2
A_51_P122425	3.00E-07	0.483	Ctf1	cardiotrophin 1
A_51_P173100	6.44E-09	0.483	Pttg1lp	pituitary tumor-transforming 1 interacting protein
A_52_P150236	2.96E-06	0.483	Apom	apolipoprotein M
A_30_P0103358	5.85E-06	0.483		
A_51_P430950	1.05E-08	0.483	Rdx	radixin
A_51_P476820	3.81E-05	0.483	Calr3	calreticulin 3
A_51_P482711	1.12E-05	0.484	Dhcr24	24-dehydrocholesterol reductase
A_55_P1980237	3.84E-07	0.484	Acad11	acyl-Coenzyme A dehydrogenase family, member 11
A_51_P116609	0.000977986	0.484	Tex12	testis expressed gene 12
A_30_P0102369	3.13E-07	0.484		
A_51_P172344	9.05E-08	0.484	Foxn3	forkhead box N3
A_55_P1963873	4.66E-09	0.484		
A_55_P2015675	0.00060621	0.484	AU015836	expressed sequence AU015836
A_30_P0102947	6.90E-07	0.484		
A_55_P2055597	0.001661193	0.484	Enpp2	ectonucleotide pyrophosphatase/phosphodiesterase 2
A_51_P251352	8.85E-07	0.484	Slc25a13	solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 13
A_55_P2040425	1.52E-07	0.484	Guf1	GUF1 GTPase homolog (S. cerevisiae)
A_55_P1995092	1.39E-07	0.484	H2-Q10	histocompatibility 2, Q region locus 10
A_55_P2414909	0.000123993	0.485	4933411B09Rik	RIKEN cDNA 4933411B09 gene
A_30_P0102013	4.76E-06	0.485		
A_55_P2010076	0.000124495	0.485	Fam73b	family with sequence similarity 73, member B
A_55_P1963917	6.28E-05	0.485	Gm7298	predicted gene 7298
A_55_P2177539	1.90E-08	0.485	Sod1	superoxide dismutase 1, soluble
A_55_P2178553	5.45E-07	0.485	Apoa2	apolipoprotein A-II
A_66_P103511	1.10E-05	0.485	Gm3289	predicted gene 3289
A_30_P0103054	8.47E-05	0.485		
A_52_P571371	5.06E-05	0.485	Tmem144	transmembrane protein 144
A_30_P0102030	6.85E-07	0.486		
A_52_P18081	3.14E-08	0.486	Tmem206	transmembrane protein 206
A_55_P2037787	0.003194357	0.486		
A_51_P466221	0.000173654	0.486	Amhr2	anti-Mullerian hormone type 2 receptor
A_55_P1982668	2.42E-06	0.486	Nadk	NAD kinase
A_55_P1984391	0.000809517	0.486	Depdc5	DEP domain containing 5
A_30_P0101805	1.98E-06	0.486		
A_51_P108853	4.41E-05	0.487	Lyplal1	lysophospholipase-like 1
A_51_P268734	3.22E-05	0.487	Kptn	kaplin
A_51_P367780	8.99E-05	0.487	Adamtsl2	ADAMTS-like 2
A_55_P1991783	2.02E-05	0.487		
A_51_P397375	1.42E-08	0.487	Pet112l	PET112-like (yeast)
A_55_P2078428	0.004110103	0.487	Tstd1	thiosulfate sulfurtransferase (rhodanese)-like domain containing 1
A_55_P1989061	0.001228797	0.487	Tsc22d3	TSC22 domain family, member 3
A_55_P2061294	4.83E-06	0.487		
A_55_P2045859	1.21E-06	0.487		
A_52_P163515	5.28E-07	0.488		
A_55_P2022049	7.36E-05	0.488	Klf15	Kruppel-like factor 15
A_30_P0102345	2.28E-07	0.488		
A_51_P398260	9.24E-05	0.488	Tppp	tubulin polymerization promoting protein
A_30_P0102531	1.11E-05	0.488		
A_55_P2051094	0.000175751	0.488	Rorc	RAR-related orphan receptor gamma
A_55_P1973583	1.91E-07	0.488	Hpn	hepsin
A_51_P126626	0.00087582	0.488	Zfp503	zinc finger protein 503
A_55_P1969506	7.05E-07	0.488	Slc17a1	solute carrier family 17 (sodium phosphate), member 1
A_51_P109939	4.58E-06	0.488	Apoa1bp	apolipoprotein A-I binding protein
A_30_P0102051	0.000227056	0.488		
A_30_P0101846	2.85E-06	0.488		
A_55_P2086381	0.001385404	0.489		
A_55_P2081865	4.09E-06	0.489	Slc2a8	solute carrier family 2, (facilitated glucose transporter), member 8
A_55_P2008874	8.84E-05	0.489	Dnmt3b	DNA methyltransferase 3B
A_55_P2143885	1.55E-06	0.489	Etl4	enhancer trap locus 4
A_30_P0102361	7.09E-07	0.489		
A_52_P294123	1.68E-05	0.490	D2hgdh	D-2-hydroxyglutarate dehydrogenase
A_52_P350554	0.000384555	0.490	Kcnb1	potassium voltage gated channel, Shab-related subfamily, member 1
A_51_P293938	0.003187228	0.490	Ras111b	RAS-like, family 11, member B
A_52_P201531	0.002809346	0.490	Myo9a	myosin IXa
A_51_P122425	6.89E-07	0.490	Ctf1	cardiotrophin 1
A_55_P2064507	1.88E-08	0.490	Msra	methionine sulfoxide reductase A
A_55_P2049979	1.18E-06	0.490	Dbl	diazepam binding inhibitor
A_51_P257892	0.000395205	0.490	Adam25	a disintegrin and metalloproteinase domain 25 (testase 2)
A_51_P243122	2.85E-07	0.490	Sec14l3	SEC14-like 3 (S. cerevisiae)
A_52_P574945	6.13E-06	0.490	1500026H17Rik	RIKEN cDNA 1500026H17 gene
A_52_P671700	5.79E-06	0.490	9330129D05Rik	RIKEN cDNA 9330129D05 gene
A_51_P418259	1.11E-05	0.490	Pccb	propionyl Coenzyme A carboxylase, beta polypeptide
A_55_P2167955	3.96E-05	0.490		
A_55_P1954006	8.53E-06	0.490	Ldhb	lactate dehydrogenase B
A_55_P2146783	0.001159009	0.491	Ropn1l	ropporin 1-like
A_51_P430383	1.41E-08	0.491	Dnajc30	DnaJ (Hsp40) homolog, subfamily C, member 30
A_55_P2113071	9.41E-06	0.491	Eif2c4	eukaryotic translation initiation factor 2C, 4
A_51_P103780	2.05E-08	0.491	Sft2d2	SFT2 domain containing 2
A_66_P135179	2.24E-05	0.491		
A_55_P2064171	3.97E-06	0.491		
A_55_P1988148	0.00015743	0.491		
A_51_P366227	0.000206765	0.491	Zfp799	zinc finger protein 799
A_55_P2086692	9.50E-08	0.491	Nfib	nuclear factor I/B
A_55_P1999953	3.95E-05	0.491	PIK3c2g	phosphatidylinositol 3-kinase, C2 domain containing, gamma polypeptide
A_52_P217474	8.86E-10	0.491	Ndufa6	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 6 (B14)
A_55_P2144914	0.001580419	0.491	Csnk1g3	casein kinase 1, gamma 3
A_51_P277745	1.59E-06	0.491	Abcc2	ATP-binding cassette, sub-family C (CFTR/MRP), member 2
A_51_P103780	4.71E-08	0.491	Sft2d2	SFT2 domain containing 2
A_55_P1957267	1.38E-07	0.491	Rab9	RAB9, member RAS oncogene family
A_30_P0102179	0.000352044	0.491		
A_55_P2086835	9.41E-05	0.492		
A_51_P125205	0.000132652	0.492	Aqp1	aquaporin 1
A_55_P2015232	1.41E-07	0.492		
A_51_P103780	1.54E-09	0.492	Sft2d2	SFT2 domain containing 2
A_52_P8227	3.25E-05	0.492	Lypla1	lysophospholipase 1
A_55_P2136763	1.49E-06	0.492		
A_51_P108853	2.29E-05	0.492	Lyplal1	lysophospholipase-like 1

A_51_P160408	0.00017072	0.492	Lcorl	ligand dependent nuclear receptor corepressor-like
A_30_P0103220	9.54E-07	0.492		
A_66_P115996	3.12E-06	0.493	Ccbl1	cysteine conjugate-beta lyase 1
A_51_P103780	1.52E-08	0.493	Sft2d2	SFT2 domain containing 2
A_55_P2040090	0.005069415	0.493	Fn3k	fructosamine 3 kinase
A_55_P2103351	5.94E-07	0.493	Ndufa5	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 5
A_55_P2105416	0.000671262	0.493	Gm10319	predicted pseudogene 10319
A_51_P343323	1.59E-07	0.493	Cox6c	cytochrome c oxidase, subunit VIc
A_52_P413646	0.00138008	0.493	Bmp6	bone morphogenetic protein 6
A_52_P367745	1.84E-07	0.494	Acads	acyl-Coenzyme A dehydrogenase, short chain
A_65_P19832	6.79E-08	0.494	Ttr	transthyretin
A_55_P1982451	6.53E-06	0.494	Hmgn5	high-mobility group nucleosome binding domain 5
A_55_P1962084	8.59E-06	0.494	Hist2h2aa1	histone cluster 2, H2aa1
A_55_P2148531	1.11E-05	0.494	1110049F12RIK	RIKEN cDNA 1110049F12 gene
A_52_P134083	1.65E-07	0.494	Cyhr1	cysteine and histidine rich 1
A_51_P317191	0.000321964	0.494	Eepd1	endonuclease/exonuclease/phosphatase family domain containing 1
A_65_P09032	2.04E-05	0.494	Rab43	RAB43, member RAS oncogene family
A_55_P2176729	9.13E-08	0.494	Prdx6	peroxiredoxin 6
A_51_P130095	0.000105827	0.495	Fcgr2b	Fc receptor, IgG, low affinity IIb
A_55_P1997105	5.69E-06	0.495	Gylt1b	glycosyltransferase-like 1B
A_51_P482503	3.09E-05	0.495	Tpd521l	tumor protein D52-like 1
A_55_P2371801	6.68E-05	0.495	LOC100502705	hypothetical LOC100502705
A_52_P237077	1.66E-05	0.495	Esr1	estrogen receptor 1 (alpha)
A_30_P0102653	3.09E-05	0.495		
A_51_P433127	2.56E-06	0.496	Rdm1	RAD52 motif 1
A_51_P189442	0.000207605	0.496	Adh4	alcohol dehydrogenase 4 (class II), pi polypeptide
A_66_P122621	9.93E-05	0.496		
A_55_P2303717	0.000334357	0.496	AW413774	expressed sequence AW413774
A_55_P2055442	4.07E-05	0.496	Pafah2	platelet-activating factor acetylhydrolase 2
A_52_P417859	1.10E-07	0.496	4933439F18RIK	RIKEN cDNA 4933439F18 gene
A_55_P2013858	3.10E-06	0.496	Acad8	acyl-Coenzyme A dehydrogenase family, member 8
A_55_P2175942	1.70E-08	0.496		
A_52_P583973	1.23E-06	0.496	Lrpap1	low density lipoprotein receptor-related protein associated protein 1
A_55_P1970214	2.94E-05	0.496		
A_51_P457331	1.58E-07	0.497	Hmgn5	high-mobility group nucleosome binding domain 5
A_30_P0103167	0.00077934	0.497		
A_55_P1971006	3.91E-07	0.497	1190003J15RIK	RIKEN cDNA 1190003J15 gene
A_30_P0102430	6.61E-08	0.497		
A_55_P1966420	5.60E-07	0.497	Scrn2	secernin 2
A_52_P136709	0.000202583	0.497	Pctp	phosphatidylcholine transfer protein
A_55_P2167999	0.000220803	0.497	Ldlr	low density lipoprotein receptor
A_52_P388836	4.02E-05	0.497	Sec16b	SEC16 homolog B (S. cerevisiae)
A_52_P225570	4.23E-09	0.498	Parva	parvin, alpha
A_55_P1973829	3.40E-06	0.498		
A_52_P205255	0.00027364	0.498	Adam11	a disintegrin and metallopeptidase domain 11
A_30_P0103052	9.95E-07	0.498		
A_51_P335900	1.15E-07	0.498	Cox5a	cytochrome c oxidase, subunit Va
A_30_P0102743	2.00E-05	0.498		
A_52_P541270	7.09E-07	0.498	Crebl2	cAMP responsive element binding protein-like 2
A_51_P317941	9.69E-07	0.498	Perp	PERP, TP53 apoptosis effector
A_30_P0101838	2.88E-05	0.498		
A_55_P1996683	2.18E-05	0.498	Itih1	inter-alpha trypsin inhibitor, heavy chain 1
A_51_P191520	1.66E-08	0.498	Stard10	START domain containing 10
A_55_P2079054	1.56E-08	0.499	Ndufv1	NADH dehydrogenase (ubiquinone) flavoprotein 1
A_55_P2032388	0.006114055	0.499	Trim24	tripartite motif-containing 24
A_51_P220343	0.004348874	0.499	Wisp1	WNT1 inducible signaling pathway protein 1
A_51_P136022	3.25E-06	0.499	Ube2v2	ubiquitin-conjugating enzyme E2 variant 2
A_55_P2089780	2.78E-08	0.499	Fam54b	family with sequence similarity 54, member B
A_55_P2417003	0.000323092	0.499		
A_55_P2035824	4.04E-05	0.499	Nr1i3	nuclear receptor subfamily 1, group I, member 3
A_55_P2012206	6.50E-08	0.499	Ndufb11	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 11
A_55_P2021285	1.08E-06	0.500	Cpped1	calcineurin-like phosphoesterase domain containing 1
A_52_P495869	0.000894454	0.500	Mafb	v-maf musculoaponeurotic fibrosarcoma oncogene family, protein B (avian)
A_55_P2154709	7.71E-05	0.500	Pter	phosphotriesterase related
A_51_P443293	0.000130527	0.500	Decr2	2-4-dienoyl-Coenzyme A reductase 2, peroxisomal
A_55_P1999841	3.11E-07	0.500	Cox7c	cytochrome c oxidase, subunit VIIC
A_55_P2050273	0.000627072	0.500	Cct6b	chaperonin containing Tcp1, subunit 6b (zeta)
A_51_P516637	3.64E-06	0.500	Bmp5	bone morphogenetic protein 5

Genes that increased by more than 2 fold in livers of mice treated with Con A and vehicle for 24 hours compared with livers without any treatment.

ProbeID	pvalue	Fold Change	GeneSymbol	GeneName
A_55_P2119257	1.42E-05	975.74	Serpine1	serine (or cysteine) peptidase inhibitor, clade E, member 1
A_51_P183812	0.000153	710.59	Slfn4	schlafen 4
A_52_P338066	4.71E-05	659.70	Ubd	ubiquitin D
A_55_P2008987	1.90E-05	438.55	Ch25h	cholesterol 25-hydroxylase
A_55_P2137049	5.03E-06	435.76	AA467197	expressed sequence AA467197
A_55_P1953169	1.37E-07	347.84	Saa3	serum amyloid A 3
A_51_P436652	3.52E-05	320.71	Ccl7	chemokine (C-C motif) ligand 7
A_51_P256827	1.33E-05	292.43	S100a8	S100 calcium binding protein A8 (calgranulin A)
A_51_P470079	5.76E-05	285.95	Il1r2	interleukin 1 receptor, type II
A_55_P1998471	1.48E-05	267.74	S100a9	S100 calcium binding protein A9 (calgranulin B)
A_55_P2459897	0.005741	244.06	A2m	alpha-2-macroglobulin
A_51_P123625	8.74E-05	223.97	Irg1	immunoresponse gene 1
A_51_P123625	4.75E-05	223.09	Irg1	immunoresponse gene 1
A_51_P217463	0.000192	220.35	Cxcl2	chemokine (C-X-C motif) ligand 2
A_51_P123625	6.54E-05	219.89	Irg1	immunoresponse gene 1
A_51_P123625	3.46E-05	211.04	Irg1	immunoresponse gene 1
A_51_P286737	0.000236	210.54	Ccl2	chemokine (C-C motif) ligand 2
A_66_P109681	0.000988	208.34		
A_51_P286737	0.000276	206.86	Ccl2	chemokine (C-C motif) ligand 2
A_51_P123625	0.000105	206.49	Irg1	immunoresponse gene 1
A_51_P462192	0.004648	203.46	Olr1	oxidized low density lipoprotein (lectin-like) receptor 1
A_51_P123625	4.81E-05	202.82	Irg1	immunoresponse gene 1
A_51_P286737	0.000288	202.14	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.000153	201.99	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.000248	200.56	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.000239	198.04	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.000308	195.95	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.000246	195.88	Ccl2	chemokine (C-C motif) ligand 2
A_51_P286737	0.000262	194.91	Ccl2	chemokine (C-C motif) ligand 2
A_51_P123625	3.18E-05	191.40	Irg1	immunoresponse gene 1
A_51_P286737	0.000255	191.36	Ccl2	chemokine (C-C motif) ligand 2
A_51_P123625	3.07E-05	183.73	Irg1	immunoresponse gene 1
A_52_P425839	1.38E-06	183.09	Retnlg	resistin like gamma
A_51_P123625	5.86E-05	173.26	Irg1	immunoresponse gene 1
A_30_P01022682	5.03E-07	172.33		
A_51_P401907	7.79E-06	166.45	Gm5483	predicted gene 5483
A_51_P123625	2.09E-05	164.14	Irg1	immunoresponse gene 1
A_55_P2105140	1.50E-07	159.04	Mrap2	melanocortin 2 receptor accessory protein 2
A_55_P2070869	1.22E-10	154.94	Lcn2	lipocalin 2
A_55_P1985850	5.24E-07	152.36	Timp1	tissue inhibitor of metalloproteinase 1
A_55_P1983921	2.39E-07	140.86	Crybb3	crystallin, beta B3
A_52_P398925	5.23E-07	132.59	Stfa2l1	stefin A2 like 1
A_51_P231320	8.35E-06	129.19	Mmp8	matrix metalloproteinase 8
A_52_P161488	0.000123	128.27	Clec4e	C-type lectin domain family 4, member e
A_55_P2048759	4.09E-06	125.57	4930583H14Rik	RIKEN cDNA 4930583H14 gene
A_51_P454873	0.000712	121.84	Npy	neuropeptide Y
A_51_P254855	0.000701	121.42	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P1977038	5.43E-07	121.03	Cxcl9	chemokine (C-X-C motif) ligand 9
A_51_P254855	0.000323	117.28	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P2073024	2.54E-05	116.43	Gm4841	predicted gene 4841
A_30_P01029955	2.23E-08	115.21		
A_55_P2142232	8.61E-05	107.85	Serpina3l	serine (or cysteine) peptidase inhibitor, clade A, member 3l
A_51_P254855	0.000639	104.97	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P461665	8.26E-07	100.58	Cxcl9	chemokine (C-X-C motif) ligand 9
A_30_P01033187	6.57E-07	96.34		
A_52_P559975	9.25E-05	95.79	Cxcr2	chemokine (C-X-C motif) receptor 2
A_51_P254855	0.000705	95.74	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.000341	95.08	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.000657	93.73	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P173678	0.003697	93.69	Slc10a6	solute carrier family 10 (sodium/bile acid cotransporter family), member 6
A_51_P254855	0.000339	92.62	Ptgs2	prostaglandin-endoperoxide synthase 2
A_65_P01991	0.000195	92.61	Prrg4	proline rich Gla (G-carboxyglutamic acid) 4 (transmembrane)
A_30_P01020131	4.47E-05	91.85		
A_52_P425092	1.67E-06	91.72		
A_52_P487686	6.70E-06	89.98	BC100530	cDNA sequence BC100530
A_51_P254855	0.000268	89.52	Ptgs2	prostaglandin-endoperoxide synthase 2
A_51_P254855	0.000822	87.79	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P2006494	1.62E-05	87.78	Apol10b	apolipoprotein L 10b
A_55_P2107374	0.000326	86.71	Duoxa2	dual oxidase maturation factor 2
A_51_P167292	5.59E-08	86.50	Chi3l3	chitinase 3-like 3
A_51_P203955	8.92E-06	84.58	Gbp2	guanylate binding protein 2
A_51_P363187	3.51E-05	83.18	Cxcl1	chemokine (C-X-C motif) ligand 1
A_55_P2067505	1.50E-06	80.45	Slc16a3	solute carrier family 16 (monocarboxylic acid transporters), member 3
A_55_P1955778	5.38E-06	79.14	Adams4	a disintegrin-like and metalloproteinase (reprolysin type) with thrombospondin type 1 motif, 4
A_51_P254855	0.00064	76.04	Ptgs2	prostaglandin-endoperoxide synthase 2
A_55_P1959425	3.39E-06	73.32	Slc16a3	solute carrier family 16 (monocarboxylic acid transporters), member 3
A_52_P232813	6.62E-05	71.70	Cxcl3	chemokine (C-X-C motif) ligand 3
A_51_P331752	0.00021	70.09	Ccl11	chemokine (C-C motif) ligand 11
A_51_P383032	0.000133	69.09	Clec4d	C-type lectin domain family 4, member d
A_51_P286488	9.29E-06	69.08	Ier3	immediate early response 3
A_55_P1990032	6.85E-05	68.64	Cxcl5	chemokine (C-X-C motif) ligand 5
A_55_P2079535	1.95E-05	68.37		
A_51_P228768	3.18E-05	67.29	Slfn3	schlafen 3
A_55_P1984556	4.33E-05	67.06	Ccl12	chemokine (C-C motif) ligand 12
A_30_P01022435	1.11E-05	67.02		
A_51_P426096	0.00164	65.92	Mmp7	matrix metalloproteinase 7
A_55_P2016462	4.95E-05	65.73	Cxcl10	chemokine (C-X-C motif) ligand 10
A_51_P172853	0.000651	64.27	Cd14	CD14 antigen
A_30_P01019474	4.17E-07	61.52		
A_51_P255699	2.13E-05	60.47	Mmp3	matrix metalloproteinase 3
A_51_P267783	3.42E-05	59.76	Il11	interleukin 11
A_55_P2187918	5.51E-07	58.46	Cep55	centrosomal protein 55
A_52_P681310	8.70E-07	58.19	Plaur	plasminogen activator, urokinase receptor



A_51_P488739	0.000667	57.58	Niacr1	niacin receptor 1
A_55_P2104975	3.44E-05	55.54	Serpina3f	serine (or cysteine) peptidase inhibitor, clade A, member 3F
A_66_P101942	1.75E-05	54.11	Gm9706	predicted gene 9706
A_66_P119283	0.000223	54.00	LOC675594	hypothetical LOC675594
A_51_P382152	3.42E-05	53.33	Procr	protein C receptor, endothelial
A_55_P2142226	6.70E-05	52.97	Serpina3f	serine (or cysteine) peptidase inhibitor, clade A, member 3F
A_51_P333274	8.78E-06	52.36	Gzmb	granzyme B
A_55_P2025765	8.21E-05	51.68	Adam8	a disintegrin and metallopeptidase domain 8
A_51_P464703	0.00089	50.73	Ccl8	chemokine (C-C motif) ligand 8
A_51_P279606	1.57E-05	50.65	Socs1	suppressor of cytokine signaling 1
A_51_P184484	0.002078	50.64	Mmp13	matrix metallopeptidase 13
A_55_P1962400	1.96E-05	49.12	Il1rn	interleukin 1 receptor antagonist
A_55_P2016459	0.000181	49.06	Cxcl10	chemokine (C-X-C motif) ligand 10
A_52_P429450	0.000679	48.08	Ngp	neutrophilic granule protein
A_55_P2045136	1.93E-05	47.61	I830127L07Rik	RIKEN cDNA I830127L07 gene
A_51_P500082	1.71E-06	47.46	Gm14446	predicted gene 14446
A_51_P361448	0.000158	46.47	Scara5	scavenger receptor class A, member 5 (putative)
A_55_P2103097	4.01E-06	46.45	Ccr8	chemokine (C-C motif) receptor 8
A_55_P2010152	1.13E-06	46.21	Sell	selectin, lymphocyte
A_51_P478722	2.11E-05	46.08	Tgtp1	T-cell specific GTPase 1
A_51_P499698	0.000142	45.74	Asprv1	aspartic peptidase, retroviral-like 1
A_55_P2114187	4.04E-07	44.70	Gm6522	predicted gene 6522
A_52_P482897	0.000367	44.20	Areg	amphiregulin
A_55_P1997756	6.73E-07	44.13	Il6	interleukin 6
A_52_P374897	0.000106	43.73	Arg2	arginase type II
A_51_P509573	3.49E-05	43.46	Ccl4	chemokine (C-C motif) ligand 4
A_55_P1997756	4.97E-06	43.21	Il6	interleukin 6
A_55_P2092310	3.94E-05	42.94		
A_52_P15388	0.000426	42.32	Ltf	lactotransferrin
A_52_P452689	0.000346	41.86	Atf3	activating transcription factor 3
A_55_P2087182	0.005287	41.74	Car4	carbonic anhydrase 4
A_51_P195153	1.36E-05	41.50	Gtse1	G two S phase expressed protein 1
A_51_P161021	0.001281	41.35	Ifit2	interferon-induced protein with tetratricopeptide repeats 2
A_30_P01031797	2.86E-06	40.96		
A_55_P2000409	0.000143	40.38	Rab44	RAB44, member RAS oncogene family
A_55_P1970385	4.41E-06	40.35		
A_52_P507214	0.000564	40.22	Mmp9	matrix metallopeptidase 9
A_51_P362066	0.000774	40.03	Chi3l1	chitinase 3-like 1
A_55_P2025248	8.41E-07	40.03	Mxd1	MAX dimerization protein 1
A_55_P2081488	6.33E-06	39.68	Pglyrp1	peptidoglycan recognition protein 1
A_30_P01017522	2.73E-06	39.53		
A_55_P2318934	1.24E-06	39.46		
A_55_P1973995	3.22E-05	39.22		
A_55_P1976655	3.75E-05	39.19	Fgf23	fibroblast growth factor 23
A_55_P1960202	3.61E-05	38.84	Vcan	versican
A_51_P209327	3.30E-05	38.76	Apln	apelin
A_55_P2186928	0.000154	38.65		
A_52_P507214	0.000478	38.63	Mmp9	matrix metallopeptidase 9
A_55_P2015074	0.002752	38.14	Slc10a6	solute carrier family 10 (sodium/bile acid cotransporter family), member 6
A_55_P1983708	1.16E-05	38.09	Insrr	insulin receptor-related receptor
A_51_P508838	0.000195	37.98	Kcne4	potassium voltage-gated channel, Isk-related subfamily, gene 4
A_55_P2044242	8.72E-07	37.62	Slc13a5	solute carrier family 13 (sodium-dependent citrate transporter), member 5
A_55_P2071176	0.000485	37.44	Il1f9	interleukin 1 family, member 9
A_52_P507214	0.001157	37.37	Mmp9	matrix metallopeptidase 9
A_55_P2082180	1.31E-06	37.31	Tnfrsf9	tumor necrosis factor receptor superfamily, member 9
A_55_P1963508	5.70E-07	37.25	Slc13a5	solute carrier family 13 (sodium-dependent citrate transporter), member 5
A_55_P2183438	1.16E-06	37.18	Runx1	runt related transcription factor 1
A_52_P507214	0.00033	37.11	Mmp9	matrix metallopeptidase 9
A_51_P385099	0.000528	37.04	Tnf	tumor necrosis factor
A_52_P507214	0.000582	36.97	Mmp9	matrix metallopeptidase 9
A_52_P318673	5.98E-10	36.87	Saa1	serum amyloid A 1
A_51_P507801	3.60E-06	36.52	F13a1	coagulation factor XIII, A1 subunit
A_52_P410765	8.12E-06	36.43	Sema7a	sema domain, immunoglobulin domain (Ig), and GPI membrane anchor, (semaphorin) 7A
A_51_P424272	0.000498	35.97	Mt4	metallothionein 4
A_55_P2159555	2.87E-05	35.53	Adams4	a disintegrin-like and metallopeptidase (repolysin type) with thrombospondin type 1 motif, 4
A_55_P1984416	2.12E-05	35.43		
A_30_P01031049	0.000509	34.96		
A_51_P248666	7.07E-05	34.77	Cd274	CD274 antigen
A_30_P01031137	1.35E-06	34.71		
A_51_P308796	2.63E-07	34.66	Fosl1	fos-like antigen 1
A_55_P2023912	3.99E-05	34.65		
A_55_P1989225	6.47E-05	34.60	Tgtp2	T-cell specific GTPase 2
A_66_P139683	1.13E-05	34.56	Zbp1	Z-DNA binding protein 1
A_52_P184149	2.85E-07	34.46	Mthfd2	methylenetetrahydrofolate dehydrogenase (NAD+ dependent), methylenetetrahydrofolate cyclohydrolase
A_55_P2062246	5.71E-06	34.40	Tgtp2	T-cell specific GTPase 2
A_51_P226269	5.21E-05	34.06	1190002H23Rik	RIKEN cDNA 1190002H23 gene
A_55_P2086334	9.17E-06	33.76	Krt85	keratin 85
A_55_P1977008	1.96E-05	33.71	Gfi1	growth factor independent 1
A_52_P670026	0.00185	33.68	Rsad2	radical S-adenosyl methionine domain containing 2
A_55_P2192961	0.000189	33.35	A530023O14Rik	RIKEN cDNA A530023O14 gene
A_52_P507214	0.000301	33.10	Mmp9	matrix metallopeptidase 9
A_52_P608322	1.82E-05	32.92	Maff	v-maf musculoaponeurotic fibrosarcoma oncogene family, protein F (avian)
A_55_P2118441	0.001787	32.81	Mx1	myxovirus (influenza virus) resistance 1
A_30_P01025587	1.10E-06	32.80		
A_30_P01024838	2.33E-05	32.66		
A_55_P1993503	9.84E-06	32.63	Adora2b	adenosine A2b receptor
A_52_P507214	0.000578	32.49	Mmp9	matrix metallopeptidase 9
A_52_P68893	7.62E-05	32.28	Ifng	interferon gamma
A_30_P01026855	2.10E-06	31.93		
A_51_P484158	7.86E-09	31.65	Steap1	six transmembrane epithelial antigen of the prostate 1
A_55_P2041828	1.76E-06	31.52	Tubb3	tubulin, beta 3
A_51_P385099	0.000218	31.27	Tnf	tumor necrosis factor
A_51_P385099	0.000342	30.96	Tnf	tumor necrosis factor
A_55_P2033362	2.00E-05	30.94	Egr2	early growth response 2
A_51_P385099	0.00017	30.93	Tnf	tumor necrosis factor

A_51_P147064	8.09E-06	30.85	1600014C23RIK	RIKEN cDNA 1600014C23 gene
A_55_P1994807	8.28E-10	30.69	Saa2	serum amyloid A 2
A_51_P385099	0.000211	30.65	Tnf	tumor necrosis factor
A_51_P203675	1.84E-05	30.40	Trem3	triggering receptor expressed on myeloid cells 3
A_55_P1988368	1.84E-05	30.37	Upp1	uridine phosphorylase 1
A_52_P507214	0.000486	30.18	Mmp9	matrix metalloproteinase 9
A_52_P327664	0.000105	30.18	Gbp5	guanylate binding protein 5
A_55_P2032775	1.08E-06	30.11		
A_55_P2156855	5.43E-06	29.70	Car13	carbonic anhydrase 13
A_51_P275101	2.93E-05	29.64	Chst11	carbohydrate sulfotransferase 11
A_52_P507214	0.000275	29.41	Mmp9	matrix metalloproteinase 9
A_52_P472324	2.36E-06	29.21	Slpi	secretory leukocyte peptidase inhibitor
A_66_P128537	9.52E-05	29.19	Isg15	ISG15 ubiquitin-like modifier
A_55_P1972872	0.002943	28.94	I830012O16RIK	RIKEN cDNA I830012O16 gene
A_51_P385099	0.000279	28.73	Tnf	tumor necrosis factor
A_55_P2052290	4.26E-07	28.55	Psat1	phosphoserine aminotransferase 1
A_55_P2186005	1.81E-06	28.47	Sphk1	sphingosine kinase 1
A_55_P2010038	1.10E-05	28.33	Tnfsf9	tumor necrosis factor (ligand) superfamily, member 9
A_52_P507214	0.000323	27.93	Mmp9	matrix metalloproteinase 9
A_55_P2000284	0.000134	27.67	Phox2a	paired-like homeobox 2a
A_51_P485756	0.001175	27.46	Nts	neurotensin
A_55_P2017116	8.66E-07	27.43		
A_30_P01032078	1.51E-07	27.43		
A_55_P1961499	1.47E-06	27.40	Ly6c1	lymphocyte antigen 6 complex, locus C1
A_51_P385099	0.000105	27.32	Tnf	tumor necrosis factor
A_30_P01024637	3.61E-07	27.16		
A_51_P499838	1.66E-06	27.14	Bst1	bone marrow stromal cell antigen 1
A_51_P385099	0.000188	26.52	Tnf	tumor necrosis factor
A_66_P140121	1.64E-05	26.39		
A_51_P501248	9.38E-06	26.37	Sphk1	sphingosine kinase 1
A_51_P517695	3.73E-05	26.04	Ly6f	lymphocyte antigen 6 complex, locus F
A_51_P140710	0.000113	25.84	Ccl3	chemokine (C-C motif) ligand 3
A_52_P56397	0.000223	25.64	2610002D18RIK	RIKEN cDNA 2610002D18 gene
A_51_P438967	3.76E-06	25.59	Gpmb	glycoprotein (transmembrane) nmb
A_55_P2429225	1.91E-06	25.52	Psrf1	proline/serine-rich coiled-coil 1
A_55_P2103698	6.14E-06	25.48	Isg15	ISG15 ubiquitin-like modifier
A_51_P408703	0.000239	25.47	1700045I19RIK	ring finger protein 138 pseudogene
A_51_P511315	6.07E-05	25.32	Pstpip1	proline-serine-threonine phosphatase-interacting protein 1
A_51_P325223	4.16E-07	25.30	Lin7b	lin-7 homolog B (C. elegans)
A_51_P385099	0.000273	25.10	Tnf	tumor necrosis factor
A_51_P429252	0.000121	24.57	Prok2	prokineticin 2
A_66_P133404	0.000112	24.40	2810417H13RIK	RIKEN cDNA 2810417H13 gene
A_51_P170807	3.18E-05	24.37	Map3k6	mitogen-activated protein kinase kinase kinase 6
A_51_P302738	2.84E-05	24.33	Upp1	uridine phosphorylase 1
A_52_P68893	9.87E-05	24.29	Ifng	interferon gamma
A_55_P2168823	2.26E-05	24.29		
A_66_P117933	0.002845	24.29	I830012O16RIK	RIKEN cDNA I830012O16 gene
A_30_P01027366	0.000887	24.28		
A_55_P2068459	0.000151	24.27	Hspa1a	heat shock protein 1A
A_55_P1974243	2.25E-06	24.17	Dbh	dopamine beta hydroxylase
A_51_P387123	0.000292	24.15	Oasl2	2'-5' oligoadenylate synthetase-like 2
A_55_P2017347	5.89E-07	23.95	Krtap11-1	keratin associated protein 11-1
A_52_P354744	0.001131	23.91	Slc2a3	solute carrier family 2 (facilitated glucose transporter), member 3
A_52_P226348	6.92E-05	23.89		
A_55_P2121275	6.70E-09	23.68	Gm4907	predicted gene 4907
A_51_P311958	3.80E-07	23.67	Orm3	orosomucoid 3
A_55_P2050722	3.58E-06	23.56		
A_55_P1980796	1.98E-05	23.53	Il2ra	interleukin 2 receptor, alpha chain
A_30_P01033671	2.07E-05	23.53		
A_55_P2106180	0.002517	23.22	Dnahc2	dynein, axonemal, heavy chain 2
A_51_P137419	2.44E-05	23.18	Cst7	cystatin F (leukocystatin)
A_66_P106388	3.39E-07	23.13	Ms4a4c	membrane-spanning 4-domains, subfamily A, member 4C
A_55_P2090172	3.88E-06	22.94		
A_55_P2058783	5.05E-05	22.84	2310016C08RIK	RIKEN cDNA 2310016C08 gene
A_30_P01021483	0.000314	22.77		
A_52_P250644	0.003291	22.67		
A_51_P105380	9.65E-07	22.67	2010005H15RIK	RIKEN cDNA 2010005H15 gene
A_51_P489996	1.58E-05	22.66		
A_55_P1960238	0.000103	22.61	Slc2a6	solute carrier family 2 (facilitated glucose transporter), member 6
A_51_P439085	5.92E-05	22.34	2310016C08RIK	RIKEN cDNA 2310016C08 gene
A_51_P385099	0.000318	22.24	Tnf	tumor necrosis factor
A_55_P2181386	5.05E-06	22.15	Adm2	adrenomedullin 2
A_55_P2004786	0.000708	22.14	Ccr11	chemokine (C-C motif) receptor 1-like 1
A_66_P108380	2.01E-06	21.98	A330021E22RIK	RIKEN cDNA A330021E22 gene
A_55_P1994042	8.17E-09	21.85	Zbp1	Z-DNA binding protein 1
A_51_P474459	8.16E-09	21.80	Socs3	suppressor of cytokine signaling 3
A_52_P167278	5.18E-07	21.57	Mthfd1l	methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 1-like
A_55_P2056973	1.39E-06	21.47	Trem12	triggering receptor expressed on myeloid cells-like 2
A_55_P2135035	9.57E-05	21.42	Hist1h4m	histone cluster 1, H4m
A_51_P105380	2.22E-06	21.32	2010005H15RIK	RIKEN cDNA 2010005H15 gene
A_52_P494730	0.000338	21.04	Gm12185	predicted gene 12185
A_66_P131979	0.000103	21.04	Cdc6	cell division cycle 6 homolog (S. cerevisiae)
A_55_P2157307	6.60E-06	21.00		
A_30_P01033054	0.000116	20.99		
A_55_P1998892	2.75E-06	20.96	Smox	spermine oxidase
A_55_P2472435	2.07E-06	20.88	Gbp3	guanylate binding protein 3
A_66_P138929	2.95E-05	20.69	Lox	lysyl oxidase
A_55_P2172001	5.58E-06	20.66	Mrgpra2a	MAS-related GPR, member A2A
A_55_P2011341	9.12E-07	20.62		
A_30_P01030466	5.34E-08	20.54		
A_55_P1996746	7.50E-05	20.44	Gm3142	predicted gene 3142
A_52_P422494	9.30E-05	20.44	Cd300lf	CD300 antigen like family member F
A_55_P2068812	3.53E-06	20.33		
A_51_P487690	0.000581	20.19	Ifi44	interferon-induced protein 44
A_52_P101487	1.15E-06	20.15	Ddn	dendrin

A_51_P378856	2.86E-05	20.08	Pfkp	phosphofructokinase, platelet
A_55_P1958464	2.58E-05	19.99		
A_55_P1966774	3.46E-06	19.79	Serpina3l	serine (or cysteine) peptidase inhibitor, clade A, member 3l
A_55_P1998011	4.95E-06	19.69	Klra23	killer cell lectin-like receptor subfamily A, member 23
A_51_P201982	5.56E-05	19.66	Angpt2	angiopoietin 2
A_51_P123405	3.59E-05	19.64	Bub1	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_55_P2154252	9.72E-07	19.62	Gfpt2	glutamine fructose-6-phosphate transaminase 2
A_55_P2143041	3.01E-05	19.55	Phgdh	3-phosphoglycerate dehydrogenase
A_52_P63343	6.35E-05	19.55	Gm129	predicted gene 129
A_30_P01024207	4.26E-07	19.53		
A_55_P1959748	2.52E-06	19.40	Asns	asparagine synthetase
A_55_P2094060	5.35E-07	19.39	Gzma	granzyme A
A_52_P139650	0.000127	19.38	Ska1	spindle and kinetochore associated complex subunit 1
A_30_P01021837	1.31E-08	19.34		
A_51_P176086	0.000277	19.33	Ffar2	free fatty acid receptor 2
A_55_P2137828	1.19E-05	19.32	Gprc5b	G protein-coupled receptor, family C, group 5, member B
A_55_P2158741	0.000409	19.27	Nos2	nitric oxide synthase 2, inducible
A_55_P1998942	8.95E-06	19.27	Oas1a	2'-5' oligoadenylate synthetase 1A
A_55_P2023037	6.19E-06	19.26	Gm4759	GTPase, very large interferon inducible 1 pseudogene
A_51_P518621	1.19E-05	19.24	Hist1h3a	histone cluster 1, H3a
A_51_P254656	1.02E-05	19.22	Hdc	histidine decarboxylase
A_52_P354682	5.40E-09	19.21	Elovl7	ELOVL family member 7, elongation of long chain fatty acids (yeast)
A_55_P2161595	2.03E-05	19.17	Hpca	hippocalcin
A_55_P2085012	0.000102	19.15		
A_66_P107703	3.18E-05	19.09	Smox	spermine oxidase
A_51_P163953	0.002118	19.05	Nsg2	neuron specific gene family member 2
A_51_P456208	0.000746	19.05	Tff3	trefoil factor 3, intestinal
A_51_P359570	0.001813	18.98	Ifit3	interferon-induced protein with tetratricopeptide repeats 3
A_51_P419117	1.03E-05	18.87	Rab15	RAB15, member RAS oncogene family
A_55_P2128203	1.21E-05	18.80		
A_51_P263246	0.000333	18.76	Dusp8	dual specificity phosphatase 8
A_51_P323180	0.000109	18.74	Gbp9	guanylate-binding protein 9
A_55_P1961320	2.57E-07	18.70	Tes	testis derived transcript
A_55_P2012979	0.000897	18.69	Itgb2l	integrin beta 2-like
A_55_P2096947	9.31E-05	18.69	Ereg	epiregulin
A_55_P2147081	4.12E-05	18.69	Tnfrsf6	tumor necrosis factor alpha induced protein 6
A_51_P131408	9.07E-07	18.63	Tnfrsf12a	tumor necrosis factor receptor superfamily, member 12a
A_55_P2060107	1.91E-06	18.61	Pkm2	pyruvate kinase, muscle
A_55_P1967443	2.28E-05	18.52		
A_55_P2106039	3.86E-05	18.47	Map3k6	mitogen-activated protein kinase kinase kinase 6
A_55_P2125208	1.04E-06	18.37	Arid5a	AT rich interactive domain 5A (MRF1-like)
A_55_P2120219	0.000246	18.35	Rad51l1	RAD51-like 1 (S. cerevisiae)
A_51_P165182	0.000174	18.34	Batf2	basic leucine zipper transcription factor, ATF-like 2
A_30_P01022711	6.56E-07	18.33		
A_55_P2186929	2.59E-05	18.28		
A_55_P2158741	0.000451	18.24	Nos2	nitric oxide synthase 2, inducible
A_51_P233797	1.04E-06	18.23	Adh7	alcohol dehydrogenase 7 (class IV), mu or sigma polypeptide
A_51_P187750	0.000234	18.23	Neur13	neuronalized homolog 3 homolog (Drosophila)
A_52_P520607	0.000466	18.22	Ankrd22	ankyrin repeat domain 22
A_55_P2066463	2.61E-06	18.16	Enah	enabled homolog (Drosophila)
A_55_P1962918	2.33E-05	18.11	Mnda	myeloid cell nuclear differentiation antigen
A_51_P105380	6.34E-07	18.06	2010005H15RIK	RIKEN cDNA 2010005H15 gene
A_55_P1958480	1.51E-06	18.03	LOC545005	hypothetical protein LOC545005
A_55_P2011620	5.14E-05	17.96	Gpr141	G protein-coupled receptor 141
A_30_P01019529	4.87E-07	17.96		
A_52_P383653	1.15E-05	17.91	Cpne8	copine VIII
A_30_P01032196	2.86E-05	17.90		
A_55_P2010271	1.45E-05	17.89	Samsn1	SAM domain, SH3 domain and nuclear localization signals, 1
A_55_P2025490	1.51E-05	17.89	Tnfrsf18	tumor necrosis factor receptor superfamily, member 18
A_30_P01028374	6.48E-05	17.87		
A_55_P2103706	0.000316	17.81		
A_55_P2001553	0.000156	17.71	Igdc4	immunoglobulin superfamily, DCC subclass, member 4
A_55_P2103837	0.000138	17.69	Gbp4	guanylate binding protein 4
A_30_P01024045	1.44E-06	17.64		
A_51_P262515	3.13E-05	17.58	Phf11	PHD finger protein 11
A_51_P234253	3.99E-05	17.53	Sdcbp2	syndecan binding protein (syntenin) 2
A_55_P2048855	0.001112	17.46	Sprr2a2	small proline-rich protein 2A2
A_55_P2168990	1.76E-07	17.34	Tmsb10	thymosin, beta 10
A_51_P355434	0.000403	17.33		
A_55_P2022629	9.73E-07	17.33	Oxct2b	3-oxoacid CoA transferase 2B
A_55_P1997997	6.13E-07	17.30	Klra23	killer cell lectin-like receptor subfamily A, member 23
A_55_P2169356	1.17E-05	17.29		
A_55_P2042813	0.00111	17.22	Gbp11	guanylate binding protein 11
A_66_P133397	8.80E-07	17.11	Chi3l4	chitinase 3-like 4
A_55_P2017826	4.81E-06	17.03	Myb	myeloblastosis oncogene
A_30_P01018914	1.90E-06	17.01		
A_55_P2082319	9.35E-05	17.00	BC094916	cDNA sequence BC094916
A_51_P139678	0.000454	16.99	Sprr1a	small proline-rich protein 1A
A_55_P2130895	3.86E-05	16.98	Runx3	runt related transcription factor 3
A_55_P2008860	5.31E-05	16.98		
A_55_P2052385	0.000139	16.97	Mpa2l	macrophage activation 2 like
A_51_P294555	1.85E-07	16.97	Ifitm6	interferon induced transmembrane protein 6
A_51_P302358	0.000179	16.94	Ltb	lymphotoxin B
A_51_P105380	6.15E-07	16.93	2010005H15RIK	RIKEN cDNA 2010005H15 gene
A_51_P491667	1.30E-06	16.93	Derl3	Der1-like domain family, member 3
A_55_P1990891	1.87E-06	16.92		
A_51_P154842	7.83E-06	16.86	Oas1f	2'-5' oligoadenylate synthetase 1F
A_55_P2025790	4.59E-05	16.83	Fanci	Fanconi anemia, complementation group I
A_55_P2035286	1.42E-05	16.83	Uhrf1	ubiquitin-like, containing PHD and RING finger domains, 1
A_55_P1996973	2.47E-05	16.74	Gvin1	GTPase, very large interferon inducible 1
A_51_P123405	6.86E-05	16.70	Bub1	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_51_P237668	2.27E-05	16.60	Bex2	brain expressed X-linked 2
A_51_P123405	5.32E-05	16.52	Bub1	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_55_P2015687	4.87E-05	16.50	D14Ert668e	DNA segment, Chr 14, ERATO Doi 668, expressed
A_55_P2081164	0.000126	16.42	Cd300lf	CD300 antigen like family member F

A_30_P01027032	9.37E-07	16.41		
A_51_P327751	0.000536	16.41	Ifit1	interferon-induced protein with tetratricopeptide repeats 1
A_55_P1986282	6.21E-06	16.41	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_55_P1964413	0.000389	16.39	OlfR854	olfactory receptor 854
A_51_P513568	6.98E-05	16.35	Stx11	syntaxin 11
A_51_P464918	0.000205	16.34	Mefv	Mediterranean fever
A_55_P2000224	2.26E-08	16.29	Cd63	CD63 antigen
A_55_P2034033	2.20E-06	16.29	Il12rb1	interleukin 12 receptor, beta 1
A_55_P2149011	2.60E-05	16.25	Hif1a	hypoxia inducible factor 1, alpha subunit
A_55_P2056789	0.000143	16.21	Cmtm2a	CKLF-like MARVEL transmembrane domain containing 2A
A_55_P2035509	3.60E-05	16.15	Pyhin1	pyrin and HIN domain family, member 1
A_55_P1998943	1.04E-05	16.09	Oas1a	2'-5' oligoadenylate synthetase 1A
A_51_P159453	1.28E-07	16.09	Serpina3n	serine (or cysteine) peptidase inhibitor, clade A, member 3N
A_55_P1995537	6.97E-05	16.08	Mpo	myeloperoxidase
A_55_P2036693	0.000598	16.07	Cd40	CD40 antigen
A_55_P2057936	8.64E-05	16.04	Gm12250	predicted gene 12250
A_55_P2043942	0.000243	15.93		
A_55_P2092085	1.60E-07	15.92	Tmsb10	thymosin, beta 10
A_52_P799815	0.000212	15.90	Tmem171	transmembrane protein 171
A_51_P116601	5.21E-06	15.86	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P1972582	0.000127	15.82		
A_55_P2011106	0.000117	15.81	Junb	Jun-B oncogene
A_55_P1956593	0.000628	15.80	Plekha4	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 4
A_51_P116601	5.92E-05	15.78	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2122619	0.000362	15.74	Asb11	ankyrin repeat and SOCS box-containing 11
A_55_P2161746	1.21E-05	15.73		
A_51_P116601	9.30E-06	15.71	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P105380	1.17E-06	15.71	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_30_P01030277	0.000127	15.70		
A_55_P2004541	1.05E-06	15.70	Klra7	killer cell lectin-like receptor, subfamily A, member 7
A_30_P01025986	3.46E-06	15.66		
A_52_P679860	0.00047	15.65	Herc6	hect domain and RLD 6
A_52_P480044	0.000194	15.64	BC023105	cDNA sequence BC023105
A_51_P132388	4.43E-06	15.63	Akt3	thymoma viral proto-oncogene 3
A_51_P378903	2.80E-09	15.63	OlfR1260	olfactory receptor 1260
A_55_P2082880	3.41E-05	15.62		
A_51_P162955	1.28E-06	15.60	Serpina7	serine (or cysteine) peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 7
A_30_P01026993	0.000411	15.54		
A_55_P2204804	5.49E-07	15.53	Dclk1	doublecortin-like kinase 1
A_55_P2141786	4.81E-06	15.53	Pard6g	par-6 partitioning defective 6 homolog gamma (C. elegans)
A_55_P2172396	1.81E-06	15.53	A530064D06Rik	RIKEN cDNA A530064D06 gene
A_30_P01017852	8.54E-05	15.52		
A_55_P2081656	1.53E-05	15.52		
A_30_P01028145	3.15E-07	15.47		
A_30_P01023508	0.000237	15.38		
A_55_P2169234	2.21E-07	15.33	Pycr1	pyrroline-5-carboxylate reductase 1
A_51_P105380	5.63E-06	15.32	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_51_P329928	8.09E-07	15.31	Phlda3	pleckstrin homology-like domain, family A, member 3
A_55_P2179587	3.43E-05	15.29	Celsr3	cadherin, EGF LAG seven-pass G-type receptor 3 (flamingo homolog, Drosophila)
A_51_P480241	0.000192	15.29	Elf3	E74-like factor 3
A_55_P2170394	9.55E-10	15.27	Gm2518	interferon induced transmembrane protein 2 pseudogene
A_55_P2135200	0.000103	15.22	Sifn10-ps	schlafen 10, pseudogene
A_51_P105380	6.42E-06	15.17	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_55_P2185900	2.80E-05	15.17	Nrg4	neuregulin 4
A_51_P116601	3.88E-05	15.15	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P2011084	8.58E-06	15.15		
A_30_P01027958	2.10E-07	15.15		
A_55_P2000280	2.89E-06	15.10	Mthfd1l	methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 1-like
A_51_P116601	2.53E-05	15.06	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_51_P148037	1.93E-06	15.03	Sh3pxd2b	SH3 and PX domains 2B
A_30_P01029182	3.65E-06	14.99		
A_55_P2055055	7.41E-05	14.99	4930547M16Rik	RIKEN cDNA 4930547M16 gene
A_66_P105585	3.71E-06	14.96	Sifn8	schlafen 8
A_52_P386627	4.41E-05	14.95	Irak3	interleukin-1 receptor-associated kinase 3
A_51_P382849	3.14E-06	14.90	Emb	embigin
A_55_P2168140	2.17E-05	14.84	Gm5958	predicted pseudogene 5958
A_55_P1995205	0.000292	14.78	Top2a	topoisomerase (DNA) II alpha
A_55_P2151638	1.89E-05	14.77	Klra15	killer cell lectin-like receptor, subfamily A, member 15
A_55_P2041784	0.000119	14.77	Gna13	guanine nucleotide binding protein, alpha 13
A_55_P2144126	1.86E-07	14.77		
A_55_P2098398	0.000277	14.73	Trim30c	tripartite motif-containing 30C
A_51_P123405	0.000367	14.72	Bub1	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_55_P1991812	0.001321	14.70	Gm5431	predicted gene 5431
A_55_P2038882	0.000373	14.69	Niacr1	niacin receptor 1
A_52_P514407	8.27E-06	14.65	Klra15	killer cell lectin-like receptor, subfamily A, member 15
A_52_P64514	0.000193	14.63	Herc6	hect domain and RLD 6
A_55_P1985337	1.10E-05	14.59	Sytl3	synaptotagmin-like 3
A_30_P01028549	3.12E-08	14.57		
A_51_P369200	3.33E-06	14.52	Tpx2	TPX2, microtubule-associated protein homolog (Xenopus laevis)
A_30_P01024661	5.93E-05	14.44		
A_52_P443334	0.002062	14.43	Cd8a	CD8 antigen, alpha chain
A_51_P265571	0.000205	14.43	Adm	adrenomedullin
A_30_P01020327	3.65E-08	14.41		
A_30_P01021163	1.35E-08	14.37		
A_30_P01022068	1.71E-06	14.37		
A_51_P123405	0.000165	14.35	Bub1	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_30_P01029020	1.20E-06	14.31		
A_55_P1973563	2.35E-05	14.28	5730559C18Rik	RIKEN cDNA 5730559C18 gene
A_51_P167360	1.86E-05	14.28	Ptpn7	protein tyrosine phosphatase, non-receptor type 7
A_55_P2044932	2.73E-05	14.26	Gpr84	G protein-coupled receptor 84
A_51_P116601	3.09E-05	14.23	A330021E22Rik	RIKEN cDNA A330021E22 gene
A_55_P1988010	3.36E-05	14.23	Gm10406	predicted gene 10406
A_55_P2187141	9.20E-05	14.19	Pdcd1lg2	programmed cell death 1 ligand 2
A_51_P105380	4.83E-07	14.14	2010005H15Rik	RIKEN cDNA 2010005H15 gene
A_55_P2157093	0.00483	14.09	Bcl2l14	BCL2-like 14 (apoptosis facilitator)

A_66_P126293	2.16E-06	14.07	<b>Itgb3</b>	integrin beta 3
A_52_P466090	1.05E-05	14.04	<b>Samhd1</b>	SAM domain and HD domain, 1
A_52_P312102	2.80E-05	14.02	<b>Sema3g</b>	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3G
A_30_P01032402	2.99E-05	14.01		
A_55_P2111264	7.64E-07	14.01	<b>Lhx9</b>	LIM homeobox protein 9
A_51_P463846	7.87E-05	13.99	<b>Gbp6</b>	guanylate binding protein 6
A_55_P2019312	0.00012	13.96	<b>Car12</b>	carbonic anhydrase 12
A_55_P2004536	1.26E-06	13.93	<b>Klra4</b>	killer cell lectin-like receptor, subfamily A, member 4
A_55_P2111478	6.18E-06	13.91	<b>Polq</b>	polymerase (DNA directed), theta
A_55_P2147487	1.91E-07	13.85	<b>Cyth3</b>	cytohesin 3
A_55_P1966369	2.91E-06	13.85	<b>Mybl1</b>	myeloblastosis oncogene-like 1
A_51_P116601	5.10E-06	13.84	<b>A330021E22Rik</b>	RIKEN cDNA A330021E22 gene
A_30_P01025723	8.97E-06	13.81		
A_55_P2106121	0.000543	13.78	<b>Il21</b>	interleukin 21
A_55_P1977431	1.03E-08	13.78	<b>Cck</b>	cholecystokinin
A_52_P1197913	8.50E-06	13.77	<b>Gadd45b</b>	growth arrest and DNA-damage-inducible 45 beta
A_55_P2038489	9.24E-05	13.72		
A_51_P206585	2.89E-06	13.64	<b>Runx1</b>	runt related transcription factor 1
A_55_P2038262	2.49E-05	13.60	<b>Gm4902</b>	predicted gene 4902
A_30_P01029305	1.38E-05	13.59		
A_52_P186937	0.001128	13.53	<b>Cmpk2</b>	cytidine monophosphate (UMP-CMP) kinase 2, mitochondrial
A_51_P452629	5.08E-05	13.52	<b>Tlr2</b>	toll-like receptor 2
A_55_P2114724	4.75E-09	13.50	<b>Mospd4</b>	motile sperm domain containing 4
A_55_P1988384	6.89E-06	13.47	<b>Slc7a3</b>	solute carrier family 7 (cationic amino acid transporter, y+ system), member 3
A_55_P2036083	8.06E-06	13.44	<b>Gm5797</b>	predicted gene 5797
A_51_P332652	2.94E-05	13.42	<b>Pqlc3</b>	PQ loop repeat containing
A_55_P2013336	1.51E-05	13.42	<b>Melk</b>	maternal embryonic leucine zipper kinase
A_30_P01021869	0.00012	13.40		
A_52_P174915	5.14E-05	13.37	<b>Gja1</b>	gap junction protein, alpha 1
A_55_P2005838	0.000121	13.33	<b>5730590G19Rik</b>	RIKEN cDNA 5730590G19 gene
A_30_P01028201	0.000158	13.31		
A_30_P01020928	0.000286	13.30		
A_51_P116601	1.23E-05	13.28	<b>A330021E22Rik</b>	RIKEN cDNA A330021E22 gene
A_55_P2020538	0.000191	13.22		
A_55_P2050828	2.14E-06	13.19	<b>Olf469</b>	olfactory receptor 469
A_55_P2173892	2.50E-06	13.16	<b>Isg20</b>	interferon-stimulated protein
A_51_P452629	7.32E-05	13.16	<b>Tlr2</b>	toll-like receptor 2
A_51_P116601	1.46E-05	13.15	<b>A330021E22Rik</b>	RIKEN cDNA A330021E22 gene
A_30_P01027580	0.001152	13.13		
A_52_P520495	0.000642	13.11	<b>Vcam1</b>	vascular cell adhesion molecule 1
A_55_P1954718	7.06E-08	13.08	<b>Cyb561</b>	cytochrome b-561
A_55_P2039320	3.87E-05	13.07	<b>Zfp365</b>	zinc finger protein 365
A_51_P173709	3.05E-05	13.05	<b>Gprc5b</b>	G protein-coupled receptor, family C, group 5, member B
A_51_P123405	0.000173	13.01	<b>Bub1</b>	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_51_P492830	6.99E-05	13.01	<b>Cenph</b>	centromere protein H
A_55_P1958146	0.000376	12.96	<b>Sh2d1a</b>	SH2 domain protein 1A
A_55_P1983768	0.000472	12.93	<b>Blrc5</b>	baculoviral IAP repeat-containing 5
A_52_P431615	9.05E-05	12.92	<b>Gm1966</b>	predicted gene 1966
A_51_P105380	3.58E-06	12.90	<b>2010005H15Rik</b>	RIKEN cDNA 2010005H15 gene
A_55_P2147083	0.000123	12.88	<b>Tnfaip6</b>	tumor necrosis factor alpha induced protein 6
A_55_P2097789	5.69E-08	12.88	<b>H2-T18</b>	histocompatibility 2, T region locus 18
A_52_P199633	0.000145	12.85	<b>Trim30d</b>	tripartite motif-containing 30D
A_30_P01019660	8.29E-07	12.83		
A_30_P01025339	5.14E-05	12.83		
A_55_P2116165	4.66E-05	12.83	<b>Pfkfb3</b>	6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 3
A_51_P265495	8.50E-05	12.82	<b>Ly6a</b>	lymphocyte antigen 6 complex, locus A
A_51_P285206	8.84E-05	12.82	<b>Cd3d</b>	CD3 antigen, delta polypeptide
A_55_P1984168	3.12E-05	12.80	<b>Casp4</b>	caspase 4, apoptosis-related cysteine peptidase
A_55_P2060604	5.83E-06	12.76	<b>Gm5797</b>	predicted gene 5797
A_30_P01019523	1.35E-05	12.76		
A_52_P425890	0.000118	12.74	<b>Slfn1</b>	schlafen 1
A_55_P2062495	5.56E-06	12.73	<b>Smyd1</b>	SET and MYND domain containing 1
A_55_P2124586	0.000617	12.72	<b>Xlr4a</b>	X-linked lymphocyte-regulated 4A
A_30_P01025357	0.000231	12.72		
A_55_P1960735	0.000112	12.71	<b>Gdf15</b>	growth differentiation factor 15
A_52_P621588	3.71E-05	12.67	<b>Il28ra</b>	interleukin 28 receptor alpha
A_55_P1963017	7.96E-06	12.67	<b>Stfa1</b>	stefin A1
A_55_P2051721	0.000125	12.66	<b>Psg22</b>	pregnancy-specific glycoprotein 22
A_55_P2115401	1.78E-05	12.62	<b>Bst1</b>	bone marrow stromal cell antigen 1
A_55_P1998843	4.17E-05	12.58	<b>Ifi203</b>	interferon activated gene 203
A_55_P2094868	2.30E-06	12.58	<b>Ly75</b>	lymphocyte antigen 75
A_51_P519251	0.000345	12.53	<b>Nupr1</b>	nuclear protein 1
A_55_P2359797	7.51E-05	12.52	<b>Nod2</b>	nucleotide-binding oligomerization domain containing 2
A_55_P2145136	0.000178	12.52		
A_51_P444290	0.000663	12.51	<b>Slamf8</b>	SLAM family member 8
A_55_P2071447	1.14E-05	12.51	<b>Il21r</b>	interleukin 21 receptor
A_55_P2101757	3.04E-05	12.51	<b>Dscc1</b>	defective in sister chromatid cohesion 1 homolog (S. cerevisiae)
A_55_P2114953	0.000153	12.49	<b>Usp18</b>	ubiquitin specific peptidase 18
A_52_P40954	1.50E-05	12.46	<b>5330426P16Rik</b>	RIKEN cDNA 5330426P16 gene
A_55_P2032440	5.86E-07	12.44	<b>Gm8378</b>	predicted gene 8378
A_30_P01030851	0.00033	12.44		
A_55_P2088145	0.000762	12.44		
A_30_P01019832	0.000324	12.43		
A_55_P2186080	2.08E-05	12.40		
A_55_P2091461	4.16E-05	12.39	<b>Casp4</b>	caspase 4, apoptosis-related cysteine peptidase
A_55_P1959496	1.16E-06	12.37		
A_55_P2089913	0.000725	12.37	<b>Cd6</b>	CD6 antigen
A_51_P275454	1.85E-05	12.37	<b>Trim30a</b>	tripartite motif-containing 30A
A_55_P2077664	9.86E-05	12.35	<b>Gm5458</b>	predicted gene 5458
A_55_P1997421	1.67E-06	12.30	<b>Gm5416</b>	predicted gene 5416
A_55_P2179599	0.001828	12.22	<b>Gbp8</b>	guanylate-binding protein 8
A_55_P2051596	4.54E-06	12.22		
A_51_P230098	0.000264	12.20	<b>Pbk</b>	PDZ binding kinase
A_55_P2036357	2.53E-05	12.19	<b>Pyhin1</b>	pyrin and HIN domain family, member 1
A_51_P472867	1.85E-05	12.18	<b>Oas3</b>	2'-5' oligoadenylate synthetase 3

A_55_P2050044	3.57E-06	12.15		
A_55_P2030282	7.21E-06	12.15	<b>ENSMUSG00000068</b>	predicted gene, ENSMUSG00000068790
A_55_P2065562	0.002378	12.14	<b>Aldh3a1</b>	aldehyde dehydrogenase family 3, subfamily A1
A_55_P1957353	0.000294	12.14		
A_55_P1971244	3.55E-05	12.12	<b>Ndufa4l2</b>	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 4-like 2
A_52_P31543	5.74E-06	12.10	<b>Btg2</b>	B-cell translocation gene 2, anti-proliferative
A_66_P121495	5.99E-05	12.09	<b>Psat1</b>	phosphoserine aminotransferase 1
A_30_P01023276	0.00115	12.09		
A_51_P392291	5.50E-10	12.06	<b>Pdk3</b>	pyruvate dehydrogenase kinase, isoenzyme 3
A_52_P443334	0.001221	12.06	<b>Cd8a</b>	CD8 antigen, alpha chain
A_51_P452629	4.49E-05	12.06	<b>Tlr2</b>	toll-like receptor 2
A_55_P2159485	3.35E-06	12.05		
A_51_P247249	1.43E-05	12.01	<b>Alox5</b>	arachidonate 5-lipoxygenase
A_52_P613241	1.68E-05	12.00	<b>Icam1</b>	intercellular adhesion molecule 1
A_52_P362917	0.00018	11.96	<b>Pfkfb3</b>	6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 3
A_51_P343833	4.26E-05	11.95	<b>Traf1</b>	TNF receptor-associated factor 1
A_52_P463962	3.90E-05	11.94	<b>Krtap16-10</b>	keratin associated protein 16-10
A_66_P119915	6.40E-08	11.92		
A_55_P2037697	0.001572	11.90	<b>Gm9733</b>	predicted gene 9733
A_55_P1964717	2.22E-07	11.87	<b>Gm10398</b>	predicted gene 10398
A_52_P174915	1.24E-05	11.86	<b>Gja1</b>	gap junction protein, alpha 1
A_55_P1983769	0.000431	11.85	<b>Blrc5</b>	baculoviral IAP repeat-containing 5
A_51_P452629	8.94E-05	11.85	<b>Tlr2</b>	toll-like receptor 2
A_52_P591310	0.001548	11.85	<b>Hoxd13</b>	homeobox D13
A_30_P01025511	1.94E-06	11.83		
A_30_P01033540	0.00041	11.83		
A_30_P01025572	0.000264	11.83		
A_51_P452629	4.04E-05	11.80	<b>Tlr2</b>	toll-like receptor 2
A_52_P65237	0.003717	11.78	<b>Zbtb7c</b>	zinc finger and BTB domain containing 7C
A_51_P123405	0.000167	11.76	<b>Bub1</b>	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_51_P488196	0.002891	11.74	<b>Bmper</b>	BMP-binding endothelial regulator
A_55_P1962723	0.001695	11.70		
A_30_P01022938	1.38E-06	11.70		
A_55_P1988009	3.11E-05	11.69		
A_55_P2171116	4.64E-05	11.68	<b>Lgals3</b>	lectin, galactose binding, soluble 3
A_52_P399934	2.19E-05	11.68	<b>Dusp2</b>	dual specificity phosphatase 2
A_30_P01026240	6.92E-08	11.68		
A_55_P2071132	4.21E-06	11.68	<b>Tnfrsf23</b>	tumor necrosis factor receptor superfamily, member 23
A_51_P452629	6.78E-05	11.67	<b>Tlr2</b>	toll-like receptor 2
A_55_P2032678	4.95E-08	11.66	<b>Lox</b>	lysyl oxidase
A_55_P2103011	6.79E-05	11.64	<b>Sema4d</b>	sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (sema
A_55_P1975310	1.15E-05	11.63	<b>Tgfb2lx2</b>	TGFB-induced factor homeobox 2-like, X-linked 2
A_51_P185757	1.08E-05	11.60	<b>Cas21</b>	castor homolog 1, zinc finger (Drosophila)
A_55_P2079669	0.000184	11.59	<b>Bcat1</b>	branched chain aminotransferase 1, cytosolic
A_51_P452629	3.47E-05	11.58	<b>Tlr2</b>	toll-like receptor 2
A_30_P01021129	3.02E-05	11.55		
A_52_P443334	0.000812	11.55	<b>Cd8a</b>	CD8 antigen, alpha chain
A_55_P2077623	3.08E-05	11.53		
A_51_P344566	0.000129	11.51	<b>Pik1</b>	polo-like kinase 1 (Drosophila)
A_30_P01029572	0.000213	11.49		
A_52_P174915	6.29E-05	11.49	<b>Gja1</b>	gap junction protein, alpha 1
A_55_P2167763	0.001417	11.49		
A_51_P452629	6.26E-05	11.48	<b>Tlr2</b>	toll-like receptor 2
A_51_P484289	3.12E-05	11.47	<b>Slc7a6</b>	solute carrier family 7 (cationic amino acid transporter, y+ system), member 6
A_30_P01027135	0.000134	11.46		
A_55_P2066219	6.57E-08	11.44	<b>Gm3455</b>	predicted gene 3455
A_55_P2098727	4.03E-06	11.42		
A_55_P2046101	0.000189	11.42	<b>Xlr4b</b>	X-linked lymphocyte-regulated 4B
A_52_P174915	5.43E-05	11.39	<b>Gja1</b>	gap junction protein, alpha 1
A_30_P01020873	1.84E-05	11.31		
A_55_P2077901	0.000448	11.31	<b>Cd2</b>	CD2 antigen
A_51_P122055	2.85E-05	11.30	<b>D17H6S56E-3</b>	DNA segment, Chr 17, human D6S56E 3
A_55_P2011385	0.000324	11.30		
A_51_P499195	2.26E-05	11.30	<b>Nkg7</b>	natural killer cell group 7 sequence
A_51_P126067	0.001133	11.28	<b>Cd2</b>	CD2 antigen
A_52_P535484	3.73E-05	11.28	<b>Gvin1</b>	GTPase, very large interferon inducible 1
A_52_P262219	9.52E-05	11.26	<b>Fos</b>	FBJ osteosarcoma oncogene
A_51_P452629	4.46E-05	11.25	<b>Tlr2</b>	toll-like receptor 2
A_55_P2180176	1.32E-06	11.24	<b>Ms4a6b</b>	membrane-spanning 4-domains, subfamily A, member 6B
A_51_P126067	0.001175	11.23	<b>Cd2</b>	CD2 antigen
A_51_P348433	2.81E-06	11.21	<b>Rasal1</b>	RAS protein activator like 1 (GAP1 like)
A_55_P1999902	1.05E-08	11.19		
A_55_P2063381	3.31E-05	11.19	<b>5430405G05Rik</b>	RIKEN cDNA 5430405G05 gene
A_51_P448147	5.31E-05	11.19	<b>Gimap7</b>	GTPase, IMAP family member 7
A_55_P1998979	8.62E-05	11.16	<b>Oas1g</b>	2'-5' oligoadenylate synthetase 1G
A_51_P116601	1.09E-05	11.16	<b>A330021E22Rik</b>	RIKEN cDNA A330021E22 gene
A_51_P505907	9.60E-08	11.15	<b>Tcl1b2</b>	T-cell leukemia/lymphoma 1B, 2
A_51_P396570	1.57E-05	11.13	<b>Plod2</b>	procollagen lysine, 2-oxoglutarate 5-dioxygenase 2
A_55_P1955656	2.52E-05	11.12	<b>Ctla2a</b>	cytotoxic T lymphocyte-associated protein 2 alpha
A_55_P2036240	2.08E-06	11.08	<b>LOC100503637</b>	envelope glycoprotein-like
A_55_P2085779	2.05E-09	11.08	<b>Ifi2712b</b>	interferon, alpha-inducible protein 27 like 2B
A_55_P2110245	7.39E-06	11.07	<b>Fign1</b>	fidgetin-like 1
A_52_P262219	8.33E-05	11.06	<b>Fos</b>	FBJ osteosarcoma oncogene
A_51_P452629	4.35E-05	11.06	<b>Tlr2</b>	toll-like receptor 2
A_66_P130024	0.001791	11.06		
A_52_P174915	5.97E-05	11.06	<b>Gja1</b>	gap junction protein, alpha 1
A_55_P2053838	7.61E-05	11.04	<b>Tnfaip3</b>	tumor necrosis factor, alpha-induced protein 3
A_55_P2094925	2.46E-05	11.02	<b>Srgn</b>	serglycin
A_51_P455326	0.000205	11.01	<b>Sele</b>	selectin, endothelial cell
A_55_P2181963	4.33E-05	11.01	<b>Gm8369</b>	predicted gene 8369
A_55_P1998811	4.99E-06	11.00		
A_55_P1987059	4.34E-06	10.98		
A_51_P441983	4.77E-06	10.97	<b>Itga2</b>	integrin alpha 2
A_55_P2103952	0.000122	10.95		
A_55_P2014149	1.40E-06	10.93		

A_51_P136294	3.13E-05	10.93	Ms4a4b	membrane-spanning 4-domains, subfamily A, member 4B
A_30_P01021177	8.37E-10	10.92		
A_55_P2067947	0.000414	10.91		
A_30_P01024344	5.17E-06	10.90		
A_30_P01028308	0.000502	10.89		
A_55_P2004007	0.000171	10.89		
A_51_P100852	0.000329	10.87	Fam26f	family with sequence similarity 26, member F
A_55_P2086659	1.86E-05	10.86	Rad54l	RAD54 like (S. cerevisiae)
A_51_P208922	7.24E-05	10.85	Stc2	stanniocalcin 2
A_30_P01017848	5.73E-06	10.85		
A_55_P1993851	2.83E-05	10.83		
A_51_P464738	1.65E-05	10.81	Slc2a1	solute carrier family 2 (facilitated glucose transporter), member 1
A_55_P2158404	0.000969	10.81	Cmpk2	cytidine monophosphate (UMP-CMP) kinase 2, mitochondrial
A_55_P2101055	0.000124	10.79	Alpk1	alpha-kinase 1
A_30_P01026610	0.000503	10.77		
A_52_P262219	0.000107	10.77	Fos	FBJ osteosarcoma oncogene
A_51_P486239	5.31E-06	10.76	Clec3b	C-type lectin domain family 3, member b
A_55_P2046262	3.82E-05	10.76	Phgdh	3-phosphoglycerate dehydrogenase
A_55_P1957459	0.000505	10.73	Lilrb4	leukocyte immunoglobulin-like receptor, subfamily B, member 4
A_52_P262219	4.13E-05	10.72	Fos	FBJ osteosarcoma oncogene
A_55_P2031851	0.000536	10.71		
A_52_P174915	4.35E-05	10.70	Gja1	gap junction protein, alpha 1
A_30_P01027922	0.000464	10.67		
A_51_P105380	3.41E-06	10.65	2010005H15RIK	RIKEN cDNA 2010005H15 gene
A_55_P2156653	0.001066	10.65	Gpr174	G protein-coupled receptor 174
A_52_P398989	0.000103	10.65	Cytip	cytohesin 1 interacting protein
A_51_P408071	0.000541	10.63	Kntc1	kinetochore associated 1
A_55_P2179266	0.001978	10.62		
A_51_P385718	0.000531	10.61	Cd177	CD177 antigen
A_52_P246703	0.002172	10.58	Ak7	adenylate kinase 7
A_30_P01027576	0.000571	10.58		
A_30_P01032427	0.002683	10.57		
A_52_P380369	3.74E-05	10.56	D14Ert668e	DNA segment, Chr 14, ERATO Doi 668, expressed
A_55_P2011937	6.99E-05	10.55	Fign1	fidgetin-like 1
A_52_P174915	9.77E-05	10.54	Gja1	gap junction protein, alpha 1
A_55_P2063736	0.000526	10.53	Gp49a	glycoprotein 49 A
A_30_P01032129	3.67E-06	10.50		
A_55_P2135986	1.12E-06	10.48	Ms4a4c	membrane-spanning 4-domains, subfamily A, member 4C
A_55_P1981455	4.32E-05	10.46		
A_55_P2026238	0.000213	10.45		
A_51_P193336	9.54E-06	10.44	Nucb2	nucleobindin 2
A_55_P2157627	1.66E-05	10.44		
A_30_P01021824	1.47E-06	10.39		
A_52_P162298	3.22E-07	10.39	YdjC	YdjC homolog (bacterial)
A_51_P241457	0.000777	10.38	Lilrb4	leukocyte immunoglobulin-like receptor, subfamily B, member 4
A_51_P419656	8.22E-05	10.37	Klk1b27	kallikrein 1-related peptidase b27
A_55_P2067362	8.10E-06	10.36		
A_52_P262219	9.92E-05	10.35	Fos	FBJ osteosarcoma oncogene
A_30_P01022715	1.28E-06	10.35		
A_51_P167263	0.000649	10.32	Cd5	CD5 antigen
A_55_P1982559	0.000342	10.31	1700007K13RIK	RIKEN cDNA 1700007K13 gene
A_55_P2012989	0.000544	10.30	Slamf7	SLAM family member 7
A_51_P423578	5.46E-06	10.29	Sln2	schlafen 2
A_55_P2036967	6.11E-06	10.28	Cox17	cytochrome c oxidase, subunit XVII assembly protein homolog (yeast)
A_52_P443334	0.000958	10.25	Cd8a	CD8 antigen, alpha chain
A_30_P01024622	1.06E-06	10.25		
A_55_P2072120	0.000268	10.25	AW011738	expressed sequence AW011738
A_55_P2004224	5.40E-05	10.22		
A_51_P100852	0.000375	10.22	Fam26f	family with sequence similarity 26, member F
A_55_P2004526	4.59E-06	10.20	Klra8	killer cell lectin-like receptor, subfamily A, member 8
A_55_P2110713	1.50E-08	10.19	Anxa2	annexin A2
A_55_P1974189	4.04E-05	10.19	Ptges	prostaglandin E synthase
A_51_P258721	8.50E-06	10.19	Tpsg1	tryptase gamma 1
A_51_P501364	2.49E-05	10.17	Tbx21	T-box 21
A_51_P100852	0.000125	10.17	Fam26f	family with sequence similarity 26, member F
A_55_P2177073	7.47E-05	10.16		
A_51_P228658	7.60E-06	10.16	Isyna1	myo-inositol 1-phosphate synthase A1
A_52_P120803	0.000115	10.15	Ankrd1	ankyrin repeat domain 1 (cardiac muscle)
A_55_P2167714	3.56E-08	10.14	Klra12	killer cell lectin-like receptor subfamily A, member 12
A_55_P2004527	6.43E-07	10.14	Klra8	killer cell lectin-like receptor, subfamily A, member 8
A_55_P2019557	4.23E-06	10.14	Mrgpra2b	MAS-related GPR, member A2B
A_52_P443334	0.001962	10.13	Cd8a	CD8 antigen, alpha chain
A_51_P347240	1.40E-05	10.12	Ppil5	peptidylprolyl isomerase (cyclophilin) like 5
A_66_P106661	8.92E-07	10.12	Slc7a1	solute carrier family 7 (cationic amino acid transporter, y+ system), member 1
A_51_P123405	2.47E-05	10.12	Bub1	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_52_P262219	0.000119	10.12	Fos	FBJ osteosarcoma oncogene
A_51_P518051	1.43E-06	10.10	Dusp4	dual specificity phosphatase 4
A_51_P100852	0.000417	10.09	Fam26f	family with sequence similarity 26, member F
A_52_P174915	8.82E-05	10.09	Gja1	gap junction protein, alpha 1
A_52_P262219	8.62E-05	10.09	Fos	FBJ osteosarcoma oncogene
A_55_P1996941	0.000161	10.08	Ube2c	ubiquitin-conjugating enzyme E2C
A_52_P319438	2.52E-05	10.08	Ankrd37	ankyrin repeat domain 37
A_55_P2032946	2.42E-06	10.06	Gsta1	glutathione S-transferase, alpha 1 (Ya)
A_52_P279425	0.000191	10.06	Cd96	CD96 antigen
A_30_P01025783	8.67E-06	10.05		
A_51_P381260	4.01E-06	10.04	Fxyd5	FXYD domain-containing ion transport regulator 5
A_51_P286496	3.43E-06	10.04	Il2rb	interleukin 2 receptor, beta chain
A_55_P1991688	1.95E-05	10.03	Rad51ap1	RAD51 associated protein 1
A_55_P2076871	0.000514	10.02	Lef1	lymphoid enhancer binding factor 1
A_55_P2007496	1.94E-06	10.02		
A_55_P2017115	1.07E-07	10.01		
A_51_P100852	0.000372	9.98	Fam26f	family with sequence similarity 26, member F
A_51_P391955	0.001022	9.98	Dapl1	death associated protein-like 1
A_51_P326191	0.000526	9.97	Serpina3g	serine (or cysteine) peptidase inhibitor, clade A, member 3G
A_52_P533280	0.00018	9.96	Prrm1	protamine 1

A_51_P181565	0.000207	9.95	Hbegf	heparin-binding EGF-like growth factor
A_55_P2142662	0.000118	9.93		
A_30_P01028766	2.25E-06	9.93		
A_55_P2096422	3.69E-05	9.92	Inhbb	inhibin beta-B
A_52_P150683	0.000678	9.92	Grap2	GRB2-related adaptor protein 2
A_51_P100852	0.000252	9.91	Fam26f	family with sequence similarity 26, member F
A_55_P2023449	1.10E-05	9.90	Gm6337	predicted gene 6337
A_30_P01028744	1.45E-06	9.89		
A_51_P100852	0.000192	9.89	Fam26f	family with sequence similarity 26, member F
A_55_P1979491	2.21E-05	9.88	Cd28	CD28 antigen
A_55_P2071952	6.73E-07	9.87	Wdr92	WD repeat domain 92
A_55_P2023523	4.65E-05	9.84	Aloxe3	arachidonate lipoxygenase 3
A_51_P204080	0.000205	9.84	Hk2	hexokinase 2
A_52_P262219	9.62E-05	9.82	Fos	FBJ osteosarcoma oncogene
A_55_P1958039	4.76E-07	9.82	Klra16	killer cell lectin-like receptor, subfamily A, member 16
A_52_P262219	0.000166	9.81	Fos	FBJ osteosarcoma oncogene
A_52_P110070	0.000186	9.80	5730416F02Rik	RIKEN cDNA 5730416F02 gene
A_30_P01031737	1.36E-06	9.80		
A_51_P282508	1.19E-06	9.80	Rhoc	ras homolog gene family, member C
A_52_P503663	7.36E-05	9.80	Gpr120	G protein-coupled receptor 120
A_51_P510900	2.62E-05	9.79	Serpin2	serine (or cysteine) peptidase inhibitor, clade I, member 2
A_52_P91274	2.25E-05	9.78	1700018G05Rik	RIKEN cDNA 1700018G05 gene
A_55_P2016623	8.45E-09	9.78	Gm5068	predicted gene 5068
A_55_P2027836	1.67E-05	9.77	Tnfrsf10b	tumor necrosis factor receptor superfamily, member 10b
A_51_P239984	7.50E-05	9.76	Exo1	exonuclease 1
A_51_P500090	1.20E-05	9.74	Klra7	killer cell lectin-like receptor, subfamily A, member 7
A_51_P100852	0.000447	9.73	Fam26f	family with sequence similarity 26, member F
A_52_P443334	0.000375	9.71	Cd8a	CD8 antigen, alpha chain
A_30_P01031029	8.95E-07	9.70		
A_51_P187262	7.19E-05	9.69	Mmp25	matrix metalloproteinase 25
A_55_P2011387	0.000416	9.69	Tifa	TRAF-interacting protein with forkhead-associated domain
A_55_P2072035	3.09E-05	9.67	Thy1	thymus cell antigen 1, theta
A_52_P438919	1.85E-06	9.67	Olf524	olfactory receptor 524
A_55_P2129614	2.44E-06	9.65	Itrip1	inositol 1,4,5-triphosphate receptor interacting protein
A_55_P2027999	4.97E-05	9.65	Hk1	hexokinase 1
A_55_P1965659	2.25E-06	9.64	Havcr2	hepatitis A virus cellular receptor 2
A_55_P2095010	3.71E-07	9.64		
A_51_P149714	0.000128	9.63	Ms4a6d	membrane-spanning 4-domains, subfamily A, member 6D
A_55_P2117656	0.000252	9.63	Sln8	schlafen 8
A_52_P585124	0.000158	9.62	Cxcr4	chemokine (C-X-C motif) receptor 4
A_55_P2095754	0.000668	9.61	Mrgpra5	MAS-related GPR, member A5
A_30_P01019383	0.000126	9.59		
A_30_P01024377	8.48E-09	9.56		
A_52_P112591	0.002838	9.55		
A_52_P186033	8.79E-06	9.54	Spn	sialophorin
A_52_P925277	0.004346	9.54	Bcl11b	B-cell leukemia/lymphoma 11B
A_55_P2149083	0.000144	9.53	Fpr-rs6	formyl peptide receptor, related sequence 6
A_55_P2171493	0.000158	9.52	BC030867	cDNA sequence BC030867
A_55_P2281818	0.00014	9.52	LOC433347	hypothetical LOC433347
A_55_P2107542	0.00011	9.52		
A_55_P2017636	1.31E-05	9.51	Thbs1	thrombospondin 1
A_55_P2010364	1.09E-06	9.51	Gm5116	predicted gene 5116
A_55_P2065991	6.84E-08	9.50	S100a11	S100 calcium binding protein A11 (calgizzarin)
A_55_P2184459	2.48E-06	9.50		
A_55_P2087628	1.44E-05	9.50	LOC640793	schlafen family member 13-like
A_30_P01023554	1.41E-07	9.50		
A_51_P351015	0.00052	9.48	Lta	lymphotoxin A
A_55_P1973573	4.50E-05	9.48	Spn	sialophorin
A_55_P2063237	3.41E-06	9.47	Dusp5	dual specificity phosphatase 5
A_52_P616356	0.001604	9.47	Ccr1	chemokine (C-C motif) receptor 1
A_30_P01026716	4.12E-05	9.46		
A_55_P2133248	0.000236	9.46	Gm8995	predicted gene 8995
A_66_P125327	7.07E-06	9.46	Ccne1	cyclin E1
A_52_P262219	0.000172	9.44	Fos	FBJ osteosarcoma oncogene
A_51_P242967	2.19E-05	9.43	Piwil2	piwi-like homolog 2 (Drosophila)
A_55_P2069641	4.53E-09	9.43		
A_51_P100852	0.000201	9.43	Fam26f	family with sequence similarity 26, member F
A_55_P2052380	0.000196	9.41	Mpa2l	macrophage activation 2 like
A_55_P2084739	0.000177	9.41	Gcnt1	glucosaminyl (N-acetyl) transferase 1, core 2
A_30_P01028633	4.17E-06	9.41		
A_51_P324228	7.53E-05	9.38	Satb1	special AT-rich sequence binding protein 1
A_30_P01020172	1.66E-06	9.37		
A_51_P112355	6.45E-06	9.37	Igtp	interferon gamma induced GTPase
A_55_P2187217	1.00E-05	9.36		
A_51_P100852	0.000597	9.36	Fam26f	family with sequence similarity 26, member F
A_51_P135340	1.42E-05	9.35	Panx1	pannexin 1
A_55_P2399688	8.63E-06	9.35	Glipr2	GLI pathogenesis-related 2
A_52_P467449	0.000368	9.33	Alox12	arachidonate 12-lipoxygenase
A_66_P106789	5.22E-05	9.32		
A_55_P1960157	0.000631	9.27	Bcat1	branched chain aminotransferase 1, cytosolic
A_55_P2345853	3.22E-05	9.27	3830612M24	hypothetical protein 3830612M24
A_55_P2128229	9.20E-06	9.26		
A_51_P125135	8.14E-05	9.25	Cdca5	cell division cycle associated 5
A_66_P112573	2.21E-06	9.24	Isg20	interferon-stimulated protein
A_55_P2029523	5.36E-06	9.24		
A_51_P477121	0.000379	9.21	Pmaip1	phorbol-12-myristate-13-acetate-induced protein 1
A_51_P112355	1.37E-05	9.21	Igtp	interferon gamma induced GTPase
A_52_P174915	6.90E-05	9.21	Gja1	gap junction protein, alpha 1
A_52_P162099	8.49E-05	9.20	Ckap2	cytoskeleton associated protein 2
A_55_P2109445	9.13E-05	9.20	Irf4	interferon regulatory factor 4
A_52_P108346	2.65E-05	9.20	Myc	myelocytomatosis oncogene
A_55_P1985433	0.003466	9.20	Nrg1	neuregulin 1
A_55_P2015405	9.69E-05	9.18	9930111J21Rik1	RIKEN cDNA 9930111J21 gene 1
A_30_P01025012	3.34E-06	9.18		
A_52_P174915	3.57E-05	9.18	Gja1	gap junction protein, alpha 1



A_55_P2022114	4.31E-07	9.17		
A_30_P01028842	2.26E-06	9.16		
A_66_P133269	0.000643	9.15	Hesx1	homeobox gene expressed in ES cells
A_55_P1955950	2.45E-08	9.15	Gm8437	predicted gene 8437
A_55_P2320283	1.69E-05	9.15	Hmga2-ps1	high mobility group AT-hook 2, pseudogene 1
A_55_P2010547	2.14E-06	9.14		
A_55_P2111563	2.04E-06	9.14		
A_55_P1962305	1.73E-05	9.14	Plac8	placenta-specific 8
A_52_P74680	0.001252	9.14	Gm6273	predicted gene 6273
A_51_P364210	5.76E-07	9.12	Ms4a3	membrane-spanning 4-domains, subfamily A, member 3
A_30_P01025000	0.000349	9.10		
A_55_P1956588	0.000522	9.10		
A_55_P2372228	6.72E-06	9.08	A430104N18Rik	RIKEN cDNA A430104N18 gene
A_51_P100327	4.87E-06	9.08	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P126067	0.000365	9.07	Cd2	CD2 antigen
A_52_P443334	0.001825	9.07	Cd8a	CD8 antigen, alpha chain
A_55_P2036883	4.41E-05	9.07	Hist2h2bb	histone cluster 2, H2bb
A_51_P408946	3.72E-08	9.07	Ccne1	cyclin E1
A_51_P100327	7.28E-06	9.05	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_66_P124254	6.54E-07	9.04		
A_52_P443334	0.002479	9.03	Cd8a	CD8 antigen, alpha chain
A_55_P1956083	0.000101	9.02	Gpr68	G protein-coupled receptor 68
A_30_P01017570	0.000185	9.02		
A_51_P100327	3.43E-06	9.01	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_55_P2057976	9.14E-09	9.01		
A_52_P550173	0.003989	8.99	Slamf1	signaling lymphocytic activation molecule family member 1
A_52_P605812	6.44E-08	8.98	Ptrh1	peptidyl-tRNA hydrolase 1 homolog (S. cerevisiae)
A_30_P01029999	3.24E-07	8.97		
A_51_P112355	1.03E-05	8.97	Igtp	interferon gamma induced GTPase
A_51_P112355	1.14E-05	8.96	Igtp	interferon gamma induced GTPase
A_51_P112355	9.80E-06	8.96	Igtp	interferon gamma induced GTPase
A_66_P123603	3.17E-08	8.95		
A_51_P100327	3.84E-06	8.94	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_52_P104824	1.56E-05	8.93	Diap3	diaphanous homolog 3 (Drosophila)
A_55_P2155504	5.01E-05	8.92	Lck	lymphocyte protein tyrosine kinase
A_55_P2112787	2.05E-05	8.91	Ilgp1b	interferon inducible GTPase 1B
A_51_P100327	3.24E-06	8.91	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P112355	1.20E-05	8.91	Igtp	interferon gamma induced GTPase
A_51_P123134	0.000146	8.91	Ercc6l	excision repair cross-complementing rodent repair deficiency complementation group 6 - like
A_55_P1969128	0.004798	8.91	Cidec	cell death-inducing DFFA-like effector c
A_51_P100327	3.85E-06	8.90	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P126067	0.001873	8.88	Cd2	CD2 antigen
A_55_P1964812	6.08E-06	8.88	Tcfap2a	transcription factor AP-2, alpha
A_66_P126819	0.005443	8.86		
A_51_P151902	4.84E-06	8.86	Spon1	spondin 1, (f-spondin) extracellular matrix protein
A_55_P1953533	2.12E-06	8.84	Spon1	spondin 1, (f-spondin) extracellular matrix protein
A_55_P2101340	2.57E-05	8.83	Ramp3	receptor (calcitonin) activity modifying protein 3
A_51_P343350	1.43E-06	8.83	Amn	amniotless
A_55_P2153131	1.39E-07	8.83	Ldhc	lactate dehydrogenase C
A_51_P112355	1.69E-05	8.83	Igtp	interferon gamma induced GTPase
A_30_P01024629	6.47E-05	8.83		
A_55_P1954835	3.14E-05	8.82	Ramp3	receptor (calcitonin) activity modifying protein 3
A_55_P2094173	7.32E-05	8.79	Gm626	predicted gene 626
A_51_P100327	6.22E-06	8.79	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_51_P100327	4.57E-06	8.78	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_30_P01029942	4.77E-07	8.78		
A_52_P340669	0.005359	8.77	Bhlha15	basic helix-loop-helix family, member a15
A_30_P01030594	0.000498	8.77		
A_55_P1973352	1.70E-05	8.77	LOC100503910	hypothetical LOC100503910
A_30_P01023452	4.18E-07	8.76		
A_55_P2020090	2.37E-07	8.75	Mum1l1	melanoma associated antigen (mutated) 1-like 1
A_55_P2090060	0.001751	8.74	BC037703	cDNA sequence BC037703
A_55_P1970002	6.68E-07	8.73	Sh3kbp1	SH3 domain kinase binding protein 1
A_55_P2046092	0.000788	8.72	Xlr4d-ps	X-linked lymphocyte-regulated 4D, pseudogene
A_55_P2115225	0.000344	8.72	Fap	fibroblast activation protein
A_55_P2097072	3.39E-08	8.71		
A_51_P125135	6.33E-05	8.71	Cdca5	cell division cycle associated 5
A_55_P2121294	0.000398	8.70		
A_55_P2021735	1.48E-05	8.70	Tsga10lp	testis specific 10 interacting protein
A_51_P490795	3.46E-06	8.70	Mxd1	MAX dimerization protein 1
A_51_P303749	4.83E-05	8.69	Depdc1b	DEP domain containing 1B
A_51_P100327	1.45E-06	8.69	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_30_P01029002	7.02E-06	8.68		
A_52_P108346	3.80E-05	8.67	Myc	myelocytomatosis oncogene
A_51_P319460	5.28E-08	8.67	Osmr	oncostatin M receptor
A_51_P389751	1.15E-05	8.66	Relb	avian reticuloendotheliosis viral (v-rel) oncogene related B
A_51_P112355	8.96E-06	8.66	Igtp	interferon gamma induced GTPase
A_30_P01017626	5.51E-05	8.64		
A_30_P01026746	3.88E-06	8.63		
A_55_P2087118	0.000347	8.62	Ly6l	lymphocyte antigen 6 complex, locus I
A_30_P01018694	5.84E-05	8.62		
A_51_P100327	5.23E-06	8.62	Tap1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)
A_30_P01024775	0.001533	8.62		
A_52_P552589	7.31E-05	8.62	Map4k1	mitogen-activated protein kinase kinase kinase kinase 1
A_55_P1988228	0.000106	8.61	Aspm	asp (abnormal spindle)-like, microcephaly associated (Drosophila)
A_55_P1983773	5.69E-05	8.61	Birc5	baculoviral IAP repeat-containing 5
A_51_P204402	0.000229	8.58	Shc1	Shc SH2-domain binding protein 1
A_55_P2048448	2.50E-05	8.56	Klra23	killer cell lectin-like receptor subfamily A, member 23
A_51_P123405	0.000549	8.56	Bub1	budding uninhibited by benzimidazoles 1 homolog (S. cerevisiae)
A_51_P369252	6.48E-05	8.55	463243411Rik	RIKEN cDNA 463243411 gene
A_55_P1966833	1.58E-06	8.53	Xaf1	XIAP associated factor 1
A_55_P2046802	6.68E-07	8.52	Mlk1	mixed lineage kinase domain-like
A_55_P2062543	5.12E-08	8.51	Kifc1	kinesin family member C1
A_55_P2149107	2.91E-05	8.51	BC055324	cDNA sequence BC055324
A_51_P309158	5.10E-05	8.50	Snx20	sorting nexin 20

A_55_P1954221	1.42E-09	8.50	Emp1	epithelial membrane protein 1
A_55_P2115330	5.69E-05	8.50	Nrg4	neuregulin 4
A_30_P01031855	0.002646	8.49		
A_51_P480119	4.87E-07	8.48	Prelid2	PRELI domain containing 2
A_30_P01020218	5.81E-08	8.46		
A_55_P2164534	0.000347	8.46	Dtl	denticleless homolog (Drosophila)
A_51_P481398	7.96E-05	8.46	Kif11	kinesin family member 11
A_51_P112355	5.05E-06	8.45	Igtp	interferon gamma induced GTPase
A_51_P288876	3.46E-05	8.43	Tmem45a	transmembrane protein 45a
A_51_P112355	7.63E-06	8.43	Igtp	interferon gamma induced GTPase
A_30_P01022335	0.000993	8.43		
A_52_P483799	0.001077	8.42	Pydc4	pyrin domain containing 4
A_55_P2068260	4.24E-05	8.42	Hist1h3g	histone cluster 1, H3g
A_52_P663413	9.71E-06	8.41	P4ha2	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha II polypeptide
A_55_P2104689	8.86E-05	8.41		
A_55_P1953788	7.96E-05	8.40	Itk	IL2-inducible T-cell kinase
A_51_P420400	0.000403	8.40	Lef1	lymphoid enhancer binding factor 1
A_55_P1962304	1.52E-05	8.39	Plac8	placenta-specific 8
A_55_P2077958	0.000142	8.38	Klra5	killer cell lectin-like receptor, subfamily A, member 5
A_55_P2378486	0.001345	8.38	Kcna1	potassium large conductance calcium-activated channel, subfamily M, alpha member 1
A_30_P01019306	1.44E-07	8.37		
A_51_P495242	0.000141	8.36	Lat	linker for activation of T cells
A_30_P01021678	9.15E-07	8.35		
A_52_P458000	3.56E-05	8.34	AI467606	expressed sequence AI467606
A_52_P232580	8.24E-07	8.33	Dyrk3	dual-specificity tyrosine-(Y)-phosphorylation regulated kinase 3
A_55_P2090505	9.58E-07	8.33		
A_51_P123134	0.000593	8.33	Ercc6l	excision repair cross-complementing rodent repair deficiency complementation group 6 - like
A_30_P01023340	3.80E-07	8.32		
A_52_P604629	9.55E-06	8.31	Csrp1	cysteine-serine-rich nuclear protein 1
A_66_P108965	1.31E-05	8.31	Smpd3b	sphingomyelin phosphodiesterase, acid-like 3B
A_66_P126336	1.05E-06	8.30	4930563M20RIK	RIKEN cDNA 4930563M20 gene
A_51_P130727	0.00022	8.30	Fkbp11	FK506 binding protein 11
A_30_P01029022	0.000295	8.30		
A_52_P354823	0.000538	8.29	Irf8	interferon regulatory factor 8
A_30_P01028377	9.45E-08	8.29		
A_55_P2091193	1.71E-05	8.28		
A_55_P1971076	1.68E-05	8.27	Atp11a	ATPase, class VI, type 11A
A_55_P2023542	0.000785	8.26	Ccr7	chemokine (C-C motif) receptor 7
A_30_P01017898	4.24E-08	8.26		
A_30_P01024706	2.04E-06	8.25		
A_55_P2117614	0.003958	8.25	Tnfrsf13c	tumor necrosis factor receptor superfamily, member 13c
A_55_P2103249	0.000599	8.25	Cxcr1	chemokine (C-X-C motif) receptor 1
A_55_P2430367	0.004007	8.24	Zbtb8b	zinc finger and BTB domain containing 8b
A_30_P01023737	2.64E-07	8.24		
A_55_P2154982	0.000185	8.23	Cd8b1	CD8 antigen, beta chain 1
A_30_P01021705	7.17E-07	8.22		
A_55_P2117677	4.05E-07	8.21		
A_55_P2158990	2.96E-06	8.21	Jun	Jun oncogene
A_51_P325856	1.01E-05	8.21	1810033B17RIK	RIKEN cDNA 1810033B17 gene
A_55_P1971619	2.85E-05	8.21		
A_55_P2098971	0.000195	8.20	Gm14085	predicted gene 14085
A_55_P1953353	0.000575	8.20	Triobp	TRIO and F-actin binding protein
A_55_P2124319	1.28E-07	8.20		
A_55_P2003048	0.000732	8.19		
A_55_P2158592	3.59E-05	8.18	Sirpb1a	signal-regulatory protein beta 1A
A_55_P1955103	1.54E-05	8.17		
A_51_P208680	2.06E-05	8.16	Chtf18	CTF18, chromosome transmission fidelity factor 18 homolog (S. cerevisiae)
A_51_P125135	0.000104	8.16	Cdca5	cell division cycle associated 5
A_55_P2056205	3.93E-06	8.15	Fpr3	formyl peptide receptor 3
A_55_P2108773	5.05E-05	8.15	4930427A07RIK	RIKEN cDNA 4930427A07 gene
A_51_P123134	1.56E-06	8.14	Ercc6l	excision repair cross-complementing rodent repair deficiency complementation group 6 - like
A_52_P330214	1.97E-06	8.14	Fanca	Fanconi anemia, complementation group A
A_55_P2066505	0.000398	8.14	Mpo	myeloperoxidase
A_30_P01021913	3.90E-08	8.13		
A_52_P354373	0.000291	8.12	1190002F15RIK	RIKEN cDNA 1190002F15 gene
A_52_P291428	3.97E-05	8.12	Gm5458	predicted gene 5458
A_30_P01018204	5.87E-06	8.11		
A_55_P2053181	2.61E-05	8.10	Nefh	neurofilament, heavy polypeptide
A_55_P2186822	5.56E-08	8.08	Gm7896	predicted gene 7896
A_55_P1958227	3.57E-09	8.08		
A_55_P2095513	0.004131	8.08	Try5	trypsin 5
A_55_P2041868	0.000571	8.07	Ptafr	platelet-activating factor receptor
A_52_P628590	1.72E-06	8.07	Pvr	poliovirus receptor
A_55_P2017681	2.29E-05	8.06	C5ar1	complement component 5a receptor 1
A_55_P2038152	2.80E-07	8.05	Ankrd43	ankyrin repeat domain 43
A_51_P393305	3.98E-08	8.05	Sid1	SID1 transmembrane family, member 1
A_52_P403246	0.001914	8.05	B230217C12RIK	RIKEN cDNA B230217C12 gene
A_52_P443334	0.000458	8.05	Cd8a	CD8 antigen, alpha chain
A_52_P534583	0.002259	8.04	Ahsp	alpha hemoglobin stabilizing protein
A_55_P2143522	3.14E-07	8.02	Fstl3	folliculin-like 3
A_55_P1998416	7.61E-06	8.02	Ifi47	interferon gamma inducible protein 47
A_55_P2004547	0.000585	7.99	Klra6	killer cell lectin-like receptor, subfamily A, member 6
A_52_P322141	1.65E-05	7.96	Ccdc88b	coiled-coil domain containing 88B
A_66_P119034	3.47E-05	7.95	Pla2g7	phospholipase A2, group VII (platelet-activating factor acetylhydrolase, plasma)
A_55_P2052016	1.13E-05	7.95	Crispld2	cysteine-rich secretory protein LCCL domain containing 2
A_30_P01018343	4.79E-06	7.94		
A_51_P359603	1.29E-05	7.93	Itgb7	integrin beta 7
A_51_P285736	4.14E-05	7.91	Pdcd1	programmed cell death 1
A_51_P176156	5.50E-06	7.91	LOC100038947	signal-regulatory protein beta 1-like
A_51_P125135	0.000136	7.91	Cdca5	cell division cycle associated 5
A_51_P484880	1.87E-06	7.90	Bcl2l11	BCL2-like 11 (apoptosis facilitator)
A_51_P125135	0.00013	7.90	Cdca5	cell division cycle associated 5
A_52_P645410	7.85E-05	7.90	Apobec3	apolipoprotein B mRNA editing enzyme, catalytic polypeptide 3
A_51_P519791	4.31E-05	7.90	F630043A04RIK	RIKEN cDNA F630043A04 gene
A_52_P403484	9.86E-05	7.89	Ptpn2	protein tyrosine phosphatase, non-receptor type 2

A_30_P01023083	1.37E-05	7.88		
A_55_P2118570	2.36E-11	7.87	<b>Cd37</b>	CD37 antigen
A_55_P1977426	8.60E-06	7.86	<b>Oscar</b>	osteoclast associated receptor
A_30_P01028898	2.54E-07	7.84		
A_55_P2121697	1.19E-05	7.83		
A_30_P01022725	9.96E-06	7.82		
A_51_P483118	2.07E-07	7.81	<b>Hmga1</b>	high mobility group AT-hook 1
A_52_P496726	0.000305	7.81	<b>Rasd1</b>	RAS, dexamethasone-induced 1
A_55_P2034110	5.26E-08	7.80	<b>Tgm2</b>	transglutaminase 2, C polypeptide
A_55_P2034311	3.35E-05	7.79		
A_30_P01031203	1.08E-06	7.78		
A_55_P2153431	8.03E-05	7.78	<b>Ralgds</b>	ral guanine nucleotide dissociation stimulator
A_51_P126067	0.000288	7.77	<b>Cd2</b>	CD2 antigen
A_55_P2122075	7.69E-05	7.77	<b>Pdcd1lg2</b>	programmed cell death 1 ligand 2
A_52_P577384	2.64E-11	7.76	<b>Il18bp</b>	interleukin 18 binding protein
A_51_P125135	7.95E-05	7.75	<b>Cdca5</b>	cell division cycle associated 5
A_55_P1984566	0.000131	7.75		
A_52_P354123	8.76E-06	7.74	<b>Rhebl1</b>	Ras homolog enriched in brain like 1
A_30_P01020833	9.09E-07	7.74		
A_51_P493649	0.001535	7.74	<b>Sult1e1</b>	sulfotransferase family 1E, member 1
A_66_P109986	6.47E-05	7.73	<b>Cd33</b>	CD33 antigen
A_55_P1966194	2.03E-05	7.73	<b>Plek</b>	pleckstrin
A_52_P420466	5.04E-06	7.72	<b>Hist1h2ab</b>	histone cluster 1, H2ab
A_55_P1999715	0.000237	7.71		
A_55_P2163729	0.000774	7.70	<b>Fam18a</b>	family with sequence similarity 18, member A
A_55_P2418824	0.001452	7.70	<b>4930527F14Rik</b>	RIKEN cDNA 4930527F14 gene
A_55_P2051229	3.34E-05	7.70	<b>Gpr132</b>	G protein-coupled receptor 132
A_51_P103541	2.74E-07	7.69	<b>Cacna1s</b>	calcium channel, voltage-dependent, L type, alpha 1S subunit
A_55_P1955681	7.78E-05	7.69	<b>Chrm3</b>	cholinergic receptor, muscarinic 3, cardiac
A_55_P2382105	8.04E-06	7.69	<b>BC035044</b>	cDNA sequence BC035044
A_51_P125135	0.000101	7.68	<b>Cdca5</b>	cell division cycle associated 5
A_30_P01032083	2.49E-06	7.67		
A_51_P143200	9.39E-06	7.67	<b>Tcstv3</b>	2-cell-stage, variable group, member 3
A_55_P2028171	0.000187	7.66	<b>Dppa5a</b>	developmental pluripotency associated 5A
A_30_P01019130	1.07E-05	7.66		
A_51_P513530	0.001303	7.66	<b>Spag5</b>	sperm associated antigen 5
A_51_P291417	1.20E-06	7.65	<b>Thbd</b>	thrombomodulin
A_30_P01020285	0.005322	7.64		
A_52_P24308	1.28E-07	7.63	<b>Uchl1</b>	ubiquitin carboxy-terminal hydrolase L1
A_55_P2353853	3.94E-07	7.63	<b>4933402C06Rik</b>	RIKEN cDNA 4933402C06 gene
A_51_P125135	5.91E-05	7.63	<b>Cdca5</b>	cell division cycle associated 5
A_66_P109183	0.000176	7.62	<b>Apold1</b>	apolipoprotein L domain containing 1
A_51_P478172	0.000402	7.62		
A_51_P408227	0.000294	7.62	<b>9130017N09Rik</b>	RIKEN cDNA 9130017N09 gene
A_55_P2002968	6.25E-06	7.61	<b>Coro2a</b>	coronin, actin binding protein 2A
A_55_P2118794	8.36E-07	7.60	<b>Otop2</b>	otopetrin 2
A_51_P159610	8.67E-06	7.60	<b>Ccdc120</b>	coiled-coil domain containing 120
A_55_P2049398	4.10E-08	7.59	<b>1700013N18Rik</b>	ubiquitin-conjugating enzyme E2D 2 pseudogene
A_51_P481920	6.16E-05	7.58	<b>Ccna2</b>	cyclin A2
A_55_P1978424	5.91E-05	7.57	<b>Bcl2a1d</b>	B-cell leukemia/lymphoma 2 related protein A1d
A_55_P2244112	2.97E-06	7.56	<b>Amotl1</b>	angiomin-like 1
A_51_P514085	0.00012	7.56	<b>Mx2</b>	myxovirus (influenza virus) resistance 2
A_55_P2091191	4.41E-06	7.55	<b>Slc28a2</b>	solute carrier family 28 (sodium-coupled nucleoside transporter), member 2
A_55_P2048164	3.94E-05	7.55	<b>5730528L13Rik</b>	RIKEN cDNA 5730528L13 gene
A_55_P2073099	1.41E-05	7.54	<b>Trex1</b>	three prime repair exonuclease 1
A_51_P240453	0.000165	7.54	<b>Nusap1</b>	nucleolar and spindle associated protein 1
A_55_P1992884	1.12E-08	7.54		
A_55_P1998932	5.93E-05	7.52	<b>Tmem154</b>	transmembrane protein 154
A_55_P2104884	4.09E-06	7.52	<b>5430425K12Rik</b>	RIKEN cDNA 5430425K12 gene
A_51_P351015	0.000571	7.51	<b>Lta</b>	lymphotoxin A
A_55_P2143042	7.27E-06	7.49	<b>Gm8096</b>	3-phosphoglycerate dehydrogenase pseudogene
A_30_P01030726	1.61E-06	7.48		
A_55_P1969800	5.01E-06	7.48		
A_55_P2075213	2.57E-06	7.48	<b>Kbtbd11</b>	kelch repeat and BTB (POZ) domain containing 11
A_55_P2030938	0.000207	7.47	<b>Trim59</b>	tripartite motif-containing 59
A_51_P125135	0.000102	7.47	<b>Cdca5</b>	cell division cycle associated 5
A_51_P181286	0.000181	7.46	<b>Cd69</b>	CD69 antigen
A_51_P520306	0.001902	7.44	<b>Alox12</b>	arachidonate 12-lipoxygenase
A_51_P431046	0.000277	7.44	<b>St8sia3</b>	ST8 alpha-N-acetylneuraminidase alpha-2,8-sialyltransferase 3
A_51_P123134	0.002746	7.43	<b>Ercc6l</b>	excision repair cross-complementing rodent repair deficiency complementation group 6 - like
A_55_P2125059	6.73E-06	7.43		
A_66_P113749	0.000267	7.42	<b>Il2rg</b>	interleukin 2 receptor, gamma chain
A_30_P01019819	1.88E-06	7.41		
A_52_P559748	0.00045	7.41	<b>Hist1h2bq</b>	histone cluster 1, H2bq
A_55_P2114342	8.49E-07	7.41		
A_51_P215489	3.48E-08	7.40	<b>Slc37a1</b>	solute carrier family 37 (glycerol-3-phosphate transporter), member 1
A_30_P01033266	0.003955	7.40		
A_51_P238722	3.53E-06	7.39	<b>Cd93</b>	CD93 antigen
A_52_P522427	0.00011	7.38	<b>Hsh2d</b>	hematopoietic SH2 domain containing
A_52_P318073	6.71E-05	7.37		
A_55_P1994289	7.41E-05	7.37		
A_55_P1955159	1.61E-07	7.37	<b>4933415F23Rik</b>	RIKEN cDNA 4933415F23 gene
A_51_P489522	5.21E-05	7.36	<b>Ctla2b</b>	cytotoxic T lymphocyte-associated protein 2 beta
A_51_P126067	0.000511	7.36	<b>Cd2</b>	CD2 antigen
A_55_P2100194	0.002332	7.36		
A_30_P01023122	9.92E-08	7.35		
A_55_P2185905	3.18E-05	7.35	<b>Nrg4</b>	neuregulin 4
A_55_P2000943	5.46E-07	7.34	<b>Nrip3</b>	nuclear receptor interacting protein 3
A_55_P2159870	5.40E-05	7.34	<b>Tead4</b>	TEA domain family member 4
A_51_P253803	4.55E-05	7.33	<b>Mki67</b>	antigen identified by monoclonal antibody Ki 67
A_30_P01018018	3.23E-06	7.33		
A_30_P01029642	7.73E-08	7.32		
A_55_P2022519	0.000941	7.32	<b>Tmem108</b>	transmembrane protein 108
A_51_P317031	3.04E-05	7.32	<b>Ccdc109b</b>	coiled-coil domain containing 109B
A_51_P508959	3.23E-05	7.32	<b>Prr15</b>	proline rich 15

A_51_P288138	0.000482	7.32	Fpr2	formyl peptide receptor 2
A_55_P2168736	1.21E-05	7.29	Relb	avian reticuloendotheliosis viral (v-rel) oncogene related B
A_55_P2127672	1.77E-08	7.28		
A_51_P190111	2.59E-05	7.28	Mcm5	minichromosome maintenance deficient 5, cell division cycle 46 (S. cerevisiae)
A_52_P567228	1.04E-05	7.28	Cyp2w1	cytochrome P450, family 2, subfamily w, polypeptide 1
A_30_P01025287	0.000201	7.28		
A_55_P2076048	0.000941	7.27	Nuf2	NUF2, NDC80 kinetochore complex component, homolog (S. cerevisiae)
A_55_P1966721	0.000142	7.26	9930105H17Rik	RIKEN cDNA 9930105H17 gene
A_51_P159503	9.48E-06	7.26		
A_30_P01022169	2.50E-05	7.25		
A_55_P2185667	3.48E-06	7.25		
A_66_P120380	1.31E-05	7.25	Apol10b	apolipoprotein L 10b
A_30_P01020683	1.42E-07	7.24		
A_55_P2065671	0.000104	7.24	Ccnb1	cyclin B1
A_52_P200458	6.70E-06	7.24	Fut4	fucosyltransferase 4
A_51_P260740	4.14E-05	7.24	Pcdh7	protocadherin 7
A_51_P123134	1.12E-07	7.23	Ercc6l	excision repair cross-complementing rodent repair deficiency complementation group 6 - like
A_52_P275259	2.75E-05	7.23	4930525M21Rik	RIKEN cDNA 4930525M21 gene
A_51_P209818	0.000478	7.22	Prtn3	proteinase 3
A_55_P1999102	6.58E-08	7.22	PI16	peptidase inhibitor 16
A_55_P2037662	6.86E-05	7.21	Atp1a3	ATPase, Na+/K+ transporting, alpha 3 polypeptide
A_55_P1960237	0.000323	7.21	Slc2a6	solute carrier family 2 (facilitated glucose transporter), member 6
A_55_P2063336	5.02E-05	7.19	4930427A07Rik	RIKEN cDNA 4930427A07 gene
A_55_P2070059	6.43E-05	7.18		
A_55_P2071291	0.000193	7.18		
A_55_P2013236	0.00019	7.17	S100g	S100 calcium binding protein G
A_51_P444447	9.58E-05	7.16	Cebpd	CCAAT/enhancer binding protein (C/EBP), delta
A_52_P517098	9.71E-05	7.16	Il18rap	interleukin 18 receptor accessory protein
A_51_P270949	2.35E-05	7.16	Hist1h1b	histone cluster 1, H1b
A_52_P220879	5.51E-07	7.14	Tgm2	transglutaminase 2, C polypeptide
A_55_P2115270	0.002736	7.14		
A_51_P177092	5.43E-06	7.14	Stat4	signal transducer and activator of transcription 4
A_51_P111962	1.14E-05	7.13	Bean1	brain expressed, associated with Nedd4, 1
A_51_P171772	0.000739	7.12	Bcl11b	B-cell leukemia/lymphoma 11B
A_30_P01032002	4.14E-08	7.12		
A_55_P1999992	1.23E-05	7.11	Galnt12	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 12
A_55_P2361652	6.04E-05	7.10	C230085N15Rik	RIKEN cDNA C230085N15 gene
A_55_P1979330	1.04E-05	7.07	Dapp1	dual adaptor for phosphotyrosine and 3-phosphoinositides 1
A_55_P2099910	0.000278	7.07	F730043M19Rik	RIKEN cDNA F730043M19 gene
A_51_P125056	2.64E-06	7.07	Oxct2a	3-oxoacid CoA transferase 2A
A_51_P351015	0.000979	7.07	Lta	lymphotoxin A
A_55_P2073377	2.11E-05	7.06	Mkl67	antigen identified by monoclonal antibody Ki 67
A_30_P01033599	2.85E-07	7.06		
A_55_P2067583	0.000127	7.06	Cd68	CD68 antigen
A_51_P351015	0.001472	7.05	Lta	lymphotoxin A
A_30_P01022005	2.92E-06	7.05		
A_30_P01030985	0.000395	7.05		
A_55_P2148746	1.08E-06	7.04	Ptma	prothymosin alpha
A_55_P2171658	7.64E-06	7.04	Stx3	syntaxin 3
A_51_P126067	0.001457	7.04	Cd2	CD2 antigen
A_30_P01028787	4.30E-05	7.04		
A_51_P123134	1.99E-05	7.03	Ercc6l	excision repair cross-complementing rodent repair deficiency complementation group 6 - like
A_55_P2163549	4.93E-06	7.03		
A_55_P2174633	1.63E-07	7.03		
A_55_P2049867	0.00033	7.03	Ccr12	chemokine (C-C motif) receptor-like 2
A_51_P448127	3.33E-06	7.02	2410004A20Rik	RIKEN cDNA 2410004A20 gene
A_55_P2137325	3.04E-07	7.01		
A_66_P129263	0.000187	7.01	Lekr1	leucine, glutamate and lysine rich 1
A_55_P1956147	0.000546	7.00	B4galnt2	beta-1,4-N-acetyl-galactosaminyl transferase 2
A_30_P01025944	2.06E-07	6.99		
A_52_P445253	1.06E-06	6.97	Dst	dystonin
A_51_P194609	6.86E-07	6.97	Prss34	protease, serine, 34
A_51_P481693	0.000379	6.97	Ero1l	ERO1-like (S. cerevisiae)
A_55_P2134616	1.73E-06	6.97		
A_30_P01027276	2.34E-07	6.96		
A_51_P148105	1.62E-05	6.96	Rad51	RAD51 homolog (S. cerevisiae)
A_30_P01019079	2.26E-06	6.96		
A_55_P1958038	1.11E-05	6.96	Klra16	killer cell lectin-like receptor, subfamily A, member 16
A_52_P359257	9.12E-05	6.95	5830408C22Rik	RIKEN cDNA 5830408C22 gene
A_30_P01026125	1.78E-05	6.95		
A_66_P125389	3.26E-05	6.93	F830016B08Rik	RIKEN cDNA F830016B08 gene
A_55_P2290914	0.000203	6.93	Trav3n-3	T cell receptor alpha variable 3N-3
A_30_P01032467	0.000105	6.93		
A_55_P2056719	9.76E-07	6.93	AF067061	cDNA sequence AF067061
A_51_P424959	0.000108	6.92	Bcl6b	B-cell CLL/lymphoma 6, member B
A_55_P2042833	0.005066	6.92		
A_52_P300730	9.88E-06	6.91	Hmga2	high mobility group AT-hook 2
A_51_P351015	0.000129	6.91	Lta	lymphotoxin A
A_55_P2164492	5.64E-05	6.90		
A_30_P01023429	0.000108	6.90		
A_66_P108603	0.001237	6.89	E030018B13Rik	RIKEN cDNA E030018B13 gene
A_51_P451346	9.34E-08	6.89	Klf6	Kruppel-like factor 6
A_30_P01023590	3.16E-06	6.89		
A_51_P111532	2.28E-05	6.88	Ubash3a	ubiquitin associated and SH3 domain containing, A
A_52_P654703	3.85E-05	6.88	Trim69	tripartite motif-containing 69
A_51_P367866	1.97E-05	6.88	Egr1	early growth response 1
A_55_P1994862	4.25E-06	6.88	Ddx60	DEAD (Asp-Glu-Ala-Asp) box polypeptide 60
A_30_P01024151	4.72E-06	6.86		
A_55_P1956488	5.90E-07	6.86	Epb4.9	erythrocyte protein band 4.9
A_55_P2179463	0.000243	6.86	Tnfsf8	tumor necrosis factor (ligand) superfamily, member 8
A_66_P108088	1.68E-07	6.85		
A_51_P126067	0.000624	6.85	Cd2	CD2 antigen
A_55_P2123502	0.000127	6.85	Jam2	junction adhesion molecule 2
A_51_P363947	8.62E-09	6.84	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_55_P1988975	7.04E-06	6.84		

A_30_P01027393	4.40E-08	6.84		
A_51_P418116	0.000388	6.84	<b>Tmem119</b>	transmembrane protein 119
A_51_P125135	0.000108	6.84	<b>Cdca5</b>	cell division cycle associated 5
A_66_P128761	0.000386	6.84	<b>Pydc3</b>	pyrin domain containing 3
A_51_P199168	0.0021	6.83	<b>Cidea</b>	cell death-inducing DNA fragmentation factor, alpha subunit-like effector A
A_55_P1971378	0.000193	6.83	<b>Nlrp12</b>	NLR family, pyrin domain containing 12
A_55_P2036627	0.000107	6.83	<b>Pydc3</b>	pyrin domain containing 3
A_66_P119518	0.000195	6.82	<b>Tuba8</b>	tubulin, alpha 8
A_55_P2266178	2.01E-05	6.82	<b>AI790276</b>	expressed sequence AI790276
A_55_P2059110	0.00023	6.81	<b>Skap1</b>	src family associated phosphoprotein 1
A_55_P1974005	9.05E-08	6.80	<b>Tnfrsf23</b>	tumor necrosis factor receptor superfamily, member 23
A_51_P123134	3.01E-05	6.80	<b>Ercc6l</b>	excision repair cross-complementing rodent repair deficiency complementation group 6 - like
A_52_P297176	5.13E-06	6.79		
A_55_P2166501	4.75E-05	6.79	<b>Cd44</b>	CD44 antigen
A_55_P2066578	1.76E-05	6.79	<b>Ifi204</b>	interferon activated gene 204
A_55_P2048588	5.79E-05	6.79	<b>Cdk1</b>	cyclin-dependent kinase 1
A_51_P126067	0.000945	6.79	<b>Cd2</b>	CD2 antigen
A_30_P01030356	1.20E-05	6.78		
A_55_P2033041	1.20E-05	6.77	<b>Sirpb1b</b>	signal-regulatory protein beta 1B
A_55_P2097384	0.001185	6.77	<b>ENSMUSG00000068</b>	predicted gene, ENSMUSG00000068790
A_51_P421876	1.82E-05	6.76	<b>Irf7</b>	interferon regulatory factor 7
A_30_P01025923	9.95E-07	6.76		
A_51_P263965	2.59E-05	6.75	<b>Hmox1</b>	heme oxygenase (decycling) 1
A_55_P1952256	0.000576	6.74	<b>Ccnb1</b>	cyclin B1
A_55_P1961395	0.000226	6.73	<b>Pdpn</b>	podoplanin
A_55_P1970274	7.84E-06	6.73	<b>Zscan10</b>	zinc finger and SCAN domain containing 10
A_30_P01028150	5.39E-05	6.73		
A_55_P2175180	0.00377	6.73	<b>Gm2379</b>	predicted gene 2379
A_51_P143893	2.62E-05	6.72	<b>Steap4</b>	STEAP family member 4
A_55_P2002963	6.44E-05	6.72	<b>Coro1a</b>	coronin, actin binding protein 1A
A_55_P2152364	2.14E-06	6.72		
A_55_P2084308	5.44E-07	6.71	<b>Nid1</b>	nidogen 1
A_55_P1983448	0.000152	6.71	<b>S100a4</b>	S100 calcium binding protein A4
A_55_P2080016	3.57E-05	6.71	<b>Gm10649</b>	predicted gene 10649
A_30_P01018827	1.45E-05	6.71		
A_55_P2319468	1.83E-06	6.70	<b>9430076C15Rik</b>	RIKEN cDNA 9430076C15 gene
A_55_P2186648	1.22E-05	6.70	<b>Bard1</b>	BRCA1 associated RING domain 1
A_30_P01023338	0.0001	6.70		
A_52_P61697	0.001195	6.70	<b>9930111J21Rik2</b>	RIKEN cDNA 9930111J21 gene 2
A_51_P351015	0.001013	6.69	<b>Lta</b>	lymphotoxin A
A_55_P1954034	0.000885	6.69	<b>Jaknlp1</b>	janus kinase and microtubule interacting protein 1
A_30_P01017912	9.64E-07	6.69		
A_66_P126313	0.000153	6.68	<b>Rhof</b>	ras homolog gene family, member f
A_30_P01023832	8.58E-05	6.68		
A_51_P511015	0.000431	6.68	<b>Fzd9</b>	frizzled homolog 9 (Drosophila)
A_55_P2178818	1.30E-05	6.68	<b>Itk</b>	IL2-inducible T-cell kinase
A_55_P2188862	9.73E-06	6.68	<b>C030034E14Rik</b>	RIKEN cDNA C030034E14 gene
A_55_P2077313	4.18E-07	6.67	<b>Ddr1</b>	discoidin domain receptor family, member 1
A_55_P2088033	0.001371	6.67	<b>Gm6904</b>	predicted gene 6904
A_52_P16873	7.41E-05	6.67	<b>Rasal3</b>	RAS protein activator like 3
A_55_P2168321	3.88E-08	6.66		
A_55_P2007601	0.003219	6.66	<b>Sftpd</b>	surfactant associated protein D
A_55_P2042486	0.00034	6.66	<b>Dpysl3</b>	dihydropyrimidinase-like 3
A_30_P01021300	6.38E-08	6.66		
A_55_P1952900	6.68E-06	6.66	<b>Gm833</b>	predicted gene 833
A_30_P01018299	9.63E-08	6.65		
A_55_P1994290	0.000107	6.65		
A_52_P514061	6.53E-05	6.65	<b>Pad14</b>	peptidyl arginine deiminase, type IV
A_55_P2148370	1.31E-05	6.65		
A_55_P2212733	6.86E-05	6.64	<b>C80012</b>	expressed sequence C80012
A_55_P2113498	9.32E-06	6.64	<b>Klrd1</b>	killer cell lectin-like receptor, subfamily D, member 1
A_51_P114616	2.25E-05	6.64	<b>Batf</b>	basic leucine zipper transcription factor, ATF-like
A_52_P638459	0.00013	6.64	<b>Ccl5</b>	chemokine (C-C motif) ligand 5
A_51_P111532	2.52E-05	6.62	<b>Ubash3a</b>	ubiquitin associated and SH3 domain containing, A
A_55_P2040485	0.000101	6.62	<b>Ms4a4a</b>	membrane-spanning 4-domains, subfamily A, member 4A
A_51_P281089	3.58E-05	6.62	<b>S100a6</b>	S100 calcium binding protein A6 (calcyclin)
A_51_P389636	0.000129	6.61	<b>Kcnn4</b>	potassium intermediate/small conductance calcium-activated channel, subfamily N, member 4
A_52_P496924	0.000118	6.61	<b>Mgat4a</b>	mannoside acetylglucosaminyltransferase 4, isoenzyme A
A_51_P424722	1.43E-05	6.60	<b>Wdr54</b>	WD repeat domain 54
A_30_P01021597	3.90E-05	6.60		
A_30_P01021222	1.04E-07	6.59		
A_55_P1994309	5.66E-07	6.59	<b>Ptgir</b>	prostaglandin I receptor (IP)
A_51_P363947	1.49E-08	6.58	<b>Cdkn1a</b>	cyclin-dependent kinase inhibitor 1A (P21)
A_51_P126067	0.001134	6.58	<b>Cd2</b>	CD2 antigen
A_55_P2015122	4.04E-05	6.57		
A_51_P120589	0.000647	6.57	<b>Olf181</b>	olfactory receptor 181
A_52_P117408	0.000235	6.57	<b>Tg</b>	thyroglobulin
A_30_P01024078	5.59E-06	6.56		
A_52_P117393	5.52E-05	6.55	<b>Tlr6</b>	toll-like receptor 6
A_55_P1972322	0.000433	6.55	<b>Btg3</b>	B-cell translocation gene 3
A_51_P521052	0.000986	6.54	<b>Ly6k</b>	lymphocyte antigen 6 complex, locus K
A_51_P363947	1.27E-08	6.54	<b>Cdkn1a</b>	cyclin-dependent kinase inhibitor 1A (P21)
A_52_P308875	0.000213	6.53		
A_55_P2011026	0.000143	6.52	<b>Zfp296</b>	zinc finger protein 296
A_51_P447866	0.000227	6.52	<b>Sash3</b>	SAM and SH3 domain containing 3
A_52_P594756	4.36E-05	6.52	<b>Asb4</b>	ankyrin repeat and SOCS box-containing 4
A_51_P473498	2.16E-05	6.52	<b>Gpr171</b>	G protein-coupled receptor 171
A_65_P13459	0.0007	6.50	<b>Cd300lb</b>	CD300 antigen like family member B
A_55_P1970536	4.50E-08	6.50		
A_51_P372550	5.89E-05	6.50	<b>Cgref1</b>	cell growth regulator with EF hand domain 1
A_55_P1989663	2.29E-05	6.50	<b>Slco3a1</b>	solute carrier organic anion transporter family, member 3a1
A_55_P2064333	0.004162	6.49	<b>Lama3</b>	laminin, alpha 3
A_55_P1971074	7.92E-06	6.49	<b>Atp11a</b>	ATPase, class VI, type 11A
A_52_P353905	0.002066	6.48	<b>Fam83a</b>	family with sequence similarity 83, member A
A_55_P2029558	0.00104	6.48	<b>Adrb2</b>	adrenergic receptor, beta 2

A_55_P2058928	0.000196	6.48	Ralgds	ral guanine nucleotide dissociation stimulator
A_30_P01021884	5.19E-05	6.48		
A_30_P01021252	8.65E-10	6.48		
A_55_P1988083	3.23E-06	6.47	Prc1	protein regulator of cytokinesis 1
A_51_P454217	2.25E-06	6.47	Nfkb2	nuclear factor of kappa light polypeptide gene enhancer in B-cells 2, p49/p100
A_55_P2062469	0.000465	6.47	Col12a1	collagen, type XII, alpha 1
A_51_P150120	3.81E-05	6.47	Mgst2	microsomal glutathione S-transferase 2
A_55_P2164694	3.59E-06	6.46		
A_55_P2070546	2.43E-05	6.45	1700037C18RIK	RIKEN cDNA 1700037C18 gene
A_51_P487999	0.00021	6.45	Sgol1	shugoshin-like 1 (S. pombe)
A_51_P345367	4.72E-06	6.45	Psmb8	proteasome (prosome, macropain) subunit, beta type 8 (large multifunctional peptidase 7)
A_55_P2006250	2.66E-07	6.45	Myo5a	myosin VA
A_51_P491987	5.50E-05	6.45	Ripk3	receptor-interacting serine-threonine kinase 3
A_66_P113262	3.19E-06	6.45	Galnt14	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 14
A_55_P1970454	2.09E-06	6.45		
A_55_P2038757	1.33E-07	6.44	Fblim1	filamin binding LIM protein 1
A_30_P01018521	2.54E-05	6.44		
A_55_P2127179	7.43E-08	6.44		
A_30_P01018415	1.06E-05	6.44		
A_30_P01023224	1.41E-07	6.44		
A_30_P01017679	1.32E-08	6.42		
A_51_P363947	1.89E-08	6.42	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_55_P2076057	1.22E-08	6.42	Hmga1	high mobility group AT-hook 1
A_55_P2072906	1.72E-10	6.41	Gm6788	predicted gene 6788
A_55_P2007495	8.31E-06	6.41		
A_30_P01018941	5.69E-05	6.41		
A_55_P2044684	1.56E-06	6.41	Rsph1	radial spoke head 1 homolog (Chlamydomonas)
A_51_P164014	1.73E-05	6.41	Cenpe	centromere protein E
A_30_P01026655	3.79E-05	6.40		
A_51_P146149	1.20E-05	6.39	Napsa	napsin A aspartic peptidase
A_55_P2139713	0.000935	6.39	Phf13	PHD finger protein 13
A_55_P2111163	9.79E-05	6.38	S100g	S100 calcium binding protein G
A_52_P150547	0.001878	6.38	Cd8a	CD8 antigen, alpha chain
A_55_P1979684	1.91E-06	6.38	Rhoc	ras homolog gene family, member C
A_51_P363947	6.28E-09	6.38	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_55_P2072115	0.000204	6.38	AW011738	expressed sequence AW011738
A_66_P135986	4.83E-06	6.37		
A_51_P430766	0.002253	6.37	Il10	interleukin 10
A_52_P460929	1.20E-10	6.37	BC048507	cDNA sequence BC048507
A_51_P444954	0.004926	6.37	Serpina5	serine (or cysteine) peptidase inhibitor, clade A, member 5
A_55_P2050439	0.00105	6.37	Dlgap5	discs, large (Drosophila) homolog-associated protein 5
A_51_P363947	5.20E-09	6.37	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_55_P2064984	0.00027	6.37	Cenpi	centromere protein I
A_51_P363947	1.18E-08	6.37	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_51_P363947	4.91E-09	6.36	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_51_P354165	5.71E-08	6.35	Apcs	serum amyloid P-component
A_52_P239086	0.000696	6.34	Apol10a	apolipoprotein L 10a
A_55_P2006722	0.001465	6.34	Cxcl17	chemokine (C-X-C motif) ligand 17
A_55_P2032081	5.19E-05	6.34	Dbp	D site albumin promoter binding protein
A_30_P01027543	6.65E-05	6.33		
A_55_P2182437	1.19E-06	6.33		
A_30_P01032120	4.97E-05	6.32		
A_52_P46085	7.14E-07	6.32	Mvp	major vault protein
A_30_P01025047	0.000332	6.32		
A_30_P01020152	5.03E-05	6.32		
A_51_P363947	2.67E-08	6.31	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_66_P114335	1.70E-06	6.31	Olf1168	olfactory receptor 1168
A_55_P2422164	0.000555	6.30	C130093G08RIK	RIKEN cDNA C130093G08 gene
A_51_P451151	6.97E-05	6.29	Ube2c	ubiquitin-conjugating enzyme E2C
A_30_P01017894	7.70E-05	6.29		
A_51_P122246	8.11E-08	6.29	Creld2	cysteine-rich with EGF-like domains 2
A_55_P2129469	1.02E-06	6.29		
A_55_P2072771	0.000201	6.28	Cd3g	CD3 antigen, gamma polypeptide
A_66_P128525	3.06E-05	6.28	Slnf5	schlafen 5
A_55_P1958140	1.10E-05	6.27	B9d1	B9 protein domain 1
A_55_P2029746	1.38E-07	6.27		
A_52_P658437	9.75E-05	6.27	Espl1	extra spindle poles-like 1 (S. cerevisiae)
A_30_P01023738	0.00075	6.26		
A_51_P369803	9.35E-06	6.26	Psmb9	proteasome (prosome, macropain) subunit, beta type 9 (large multifunctional peptidase 2)
A_55_P2062108	1.79E-06	6.25	Apold1	apolipoprotein L domain containing 1
A_51_P421140	7.60E-08	6.24	Tubb6	tubulin, beta 6
A_51_P363947	3.16E-08	6.24	Cdkn1a	cyclin-dependent kinase inhibitor 1A (P21)
A_52_P533146	4.83E-07	6.24	Ddit3	DNA-damage inducible transcript 3
A_51_P212782	0.000789	6.24	Il1b	interleukin 1 beta
A_51_P122246	4.05E-07	6.23	Creld2	cysteine-rich with EGF-like domains 2
A_55_P2147712	0.001342	6.23	Ctla4	cytotoxic T-lymphocyte-associated protein 4
A_51_P114616	2.07E-05	6.22	Batf	basic leucine zipper transcription factor, ATF-like
A_30_P01023358	1.65E-06	6.22		
A_55_P2124871	4.42E-07	6.22	Npw	neuropeptide W
A_55_P1961943	0.000324	6.21		
A_55_P2115713	1.44E-06	6.21	Nid1	nidogen 1
A_55_P2142858	1.75E-05	6.21		
A_52_P223809	0.000131	6.20	Dhx58	DEXH (Asp-Glu-X-His) box polypeptide 58
A_51_P126437	7.28E-07	6.20	Enc1	ectodermal-neural cortex 1
A_55_P2023607	8.79E-06	6.20		
A_55_P2029420	3.30E-05	6.20	2610318N02RIK	RIKEN cDNA 2610318N02 gene
A_55_P1999389	0.000172	6.20	1500009C09RIK	RIKEN cDNA 1500009C09 gene
A_55_P2156638	4.34E-05	6.18	Gpr114	G protein-coupled receptor 114
A_51_P114616	9.10E-06	6.18	Batf	basic leucine zipper transcription factor, ATF-like
A_51_P126437	4.68E-07	6.18	Enc1	ectodermal-neural cortex 1
A_55_P2113256	0.000115	6.18	Parp11	poly (ADP-ribose) polymerase family, member 11
A_55_P2054437	5.17E-05	6.18	Ttpal	tocopherol (alpha) transfer protein-like
A_55_P2118784	2.74E-06	6.17	Rcor2	REST corepressor 2
A_51_P114616	4.29E-05	6.17	Batf	basic leucine zipper transcription factor, ATF-like
A_51_P194249	5.63E-05	6.17	Stmn4	stathmin-like 4

A_51_P122246	5.33E-08	6.17	Creld2	cysteine-rich with EGF-like domains 2
A_55_P2120155	0.0001	6.17	Ccdc88b	coiled-coil domain containing 88B
A_55_P2119035	1.65E-05	6.17		
A_55_P2070492	1.04E-05	6.17	Vmn2r59	vomeronal 2, receptor 59
A_52_P104961	2.59E-08	6.16		
A_55_P2044433	3.08E-09	6.16	LOC100504017	hypothetical LOC100504017
A_66_P116077	0.000846	6.16	2410088K16Rik	RIKEN cDNA 2410088K16 gene
A_55_P2091831	1.73E-07	6.16	Krtap1-4	keratin associated protein 1-4
A_30_P01019827	3.42E-06	6.16		
A_66_P108451	0.004022	6.16		
A_55_P2011051	7.17E-08	6.15	Pa2g4	proliferation-associated 2G4
A_55_P2035757	0.000208	6.15	Gm8884	predicted gene 8884
A_55_P2170349	5.18E-07	6.14	Klra22	killer cell lectin-like receptor subfamily A, member 22
A_66_P130560	4.96E-06	6.14		
A_66_P138212	0.000354	6.13	Dock2	dedicator of cyto-kinesis 2
A_55_P1984362	0.003892	6.13		
A_55_P2092153	0.000109	6.13		
A_51_P303424	0.000349	6.12	Itgax	integrin alpha X
A_55_P2090194	5.86E-06	6.12	Plp2	proteolipid protein 2
A_55_P2068607	7.15E-06	6.12	Rnf19b	ring finger protein 19B
A_55_P1981994	3.85E-05	6.11	Krt17	keratin 17
A_51_P126437	1.82E-06	6.10	Enc1	ectodermal-neural cortex 1
A_55_P2050526	8.77E-06	6.10		
A_51_P146044	1.07E-05	6.09	Ccdc92	coiled-coil domain containing 92
A_55_P2019719	0.000377	6.09	Oas2	2'-5' oligoadenylate synthetase 2
A_55_P2105152	0.00015	6.09	Trim59	tripartite motif-containing 59
A_30_P01030211	0.001423	6.09		
A_51_P126437	2.04E-07	6.09	Enc1	ectodermal-neural cortex 1
A_55_P2051566	0.000187	6.08		
A_30_P01031408	0.006566	6.07		
A_30_P01033179	8.61E-09	6.06		
A_51_P141546	2.75E-09	6.06	Orm2	orosomucoid 2
A_55_P2087900	5.05E-07	6.06		
A_51_P122246	3.45E-07	6.06	Creld2	cysteine-rich with EGF-like domains 2
A_30_P01022299	0.00096	6.06		
A_51_P294643	5.33E-05	6.05	Cdr2	cerebellar degeneration-related 2
A_51_P122246	3.28E-07	6.05	Creld2	cysteine-rich with EGF-like domains 2
A_55_P2033725	1.85E-06	6.04	Ascl2	achaete-scute complex homolog 2 (Drosophila)
A_55_P2019699	3.00E-05	6.04	Samhd1	SAM domain and HD domain, 1
A_51_P425847	9.13E-05	6.04	Ulbp1	UL16 binding protein 1
A_55_P1966731	5.45E-05	6.04	Ifi203	interferon activated gene 203
A_55_P2103811	3.63E-07	6.04		
A_55_P2101191	0.000171	6.04	Arrdc4	arrestin domain containing 4
A_30_P01025137	2.14E-05	6.03		
A_55_P1979498	0.00014	6.02		
A_30_P01024464	8.88E-06	6.02		
A_30_P01028177	3.79E-05	6.02		
A_51_P161315	8.54E-06	6.02	4930448F12Rik	RIKEN cDNA 4930448F12 gene
A_51_P150302	0.000577	6.01	Crtam	cytotoxic and regulatory T cell molecule
A_30_P01029964	2.95E-06	6.01		
A_55_P1962503	0.000569	6.00	Nup62cl	nucleoporin 62 C-terminal like
A_66_P100853	1.31E-05	6.00		
A_51_P126437	4.27E-07	5.99	Enc1	ectodermal-neural cortex 1
A_55_P2085776	1.46E-07	5.99	Ifi272b	interferon, alpha-inducible protein 27 like 2B
A_55_P2014249	1.48E-05	5.98	Sema3a	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3A
A_55_P2005525	3.48E-07	5.97	Krtap12-1	keratin associated protein 12-1
A_51_P122246	6.66E-07	5.97	Creld2	cysteine-rich with EGF-like domains 2
A_51_P114616	1.49E-05	5.97	Batf	basic leucine zipper transcription factor, ATF-like
A_51_P240801	9.74E-06	5.96	Tmem173	transmembrane protein 173
A_55_P2066697	8.61E-06	5.96	Trim47	tripartite motif-containing 47
A_51_P377179	1.97E-05	5.96	1700018A14Rik	RIKEN cDNA 1700018A14 gene
A_55_P1977929	1.82E-05	5.96	Itgam	integrin alpha M
A_51_P114616	1.30E-05	5.96	Batf	basic leucine zipper transcription factor, ATF-like
A_51_P126437	7.40E-07	5.96	Enc1	ectodermal-neural cortex 1
A_55_P2082688	8.65E-07	5.96	Ak1	adenylate kinase 1
A_66_P133148	0.000473	5.96	Aoah	acyloxyacyl hydrolase
A_51_P230624	2.01E-07	5.95	2010109K11Rik	RIKEN cDNA 2010109K11 gene
A_51_P495730	3.60E-07	5.95	1700049L16Rik	hematological and neurological expressed 1-like pseudogene
A_51_P122246	1.45E-07	5.95	Creld2	cysteine-rich with EGF-like domains 2
A_55_P2088720	6.01E-07	5.94		
A_55_P2022631	1.76E-07	5.94	Oxct2b	3-oxoacid CoA transferase 2B
A_51_P122246	4.88E-07	5.94	Creld2	cysteine-rich with EGF-like domains 2
A_55_P2004016	1.49E-05	5.94	Crispld2	cysteine-rich secretory protein LCCL domain containing 2
A_51_P234956	0.000549	5.94	Xcl1	chemokine (C motif) ligand 1
A_51_P297925	1.18E-05	5.93	Zc3h12a	zinc finger CCCH type containing 12A
A_55_P1975560	3.61E-05	5.93	Ifi204	interferon activated gene 204
A_30_P01032739	3.89E-05	5.92		
A_51_P122246	3.67E-07	5.92	Creld2	cysteine-rich with EGF-like domains 2
A_55_P2144526	9.62E-07	5.91	Fam65b	family with sequence similarity 65, member B
A_51_P126437	6.56E-07	5.91	Enc1	ectodermal-neural cortex 1
A_55_P1965363	3.78E-06	5.91	Serpinb6e	serine (or cysteine) peptidase inhibitor, clade B, member 6e
A_30_P01032405	4.97E-05	5.90		
A_55_P1998631	2.08E-05	5.90	Capg	capping protein (actin filament), gelsolin-like
A_52_P511821	0.003222	5.90	Wdfy1	WD repeat and FYVE domain containing 1
A_51_P122246	2.52E-07	5.89	Creld2	cysteine-rich with EGF-like domains 2
A_55_P1960916	8.14E-06	5.89	Egln3	EGL nine homolog 3 (C. elegans)
A_55_P1974178	1.38E-05	5.89	Pyhin1	pyrin and HIN domain family, member 1
A_55_P1954608	1.85E-05	5.89	Lekr1	leucine, glutamate and lysine rich 1
A_51_P404110	0.000415	5.88	Fmn1	formin-like 1
A_30_P01019491	1.25E-05	5.88		
A_30_P01021838	5.69E-05	5.88		
A_51_P114616	2.53E-05	5.88	Batf	basic leucine zipper transcription factor, ATF-like
A_55_P2140212	9.59E-07	5.87		
A_30_P01026755	0.000396	5.87		
A_55_P2053988	7.09E-05	5.87	Epas1	endothelial PAS domain protein 1

A_51_P126437	6.98E-07	5.86	Enc1	ectodermal-neural cortex 1
A_51_P126437	3.01E-07	5.85	Enc1	ectodermal-neural cortex 1
A_55_P2049261	7.41E-05	5.85		
A_55_P2081432	2.51E-06	5.85		
A_30_P01019496	6.31E-06	5.85		
A_52_P499028	2.42E-05	5.85	9130008F23Rik	RIKEN cDNA 9130008F23 gene
A_52_P332788	0.000232	5.84	C130026I21Rik	RIKEN cDNA C130026I21 gene
A_52_P601688	5.08E-05	5.84	Abcc1	ATP-binding cassette, sub-family C (CFTR/MRP), member 1
A_30_P01019557	6.82E-08	5.84		
A_30_P01025491	1.85E-06	5.84		
A_30_P01018884	0.006117	5.82		
A_51_P114616	9.19E-06	5.82	Batf	basic leucine zipper transcription factor, ATF-like
A_55_P2089233	0.004591	5.82	Pou2af1	POU domain, class 2, associating factor 1
A_30_P01022496	2.25E-06	5.81		
A_30_P01021136	5.55E-07	5.81		
A_30_P01018824	3.97E-05	5.80		
A_55_P2091561	4.83E-05	5.80	Olf1r139	olfactory receptor 139
A_66_P103232	8.07E-07	5.80		
A_55_P1982733	6.49E-05	5.80	Dnajc5	DnaJ (Hsp40) homolog, subfamily C, member 5
A_30_P01018930	0.000204	5.80		
A_51_P351015	0.000522	5.80	Lta	lymphotoxin A
A_52_P527800	0.000355	5.80	Emilin2	elastin microfibril interfacier 2
A_55_P2103206	0.000131	5.79		
A_55_P2131433	3.81E-08	5.79		
A_30_P01024094	3.52E-05	5.78		
A_52_P672689	3.94E-06	5.78	Btc	betacellulin, epidermal growth factor family member
A_55_P2166049	0.00024	5.77	Vmn1r65	vomeroneasal 1 receptor 65
A_51_P330213	4.40E-05	5.77	Asf1b	ASF1 anti-silencing function 1 homolog B (S. cerevisiae)
A_30_P01018981	9.21E-06	5.77		
A_55_P2177911	1.81E-07	5.76	Lepr	leptin receptor
A_52_P29953	0.000403	5.76	6530418L21Rik	RIKEN cDNA 6530418L21 gene
A_55_P2086433	0.000597	5.75	Oasl1	2'-5' oligoadenylate synthetase-like 1
A_55_P2105843	1.03E-06	5.75		
A_55_P2034784	4.75E-06	5.75	9430008C03Rik	RIKEN cDNA 9430008C03 gene
A_55_P2152566	3.13E-06	5.74	Sp110	Sp110 nuclear body protein
A_30_P01022079	0.000211	5.74		
A_55_P1955015	4.15E-05	5.74	Myo1g	myosin IG
A_30_P01023930	0.000286	5.74		
A_30_P01018854	4.66E-06	5.74		
A_51_P346938	1.02E-07	5.74	Lrg1	leucine-rich alpha-2-glycoprotein 1
A_55_P2025937	1.63E-05	5.73		
A_51_P155142	4.80E-06	5.73	Cdca8	cell division cycle associated 8
A_30_P01018494	6.12E-05	5.73		
A_30_P01028791	4.56E-05	5.72		
A_55_P1956160	1.75E-08	5.72	Gm8909	predicted gene 8909
A_55_P1955308	1.12E-05	5.72	Sirpb1a	signal-regulatory protein beta 1A
A_30_P01027265	0.000348	5.72		
A_52_P411376	9.30E-05	5.71	Sptlc3	serine palmitoyltransferase, long chain base subunit 3
A_30_P01032495	0.00019	5.71		
A_51_P483324	0.000367	5.71	Ptpn22	protein tyrosine phosphatase, non-receptor type 22 (lymphoid)
A_30_P01031526	6.34E-05	5.70		
A_30_P01032220	3.14E-07	5.69		
A_51_P215887	1.41E-05	5.69	Aldh18a1	aldehyde dehydrogenase 18 family, member A1
A_55_P1979833	0.000225	5.69	Cited1	Cbp/p300-interacting transactivator with Glu/Asp-rich carboxy-terminal domain 1
A_51_P270904	0.00153	5.68	9930023K05Rik	RIKEN cDNA 9930023K05 gene
A_55_P2041728	0.001992	5.68	Gm590	predicted gene 590
A_52_P120612	0.000379	5.68	Grap2	GRB2-related adaptor protein 2
A_51_P198775	1.56E-07	5.67	BC055324	cDNA sequence BC055324
A_30_P01023379	6.24E-05	5.67		
A_55_P2026233	1.36E-06	5.67	Uba7	ubiquitin-like modifier activating enzyme 7
A_51_P100298	3.04E-05	5.67	Stx3	syntaxin 3
A_51_P416546	1.36E-05	5.66	Ctsg	cathepsin G
A_51_P161037	3.73E-05	5.66	Cep170	centrosomal protein 170
A_55_P2135621	0.000199	5.66	2410017P09Rik	RIKEN cDNA 2410017P09 gene
A_55_P2069083	3.96E-06	5.66	Galnt12	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 12
A_30_P01024007	1.07E-09	5.66		
A_30_P01030879	0.000211	5.65		
A_30_P01030955	8.87E-07	5.65		
A_51_P392687	1.56E-05	5.65	Vim	vimentin
A_55_P1988246	7.53E-05	5.65		
A_55_P2069999	5.27E-06	5.65	1700023A16Rik	RIKEN cDNA 1700023A16 gene
A_55_P2038983	0.000191	5.64		
A_51_P320022	3.81E-07	5.64	Atp10a	ATPase, class V, type 10A
A_55_P2085165	4.94E-06	5.64		
A_55_P1972436	6.98E-05	5.63	Themis	thymocyte selection associated
A_55_P2166148	7.38E-09	5.63	H2-M9	histocompatibility 2, M region locus 9
A_51_P233160	1.73E-06	5.63	Lysmd2	LysM, putative peptidoglycan-binding, domain containing 2
A_51_P110672	2.21E-06	5.63	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_55_P2041976	1.21E-05	5.63	Akap4	A kinase (PRKA) anchor protein 4
A_55_P1964628	2.49E-06	5.63		
A_55_P2114318	7.68E-06	5.63		
A_55_P2149942	1.20E-07	5.63	Ninj2	ninjurin 2
A_55_P2142934	8.49E-05	5.63		
A_52_P1026777	9.45E-05	5.62	Ecscr	endothelial cell-specific chemotaxis regulator
A_55_P2444515	1.49E-06	5.62	Akap2	A kinase (PRKA) anchor protein 2
A_51_P340829	0.002834	5.62	AA986860	expressed sequence AA986860
A_51_P110672	7.51E-07	5.61	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_55_P1981479	7.90E-06	5.61	Irgm1	immunity-related GTPase family M member 1
A_52_P290799	0.000171	5.61	Gpr35	G protein-coupled receptor 35
A_66_P102090	3.38E-06	5.60	Pkmyt1	protein kinase, membrane associated tyrosine/threonine 1
A_55_P2025038	1.10E-05	5.60	Cpe	carboxypeptidase E
A_55_P2035519	0.000218	5.59	Kif9	kinesin family member 9
A_55_P2124582	0.000376	5.59	Xlr4a	X-linked lymphocyte-regulated 4A
A_51_P114616	4.70E-05	5.58	Batf	basic leucine zipper transcription factor, ATF-like
A_55_P2081615	1.08E-05	5.58	Timeless	timeless homolog (Drosophila)



A_51_P351970	3.20E-05	5.58	Hells	helicase, lymphoid specific
A_52_P299771	0.000367	5.58	Bcl2a1c	B-cell leukemia/lymphoma 2 related protein A1c
A_66_P104422	1.46E-07	5.58	Ckap4	cytoskeleton-associated protein 4
A_30_P01022549	0.000113	5.56		
A_55_P2071846	1.61E-05	5.56		
A_30_P01023844	1.75E-07	5.56		
A_30_P01026496	3.84E-08	5.56		
A_51_P495780	0.002419	5.55	Plin4	perilipin 4
A_55_P2075200	4.98E-05	5.55	Tor3a	torsin family 3, member A
A_55_P2070105	3.36E-05	5.55	Gm3908	predicted gene 3908
A_55_P2035524	1.84E-05	5.54	Kif9	kinesin family member 9
A_51_P337675	0.000168	5.54	Cd53	CD53 antigen
A_52_P473966	8.90E-06	5.54	Kdelr3	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 3
A_55_P1959521	9.70E-06	5.54	Etv4	ets variant gene 4 (E1A enhancer binding protein, E1AF)
A_51_P246317	1.01E-07	5.54	Mt2	metallothionein 2
A_51_P229676	1.21E-06	5.54	Plscr1	phospholipid scramblase 1
A_30_P01019611	8.54E-06	5.54		
A_55_P1973941	3.94E-06	5.53	Slc7a5	solute carrier family 7 (cationic amino acid transporter, y+ system), member 5
A_30_P01033318	1.01E-05	5.53		
A_55_P2104026	5.71E-05	5.53		
A_55_P2154027	2.80E-06	5.53	Ptgis	prostaglandin I2 (prostacyclin) synthase
A_55_P2016034	1.00E-05	5.53	Nlrc5	NLR family, CARD domain containing 5
A_55_P2039230	9.75E-05	5.53	Pydc4	pyrin domain containing 4
A_30_P01024372	3.48E-06	5.53		
A_51_P136803	0.000143	5.52	Kif9	kinesin family member 9
A_51_P131358	2.44E-05	5.51	Selplg	selectin, platelet (p-selectin) ligand
A_52_P526379	0.000204	5.51	Stx3	syntaxin 3
A_55_P2038559	0.000152	5.51	Gm9962	predicted gene 9962
A_52_P282500	7.59E-06	5.51	Kif21b	kinesin family member 21B
A_55_P2186220	0.001634	5.51		
A_51_P507622	2.60E-06	5.51	Itpkc	inositol 1,4,5-trisphosphate 3-kinase C
A_55_P1967978	2.59E-05	5.50	Nfatc2	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2
A_55_P2050268	3.48E-05	5.50	Nfkbid	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, delta
A_55_P2136880	4.98E-06	5.50	Ppp1r15a	protein phosphatase 1, regulatory (inhibitor) subunit 15A
A_65_P20683	1.82E-05	5.50		
A_51_P271503	2.04E-05	5.50	Il1r1	interleukin 1 receptor, type I
A_52_P570240	6.31E-05	5.49	Kbtbd11	kelch repeat and BTB (POZ) domain containing 11
A_51_P114616	3.92E-05	5.49	Batf	basic leucine zipper transcription factor, ATF-like
A_55_P2026223	3.97E-05	5.48	St6galnac4	ST6 (alpha-N-acetylneuraminyl-2,3-beta-galactosyl-1,3)-N-acetylgalactosaminide alpha-2,6-sialyltransferase
A_51_P242930	9.22E-06	5.48	Lat2	linker for activation of T cells family, member 2
A_55_P2364516	0.001307	5.48	AA060545	EST AA060545
A_55_P2108943	0.005095	5.48	Ccr6	chemokine (C-C motif) receptor 6
A_30_P01023438	8.88E-07	5.47		
A_52_P836852	2.70E-05	5.47	Txk	TXK tyrosine kinase
A_55_P2063146	8.15E-05	5.47		
A_55_P1996946	0.000203	5.46	Cdc20	cell division cycle 20 homolog (S. cerevisiae)
A_51_P110672	1.01E-07	5.45	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_55_P2158314	3.53E-06	5.45		
A_51_P110672	6.00E-07	5.45	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_55_P2105963	0.000168	5.45	P2ry10	purinergic receptor P2Y, G-protein coupled 10
A_55_P2076555	1.95E-05	5.44	Hsd17b13	hydroxysteroid (17-beta) dehydrogenase 13
A_51_P377171	6.86E-05	5.44	5830405N20RIK	RIKEN cDNA 5830405N20 gene
A_51_P126437	3.47E-07	5.44	Enc1	ectodermal-neural cortex 1
A_30_P01020922	2.03E-06	5.44		
A_30_P01019382	1.66E-05	5.43		
A_51_P357341	4.25E-07	5.43	Clc1	chloride intracellular channel 1
A_55_P2024391	5.51E-05	5.43		
A_52_P267391	7.22E-06	5.43	Trim12a	tripartite motif-containing 12A
A_55_P2094524	0.0012	5.43	Gm14005	predicted gene 14005
A_55_P2109717	1.80E-05	5.42	Kif20b	kinesin family member 20B
A_55_P2182867	4.19E-06	5.41	Sgcb	sarcoglycan, beta (dystrophin-associated glycoprotein)
A_51_P115005	0.000158	5.41	Edn1	endothelin 1
A_55_P2071716	3.48E-06	5.41	Klre1	killer cell lectin-like receptor family E member 1
A_51_P133612	1.90E-06	5.40	Cdt1	chromatin licensing and DNA replication factor 1
A_30_P01027928	1.28E-06	5.40		
A_51_P360492	3.73E-06	5.39	Mcm6	minichromosome maintenance deficient 6 (MIS5 homolog, S. pombe) (S. cerevisiae)
A_51_P390538	2.29E-06	5.39	Mpeg1	macrophage expressed gene 1
A_30_P01023623	4.68E-06	5.39		
A_55_P2036022	8.26E-06	5.38		
A_30_P01029545	1.08E-05	5.38		
A_30_P01023809	0.000191	5.37		
A_55_P2121096	1.10E-09	5.37	Fbn2	fibrillin 2
A_51_P212782	0.001589	5.37	Il1b	interleukin 1 beta
A_51_P351015	0.000787	5.37	Lta	lymphotoxin A
A_55_P1989653	3.11E-05	5.37	Slco4a1	solute carrier organic anion transporter family, member 4a1
A_55_P2042331	9.09E-05	5.36		
A_30_P01028951	0.000445	5.36		
A_30_P01028188	0.004478	5.35		
A_51_P156857	3.25E-07	5.35	2010002N04RIK	RIKEN cDNA 2010002N04 gene
A_51_P245989	0.000508	5.35	Ccr2	chemokine (C-C motif) receptor 2
A_55_P2158011	2.68E-05	5.35	D2Ertd750e	DNA segment, Chr 2, ERATO Doi 750, expressed
A_55_P2064652	3.41E-05	5.34	9230105E10RIK	RIKEN cDNA 9230105E10 gene
A_55_P2064412	3.54E-08	5.34		
A_55_P1962771	2.56E-05	5.34	Cyflp2	cytoplasmic FMR1 interacting protein 2
A_51_P301809	5.79E-05	5.34	Slit3	slit homolog 3 (Drosophila)
A_51_P490509	0.000228	5.34	Bub1b	budding uninhibited by benzimidazoles 1 homolog, beta (S. cerevisiae)
A_55_P2021455	3.51E-06	5.33		
A_51_P212782	0.001564	5.33	Il1b	interleukin 1 beta
A_30_P01026839	3.09E-06	5.33		
A_55_P2129972	1.32E-06	5.33		
A_30_P01024238	1.88E-06	5.32		
A_55_P2072872	0.001389	5.32		
A_55_P1957413	6.37E-05	5.31	Lsp1	lymphocyte specific 1
A_55_P2103075	0.000109	5.31		
A_55_P2182467	0.000529	5.31	Slamf6	SLAM family member 6

A_30_P01023811	0.001433	5.30		
A_55_P1985143	4.65E-05	5.30		
A_55_P1958840	0.000121	5.30		
A_55_P2084303	9.10E-07	5.30	Nid1	nidogen 1
A_55_P1994939	9.41E-05	5.30	Hmgb2	high mobility group box 2
A_55_P2337074	9.95E-06	5.29	Mid1	midline 1
A_55_P2153404	0.000647	5.29	Crybb2	crystallin, beta B2
A_55_P2028259	2.45E-06	5.29	Rhbdf2	rhomboid 5 homolog 2 (Drosophila)
A_30_P01023900	3.93E-06	5.29		
A_55_P1981110	0.000287	5.28	Lman1l	lectin, mannose-binding 1 like
A_55_P2020050	7.74E-05	5.28	Gm8120	predicted gene 8120
A_55_P2083654	7.80E-07	5.28	Prmt2	protein arginine N-methyltransferase 2
A_55_P2078735	2.54E-07	5.28	AI662270	expressed sequence AI662270
A_51_P430766	0.000188	5.28	Il10	interleukin 10
A_30_P01022806	2.95E-05	5.27		
A_55_P2023294	0.000792	5.26	Il20rb	interleukin 20 receptor beta
A_55_P1999203	2.30E-07	5.26	Vmn1r217	vomeroneasal 1 receptor 217
A_30_P01024163	3.40E-05	5.25		
A_52_P263518	3.86E-05	5.25	Gng2	guanine nucleotide binding protein (G protein), gamma 2
A_55_P2158156	3.96E-07	5.25		
A_30_P01017895	3.03E-05	5.25		
A_52_P387009	9.65E-06	5.25	Egln3	EGL nine homolog 3 (C. elegans)
A_51_P151126	7.13E-06	5.25	Cd52	CD52 antigen
A_30_P01020292	0.000127	5.24		
A_51_P212782	0.001502	5.24	Il1b	interleukin 1 beta
A_55_P2071466	0.000196	5.23	Ncf1	neutrophil cytosolic factor 1
A_52_P138926	0.000779	5.23	Slc32a1	solute carrier family 32 (GABA vesicular transporter), member 1
A_55_P2237915	0.000107	5.23	Tsc22d2	TSC22 domain family, member 2
A_30_P01029700	0.001052	5.22		
A_55_P1973062	0.00013	5.22		
A_55_P2017645	1.64E-06	5.22	Tap2	transporter 2, ATP-binding cassette, sub-family B (MDR/TAP)
A_55_P2006277	9.35E-09	5.22	Ogdh	oxoglutarate dehydrogenase (lipoamide)
A_55_P2009861	2.56E-06	5.22		
A_51_P212782	0.001397	5.22	Il1b	interleukin 1 beta
A_55_P2113703	0.003728	5.22	Spib	Spi-B transcription factor (Spi-1/PU.1 related)
A_55_P1980636	2.91E-06	5.21	Aurka	aurora kinase A
A_55_P2060333	1.51E-07	5.20	S100a5	S100 calcium binding protein A5
A_55_P1955305	1.40E-05	5.20	Sirpb1a	signal-regulatory protein beta 1A
A_55_P2176145	0.000314	5.20	Rgs17	regulator of G-protein signaling 17
A_55_P2106058	0.001102	5.20	Gm11110	predicted gene 11110
A_51_P110672	8.88E-06	5.19	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_55_P2173210	5.94E-05	5.19		
A_55_P2074165	9.38E-06	5.19		
A_55_P2027737	0.000288	5.19	Il1r1l	interleukin 1 receptor-like 1
A_55_P2184796	1.01E-05	5.19	Pcdhb18	protocadherin beta 18
A_30_P01024815	0.002096	5.19		
A_55_P1980771	6.48E-07	5.19	Olfir536	olfactory receptor 536
A_51_P158210	9.52E-06	5.19	Mcm2	minichromosome maintenance deficient 2 mitotin (S. cerevisiae)
A_55_P2074801	5.20E-05	5.18	Ptpn14	protein tyrosine phosphatase, non-receptor type 14
A_51_P212782	0.00178	5.18	Il1b	interleukin 1 beta
A_55_P2145800	1.54E-06	5.18		
A_55_P2065529	1.28E-05	5.17	Stk30	serine/threonine kinase 30
A_30_P01026529	1.54E-06	5.17		
A_52_P584335	9.75E-06	5.16	Folr1	folate receptor 1 (adult)
A_30_P01019537	4.90E-05	5.16		
A_55_P1997509	0.000277	5.16	Zbtb32	zinc finger and BTB domain containing 32
A_51_P176365	0.001111	5.16	Gimap5	GTPase, IMAP family member 5
A_55_P2084601	0.000148	5.15		
A_66_P111689	7.33E-07	5.15	Gm9372	predicted gene 9372
A_51_P110672	2.58E-07	5.15	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_55_P2081105	4.95E-05	5.15	AI607873	expressed sequence AI607873
A_30_P01026947	3.19E-07	5.15		
A_51_P232281	1.46E-06	5.14	Pla2g2d	phospholipase A2, group IID
A_55_P2048937	4.75E-05	5.14	Kif5c	kinesin family member 5C
A_55_P2231747	4.92E-07	5.14	AW742560	expressed sequence AW742560
A_30_P01028807	2.90E-07	5.14		
A_55_P2025730	6.57E-05	5.14	Hif3a	hypoxia inducible factor 3, alpha subunit
A_30_P01023436	2.31E-06	5.14		
A_55_P2027230	5.08E-08	5.13		
A_55_P2000062	3.72E-05	5.13	Irf1	interferon regulatory factor 1
A_52_P257625	6.49E-05	5.13	Esm1	endothelial cell-specific molecule 1
A_30_P01033298	0.000277	5.13		
A_51_P520966	1.44E-05	5.13	Icosl	icos ligand
A_51_P287069	6.90E-06	5.13	Serpinh1	serine (or cysteine) peptidase inhibitor, clade H, member 1
A_55_P2034049	9.73E-12	5.13		
A_55_P1978674	0.000227	5.13		
A_52_P530291	1.71E-05	5.12	Plm1	proviral integration site 1
A_30_P01029709	4.49E-09	5.12		
A_52_P498193	0.003111	5.12	Aldh1l2	aldehyde dehydrogenase 1 family, member L2
A_55_P1960768	0.000292	5.12	Kif9	kinesin family member 9
A_55_P2187038	2.56E-05	5.12	Tpm1	tropomyosin 1, alpha
A_51_P225592	4.05E-06	5.12	Tpm4	tropomyosin 4
A_55_P2164144	2.89E-06	5.12	Gm8556	predicted gene 8556
A_55_P1981265	1.01E-05	5.12		
A_51_P219505	2.27E-06	5.11	Slc41a2	solute carrier family 41, member 2
A_51_P295237	1.51E-05	5.11	Lrp11	low density lipoprotein receptor-related protein 11
A_30_P01027809	0.000179	5.11		
A_55_P2084568	1.51E-07	5.10		
A_30_P01025471	3.20E-05	5.10		
A_51_P110672	6.53E-07	5.10	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_52_P302433	0.002387	5.10	Plau	plasminogen activator, urokinase
A_55_P2057040	0.001209	5.10	Ppp1r16b	protein phosphatase 1, regulatory (inhibitor) subunit 16B
A_30_P01021447	6.26E-05	5.10		
A_55_P1961165	7.09E-07	5.09		
A_51_P322972	0.000314	5.09	Hkdc1	hexokinase domain containing 1

A_55_P2006983	4.13E-07	5.09	Plec	plectin
A_55_P2149921	0.000675	5.09		
A_55_P2033347	0.000656	5.09	Nkain2	Na+/K+ transporting ATPase interacting 2
A_55_P2156274	1.99E-05	5.09	Plekha2	pleckstrin homology domain-containing, family A (phosphoinositide binding specific) member 2
A_51_P342567	1.23E-05	5.09	Akap12	A kinase (PRKA) anchor protein (gravin) 12
A_30_P01023350	3.92E-05	5.08		
A_66_P107483	0.000143	5.08	Trem12	triggering receptor expressed on myeloid cells-like 2
A_51_P514584	6.21E-07	5.07	Tbata	thymus, brain and testes associated
A_51_P262171	6.35E-06	5.07	Irgm1	immunity-related GTPase family M member 1
A_30_P01030976	1.40E-05	5.07		
A_55_P2177741	6.88E-05	5.07	Gm7166	predicted gene 7166
A_55_P2266295	1.68E-07	5.07	Fzd3	frizzled homolog 3 (Drosophila)
A_55_P2053647	1.55E-05	5.07		
A_51_P212782	0.001491	5.07	Il1b	interleukin 1 beta
A_55_P2233373	4.19E-05	5.06	D930023105Rik	RIKEN cDNA D930023105 gene
A_51_P259214	1.20E-08	5.06	Slc39a6	solute carrier family 39 (metal ion transporter), member 6
A_55_P2157522	2.01E-05	5.05		
A_51_P336325	2.67E-08	5.05	Orm1	orosomucoid 1
A_55_P2097279	1.23E-05	5.05	Lilrb3	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 3
A_51_P367060	2.13E-05	5.04	Ifrd1	interferon-related developmental regulator 1
A_55_P2016114	1.18E-07	5.04	Fasl	Fas ligand (TNF superfamily, member 6)
A_52_P18236	0.000606	5.03	Pira6	paired-Ig-like receptor A6
A_51_P174143	2.32E-05	5.03	Pip	prolactin induced protein
A_51_P212782	0.001545	5.03	Il1b	interleukin 1 beta
A_55_P1979986	1.03E-05	5.03	Crcp	calcitonin gene-related peptide-receptor component protein
A_30_P01028521	2.83E-07	5.02		
A_51_P247359	6.44E-05	5.02	Ptprcap	protein tyrosine phosphatase, receptor type, C polypeptide-associated protein
A_51_P212782	0.001894	5.02	Il1b	interleukin 1 beta
A_55_P2042046	9.81E-06	5.02	5430427019Rik	RIKEN cDNA 5430427019 gene
A_51_P111532	0.002126	5.02	Ubash3a	ubiquitin associated and SH3 domain containing, A
A_55_P2159895	3.52E-05	5.01	Zfp52	zinc finger protein 52
A_55_P2079269	1.19E-05	5.01		
A_55_P2003221	0.000345	5.01	Gimap3	GTPase, IMAP family member 3
A_30_P01021573	7.39E-05	5.01		
A_55_P1980308	4.13E-05	5.00	Stap1	signal transducing adaptor family member 1
A_55_P2097206	3.38E-05	5.00	Camk4	calcium/calmodulin-dependent protein kinase IV
A_51_P507053	5.62E-06	4.99	Slc38a1	solute carrier family 38, member 1
A_55_P2321468	0.000128	4.99	C130030J05	hypothetical protein C130030J05
A_51_P104418	1.19E-05	4.99	Dusp10	dual specificity phosphatase 10
A_30_P01032184	0.000167	4.99		
A_30_P01026520	0.000192	4.98		
A_51_P472888	8.66E-07	4.97	E130303B06Rik	RIKEN cDNA E130303B06 gene
A_30_P01026436	2.27E-08	4.97		
A_55_P2158697	3.94E-05	4.96	Hist1h4l	histone cluster 1, H4i
A_30_P01021303	4.39E-09	4.96		
A_52_P148514	2.33E-05	4.96	Hpse	heparanase
A_51_P204740	0.000124	4.95	Cd34	CD34 antigen
A_30_P01021800	4.25E-07	4.95		
A_30_P01017632	0.000133	4.95		
A_52_P616392	1.63E-06	4.95	Sbno2	strawberry notch homolog 2 (Drosophila)
A_55_P2171196	6.73E-06	4.94		
A_30_P01033397	1.23E-05	4.94		
A_52_P180373	5.46E-07	4.94	Mpeg1	macrophage expressed gene 1
A_66_P117477	0.000288	4.94	Dlk1	delta-like 1 homolog (Drosophila)
A_52_P418644	1.93E-05	4.94	Pip2	proteolipid protein 2
A_55_P2051322	5.16E-07	4.94	Efh2	EF hand domain containing 2
A_55_P2105256	2.39E-05	4.93		
A_55_P2143388	1.94E-05	4.93		
A_55_P1953823	0.000443	4.93		
A_55_P2181222	4.42E-05	4.93	Pydc3	pyrin domain containing 3
A_55_P1990866	3.42E-05	4.93	Mylk3	myosin light chain kinase 3
A_30_P01032358	0.000181	4.93		
A_55_P2157814	2.75E-05	4.92	Gm5	GDP-mannose 4, 6-dehydratase
A_51_P187842	3.01E-05	4.92	Elf4e3	eukaryotic translation initiation factor 4E member 3
A_66_P127969	0.002132	4.92	Bcat1	branched chain aminotransferase 1, cytosolic
A_51_P237865	0.000667	4.91	Il4	interleukin 4
A_55_P2093720	2.86E-05	4.91	Dnajc5	DnaJ (Hsp40) homolog, subfamily C, member 5
A_55_P2030536	0.000128	4.91	Ccny11	cyclin Y-like 1
A_52_P1093529	8.59E-06	4.91	Pik3r5	phosphoinositide-3-kinase, regulatory subunit 5, p101
A_66_P121053	0.001311	4.91	Sftpd	surfactant associated protein D
A_55_P2083014	0.000452	4.90		
A_55_P2034032	4.09E-06	4.90	Il12rb1	interleukin 12 receptor, beta 1
A_55_P2091359	2.94E-06	4.89	Padi2	peptidyl arginine deiminase, type II
A_55_P2011482	4.02E-05	4.89		
A_55_P2053823	0.005069	4.89	Iqcf4	IQ motif containing F4
A_66_P106060	0.000105	4.89	Dtx3l	deltex 3-like (Drosophila)
A_55_P2125149	1.13E-10	4.88	Tulp1	tubby like protein 1
A_55_P1975837	5.05E-07	4.88		
A_51_P442284	4.71E-08	4.88	Dnajc12	DnaJ (Hsp40) homolog, subfamily C, member 12
A_55_P1986296	1.49E-06	4.88	Tagln2	transgelin 2
A_55_P2143376	0.000697	4.88		
A_51_P110672	4.78E-06	4.87	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_55_P2023314	0.000296	4.87	Cas21	castor homolog 1, zinc finger (Drosophila)
A_52_P390127	8.65E-06	4.86	Klrc1	killer cell lectin-like receptor subfamily C, member 1
A_55_P2273232	0.000245	4.86	C79296	expressed sequence C79296
A_30_P01022945	2.73E-06	4.86		
A_55_P2040838	3.31E-05	4.86	Gm14548	predicted gene 14548
A_51_P377452	5.61E-05	4.86	Ncf4	neutrophil cytosolic factor 4
A_55_P2130870	5.85E-06	4.86		
A_55_P2093433	3.82E-07	4.86	Kcnk12	potassium channel, subfamily K, member 12
A_55_P1989947	1.13E-08	4.86		
A_30_P01031282	0.001418	4.86		
A_30_P01026872	8.08E-08	4.86		
A_30_P01025708	1.71E-06	4.85		
A_30_P01028795	3.46E-05	4.85		

A_51_P470630	0.000724	4.85	2310014L17RIK	RIKEN cDNA 2310014L17 gene
A_55_P1974967	0.000335	4.85	Hist2h4	histone cluster 2, H4
A_51_P146753	0.000179	4.84	Csf2rb2	colony stimulating factor 2 receptor, beta 2, low-affinity (granulocyte-macrophage)
A_30_P01033384	1.92E-06	4.84		
A_55_P2132626	6.12E-07	4.84		
A_51_P436878	8.67E-07	4.83	Sertad1	SERTA domain containing 1
A_30_P01023168	4.01E-08	4.83		
A_30_P01023449	9.60E-06	4.83		
A_55_P2112569	0.002093	4.83		
A_55_P1991079	1.97E-06	4.82	Phf21b	PHD finger protein 21B
A_51_P110672	8.57E-06	4.82	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_51_P430766	0.000137	4.82	Il10	interleukin 10
A_51_P325281	1.04E-05	4.82		
A_51_P417701	1.18E-05	4.81	Apaf1	apoptotic peptidase activating factor 1
A_30_P01019123	0.000104	4.81		
A_52_P649296	1.98E-08	4.81	Nras	neuroblastoma ras oncogene
A_55_P2161545	1.33E-08	4.81	Ddx21	DEAD (Asp-Glu-Ala-Asp) box polypeptide 21
A_51_P212782	0.002434	4.81	Il1b	interleukin 1 beta
A_30_P01018653	7.11E-06	4.81		
A_51_P235687	1.31E-06	4.80	Alox5ap	arachidonate 5-lipoxygenase activating protein
A_55_P2106603	0.000492	4.80		
A_52_P269942	5.37E-05	4.80	Cpt1c	carnitine palmitoyltransferase 1c
A_30_P01019800	8.44E-08	4.80		
A_55_P1965079	0.000517	4.80	Gm10499	predicted gene 10499
A_66_P134808	5.38E-06	4.80	Nos1ap	nitric oxide synthase 1 (neuronal) adaptor protein
A_55_P1973229	1.12E-05	4.79		
A_51_P273538	1.07E-05	4.79	Syce2	synaptonemal complex central element protein 2
A_55_P2021109	2.32E-06	4.79	Ier5	immediate early response 5
A_55_P2186051	0.000321	4.79		
A_55_P1964960	0.002108	4.78	Il33	interleukin 33
A_51_P165504	1.94E-05	4.78	Twist2	twist homolog 2 (Drosophila)
A_55_P2110076	0.000923	4.78	C1qtnf6	C1q and tumor necrosis factor related protein 6
A_55_P2024704	7.61E-06	4.78	Cpe	carboxypeptidase E
A_55_P2047285	1.16E-06	4.78	Lcn6	lipocalin 6
A_52_P236233	0.006133	4.77	Gast	gastrin
A_52_P183038	2.23E-06	4.77	Impdh1	inosine 5'-phosphate dehydrogenase 1
A_55_P2180551	6.79E-07	4.77	Fam60a	family with sequence similarity 60, member A
A_55_P2065169	2.21E-05	4.77		
A_55_P1971468	2.81E-05	4.76		
A_55_P2109559	0.00038	4.76	Trim6	tripartite motif-containing 6
A_66_P134674	1.38E-05	4.75	Far1	fatty acyl CoA reductase 1
A_55_P2150717	0.000161	4.75	Eomes	eomesodermin homolog (Xenopus laevis)
A_30_P01030698	0.000688	4.74		
A_55_P2216536	8.73E-05	4.74	2610209C05RIK	RIKEN cDNA 2610209C05 gene
A_55_P2160451	0.000288	4.74	2610018G03RIK	RIKEN cDNA 2610018G03 gene
A_30_P01031121	3.35E-05	4.74		
A_51_P472217	0.000129	4.73	2010317E24RIK	RIKEN cDNA 2010317E24 gene
A_51_P461108	2.28E-05	4.73	Osbpl10	oxysterol binding protein-like 10
A_52_P49321	1.19E-05	4.73	Adams9	a disintegrin-like and metallopeptidase (reprolysin type) with thrombospondin type 1 motif, 9
A_55_P2090764	0.000111	4.73	Olf1459	olfactory receptor 1459
A_51_P505617	0.000137	4.72	Il18r1	interleukin 18 receptor 1
A_55_P2135526	0.000211	4.72	Gzmc	granzyme C
A_30_P01032599	1.61E-08	4.72		
A_51_P235123	1.57E-05	4.72	Nfkbie	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, epsilon
A_51_P211765	0.000343	4.72	Rin1	Ras and Rab interactor 1
A_52_P554536	0.000138	4.72	Tnfrsf26	tumor necrosis factor receptor superfamily, member 26
A_30_P01025414	3.35E-08	4.71		
A_55_P2009988	1.80E-06	4.71	Trib3	tribbles homolog 3 (Drosophila)
A_55_P2026315	5.90E-05	4.71	Gys1	glycogen synthase 1, muscle
A_55_P2039250	0.000234	4.71	Mboat2	membrane bound O-acyltransferase domain containing 2
A_55_P2036475	2.53E-07	4.71	Ifna11	interferon alpha 11
A_51_P374137	0.000101	4.70	Bcmo1	beta-carotene 15,15'-monooxygenase
A_52_P553890	4.38E-05	4.70	Itgb3	integrin beta 3
A_30_P01030142	5.07E-08	4.70		
A_55_P2142064	0.000122	4.70	Synj2	synaptojanin 2
A_51_P131335	5.74E-05	4.70	Lrrc66	leucine rich repeat containing 66
A_30_P01031911	5.21E-06	4.70		
A_30_P01024980	8.95E-06	4.70		
A_66_P135106	0.00075	4.70	Slco3a1	solute carrier organic anion transporter family, member 3a1
A_51_P514712	1.57E-05	4.70	Parp14	poly (ADP-ribose) polymerase family, member 14
A_30_P01030522	6.22E-05	4.69		
A_51_P453475	7.92E-06	4.69	Slc1a5	solute carrier family 1 (neutral amino acid transporter), member 5
A_51_P413910	0.000496	4.69	Hmx3	H6 homeobox 3
A_55_P2226675	0.000409	4.68	B930078G14RIK	RIKEN cDNA B930078G14 gene
A_55_P2077806	0.004069	4.68		
A_52_P350537	4.83E-07	4.68	Mtmr11	myotubularin related protein 11
A_55_P2072908	1.13E-08	4.68		
A_55_P2056654	2.98E-05	4.67	Kif22	kinesin family member 22
A_55_P1995135	2.32E-06	4.67	Casz1	castor homolog 1, zinc finger (Drosophila)
A_55_P1964347	2.06E-06	4.67		
A_55_P2018106	3.61E-06	4.67	Gm14085	predicted gene 14085
A_55_P2187043	1.95E-05	4.67	Tpm1	tropomyosin 1, alpha
A_55_P2034300	9.16E-05	4.66	Tmem40	transmembrane protein 40
A_55_P2176260	1.47E-09	4.66		
A_55_P2100884	1.61E-05	4.66	Fjx1	four jointed box 1 (Drosophila)
A_52_P502754	0.000337	4.66	Ampd3	adenosine monophosphate deaminase 3
A_51_P254045	4.06E-05	4.65	Traip	TRAF-interacting protein
A_55_P2107207	8.28E-05	4.65		
A_55_P2141884	3.98E-06	4.65	Tagln2	transgelin 2
A_30_P01029550	3.08E-06	4.65		
A_55_P2073313	1.55E-05	4.65	Unc79	unc-79 homolog (C. elegans)
A_55_P1973156	4.57E-08	4.64		
A_51_P100298	7.08E-05	4.64	Stx3	syntaxin 3
A_52_P456640	6.72E-06	4.64	Fgr	Gardner-Rasheed feline sarcoma viral (Fgr) oncogene homolog
A_55_P1966719	0.000487	4.64		

A_30_P01029579	1.53E-05	4.64		
A_51_P123676	1.52E-06	4.64	Synpo	synaptopodin
A_55_P2249556	4.50E-06	4.63	A630081D01Rik	RIKEN cDNA A630081D01 gene
A_30_P01019226	0.000176	4.63		
A_55_P2112702	2.79E-05	4.63		
A_55_P2120946	0.000574	4.62	Mefv	Mediterranean fever
A_66_P133255	2.97E-06	4.62	Prkch	protein kinase C, eta
A_55_P2029687	6.65E-05	4.62	Hmox1	heme oxygenase (decycling) 1
A_55_P1995195	3.26E-06	4.61	Fosl2	fos-like antigen 2
A_52_P171178	4.99E-05	4.61	Ccdc33	coiled-coil domain containing 33
A_55_P2137121	0.000114	4.61	Sp140	Sp140 nuclear body protein
A_55_P1991416	3.61E-05	4.61		
A_52_P216613	0.000459	4.61	Gpr18	G protein-coupled receptor 18
A_51_P139096	0.000387	4.60	1700122O11Rik	RIKEN cDNA 1700122O11 gene
A_51_P307964	1.04E-06	4.60	Krt13	keratin 13
A_30_P01022953	1.85E-08	4.60		
A_52_P244193	9.52E-06	4.60	Cd24a	CD24a antigen
A_51_P430766	0.000313	4.59	Il10	interleukin 10
A_51_P196695	0.000699	4.59	Il7r	interleukin 7 receptor
A_51_P481482	0.000103	4.59	Dram1	DNA-damage regulated autophagy modulator 1
A_55_P2085586	1.27E-05	4.59		
A_51_P487073	0.000199	4.59	Wfdc12	WAP four-disulfide core domain 12
A_51_P243808	0.000305	4.59	Traf3ip3	TRAF3 interacting protein 3
A_66_P130634	2.78E-05	4.58	Tyms	thymidylate synthase
A_51_P360004	1.01E-07	4.58	4833422F24Rik	RIKEN cDNA 4833422F24 gene
A_51_P351015	0.003728	4.58	Lta	lymphotoxin A
A_51_P123676	5.56E-06	4.57	Synpo	synaptopodin
A_55_P2163857	3.85E-05	4.57	9230105E10Rik	RIKEN cDNA 9230105E10 gene
A_51_P304170	9.20E-06	4.57	Rtp4	receptor transporter protein 4
A_51_P121891	0.000124	4.57	Rac2	RAS-related C3 botulinum substrate 2
A_51_P370510	1.45E-06	4.56	BC022687	cDNA sequence BC022687
A_55_P2026218	4.77E-05	4.55	Igsf8	immunoglobulin superfamily, member 8
A_55_P2160825	8.64E-06	4.55		
A_30_P01028287	7.52E-07	4.55		
A_52_P675395	1.93E-05	4.54	Cxcr7	chemokine (C-X-C motif) receptor 7
A_55_P2141820	2.79E-05	4.54		
A_55_P1970474	6.96E-05	4.54	Tmem67	transmembrane protein 67
A_30_P01033434	2.37E-05	4.54		
A_55_P2086810	9.11E-06	4.53	Sp140	Sp140 nuclear body protein
A_30_P01030769	1.01E-09	4.53		
A_51_P302520	0.000103	4.53	Myom1	myomesin 1
A_55_P1988373	0.000379	4.53	Mlf1ip	myeloid leukemia factor 1 interacting protein
A_55_P1965681	1.00E-06	4.53		
A_51_P121891	9.16E-05	4.53	Rac2	RAS-related C3 botulinum substrate 2
A_55_P2089020	5.06E-05	4.52	Tmem22	transmembrane protein 22
A_55_P2033278	0.001856	4.52	Speer5-ps1	spermatogenesis associated glutamate (E)-rich protein 5, pseudogene 1
A_30_P01020440	1.99E-05	4.52		
A_66_P114784	0.000112	4.52	Pla2g7	phospholipase A2, group VII (platelet-activating factor acetylhydrolase, plasma)
A_51_P417074	5.72E-06	4.52	Arhgap8	Rho GTPase activating protein 8
A_52_P321140	1.31E-05	4.52	Defb1	defensin beta 1
A_55_P2108012	0.000642	4.51	Fam78b	family with sequence similarity 78, member B
A_55_P2067161	0.000149	4.51	Usp26	ubiquitin specific peptidase 26
A_51_P193146	8.37E-06	4.51	Ms4a6c	membrane-spanning 4-domains, subfamily A, member 6C
A_52_P489295	8.64E-06	4.51	Adams1	a disintegrin-like and metallopeptidase (reprolysin type) with thrombospondin type 1 motif, 1
A_55_P1973553	1.00E-05	4.50	Bbs12	Bardet-Biedl syndrome 12 (human)
A_52_P586004	0.000715	4.50	Hk3	hexokinase 3
A_55_P2015199	1.59E-05	4.50		
A_55_P2136318	2.17E-05	4.50	Slc1a5	solute carrier family 1 (neutral amino acid transporter), member 5
A_30_P01027120	0.003649	4.50		
A_30_P01018927	2.02E-05	4.50		
A_66_P111430	4.73E-05	4.50	2410006H16Rik	RIKEN cDNA 2410006H16 gene
A_30_P01022562	0.000173	4.49		
A_55_P1954448	0.000173	4.49	Myh14	myosin, heavy polypeptide 14
A_30_P01024184	3.94E-05	4.49		
A_55_P2127617	1.07E-05	4.49	6330403A02Rik	RIKEN cDNA 6330403A02 gene
A_55_P2140745	5.84E-05	4.49		
A_51_P121891	7.78E-05	4.48	Rac2	RAS-related C3 botulinum substrate 2
A_55_P2243431	0.000118	4.48	Gdap10	ganglioside-induced differentiation-associated-protein 10
A_55_P2077546	1.97E-09	4.48		
A_55_P1962568	7.75E-08	4.48		
A_30_P01031934	0.000275	4.48		
A_30_P01028457	1.50E-05	4.48		
A_55_P2092909	2.90E-07	4.48	Rassf1	Ras association (RalGDS/AF-6) domain family member 1
A_51_P100298	3.87E-05	4.48	Stx3	syntaxin 3
A_55_P2125613	1.91E-06	4.47	Fam71f2	family with sequence similarity 71, member F2
A_55_P2170405	8.77E-06	4.47		
A_30_P01032288	9.03E-08	4.47		
A_55_P2004821	9.16E-05	4.47	Olf1417	olfactory receptor 1417
A_51_P511482	3.82E-07	4.47	Ift57	intraflagellar transport 57 homolog (Chlamydomonas)
A_55_P2016119	4.47E-06	4.46	Sgcb	sarcoglycan, beta (dystrophin-associated glycoprotein)
A_30_P01023245	1.37E-06	4.46		
A_55_P2020378	6.30E-05	4.46	Ehd4	EH-domain containing 4
A_51_P128987	3.75E-05	4.46	Akr1b8	aldo-keto reductase family 1, member B8
A_51_P430766	0.00064	4.45	Il10	interleukin 10
A_55_P2041614	0.000479	4.45	Cerkl	ceramide kinase-like
A_55_P2023200	0.000393	4.45	Miox	myo-inositol oxygenase
A_55_P2077681	1.90E-08	4.45	Prkag3	protein kinase, AMP-activated, gamma 3 non-catalytic subunit
A_51_P120589	0.000299	4.45	Olf181	olfactory receptor 181
A_55_P2078675	2.66E-05	4.45		
A_55_P2226660	0.000275	4.44	5033418A18Rik	RIKEN cDNA 5033418A18 gene
A_55_P2096978	0.000815	4.44		
A_30_P01027748	8.62E-09	4.44		
A_30_P01023046	1.53E-07	4.44		
A_55_P1989514	5.78E-05	4.44	2010016I18Rik	RIKEN cDNA 2010016I18 gene
A_55_P1961730	0.000104	4.44	Kcnt2	potassium channel, subfamily T, member 2

A_55_P2195157	1.66E-06	4.44	Dbn1	drebrin 1
A_52_P306305	2.54E-07	4.44	Akap2	A kinase (PRKA) anchor protein 2
A_52_P560146	7.31E-06	4.43	Gm22	predicted gene 22
A_51_P110672	9.66E-06	4.43	Mst1r	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
A_30_P01032222	2.54E-06	4.43		
A_51_P475342	0.000551	4.43	Chrb1	cholinergic receptor, nicotinic, beta polypeptide 1 (muscle)
A_55_P2001764	0.000607	4.43		
A_51_P446131	0.002783	4.43	Gipc2	GIPC PDZ domain containing family, member 2
A_55_P2126448	0.000169	4.43	1810032O08RIK	RIKEN cDNA 1810032O08 gene
A_55_P1954604	8.95E-07	4.42		
A_30_P01017973	0.000152	4.42		
A_30_P01026503	0.000512	4.42		
A_51_P123676	1.15E-05	4.42	Synpo	synaptopodin
A_55_P2394308	6.89E-06	4.41	Fst	follicle-stimulating hormone receptor
A_51_P237865	0.000108	4.41	Il4	interleukin 4
A_51_P115005	5.73E-05	4.41	Edn1	endothelin 1
A_30_P01031815	6.15E-07	4.41		
A_52_P78257	3.77E-05	4.41	Plekha2	pleckstrin homology domain-containing, family A (phosphoinositide binding specific) member 2
A_55_P1971137	1.48E-08	4.40		
A_51_P120589	0.000164	4.40	Olf181	olfactory receptor 181
A_51_P120093	6.49E-06	4.40	Snx10	sorting nexin 10
A_51_P371051	0.000266	4.40	Gli3	glioma pathogenesis-related 3 (glioma)
A_55_P2056606	1.92E-06	4.40		
A_30_P01022857	1.58E-07	4.39		
A_52_P621691	2.65E-06	4.39	Clrn1	clarin 1
A_55_P2078403	2.76E-05	4.39	Rgs19	regulator of G-protein signaling 19
A_55_P2139341	0.000416	4.39	Gm5595	predicted gene 5595
A_55_P1992839	2.11E-05	4.39	Dsn1	DSN1, MIND kinetochore complex component, homolog (S. cerevisiae)
A_55_P2064659	2.95E-05	4.38	Trim12a	tripartite motif-containing 12A
A_51_P121891	8.75E-05	4.38	Rac2	RAS-related C3 botulinum substrate 2
A_55_P2018636	0.001937	4.38	9530077C05RIK	RIKEN cDNA 9530077C05 gene
A_30_P01022743	1.63E-07	4.38		
A_51_P292008	0.000476	4.38	Gpx3	glutathione peroxidase 3
A_52_P85174	0.001966	4.38	Tlr3	toll-like receptor 3
A_30_P01026736	2.72E-05	4.38		
A_51_P121891	5.34E-05	4.38	Rac2	RAS-related C3 botulinum substrate 2
A_55_P2153633	8.89E-06	4.38	Snrpc	U1 small nuclear ribonucleoprotein C
A_51_P128987	8.67E-05	4.37	Akr1b8	aldo-keto reductase family 1, member B8
A_52_P183181	5.76E-06	4.37	Adar	adenosine deaminase, RNA-specific
A_55_P2127702	7.70E-05	4.37	Racgap1	Rac GTPase-activating protein 1
A_55_P2140842	0.000198	4.37		
A_30_P01020317	1.67E-05	4.36		
A_55_P2075294	6.21E-06	4.36		
A_51_P430766	0.000596	4.36	Il10	interleukin 10
A_51_P394802	0.000105	4.36	Fam111a	family with sequence similarity 111, member A
A_55_P1964648	0.002795	4.36	Btla	B and T lymphocyte associated
A_52_P19532	6.59E-06	4.36	Fgd3	FYVE, RhoGEF and PH domain containing 3
A_52_P512817	1.84E-06	4.36	Shisa5	shisa homolog 5 (Xenopus laevis)
A_30_P01027572	0.00041	4.35		
A_51_P477736	0.005228	4.35	4932415M13RIK	RIKEN cDNA 4932415M13 gene
A_30_P01025331	2.33E-07	4.35		
A_51_P291361	3.86E-05	4.35	Osm	oncostatin M
A_51_P100309	0.000508	4.35	Oprm1	opioid receptor, mu 1
A_66_P125709	1.22E-06	4.35	D930032P07RIK	RIKEN cDNA D930032P07 gene
A_55_P2093520	5.47E-06	4.35	LOC641136	eukaryotic translation initiation factor 1A-like
A_55_P2124273	0.000308	4.34	Myo1f	myosin IF
A_55_P1990740	4.01E-07	4.34		
A_30_P01025336	0.002738	4.34		
A_52_P238044	6.70E-05	4.34	Psmc3ip	proteasome (prosome, macropain) 26S subunit, ATPase 3, interacting protein
A_55_P1957213	1.04E-06	4.34	3930401B19RIK	RIKEN cDNA 3930401B19 gene
A_65_P17476	0.000136	4.34	Gse1	genetic suppressor element 1
A_66_P110742	5.25E-05	4.34		
A_51_P120093	3.35E-06	4.34	Snx10	sorting nexin 10
A_51_P237865	0.000491	4.34	Il4	interleukin 4
A_55_P2003991	0.000292	4.34	H2-T24	histocompatibility 2, T region locus 24
A_30_P01020300	2.84E-06	4.34		
A_55_P2109107	2.38E-08	4.33		
A_55_P2055299	1.28E-06	4.33		
A_55_P2020532	3.72E-08	4.33	BC089491	cDNA sequence BC089491
A_55_P2452259	1.49E-05	4.33	Gls	glutaminase
A_55_P1978866	2.73E-06	4.32		
A_51_P114062	0.000105	4.32	Ncs1	neuronal calcium sensor 1
A_55_P2170599	3.68E-06	4.32		
A_55_P1954476	1.06E-06	4.32		
A_55_P2180216	1.74E-05	4.32		
A_52_P409833	1.62E-05	4.31	Plat	plasminogen activator, tissue
A_30_P01025061	4.84E-05	4.31		
A_51_P245368	2.40E-06	4.31	Abcb1b	ATP-binding cassette, sub-family B (MDR/TAP), member 1B
A_55_P2130388	0.000137	4.31	Mical1	microtubule associated monooxygenase, calponin and LIM domain containing 1
A_55_P2038452	1.63E-05	4.30		
A_55_P2395911	0.000109	4.30	D2Ert295e	DNA segment, Chr 2, ERATO Doi 295, expressed
A_55_P2170737	1.08E-05	4.30	Igf2bp2	insulin-like growth factor 2 mRNA binding protein 2
A_30_P01029670	1.54E-06	4.30		
A_52_P90363	1.42E-05	4.30	Ifi2712a	interferon, alpha-inducible protein 27 like 2A
A_55_P2169539	1.06E-07	4.30		
A_52_P35057	5.10E-09	4.30	Kctd17	potassium channel tetramerisation domain containing 17
A_30_P01030473	0.000208	4.30		
A_55_P2085955	0.002548	4.30	Dnajb11	DnaJ (Hsp40) homolog, subfamily B, member 11
A_55_P2185407	2.69E-06	4.29	Gm5258	predicted gene 5258
A_66_P124139	0.000347	4.29	Ikzf1	IKAROS family zinc finger 1
A_55_P2028734	1.96E-06	4.29	Klra16	killer cell lectin-like receptor, subfamily A, member 16
A_30_P01022952	2.16E-05	4.29		
A_55_P2023637	1.41E-07	4.28	Prg4	proteoglycan 4 (megakaryocyte stimulating factor, articular superficial zone protein)
A_30_P01029083	2.12E-07	4.28		
A_51_P128987	5.36E-05	4.28	Akr1b8	aldo-keto reductase family 1, member B8

A_51_P446045	0.0009	4.28	Scd3	stearoyl-coenzyme A desaturase 3
A_51_P389957	0.000137	4.28	Rgs14	regulator of G-protein signaling 14
A_51_P324934	1.57E-05	4.28	Mcm3	minichromosome maintenance deficient 3 ( <i>S. cerevisiae</i> )
A_30_P01025493	1.92E-05	4.27		
A_30_P01024894	2.61E-07	4.27		
A_30_P01030626	1.87E-05	4.27		
A_55_P1972275	8.38E-06	4.27	Wars	tryptophanyl-tRNA synthetase
A_66_P140742	7.53E-06	4.27	Adc	arginine decarboxylase
A_55_P2035951	2.05E-08	4.27	Haus8	4HAUS augmin-like complex, subunit 8
A_55_P2111459	1.96E-06	4.26	Trpv2	transient receptor potential cation channel, subfamily V, member 2
A_55_P2122195	1.07E-05	4.26	Kcnk9	potassium channel, subfamily K, member 9
A_30_P01033070	7.21E-05	4.26		
A_51_P121891	0.000107	4.26	Rac2	RAS-related C3 botulinum substrate 2
A_51_P430766	0.003066	4.26	Il10	interleukin 10
A_51_P123676	2.01E-05	4.26	Synpo	synaptopodin
A_51_P120093	6.07E-06	4.26	Snx10	sorting nexin 10
A_30_P01020559	1.72E-07	4.26		
A_55_P1959818	0.000133	4.26	Tmem40	transmembrane protein 40
A_51_P489736	0.000206	4.26	Tmem194b	transmembrane protein 194B
A_55_P2185347	5.38E-09	4.25		
A_52_P392674	2.00E-06	4.25	Acot9	acyl-CoA thioesterase 9
A_66_P112855	3.02E-06	4.25	AI413582	expressed sequence AI413582
A_65_P09285	2.57E-06	4.25	2610524H06Rik	RIKEN cDNA 2610524H06 gene
A_55_P2022699	1.14E-08	4.25		
A_30_P01024801	1.13E-05	4.25		
A_30_P01018740	1.55E-07	4.24		
A_55_P2428968	4.97E-05	4.24	Lrrc2	leucine rich repeat containing 2
A_30_P01025648	0.00285	4.24		
A_55_P2039086	1.42E-05	4.24	Nfkbiz	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, zeta
A_55_P1975665	6.54E-05	4.24	Rhox4e	reproductive homeobox 4E
A_51_P128987	5.13E-05	4.24	Akr1b8	aldo-keto reductase family 1, member B8
A_30_P01029470	0.000155	4.23		
A_55_P2013043	0.00011	4.23	Serpib6b	serine (or cysteine) peptidase inhibitor, clade B, member 6b
A_51_P128987	3.79E-05	4.23	Akr1b8	aldo-keto reductase family 1, member B8
A_55_P2010912	8.51E-06	4.23	Jak3	Janus kinase 3
A_30_P01026259	1.29E-05	4.23		
A_51_P120093	1.41E-05	4.23	Snx10	sorting nexin 10
A_55_P1979427	1.45E-07	4.23	Il9r	interleukin 9 receptor
A_55_P2169909	0.000111	4.23		
A_51_P123676	1.57E-05	4.23	Synpo	synaptopodin
A_55_P2078093	3.24E-07	4.22	Foxl2os	forkhead box L2 opposite strand transcript
A_51_P100298	1.60E-05	4.22	Stx3	syntaxin 3
A_51_P120093	3.56E-06	4.22	Snx10	sorting nexin 10
A_51_P120093	8.63E-06	4.22	Snx10	sorting nexin 10
A_30_P01023013	2.06E-05	4.22		
A_51_P207988	3.06E-05	4.22	Ptger4	prostaglandin E receptor 4 (subtype EP4)
A_55_P2036180	0.003879	4.22	Mcf2l	mcf.2 transforming sequence-like
A_51_P120589	5.28E-05	4.22	Olf181	olfactory receptor 181
A_55_P2137406	8.96E-07	4.22	Bax	BCL2-associated X protein
A_55_P2105944	5.76E-05	4.22	Olf224	olfactory receptor 224
A_52_P667287	9.84E-05	4.22	Lass6	LAG1 homolog, ceramide synthase 6
A_55_P2079079	0.003149	4.22	Cd19	CD19 antigen
A_55_P2122020	8.69E-06	4.21	Klf4	Kruppel-like factor 4 (gut)
A_52_P604195	8.88E-05	4.21	Mbp	myelin basic protein
A_51_P121891	0.000115	4.21	Rac2	RAS-related C3 botulinum substrate 2
A_55_P2012101	0.00167	4.21	Bmp8b	bone morphogenetic protein 8b
A_30_P01024869	7.95E-07	4.20		
A_55_P2079732	0.00042	4.20	Myo1h	myosin 1H
A_55_P2152248	1.04E-05	4.20	Cpe	carboxypeptidase E
A_30_P01019625	2.33E-06	4.20		
A_55_P2008538	6.15E-07	4.20	Chmp4b	chromatin modifying protein 4B
A_55_P2083619	2.21E-07	4.20	Rab8b	RAB8B, member RAS oncogene family
A_55_P2124233	0.003308	4.20	Vsig8	V-set and immunoglobulin domain containing 8
A_52_P571746	5.12E-06	4.19	Sh2d5	SH2 domain containing 5
A_51_P211854	3.00E-06	4.19	Selp	selectin, platelet
A_55_P2056403	8.95E-05	4.19	Speer4f	spermatogenesis associated glutamate (E)-rich protein 4f
A_51_P128987	7.21E-05	4.19	Akr1b8	aldo-keto reductase family 1, member B8
A_51_P163261	1.12E-05	4.19	Gm6985	predicted pseudogene 6985
A_51_P128987	0.000108	4.19	Akr1b8	aldo-keto reductase family 1, member B8
A_52_P297332	4.21E-06	4.19	Aida	axin interactor, dorsalization associated
A_51_P121891	7.28E-05	4.19	Rac2	RAS-related C3 botulinum substrate 2
A_51_P100298	7.24E-05	4.19	Stx3	syntaxin 3
A_66_P139618	1.76E-07	4.18	Stfa2	stefin A2
A_51_P123676	8.20E-06	4.18	Synpo	synaptopodin
A_52_P266132	0.00012	4.18	Fgl2	fibrinogen-like protein 2
A_52_P548202	1.50E-06	4.18	Gm10030	predicted gene 10030
A_51_P114910	1.53E-07	4.18	Cstb	cystatin B
A_55_P2074656	2.99E-07	4.18	Pad12	peptidyl arginine deiminase, type II
A_55_P2054013	7.10E-06	4.18	Sema3a	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3A
A_51_P121891	5.33E-05	4.17	Rac2	RAS-related C3 botulinum substrate 2
A_51_P120093	1.93E-06	4.17	Snx10	sorting nexin 10
A_30_P01017931	5.19E-09	4.17		
A_51_P121891	5.74E-05	4.17	Rac2	RAS-related C3 botulinum substrate 2
A_51_P260683	0.002547	4.17	Rgs1	regulator of G-protein signaling 1
A_51_P120093	4.37E-06	4.17	Snx10	sorting nexin 10
A_55_P2276224	0.000324	4.17	9330175E14Rik	RIKEN cDNA 9330175E14 gene
A_51_P115005	7.16E-05	4.17	Edn1	endothelin 1
A_55_P2033705	3.52E-05	4.17	Pax3	paired box gene 3
A_52_P381303	8.37E-05	4.16	Gins2	GINS complex subunit 2 (Psf2 homolog)
A_55_P1966823	7.85E-08	4.16	LOC674392	zinc finger protein 665-like
A_51_P123676	2.67E-06	4.16	Synpo	synaptopodin
A_51_P430766	0.000389	4.16	Il10	interleukin 10
A_52_P602669	2.80E-06	4.16	Serpib6d	serine (or cysteine) peptidase inhibitor, clade B, member 6d
A_55_P2043554	2.41E-07	4.15	Slc12a4	solute carrier family 12, member 4
A_51_P367310	4.65E-06	4.15	Chaf1b	chromatin assembly factor 1, subunit B (p60)

A_30_P01024568	0.00013	4.15		
A_66_P121787	0.000344	4.15	<b>Samd9l</b>	sterile alpha motif domain containing 9-like
A_51_P295816	3.53E-05	4.15	<b>Cep192</b>	centrosomal protein 192
A_51_P215896	0.000323	4.15	<b>Tsc22d4</b>	TSC22 domain family, member 4
A_55_P2139546	0.000479	4.15	<b>B3gnt3</b>	UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 3
A_55_P2043013	0.000158	4.15	<b>A930007A09Rik</b>	RIKEN cDNA A930007A09 gene
A_51_P128987	0.000144	4.14	<b>Akr1b8</b>	aldo-keto reductase family 1, member B8
A_51_P196444	0.000646	4.14	<b>Foxc2</b>	forkhead box C2
A_51_P387235	0.000201	4.14	<b>Nampt</b>	nicotinamide phosphoribosyltransferase
A_30_P01028538	3.61E-05	4.14		
A_51_P109449	0.000138	4.14	<b>Ltb4r1</b>	leukotriene B4 receptor 1
A_30_P01027797	1.37E-05	4.14		
A_55_P1997225	5.66E-06	4.14	<b>Agap2</b>	ArfGAP with GTPase domain, ankyrin repeat and PH domain 2
A_51_P341130	6.20E-06	4.14	<b>Iqgap1</b>	IQ motif containing GTPase activating protein 1
A_55_P1992247	8.75E-08	4.14	<b>Rergl</b>	RERG/RAS-like
A_55_P2011862	1.71E-05	4.14	<b>Mybpc3</b>	myosin binding protein C, cardiac
A_55_P2030275	1.44E-05	4.13	<b>ENSMUSG00000068</b>	predicted gene, ENSMUSG00000068790
A_30_P01018586	2.13E-08	4.13		
A_55_P1985890	0.000797	4.13	<b>Tiparp</b>	TCDD-inducible poly(ADP-ribose) polymerase
A_51_P128987	2.99E-05	4.13	<b>Akr1b8</b>	aldo-keto reductase family 1, member B8
A_30_P01027703	3.48E-06	4.13		
A_55_P2150896	4.94E-05	4.13	<b>Foxo3</b>	forkhead box O3
A_30_P01028458	4.14E-07	4.13		
A_30_P01024453	4.26E-05	4.13		
A_51_P211854	6.94E-05	4.13	<b>Selp</b>	selectin, platelet
A_30_P01022990	0.0003	4.12		
A_51_P340699	7.40E-06	4.12	<b>Ras11a</b>	RAS-like, family 11, member A
A_51_P123676	4.52E-05	4.12	<b>Synpo</b>	synaptopodin
A_52_P496628	2.38E-05	4.12	<b>2700081O15Rik</b>	RIKEN cDNA 2700081O15 gene
A_55_P1988872	0.002005	4.11	<b>LOC100503813</b>	hypothetical protein LOC100503813
A_51_P209807	4.88E-07	4.11	<b>Ccnyl1</b>	cyclin Y-like 1
A_30_P01030026	3.85E-05	4.11		
A_55_P1986608	0.001479	4.11		
A_55_P2114133	1.10E-06	4.11	<b>Garnl3</b>	GTPase activating RANGAP domain-like 3
A_55_P2079560	0.000568	4.11	<b>Lilra6</b>	leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 6
A_51_P120093	1.16E-05	4.11	<b>Snx10</b>	sorting nexin 10
A_51_P237865	0.000309	4.11	<b>Il4</b>	interleukin 4
A_55_P2146214	3.84E-06	4.11	<b>Zcchc18</b>	zinc finger, CCHC domain containing 18
A_52_P679699	0.00051	4.11		
A_30_P01022472	0.001158	4.11		
A_55_P2148285	0.000199	4.10		
A_30_P01020325	3.63E-05	4.10		
A_55_P1999162	0.001813	4.10		
A_52_P302395	2.44E-06	4.10	<b>Lnpep</b>	leucyl/cystinyl aminopeptidase
A_52_P21550	4.60E-05	4.10	<b>Gcnt1</b>	glucosaminyl (N-acetyl) transferase 1, core 2
A_30_P01021658	1.52E-06	4.10		
A_55_P2080151	1.83E-05	4.10	<b>Hspa2</b>	heat shock protein 2
A_55_P1973046	9.24E-07	4.09	<b>Ctnb2nl</b>	CTTNBP2 N-terminal like
A_51_P120093	1.21E-05	4.09	<b>Snx10</b>	sorting nexin 10
A_55_P2472735	0.000114	4.09	<b>A530032D15Rik</b>	RIKEN cDNA A530032D15Rik gene
A_30_P01019012	4.14E-06	4.09		
A_66_P110343	6.04E-07	4.09	<b>Snx10</b>	sorting nexin 10
A_51_P507290	7.85E-05	4.08	<b>Klf5</b>	Kruppel-like factor 5
A_55_P1953991	9.68E-07	4.08	<b>Lhb</b>	luteinizing hormone beta
A_55_P1982883	2.34E-05	4.08	<b>Gys1</b>	glycogen synthase 1, muscle
A_55_P2154933	0.001416	4.08	<b>Cd200r4</b>	CD200 receptor 4
A_66_P137943	2.78E-07	4.08	<b>Tctn2</b>	tectonic family member 2
A_51_P120589	0.000324	4.07	<b>Olf1r181</b>	olfactory receptor 181
A_55_P2171528	1.33E-06	4.07	<b>3110082117Rik</b>	RIKEN cDNA 3110082117 gene
A_66_P118091	9.60E-05	4.07	<b>Tor3a</b>	torsin family 3, member A
A_55_P2035976	4.96E-07	4.07		
A_51_P469968	3.26E-06	4.07	<b>H2-M3</b>	histocompatibility 2, M region locus 3
A_51_P143712	1.16E-06	4.07	<b>Tdh</b>	L-threonine dehydrogenase
A_30_P01021989	1.86E-05	4.07		
A_55_P2073169	9.56E-07	4.07	<b>Pad14</b>	peptidyl arginine deiminase, type IV
A_55_P1986228	0.000133	4.06		
A_55_P1960989	0.000137	4.06	<b>Nlgn2</b>	neuroligin 2
A_55_P2117791	0.001602	4.06	<b>Rabggtb</b>	RAB geranylgeranyl transferase, b subunit
A_52_P531651	0.000103	4.06	<b>Parvg</b>	parvin, gamma
A_51_P324351	1.24E-06	4.05	<b>Mfi2</b>	antigen p97 (melanoma associated) identified by monoclonal antibodies 133.2 and 96.5
A_30_P01021033	2.15E-05	4.05		
A_51_P315682	2.79E-06	4.05	<b>Igf2bp2</b>	insulin-like growth factor 2 mRNA binding protein 2
A_30_P01021642	5.57E-07	4.04		
A_55_P2094489	1.11E-06	4.04		
A_55_P1975155	4.85E-05	4.04	<b>Galnt6</b>	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 6
A_30_P01026333	3.10E-07	4.04		
A_30_P01026264	0.000147	4.04		
A_30_P01017727	9.06E-06	4.04		
A_55_P2137611	1.95E-05	4.04	<b>Irgm2</b>	immunity-related GTPase family M member 2
A_55_P2109152	0.002491	4.04	<b>Hist1h2bg</b>	histone cluster 1, H2bg
A_51_P346165	2.09E-05	4.04	<b>Agpat4</b>	1-acylglycerol-3-phosphate O-acyltransferase 4 (lysophosphatidic acid acyltransferase, delta)
A_30_P01025650	1.08E-05	4.04		
A_51_P257934	7.25E-05	4.04	<b>Tnfsf13b</b>	tumor necrosis factor (ligand) superfamily, member 13b
A_30_P01022010	6.94E-06	4.04		
A_30_P01018558	3.42E-06	4.03		
A_51_P100298	0.000202	4.03	<b>Stx3</b>	syntaxin 3
A_55_P2099760	5.70E-05	4.03		
A_51_P280446	3.76E-07	4.03	<b>Sdf2l1</b>	stromal cell-derived factor 2-like 1
A_55_P2069974	0.000352	4.03	<b>Kctd1</b>	potassium channel tetramerisation domain containing 1
A_55_P2061333	5.52E-08	4.03		
A_55_P2176585	1.61E-05	4.03	<b>Donson</b>	downstream neighbor of SON
A_51_P380005	0.000695	4.02	<b>Galnt3</b>	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 3
A_52_P334562	0.001	4.02	<b>Vdr</b>	vitamin D receptor
A_52_P515247	3.94E-05	4.02	<b>Arhgdib</b>	Rho, GDP dissociation inhibitor (GDI) beta
A_51_P415688	9.34E-07	4.02	<b>Gng12</b>	guanine nucleotide binding protein (G protein), gamma 12



A_30_P01017530	0.000113	4.02		
A_30_P01030969	1.89E-06	4.02		
A_55_P1954724	1.10E-06	4.02	<b>A130040M12RIK</b>	RIKEN cDNA A130040M12 gene
A_52_P98625	0.000667	4.02	<b>Ankrd57</b>	ankyrin repeat domain 57
A_55_P2187225	3.54E-05	4.02		
A_30_P01028014	2.43E-08	4.02		
A_55_P2049976	2.32E-07	4.01		
A_51_P208240	4.46E-05	4.01	<b>Tnfsf14</b>	tumor necrosis factor (ligand) superfamily, member 14
A_55_P1972605	9.75E-07	4.01	<b>Adora3</b>	adenosine A3 receptor
A_30_P01033392	4.61E-06	4.01		
A_55_P2004801	1.29E-05	4.00	<b>Tacc3</b>	transforming, acidic coiled-coil containing protein 3
A_66_P120425	5.90E-05	4.00		
A_55_P2021187	2.40E-05	4.00	<b>Malat1</b>	metastasis associated lung adenocarcinoma transcript 1 (non-coding RNA)
A_51_P406306	4.58E-05	4.00	<b>Hecw2</b>	HECT, C2 and WW domain containing E3 ubiquitin protein ligase 2
A_55_P2082539	0.000653	4.00	<b>Vmn1r234</b>	vomeroneural 1 receptor 234
A_30_P01022329	3.73E-06	4.00		
A_51_P128575	7.52E-07	4.00	<b>Scgb1a1</b>	secretoglobulin, family 1A, member 1 (uterglobin)
A_55_P2018904	0.000882	4.00	<b>Gm5465</b>	predicted gene 5465
A_51_P336833	0.000283	4.00	<b>Fabp4</b>	fatty acid binding protein 4, adipocyte
A_55_P2072373	3.44E-07	3.99	<b>Msn</b>	moesin
A_55_P1953241	4.75E-05	3.99	<b>Mapk</b>	v-maf musculoaponeurotic fibrosarcoma oncogene family, protein K (avian)
A_51_P214747	2.51E-05	3.99	<b>Parp12</b>	poly (ADP-ribose) polymerase family, member 12
A_55_P2120706	0.000111	3.98		
A_52_P1082736	0.000241	3.98	<b>Gm4532</b>	predicted gene 4532
A_51_P191649	0.002519	3.98	<b>Ndc80</b>	NDC80 homolog, kinetochore complex component (S. cerevisiae)
A_51_P506201	3.35E-05	3.98	<b>Cckbr</b>	cholecystokinin B receptor
A_30_P01019365	0.00012	3.98		
A_52_P236528	6.12E-07	3.98	<b>4930431P19RIK</b>	RIKEN cDNA 4930431P19 gene
A_52_P570266	1.49E-07	3.98	<b>Psmb10</b>	proteasome (prosome, macropain) subunit, beta type 10
A_30_P01026422	1.41E-05	3.98		
A_30_P01027893	5.24E-05	3.98		
A_55_P1952502	4.93E-07	3.98	<b>Mapk7</b>	mitogen-activated protein kinase 7
A_51_P128987	6.21E-05	3.98	<b>Akr1b8</b>	aldo-keto reductase family 1, member B8
A_30_P01023734	2.59E-06	3.98		
A_30_P01023719	4.05E-06	3.97		
A_52_P294510	8.20E-08	3.97	<b>Fgl1</b>	fibrinogen-like protein 1
A_55_P2132099	0.000171	3.97		
A_66_P128058	2.28E-07	3.97	<b>Mtap7d2</b>	MAP7 domain containing 2
A_55_P2063396	2.76E-06	3.97	<b>Zfand2a</b>	zinc finger, AN1-type domain 2A
A_51_P351015	0.004503	3.97	<b>Lta</b>	lymphotoxin A
A_55_P2004797	0.000421	3.97	<b>Tacc2</b>	transforming, acidic coiled-coil containing protein 2
A_55_P2100065	9.03E-07	3.97	<b>Fsd1l</b>	fibronectin type III and SPRY domain containing 1-like
A_55_P1973578	0.000124	3.96	<b>Foxh1</b>	forkhead box H1
A_55_P1976928	5.12E-05	3.96	<b>Unc13d</b>	unc-13 homolog D (C. elegans)
A_51_P123676	2.69E-05	3.96	<b>Synpo</b>	synaptopodin
A_30_P01022357	7.20E-06	3.96		
A_55_P1981739	1.78E-05	3.96	<b>Donson</b>	downstream neighbor of SON
A_51_P115005	3.65E-05	3.96	<b>Edn1</b>	endothelin 1
A_55_P2003753	2.05E-05	3.95	<b>Sh2d5</b>	SH2 domain containing 5
A_52_P371949	1.31E-07	3.95	<b>Elf6</b>	eukaryotic translation initiation factor 6
A_55_P1952166	1.21E-05	3.95	<b>Arid3a</b>	AT rich interactive domain 3A (BRIGHT-like)
A_30_P01023772	0.000118	3.95		
A_55_P2086605	1.89E-07	3.95	<b>Gpr137c</b>	G protein-coupled receptor 137C
A_55_P1993544	2.17E-08	3.94	<b>Potr2h</b>	polymerase (RNA) II (DNA directed) polypeptide H
A_52_P360112	5.61E-05	3.94	<b>Clp2</b>	CAP-GLY domain containing linker protein 2
A_66_P108733	2.11E-06	3.94		
A_51_P123676	5.93E-05	3.94	<b>Synpo</b>	synaptopodin
A_30_P01031858	0.000257	3.94		
A_51_P211854	6.41E-06	3.94	<b>Selp</b>	selectin, platelet
A_51_P115005	2.91E-05	3.93	<b>Edn1</b>	endothelin 1
A_51_P262208	3.69E-05	3.93	<b>Itgb2</b>	integrin beta 2
A_30_P01033499	4.30E-08	3.93		
A_55_P1998169	7.90E-05	3.93	<b>Spef2</b>	sperm flagellar 2
A_51_P111532	5.26E-05	3.93	<b>Ubash3a</b>	ubiquitin associated and SH3 domain containing, A
A_55_P1954092	5.71E-07	3.93	<b>LOC100503637</b>	envelope glycoprotein-like
A_66_P111426	2.13E-07	3.93	<b>Lce1a2</b>	late cornified envelope 1A2
A_51_P239203	2.64E-06	3.93	<b>Mapk13</b>	mitogen-activated protein kinase 13
A_30_P01028123	0.002033	3.93		
A_55_P2088497	8.24E-06	3.92	<b>LOC641235</b>	h-2 class I histocompatibility antigen, D-37 alpha chain-like
A_51_P269687	0.000286	3.92	<b>Pole2</b>	polymerase (DNA directed), epsilon 2 (p59 subunit)
A_30_P01027773	3.08E-06	3.92		
A_30_P01018496	2.92E-08	3.92		
A_30_P01021878	0.003986	3.92		
A_52_P75465	0.000696	3.92	<b>Gdpd1</b>	glycerophosphodiester phosphodiesterase domain containing 1
A_55_P1979526	0.000223	3.92	<b>Cdkn2b</b>	cyclin-dependent kinase inhibitor 2B (p15, inhibits CDK4)
A_55_P2125491	2.03E-05	3.92	<b>Tnfrsf4</b>	tumor necrosis factor receptor superfamily, member 4
A_52_P433828	1.06E-05	3.92	<b>Tctn3</b>	tectonic family member 3
A_51_P117165	1.17E-05	3.92		
A_55_P1978905	5.68E-08	3.91	<b>Rpl26-ps2</b>	ribosomal protein L26, pseudogene 2
A_55_P1990324	0.000102	3.91	<b>Ptprc</b>	protein tyrosine phosphatase, receptor type, C
A_55_P2121364	5.27E-09	3.91	<b>Tdg</b>	thymine DNA glycosylase
A_51_P293781	9.42E-06	3.91	<b>Fkbp1b</b>	FK506 binding protein 1b
A_55_P1974088	1.49E-05	3.91	<b>Stard6</b>	STAR-related lipid transfer (START) domain containing 6
A_30_P01024960	0.001656	3.91		
A_51_P419246	0.00178	3.91	<b>5830416P10RIK</b>	RIKEN cDNA 5830416P10 gene
A_66_P134441	1.18E-05	3.91	<b>Pcnxl3</b>	pecanex-like 3 (Drosophila)
A_55_P2368098	3.58E-07	3.91	<b>1110002J07RIK</b>	RIKEN cDNA 1110002J07 gene
A_51_P115005	9.06E-05	3.90	<b>Edn1</b>	endothelin 1
A_55_P1990633	6.47E-05	3.90	<b>Ilgp1</b>	interferon inducible GTPase 1
A_30_P01031588	9.85E-06	3.90		
A_66_P112305	0.000381	3.90	<b>Myo1f</b>	myosin IF
A_66_P137605	8.14E-07	3.90	<b>E330016A19RIK</b>	RIKEN cDNA E330016A19 gene
A_55_P2002460	1.33E-05	3.90		
A_30_P01027577	0.000325	3.90		
A_55_P2009882	8.05E-05	3.90	<b>Ccbe1</b>	collagen and calcium binding EGF domains 1

A_30_P01022046	3.02E-05	3.90		
A_51_P110888	1.19E-05	3.89	<b>Pck2</b>	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_55_P2290388	6.16E-06	3.89	<b>Rorb</b>	RAR-related orphan receptor beta
A_51_P507242	6.27E-05	3.89	<b>Fosl2</b>	fos-like antigen 2
A_55_P2400101	0.00017	3.89	<b>4933430A20Rik</b>	RIKEN cDNA 4933430A20 gene
A_55_P2148748	1.31E-05	3.89	<b>Dclk1</b>	doublecortin-like kinase 1
A_51_P361830	0.000146	3.89	<b>Lgl2</b>	leucine-rich repeat LGI family, member 2
A_52_P30989	6.21E-05	3.89	<b>Cdkn3</b>	cyclin-dependent kinase inhibitor 3
A_30_P01023635	1.37E-07	3.89		
A_30_P01022390	0.000212	3.89		
A_55_P2105271	8.07E-06	3.89	<b>Pdlim7</b>	PDZ and LIM domain 7
A_30_P01024472	3.94E-05	3.89		
A_52_P150114	1.02E-08	3.88		
A_52_P467389	8.41E-05	3.88	<b>Slc15a3</b>	solute carrier family 15, member 3
A_30_P01021341	7.67E-05	3.88		
A_51_P128575	1.14E-05	3.87	<b>Scgb1a1</b>	secretoglobulin, family 1A, member 1 (uteroglobin)
A_51_P430766	6.96E-05	3.87	<b>Il10</b>	interleukin 10
A_51_P286665	6.97E-05	3.87	<b>Rbl1</b>	retinoblastoma-like 1 (p107)
A_51_P115005	0.000107	3.87	<b>Edn1</b>	endothelin 1
A_52_P75348	0.000784	3.86	<b>Ccdc99</b>	coiled-coil domain containing 99
A_30_P01032985	3.66E-05	3.86		
A_55_P2105517	2.52E-06	3.86		
A_55_P2003043	7.74E-05	3.86	<b>P4ha1</b>	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha 1 polypeptide
A_55_P2114903	0.000727	3.86		
A_52_P214630	4.21E-07	3.86	<b>Sox9</b>	SRY-box containing gene 9
A_55_P1985351	2.29E-05	3.86	<b>Slc35f2</b>	solute carrier family 35, member F2
A_55_P2081437	4.51E-08	3.86		
A_55_P1993940	2.59E-05	3.86	<b>Sh3bgrl3</b>	SH3 domain binding glutamic acid-rich protein-like 3
A_30_P01029874	4.88E-05	3.86		
A_30_P01022129	1.59E-05	3.86		
A_55_P2020338	1.67E-05	3.85	<b>Scml4</b>	sex comb on midleg-like 4 (Drosophila)
A_30_P01031419	5.52E-07	3.85		
A_66_P100586	0.000338	3.85		
A_51_P115005	1.34E-05	3.85	<b>Edn1</b>	endothelin 1
A_51_P139108	0.004131	3.85	<b>Cpxm1</b>	carboxypeptidase X 1 (M14 family)
A_55_P2132888	0.000314	3.85		
A_52_P423810	0.001383	3.85		
A_55_P2038007	8.71E-07	3.85	<b>Csrp1</b>	cysteine and glycine-rich protein 1
A_55_P2141943	4.42E-07	3.85		
A_51_P100298	9.91E-05	3.85	<b>Stx3</b>	syntaxin 3
A_55_P1999167	5.19E-06	3.84	<b>LOC546061</b>	interferon-induced protein 75-like
A_55_P1988183	0.000108	3.84	<b>Cdkn2b</b>	cyclin-dependent kinase inhibitor 2B (p15, inhibits CDK4)
A_55_P2137319	3.90E-06	3.84		
A_51_P207591	0.003938	3.84	<b>Anxa8</b>	annexin A8
A_52_P214630	1.29E-06	3.84	<b>Sox9</b>	SRY-box containing gene 9
A_30_P01022708	5.01E-05	3.84		
A_55_P1985181	2.02E-06	3.83		
A_51_P275751	6.78E-07	3.83	<b>D17H6S53E</b>	DNA segment, Chr 17, human D6S53E
A_51_P458584	0.000229	3.83	<b>Fpr-rs3</b>	formyl peptide receptor, related sequence 3
A_55_P2410304	7.47E-05	3.83	<b>Ilgp1</b>	interferon inducible GTPase 1
A_51_P237865	0.000145	3.83	<b>Il4</b>	interleukin 4
A_55_P2117710	4.36E-05	3.83	<b>Snhg1</b>	small nucleolar RNA host gene (non-protein coding) 1
A_52_P214630	2.28E-06	3.83	<b>Sox9</b>	SRY-box containing gene 9
A_55_P2026054	1.75E-06	3.83	<b>Usp37</b>	ubiquitin specific peptidase 37
A_55_P2075065	2.01E-08	3.82	<b>Gm10471</b>	predicted gene 10471
A_52_P214630	4.01E-06	3.82	<b>Sox9</b>	SRY-box containing gene 9
A_55_P2065899	0.000155	3.82	<b>Sebox</b>	SEBOX homeobox
A_66_P110167	0.000381	3.82	<b>Trim38</b>	tripartite motif-containing 38
A_51_P501453	0.001177	3.82	<b>Ms4a8a</b>	membrane-spanning 4-domains, subfamily A, member 8A
A_30_P01032725	0.001906	3.82		
A_30_P01032050	0.00016	3.82		
A_55_P2037930	1.73E-10	3.82		
A_55_P2050453	0.000955	3.81	<b>Hemt1</b>	hematopoietic cell transcript 1
A_55_P2049567	1.33E-06	3.81		
A_55_P2031272	0.000221	3.81	<b>Lhx3</b>	LIM homeobox protein 3
A_30_P01030620	2.43E-05	3.81		
A_55_P2017491	5.44E-06	3.81	<b>Rbm43</b>	RNA binding motif protein 43
A_55_P2227335	4.53E-05	3.81	<b>Ptpre</b>	protein tyrosine phosphatase, receptor type, E
A_52_P214630	3.75E-06	3.81	<b>Sox9</b>	SRY-box containing gene 9
A_30_P01021879	0.000113	3.81		
A_55_P2070843	7.18E-06	3.81		
A_30_P01026178	3.44E-05	3.81		
A_55_P2120843	1.46E-06	3.81		
A_55_P2026848	0.000189	3.80	<b>Trim72</b>	tripartite motif-containing 72
A_30_P01029479	0.005417	3.80		
A_55_P2048279	7.08E-07	3.80	<b>Tlr13</b>	toll-like receptor 13
A_51_P105709	6.46E-06	3.80	<b>Trip13</b>	thyroid hormone receptor interactor 13
A_66_P105689	0.00015	3.80	<b>Trim34a</b>	tripartite motif-containing 34A
A_55_P2030721	0.000234	3.80	<b>Ankle1</b>	ankyrin repeat and LEM domain containing 1
A_30_P01022344	1.52E-06	3.80		
A_30_P01022352	6.68E-05	3.80		
A_52_P51429	0.000286	3.79	<b>Dennd1c</b>	DENN/MADD domain containing 1C
A_55_P2083411	8.84E-06	3.79	<b>Cyp4f18</b>	cytochrome P450, family 4, subfamily f, polypeptide 18
A_51_P181517	7.21E-05	3.79	<b>Fcgr4</b>	Fc receptor, IgG, low affinity IV
A_30_P01019072	0.00118	3.79		
A_55_P1960936	1.66E-07	3.79		
A_51_P140237	8.95E-06	3.79	<b>Fhl2</b>	four and a half LIM domains 2
A_55_P2178784	8.75E-05	3.79		
A_55_P2055487	2.66E-05	3.79	<b>Parp3</b>	poly (ADP-ribose) polymerase family, member 3
A_30_P01026001	1.76E-05	3.79		
A_51_P208152	0.001364	3.79	<b>3930402G23Rik</b>	RIKEN cDNA 3930402G23 gene
A_55_P2029051	0.000128	3.79	<b>Fgd3</b>	FYVE, RhoGEF and PH domain containing 3
A_55_P2012679	5.59E-06	3.79	<b>Kcnh8</b>	potassium voltage-gated channel, subfamily H (eag-related), member 8
A_51_P237865	0.000218	3.79	<b>Il4</b>	interleukin 4
A_55_P2037186	2.21E-08	3.79	<b>Alkbh2</b>	alkB, alkylation repair homolog 2 (E. coli)

A_30_P01018948	6.68E-06	3.79		
A_55_P2059854	2.74E-05	3.78	<b>Cd101</b>	CD101 antigen
A_51_P195506	6.57E-06	3.78	<b>Csf1</b>	colony stimulating factor 1 (macrophage)
A_30_P01022908	4.39E-07	3.78		
A_55_P2034663	0.000116	3.78	<b>Csf2rb2</b>	colony stimulating factor 2 receptor, beta 2, low-affinity (granulocyte-macrophage)
A_66_P111011	1.49E-06	3.78	<b>Gata3</b>	GATA binding protein 3
A_55_P2107785	3.48E-06	3.78		
A_30_P01031278	1.57E-05	3.78		
A_51_P115005	4.54E-05	3.77	<b>Edn1</b>	endothelin 1
A_55_P2178653	0.002251	3.77		
A_55_P2027022	6.10E-05	3.77	<b>Prdm1</b>	PR domain containing 1, with ZNF domain
A_30_P01021258	7.67E-07	3.77		
A_55_P2085060	3.56E-05	3.77	<b>Vgf</b>	VGF nerve growth factor inducible
A_51_P427663	1.95E-05	3.77	<b>Cnn2</b>	calponin 2
A_30_P01029438	1.97E-05	3.77		
A_55_P1969058	0.000118	3.77	<b>Epha7</b>	Eph receptor A7
A_55_P2110758	0.000309	3.76	<b>B430306N03Rik</b>	RIKEN cDNA B430306N03 gene
A_55_P1999972	0.000166	3.76	<b>Gm3366</b>	predicted gene 3366
A_52_P555235	0.000184	3.76	<b>Rgs19</b>	regulator of G-protein signaling 19
A_30_P01021701	1.34E-05	3.76		
A_55_P2032723	0.000333	3.76	<b>Dnajc10</b>	DnaJ (Hsp40) homolog, subfamily C, member 10
A_52_P100381	1.02E-06	3.76	<b>Zbtb42</b>	zinc finger and BTB domain containing 42
A_55_P1955548	6.82E-06	3.76	<b>Ezr</b>	ezrin
A_51_P251357	1.23E-05	3.76	<b>Ctps</b>	cytidine 5'-triphosphate synthase
A_55_P2118674	2.10E-05	3.76	<b>Tnfp1</b>	TNFAIP3 interacting protein 1
A_51_P211854	1.03E-05	3.76	<b>Selp</b>	selectin, platelet
A_30_P01029907	1.29E-05	3.76		
A_55_P2105262	0.00046	3.76		
A_52_P343856	9.92E-07	3.75	<b>Creb3l2</b>	cAMP responsive element binding protein 3-like 2
A_30_P01023726	1.41E-06	3.75		
A_55_P2142172	1.19E-08	3.75	<b>Olf1229</b>	olfactory receptor 1229
A_51_P105709	2.66E-05	3.75	<b>Trip13</b>	thyroid hormone receptor interactor 13
A_51_P266248	8.03E-05	3.75		
A_51_P196973	9.24E-05	3.75	<b>Chaf1a</b>	chromatin assembly factor 1, subunit A (p150)
A_51_P207591	0.004583	3.75	<b>Anxa8</b>	annexin A8
A_30_P01029869	0.000906	3.75		
A_51_P114062	3.46E-05	3.75	<b>Ncs1</b>	neuronal calcium sensor 1
A_51_P114062	3.17E-06	3.75	<b>Ncs1</b>	neuronal calcium sensor 1
A_51_P211854	1.03E-05	3.74	<b>Selp</b>	selectin, platelet
A_30_P01025507	5.21E-09	3.74		
A_51_P210956	0.000212	3.74	<b>Vcam1</b>	vascular cell adhesion molecule 1
A_30_P01022430	2.91E-05	3.74		
A_51_P207591	0.002399	3.74	<b>Anxa8</b>	annexin A8
A_30_P01031197	2.27E-05	3.74		
A_52_P42245	5.12E-06	3.74	<b>Klrb1a</b>	killer cell lectin-like receptor subfamily B member 1A
A_30_P01020672	0.000252	3.74		
A_30_P01020827	1.88E-08	3.74		
A_55_P1978201	3.32E-05	3.74	<b>Incenp</b>	inner centromere protein
A_51_P195506	9.31E-06	3.74	<b>Csf1</b>	colony stimulating factor 1 (macrophage)
A_51_P267314	0.000766	3.74	<b>Tbc1d10c</b>	TBC1 domain family, member 10c
A_51_P319022	0.003358	3.74	<b>Cxcr3</b>	chemokine (C-X-C motif) receptor 3
A_30_P01031568	0.000198	3.74		
A_55_P2115136	0.000589	3.74	<b>4632428N05Rik</b>	RIKEN cDNA 4632428N05 gene
A_30_P01033359	0.002023	3.73		
A_55_P2007196	1.41E-06	3.73	<b>Aldoa</b>	aldolase A, fructose-bisphosphate
A_66_P124677	0.000105	3.73	<b>Ipcef1</b>	interaction protein for cytohesin exchange factors 1
A_51_P212038	7.81E-06	3.73	<b>Atp6v0e2</b>	ATPase, H+ transporting, lysosomal V0 subunit E2
A_55_P2118675	2.19E-05	3.73	<b>Tnfp1</b>	TNFAIP3 interacting protein 1
A_55_P2081283	0.004275	3.73	<b>Dlx4</b>	distal-less homeobox 4
A_51_P133137	0.000246	3.73	<b>Kif20a</b>	kinesin family member 20A
A_30_P01027010	0.001794	3.73		
A_52_P179785	0.000309	3.73	<b>Ripk2</b>	receptor (TNFRSF)-interacting serine-threonine kinase 2
A_30_P01023736	0.000541	3.73		
A_51_P211854	1.07E-05	3.73	<b>Selp</b>	selectin, platelet
A_30_P01031780	8.28E-07	3.73		
A_55_P2180861	3.42E-06	3.73		
A_55_P1958400	2.54E-05	3.73	<b>LOC236220</b>	hypothetical protein LOC236220
A_30_P01030450	0.000579	3.73		
A_30_P01023905	9.51E-08	3.72		
A_55_P2052563	0.000327	3.72	<b>Id1</b>	inhibitor of DNA binding 1
A_51_P128575	7.14E-08	3.72	<b>Scgb1a1</b>	secretoglobin, family 1A, member 1 (uteroglobin)
A_55_P1966352	6.45E-05	3.72		
A_51_P195506	4.24E-06	3.72	<b>Csf1</b>	colony stimulating factor 1 (macrophage)
A_55_P2130834	2.42E-07	3.71		
A_30_P01027712	6.68E-06	3.71		
A_30_P01027623	0.00175	3.71		
A_52_P56682	8.53E-05	3.71	<b>Sla2</b>	Src-like-adaptor 2
A_52_P491544	8.01E-05	3.71	<b>Nedd9</b>	neural precursor cell expressed, developmentally down-regulated gene 9
A_55_P1953087	1.16E-05	3.71	<b>Mcm3</b>	minichromosome maintenance deficient 3 ( <i>S. cerevisiae</i> )
A_55_P2046348	1.45E-05	3.71	<b>Itpril2</b>	inositol 1,4,5-triphosphate receptor interacting protein-like 2
A_55_P2099418	5.98E-07	3.71	<b>Neil2</b>	nei like 2 ( <i>E. coli</i> )
A_55_P1971679	1.05E-05	3.71		
A_52_P578043	2.60E-05	3.71		
A_51_P211854	1.53E-05	3.71	<b>Selp</b>	selectin, platelet
A_52_P476189	1.53E-05	3.70	<b>Gm3604</b>	predicted gene 3604
A_51_P316042	0.00036	3.70	<b>Card11</b>	caspase recruitment domain family, member 11
A_55_P2128668	0.001823	3.70	<b>Ccnb1</b>	cyclin B1
A_30_P01020587	2.62E-06	3.70		
A_30_P01018098	5.46E-05	3.70		
A_52_P216672	0.000432	3.70	<b>Klk8</b>	kallikrein related-peptidase 8
A_51_P100298	1.50E-05	3.70	<b>Stx3</b>	syntaxin 3
A_51_P237865	0.00013	3.70	<b>Il4</b>	interleukin 4
A_55_P2230913	7.42E-06	3.70	<b>Etv6</b>	ets variant gene 6 (TEL oncogene)
A_51_P237865	0.000842	3.70	<b>Il4</b>	interleukin 4
A_55_P2126925	9.44E-06	3.70	<b>5730528L13Rik</b>	RIKEN cDNA 5730528L13 gene

A_55_P1957478	1.29E-05	3.70		
A_30_P01021524	2.47E-07	3.70		
A_52_P214630	1.03E-05	3.70	<b>Sox9</b>	SRY-box containing gene 9
A_52_P214630	4.93E-06	3.69	<b>Sox9</b>	SRY-box containing gene 9
A_51_P115005	1.65E-05	3.69	<b>Edn1</b>	endothelin 1
A_55_P2023384	2.77E-07	3.69		
A_30_P01023359	3.75E-05	3.69		
A_66_P135885	0.001743	3.69	<b>Olf671</b>	olfactory receptor 671
A_55_P2022258	2.42E-05	3.69	<b>LOC100046023</b>	t-cell receptor alpha chain V region CTL-L17-like
A_51_P275949	0.000173	3.69	<b>Loxl2</b>	lysyl oxidase-like 2
A_55_P2182358	8.94E-05	3.69	<b>Arid3a</b>	AT rich interactive domain 3A (BRIGHT-like)
A_30_P01024606	8.02E-06	3.69		
A_51_P293982	0.000541	3.69	<b>Plekho2</b>	pleckstrin homology domain containing, family O member 2
A_52_P250555	1.32E-06	3.68	<b>Dynl1</b>	dynein light chain LC8-type 1
A_30_P01030798	0.000453	3.68		
A_55_P2032703	7.77E-05	3.68	<b>Foxp3</b>	forkhead box P3
A_55_P2132697	7.89E-05	3.68		
A_55_P2040743	4.04E-05	3.68	<b>Zwilch</b>	Zwilch, kinetochore associated, homolog (Drosophila)
A_51_P100298	0.000509	3.68	<b>Stx3</b>	syntaxin 3
A_55_P2117243	4.89E-07	3.68	<b>LOC633387</b>	nucleophosmin-like
A_55_P2151956	0.00283	3.68		
A_52_P31814	2.19E-06	3.68	<b>1110038B12Rik</b>	RIKEN cDNA 1110038B12 gene
A_55_P2089530	6.90E-08	3.68	<b>Fkbp10</b>	FK506 binding protein 10
A_55_P2013326	3.12E-05	3.68	<b>Gm9573</b>	predicted gene 9573
A_30_P01026617	0.000338	3.67		
A_30_P01023511	4.41E-05	3.67		
A_55_P2164139	2.40E-07	3.67		
A_55_P2002657	2.80E-07	3.67	<b>Trim46</b>	tripartite motif-containing 46
A_55_P1960049	6.75E-08	3.67	<b>2810408A11Rik</b>	RIKEN cDNA 2810408A11 gene
A_30_P01020009	2.42E-06	3.67		
A_51_P412835	8.61E-05	3.67	<b>Daxx</b>	Fas death domain-associated protein
A_55_P2078433	0.000346	3.67	<b>Mcoln2</b>	mucolipin 2
A_30_P01025311	2.97E-05	3.67		
A_55_P2092717	1.95E-06	3.66	<b>Trim43b</b>	tripartite motif-containing 43B
A_66_P138053	3.50E-05	3.66		
A_30_P01023161	7.79E-07	3.66		
A_30_P01031604	1.09E-06	3.66		
A_51_P296608	3.24E-05	3.66	<b>Gadd45a</b>	growth arrest and DNA-damage-inducible 45 alpha
A_55_P2109655	0.000211	3.66		
A_55_P2127977	2.47E-07	3.66		
A_55_P2047024	0.000159	3.66		
A_52_P76034	1.02E-08	3.66	<b>Rcc2</b>	regulator of chromosome condensation 2
A_51_P240723	6.77E-07	3.66	<b>1700022A21Rik</b>	glycerol-3-phosphate dehydrogenase 1-like pseudogene
A_55_P2026688	2.06E-05	3.66		
A_66_P123683	4.69E-09	3.66	<b>Obfc2a</b>	oligonucleotide/oligosaccharide-binding fold containing 2A
A_55_P2087295	2.05E-05	3.65	<b>Gm4022</b>	predicted gene 4022
A_30_P01022014	3.18E-07	3.65		
A_55_P2022241	0.000247	3.65	<b>Uncx</b>	UNC homeobox
A_55_P1991605	0.000265	3.65	<b>Aplp1</b>	amyloid beta (A4) precursor-like protein 1
A_51_P114634	0.001001	3.65	<b>Amz1</b>	archaelysin family metalloproteinase 1
A_52_P490071	8.75E-06	3.65	<b>Olf810</b>	olfactory receptor 810
A_55_P2005605	6.58E-07	3.65	<b>Olf576</b>	olfactory receptor 576
A_55_P1975330	4.44E-07	3.65		
A_52_P538470	0.000237	3.65	<b>Spats2l</b>	spermatogenesis associated, serine-rich 2-like
A_51_P432199	4.85E-05	3.65	<b>Sap30</b>	sin3 associated polypeptide
A_30_P01030674	4.01E-08	3.64		
A_66_P104554	0.000163	3.64	<b>Inpp1</b>	inositol polyphosphate-1-phosphatase
A_55_P2202539	5.65E-07	3.64	<b>BC028789</b>	cDNA sequence BC028789
A_55_P2026734	0.000275	3.64	<b>Rgs4</b>	regulator of G-protein signaling 4
A_30_P01028909	6.78E-07	3.64		
A_55_P2079855	3.38E-08	3.64	<b>Prl6a1</b>	prolactin family 6, subfamily a, member 1
A_55_P2054280	1.07E-07	3.64	<b>Fam178b</b>	family with sequence similarity 178, member B
A_52_P463977	1.07E-05	3.64	<b>Tmem140</b>	transmembrane protein 140
A_30_P01024734	0.000611	3.64		
A_55_P2126269	0.00022	3.63	<b>Nmb</b>	neuromedin B
A_30_P01029703	9.94E-07	3.63		
A_55_P2101857	3.81E-06	3.63		
A_51_P331809	5.13E-06	3.63	<b>Tcl1b4</b>	T-cell leukemia/lymphoma 1B, 4
A_51_P392776	0.000463	3.63	<b>Eml6</b>	echinoderm microtubule associated protein like 6
A_30_P01025657	3.03E-05	3.63		
A_55_P2006366	5.99E-07	3.63		
A_30_P01030126	3.29E-06	3.63		
A_55_P1968340	0.000206	3.63	<b>Plekhh1</b>	pleckstrin homology domain containing, family H (with MyTH4 domain) member 1
A_55_P2090050	2.34E-08	3.63		
A_30_P01018032	0.000438	3.63		
A_52_P513177	8.15E-05	3.62	<b>Sla</b>	src-like adaptor
A_55_P2183955	3.01E-07	3.62	<b>Olf97</b>	olfactory receptor 97
A_51_P128575	1.01E-05	3.62	<b>Scgb1a1</b>	secretoglobin, family 1A, member 1 (uterglobin)
A_30_P01022622	7.17E-05	3.62		
A_55_P2275402	0.000221	3.62	<b>9330177L23Rik</b>	RIKEN cDNA 9330177L23 gene
A_51_P270519	0.001006	3.62	<b>Apltd1</b>	apoptosis-inducing, TAF9-like domain 1
A_30_P01032988	1.06E-07	3.62		
A_55_P2114994	8.16E-06	3.62		
A_55_P1958457	6.35E-06	3.62	<b>Nbeal2</b>	neurobeachin-like 2
A_51_P120589	0.000436	3.62	<b>Olf181</b>	olfactory receptor 181
A_51_P324742	3.42E-05	3.62	<b>1700013G24Rik</b>	RIKEN cDNA 1700013G24 gene
A_51_P128575	1.38E-06	3.61	<b>Scgb1a1</b>	secretoglobin, family 1A, member 1 (uterglobin)
A_52_P303891	0.002659	3.61	<b>Nr1d2</b>	nuclear receptor subfamily 1, group D, member 2
A_51_P286748	0.000141	3.61	<b>Frzb</b>	frizzled-related protein
A_55_P2214348	0.00063	3.61	<b>4930469K13Rik</b>	RIKEN cDNA 4930469K13 gene
A_55_P2086933	0.000301	3.60	<b>Gm4368</b>	predicted gene 4368
A_52_P222230	1.14E-05	3.60		
A_55_P2037072	1.34E-06	3.60	<b>Zfp600</b>	zinc finger protein 600
A_30_P01031072	0.000108	3.60		
A_52_P207509	2.33E-05	3.60	<b>C230081A13Rik</b>	RIKEN cDNA C230081A13 gene

A_52_P632742	1.10E-05	3.60	Shisa5	shisa homolog 5 ( <i>Xenopus laevis</i> )
A_55_P1966445	1.72E-06	3.60	Krt81	keratin 81
A_52_P219089	3.26E-05	3.60		
A_52_P398211	1.65E-07	3.60		
A_52_P496956	0.00185	3.60	Acsbg1	acyl-CoA synthetase bubblegum family member 1
A_30_P01019435	2.65E-05	3.60		
A_55_P2080268	0.00047	3.60		
A_55_P2064741	6.27E-05	3.59	Nmb	neuromedin B
A_51_P310896	1.95E-07	3.59	Pfk1	phosphofructokinase, liver, B-type
A_55_P1967186	6.41E-07	3.59	Gm4633	predicted gene 4633
A_55_P2125229	1.70E-05	3.59	Arhgef2	rho/rac guanine nucleotide exchange factor (GEF) 2
A_51_P254646	5.65E-05	3.59	Jdp2	Jun dimerization protein 2
A_66_P121059	0.001325	3.59	Mirg	miRNA containing gene
A_55_P2391674	2.85E-06	3.59	4931407E12RIK	RIKEN cDNA 4931407E12 gene
A_55_P2008497	1.46E-07	3.59		
A_30_P01031310	1.73E-05	3.59		
A_51_P427530	8.66E-08	3.59	Pgm1	phosphoglucomutase 1
A_30_P01019221	4.18E-05	3.59		
A_55_P1991016	9.36E-05	3.59	Basp1	brain abundant, membrane attached signal protein 1
A_55_P2137867	1.21E-07	3.58	Mpp3	membrane protein, palmitoylated 3 (MAGUK p55 subfamily member 3)
A_55_P2118067	1.08E-09	3.58	4930404H24RIK	RIKEN cDNA 4930404H24 gene
A_30_P01025575	4.33E-07	3.58		
A_55_P2085181	1.29E-06	3.58	Chaf1b	chromatin assembly factor 1, subunit B (p60)
A_30_P01024154	0.000405	3.58		
A_30_P01031022	0.000677	3.58		
A_55_P1980401	0.000704	3.58	Cbx7	chromobox homolog 7
A_30_P01032889	3.94E-06	3.58		
A_52_P416327	0.00037	3.57	Cd226	CD226 antigen
A_55_P1959550	9.00E-08	3.57	Rltpr	RGD motif, leucine rich repeats, tropomodulin domain and proline-rich containing
A_30_P01031925	4.55E-06	3.57		
A_55_P2380033	5.42E-07	3.57	4933433H22RIK	RIKEN cDNA 4933433H22 gene
A_55_P2094064	7.67E-05	3.57		
A_51_P207591	0.005838	3.57	Anxa8	annexin A8
A_51_P111164	0.001324	3.57	Rnd1	Rho family GTPase 1
A_66_P108474	3.87E-09	3.57		
A_55_P2408355	3.58E-05	3.57	BB166591	expressed sequence BB166591
A_55_P2183217	2.77E-07	3.57		
A_66_P133993	1.17E-08	3.57	Gm5093	predicted gene 5093
A_51_P195506	4.00E-06	3.57	Csf1	colony stimulating factor 1 (macrophage)
A_55_P2162543	2.75E-05	3.57		
A_55_P2163263	2.27E-06	3.57		
A_30_P01018862	3.80E-06	3.57		
A_30_P01032721	8.52E-07	3.57		
A_55_P1987914	4.21E-06	3.56	Map4k4	mitogen-activated protein kinase kinase kinase kinase 4
A_55_P2002585	5.42E-07	3.56		
A_52_P178904	0.000134	3.56	Seh1l	SEH1-like ( <i>S. cerevisiae</i> )
A_55_P2075429	1.25E-06	3.56	Til14	tubulin tyrosine ligase-like family, member 4
A_55_P1967840	1.19E-05	3.56	Kctd10	potassium channel tetramerisation domain containing 10
A_55_P2103284	1.79E-06	3.56	Twf2	twinfilin, actin-binding protein, homolog 2 ( <i>Drosophila</i> )
A_52_P559919	0.000143	3.56	Elf2ak2	eukaryotic translation initiation factor 2-alpha kinase 2
A_66_P112461	1.95E-08	3.56		
A_51_P324535	0.000305	3.56	B4galt5	UDP-Gal:betaGlcNAc beta 1,4-galactosyltransferase, polypeptide 5
A_30_P01032470	0.001142	3.56		
A_55_P2148041	0.000101	3.56		
A_55_P2140843	1.96E-09	3.56		
A_51_P275268	7.01E-05	3.56	4933421I07RIK	RIKEN cDNA 4933421I07 gene
A_51_P195506	5.32E-06	3.56	Csf1	colony stimulating factor 1 (macrophage)
A_51_P363642	1.71E-06	3.55	1700088E04RIK	RIKEN cDNA 1700088E04 gene
A_66_P128909	1.81E-05	3.55	Numbl	numb-like
A_55_P2055819	9.54E-10	3.55	Adam15	a disintegrin and metallopeptidase domain 15 (metargidin)
A_55_P2000039	2.71E-06	3.55	Prf1	perforin 1 (pore forming protein)
A_55_P2081530	1.42E-05	3.55	Sh3bgrl3	SH3 domain binding glutamic acid-rich protein-like 3
A_55_P2092526	7.65E-05	3.55	Tgfr1	TGFB-induced factor homeobox 1
A_55_P1979639	0.002504	3.55		
A_55_P2057283	0.003551	3.55		
A_55_P2383248	4.96E-05	3.55	4930422N03RIK	RIKEN cDNA 4930422N03 gene
A_55_P2102833	8.76E-07	3.55		
A_52_P185343	4.62E-05	3.55		
A_52_P214630	1.25E-05	3.55	Sox9	SRY-box containing gene 9
A_30_P01026072	0.000385	3.55		
A_30_P01019506	8.60E-05	3.55		
A_55_P2148504	1.78E-07	3.55	Krt2	keratin 2
A_55_P1974432	2.11E-05	3.55	Gm5067	predicted gene 5067
A_30_P01030215	1.73E-06	3.55		
A_52_P597461	0.000112	3.54	Skil	SKI-like
A_51_P399845	6.51E-06	3.54	Fgf2	fibroblast growth factor 2
A_65_P05396	6.90E-05	3.54	Rad18	RAD18 homolog ( <i>S. cerevisiae</i> )
A_51_P195506	2.03E-05	3.54	Csf1	colony stimulating factor 1 (macrophage)
A_55_P2140870	1.60E-07	3.53	Gm6034	predicted gene 6034
A_55_P2074591	4.28E-06	3.53	Ppm1h	protein phosphatase 1H (PP2C domain containing)
A_55_P2069221	0.000607	3.53	Prr11	proline rich 11
A_52_P81478	0.000227	3.53	Ttc26	tetratricopeptide repeat domain 26
A_55_P1994284	4.05E-06	3.53	Catsper4	cation channel, sperm associated 4
A_55_P2067425	2.29E-05	3.53	Dpf1	D4, zinc and double PHD fingers family 1
A_52_P233811	0.000559	3.53	B430306N03RIK	RIKEN cDNA B430306N03 gene
A_30_P01028208	2.40E-06	3.53		
A_55_P2014259	6.87E-07	3.53	Zfp82	zinc finger protein 82
A_55_P2192819	0.00023	3.53	BB157357	expressed sequence BB157357
A_55_P2074631	7.43E-06	3.52	Cpeb1	cytoplasmic polyadenylation element binding protein 1
A_30_P01026507	6.63E-10	3.52		
A_30_P01029444	8.76E-05	3.52		
A_55_P2068663	9.20E-05	3.52	Stmn1	stathmin 1
A_30_P01019417	2.19E-06	3.52		
A_52_P375312	1.38E-07	3.52	Amica1	adhesion molecule, interacts with CXADR antigen 1
A_51_P301394	6.52E-07	3.52	Gspt2	G1 to S phase transition 2

A_55_P1966838	3.36E-05	3.52	Xaf1	XIAP associated factor 1
A_55_P2034864	1.08E-05	3.52	Tubb2b	tubulin, beta 2B
A_51_P195506	5.18E-06	3.52	Csf1	colony stimulating factor 1 (macrophage)
A_55_P2054435	5.69E-06	3.52	Ttpal	tocopherol (alpha) transfer protein-like
A_55_P2034227	3.95E-05	3.52		
A_51_P227662	0.001522	3.52	Dnahc7b	dynein, axonemal, heavy chain 7B
A_51_P224980	6.85E-05	3.52	BC027231	cDNA sequence BC027231
A_30_P01018566	0.000398	3.51		
A_55_P2003996	0.00018	3.51	H2-T24	histocompatibility 2, T region locus 24
A_55_P2081616	1.54E-07	3.51	Timeless	timeless homolog (Drosophila)
A_30_P01027468	0.000178	3.51		
A_66_P134428	0.003657	3.51	Sfrp1	secreted frizzled-related protein 1
A_55_P1979341	2.39E-05	3.51	Cyba	cytochrome b-245, alpha polypeptide
A_30_P01032259	6.64E-07	3.51		
A_51_P276479	0.000512	3.51	4930486L24Rik	RIKEN cDNA 4930486L24 gene
A_66_P133328	4.28E-09	3.51	Tpd52	tumor protein D52
A_51_P279955	5.77E-06	3.51	E330017A01Rik	RIKEN cDNA E330017A01 gene
A_55_P2181216	1.37E-05	3.51		
A_51_P312121	1.42E-06	3.51	Xdh	xanthine dehydrogenase
A_51_P471659	0.002086	3.50	Alox12e	arachidonate lipoxygenase, epidermal
A_66_P111660	3.10E-07	3.50	Mt1	metallothionein 1
A_55_P2117380	4.94E-07	3.50	Asb4	ankyrin repeat and SOCS box-containing 4
A_30_P01032273	2.29E-05	3.50		
A_52_P214630	1.98E-06	3.50	Sox9	SRY-box containing gene 9
A_66_P118513	1.06E-06	3.50	Sept11	septin 11
A_30_P01024702	0.00012	3.50		
A_55_P2038252	2.19E-06	3.50	Tyro3	TYRO3 protein tyrosine kinase 3
A_30_P01027310	0.000916	3.50		
A_55_P2131060	0.000188	3.50	9530053H05Rik	RIKEN cDNA 9530053H05 gene
A_51_P460954	3.03E-05	3.50	Ccl6	chemokine (C-C motif) ligand 6
A_51_P195506	4.55E-06	3.50	Csf1	colony stimulating factor 1 (macrophage)
A_55_P2052897	0.000128	3.50	Arhgap30	Rho GTPase activating protein 30
A_55_P2062314	1.41E-06	3.50	2900041M22Rik	RIKEN cDNA 2900041M22 gene
A_55_P2136612	3.60E-06	3.50		
A_30_P01033039	2.01E-05	3.50		
A_55_P2014665	0.000106	3.49	Racgap1	Rac GTPase-activating protein 1
A_30_P01023982	1.22E-05	3.49		
A_51_P324814	5.92E-07	3.49	Krt18	keratin 18
A_30_P01022964	2.17E-09	3.49		
A_51_P195506	6.47E-06	3.49	Csf1	colony stimulating factor 1 (macrophage)
A_30_P01028815	1.30E-05	3.49		
A_30_P01033134	0.001046	3.49		
A_55_P2167913	0.000444	3.49	Dmd	dystrophin, muscular dystrophy
A_51_P114634	0.001571	3.49	Amz1	archaelysin family metallopeptidase 1
A_55_P2099790	0.001599	3.49	Nefn	neurofilament, heavy polypeptide
A_55_P2021615	9.18E-08	3.48	Gm13931	predicted gene 13931
A_55_P2145224	0.006289	3.48		
A_55_P2004447	5.83E-07	3.48	Fgl1	fibrinogen-like protein 1
A_51_P215097	3.07E-06	3.48	Klf16	Kruppel-like factor 16
A_66_P135742	9.38E-09	3.48	Wdr1	WD repeat domain 1
A_30_P01031767	0.000646	3.48		
A_55_P2126281	7.62E-07	3.48		
A_55_P1994047	3.57E-05	3.48		
A_51_P223709	8.95E-06	3.48	Pask	PAS domain containing serine/threonine kinase
A_55_P2011436	4.01E-05	3.48	Gm11223	stathmin 1 pseudogene
A_55_P2142425	0.000989	3.48	LOC100502708	hypothetical LOC100502708
A_51_P211854	7.94E-05	3.48	Selp	selectin, platelet
A_66_P118906	3.68E-06	3.48	Adora2b	adenosine A2b receptor
A_51_P127681	4.31E-06	3.48	Clic4	chloride intracellular channel 4 (mitochondrial)
A_55_P2374337	0.000336	3.48	A130071D04Rik	RIKEN cDNA A130071D04 gene
A_55_P2184284	0.000126	3.48	E230019M04Rik	RIKEN cDNA E230019M04 gene
A_55_P2151601	0.000358	3.48	Samd9l	sterile alpha motif domain containing 9-like
A_55_P2066230	5.78E-05	3.47	Hck	hemopoietic cell kinase
A_30_P01017455	2.35E-07	3.47		
A_55_P2340101	9.61E-06	3.47	BC062258	cDNA sequence BC062258
A_55_P2304602	1.99E-06	3.47	AA414903	expressed sequence AA414903
A_55_P2108708	0.00029	3.47	Kcne3	potassium voltage-gated channel, Isk-related subfamily, gene 3
A_55_P2257251	3.40E-05	3.47	4930455D15Rik	RIKEN cDNA 4930455D15 gene
A_66_P110161	4.81E-08	3.46	Eppk1	epiplakin 1
A_55_P2429480	1.58E-05	3.46	Atad2	ATPase family, AAA domain containing 2
A_52_P214630	1.23E-06	3.46	Sox9	SRY-box containing gene 9
A_55_P2109782	0.000267	3.46	Psg17	pregnancy specific glycoprotein 17
A_55_P2108784	2.79E-05	3.46	Arhgap22	Rho GTPase activating protein 22
A_55_P2052062	0.00016	3.46	Cd200	CD200 antigen
A_30_P01021240	0.000637	3.46		
A_52_P99848	8.91E-06	3.46	Plk3cd	phosphatidylinositol 3-kinase catalytic delta polypeptide
A_55_P2024773	4.60E-07	3.45	Rbl1	retinoblastoma-like 1 (p107)
A_55_P2164977	1.92E-05	3.45		
A_30_P01024444	3.56E-07	3.45		
A_55_P2066543	1.83E-08	3.45	Orai2	ORAI calcium release-activated calcium modulator 2
A_55_P2152427	0.00031	3.45	Zwilch	Zwilch, kinetochore associated, homolog (Drosophila)
A_51_P114634	0.000787	3.45	Amz1	archaelysin family metallopeptidase 1
A_55_P2162797	2.64E-05	3.44		
A_30_P01031242	5.67E-06	3.44		
A_51_P455807	4.20E-05	3.44	Ehd4	EH-domain containing 4
A_52_P211223	0.000286	3.44	Cdca2	cell division cycle associated 2
A_55_P1974650	6.56E-06	3.44	Npdc1	neural proliferation, differentiation and control gene 1
A_55_P2180301	2.34E-05	3.44	Clcn5	chloride channel 5
A_51_P127681	2.02E-06	3.44	Clic4	chloride intracellular channel 4 (mitochondrial)
A_55_P2127357	1.05E-07	3.44		
A_52_P87964	2.37E-07	3.44	Pla2g12a	phospholipase A2, group XIIA
A_55_P2076253	7.06E-06	3.43		
A_55_P2130129	4.03E-06	3.43	Kcnab1	potassium voltage-gated channel, shaker-related subfamily, beta member 1
A_55_P2336173	0.003355	3.43	Mirg	miRNA containing gene
A_51_P113058	9.45E-06	3.43	Olf1131	olfactory receptor 1131

A_51_P123510	0.001632	3.43	Vmn1r58	vomeroneasal 1 receptor 58
A_55_P2138306	7.18E-05	3.43		
A_52_P279557	0.00079	3.43	Fbxo40	F-box protein 40
A_55_P2183884	0.005659	3.43	Mc4r	melanocortin 4 receptor
A_55_P2104343	0.000155	3.43	Gm6420	predicted gene 6420
A_55_P2258832	2.34E-05	3.43	LOC100502767	hypothetical LOC100502767
A_55_P2039622	0.000403	3.43	Clec4a2	C-type lectin domain family 4, member a2
A_51_P296866	1.41E-06	3.43	Msi1	Musashi homolog 1(Drosophila)
A_55_P2167776	6.90E-05	3.43	Peci	peroxisomal delta3, delta2-enoyl-Coenzyme A isomerase
A_55_P2183010	0.000295	3.43	P2rx7	purinergic receptor P2X, ligand-gated ion channel, 7
A_30_P01018532	2.27E-06	3.42		
A_55_P2161824	2.97E-08	3.42	Arr3	arrestin 3, retinal
A_55_P1976212	6.98E-06	3.42	Selplg	selectin, platelet (p-selectin) ligand
A_55_P2183692	0.000255	3.42	Rgs19	regulator of G-protein signaling 19
A_30_P01018924	1.01E-05	3.42		
A_55_P2023480	5.16E-10	3.42		
A_51_P127681	8.72E-07	3.42	Clic4	chloride intracellular channel 4 (mitochondrial)
A_55_P1969977	0.000318	3.42	Myo15	myosin XV
A_55_P2164428	1.03E-05	3.42	Cd27	CD27 antigen
A_30_P01028161	0.000309	3.42		
A_55_P1955906	0.000137	3.41	Stat1	signal transducer and activator of transcription 1
A_52_P211185	5.79E-05	3.41	Gnat1	guanine nucleotide binding protein, alpha transducing 1
A_55_P2178583	4.87E-06	3.41		
A_30_P01028572	7.88E-05	3.41		
A_30_P01020103	4.48E-05	3.41		
A_51_P114634	0.001775	3.41	Amz1	archaelysin family metalloproteinase 1
A_52_P148289	4.52E-06	3.41	D030028A08Rik	RIKEN cDNA D030028A08 gene
A_55_P2128238	4.75E-05	3.41		
A_55_P1975475	3.96E-07	3.41	Mdm2	transformed mouse 3T3 cell double minute 2
A_55_P2184189	0.000143	3.41	Ncf2	neutrophil cytosolic factor 2
A_55_P2079860	2.01E-06	3.41	Asap3	ArfGAP with SH3 domain, ankyrin repeat and PH domain 3
A_30_P01018376	1.37E-06	3.41		
A_51_P127681	3.41E-06	3.40	Clic4	chloride intracellular channel 4 (mitochondrial)
A_55_P1960286	0.00221	3.40	Spns3	spinster homolog 3 (Drosophila)
A_55_P2043171	0.000575	3.40	Lilra6	leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 6
A_55_P2060991	3.09E-06	3.40	BC005764	cDNA sequence BC005764
A_51_P395373	5.84E-06	3.40	Ptpri	protein tyrosine phosphatase, receptor type, T
A_51_P317225	1.29E-05	3.40	Cmtm2a	CKLF-like MARVEL transmembrane domain containing 2A
A_52_P238902	5.33E-05	3.40	1200011M11Rik	RIKEN cDNA 1200011M11 gene
A_51_P285779	1.37E-05	3.40	Asphd2	aspartate beta-hydroxylase domain containing 2
A_55_P2093749	0.000415	3.40		
A_52_P577748	2.40E-05	3.40	Lpxn	leupaxin
A_51_P127681	3.79E-06	3.40	Clic4	chloride intracellular channel 4 (mitochondrial)
A_51_P203182	0.000388	3.40	Apob48r	apolipoprotein B48 receptor
A_51_P127681	2.04E-06	3.39	Clic4	chloride intracellular channel 4 (mitochondrial)
A_55_P1985633	1.13E-05	3.39	Lrp1	low density lipoprotein receptor-related protein 1
A_30_P01023273	0.000925	3.39		
A_55_P2039061	0.000325	3.39	9230105E10Rik	RIKEN cDNA 9230105E10 gene
A_55_P2170681	0.000232	3.39	Cdca8	cell division cycle associated 8
A_55_P2174541	3.41E-05	3.39	Dtx3l	deltex 3-like (Drosophila)
A_30_P01025302	9.82E-06	3.39		
A_55_P2037827	8.91E-05	3.39	Bmp10	bone morphogenetic protein 10
A_30_P01018710	1.76E-06	3.39		
A_55_P2093665	1.28E-05	3.39		
A_51_P127681	2.74E-06	3.39	Clic4	chloride intracellular channel 4 (mitochondrial)
A_55_P2032718	0.000337	3.39	Klra9	killer cell lectin-like receptor subfamily A, member 9
A_66_P125925	1.83E-05	3.39	Cntrn2	contactin 2
A_55_P2136813	7.68E-05	3.38		
A_55_P2170515	0.000507	3.38		
A_55_P1979616	2.92E-06	3.38	Tmem189	transmembrane protein 189
A_52_P604613	2.16E-05	3.38	S1pr2	sphingosine-1-phosphate receptor 2
A_55_P2019684	0.001751	3.38	Bspry	B-box and SPRY domain containing
A_52_P138110	1.97E-08	3.38	1110032A03Rik	RIKEN cDNA 1110032A03 gene
A_51_P114634	0.001559	3.38	Amz1	archaelysin family metalloproteinase 1
A_55_P1962781	6.11E-05	3.38		
A_30_P01030772	4.62E-05	3.38		
A_55_P1986823	0.000202	3.38	Gm8075	predicted gene 8075
A_30_P01024370	1.45E-07	3.38		
A_55_P2046368	1.30E-05	3.38	Mapkap1	mitogen-activated protein kinase associated protein 1
A_55_P2130408	2.72E-05	3.38		
A_30_P01028550	3.73E-06	3.38		
A_51_P114634	0.002091	3.37	Amz1	archaelysin family metalloproteinase 1
A_55_P1953819	0.000278	3.37	Btk	Bruton agammaglobulinemia tyrosine kinase
A_51_P128463	0.000102	3.37	Grrp1	glycine/arginine rich protein 1
A_66_P132218	2.14E-06	3.37	Gm4430	predicted gene 4430
A_30_P01030997	0.000255	3.37		
A_30_P01019001	6.49E-06	3.37		
A_51_P255456	0.000106	3.37	Cyp1b1	cytochrome P450, family 1, subfamily b, polypeptide 1
A_55_P2022778	9.00E-07	3.37	Trpc2	transient receptor potential cation channel, subfamily C, member 2
A_51_P320852	4.51E-05	3.37	Cd9	CD9 antigen
A_52_P552550	6.74E-05	3.37	Agtrap	angiotensin II, type I receptor-associated protein
A_55_P1964173	0.001041	3.36		
A_51_P325664	0.000427	3.36	Olfir799	olfactory receptor 799
A_51_P127681	8.51E-07	3.36	Clic4	chloride intracellular channel 4 (mitochondrial)
A_30_P01027955	0.00078	3.36		
A_55_P2178127	0.000258	3.36	Sept1	septin 1
A_30_P01020436	1.74E-05	3.36		
A_55_P2000688	2.06E-06	3.36	Gm6958	predicted gene 6958
A_30_P01019318	0.00021	3.36		
A_55_P2141479	0.000629	3.36	Rnu2	U2 small nuclear RNA
A_51_P208722	1.93E-05	3.36	Gm7544	predicted gene 7544
A_55_P2061909	2.89E-07	3.36	Wbp5	WW domain binding protein 5
A_51_P256246	1.26E-05	3.36	Tspan13	tetraspanin 13
A_55_P1957453	0.000198	3.35	Best3	bestrophin 3
A_55_P2021981	1.94E-05	3.35	Ctsw	cathepsin W

A_55_P2083889	3.73E-06	3.35	Pea15a	phosphoprotein enriched in astrocytes 15A
A_55_P2021099	2.01E-06	3.35	Tmem181a	transmembrane protein 181A
A_30_P01019999	0.000481	3.35		
A_55_P2131844	0.001197	3.35		
A_51_P401263	1.62E-05	3.35	Eme1	essential meiotic endonuclease 1 homolog 1 (S. pombe)
A_55_P1978465	5.25E-06	3.35	H2-Q8	histocompatibility 2, Q region locus 8
A_30_P01031323	1.06E-07	3.35		
A_55_P2034320	7.76E-05	3.35		
A_30_P01027502	7.46E-06	3.35		
A_30_P01022646	8.74E-07	3.35		
A_51_P127681	2.59E-06	3.35	Clc4	chloride intracellular channel 4 (mitochondrial)
A_30_P01032670	2.70E-05	3.34		
A_55_P2244871	0.001716	3.34	AI574175	expressed sequence AI574175
A_30_P01018161	1.96E-06	3.34		
A_51_P348280	1.23E-06	3.34	Il17ra	interleukin 17 receptor A
A_55_P2037066	5.39E-06	3.34	Gm13138	predicted gene 13138
A_55_P2100899	0.000131	3.34	Arnt	aryl hydrocarbon receptor nuclear translocator
A_55_P2075136	7.40E-05	3.34		
A_51_P114634	0.000914	3.34	Amz1	archaelysin family metalloproteinase 1
A_55_P2044468	2.32E-08	3.34	4921513D23Rik	RIKEN cDNA 4921513D23 gene
A_52_P89567	1.72E-05	3.34	Rhob	ras homolog gene family, member B
A_55_P2057336	2.29E-06	3.34		
A_55_P2122564	3.99E-05	3.34	Dcp2	DCP2 decapping enzyme homolog (S. cerevisiae)
A_51_P169714	9.60E-06	3.34	Shc2	SHC (Src homology 2 domain containing) transforming protein 2
A_52_P659762	0.000443	3.33	Eid2	EP300 interacting inhibitor of differentiation 2
A_51_P158018	0.001662	3.33	Bend5	BEN domain containing 5
A_55_P1990944	0.000287	3.33	Casp1	caspase 1
A_30_P01033084	0.000421	3.33		
A_51_P267180	4.92E-05	3.33		
A_30_P01033321	1.46E-05	3.33		
A_55_P1984655	7.64E-05	3.33	Smtnl2	smoothelin-like 2
A_51_P414889	4.03E-06	3.33	Ifi35	interferon-induced protein 35
A_51_P509669	9.32E-06	3.33	Uap111	UDP-N-acetylglucosamine pyrophosphorylase 1-like 1
A_30_P01022083	1.14E-05	3.33		
A_51_P211854	5.61E-06	3.33	Selp	selectin, platelet
A_30_P01023304	2.62E-06	3.33		
A_30_P01023254	1.55E-07	3.33		
A_51_P127681	1.53E-06	3.33	Clc4	chloride intracellular channel 4 (mitochondrial)
A_55_P2176275	0.000111	3.33	Gucy2e	guanylate cyclase 2e
A_55_P1997141	2.20E-05	3.33	Mybl2	myeloblastosis oncogene-like 2
A_55_P2140751	4.43E-05	3.33		
A_51_P219325	0.000343	3.33	Ddx28	DEAD (Asp-Glu-Ala-Asp) box polypeptide 28
A_51_P236864	0.000128	3.33	Parp8	poly (ADP-ribose) polymerase family, member 8
A_51_P237865	0.004521	3.33	Il4	interleukin 4
A_30_P01022724	9.99E-05	3.33		
A_30_P01032951	8.64E-06	3.33		
A_52_P664506	0.000443	3.33	Abhd2	abhydrolase domain containing 2
A_55_P2008244	9.66E-05	3.33		
A_30_P01025847	2.93E-05	3.32		
A_30_P01028115	9.52E-06	3.32		
A_55_P2028852	3.41E-05	3.32		
A_55_P1959430	0.006349	3.32	Chat	choline acetyltransferase
A_55_P2008277	3.84E-08	3.32	Gm9880	predicted gene 9880
A_51_P366061	5.42E-08	3.32	Fscn1	fascin homolog 1, actin bundling protein (Strongylocentrotus purpuratus)
A_55_P2028054	0.000105	3.32	Incenp	inner centromere protein
A_66_P107129	2.94E-06	3.32	3300005D01Rik	RIKEN cDNA 3300005D01 gene
A_51_P114634	0.000909	3.32	Amz1	archaelysin family metalloproteinase 1
A_55_P2091736	1.96E-06	3.32	Rassf2	Ras association (RalGDS/AF-6) domain family member 2
A_55_P2319730	1.72E-05	3.32	4930414F18Rik	RIKEN cDNA 4930414F18 gene
A_55_P1963920	0.001525	3.32	A430084P05Rik	RIKEN cDNA A430084P05 gene
A_55_P2072656	1.43E-07	3.32	Ckmt1	creatine kinase, mitochondrial 1, ubiquitous
A_55_P2137309	1.42E-05	3.32	Kctd11	potassium channel tetramerisation domain containing 11
A_55_P2082902	0.000222	3.32	Wars	tryptophanyl-tRNA synthetase
A_51_P399845	0.000416	3.32	Fgf2	fibroblast growth factor 2
A_30_P01020422	7.77E-06	3.32		
A_30_P01023206	4.04E-05	3.32		
A_55_P2130565	3.57E-07	3.31	Prdm11	PR domain containing 11
A_55_P2179413	3.12E-06	3.31	Lgals3bp	lectin, galactoside-binding, soluble, 3 binding protein
A_30_P01025960	1.83E-05	3.31		
A_30_P01024596	0.000244	3.31		
A_55_P2023076	3.52E-08	3.31	Arpc1b	actin related protein 2/3 complex, subunit 1B
A_30_P01020759	2.61E-05	3.31		
A_55_P2015670	1.55E-08	3.31	Itga6	integrin alpha 6
A_55_P1952644	2.96E-06	3.31		
A_52_P32353	0.000103	3.31		
A_55_P2287910	6.87E-07	3.31	Rragd	Ras-related GTP binding D
A_55_P2124461	6.10E-07	3.31		
A_30_P01021020	1.59E-06	3.31		
A_55_P2148554	3.51E-05	3.31		
A_55_P2117187	4.94E-05	3.30	Olf1243	olfactory receptor 1243
A_55_P2210011	0.000145	3.30		
A_30_P01019590	0.000664	3.30		
A_55_P2141008	0.000157	3.30	Siglech	sialic acid binding Ig-like lectin H
A_52_P585652	1.86E-08	3.30	Fndc3b	fibronectin type III domain containing 3B
A_30_P01022744	2.17E-05	3.30		
A_30_P01029095	2.74E-05	3.30		
A_66_P123812	3.21E-06	3.30	Olf168	olfactory receptor 168
A_55_P2109608	9.03E-06	3.30		
A_55_P2184146	2.40E-06	3.30		
A_55_P2150351	0.002362	3.30		
A_30_P01017971	0.000306	3.30		
A_30_P01028506	1.03E-05	3.30		
A_51_P435321	3.03E-05	3.29	Ap1s2	adaptor-related protein complex 1, sigma 2 subunit
A_55_P1993723	0.000457	3.29	Acsbg2	acyl-CoA synthetase bubblegum family member 2
A_55_P2035102	2.36E-06	3.29	Odc1	ornithine decarboxylase, structural 1



A_51_P229664	0.00204	3.29	Cd27	CD27 antigen
A_65_P17218	0.000236	3.29	Mndal	myeloid nuclear differentiation antigen like
A_51_P314907	7.08E-07	3.29	Dbf4	DBF4 homolog ( <i>S. cerevisiae</i> )
A_30_P01020186	0.001942	3.29		
A_55_P1985815	1.98E-05	3.29		
A_30_P01026331	6.08E-07	3.29		
A_51_P439299	3.75E-05	3.29	Relt	RELT tumor necrosis factor receptor
A_55_P2149951	9.83E-05	3.29	Prx	periaxin
A_30_P01022457	0.000885	3.29		
A_52_P141338	2.31E-05	3.29	Acot10	acyl-CoA thioesterase 10
A_30_P01033020	3.79E-07	3.29		
A_52_P213889	0.001353	3.29	Tmc7	transmembrane channel-like gene family 7
A_55_P1971840	2.37E-06	3.29	Muc13	mucin 13, epithelial transmembrane
A_55_P2039992	0.000827	3.29	Grik2	glutamate receptor, ionotropic, kainate 2 (beta 2)
A_55_P1973854	2.08E-07	3.28	Sema6b	sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6B
A_52_P17112	1.43E-05	3.28	Znrf1	zinc and ring finger 1
A_66_P112006	8.33E-07	3.28	H2-T10	histocompatibility 2, T region locus 10
A_30_P01019921	1.35E-05	3.28		
A_55_P1955172	0.000666	3.28	Camk2d	calcium/calmodulin-dependent protein kinase II, delta
A_30_P01025040	0.000243	3.28		
A_55_P2005783	0.000912	3.28	Ifih1	interferon induced with helicase C domain 1
A_55_P2166555	1.74E-07	3.28	Gm5637	predicted pseudogene 5637
A_55_P2013760	1.24E-06	3.28	Slc39a14	solute carrier family 39 (zinc transporter), member 14
A_30_P01019262	0.000647	3.27		
A_51_P114634	0.000906	3.27	Amz1	archaelysin family metallopeptidase 1
A_55_P1999561	0.000537	3.27	Pram1	PML-RAR alpha-regulated adaptor molecule 1
A_51_P453736	0.000264	3.27	Apol11b	apolipoprotein L 11b
A_55_P2029721	1.56E-05	3.27		
A_52_P315423	0.00141	3.27		
A_55_P2099742	0.000238	3.27	Ccl19	chemokine (C-C motif) ligand 19
A_52_P255304	7.72E-05	3.27	Fam123c	family with sequence similarity 123, member C
A_51_P165087	1.14E-05	3.27	Snai1	snail homolog 1 ( <i>Drosophila</i> )
A_55_P1969745	1.01E-07	3.27	Pitpnm1	phosphatidylinositol transfer protein, membrane-associated 1
A_55_P2066116	1.17E-05	3.27	Bcl3	B-cell leukemia/lymphoma 3
A_55_P2000354	3.14E-05	3.27	Rgs11	regulator of G-protein signaling 11
A_30_P01028024	0.005815	3.27		
A_30_P01027661	4.28E-06	3.27		
A_52_P537545	0.00014	3.27	Smpd3	sphingomyelin phosphodiesterase 3, neutral
A_30_P01026313	8.43E-06	3.27		
A_51_P309589	0.001471	3.27	2700099C18RIK	NDC80 homolog, kinetochore complex component pseudogene
A_30_P01021617	5.36E-07	3.27		
A_52_P283628	6.48E-07	3.27	Rps6ka3	ribosomal protein S6 kinase polypeptide 3
A_51_P260300	1.07E-11	3.27	Ikbkg	inhibitor of kappaB kinase gamma
A_30_P01026037	0.000554	3.27		
A_55_P1974367	0.001889	3.27	Fabp3	fatty acid binding protein 3, muscle and heart
A_30_P01017730	9.32E-07	3.26		
A_55_P2162394	9.73E-06	3.26	Pdp1	pyruvate dehydrogenase phosphatase catalytic subunit 1
A_51_P191469	4.06E-07	3.26	Rnf31	ring finger protein 31
A_30_P01028687	1.76E-07	3.26		
A_30_P01019184	0.000995	3.26		
A_51_P297679	8.52E-05	3.26	Hcls1	hematopoietic cell specific Lyn substrate 1
A_55_P2026738	0.000447	3.26	Rgs4	regulator of G-protein signaling 4
A_55_P2092262	2.00E-05	3.26	Gm7694	predicted gene 7694
A_30_P01033032	3.09E-05	3.26		
A_55_P2040026	1.58E-05	3.26	Itga4	integrin alpha 4
A_66_P123186	3.12E-06	3.26	Mapk1ip1l	mitogen-activated protein kinase 1 interacting protein 1-like
A_51_P211854	9.05E-06	3.25	Selp	selectin, platelet
A_55_P2085370	1.28E-06	3.25	Traf7	TNF receptor-associated factor 7
A_51_P123510	0.000806	3.25	Vmn1r58	vomer nasal 1 receptor 58
A_55_P2169953	1.19E-05	3.25		
A_30_P01017933	3.17E-07	3.25		
A_55_P2018847	7.76E-07	3.25	Crf2	cytokine receptor-like factor 2
A_51_P375509	0.000123	3.25	Spty2d1	SPT2, Suppressor of Ty, domain containing 1 ( <i>S. cerevisiae</i> )
A_30_P01025202	5.95E-06	3.25		
A_52_P282762	4.12E-06	3.25	Myd88	myeloid differentiation primary response gene 88
A_55_P2149763	4.33E-07	3.25	Tapbp	TAP binding protein
A_51_P100174	0.000259	3.25	Mns1	meiosis-specific nuclear structural protein 1
A_55_P1953194	9.17E-05	3.25		
A_51_P171200	0.000107	3.25	Golm1	golgi membrane protein 1
A_55_P2032750	0.000165	3.25	Cpt1c	carnitine palmitoyltransferase 1c
A_51_P467837	1.02E-05	3.24	Ap3m2	adaptor-related protein complex 3, mu 2 subunit
A_30_P01021756	3.74E-08	3.24		
A_51_P483576	0.004415	3.24		
A_51_P359636	7.14E-06	3.24	Lgals3bp	lectin, galactoside-binding, soluble, 3 binding protein
A_51_P518841	2.00E-09	3.24	Fev	FEV (ETS oncogene family)
A_51_P514961	0.002445	3.24	Tiparp	TCDD-inducible poly(ADP-ribose) polymerase
A_30_P01018472	0.000446	3.24		
A_52_P38639	0.000704	3.24	Fermt3	fermitin family homolog 3 ( <i>Drosophila</i> )
A_52_P628067	0.000409	3.24	Cdca3	cell division cycle associated 3
A_55_P2099363	6.66E-06	3.24	Stac2	SH3 and cysteine rich domain 2
A_51_P195506	1.82E-05	3.24	Csf1	colony stimulating factor 1 (macrophage)
A_55_P2168383	0.001981	3.24	Myo18b	myosin XVIIIb
A_55_P1972792	2.75E-07	3.24	Stil	Scf/Tal1 interrupting locus
A_66_P131754	2.58E-07	3.24	Vwa5a	von Willebrand factor A domain containing 5A
A_30_P01028662	1.50E-05	3.24		
A_55_P2005908	2.17E-06	3.24	Lin9	lin-9 homolog ( <i>C. elegans</i> )
A_51_P258372	0.000356	3.23	Igsf6	immunoglobulin superfamily, member 6
A_55_P1963221	0.000448	3.23		
A_55_P1993184	1.01E-07	3.23		
A_30_P01021311	0.000138	3.23		
A_55_P2113165	8.75E-05	3.23	Camkk1	calcium/calmodulin-dependent protein kinase kinase 1, alpha
A_55_P2009787	2.52E-05	3.23	Atp1a4	ATPase, Na <sup>+</sup> /K <sup>+</sup> transporting, alpha 4 polypeptide
A_30_P01032897	1.41E-06	3.23		
A_55_P2015541	6.59E-06	3.23	Hif3a	hypoxia inducible factor 3, alpha subunit
A_51_P286978	9.45E-08	3.23	1700034O15RIK	RIKEN cDNA 1700034O15 gene

A_55_P2002846	9.98E-07	3.23	0610010012Rik	RIKEN cDNA 0610010012 gene
A_55_P2019009	0.000625	3.23	Ncoa7	nuclear receptor coactivator 7
A_30_P01028231	7.24E-06	3.23		
A_55_P2173358	1.48E-05	3.23		
A_51_P487918	1.94E-05	3.22	Rlnl	Ras and Rab interactor-like
A_55_P1986722	0.004382	3.22	Card9	caspase recruitment domain family, member 9
A_55_P1961873	0.000141	3.22	Akt3	thymoma viral proto-oncogene 3
A_55_P1952842	2.28E-05	3.22	Ceacam20	carcinoembryonic antigen-related cell adhesion molecule 20
A_55_P2085412	0.000304	3.22	Ankle1	ankyrin repeat and LEM domain containing 1
A_52_P598835	4.16E-06	3.22	2010109K11Rik	RIKEN cDNA 2010109K11 gene
A_55_P2023306	6.12E-05	3.22	Pcdha9	protocadherin alpha 9
A_66_P134984	2.59E-05	3.22		
A_51_P105709	1.50E-05	3.22	Trip13	thyroid hormone receptor interactor 13
A_52_P322927	0.000878	3.22		
A_51_P131800	0.000216	3.22	Cyba	cytochrome b-245, alpha polypeptide
A_55_P1983358	0.001586	3.22	Gm4593	predicted gene 4593
A_51_P124254	1.27E-05	3.22	Col4a1	collagen, type IV, alpha 1
A_30_P01023472	2.35E-05	3.22		
A_55_P2079579	0.000241	3.22	Pira7	paired-Ig-like receptor A7
A_30_P01021361	0.000293	3.22		
A_52_P655265	0.001196	3.21	6720463M24Rik	RIKEN cDNA 6720463M24 gene
A_55_P2024220	0.001318	3.21		
A_55_P2008016	0.000268	3.21	Armc3	armadillo repeat containing 3
A_55_P2315921	0.000164	3.21	5330431K02Rik	RIKEN cDNA 5330431K02 gene
A_55_P1988481	1.35E-08	3.21		
A_55_P2248315	2.15E-05	3.21	2310043M15Rik	RIKEN cDNA 2310043M15 gene
A_52_P517730	2.75E-06	3.21	Creb1	cAMP responsive element binding protein 1
A_51_P114634	0.003612	3.21	Amz1	archaelysin family metalloproteinase 1
A_55_P1989534	2.14E-05	3.21	Cklf	chemokine-like factor
A_55_P2067366	4.74E-05	3.21		
A_55_P2132604	0.003177	3.21	Gm2447	predicted gene 2447
A_55_P1984830	5.60E-07	3.21	Fgl1	fibrinogen-like protein 1
A_52_P631547	0.000115	3.21	Cyt11	cytokine-like 1
A_51_P517952	0.000615	3.21	Tpcn2	two pore segment channel 2
A_51_P128575	8.21E-06	3.21	Scgb1a1	secretoglobin, family 1A, member 1 (uterglobin)
A_30_P01020312	7.51E-05	3.21		
A_30_P01024749	0.000589	3.21		
A_55_P2007423	8.55E-06	3.20	Ppp1r12a	protein phosphatase 1, regulatory (inhibitor) subunit 12A
A_52_P282762	5.64E-06	3.20	Myd88	myeloid differentiation primary response gene 88
A_55_P2408968	4.59E-06	3.20		
A_55_P2055762	8.63E-05	3.20	Gm5878	predicted gene 5878
A_52_P364130	5.30E-06	3.20	Map3k14	mitogen-activated protein kinase kinase kinase 14
A_30_P01018071	0.000156	3.20		
A_52_P236398	1.26E-06	3.20		
A_55_P2116621	0.000133	3.20	Cited2	Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 2
A_55_P2092750	9.58E-05	3.20	Car9	carbonic anhydrase 9
A_55_P2219189	0.00022	3.20	D3Erd711e	DNA segment, Chr 3, ERATO Doi 711, expressed
A_55_P1961009	0.000851	3.20	Appb1ip	amyloid beta (A4) precursor protein-binding, family B, member 1 interacting protein
A_30_P01031128	0.000118	3.20		
A_66_P108979	0.000101	3.20	Olf1535	olfactory receptor 1535
A_52_P282762	2.32E-06	3.20	Myd88	myeloid differentiation primary response gene 88
A_55_P2007470	9.19E-06	3.19	Pdgfra	platelet derived growth factor, alpha
A_55_P2115057	0.000101	3.19	Tuba1a	tubulin, alpha 1A
A_52_P93933	4.04E-07	3.19	Mcl1	myeloid cell leukemia sequence 1
A_51_P336599	0.000353	3.19	Kcne3	potassium voltage-gated channel, Isk-related subfamily, gene 3
A_55_P2122618	0.000785	3.19		
A_55_P2120906	4.47E-06	3.19		
A_55_P2156464	7.11E-06	3.19	Nt5c3l	5'-nucleotidase, cytosolic III-like
A_30_P01021593	1.66E-05	3.19		
A_51_P393958	7.68E-05	3.19	Fbxo5	F-box protein 5
A_55_P2150781	2.57E-06	3.19		
A_30_P01028838	2.29E-05	3.19		
A_30_P01019030	1.21E-06	3.19		
A_55_P2072915	0.000166	3.19		
A_51_P123510	1.05E-06	3.19	Vmn1r58	vomeroneural 1 receptor 58
A_51_P128575	2.02E-05	3.19	Scgb1a1	secretoglobin, family 1A, member 1 (uterglobin)
A_51_P476601	0.000528	3.19	Ly96	lymphocyte antigen 96
A_55_P1992959	3.70E-05	3.19	Pfkfb4	6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 4
A_55_P2086811	0.000151	3.19	Sp140	Sp140 nuclear body protein
A_52_P417727	5.94E-05	3.18	Olf1170	olfactory receptor 1170
A_55_P2019457	2.17E-05	3.18	Eno2	enolase 2, gamma neuronal
A_55_P2240161	6.59E-05	3.18	A730090H04Rik	RIKEN cDNA A730090H04 gene
A_30_P01018209	0.001776	3.18		
A_55_P1969746	2.07E-06	3.18	Pltprm1	phosphatidylinositol transfer protein, membrane-associated 1
A_55_P1967291	0.000103	3.18	Ncaph	non-SMC condensin I complex, subunit H
A_55_P1990265	0.000382	3.18		
A_51_P467224	0.000336	3.18	Fbn1	fibrillin 1
A_30_P01022869	8.27E-06	3.18		
A_55_P2078680	4.64E-09	3.18	Tpm1	tropomyosin 1, alpha
A_55_P2059591	3.90E-05	3.18		
A_51_P438821	1.31E-06	3.17	Pycard	PYD and CARD domain containing
A_55_P2347756	2.07E-07	3.17	AU040972	expressed sequence AU040972
A_30_P01032373	5.74E-07	3.17		
A_30_P01022924	2.42E-06	3.17		
A_55_P1977245	8.33E-08	3.17	Slc22a13	solute carrier family 22 (organic cation transporter), member 13
A_52_P117352	0.000323	3.17	Gja4	gap junction protein, alpha 4
A_55_P1968381	1.45E-07	3.17	Cast	calpastatin
A_55_P1970650	1.04E-07	3.17	Dgkh	diacylglycerol kinase, eta
A_55_P2054897	0.002697	3.17	Rnd1	Rho family GTPase 1
A_55_P2076757	0.000796	3.16	Znfx1	zinc finger, NFX1-type containing 1
A_30_P01026785	5.35E-05	3.16		
A_51_P399175	0.000188	3.16	Ppm1j	protein phosphatase 1J
A_66_P123294	1.27E-07	3.16		
A_30_P01019853	0.000117	3.16		
A_55_P2141093	0.006455	3.16	Eya2	eyes absent 2 homolog (Drosophila)

A_51_P154780	0.000347	3.16	Vav1	vav 1 oncogene
A_30_P01025684	2.84E-05	3.16		
A_51_P206134	0.000217	3.16	Akna	AT-hook transcription factor
A_51_P459489	6.72E-05	3.16	Tmco5	transmembrane and coiled-coil domains 5
A_30_P01021888	2.98E-05	3.16		
A_51_P155458	0.000957	3.16		
A_55_P2205638	0.000122	3.16	D17H6S56E-5	DNA segment, Chr 17, human D6S56E 5
A_55_P2148182	4.09E-09	3.15		
A_52_P537566	3.09E-09	3.15	Cenpt	centromere protein T
A_55_P2121856	2.06E-05	3.15	Ier5l	immediate early response 5-like
A_30_P01033549	4.20E-07	3.15		
A_55_P2121563	4.53E-06	3.15	Ankfy1	ankyrin repeat and FYVE domain containing 1
A_55_P2147791	0.001617	3.15	Fam129c	family with sequence similarity 129, member C
A_55_P2423616	1.23E-05	3.15	2900057C01RIK	RIKEN cDNA 2900057C01 gene
A_55_P2126578	4.10E-06	3.15		
A_55_P1954196	2.93E-05	3.15	C1ql3	C1q-like 3
A_55_P1995055	3.27E-05	3.15	Prr7	proline rich 7 (synaptic)
A_55_P2047529	5.39E-05	3.15	Oog4	oogenesis 4
A_55_P2082733	0.000117	3.15	Cybb	cytochrome b-245, beta polypeptide
A_51_P398878	6.60E-07	3.15	Uck2	uridine-cytidine kinase 2
A_55_P2183408	0.003324	3.15	D430050E20RIK	RIKEN cDNA D430050E20 gene
A_52_P99807	1.49E-05	3.15	Dpy19l3	dpy-19-like 3 (C. elegans)
A_55_P2114995	3.94E-05	3.15		
A_55_P2159512	0.00024	3.15	Plekha4	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 4
A_55_P2116650	3.98E-05	3.15	A130040M12RIK	RIKEN cDNA A130040M12 gene
A_55_P1995007	0.000149	3.15	Arhgap11a	Rho GTPase activating protein 11A
A_55_P1991960	4.15E-05	3.15	Nwd1	NACHT and WD repeat domain containing 1
A_51_P342906	1.38E-05	3.15	Sh3bp1	SH3-domain binding protein 1
A_55_P1969311	0.000228	3.14	Gramd1b	GRAM domain containing 1B
A_30_P01024250	2.92E-06	3.14		
A_52_P556099	0.00017	3.14	Olp5	Opa interacting protein 5
A_30_P01030574	1.22E-05	3.14		
A_55_P2073208	2.70E-05	3.14		
A_55_P2314657	0.001738	3.14	4931403G20RIK	RIKEN cDNA 4931403G20 gene
A_30_P01030723	0.003124	3.14		
A_55_P2053404	0.000624	3.14		
A_55_P1952882	9.08E-06	3.14	Cyp4f18	cytochrome P450, family 4, subfamily f, polypeptide 18
A_30_P01019834	6.36E-06	3.14		
A_66_P113868	1.16E-05	3.14	Cdh3	cadherin 3
A_55_P2328915	9.96E-08	3.14	LOC552877	hypothetical LOC552877
A_55_P1963573	0.000129	3.14	Gm11595	predicted gene 11595
A_55_P2110351	1.92E-07	3.14	Eppk1	epiplakin 1
A_55_P2121521	3.51E-06	3.14	Hist1h3l	histone cluster 1, H3i
A_66_P121086	0.000672	3.14	Map3k8	mitogen-activated protein kinase kinase kinase 8
A_55_P2106975	3.15E-06	3.13	Clcn5	chloride channel 5
A_52_P598309	5.22E-06	3.13	1500012F01RIK	RIKEN cDNA 1500012F01 gene
A_51_P324287	0.000493	3.13	Kif23	kinesin family member 23
A_51_P105709	3.83E-05	3.13	Trip13	thyroid hormone receptor interactor 13
A_30_P01024421	0.000671	3.13		
A_55_P2072801	1.85E-06	3.13	Lypd5	Ly6/Plaur domain containing 5
A_55_P2021393	0.000102	3.13	Vmn2r65	vomeroneural 2, receptor 65
A_51_P100298	0.000404	3.13	Stx3	syntaxin 3
A_55_P2062722	0.000245	3.13		
A_30_P01024542	2.38E-05	3.13		
A_30_P01033113	8.87E-05	3.13		
A_55_P2154809	0.001915	3.13	Morn3	MORN repeat containing 3
A_30_P01025641	9.50E-09	3.13		
A_55_P2035504	0.000212	3.13	Nt5c3	5'-nucleotidase, cytosolic III
A_30_P01017723	4.73E-08	3.13		
A_66_P128733	7.50E-06	3.13	BC106175	cDNA sequence BC106175
A_30_P01018245	7.24E-06	3.12		
A_51_P491976	4.51E-06	3.12	Fbxw17	F-box and WD-40 domain protein 17
A_55_P2088315	3.37E-05	3.12	Vmn1r87	vomeroneural 1 receptor 87
A_30_P01025038	0.000122	3.12		
A_30_P01030730	1.59E-06	3.12		
A_52_P282762	3.31E-05	3.12	Myd88	myeloid differentiation primary response gene 88
A_55_P2044659	0.000657	3.12		
A_30_P01027248	1.27E-06	3.12		
A_30_P01018526	0.00112	3.12		
A_55_P2123234	1.67E-07	3.12		
A_55_P1976077	2.41E-05	3.12	1700071K01RIK	RIKEN cDNA 1700071K01 gene
A_55_P1955437	1.48E-07	3.12	Cmtm5	CKLF-like MARVEL transmembrane domain containing 5
A_52_P529570	0.000116	3.12	Nsl1	NSL1, MIND kinetochore complex component, homolog (S. cerevisiae)
A_55_P2068570	1.47E-08	3.12		
A_52_P663704	4.57E-05	3.12	Podnl1	podocan-like 1
A_55_P2038101	0.000479	3.12	Dock11	dedicator of cytokinesis 11
A_55_P2109003	2.35E-05	3.11		
A_52_P127206	2.49E-05	3.11	Gm9	predicted gene 9
A_55_P1973770	7.45E-07	3.11	Unc5b	unc-5 homolog B (C. elegans)
A_30_P01028636	3.02E-06	3.11		
A_51_P237055	4.25E-05	3.11	Olf1198	olfactory receptor 1198
A_55_P2004732	0.0015	3.11	Ttc39a	tetratricopeptide repeat domain 39A
A_55_P2074982	6.23E-06	3.11	Lyar	Ly1 antibody reactive clone
A_55_P1991199	1.76E-06	3.11	Nos1ap	nitric oxide synthase 1 (neuronal) adaptor protein
A_55_P2008297	0.000114	3.11	Cd300a	CD300A antigen
A_52_P282762	6.92E-06	3.11	Myd88	myeloid differentiation primary response gene 88
A_55_P2142535	1.82E-06	3.11	1700037C18RIK	RIKEN cDNA 1700037C18 gene
A_55_P2130970	3.71E-07	3.11	Parp10	poly (ADP-ribose) polymerase family, member 10
A_55_P2073397	3.33E-09	3.10		
A_51_P411297	3.17E-05	3.10	Nup50	nucleoporin 50
A_55_P2119145	9.66E-05	3.10		
A_55_P2039284	0.000949	3.10	Hspb1	heat shock protein 1
A_55_P2193512	0.000151	3.10	AI661384	expressed sequence AI661384
A_55_P2220092	7.26E-05	3.10	D230035N22RIK	RIKEN cDNA D230035N22 gene
A_55_P1960074	1.20E-07	3.10	Pafah1b3	platelet-activating factor acetylhydrolase, isoform 1b, subunit 3

A_51_P397296	0.002482	3.10	Marveld3	MARVEL (membrane-associating) domain containing 3
A_51_P285077	7.01E-05	3.10	Hhat1	hedgehog acyltransferase-like
A_52_P193301	2.29E-05	3.10	Chmp4c	chromatin modifying protein 4C
A_30_P01019034	0.000732	3.10		
A_52_P282762	2.18E-05	3.10	Myd88	myeloid differentiation primary response gene 88
A_55_P2151609	0.000186	3.10	Sor11	sortilin-related receptor, LDLR class A repeats-containing
A_66_P125161	1.50E-09	3.10		
A_55_P2367461	1.29E-05	3.10	Acer2	alkaline ceramidase 2
A_51_P259009	0.000165	3.10	Cacnb3	calcium channel, voltage-dependent, beta 3 subunit
A_55_P2074488	4.87E-06	3.09	Crim1	cysteine rich transmembrane BMP regulator 1 (chordin like)
A_51_P123314	1.08E-06	3.09	Olf74	olfactory receptor 74
A_55_P2038318	4.15E-06	3.09	Psg16	pregnancy specific glycoprotein 16
A_55_P2091230	5.28E-08	3.09		
A_30_P01028754	3.47E-06	3.09		
A_52_P52618	3.36E-05	3.09	Csf2rb	colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage)
A_55_P2082418	5.30E-05	3.09		
A_30_P01023799	1.05E-06	3.09		
A_55_P1987013	0.000103	3.09		
A_55_P2155197	1.14E-05	3.09	Tnfrsf22	tumor necrosis factor receptor superfamily, member 22
A_51_P221014	7.44E-07	3.09	Cd47	CD47 antigen (Rh-related antigen, integrin-associated signal transducer)
A_55_P2377645	0.000297	3.09	LOC100504944	hypothetical protein LOC100504944
A_55_P2244722	1.42E-05	3.09	Taf9b	TAF9B RNA polymerase II, TATA box binding protein (TBP)-associated factor
A_30_P01028614	0.001378	3.09		
A_51_P100174	0.000254	3.09	Mns1	meiosis-specific nuclear structural protein 1
A_30_P01017555	0.000891	3.09		
A_55_P2094963	0.000195	3.09		
A_55_P2033055	1.41E-05	3.09	Pdp1	pyruvate dehydrogenase phosphatase catalytic subunit 1
A_55_P2125588	1.43E-05	3.09	Pdgfra	platelet derived growth factor, alpha
A_55_P1983095	3.16E-06	3.09	Adam19	a disintegrin and metalloproteinase domain 19 (meltrin beta)
A_52_P182118	3.79E-08	3.09		
A_51_P168203	3.86E-07	3.09	Aig1	androgen-induced 1
A_52_P203691	2.25E-05	3.09	Arl5c	ADP-ribosylation factor-like 5C
A_51_P123510	0.000165	3.09	Vmn1r58	vomeroneasal 1 receptor 58
A_51_P179864	9.44E-06	3.09	Prkx	protein kinase, X-linked
A_55_P2025829	2.33E-05	3.09		
A_55_P2088401	7.94E-07	3.09	H2-T9	histocompatibility 2, T region locus 9
A_55_P2218223	4.21E-09	3.09	Pacs2	phosphofurin acidic cluster sorting protein 2
A_30_P01022689	0.000473	3.09		
A_55_P2090633	7.80E-05	3.08	Ptp4a1	protein tyrosine phosphatase 4a1
A_51_P100174	0.00018	3.08	Mns1	meiosis-specific nuclear structural protein 1
A_55_P2022604	4.48E-05	3.08	1200009106Rik	RIKEN cDNA 1200009106 gene
A_66_P100249	3.63E-05	3.08	Snhg12	small nucleolar RNA host gene 12
A_66_P116098	5.24E-05	3.08	Ptpn2	protein tyrosine phosphatase, non-receptor type 2
A_51_P211998	3.47E-05	3.08	Sgms2	sphingomyelin synthase 2
A_51_P477364	1.85E-05	3.08	Rhob	ras homolog gene family, member B
A_55_P2043977	2.45E-07	3.08	Mtm1	X-linked myotubular myopathy gene 1
A_55_P1956953	1.32E-05	3.08		
A_30_P01019225	3.26E-09	3.08		
A_55_P2058726	2.02E-06	3.08	Hap1	huntingtin-associated protein 1
A_51_P416509	2.90E-07	3.08	Hist1h1a	histone cluster 1, H1a
A_52_P434306	9.51E-05	3.08		
A_51_P490817	0.000104	3.08	Me2	malic enzyme 2, NAD(+)-dependent, mitochondrial
A_30_P01019905	0.00192	3.08		
A_30_P01029641	0.003188	3.08		
A_66_P128079	2.51E-06	3.08	Krt8	keratin 8
A_55_P2136678	3.73E-06	3.08		
A_51_P462299	2.41E-06	3.08	Aida	axin interactor, dorsalization associated
A_51_P179461	4.77E-05	3.08	Eid3	EP300 interacting inhibitor of differentiation 3
A_55_P2022585	6.63E-05	3.07	Pira6	paired-Ig-like receptor A6
A_55_P2020458	2.47E-05	3.07		
A_55_P2128324	1.62E-08	3.07	Ubap2l	ubiquitin associated protein 2-like
A_30_P01027573	0.000555	3.07		
A_30_P01028465	0.000195	3.07		
A_55_P2202029	6.55E-06	3.07	BB211804	expressed sequence BB211804
A_51_P139651	0.000143	3.07	Nos3	nitric oxide synthase 3, endothelial cell
A_51_P411297	3.40E-06	3.07	Nup50	nucleoporin 50
A_30_P01031135	0.00043	3.07		
A_51_P105709	1.64E-05	3.07	Trip13	thyroid hormone receptor interactor 13
A_51_P379660	1.41E-05	3.07	Mlit1	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 11
A_55_P2322382	8.48E-07	3.07	A930009E08Rik	RIKEN cDNA A930009E08 gene
A_66_P127620	0.000115	3.07	Taar7f	trace amine-associated receptor 7F
A_51_P169745	0.000315	3.06	Tuba1a	tubulin, alpha 1A
A_55_P2070628	6.28E-07	3.06		
A_55_P2087963	0.001666	3.06		
A_55_P2154977	7.44E-06	3.06	Rpap3	RNA polymerase II associated protein 3
A_55_P2042062	4.98E-05	3.06	Mier1	mesoderm induction early response 1 homolog (Xenopus laevis)
A_51_P105709	6.62E-05	3.06	Trip13	thyroid hormone receptor interactor 13
A_52_P282762	1.35E-05	3.06	Myd88	myeloid differentiation primary response gene 88
A_51_P411297	1.72E-05	3.06	Nup50	nucleoporin 50
A_51_P341108	6.78E-05	3.06	Spint1	serine protease inhibitor, Kunitz type 1
A_55_P2060642	3.65E-05	3.06	2310008H04Rik	RIKEN cDNA 2310008H04 gene
A_51_P321886	4.63E-05	3.06	Cmtm3	CKLF-like MARVEL transmembrane domain containing 3
A_55_P1990038	8.40E-07	3.05	Mark2	MAP/microtubule affinity-regulating kinase 2
A_30_P01023400	4.16E-05	3.05		
A_55_P2023235	1.14E-07	3.05	Fen1	flap structure specific endonuclease 1
A_55_P1982030	4.36E-07	3.05	H3f3b	H3 histone, family 3B
A_30_P01022260	0.000212	3.05		
A_30_P01027149	6.04E-07	3.05		
A_30_P01028044	0.000436	3.05		
A_52_P282762	1.25E-05	3.05	Myd88	myeloid differentiation primary response gene 88
A_51_P365516	0.005404	3.05	Spink3	serine peptidase inhibitor, Kazal type 3
A_66_P133204	5.08E-07	3.05		
A_55_P2045916	8.28E-07	3.05		
A_55_P1957937	5.10E-06	3.05		
A_30_P01027951	1.30E-07	3.05		

A_66_P128997	0.000173	3.05	Pml	promyelocytic leukemia
A_30_P01019888	7.65E-05	3.05		
A_55_P1966659	1.06E-07	3.05	LOC547349	similar to MHC class I antigen precursor
A_55_P2147831	0.001172	3.05	Gimap4	GTPase, IMAP family member 4
A_30_P01027297	3.70E-05	3.05		
A_30_P01022635	1.28E-05	3.05		
A_51_P443693	0.002467	3.05	Ras10b	RAS-like, family 10, member B
A_30_P01022310	2.65E-05	3.05		
A_30_P01023819	0.000104	3.05		
A_30_P01018294	1.28E-05	3.05		
A_51_P516728	3.55E-05	3.04	Hap1	huntingtin-associated protein 1
A_30_P01025234	4.93E-08	3.04		
A_55_P2058646	0.000532	3.04	Nhlh1	nescient helix loop helix 1
A_52_P426248	2.33E-05	3.04		
A_55_P2008996	4.18E-06	3.04		
A_55_P2032559	2.16E-07	3.04		
A_30_P01025131	0.001257	3.04		
A_30_P01018582	0.000769	3.04		
A_30_P01030819	3.73E-05	3.04		
A_55_P2214959	0.004389	3.04	D230017M19Rik	RIKEN cDNA D230017M19 gene
A_55_P2043862	9.81E-05	3.04	Stmn1	stathmin 1
A_30_P01026012	0.001665	3.03		
A_30_P01031214	5.16E-06	3.03		
A_30_P01020960	0.000793	3.03		
A_55_P2088995	4.90E-06	3.03	Plscr1	phospholipid scramblase 1
A_55_P1994275	7.19E-07	3.03	Gar1	GAR1 ribonucleoprotein homolog (yeast)
A_55_P2097448	9.53E-06	3.03	Rbpms	RNA binding protein gene with multiple splicing
A_30_P01032704	8.45E-05	3.03		
A_55_P2317346	1.90E-05	3.03	D13Erd787e	DNA segment, Chr 13, ERATO Doi 787, expressed
A_55_P2182452	0.004519	3.03	Tnfsf15	tumor necrosis factor (ligand) superfamily, member 15
A_51_P411297	6.06E-06	3.03	Nup50	nucleoporin 50
A_30_P01021458	1.55E-06	3.03		
A_52_P222096	0.000201	3.03	4931428F04Rik	RIKEN cDNA 4931428F04 gene
A_55_P2179996	1.39E-06	3.03		
A_51_P105709	8.18E-06	3.03	Trip13	thyroid hormone receptor interactor 13
A_55_P1990810	7.46E-07	3.03		
A_51_P467448	2.35E-09	3.02	Pif1	PIF1 5'-to-3' DNA helicase homolog (S. cerevisiae)
A_30_P01027627	1.79E-05	3.02		
A_51_P411297	1.30E-05	3.02	Nup50	nucleoporin 50
A_55_P2319815	8.02E-07	3.02	AW552889	expressed sequence AW552889
A_55_P2056542	0.000109	3.02	Nln	ninein
A_55_P2091551	6.56E-05	3.02	Arhgap9	Rho GTPase activating protein 9
A_55_P1953411	6.43E-05	3.02		
A_66_P118141	2.60E-06	3.02	Sh2d2a	SH2 domain protein 2A
A_30_P01030111	2.84E-06	3.02		
A_55_P2236343	0.002153	3.02	Tom1	target of myb1 homolog (chicken)
A_66_P110769	8.80E-08	3.02	Cabyr	calcium-binding tyrosine-(Y)-phosphorylation regulated (fibrousheathin 2)
A_30_P01020731	0.000733	3.02		
A_55_P1982902	0.000817	3.02	Tceal3	transcription elongation factor A (SII)-like 3
A_30_P01022502	0.000285	3.02		
A_55_P2149896	4.37E-05	3.01	BC046404	cDNA sequence BC046404
A_51_P204442	2.21E-05	3.01	Phf19	PHD finger protein 19
A_30_P01024989	6.99E-07	3.01		
A_30_P01019146	0.000415	3.01		
A_65_P16208	1.73E-06	3.01	Baz1a	bromodomain adjacent to zinc finger domain 1A
A_30_P01033291	5.76E-05	3.01		
A_51_P334174	5.67E-06	3.01	Rho	rhodopsin
A_55_P1987827	0.002111	3.01		
A_55_P2019776	1.11E-05	3.01	Gxylt1	glucoside xylosyltransferase 1
A_55_P2010936	3.84E-07	3.01	Fbxo17	F-box protein 17
A_51_P420547	6.02E-05	3.01	Clc5	chloride intracellular channel 5
A_51_P264495	2.77E-08	3.01	Pgam2	phosphoglycerate mutase 2
A_51_P110888	0.000148	3.01	Pck2	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_51_P139651	0.000192	3.01	Nos3	nitric oxide synthase 3, endothelial cell
A_55_P2082203	1.71E-05	3.01	Baz1a	bromodomain adjacent to zinc finger domain 1A
A_30_P01026255	6.95E-08	3.01		
A_55_P1973501	0.000624	3.01	Ceacam16	carcinoembryonic antigen-related cell adhesion molecule 16
A_55_P2046499	1.35E-07	3.01	Vmn1r70	vomer nasal 1 receptor 70
A_55_P1999364	5.98E-07	3.00	Krt85	keratin 85
A_52_P361993	4.38E-06	3.00	Fam164a	family with sequence similarity 164, member A
A_30_P01021673	4.07E-05	3.00		
A_55_P2138333	4.47E-05	3.00	Mad2l1	MAD2 mitotic arrest deficient-like 1 (yeast)
A_55_P2205690	0.000572	3.00	Polk	polymerase (DNA directed), kappa
A_55_P2150555	1.75E-05	3.00	Pcgf5	polycomb group ring finger 5
A_51_P100174	0.000371	3.00	Mns1	meiosis-specific nuclear structural protein 1
A_30_P01027902	3.30E-07	3.00		
A_52_P163795	2.63E-07	3.00	Tubb5	tubulin, beta 5
A_55_P2051274	6.79E-08	3.00	Gm2479	predicted gene 2479
A_30_P01021631	3.71E-05	3.00		
A_55_P2028268	0.000903	3.00	Plk3cd	phosphatidylinositol 3-kinase catalytic delta polypeptide
A_51_P399845	0.001041	3.00	Fgf2	fibroblast growth factor 2
A_51_P102421	8.11E-05	3.00	Clcf1	cardiotrophin-like cytokine factor 1
A_51_P105709	2.86E-06	3.00	Trip13	thyroid hormone receptor interactor 13
A_55_P2038942	0.000107	2.99		
A_30_P01025349	2.88E-07	2.99		
A_55_P1975580	0.000619	2.99	LOC100046302	protein disulfide-isomerase A6-like
A_51_P411297	1.05E-05	2.99	Nup50	nucleoporin 50
A_55_P2176181	2.89E-07	2.99	Pcdh15	protocadherin 15
A_55_P2119761	1.52E-05	2.99	Krtap16-8	keratin associated protein 16-8
A_55_P2027142	4.41E-08	2.99		
A_51_P273005	4.62E-06	2.99	Actl7a	actin-like 7a
A_51_P411297	6.15E-06	2.99	Nup50	nucleoporin 50
A_52_P476754	5.98E-05	2.99	Ubash3b	ubiquitin associated and SH3 domain containing, B
A_55_P2118619	5.02E-06	2.99		
A_55_P2059154	8.03E-06	2.99	Dtx3l	deltex 3-like (Drosophila)

A_30_P01033110	5.83E-05	2.99		
A_52_P282762	8.71E-06	2.99	<b>Myd88</b>	myeloid differentiation primary response gene 88
A_51_P464023	1.07E-05	2.99	<b>Chst12</b>	carbohydrate sulfotransferase 12
A_51_P507832	0.002769	2.99	<b>PIK3cg</b>	phosphoinositide-3-kinase, catalytic, gamma polypeptide
A_51_P202074	2.49E-05	2.99	<b>Ncapd2</b>	non-SMC condensin I complex, subunit D2
A_30_P01028921	1.18E-05	2.99		
A_55_P1993358	0.001373	2.98	<b>LOC664787</b>	similar to Sp110 nuclear body protein
A_30_P01024145	0.001967	2.98		
A_51_P139651	0.000169	2.98	<b>Nos3</b>	nitric oxide synthase 3, endothelial cell
A_66_P113556	2.06E-06	2.98	<b>Wnt16</b>	wingless-related MMTV integration site 16
A_30_P01017596	1.91E-05	2.98		
A_55_P2041355	1.20E-07	2.98		
A_51_P105709	1.66E-05	2.98	<b>Trip13</b>	thyroid hormone receptor interactor 13
A_52_P515057	7.80E-06	2.98	<b>Slc25a24</b>	solute carrier family 25 (mitochondrial carrier, phosphate carrier), member 24
A_30_P01025110	0.000123	2.98		
A_55_P1979714	9.60E-05	2.98	<b>Klk11</b>	kallikrein related-peptidase 11
A_55_P1957363	0.000178	2.98		
A_55_P2012211	5.29E-05	2.98	<b>Ooep</b>	oocyte expressed protein homolog (dog)
A_55_P1956827	3.96E-07	2.98	<b>Ogfr</b>	opioid growth factor receptor
A_51_P399845	0.00046	2.98	<b>Fgf2</b>	fibroblast growth factor 2
A_55_P1982578	5.07E-05	2.98	<b>Kdm3a</b>	lysine (K)-specific demethylase 3A
A_51_P381558	0.000766	2.98	<b>Rasa4</b>	RAS p21 protein activator 4
A_51_P441022	0.001064	2.98	<b>Smad3</b>	MAD homolog 3 (Drosophila)
A_51_P443754	1.58E-05	2.98	<b>Hlvep2</b>	human immunodeficiency virus type I enhancer binding protein 2
A_51_P343613	2.52E-05	2.98	<b>Ehd2</b>	EH-domain containing 2
A_30_P01030209	0.00355	2.98		
A_55_P2066613	7.27E-08	2.98	<b>Lcp1</b>	lymphocyte cytosolic protein 1
A_30_P01029072	1.21E-05	2.98		
A_55_P2047461	6.58E-05	2.98	<b>Fcho1</b>	FCH domain only 1
A_55_P1956812	1.17E-05	2.98	<b>Fam83g</b>	family with sequence similarity 83, member G
A_55_P2108255	8.89E-06	2.98	<b>Lgmn</b>	legumain
A_51_P139651	0.000157	2.98	<b>Nos3</b>	nitric oxide synthase 3, endothelial cell
A_55_P1976694	7.46E-07	2.98	<b>Sept11</b>	septin 11
A_55_P2085391	0.000413	2.97		
A_55_P2077548	1.16E-05	2.97	<b>Git1</b>	G protein-coupled receptor kinase-interactor 1
A_30_P01029414	2.43E-05	2.97		
A_30_P01021014	2.86E-05	2.97		
A_66_P127136	0.002691	2.97	<b>Nrxn3</b>	neurexin III
A_51_P506674	2.29E-06	2.97	<b>Rpp38</b>	ribonuclease P/MRP 38 subunit (human)
A_30_P01032982	0.000359	2.97		
A_55_P1979167	9.96E-06	2.97		
A_55_P2041584	0.000768	2.97	<b>F420015M19Rik</b>	RIKEN cDNA F420015M19 gene
A_30_P01019207	2.35E-07	2.97		
A_51_P240594	1.33E-06	2.97	<b>Zfp7</b>	zinc finger protein 7
A_55_P2080372	0.000402	2.97	<b>Gm10674</b>	predicted gene 10674
A_55_P2108216	0.001462	2.97		
A_51_P372172	1.69E-06	2.97	<b>Plod3</b>	procollagen-lysine, 2-oxoglutarate 5-dioxygenase 3
A_30_P01033582	1.50E-05	2.96		
A_66_P107484	0.000248	2.96		
A_55_P2401958	1.02E-05	2.96	<b>BE949265</b>	cDNA sequence BE949265
A_55_P2144651	2.38E-05	2.96		
A_55_P2109702	0.000575	2.96		
A_55_P1993463	1.54E-07	2.96		
A_55_P2117649	0.000711	2.96	<b>Slfn9</b>	schlafen 9
A_51_P136589	0.000131	2.96	<b>Olf796</b>	olfactory receptor 796
A_55_P2109628	7.38E-06	2.96	<b>Zdhhc21</b>	zinc finger, DHHC domain containing 21
A_30_P01022175	0.000152	2.96		
A_51_P234692	2.52E-05	2.96	<b>Neat1</b>	nuclear paraspeckle assembly transcript 1 (non-protein coding)
A_52_P420216	7.24E-06	2.96	<b>N4bp1</b>	NEDD4 binding protein 1
A_51_P124254	3.93E-05	2.96	<b>Col4a1</b>	collagen, type IV, alpha 1
A_51_P100174	0.000133	2.96	<b>Mns1</b>	meiosis-specific nuclear structural protein 1
A_30_P01028276	5.55E-05	2.96		
A_51_P471126	4.13E-06	2.96	<b>Cyp2c66</b>	cytochrome P450, family 2, subfamily c, polypeptide 66
A_55_P1996171	1.37E-05	2.96	<b>Pcgf5</b>	polycomb group ring finger 5
A_55_P1995141	7.13E-09	2.96	<b>Casz1</b>	castor homolog 1, zinc finger (Drosophila)
A_66_P135018	1.16E-06	2.96	<b>Krtap5-1</b>	keratin associated protein 5-1
A_55_P1977812	2.85E-05	2.96	<b>Cd244</b>	CD244 natural killer cell receptor 2B4
A_55_P2051254	6.22E-05	2.96	<b>Pvt1</b>	plasmacytoma variant translocation 1
A_55_P1976743	0.002663	2.96		
A_55_P2007372	9.33E-07	2.96		
A_66_P123282	6.54E-05	2.95	<b>Zdhhc23</b>	zinc finger, DHHC domain containing 23
A_30_P01023949	1.71E-08	2.95		
A_55_P2279762	5.35E-08	2.95	<b>6330415B21Rik</b>	RIKEN cDNA 6330415B21 gene
A_55_P2121613	2.29E-07	2.95	<b>Sox4</b>	SRY-box containing gene 4
A_55_P1952981	3.52E-05	2.95	<b>Rps6ka3</b>	ribosomal protein S6 kinase polypeptide 3
A_55_P1986103	2.46E-06	2.95	<b>AI848100</b>	expressed sequence AI848100
A_30_P01032766	1.74E-06	2.95		
A_55_P2016675	3.20E-06	2.95	<b>Ogfr</b>	opioid growth factor receptor
A_30_P01020133	1.73E-05	2.95		
A_51_P128575	3.93E-07	2.95	<b>Scgb1a1</b>	secretoglobin, family 1A, member 1 (uteroglobin)
A_55_P2118268	2.76E-06	2.95	<b>Chpf</b>	chondroitin polymerizing factor
A_51_P411297	7.47E-06	2.95	<b>Nup50</b>	nucleoporin 50
A_30_P01019927	0.00033	2.95		
A_55_P2082989	0.000193	2.95	<b>5430435G22Rik</b>	RIKEN cDNA 5430435G22 gene
A_51_P424810	0.000501	2.95	<b>Ncapp2</b>	non-SMC condensin II complex, subunit G2
A_55_P2187220	6.18E-06	2.95	<b>Gm4884</b>	predicted gene 4884
A_30_P01026597	0.000106	2.95		
A_30_P01017801	8.30E-05	2.95		
A_55_P2073567	8.97E-06	2.95	<b>Epb4.1l4b</b>	erythrocyte protein band 4.1-like 4b
A_51_P196925	0.000104	2.95	<b>Cx3cl1</b>	chemokine (C-X3-C motif) ligand 1
A_55_P1972720	1.64E-06	2.95	<b>Pmm1</b>	phosphomannomutase 1
A_55_P1974877	4.92E-06	2.95	<b>Bcl2l1</b>	BCL2-like 1
A_30_P01032815	5.53E-05	2.95		
A_30_P01023907	1.19E-08	2.95		
A_30_P01021784	2.70E-05	2.95		

A_55_P2084763	1.34E-07	2.95	Gm10775	predicted gene 10775
A_51_P125446	4.03E-08	2.94	Lzlc	leucine zipper and CTNNBIP1 domain containing
A_30_P01027646	1.82E-07	2.94		
A_55_P1974587	3.44E-06	2.94	Vangl1	vang-like 1 (van gogh, Drosophila)
A_52_P72237	8.67E-05	2.94	Actg1	actin, gamma, cytoplasmic 1
A_55_P2099810	0.001747	2.94	Akap12	A kinase (PRKA) anchor protein (gravin) 12
A_30_P01024117	0.000161	2.94		
A_30_P01022401	0.000131	2.94		
A_51_P100174	5.55E-05	2.94	Mns1	meiosis-specific nuclear structural protein 1
A_30_P01021001	2.36E-07	2.94		
A_30_P01028667	1.60E-08	2.94		
A_55_P2371796	0.00017	2.94	AA419673	expressed sequence AA419673
A_52_P280832	4.30E-05	2.94	Defb34	defensin beta 34
A_55_P2103937	4.46E-06	2.94	Gm10362	predicted gene 10362
A_55_P2150683	0.00067	2.94		
A_55_P2002220	5.19E-05	2.94		
A_55_P2470474	0.000214	2.94	9530082P21RIK	RIKEN cDNA 9530082P21 gene
A_30_P01032952	0.000164	2.94		
A_55_P2059680	0.003954	2.94	Gm11938	predicted gene 11938
A_51_P169445	1.20E-06	2.94	Ccdc89	coiled-coil domain containing 89
A_55_P2145262	9.58E-07	2.94		
A_52_P14666	4.94E-06	2.94		
A_55_P2076941	6.44E-05	2.94	Ppil5	peptidylprolyl isomerase (cyclophilin) like 5
A_30_P01030459	9.01E-05	2.94		
A_51_P341465	0.000171	2.94	Csf2ra	colony stimulating factor 2 receptor, alpha, low-affinity (granulocyte-macrophage)
A_30_P01026229	6.54E-05	2.94		
A_52_P41294	5.22E-06	2.93	Tmem209	transmembrane protein 209
A_51_P411355	3.00E-06	2.93	Taf1c	TATA box binding protein (Tbp)-associated factor, RNA polymerase I, C
A_51_P244531	6.87E-07	2.93		
A_55_P1956906	8.88E-05	2.93	Prss29	protease, serine, 29
A_52_P675039	3.10E-05	2.93	Fhad1	forkhead-associated (FHA) phosphopeptide binding domain 1
A_55_P2104440	0.000161	2.93		
A_30_P01022738	1.22E-05	2.93		
A_66_P120603	0.00066	2.93	Trps1	trichorhinophalangeal syndrome I (human)
A_51_P132081	6.19E-06	2.93	Rsl1	regulator of sex limited protein 1
A_51_P411297	5.39E-06	2.93	Nup50	nucleoporin 50
A_30_P01025836	6.03E-07	2.93		
A_51_P100174	0.000104	2.93	Mns1	meiosis-specific nuclear structural protein 1
A_51_P139651	0.000523	2.93	Nos3	nitric oxide synthase 3, endothelial cell
A_55_P2148248	1.04E-06	2.93		
A_51_P335081	1.30E-07	2.93	Gnb1	guanine nucleotide binding protein (G protein), beta 1
A_30_P01030823	3.55E-06	2.93		
A_30_P01028088	0.000283	2.93		
A_55_P1968743	3.19E-06	2.93	Nfkb1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
A_52_P563825	0.000294	2.93	B3galt1	UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase, polypeptide 1
A_30_P01019540	0.000847	2.93		
A_52_P706060	0.000777	2.93	Mex3a	mex3 homolog A (C. elegans)
A_55_P2116305	6.16E-05	2.93	Tnfrsf25	tumor necrosis factor receptor superfamily, member 25
A_55_P2033120	4.38E-08	2.92	Srxn1	sulfiredoxin 1 homolog (S. cerevisiae)
A_51_P100174	3.26E-05	2.92	Mns1	meiosis-specific nuclear structural protein 1
A_55_P2138878	9.21E-06	2.92	Lfn4	leucine rich repeat and fibronectin type III domain containing 4
A_55_P1957049	8.11E-05	2.92	Bal1	brain-specific angiogenesis inhibitor 1
A_30_P01033519	3.20E-06	2.92		
A_30_P01023914	0.002342	2.92		
A_55_P2081761	8.06E-05	2.92		
A_51_P202633	0.000614	2.92	Ebi3	Epstein-Barr virus induced gene 3
A_55_P2109043	1.20E-06	2.92	A130082M07RIK	RIKEN cDNA A130082M07 gene
A_51_P252650	2.74E-05	2.92	Olf338	olfactory receptor 338
A_55_P2051778	1.94E-05	2.92	Sult2b1	sulfotransferase family, cytosolic, 2B, member 1
A_52_P151853	2.86E-07	2.92	Tpd52	tumor protein D52
A_30_P01017583	0.000235	2.92		
A_55_P2181552	1.64E-05	2.92	Gm44	predicted gene 44
A_51_P495171	3.21E-05	2.92	2610029G23RIK	RIKEN cDNA 2610029G23 gene
A_55_P1994270	3.57E-05	2.91	Far1	fatty acyl CoA reductase 1
A_55_P2022128	2.58E-05	2.91	Cntnap1	contactin associated protein-like 1
A_52_P1020860	1.34E-05	2.91	AW112010	expressed sequence AW112010
A_55_P2127959	1.24E-05	2.91	Zfp363	zinc finger protein 36, C3H type-like 3
A_55_P2184197	0.000129	2.91	Yy2	Yy2 transcription factor
A_55_P2184123	0.000402	2.91	Atp1a4	ATPase, Na+/K+ transporting, alpha 4 polypeptide
A_30_P01027167	2.31E-05	2.91		
A_52_P282762	3.37E-05	2.91	Myd88	myeloid differentiation primary response gene 88
A_55_P2364755	1.92E-05	2.91	LOC100505078	hypothetical protein LOC100505078
A_55_P2473316	6.88E-08	2.91	Mapre1	microtubule-associated protein, RP/EB family, member 1
A_30_P01030876	5.25E-07	2.91		
A_52_P640296	0.000133	2.91	Fmn12	formin-like 2
A_51_P201480	1.42E-06	2.91	Stat3	signal transducer and activator of transcription 3
A_30_P01029239	0.00197	2.91		
A_55_P2124976	4.78E-05	2.91	Grhl1	grainyhead-like 1 (Drosophila)
A_30_P01022474	8.72E-08	2.91		
A_30_P01030858	2.20E-05	2.91		
A_30_P01024857	1.87E-05	2.91		
A_52_P355084	7.74E-06	2.91	Metnl	meteorin, glial cell differentiation regulator-like
A_30_P01019531	3.71E-05	2.91		
A_55_P2386256	1.57E-05	2.91	D130062J10RIK	RIKEN cDNA D130062J10 gene
A_51_P125691	1.01E-05	2.91	Cdca4	cell division cycle associated 4
A_55_P2154049	7.17E-05	2.91		
A_30_P01018875	7.38E-07	2.90		
A_55_P2170105	3.55E-07	2.90		
A_30_P01029783	3.16E-05	2.90		
A_52_P271572	1.58E-05	2.90	Ece2	endothelin converting enzyme 2
A_51_P124254	7.75E-05	2.90	Col4a1	collagen, type IV, alpha 1
A_30_P01030934	0.000157	2.90		
A_30_P01030435	0.000306	2.90		
A_51_P232649	8.31E-06	2.90	Olf706	olfactory receptor 706
A_30_P01019568	0.000938	2.90		

A_55_P2043267	4.75E-07	2.90	Cdc42se1	CDC42 small effector 1
A_51_P224593	2.17E-06	2.90	Arl8a	ADP-ribosylation factor-like 8A
A_52_P378287	7.81E-05	2.90	Lca5	Leber congenital amaurosis 5 (human)
A_55_P2008181	1.90E-06	2.90	Il3ra	interleukin 3 receptor, alpha chain
A_51_P128575	1.19E-05	2.90	Scgb1a1	secretoglobin, family 1A, member 1 (uteroglobin)
A_55_P2101939	3.57E-06	2.90	Zfp112	zinc finger protein 112
A_55_P2015178	2.07E-06	2.90	Nap111	nucleosome assembly protein 1-like 1
A_55_P1998761	0.000974	2.90	Adck4	aarF domain containing kinase 4
A_51_P420577	0.002385	2.90	Olf983	olfactory receptor 983
A_30_P01018267	1.40E-05	2.90		
A_55_P2237129	0.000161	2.90	St6galnac5	ST6 (alpha-N-acetylneuraminyl-2,3-beta-galactosyl-1,3)-N-acetylgalactosaminide alpha-2,6-sialyltransferase
A_66_P124724	6.23E-05	2.90	Rnf19b	ring finger protein 19B
A_55_P2062667	0.000528	2.90		
A_55_P1964585	1.03E-06	2.90		
A_51_P325165	3.72E-05	2.89	Il27	interleukin 27
A_30_P01026403	1.05E-05	2.89		
A_51_P153013	2.81E-06	2.89	Gm16516	predicted gene, Gm16516
A_55_P2000487	0.000294	2.89	Srebf2	sterol regulatory element binding factor 2
A_55_P2084641	3.17E-07	2.89		
A_30_P01032502	1.61E-05	2.89		
A_52_P15212	2.68E-05	2.89	Ctbp2	C-terminal binding protein 2
A_30_P01027957	1.03E-06	2.89		
A_51_P286826	1.23E-05	2.89	March10	membrane-associated ring finger (C3HC4) 10
A_51_P442097	8.13E-05	2.89	Slc41a3	solute carrier family 41, member 3
A_55_P2070441	1.24E-05	2.89	Sp6	trans-acting transcription factor 6
A_52_P582374	1.29E-05	2.89	Epsti1	epithelial stromal interaction 1 (breast)
A_55_P1954156	1.65E-05	2.89	Wdr43	WD repeat domain 43
A_66_P101935	0.000413	2.89	Krt6b	keratin 6B
A_55_P1990066	0.001027	2.89		
A_30_P01023007	1.94E-09	2.89		
A_51_P356762	9.09E-06	2.89	Mcm4	minichromosome maintenance deficient 4 homolog (S. cerevisiae)
A_55_P2124498	4.63E-06	2.89	Il17rb	interleukin 17 receptor B
A_30_P01030707	0.000249	2.89		
A_51_P196972	2.22E-05	2.88	Slc4a1	solute carrier family 4 (anion exchanger), member 1
A_55_P2251121	0.000127	2.88	B230214O09Rik	RIKEN cDNA B230214O09 gene
A_51_P457528	0.004365	2.88	Ccnb2	cyclin B2
A_55_P2161773	9.82E-08	2.88	Mpp3	membrane protein, palmitoylated 3 (MAGUK p55 subfamily member 3)
A_65_P08864	3.92E-06	2.88	Dph5	DPH5 homolog (S. cerevisiae)
A_55_P2077133	2.12E-06	2.88	Oxsr1	oxidative-stress responsive 1
A_30_P01030095	0.0026	2.88		
A_55_P2182222	0.000194	2.88	Rab3c	RAB3C, member RAS oncogene family
A_30_P01028226	4.67E-06	2.88		
A_55_P1997375	0.000303	2.88		
A_51_P139651	0.000201	2.88	Nos3	nitric oxide synthase 3, endothelial cell
A_51_P450527	5.05E-06	2.88	Tagln	transgelin
A_51_P105709	6.08E-07	2.88	Trip13	thyroid hormone receptor interactor 13
A_30_P01029147	3.77E-05	2.88		
A_55_P1998827	1.49E-05	2.88		
A_55_P2091305	2.88E-07	2.88		
A_51_P495581	0.000518	2.87	Tlr1	toll-like receptor 1
A_55_P1962946	0.000597	2.87	Sykb	spleen tyrosine kinase
A_51_P407999	4.03E-08	2.87	1500011B03Rik	RIKEN cDNA 1500011B03 gene
A_52_P612382	0.000808	2.87	Cdc25b	cell division cycle 25 homolog B (S. pombe)
A_55_P2133195	3.63E-05	2.87	Gm4951	predicted gene 4951
A_55_P1970324	0.000224	2.87		
A_30_P01021799	2.50E-06	2.87		
A_55_P2115871	0.00068	2.87	Inpp5j	inositol polyphosphate 5-phosphatase J
A_55_P2124183	7.56E-06	2.87		
A_55_P2003502	0.000292	2.87		
A_52_P657123	0.000128	2.87		
A_55_P2031125	3.23E-07	2.87	Ube2l6	ubiquitin-conjugating enzyme E2L 6
A_55_P2015807	5.58E-05	2.87		
A_51_P367125	9.05E-06	2.87	Pold1	polymerase (DNA directed), delta 1, catalytic subunit
A_55_P1998937	1.28E-07	2.87	H2-M11	histocompatibility 2, M region locus 11
A_55_P2076998	0.000111	2.87	Csn1s2b	casein alpha s2-like B
A_55_P2167032	0.00079	2.87	Gjd3	gap junction protein, delta 3
A_55_P2116059	0.000108	2.87	Aim1	absent in melanoma 1
A_65_P12152	2.17E-05	2.87	Rasa2	RAS p21 protein activator 2
A_30_P01030778	1.77E-06	2.87		
A_51_P399845	0.000208	2.87	Fgf2	fibroblast growth factor 2
A_55_P2042487	1.84E-05	2.86	Dpysl3	dihydropyrimidinase-like 3
A_51_P112174	0.000101	2.86	Ahi1	Abelson helper integration site 1
A_55_P2051476	0.000168	2.86	C8a	complement component 8, alpha polypeptide
A_55_P2143436	8.18E-08	2.86		
A_55_P2021555	1.33E-08	2.86	Tbrg1	transforming growth factor beta regulated gene 1
A_55_P2165394	0.000497	2.86		
A_55_P2055732	0.000285	2.86		
A_30_P01027931	1.38E-05	2.86		
A_55_P1961690	2.39E-07	2.86	Tctex1d2	Tctex1 domain containing 2
A_51_P139651	0.000187	2.86	Nos3	nitric oxide synthase 3, endothelial cell
A_51_P411297	7.48E-06	2.86	Nup50	nucleoporin 50
A_52_P641922	1.16E-05	2.86	Nhlrc3	NHL repeat containing 3
A_55_P2036567	9.86E-05	2.86	Vav1	vav 1 oncogene
A_55_P2099961	3.28E-05	2.86	Hist1h2ag	histone cluster 1, H2ag
A_55_P2205760	1.27E-07	2.86	C88045	expressed sequence C88045
A_52_P475854	1.07E-05	2.86	Nol10	nucleolar protein 10
A_30_P01025718	9.97E-05	2.86		
A_30_P01031482	1.21E-06	2.86		
A_51_P117115	1.72E-05	2.86	Olf53	olfactory receptor 53
A_51_P349495	1.67E-05	2.86	Mboat1	membrane bound O-acyltransferase domain containing 1
A_30_P01026339	2.09E-05	2.86		
A_55_P2023747	1.38E-07	2.86	Mfsd10	major facilitator superfamily domain containing 10
A_51_P337125	4.59E-05	2.86	Inpp5d	inositol polyphosphate-5-phosphatase D
A_51_P262670	6.37E-07	2.86	Rbm38	RNA binding motif protein 38
A_55_P2060284	7.91E-05	2.86	Itpril2	inositol 1,4,5-triphosphate receptor interacting protein-like 2



A_55_P2145470	1.49E-06	2.85		
A_30_P01023974	6.49E-06	2.85		
A_51_P160907	2.83E-05	2.85	<b>Morc3</b>	microorchidia 3
A_51_P203501	1.55E-06	2.85	<b>Vars</b>	valyl-tRNA synthetase
A_55_P2165199	0.001557	2.85	<b>Cxcr6</b>	chemokine (C-X-C motif) receptor 6
A_51_P317254	2.41E-05	2.85	<b>Defb11</b>	defensin beta 11
A_55_P1990373	1.81E-06	2.85	<b>Trnp1</b>	TMF1-regulated nuclear protein 1
A_66_P113878	2.00E-05	2.85	<b>Gm3325</b>	predicted gene 3325
A_55_P2088495	1.66E-08	2.85		
A_55_P2077515	0.001162	2.85		
A_30_P01028030	4.78E-07	2.85		
A_55_P2038752	8.48E-07	2.85	<b>Olf18</b>	olfactory receptor 18
A_52_P53906	0.000308	2.85	<b>Ccnd2</b>	cyclin D2
A_55_P1974035	1.12E-06	2.85	<b>Grin2a</b>	glutamate receptor, ionotropic, NMDA2A (epsilon 1)
A_30_P01028319	0.000193	2.85		
A_55_P2023118	0.000142	2.85	<b>Prss28</b>	protease, serine, 28
A_55_P2157469	1.35E-07	2.85		
A_30_P01023785	0.000368	2.85		
A_55_P2034928	9.03E-07	2.85	<b>BC147527</b>	cDNA sequence BC147527
A_51_P110888	0.000305	2.85	<b>Pck2</b>	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_30_P01022237	2.69E-06	2.85		
A_55_P2384009	2.53E-06	2.85	<b>C81489</b>	expressed sequence C81489
A_51_P460734	8.13E-05	2.84	<b>Prkcd</b>	protein kinase C, delta
A_55_P2070825	8.10E-11	2.84	<b>Nud5</b>	nudix (nucleoside diphosphate linked moiety X)-type motif 5
A_30_P01020630	3.21E-06	2.84		
A_55_P2079142	1.00E-07	2.84	<b>Fam124b</b>	family with sequence similarity 124, member B
A_55_P1978136	3.10E-06	2.84	<b>Tnip2</b>	TNFAIP3 interacting protein 2
A_55_P2022369	0.000236	2.84	<b>Lbh</b>	limb-bud and heart
A_51_P494125	0.00011	2.84	<b>Alpl</b>	alkaline phosphatase, liver/bone/kidney
A_55_P2065953	2.46E-05	2.84	<b>Btd19</b>	BTB (POZ) domain containing 19
A_55_P1969650	0.000731	2.84	<b>Rasgrp1</b>	RAS guanyl releasing protein 1
A_55_P2051082	0.000232	2.84		
A_30_P01025213	0.005043	2.84		
A_30_P01024845	8.95E-05	2.84		
A_30_P01018312	3.34E-05	2.84		
A_30_P01024929	1.98E-05	2.84		
A_55_P2072284	0.000802	2.84	<b>6030429G01Rik</b>	RIKEN cDNA 6030429G01 gene
A_30_P01030011	0.000124	2.84		
A_55_P2011567	3.51E-05	2.84	<b>LOC100505352</b>	hypothetical LOC100505352
A_55_P2139318	2.43E-06	2.83		
A_66_P132515	0.000188	2.83	<b>Chmp4c</b>	chromatin modifying protein 4C
A_51_P167763	1.85E-07	2.83	<b>Kcnk13</b>	potassium channel, subfamily K, member 13
A_55_P2085150	2.05E-07	2.83	<b>Gm4461</b>	predicted gene 4461
A_30_P01029590	4.37E-06	2.83		
A_65_P08507	6.39E-09	2.83	<b>Adam23</b>	a disintegrin and metallopeptidase domain 23
A_65_P14951	4.07E-06	2.83	<b>Cblb</b>	Casitas B-lineage lymphoma b
A_51_P446469	1.54E-05	2.83	<b>Dok2</b>	docking protein 2
A_51_P161463	5.81E-06	2.83	<b>Ccdc103</b>	coiled-coil domain containing 103
A_51_P124254	3.54E-05	2.83	<b>Col4a1</b>	collagen, type IV, alpha 1
A_55_P1972719	3.71E-06	2.83	<b>Pmm1</b>	phosphomannomutase 1
A_30_P01025121	2.28E-05	2.83		
A_51_P124254	2.94E-05	2.83	<b>Col4a1</b>	collagen, type IV, alpha 1
A_55_P2014853	0.001147	2.83		
A_55_P2010196	5.38E-06	2.83	<b>Serpina10</b>	serine (or cysteine) peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 10
A_30_P01023759	0.000219	2.83		
A_52_P100341	0.001291	2.83	<b>Zfp334</b>	zinc finger protein 334
A_55_P2038247	1.67E-07	2.83	<b>Tyro3</b>	TYRO3 protein tyrosine kinase 3
A_51_P446510	5.07E-05	2.83	<b>Emp3</b>	epithelial membrane protein 3
A_51_P147422	0.005955	2.83	<b>Kctd19</b>	potassium channel tetramerisation domain containing 19
A_55_P2322555	0.000899	2.83	<b>5930433N17Rik</b>	RIKEN cDNA 5930433N17 gene
A_51_P112174	4.40E-06	2.82	<b>Ahi1</b>	Abelson helper integration site 1
A_30_P01021404	6.24E-07	2.82		
A_55_P1961370	1.10E-05	2.82		
A_30_P01031662	0.000533	2.82		
A_30_P01027070	5.73E-07	2.82		
A_55_P2079922	0.000606	2.82	<b>Ccdc78</b>	coiled-coil domain containing 78
A_55_P2013113	1.58E-07	2.82	<b>Bak1</b>	BCL2-antagonist/killer 1
A_66_P125910	2.85E-06	2.82		
A_51_P139651	0.000339	2.82	<b>Nos3</b>	nitric oxide synthase 3, endothelial cell
A_55_P2009086	3.91E-06	2.82	<b>Creb3l1</b>	cAMP responsive element binding protein 3-like 1
A_51_P227275	0.000115	2.82	<b>Csn3</b>	casein kappa
A_51_P139651	0.000256	2.82	<b>Nos3</b>	nitric oxide synthase 3, endothelial cell
A_30_P01023606	2.27E-05	2.82		
A_55_P2150299	6.16E-08	2.82	<b>E030030I06Rik</b>	RIKEN cDNA E030030I06 gene
A_55_P2207220	9.09E-06	2.82	<b>Gm10065</b>	predicted gene 10065
A_51_P110888	0.002565	2.82	<b>Pck2</b>	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_55_P1955009	5.49E-05	2.82	<b>C130079G13Rik</b>	RIKEN cDNA C130079G13 gene
A_55_P2061620	1.70E-05	2.82	<b>Chst1</b>	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1
A_55_P2157799	0.000216	2.82	<b>Myo7b</b>	myosin VIIB
A_55_P2015038	3.88E-06	2.82		
A_51_P139651	0.000481	2.82	<b>Nos3</b>	nitric oxide synthase 3, endothelial cell
A_55_P2067652	3.24E-06	2.82	<b>Boc</b>	biregional cell adhesion molecule-related/down-regulated by oncogenes (Cdon) binding protein
A_55_P2076041	2.07E-06	2.82	<b>Tas2r137</b>	taste receptor, type 2, member 137
A_55_P2104963	1.27E-05	2.82		
A_30_P01029262	1.36E-05	2.82		
A_55_P2203284	3.28E-06	2.81	<b>9130213A22Rik</b>	RIKEN cDNA 9130213A22 gene
A_55_P1956418	2.46E-05	2.81	<b>Efr3b</b>	EFR3 homolog B (S. cerevisiae)
A_55_P2051666	2.75E-05	2.81	<b>Nfkbib</b>	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, beta
A_55_P2050652	2.09E-08	2.81	<b>Ikbkg</b>	inhibitor of kappaB kinase gamma
A_51_P100174	8.37E-05	2.81	<b>Mns1</b>	meiosis-specific nuclear structural protein 1
A_55_P2136214	6.36E-05	2.81		
A_55_P2367878	0.000786	2.81	<b>Ncrna00085</b>	non-protein coding RNA 85
A_55_P1955279	0.000142	2.81	<b>Specc1</b>	sperm antigen with calponin homology and coiled-coil domains 1
A_55_P2096086	3.14E-06	2.81	<b>Myo5b</b>	myosin VB
A_55_P2000007	5.76E-08	2.81		

A_55_P2034027	6.38E-05	2.81	Nos3	nitric oxide synthase 3, endothelial cell
A_55_P2145804	1.12E-06	2.81	Aen	apoptosis enhancing nuclease
A_55_P2117525	0.000247	2.81	Rbm3	RNA binding motif protein 3
A_66_P113466	0.00058	2.81		
A_55_P2161380	0.000849	2.81	Galr3	galanin receptor 3
A_55_P2083059	3.38E-05	2.81	Hps1	Hermansky-Pudlak syndrome 1 homolog (human)
A_51_P381988	1.79E-05	2.81	Hmx1	H6 homeobox 1
A_66_P128453	0.000115	2.81		
A_51_P327188	0.000125	2.81	Senp1	SUMO1/sentrin specific peptidase 1
A_30_P01026824	9.32E-07	2.81		
A_51_P105927	2.17E-07	2.81	Rasl12	RAS-like, family 12
A_55_P2001334	5.06E-06	2.81	Gpr31c	G protein-coupled receptor 31, D17Leh66c region
A_30_P01022033	0.000382	2.81		
A_55_P2329313	6.22E-06	2.81	C530014P21Rik	RIKEN cDNA C530014P21 gene
A_55_P1975215	8.15E-05	2.81	Npas4	neuronal PAS domain protein 4
A_30_P01022882	3.40E-06	2.81		
A_51_P160824	3.09E-06	2.81	Cspg4	chondroitin sulfate proteoglycan 4
A_30_P01024483	7.74E-05	2.81		
A_55_P2155582	0.001219	2.81	Nin	ninein
A_51_P222280	7.27E-05	2.81	Ikbke	inhibitor of kappaB kinase epsilon
A_55_P2147310	5.69E-08	2.80	Mkl1	MKL (megakaryoblastic leukemia)/myocardin-like 1
A_55_P1962344	0.000121	2.80	Trim21	tripartite motif-containing 21
A_52_P283368	0.000169	2.80	LOC635992	ubiquitin-conjugating enzyme E2 variant 2-like
A_55_P2154404	1.90E-05	2.80		
A_52_P157880	1.15E-08	2.80		
A_30_P01030534	5.87E-05	2.80		
A_55_P1965616	3.01E-05	2.80	1700019G17Rik	RIKEN cDNA 1700019G17 gene
A_55_P2018417	1.19E-05	2.80	Osbpl3	oxysterol binding protein-like 3
A_30_P01019634	0.001563	2.80		
A_30_P01026977	0.000289	2.80		
A_30_P01030388	2.83E-05	2.80		
A_55_P2077188	0.000212	2.80	Stxbp1	syntaxin binding protein 1
A_55_P2253195	7.87E-07	2.80	1700025L06Rik	RIKEN cDNA 1700025L06 gene
A_30_P01024291	7.53E-07	2.80		
A_66_P103493	4.18E-06	2.80	AA387883	expressed sequence AA387883
A_55_P2094616	2.30E-07	2.80		
A_66_P125734	6.26E-06	2.80	Tnip2	TNFAIP3 interacting protein 2
A_30_P01020021	2.09E-05	2.80		
A_55_P2001920	3.59E-06	2.80	Flna	filamin, alpha
A_30_P01019541	9.19E-07	2.80		
A_30_P01027914	0.000124	2.80		
A_30_P01031267	2.50E-07	2.80		
A_55_P2017789	2.87E-05	2.80	Il4ra	interleukin 4 receptor, alpha
A_51_P237806	3.59E-05	2.80	Olf1284	olfactory receptor 1284
A_55_P1989544	1.38E-05	2.80	Ckif	chemokine-like factor
A_55_P2117081	8.02E-06	2.80		
A_55_P2097814	4.63E-05	2.80	Olf122	olfactory receptor 122
A_55_P2133826	0.000363	2.80	6430531B16Rik	RIKEN cDNA 6430531B16 gene
A_65_P06572	5.05E-06	2.80	Smad5	MAD homolog 5 (Drosophila)
A_55_P2037657	5.19E-08	2.80		
A_55_P2180347	0.000195	2.79		
A_55_P1985984	3.25E-05	2.79	Actg1	actin, gamma, cytoplasmic 1
A_55_P2035742	4.29E-06	2.79	Reg3d	regenerating islet-derived 3 delta
A_55_P2121608	9.11E-08	2.79	Sox4	SRY-box containing gene 4
A_55_P2084448	1.03E-06	2.79	BC017643	cDNA sequence BC017643
A_52_P628580	0.002247	2.79	Ggt7	gamma-glutamyltransferase 7
A_55_P2068977	2.26E-06	2.79	Armxc3	armadillo repeat containing, X-linked 3
A_55_P2396446	8.34E-08	2.79	5530400B01Rik	RIKEN cDNA 5530400B01 gene
A_55_P2150228	6.82E-06	2.79	Paxip1	PAX interacting (with transcription-activation domain) protein 1
A_51_P261835	2.60E-07	2.79	Tmem8c	transmembrane protein 8C
A_51_P110888	1.09E-05	2.79	Pck2	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_55_P2162688	0.000833	2.79	Tcrg-C	T-cell receptor gamma, constant region
A_55_P2012096	2.43E-06	2.79	Bmp8a	bone morphogenetic protein 8a
A_55_P2017924	0.000146	2.79	A630089N07Rik	RIKEN cDNA A630089N07 gene
A_55_P2003513	2.20E-05	2.79	Hsph1	heat shock 105kDa/110kDa protein 1
A_55_P2115582	2.45E-05	2.78	Slc20a1	solute carrier family 20, member 1
A_55_P2032147	0.000627	2.78	Wnt9a	wingless-type MMTV integration site 9A
A_55_P2027136	8.73E-06	2.78	Hist1h3f	histone cluster 1, H3f
A_55_P2178530	1.02E-05	2.78		
A_55_P2074917	0.000451	2.78		
A_55_P2055587	0.000319	2.78	Enpp4	ectonucleotide pyrophosphatase/phosphodiesterase 4
A_51_P100174	0.00056	2.78	Mns1	meiosis-specific nuclear structural protein 1
A_55_P1972263	3.97E-07	2.78	Nop56	NOP56 ribonucleoprotein homolog (yeast)
A_51_P476449	6.35E-06	2.78	Olf456	olfactory receptor 456
A_51_P240253	0.000835	2.78	Rrad	Ras-related associated with diabetes
A_55_P1952925	1.62E-06	2.78	AI854703	expressed sequence AI854703
A_55_P2028404	2.63E-07	2.78		
A_51_P100991	1.76E-05	2.78	Gucy2c	guanylate cyclase 2c
A_30_P01026903	7.41E-06	2.78		
A_55_P2034705	1.39E-06	2.78	Nmi	N-myc (and STAT) interactor
A_51_P110888	9.96E-05	2.78	Pck2	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_52_P377576	8.35E-08	2.77	Ap1s3	adaptor-related protein complex AP-1, sigma 3
A_55_P2025612	0.001993	2.77	Psme2	proteasome (prosome, macropain) 28 subunit, beta
A_55_P2182483	1.09E-06	2.77	Cd47	CD47 antigen (Rh-related antigen, integrin-associated signal transducer)
A_30_P01026573	6.82E-05	2.77		
A_55_P2025870	5.26E-06	2.77	A730037C10Rik	RIKEN cDNA A730037C10 gene
A_55_P2314229	4.13E-06	2.77	C920021A13	hypothetical protein C920021A13
A_66_P116998	6.32E-05	2.77	Tro	trophinin
A_51_P283968	0.000212	2.77	Adams18	a disintegrin-like and metallopeptidase (repolysin type) with thrombospondin type 1 motif, 18
A_52_P370392	1.62E-06	2.77	Mapk8ip2	mitogen-activated protein kinase 8 interacting protein 2
A_52_P116120	7.59E-05	2.77	Coro2a	coronin, actin binding protein 2A
A_55_P2001489	4.84E-05	2.77	Il19	interleukin 19
A_55_P2397400	0.001921	2.77	F830034J09Rik	RIKEN cDNA F830034J09 gene
A_51_P124254	1.11E-05	2.77	Col4a1	collagen, type IV, alpha 1
A_51_P244824	0.000171	2.77	Dapp1	dual adaptor for phosphotyrosine and 3-phosphoinositides 1

A_55_P1981595	7.78E-05	2.77	Olf470	olfactory receptor 470
A_55_P2351215	0.000163	2.77	3300002P13Rik	RIKEN cDNA 3300002P13 gene
A_55_P2276761	5.62E-05	2.77	4930474N09Rik	RIKEN cDNA 4930474N09 gene
A_55_P2037618	0.000331	2.77	C130039O16Rik	RIKEN cDNA C130039O16 gene
A_55_P1953475	3.86E-10	2.77		
A_66_P113008	3.63E-05	2.77	Pla2g2e	phospholipase A2, group IIE
A_51_P201480	4.84E-07	2.77	Stat3	signal transducer and activator of transcription 3
A_55_P2088237	0.000513	2.77	Cyp27b1	cytochrome P450, family 27, subfamily b, polypeptide 1
A_30_P01031970	0.000139	2.77		
A_55_P1978987	7.68E-05	2.77	Ifih1	interferon induced with helicase C domain 1
A_55_P2015177	1.29E-06	2.77		
A_55_P2131865	2.60E-06	2.77	Krtap10-10	keratin associated protein 10-10
A_51_P315795	5.60E-07	2.77	Tubb4	tubulin, beta 4
A_30_P01021232	0.004177	2.77		
A_55_P1958845	1.39E-06	2.77		
A_55_P2156175	6.23E-06	2.76		
A_30_P01024976	0.001078	2.76		
A_30_P01029727	1.53E-06	2.76		
A_30_P01018738	2.15E-06	2.76		
A_30_P01022696	4.22E-10	2.76		
A_55_P2348948	0.00029	2.76		
A_55_P1963868	0.000115	2.76	Plekho2	pleckstrin homology domain containing, family O member 2
A_30_P01031333	3.68E-07	2.76		
A_51_P124254	4.27E-05	2.76	Col4a1	collagen, type IV, alpha 1
A_55_P2041310	1.00E-06	2.76		
A_55_P2135031	4.13E-07	2.76		
A_30_P01019396	9.37E-08	2.76		
A_55_P2051834	0.000108	2.76	Layn	layilin
A_55_P2092391	3.11E-05	2.76	Ctbs	chitinase, di-N-acetyl-
A_51_P201480	4.14E-06	2.76	Stat3	signal transducer and activator of transcription 3
A_51_P196844	6.10E-05	2.76	Osbp13	oxysterol binding protein-like 3
A_55_P2092557	1.53E-08	2.76		
A_51_P124254	4.78E-06	2.76	Col4a1	collagen, type IV, alpha 1
A_55_P1966987	2.72E-06	2.76	Limk1	LIM-domain containing, protein kinase
A_55_P1963364	0.000482	2.76	Fam55c	family with sequence similarity 55, member C
A_30_P01029034	0.001325	2.76		
A_55_P2179582	3.33E-05	2.76	Nmur2	neuromedin U receptor 2
A_51_P124254	6.92E-06	2.76	Col4a1	collagen, type IV, alpha 1
A_30_P01017473	0.00017	2.75		
A_55_P2027077	1.42E-05	2.75	Shc2	SHC (Src homology 2 domain containing) transforming protein 2
A_66_P125392	1.62E-07	2.75	Atp8b4	ATPase, class I, type 8B, member 4
A_52_P527106	0.002736	2.75	Arhgap12	Rho GTPase activating protein 12
A_55_P2182162	3.56E-06	2.75		
A_55_P2074206	6.80E-07	2.75	Dlgap4	discs, large homolog-associated protein 4 (Drosophila)
A_66_P107379	0.000251	2.75	Mdk	midkine
A_52_P72587	5.24E-05	2.75	Prkcq	protein kinase C, theta
A_55_P2123711	6.46E-06	2.75		
A_30_P01020562	1.68E-06	2.75		
A_51_P125691	1.76E-05	2.75	Cdca4	cell division cycle associated 4
A_51_P262340	8.78E-05	2.75	Rbm3	RNA binding motif protein 3
A_51_P426754	1.25E-07	2.75	Anxa5	annexin A5
A_51_P221248	0.000253	2.75	Tspan32	tetraspanin 32
A_30_P01021779	8.08E-06	2.75		
A_30_P01033129	1.44E-05	2.75		
A_66_P111534	0.005388	2.75	5430431A17Rik	RIKEN cDNA 5430431A17 gene
A_55_P2364916	1.40E-05	2.75	8030402F09Rik	RIKEN cDNA 8030402F09 gene
A_30_P01022465	2.78E-05	2.75		
A_52_P578562	1.88E-05	2.75	Slc41a1	solute carrier family 41, member 1
A_55_P1952202	1.37E-08	2.75		
A_55_P2048912	0.000943	2.75	BC013712	cDNA sequence BC013712
A_55_P2034420	3.78E-09	2.75		
A_55_P2079425	9.71E-07	2.75	Spred1	sprouty protein with EVH-1 domain 1, related sequence
A_30_P01025052	3.02E-05	2.75		
A_55_P2148340	0.000209	2.74		
A_55_P2274592	0.000758	2.74	Wnt7b	wingless-related MMTV integration site 7B
A_55_P1961152	1.67E-06	2.74	Pou3f1	POU domain, class 3, transcription factor 1
A_51_P423091	4.89E-09	2.74	Flot1	flotillin 1
A_65_P04980	3.99E-07	2.74	Ilf3	interleukin enhancer binding factor 3
A_51_P173735	0.000122	2.74	Dock11	dedicator of cytokinesis 11
A_66_P134453	7.43E-06	2.74	I830077J02Rik	RIKEN cDNA I830077J02 gene
A_30_P01021917	5.00E-09	2.74		
A_51_P126302	1.31E-05	2.74	Rbm3	RNA binding motif protein, X-linked 2
A_30_P01020150	0.000784	2.74		
A_30_P01024799	0.000255	2.74		
A_55_P1976387	0.000509	2.74	Gimap4	GTPase, IMAP family member 4
A_51_P104939	0.001305	2.74	Klra5	killer cell lectin-like receptor, subfamily A, member 5
A_55_P2157102	4.34E-08	2.74		
A_51_P201480	1.69E-06	2.74	Stat3	signal transducer and activator of transcription 3
A_52_P426740	0.000188	2.74	Rab27a	RAB27A, member RAS oncogene family
A_55_P2136145	8.49E-05	2.74	Cnn3	calponin 3, acidic
A_55_P2272221	0.00057	2.74	D8ErtD769e	DNA segment, Chr 8, ERATO Doi 769, expressed
A_55_P2254276	8.52E-06	2.74	Ints2	integrator complex subunit 2
A_30_P01018337	1.72E-08	2.74		
A_55_P2142863	8.16E-06	2.74	Parp9	poly (ADP-ribose) polymerase family, member 9
A_55_P2012819	6.20E-07	2.74	Sec61a2	Sec61, alpha subunit 2 (S. cerevisiae)
A_55_P2143517	2.29E-06	2.74	Fstl1	follistatin-like 1
A_52_P296632	2.00E-05	2.74		
A_55_P2015124	9.66E-07	2.73		
A_55_P2337073	0.002577	2.73	Mid1	midline 1
A_51_P466378	6.41E-05	2.73	Itgal	integrin alpha L
A_30_P01023196	3.74E-07	2.73		
A_30_P01022206	0.000184	2.73		
A_30_P01022280	0.002395	2.73		
A_55_P2021810	0.000545	2.73	Arc	activity regulated cytoskeletal-associated protein
A_55_P2080220	3.05E-06	2.73	Cyp2b19	cytochrome P450, family 2, subfamily b, polypeptide 19

A_51_P125691	1.38E-06	2.73	Cdca4	cell division cycle associated 4
A_55_P2055324	1.64E-05	2.73	Spint1	serine protease inhibitor, Kunitz type 1
A_30_P01021815	1.18E-06	2.73		
A_30_P01025549	0.00065	2.73		
A_30_P01026198	0.000548	2.73		
A_30_P01018112	7.23E-10	2.73		
A_51_P233334	0.000234	2.73	Stc1	stanniocalcin 1
A_51_P310649	2.32E-07	2.73	Arsa	arylsulfatase A
A_52_P254298	4.67E-06	2.73	Slc11a2	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2
A_52_P28057	1.14E-06	2.73	Gm14124	predicted gene 14124
A_55_P2171508	0.005898	2.73	Wipf1	WAS/WASL interacting protein family, member 1
A_30_P01022771	2.09E-05	2.73		
A_51_P125446	1.44E-07	2.73	Lzlc	leucine zipper and CTNNBIP1 domain containing
A_55_P2045188	6.15E-06	2.73		
A_55_P2163098	1.10E-05	2.73	Akr1c18	aldo-keto reductase family 1, member C18
A_55_P2061899	6.96E-06	2.73		
A_55_P1957633	6.85E-05	2.73	Gpsm3	G-protein signalling modulator 3 (AGS3-like, C. elegans)
A_52_P671062	1.19E-06	2.73	Uba6	ubiquitin-like modifier activating enzyme 6
A_30_P01025499	6.33E-05	2.73		
A_51_P234359	0.000233	2.73	Sct	secretin
A_30_P01022082	1.23E-06	2.73		
A_30_P01025326	7.72E-05	2.73		
A_30_P01021881	9.14E-09	2.73		
A_55_P2128526	1.23E-05	2.73	Pfn2	profilin 2
A_55_P2112500	0.005917	2.72		
A_30_P01029260	2.68E-05	2.72		
A_55_P1988498	7.18E-05	2.72	Naa20	N(alpha)-acetyltransferase 20, NatB catalytic subunit
A_52_P582858	9.09E-06	2.72	Dgkd	diacylglycerol kinase, delta
A_55_P2147971	1.80E-08	2.72	Ranbp1	RAN binding protein 1
A_30_P01025301	3.89E-06	2.72		
A_30_P01032476	4.40E-07	2.72		
A_51_P185292	8.99E-05	2.72	4930581F22Rik	RIKEN cDNA 4930581F22 gene
A_30_P01031429	0.000251	2.72		
A_55_P2102065	9.52E-05	2.72	Gm10639	predicted gene 10639
A_55_P2075385	6.52E-08	2.72	Orai2	ORAI calcium release-activated calcium modulator 2
A_30_P01021996	0.002186	2.72		
A_55_P2031436	2.67E-07	2.72	Ly6e	lymphocyte antigen 6 complex, locus E
A_51_P201480	7.90E-07	2.72	Stat3	signal transducer and activator of transcription 3
A_30_P01029144	0.001904	2.72		
A_30_P01027827	0.000683	2.72		
A_66_P134488	0.000774	2.72	Lif	leukemia inhibitory factor
A_51_P124254	3.46E-05	2.72	Col4a1	collagen, type IV, alpha 1
A_51_P201480	1.34E-06	2.72	Stat3	signal transducer and activator of transcription 3
A_51_P117115	0.00024	2.72	Olf53	olfactory receptor 53
A_30_P01027020	2.48E-05	2.72		
A_30_P01026381	0.000155	2.72		
A_52_P372013	0.00068	2.72	Zfp9	zinc finger protein 9
A_30_P01028586	0.000274	2.72		
A_30_P01030676	0.004515	2.72		
A_55_P2078300	0.004433	2.72	Fndc7	fibronectin type III domain containing 7
A_55_P2089080	1.90E-06	2.72	Ssbp2	single-stranded DNA binding protein 2
A_51_P452153	0.003825	2.72	2010001M09Rik	RIKEN cDNA 2010001M09 gene
A_52_P497625	5.42E-05	2.72	A630001G21Rik	RIKEN cDNA A630001G21 gene
A_55_P2027386	0.000552	2.72	Gpr156	G protein-coupled receptor 156
A_55_P2029842	1.10E-07	2.72	Hnrnpa1	heterogeneous nuclear ribonucleoprotein A1
A_55_P2114993	1.70E-05	2.72	Actg1	actin, gamma, cytoplasmic 1
A_51_P452153	0.003063	2.72	2010001M09Rik	RIKEN cDNA 2010001M09 gene
A_51_P125691	8.50E-06	2.71	Cdca4	cell division cycle associated 4
A_30_P01025420	7.62E-07	2.71		
A_51_P126302	4.67E-06	2.71	Rbmx2	RNA binding motif protein, X-linked 2
A_51_P264866	8.14E-07	2.71	Olf1395	olfactory receptor 1395
A_30_P01022889	8.02E-05	2.71		
A_55_P1961541	4.49E-07	2.71	A930028N01Rik	RIKEN cDNA A930028N01 gene
A_30_P01026420	3.11E-06	2.71		
A_30_P01027758	3.11E-05	2.71		
A_55_P2030194	1.22E-06	2.71	Ifna5	interferon alpha 5
A_51_P389895	0.000223	2.71	Slc35f5	solute carrier family 35, member F5
A_52_P357611	5.26E-05	2.71	Neu3	neuraminidase 3
A_30_P01025368	3.66E-05	2.71		
A_30_P01023079	1.53E-07	2.71		
A_55_P2029436	0.000131	2.71		
A_51_P104897	3.57E-07	2.71	Itpr3	inositol 1,4,5-triphosphate receptor 3
A_55_P2002745	0.000214	2.71		
A_55_P2057872	1.62E-06	2.71	Gm6654	predicted pseudogene 6654
A_30_P01022679	1.88E-05	2.71		
A_55_P2020371	0.000665	2.71	Gm11543	predicted gene 11543
A_55_P2141860	3.33E-06	2.71	Aen	apoptosis enhancing nuclease
A_30_P01028961	1.54E-06	2.71		
A_55_P2036898	9.72E-05	2.71	Gm15292	predicted gene 15292
A_55_P2105512	6.70E-08	2.71	Nop56	NOP56 ribonucleoprotein homolog (yeast)
A_55_P1993128	1.27E-07	2.71	Gas8	growth arrest specific 8
A_51_P356283	0.000627	2.70	Fbxo31	F-box protein 31
A_55_P2057777	4.71E-06	2.70	Fgfr1	fibroblast growth factor receptor 1
A_55_P2058942	2.71E-06	2.70	Aldh3b1	aldehyde dehydrogenase 3 family, member B1
A_30_P01027526	5.14E-07	2.70		
A_30_P01026434	2.03E-06	2.70		
A_55_P1996702	2.81E-05	2.70	Grm8	glutamate receptor, metabotropic 8
A_55_P1965448	2.82E-07	2.70	LOC632883	protein transport protein Sec61 subunit gamma-like
A_55_P1973906	2.17E-05	2.70	Trp53inp1	transformation related protein 53 inducible nuclear protein 1
A_55_P2016618	1.88E-06	2.70	Neur1a	neuronalized homolog 1A (Drosophila)
A_30_P01021985	3.11E-06	2.70		
A_30_P01021433	9.61E-06	2.70		
A_55_P1956752	0.000162	2.70		
A_30_P01027644	4.73E-08	2.70		
A_55_P2133337	2.41E-05	2.70		

A_55_P2128501	1.92E-06	2.70	Krt8	keratin 8
A_55_P1986680	0.000134	2.70		
A_55_P2017001	5.50E-05	2.70		
A_30_P01030166	0.001157	2.70		
A_55_P2182921	4.28E-07	2.70		
A_30_P01021935	1.31E-07	2.70		
A_30_P01023959	1.94E-06	2.70		
A_51_P201480	6.85E-07	2.70	Stat3	signal transducer and activator of transcription 3
A_30_P01020135	3.11E-05	2.70		
A_51_P125446	4.29E-08	2.70	Lzic	leucine zipper and CTNNBIP1 domain containing
A_51_P125691	1.13E-05	2.70	Cdca4	cell division cycle associated 4
A_55_P1975110	4.51E-05	2.70	Pnpt1	polyribonucleotide nucleotidyltransferase 1
A_55_P2175925	1.49E-05	2.70		
A_51_P112174	3.14E-05	2.70	Ahl1	Abelson helper integration site 1
A_51_P172231	2.16E-07	2.70	Gsdmd	gasdermin D
A_30_P01020545	0.000326	2.70		
A_30_P01027173	0.00097	2.70		
A_66_P136186	0.000411	2.69	Wee1	WEE 1 homolog 1 (S. pombe)
A_66_P109519	0.001045	2.69	Ehf	ets homologous factor
A_55_P2035579	8.86E-06	2.69	Rps6ka2	ribosomal protein S6 kinase, polypeptide 2
A_52_P116006	3.97E-06	2.69	Gda	guanine deaminase
A_30_P01025448	0.00117	2.69		
A_52_P599789	0.000655	2.69	Orich2	glutamine rich 2
A_52_P108845	0.000254	2.69	Clip3	CAP-GLY domain containing linker protein 3
A_30_P01019724	5.50E-06	2.69		
A_55_P2308743	4.55E-06	2.69	A430106A12Rik	RIKEN cDNA A430106A12 gene
A_30_P01028784	1.18E-05	2.69		
A_55_P2074636	5.89E-07	2.69	Adap1	ArfGAP with dual PH domains 1
A_52_P628117	0.002088	2.69	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_30_P01031882	8.77E-05	2.69		
A_66_P102062	2.01E-06	2.69		
A_55_P2024763	1.45E-08	2.69	Lama3	laminin, alpha 3
A_55_P2069410	1.17E-06	2.69	LOC100505024	homeobox protein TGIF2-like
A_52_P228005	0.000202	2.69		
A_30_P01028559	0.004861	2.69		
A_30_P01031539	4.07E-08	2.69		
A_55_P2028651	9.00E-09	2.69		
A_30_P01019049	0.000161	2.69		
A_55_P2018836	2.09E-05	2.69		
A_55_P1965000	2.61E-05	2.69	Ddx58	DEAD (Asp-Glu-Ala-Asp) box polypeptide 58
A_51_P172231	3.20E-07	2.69	Gsdmd	gasdermin D
A_55_P2012498	1.26E-05	2.69	Cdca7	cell division cycle associated 7
A_55_P1960053	0.004034	2.69	Hvcn1	hydrogen voltage-gated channel 1
A_55_P2049052	5.04E-05	2.69		
A_52_P157316	1.41E-05	2.69	Trim34a	tripartite motif-containing 34A
A_55_P2126775	8.60E-05	2.68	Gfpt1	glutamine fructose-6-phosphate transaminase 1
A_51_P423290	0.001055	2.68	Mmr1	multimerin 1
A_55_P2180415	0.001009	2.68	Cd72	CD72 antigen
A_55_P1975843	1.73E-07	2.68		
A_55_P2074927	1.27E-06	2.68	Gm7932	predicted gene 7932
A_52_P69020	0.000326	2.68	Slc24a5	solute carrier family 24, member 5
A_55_P2130839	0.00183	2.68		
A_52_P609120	6.29E-05	2.68	Pdpx	pyridoxal (pyridoxine, vitamin B6) phosphatase
A_66_P123704	0.000598	2.68	Ulbp1	UL16 binding protein 1
A_51_P292057	0.001119	2.68	Tbl1xr1	transducin (beta)-like 1X-linked receptor 1
A_30_P01027732	2.69E-05	2.68		
A_55_P2011121	0.003443	2.68	4930528F23Rik	RIKEN cDNA 4930528F23 gene
A_55_P2255399	0.001644	2.68	F630048H11Rik	RIKEN cDNA F630048H11 gene
A_55_P1952038	4.10E-07	2.68	Olf417	olfactory receptor 417
A_51_P125446	1.60E-09	2.68	Lzic	leucine zipper and CTNNBIP1 domain containing
A_51_P172231	5.37E-07	2.68	Gsdmd	gasdermin D
A_51_P201480	1.71E-06	2.68	Stat3	signal transducer and activator of transcription 3
A_51_P104939	0.000109	2.68	Klra5	killer cell lectin-like receptor, subfamily A, member 5
A_30_P01026275	0.000308	2.68		
A_66_P129377	6.60E-05	2.68	Gm7644	predicted gene 7644
A_55_P2017914	0.000805	2.68	Csf1	colony stimulating factor 1 (macrophage)
A_66_P120567	1.45E-06	2.68	Anxa1	annexin A1
A_51_P292030	6.14E-06	2.68	Nus1	nuclear undecaprenyl pyrophosphate synthase 1 homolog (S. cerevisiae)
A_51_P172231	2.02E-06	2.68	Gsdmd	gasdermin D
A_55_P2142789	2.73E-05	2.68	AI463229	expressed sequence AI463229
A_51_P450682	5.75E-06	2.68	Tepp	testis, prostate and placenta expressed
A_30_P01023142	0.000209	2.68		
A_55_P2028214	0.001242	2.68		
A_55_P2148961	0.000232	2.68		
A_51_P125691	2.46E-05	2.68	Cdca4	cell division cycle associated 4
A_55_P2279140	0.000385	2.68	F830014O18Rik	RIKEN cDNA F830014O18 gene
A_55_P2149540	3.92E-06	2.67	Srf	serum response factor
A_55_P2081408	9.66E-05	2.67	Fbxo39	F-box protein 39
A_55_P2095583	0.00014	2.67	Tcp10b	t-complex protein 10b
A_30_P01022847	3.83E-06	2.67		
A_30_P01025875	0.001861	2.67		
A_52_P66226	5.20E-05	2.67	Rab33a	RAB33A, member of RAS oncogene family
A_30_P01023698	7.07E-08	2.67		
A_30_P01030499	0.002602	2.67		
A_55_P2163749	1.34E-05	2.67		
A_30_P01026320	8.04E-05	2.67		
A_51_P224227	7.24E-07	2.67	Rlf	rearranged L-myc fusion sequence
A_55_P2119440	2.94E-05	2.67		
A_55_P1994654	1.01E-05	2.67	1810029B16Rik	RIKEN cDNA 1810029B16 gene
A_52_P82765	2.43E-08	2.67		
A_55_P2280237	0.001268	2.67	Zfp697	zinc finger protein 697
A_55_P2185415	4.01E-08	2.67	Thap7	THAP domain containing 7
A_51_P125446	7.59E-10	2.67	Lzic	leucine zipper and CTNNBIP1 domain containing
A_55_P2015530	0.000183	2.67		
A_66_P139974	1.20E-08	2.67	Arl6	ADP-ribosylation factor-like 6

A_30_P01023251	0.000108	2.67		
A_51_P181595	9.16E-06	2.67	4933402N22Rik	RIKEN cDNA 4933402N22 gene
A_30_P01025219	5.57E-10	2.67		
A_30_P01031073	4.04E-06	2.66		
A_55_P2137494	2.55E-05	2.66		
A_55_P1980539	1.24E-05	2.66	Cetn4	centrin 4
A_30_P01032556	0.00046	2.66		
A_30_P01024321	5.61E-07	2.66		
A_55_P1997931	1.33E-05	2.66	Mtap9	microtubule-associated protein 9
A_51_P125691	3.69E-05	2.66	Cdca4	cell division cycle associated 4
A_55_P2048953	5.24E-07	2.66	4930515G16Rik	myc induced nuclear antigen pseudogene
A_66_P108019	1.21E-08	2.66	Heatr1	HEAT repeat containing 1
A_51_P120066	0.000328	2.66	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_55_P1998957	2.57E-05	2.66	Oas1c	2'-5' oligoadenylate synthetase 1C
A_55_P1983309	4.64E-07	2.66	LOC677368	hypothetical protein LOC677368
A_30_P01018570	6.97E-05	2.66		
A_55_P2142321	0.001507	2.66	Synpo	synaptopodin
A_55_P2019577	2.79E-05	2.66	1500011B03Rik	RIKEN cDNA 1500011B03 gene
A_55_P2248330	1.22E-05	2.66		
A_51_P439876	2.84E-06	2.66	Map4k4	mitogen-activated protein kinase kinase kinase kinase 4
A_30_P01027182	2.20E-05	2.66		
A_51_P430423	0.000125	2.66	Ada	adenosine deaminase
A_55_P2083121	0.000148	2.66	Vill	villin-like
A_55_P2025595	0.005038	2.66	Gcmt2	glucosaminyl (N-acetyl) transferase 2, I-branching enzyme
A_66_P126722	0.000162	2.66		
A_55_P1991310	5.54E-07	2.66	Npvf	neuropeptide VF precursor
A_55_P2127952	4.76E-07	2.66		
A_30_P01020319	5.14E-07	2.66		
A_30_P01018133	6.33E-06	2.66		
A_55_P2092282	0.000423	2.66		
A_52_P104761	2.88E-06	2.66	Rlim	ring finger protein, LIM domain interacting
A_55_P2010376	6.21E-05	2.66	Grm4	glutamate receptor, metabotropic 4
A_55_P2344943	9.04E-06	2.66	B130055M24Rik	RIKEN cDNA B130055M24 gene
A_30_P01026296	2.70E-08	2.66		
A_55_P2172999	2.60E-05	2.66	Ptpn13	protein tyrosine phosphatase, non-receptor type 13
A_51_P119429	0.000406	2.66	Nckap1l	NCK associated protein 1 like
A_55_P2176963	4.01E-05	2.65	Hsph1	heat shock 105kDa/110kDa protein 1
A_55_P2381821	0.000151	2.65	6430706H07Rik	RIKEN cDNA 6430706H07 gene
A_30_P01021911	1.21E-05	2.65		
A_55_P1998578	2.56E-07	2.65	Ifitm2	interferon induced transmembrane protein 2
A_55_P2172274	5.49E-05	2.65	Smc2	structural maintenance of chromosomes 2
A_55_P2121603	1.74E-05	2.65	2810047C21Rik1	RIKEN cDNA 2810047C21 gene 1
A_30_P01024529	0.001027	2.65		
A_51_P110888	0.004162	2.65	Pck2	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_55_P2053467	3.02E-05	2.65		
A_30_P01022446	0.000801	2.65		
A_51_P286995	8.13E-05	2.65	3110001I22Rik	RIKEN cDNA 3110001I22 gene
A_51_P201480	7.08E-07	2.65	Stat3	signal transducer and activator of transcription 3
A_55_P2142758	0.001458	2.65	Slc9a7	solute carrier family 9 (sodium/hydrogen exchanger), member 7
A_30_P01030104	1.65E-06	2.65		
A_30_P01023828	1.19E-05	2.65		
A_55_P1980066	1.47E-07	2.65	Gm10334	predicted gene 10334
A_55_P2120303	2.67E-07	2.65		
A_55_P2038952	9.31E-11	2.65	Ubb	ubiquitin B
A_55_P2047431	0.000614	2.65	Il22ra1	interleukin 22 receptor, alpha 1
A_55_P2425342	0.000176	2.65	4932443L11Rik	RIKEN cDNA 4932443L11 gene
A_55_P1960018	3.76E-06	2.65	Fbxw25	F-box and WD-40 domain protein 25
A_51_P120717	0.000114	2.65	Lmnb1	lamin B1
A_66_P117519	1.12E-05	2.65		
A_55_P1966660	2.87E-06	2.65	LOC547349	similar to MHC class I antigen precursor
A_55_P2069485	8.69E-06	2.65	Ptpn13	protein tyrosine phosphatase, non-receptor type 13
A_55_P2182273	0.001604	2.65	Bin2	bridging integrator 2
A_52_P330289	0.000337	2.65	Inpp4b	inositol polyphosphate-4-phosphatase, type II
A_30_P01020259	4.68E-06	2.65		
A_51_P175580	0.000396	2.65	Trp53inp1	transformation related protein 53 inducible nuclear protein 1
A_55_P2124646	0.003091	2.65		
A_30_P01032648	1.12E-05	2.65		
A_30_P01028304	0.000223	2.65		
A_30_P01026835	1.47E-07	2.65		
A_66_P133244	0.000183	2.64	Vcl	vinculin
A_30_P01019074	6.21E-08	2.64		
A_51_P463765	0.000535	2.64	Timp3	tissue inhibitor of metalloproteinase 3
A_55_P2067076	6.36E-07	2.64		
A_55_P2026214	0.000131	2.64		
A_52_P417620	1.63E-06	2.64	Pacs1	phosphofurin acidic cluster sorting protein 1
A_55_P2007389	0.002163	2.64	Fam189b	family with sequence similarity 189, member B
A_55_P1979197	7.35E-07	2.64	Tbata	thymus, brain and testes associated
A_65_P18935	4.51E-05	2.64	Grin1	glutamate receptor, ionotropic, NMDA1 (zeta 1)
A_30_P01023162	2.11E-05	2.64		
A_52_P457567	1.81E-05	2.64	Slc4a4	solute carrier family 4 (anion exchanger), member 4
A_55_P1969876	1.34E-05	2.64	Morf4l2	mortality factor 4 like 2
A_55_P2174490	0.001354	2.64	Cd37	CD37 antigen
A_51_P216702	5.33E-07	2.64	A130022J15Rik	RIKEN cDNA A130022J15 gene
A_52_P20906	0.002572	2.64	Twist1	twist homolog 1 (Drosophila)
A_55_P2009762	5.44E-05	2.64	Mapkapk3	mitogen-activated protein kinase-activated protein kinase 3
A_51_P496720	2.48E-05	2.64	Dnmt3l	DNA (cytosine-5-)-methyltransferase 3-like
A_51_P125446	7.82E-07	2.64	Lzic	leucine zipper and CTNBP1 domain containing
A_51_P370678	1.65E-06	2.64	Gfi1b	growth factor independent 1B
A_51_P120066	0.000126	2.64	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_51_P431870	6.75E-07	2.64	Mtap1s	microtubule-associated protein 1S
A_51_P119429	0.000698	2.64	Nckap1l	NCK associated protein 1 like
A_66_P126019	5.13E-05	2.64		
A_30_P01031200	1.25E-08	2.64		
A_55_P1962209	0.000756	2.64	Cxcr6	chemokine (C-X-C motif) receptor 6
A_30_P01029898	5.17E-08	2.64		

A_30_P01023215	1.25E-05	2.64		
A_30_P01029178	9.11E-07	2.64		
A_55_P2031167	8.06E-05	2.64	<b>Efna1</b>	ephrin A1
A_52_P229943	0.002072	2.63	<b>Ostb</b>	organic solute transporter beta
A_52_P284495	0.002762	2.63	<b>Ankrd33b</b>	ankyrin repeat domain 33B
A_55_P2083180	0.000661	2.63	<b>LOC16697</b>	keratin associated protein LOC16697
A_55_P2133652	2.44E-06	2.63	<b>4922501C03Rik</b>	RIKEN cDNA 4922501C03 gene
A_30_P01017590	4.05E-06	2.63		
A_55_P2145611	6.91E-05	2.63	<b>Krt86</b>	keratin 86
A_30_P01031834	1.04E-05	2.63		
A_66_P120507	7.55E-05	2.63	<b>Plcd3</b>	phospholipase C, delta 3
A_55_P2088730	4.83E-05	2.63		
A_55_P2109727	5.29E-05	2.63		
A_30_P01018611	1.13E-06	2.63		
A_55_P2133205	1.50E-05	2.63	<b>Nmt2</b>	N-myristoyltransferase 2
A_52_P384036	0.006329	2.63		
A_30_P01030795	0.001335	2.63		
A_55_P2102182	1.73E-07	2.63		
A_30_P01019117	0.000214	2.63		
A_51_P309530	4.22E-05	2.63	<b>Nepn</b>	nephrocan
A_55_P2113141	4.25E-05	2.63	<b>Star</b>	steroidogenic acute regulatory protein
A_55_P2013321	0.000614	2.63		
A_51_P125446	6.47E-10	2.63	<b>Lzlc</b>	leucine zipper and CTNBP1 domain containing
A_55_P2010197	4.90E-07	2.63	<b>Serpina10</b>	serine (or cysteine) peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 10
A_55_P2111218	0.000321	2.63	<b>2310014H01Rik</b>	RIKEN cDNA 2310014H01 gene
A_30_P01019667	2.31E-05	2.63		
A_30_P01023571	4.15E-06	2.63		
A_55_P2091153	1.24E-08	2.63	<b>BC051142</b>	cDNA sequence BC051142
A_30_P01033052	0.000106	2.63		
A_30_P01024068	0.000146	2.62		
A_66_P127070	2.60E-05	2.62	<b>Gdf5</b>	growth differentiation factor 5
A_55_P2008126	3.57E-05	2.62		
A_55_P2022332	2.06E-06	2.62		
A_55_P2018825	4.40E-06	2.62		
A_51_P288618	3.06E-05	2.62	<b>Dusp11</b>	dual specificity phosphatase 11 (RNA/RNP complex 1-interacting)
A_51_P511511	6.10E-05	2.62	<b>Stk33</b>	serine/threonine kinase 33
A_51_P440092	4.91E-06	2.62	<b>Fam187b</b>	family with sequence similarity 187, member B
A_51_P318381	4.17E-05	2.62	<b>Pgf</b>	placental growth factor
A_51_P496751	4.29E-07	2.62	<b>Nop58</b>	NOP58 ribonucleoprotein homolog (yeast)
A_30_P01032660	6.15E-06	2.62		
A_30_P01032956	7.04E-06	2.62		
A_51_P126302	5.54E-07	2.62	<b>Rbmx2</b>	RNA binding motif protein, X-linked 2
A_55_P2060567	3.61E-08	2.62	<b>Ddx39</b>	DEAD (Asp-Glu-Ala-Asp) box polypeptide 39
A_51_P104897	1.53E-06	2.62	<b>Itpr3</b>	inositol 1,4,5-triphosphate receptor 3
A_55_P2149209	4.41E-06	2.62	<b>Camk2a</b>	calcium/calmodulin-dependent protein kinase II alpha
A_52_P525317	4.29E-06	2.62	<b>Gja5</b>	gap junction protein, alpha 5
A_55_P2425432	3.17E-07	2.61	<b>1700017I07Rik</b>	RIKEN cDNA 1700017I07 gene
A_55_P2136970	5.87E-06	2.61	<b>Gm7269</b>	predicted gene 7269
A_66_P118772	0.001544	2.61	<b>Tmem136</b>	transmembrane protein 136
A_52_P363216	4.62E-05	2.61	<b>Gcnt2</b>	glucosaminyl (N-acetyl) transferase 2, I-branching enzyme
A_55_P2418621	0.000715	2.61		
A_55_P2032192	5.59E-08	2.61	<b>Tpm1</b>	tropomyosin 1, alpha
A_55_P1964193	0.000399	2.61	<b>Mtap1b</b>	microtubule-associated protein 1B
A_55_P2183622	3.18E-08	2.61	<b>Tmem201</b>	transmembrane protein 201
A_55_P2033690	0.000106	2.61	<b>LOC637916</b>	midline-1-like
A_51_P287798	0.00027	2.61	<b>4930544O15Rik</b>	RIKEN cDNA 4930544O15 gene
A_55_P1963549	5.32E-06	2.61	<b>Vmn1r168</b>	vomeroneasal 1 receptor 168
A_55_P2028159	5.38E-06	2.61	<b>3110043O21Rik</b>	RIKEN cDNA 3110043O21 gene
A_51_P353914	3.49E-05	2.61	<b>Icam5</b>	intercellular adhesion molecule 5, telencephalin
A_55_P2016732	0.002772	2.61	<b>Slc30a2</b>	solute carrier family 30 (zinc transporter), member 2
A_30_P01023242	2.87E-05	2.61		
A_55_P2044314	3.41E-05	2.61		
A_30_P01030754	3.88E-08	2.61		
A_55_P2025454	0.000116	2.61	<b>Ttc12</b>	tetratricopeptide repeat domain 12
A_51_P414126	3.06E-05	2.61	<b>Rab19</b>	RAB19, member RAS oncogene family
A_30_P01026606	3.94E-05	2.61		
A_55_P1995902	1.79E-06	2.61	<b>Gm13251</b>	predicted gene 13251
A_51_P143190	5.99E-07	2.61	<b>Lyl1</b>	lymphoblastomic leukemia 1
A_51_P172231	2.10E-07	2.61	<b>Gsdmd</b>	gasdermin D
A_30_P01029625	3.41E-06	2.61		
A_30_P01029818	0.000318	2.60		
A_30_P01029991	0.000192	2.60		
A_30_P01025198	0.001142	2.60		
A_55_P2151428	4.51E-06	2.60		
A_30_P01021285	2.72E-07	2.60		
A_30_P01031685	0.002904	2.60		
A_51_P119429	0.00088	2.60	<b>Nckap1l</b>	NCK associated protein 1 like
A_51_P124535	0.000253	2.60	<b>Mest</b>	mesoderm specific transcript
A_55_P2106891	6.98E-08	2.60	<b>Kcna5</b>	potassium voltage-gated channel, shaker-related subfamily, member 5
A_30_P01026224	0.002331	2.60		
A_55_P2137586	8.95E-06	2.60	<b>Nphp4</b>	nephronophthisis 4 (juvenile) homolog (human)
A_55_P2130448	2.14E-05	2.60		
A_65_P16796	9.29E-06	2.60	<b>Psd4</b>	pleckstrin and Sec7 domain containing 4
A_51_P505795	6.66E-06	2.60	<b>Tapbpl</b>	TAP binding protein-like
A_55_P2155869	2.87E-06	2.60	<b>Klc1</b>	kinesin light chain 1
A_55_P2088075	5.55E-07	2.60		
A_51_P223498	0.000195	2.60	<b>Slc39a10</b>	solute carrier family 39 (zinc transporter), member 10
A_52_P168505	5.00E-05	2.60	<b>Zdhc21</b>	zinc finger, DHHC domain containing 21
A_30_P01032905	4.66E-10	2.60		
A_51_P172231	9.11E-07	2.60	<b>Gsdmd</b>	gasdermin D
A_55_P1998442	1.54E-06	2.60	<b>Sema3f</b>	sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3F
A_51_P157524	9.98E-08	2.60	<b>E2f4</b>	E2F transcription factor 4
A_30_P01023399	0.002352	2.60		
A_30_P01025295	0.000624	2.60		
A_55_P1989321	3.15E-05	2.60	<b>Sat1</b>	spermidine/spermine N1-acetyl transferase 1

A_55_P1960068	0.000184	2.59		
A_55_P2162175	0.000538	2.59		
A_30_P01027281	1.51E-06	2.59		
A_55_P2029417	0.000267	2.59	2610318N02RIK	RIKEN cDNA 2610318N02 gene
A_30_P01032921	0.000857	2.59		
A_30_P01020988	1.39E-06	2.59		
A_51_P215975	4.97E-08	2.59	Chrd	chordin
A_30_P01029848	1.32E-06	2.59		
A_52_P593853	0.000134	2.59	4933402P03RIK	RIKEN cDNA 4933402P03 gene
A_30_P01029058	1.02E-06	2.59		
A_30_P01032410	0.000185	2.59		
A_51_P120066	0.000282	2.59	9330151L19RIK	RIKEN cDNA 9330151L19 gene
A_30_P01025266	9.15E-07	2.59		
A_51_P405476	0.000439	2.59	Fcer1g	Fc receptor, IgE, high affinity I, gamma polypeptide
A_51_P415126	1.84E-05	2.59	Tgfa	transforming growth factor alpha
A_55_P2155056	0.000233	2.59		
A_55_P1970597	2.66E-05	2.59	Actg1	actin, gamma, cytoplasmic 1
A_30_P01021894	0.000118	2.59		
A_51_P104897	5.11E-06	2.59	Itpr3	inositol 1,4,5-triphosphate receptor 3
A_55_P2002975	0.000865	2.59	Mrgprb4	MAS-related GPR, member B4
A_55_P2136533	0.000241	2.59	MI2	myeloid/lymphoid or mixed-lineage leukemia 2
A_51_P200249	0.000361	2.59	Olf945	olfactory receptor 945
A_55_P1953578	4.78E-07	2.59	Top3a	topoisomerase (DNA) III alpha
A_55_P2381926	9.31E-05	2.59	Jam2	junction adhesion molecule 2
A_55_P2208260	9.53E-06	2.59	D230019N24RIK	RIKEN cDNA D230019N24 gene
A_30_P01032764	8.57E-06	2.59		
A_55_P2082837	5.29E-05	2.59	Spn1	spindlin 1
A_55_P1971897	1.18E-08	2.59	Mdk	midkine
A_55_P2263098	0.000189	2.59	A130078K24RIK	RIKEN cDNA A130078K24 gene
A_55_P2037338	0.000234	2.59	Plcd3	phospholipase C, delta 3
A_30_P01019628	2.65E-05	2.59		
A_30_P01017641	0.005618	2.59		
A_30_P01032132	2.67E-05	2.59		
A_55_P2028263	0.003945	2.58	Plk3cd	phosphatidylinositol 3-kinase catalytic delta polypeptide
A_30_P01024450	5.75E-06	2.58		
A_30_P01031000	5.64E-06	2.58		
A_52_P144925	1.60E-06	2.58	Taf1d	TATA box binding protein (Tbp)-associated factor, RNA polymerase I, D
A_30_P01029937	0.000155	2.58		
A_66_P138363	0.000108	2.58		
A_55_P1977920	2.55E-06	2.58		
A_55_P2166020	2.46E-05	2.58	Ifna13	interferon alpha 13
A_55_P1979147	4.44E-07	2.58	Klr1c	killer cell lectin-like receptor subfamily B member 1C
A_30_P01030883	0.003707	2.58		
A_55_P2114799	2.08E-07	2.58	Arnt12	aryl hydrocarbon receptor nuclear translocator-like 2
A_51_P172231	1.92E-06	2.58	Gsdmd	gasdermin D
A_30_P01025469	4.52E-06	2.58		
A_30_P01031609	0.000188	2.58		
A_51_P119429	0.000647	2.58	Nckap1l	NCK associated protein 1 like
A_55_P2039125	3.15E-05	2.58	2310028H24RIK	RIKEN cDNA 2310028H24 gene
A_55_P2053281	0.002105	2.58	G430049J08RIK	RIKEN cDNA G430049J08 gene
A_30_P01021519	1.06E-06	2.58		
A_51_P104897	2.61E-06	2.58	Itpr3	inositol 1,4,5-triphosphate receptor 3
A_30_P01028392	2.51E-05	2.58		
A_30_P01019715	1.53E-05	2.58		
A_55_P1990190	2.25E-07	2.58	Arhgap28	Rho GTPase activating protein 28
A_55_P1961302	1.35E-06	2.58		
A_55_P1973491	0.000304	2.58	Gpr35	G protein-coupled receptor 35
A_52_P502771	8.60E-05	2.58	Rad54b	RAD54 homolog B (S. cerevisiae)
A_55_P1959064	1.20E-07	2.58	Oas1b	2'-5' oligoadenylate synthetase 1B
A_30_P01024274	4.84E-06	2.58		
A_51_P501018	0.000282	2.58	Nek2	NIMA (never in mitosis gene a)-related expressed kinase 2
A_55_P2091751	1.94E-06	2.58		
A_55_P2399878	0.000122	2.58	4930402F11RIK	RIKEN cDNA 4930402F11 gene
A_30_P01025716	2.25E-06	2.58		
A_51_P125446	6.91E-08	2.57	Lzic	leucine zipper and CTNNBIP1 domain containing
A_51_P120717	0.000163	2.57	Lmn1	lamin B1
A_51_P120717	1.52E-05	2.57	Lmn1	lamin B1
A_30_P01031002	0.000413	2.57		
A_51_P125446	2.63E-08	2.57	Lzic	leucine zipper and CTNNBIP1 domain containing
A_55_P2139375	6.98E-07	2.57		
A_52_P671543	0.001048	2.57	Pomc	pro-opiomelanocortin-alpha
A_51_P166740	1.49E-05	2.57	Kcnj4	potassium inwardly-rectifying channel, subfamily J, member 4
A_51_P305437	1.10E-05	2.57	Rcn1	reticulocalbin 1
A_55_P2054942	5.69E-08	2.57	Iffo2	intermediate filament family orphan 2
A_30_P01022334	2.20E-05	2.57		
A_55_P2014854	0.000705	2.57		
A_55_P2018002	0.001332	2.57	Abcg4	ATP-binding cassette, sub-family G (WHITE), member 4
A_65_P08239	1.43E-06	2.57	Mef2a	myocyte enhancer factor 2A
A_52_P432685	5.03E-07	2.57	Ctdsp2	CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) small phosphatase 2
A_55_P1981674	0.000498	2.57		
A_51_P179131	2.66E-06	2.57	Vasp	vasodilator-stimulated phosphoprotein
A_55_P2071078	0.000527	2.57	Gab2	growth factor receptor bound protein 2-associated protein 2
A_51_P105927	4.28E-06	2.57	Ras12	RAS-like, family 12
A_52_P97572	2.22E-07	2.57	Aplnr	apelin receptor
A_55_P2039514	1.75E-06	2.57		
A_51_P142989	8.17E-06	2.57	Zfp429	zinc finger protein 429
A_55_P1990849	0.000145	2.57	Dclre1b	DNA cross-link repair 1B, PSO2 homolog (S. cerevisiae)
A_55_P2006906	0.004433	2.57	Armxc3	armadillo repeat containing, X-linked 3
A_51_P383140	1.79E-05	2.57	Slk	STE20-like kinase (yeast)
A_51_P105927	4.52E-05	2.57	Ras12	RAS-like, family 12
A_51_P105927	2.00E-07	2.57	Ras12	RAS-like, family 12
A_51_P435968	1.87E-05	2.57	Tnfaip8	tumor necrosis factor, alpha-induced protein 8
A_51_P405606	0.000144	2.57	Ndr1	N-myc downstream regulated gene 1
A_52_P485905	7.20E-06	2.57	Mdm4	transformed mouse 3T3 cell double minute 4
A_55_P2179791	0.002377	2.57	6720473M11RIK	RIKEN cDNA 6720473M11 gene



A_66_P139615	2.68E-05	2.57		
A_51_P125691	1.13E-05	2.57	<b>Cdca4</b>	cell division cycle associated 4
A_30_P01025191	2.30E-05	2.56		
A_55_P1971672	1.10E-07	2.56	<b>Ankrd50</b>	ankyrin repeat domain 50
A_51_P490305	0.001235	2.56	<b>Ifi30</b>	interferon gamma inducible protein 30
A_30_P01023335	9.61E-08	2.56		
A_55_P2039771	3.10E-06	2.56	<b>Itgav</b>	integrin alpha V
A_51_P119429	0.000582	2.56	<b>Nckap1l</b>	NCK associated protein 1 like
A_51_P120066	0.000451	2.56	<b>9330151L19Rik</b>	RIKEN cDNA 9330151L19 gene
A_51_P148311	4.29E-07	2.56	<b>Chic2</b>	cysteine-rich hydrophobic domain 2
A_30_P01021763	2.84E-05	2.56		
A_55_P2123162	0.000601	2.56		
A_51_P180974	2.47E-05	2.56	<b>Prkcdp</b>	protein kinase C, delta binding protein
A_52_P589391	1.19E-06	2.56	<b>Doc2a</b>	double C2, alpha
A_30_P01030145	0.000209	2.56		
A_55_P1962039	4.50E-07	2.56	<b>Anxa7</b>	annexin A7
A_30_P01026173	2.82E-05	2.56		
A_30_P01025589	2.29E-05	2.56		
A_55_P1989981	4.66E-05	2.56	<b>Fam129b</b>	family with sequence similarity 129, member B
A_51_P126302	0.000119	2.56	<b>Rbmx2</b>	RNA binding motif protein, X-linked 2
A_30_P01023591	0.002557	2.56		
A_55_P1960522	0.001253	2.56		
A_30_P01026822	1.00E-05	2.56		
A_55_P1982585	0.000106	2.56	<b>Kdm4a</b>	lysine (K)-specific demethylase 4A
A_55_P2020461	0.000183	2.56	<b>Hmgn2</b>	high mobility group nucleosomal binding domain 2
A_52_P367294	0.006191	2.56	<b>Fsd1l</b>	fibronectin type III and SPRY domain containing 1-like
A_55_P2037689	3.30E-07	2.56		
A_55_P2009430	3.98E-05	2.56		
A_30_P01032351	2.08E-08	2.56		
A_52_P304947	0.000403	2.56	<b>Cenpn</b>	centromere protein N
A_55_P2008071	6.29E-05	2.56	<b>Prkcd</b>	protein kinase C, delta
A_51_P120717	7.64E-05	2.56	<b>Lmnb1</b>	lamin B1
A_55_P2222904	0.000459	2.56	<b>B930018H19</b>	hypothetical protein B930018H19
A_55_P2145521	2.15E-05	2.56	<b>Stk38l</b>	serine/threonine kinase 38 like
A_51_P172231	4.37E-07	2.55	<b>Gsdmd</b>	gasdermin D
A_30_P01022166	0.003443	2.55		
A_55_P2396370	0.000116	2.55	<b>A730056I06Rik</b>	RIKEN cDNA A730056I06 gene
A_30_P01032487	0.00031	2.55		
A_55_P2047991	0.001733	2.55		
A_30_P01025897	3.26E-09	2.55		
A_55_P2150058	7.58E-06	2.55	<b>Zfp593</b>	zinc finger protein 593
A_52_P135873	0.000102	2.55		
A_55_P1967483	1.04E-07	2.55		
A_51_P124535	0.000394	2.55	<b>Mest</b>	mesoderm specific transcript
A_55_P2370337	0.000657	2.55	<b>8430406P12Rik</b>	RIKEN cDNA 8430406P12 gene
A_30_P01027385	2.19E-07	2.55		
A_55_P2076994	2.35E-05	2.55	<b>Defa-rs10</b>	defensin, alpha, related sequence 10
A_30_P01019428	4.13E-08	2.55		
A_30_P01027161	1.48E-07	2.55		
A_51_P110888	3.98E-05	2.55	<b>Pck2</b>	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_66_P113043	0.000228	2.55	<b>Nlrc5</b>	NLR family, CARD domain containing 5
A_51_P276149	8.09E-06	2.55	<b>Olf1030</b>	olfactory receptor 1030
A_55_P2174509	0.000262	2.55		
A_55_P2131920	0.001722	2.55	<b>Prrx1</b>	paired related homeobox 1
A_30_P01032146	0.002611	2.55		
A_51_P201338	0.000735	2.55	<b>Mtss1</b>	metastasis suppressor 1
A_55_P2049922	1.73E-05	2.55	<b>1110021J02Rik</b>	RIKEN cDNA 1110021J02 gene
A_66_P122110	0.000194	2.55	<b>Mitd1</b>	MIT, microtubule interacting and transport, domain containing 1
A_51_P431397	5.15E-06	2.55	<b>Nup214</b>	nucleoporin 214
A_51_P301804	0.000107	2.55	<b>St3gal1</b>	ST3 beta-galactoside alpha-2,3-sialyltransferase 1
A_30_P01032271	0.000528	2.55		
A_52_P635182	1.01E-07	2.55	<b>Rras</b>	Harvey rat sarcoma oncogene, subgroup R
A_30_P01026700	1.86E-05	2.55		
A_55_P1975021	1.40E-05	2.55	<b>Rad18</b>	RAD18 homolog (S. cerevisiae)
A_30_P01033428	6.74E-05	2.55		
A_30_P01017515	5.09E-05	2.55		
A_55_P2028365	0.000475	2.55	<b>Lrrc36</b>	leucine rich repeat containing 36
A_30_P01021169	0.000192	2.55		
A_66_P104559	0.00024	2.55	<b>4932413F04Rik</b>	RIKEN cDNA 4932413F04 gene
A_55_P2129442	2.07E-06	2.55		
A_30_P01019334	0.000818	2.55		
A_55_P2008053	0.000214	2.55	<b>Dlg4</b>	discs, large homolog 4 (Drosophila)
A_65_P20167	5.17E-06	2.54	<b>Hyou1</b>	hypoxia up-regulated 1
A_51_P104897	1.24E-06	2.54	<b>Itpr3</b>	inositol 1,4,5-triphosphate receptor 3
A_30_P01030453	5.12E-09	2.54		
A_51_P128575	1.65E-05	2.54	<b>Scgb1a1</b>	secretoglobin, family 1A, member 1 (uteroglobin)
A_55_P2022524	4.01E-05	2.54	<b>Rbpj</b>	recombination signal binding protein for immunoglobulin kappa J region
A_55_P2046220	9.74E-07	2.54	<b>Olf740</b>	olfactory receptor 740
A_51_P120717	0.00014	2.54	<b>Lmnb1</b>	lamin B1
A_51_P279163	0.000161	2.54	<b>Plcg2</b>	phospholipase C, gamma 2
A_30_P01030712	5.67E-05	2.54		
A_55_P2047310	0.000115	2.54	<b>Pdgfb</b>	platelet derived growth factor, B polypeptide
A_30_P01031379	8.55E-06	2.54		
A_30_P01024627	0.003457	2.54		
A_51_P514319	0.000788	2.54	<b>Slc13a4</b>	solute carrier family 13 (sodium/sulfate symporters), member 4
A_30_P01029140	0.001982	2.54		
A_51_P119429	0.000344	2.54	<b>Nckap1l</b>	NCK associated protein 1 like
A_55_P2154132	3.95E-07	2.54	<b>Tuba1b</b>	tubulin, alpha 1B
A_30_P01032901	4.95E-05	2.54		
A_52_P624107	6.41E-06	2.54	<b>Gm5039</b>	eukaryotic translation initiation factor 1A pseudogene
A_55_P2027521	0.001404	2.54		
A_65_P08521	2.56E-06	2.54	<b>Ssrp1</b>	structure specific recognition protein 1
A_52_P579640	1.64E-05	2.54	<b>Rrs1</b>	RRS1 ribosome biogenesis regulator homolog (S. cerevisiae)
A_30_P01031596	2.42E-06	2.54		
A_51_P120717	0.000157	2.54	<b>Lmnb1</b>	lamin B1

A_52_P646979	2.97E-05	2.54	D16Erd472e	DNA segment, Chr 16, ERATO Doi 472, expressed
A_52_P574653	7.62E-06	2.54	Bid	BH3 interacting domain death agonist
A_55_P1968738	0.000261	2.54	Nfkb1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
A_30_P01024015	1.80E-05	2.53		
A_30_P01029781	2.74E-06	2.53		
A_30_P01026628	3.51E-07	2.53		
A_55_P1964408	4.77E-07	2.53	Cryab	crystallin, alpha B
A_55_P1957708	1.07E-06	2.53		
A_30_P01023501	0.000112	2.53		
A_30_P01022906	5.92E-06	2.53		
A_30_P01017881	4.18E-06	2.53		
A_55_P1953391	0.000596	2.53	Rbfox1	RNA binding protein, fox-1 homolog (C. elegans) 1
A_52_P661071	0.000116	2.53	Snhg3	small nucleolar RNA host gene (non-protein coding) 3
A_55_P1968304	6.78E-07	2.53		
A_55_P2186038	2.70E-05	2.53		
A_30_P01029720	7.53E-05	2.53		
A_55_P2235059	1.66E-06	2.53	6230415J03RIK	RIKEN cDNA 6230415J03 gene
A_55_P2039190	3.52E-08	2.53		
A_55_P1978506	3.45E-08	2.53	H2-Q6	histocompatibility 2, Q region locus 6
A_55_P2123551	3.92E-05	2.53		
A_55_P1956403	2.07E-06	2.53	2310010M20RIK	RIKEN cDNA 2310010M20 gene
A_30_P01019427	0.001095	2.53		
A_52_P30312	0.00205	2.53	Ccr9	chemokine (C-C motif) receptor 9
A_55_P2039881	0.000169	2.53	Sept5	septin 5
A_30_P01018546	2.71E-05	2.53		
A_55_P2176035	8.55E-06	2.53		
A_51_P125691	3.11E-05	2.53	Cdca4	cell division cycle associated 4
A_51_P120717	0.000142	2.53	Lmnb1	lamin B1
A_55_P2010931	0.000198	2.53	Cnn2	calponin 2
A_55_P2111302	1.61E-08	2.53	Cp	ceruloplasmin
A_51_P172231	6.68E-07	2.53	Gsdmd	gasdermin D
A_66_P117610	0.001045	2.53	LOC100047133	hypothetical LOC100047133
A_55_P2066240	0.000895	2.53	Zufsp	zinc finger with UFM1-specific peptidase domain
A_55_P2350553	0.000109	2.53	4933405D12RIK	RIKEN cDNA 4933405D12 gene
A_66_P107482	0.000185	2.53	Arhgef33	Rho guanine nucleotide exchange factor (GEF) 33
A_30_P01020483	5.19E-06	2.53		
A_30_P01028331	1.54E-05	2.53		
A_55_P2045521	4.03E-07	2.53	Rbms3	RNA binding motif, single stranded interacting protein
A_52_P40832	0.000945	2.53	Rab11flp4	RAB11 family interacting protein 4 (class II)
A_51_P427232	1.87E-05	2.53	Scand3	SCAN domain containing 3
A_55_P2024155	0.000481	2.52	Zbtb16	zinc finger and BTB domain containing 16
A_55_P1970570	2.91E-05	2.52	Rdh8	retinol dehydrogenase 8
A_30_P01028203	0.000736	2.52		
A_66_P121010	6.30E-05	2.52		
A_51_P193296	2.41E-09	2.52	Iqcf1	IQ motif containing F1
A_51_P330428	3.59E-05	2.52	Elf4ebp1	eukaryotic translation initiation factor 4E binding protein 1
A_55_P2106241	6.22E-06	2.52	4930432K21RIK	RIKEN cDNA 4930432K21 gene
A_55_P2167728	1.00E-06	2.52	Gm10451	predicted gene 10451
A_55_P2098067	0.006557	2.52		
A_55_P2047559	0.000289	2.52	6330503K22RIK	RIKEN cDNA 6330503K22 gene
A_51_P172231	1.18E-06	2.52	Gsdmd	gasdermin D
A_52_P16877	1.42E-06	2.52	Tmcc3	transmembrane and coiled coil domains 3
A_51_P120066	0.000202	2.52	9330151L19RIK	RIKEN cDNA 9330151L19 gene
A_55_P2122938	7.71E-06	2.52		
A_51_P134812	0.000537	2.52	Chac1	ChaC, cation transport regulator-like 1 (E. coli)
A_30_P01020120	3.89E-07	2.52		
A_55_P2028986	0.000498	2.52		
A_55_P2181904	3.68E-08	2.52	Cd164l2	CD164 sialomucin-like 2
A_51_P355151	4.52E-06	2.52	Camk2n2	calcium/calmodulin-dependent protein kinase II inhibitor 2
A_51_P144632	0.000455	2.52	Sit1	suppression inducing transmembrane adaptor 1
A_30_P01022817	6.92E-05	2.52		
A_51_P245405	3.42E-06	2.52	Ppp3cc	protein phosphatase 3, catalytic subunit, gamma isoform
A_30_P01022815	0.000406	2.52		
A_30_P01031018	2.88E-05	2.52		
A_30_P01020461	1.08E-06	2.52		
A_55_P2165869	0.000185	2.51	Cebpb	CCAAT/enhancer binding protein (C/EBP), beta
A_55_P2075235	1.41E-05	2.51		
A_55_P2052360	0.001106	2.51	Olf1382	olfactory receptor 1382
A_51_P202498	2.31E-07	2.51	Sar1a	SAR1 gene homolog A (S. cerevisiae)
A_55_P1953336	2.41E-07	2.51	Wfdc3	WAP four-disulfide core domain 3
A_55_P2147846	0.000124	2.51	Npcd	neuronal pentraxin chromo domain
A_52_P73475	0.000672	2.51	Fam78a	family with sequence similarity 78, member A
A_30_P01031679	5.12E-05	2.51		
A_51_P380013	1.42E-07	2.51	Bcl2	B-cell leukemia/lymphoma 2
A_55_P2348676	1.06E-05	2.51	B130052P14RIK	RIKEN cDNA B130052P14 gene
A_55_P2020331	0.000135	2.51	Camk1g	calcium/calmodulin-dependent protein kinase I gamma
A_55_P2034665	0.000714	2.51		
A_30_P01028927	7.93E-05	2.51		
A_30_P01027478	3.12E-08	2.51		
A_52_P138967	0.001648	2.51	Trpm4	transient receptor potential cation channel, subfamily M, member 4
A_51_P375201	0.000127	2.51	Plk3	polo-like kinase 3 (Drosophila)
A_30_P01025380	2.13E-06	2.51		
A_30_P01031898	4.12E-05	2.51		
A_30_P01021250	2.69E-06	2.51		
A_51_P415126	3.69E-05	2.51	Tgfa	transforming growth factor alpha
A_55_P1980214	9.53E-09	2.51		
A_55_P1996399	3.39E-05	2.51	Gm2366	predicted gene 2366
A_51_P125691	7.98E-06	2.51	Cdca4	cell division cycle associated 4
A_30_P01021188	3.70E-06	2.51		
A_55_P2011490	9.45E-05	2.51		
A_52_P100185	0.000686	2.51	4930503L19RIK	RIKEN cDNA 4930503L19 gene
A_55_P1997554	2.80E-08	2.51	Kcnn3	potassium intermediate/small conductance calcium-activated channel, subfamily N, member 3
A_51_P473953	9.35E-05	2.51	Arhgef26	Rho guanine nucleotide exchange factor (GEF) 26
A_55_P2042743	7.92E-06	2.51	Glrp1	glutamine repeat protein 1
A_51_P104897	4.29E-06	2.51	Itpr3	inositol 1,4,5-triphosphate receptor 3

A_30_P01026218	0.000137	2.51		
A_55_P2099930	0.000186	2.51	Lass5	LAG1 homolog, ceramide synthase 5
A_30_P01031559	3.06E-05	2.51		
A_55_P2021114	2.15E-05	2.51	Ier5	immediate early response 5
A_51_P296448	3.28E-05	2.51	Casp2	caspase 2
A_66_P102722	0.000199	2.51	Bsph1	binder of sperm protein homolog 1
A_52_P545810	7.61E-07	2.51	Lrrflp1	leucine rich repeat (in FLII) interacting protein 1
A_51_P128463	3.69E-05	2.51	Grrp1	glycine/arginine rich protein 1
A_55_P2090557	0.000132	2.51	BC046404	cDNA sequence BC046404
A_30_P01021611	0.000262	2.51		
A_51_P310254	6.14E-06	2.51	Fam118a	family with sequence similarity 118, member A
A_52_P368384	0.00013	2.50	Rap2b	RAP2B, member of RAS oncogene family
A_30_P01025609	0.002038	2.50		
A_51_P151586	0.000371	2.50	Gsg2	germ cell-specific gene 2
A_30_P01031642	0.001018	2.50		
A_52_P23308	0.002299	2.50	5730508B09Rik	RIKEN cDNA 5730508B09 gene
A_30_P01028651	0.002054	2.50		
A_55_P2067011	1.28E-05	2.50		
A_66_P104814	0.000251	2.50	Trak1	trafficking protein, kinesin binding 1
A_51_P315673	3.68E-06	2.50	Usp11	ubiquitin specific peptidase 11
A_51_P120717	5.73E-05	2.50	Lmnb1	lamin B1
A_55_P2055557	0.000393	2.50	Sdsi	serine dehydratase-like
A_30_P01030170	5.25E-08	2.50		
A_55_P2389900	0.002534	2.50	Gpr64	G protein-coupled receptor 64
A_66_P123804	9.62E-05	2.50	Fbxo30	F-box protein 30
A_51_P332355	0.000233	2.50	Kif18a	kinesin family member 18A
A_52_P243102	1.34E-05	2.50	Kctd3	potassium channel tetramerisation domain containing 3
A_51_P124719	1.75E-07	2.50	Ccdc93	coiled-coil domain containing 93
A_30_P01024295	0.000216	2.50		
A_30_P01020412	1.58E-07	2.50		
A_55_P1995045	1.11E-05	2.50	Zc3hav1	zinc finger CCCH type, antiviral 1
A_55_P2095570	2.07E-06	2.50		
A_52_P522977	1.53E-05	2.50	Ssbp2	single-stranded DNA binding protein 2
A_55_P2156978	0.00091	2.50		
A_55_P1981964	2.34E-05	2.50	Tnfrsf13b	tumor necrosis factor receptor superfamily, member 13b
A_55_P2106469	2.19E-06	2.50		
A_55_P2058866	4.56E-05	2.50		
A_55_P2075100	0.001963	2.50	Bcl9	B-cell CLL/lymphoma 9
A_55_P1960698	7.71E-06	2.50	Pih1d2	PIH1 domain containing 2
A_55_P1973213	2.43E-07	2.50	Trmt61a	tRNA methyltransferase 61 homolog A (S. cerevisiae)
A_30_P01027939	4.31E-06	2.50		
A_51_P104897	3.70E-06	2.50	Itpr3	inositol 1,4,5-triphosphate receptor 3
A_66_P134474	2.79E-06	2.50	Ang3	angiogenin, ribonuclease A family, member 3
A_30_P01027342	3.67E-10	2.50		
A_55_P1953593	6.16E-07	2.50	Ece2	endothelin converting enzyme 2
A_55_P2129319	2.43E-08	2.49	Mre11a	meiotic recombination 11 homolog A (S. cerevisiae)
A_51_P192130	1.74E-05	2.49	Stk10	serine/threonine kinase 10
A_51_P117115	6.65E-06	2.49	Olfir53	olfactory receptor 53
A_55_P2017759	0.000792	2.49	Evl2a	ecotropic viral integration site 2a
A_66_P133450	8.40E-05	2.49	Dnajb9	DnaJ (Hsp40) homolog, subfamily B, member 9
A_30_P01028399	1.48E-05	2.49		
A_30_P01028837	3.66E-05	2.49		
A_30_P01025179	4.47E-05	2.49		
A_51_P338443	0.002314	2.49	Angptl4	angiopoietin-like 4
A_51_P130079	0.000132	2.49	Lrmp	lymphoid-restricted membrane protein
A_55_P1997604	0.000284	2.49	Pla2g4a	phospholipase A2, group IVA (cytosolic, calcium-dependent)
A_30_P01028046	8.85E-07	2.49		
A_51_P114917	0.001566	2.49	Dock2	dedicator of cyto-kinesis 2
A_55_P2035662	3.65E-05	2.49	Aebp1	AE binding protein 1
A_55_P1981519	6.44E-05	2.49		
A_55_P2160243	0.000522	2.49		
A_55_P2149363	2.77E-05	2.49	6430548M08Rik	RIKEN cDNA 6430548M08 gene
A_51_P126302	4.08E-05	2.49	Rbmx2	RNA binding motif protein, X-linked 2
A_52_P495553	2.60E-05	2.49	Zbtb10	zinc finger and BTB domain containing 10
A_51_P203192	0.000427	2.49	Mbd4	methyl-CpG binding domain protein 4
A_52_P220783	7.07E-06	2.49	Tmem229b	transmembrane protein 229B
A_51_P126302	9.14E-06	2.49	Rbmx2	RNA binding motif protein, X-linked 2
A_51_P201480	2.12E-06	2.49	Stat3	signal transducer and activator of transcription 3
A_55_P2180769	0.00029	2.49	Gls	glutaminase
A_55_P1984035	1.97E-05	2.49	Litaf	LPS-induced TN factor
A_30_P01021233	3.98E-06	2.49		
A_55_P2414924	5.53E-08	2.49	Luc7l	Luc7 homolog (S. cerevisiae)-like
A_55_P2110474	0.000122	2.49	Fbnp1	formin binding protein 1
A_55_P2134977	3.16E-06	2.49		
A_55_P1983272	1.07E-08	2.49		
A_55_P1961125	3.70E-05	2.49	H19	H19 fetal liver mRNA
A_51_P126302	4.83E-05	2.49	Rbmx2	RNA binding motif protein, X-linked 2
A_51_P394585	3.71E-05	2.49	Snx22	sorting nexin 22
A_30_P01027996	2.90E-06	2.49		
A_55_P2090441	2.57E-07	2.48		
A_30_P01026623	1.37E-05	2.48		
A_30_P01021495	0.0034	2.48		
A_55_P2073971	1.15E-08	2.48		
A_30_P01030617	0.000137	2.48		
A_30_P01024198	7.78E-05	2.48		
A_55_P1965772	9.23E-05	2.48	Atp2a3	ATPase, Ca++ transporting, ubiquitous
A_51_P317214	0.000331	2.48	Hpd1	4-hydroxyphenylpyruvate dioxygenase-like
A_52_P348214	3.50E-05	2.48		
A_55_P2117425	0.000125	2.48	Syt5	synaptotagmin V
A_30_P01030112	3.85E-06	2.48		
A_55_P1990261	2.66E-07	2.48	Chchd6	coiled-coil-helix-coiled-coil-helix domain containing 6
A_55_P2149881	6.16E-06	2.48	Khsrp	KH-type splicing regulatory protein
A_51_P125446	7.63E-07	2.48	Lzic	leucine zipper and CTNNBIP1 domain containing
A_30_P01019157	4.36E-05	2.48		
A_55_P2045976	0.000863	2.48		

A_55_P1967335	4.04E-07	2.48		
A_51_P208121	2.49E-06	2.48	<b>Klhl25</b>	kelch-like 25 (Drosophila)
A_55_P2283116	0.002236	2.48	<b>4930478P22Rik</b>	RIKEN cDNA 4930478P22 gene
A_51_P119429	0.001112	2.48	<b>Nckap1l</b>	NCK associated protein 1 like
A_30_P01025810	7.90E-06	2.48		
A_30_P01025187	0.000897	2.48		
A_55_P2184254	1.24E-06	2.48		
A_55_P2162537	3.12E-05	2.48		
A_55_P2139703	0.004627	2.48	<b>Krtap5-4</b>	keratin associated protein 5-4
A_55_P2131498	1.21E-05	2.48	<b>1500001M20Rik</b>	RIKEN cDNA 1500001M20 gene
A_55_P2210575	6.58E-07	2.48	<b>A830073O21Rik</b>	RIKEN cDNA A830073O21 gene
A_51_P104897	2.04E-06	2.48	<b>Itpr3</b>	inositol 1,4,5-triphosphate receptor 3
A_51_P128876	8.09E-08	2.48	<b>Ifitm3</b>	interferon induced transmembrane protein 3
A_55_P1983268	0.000462	2.48		
A_55_P2098593	9.80E-07	2.48		
A_51_P495077	2.32E-07	2.48	<b>Rab5</b>	RAB, member of RAS oncogene family-like 5
A_51_P491350	0.000196	2.48	<b>Col4a2</b>	collagen, type IV, alpha 2
A_51_P369636	1.68E-05	2.48	<b>Hat1</b>	histone aminotransferase 1
A_55_P2344798	1.81E-06	2.48		
A_55_P2145237	3.28E-06	2.48		
A_51_P123314	0.000504	2.48	<b>Olfir74</b>	olfactory receptor 74
A_55_P2169046	1.99E-07	2.48	<b>Olfir458</b>	olfactory receptor 458
A_51_P422223	0.005961	2.48		
A_51_P124535	0.001421	2.48	<b>Mest</b>	mesoderm specific transcript
A_55_P2128270	5.37E-06	2.47	<b>Phf21a</b>	PHD finger protein 21A
A_55_P2184601	0.000472	2.47	<b>Itgal</b>	integrin alpha L
A_55_P2094966	2.87E-06	2.47	<b>Hist2h3c1</b>	histone cluster 2, H3c1
A_55_P2145922	1.65E-06	2.47		
A_51_P482633	8.46E-06	2.47	<b>Rps6ka4</b>	ribosomal protein S6 kinase, polypeptide 4
A_55_P2076543	3.99E-08	2.47	<b>Gm10144</b>	predicted pseudogene 10144
A_30_P01027525	2.06E-05	2.47		
A_55_P1959909	1.06E-05	2.47	<b>Atp4b</b>	ATPase, H+/K+ exchanging, beta polypeptide
A_51_P121031	0.000215	2.47	<b>March1</b>	membrane-associated ring finger (C3HC4) 1
A_55_P1973783	6.92E-06	2.47	<b>Tex9</b>	testis expressed gene 9
A_55_P2186352	0.000326	2.47	<b>Ttc12</b>	tetratricopeptide repeat domain 12
A_51_P175567	0.000255	2.47	<b>Dact1</b>	dapper homolog 1, antagonist of beta-catenin (xenopus)
A_51_P438527	4.89E-08	2.47	<b>Cyb5r1</b>	cytochrome b5 reductase 1
A_30_P01029387	2.85E-06	2.47		
A_55_P2057946	2.71E-05	2.47	<b>Hsp90aa1</b>	heat shock protein 90, alpha (cytosolic), class A member 1
A_51_P513032	0.002412	2.47	<b>Trps1</b>	trichorhinophalangeal syndrome I (human)
A_55_P2106820	0.001334	2.47		
A_55_P1961444	4.57E-06	2.47	<b>Plcb2</b>	phospholipase C, beta 2
A_51_P479132	0.000168	2.47	<b>Zcchc3</b>	zinc finger, CCHC domain containing 3
A_55_P2053575	3.79E-06	2.47		
A_30_P01032720	1.44E-06	2.47		
A_51_P120066	0.000203	2.47	<b>9330151L19Rik</b>	RIKEN cDNA 9330151L19 gene
A_51_P131442	0.000469	2.47	<b>Dpf1</b>	D4, zinc and double PHD fingers family 1
A_55_P2131143	0.001298	2.47	<b>Dcaf17</b>	DDB1 and CUL4 associated factor 17
A_55_P2077185	5.31E-07	2.47		
A_30_P01033414	3.17E-06	2.47		
A_30_P01027353	1.10E-05	2.47		
A_55_P2078138	0.000975	2.47	<b>Otop1</b>	otopetrin 1
A_51_P360655	2.87E-06	2.47	<b>Slc22a6</b>	solute carrier family 22 (organic anion transporter), member 6
A_30_P01027918	0.004223	2.47		
A_55_P2016586	3.40E-05	2.47		
A_55_P2009622	0.000126	2.47	<b>S100pbp</b>	S100P binding protein
A_55_P2041141	9.79E-05	2.47	<b>Gm17019</b>	predicted gene
A_30_P01020663	6.56E-06	2.47		
A_55_P2030749	5.90E-05	2.47	<b>Rnaseh2a</b>	ribonuclease H2, large subunit
A_55_P1976204	0.000199	2.47	<b>Cdkn1a</b>	cyclin-dependent kinase inhibitor 1A (P21)
A_55_P2085915	0.003737	2.47	<b>Tnfrsf14</b>	tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator)
A_30_P01019584	0.000421	2.46		
A_52_P635338	0.000189	2.46	<b>Fes</b>	feline sarcoma oncogene
A_52_P597775	2.71E-05	2.46	<b>Gprc5a</b>	G protein-coupled receptor, family C, group 5, member A
A_55_P2058737	3.82E-05	2.46	<b>Mex3d</b>	mex3 homolog D (C. elegans)
A_55_P2068295	0.000275	2.46	<b>Gm3552</b>	predicted gene 3552
A_30_P01025608	3.07E-06	2.46		
A_51_P169880	3.29E-06	2.46	<b>Zbtb3</b>	zinc finger and BTB domain containing 3
A_55_P2125907	4.88E-06	2.46		
A_55_P2221365	3.82E-06	2.46	<b>4930421J07Rik</b>	RIKEN cDNA 4930421J07 gene
A_30_P01029757	0.000287	2.46		
A_55_P2052862	0.000488	2.46	<b>Fam73a</b>	family with sequence similarity 73, member A
A_55_P2168549	2.40E-09	2.46	<b>Gm962</b>	predicted gene 962
A_52_P80944	0.000186	2.46	<b>Zfp36</b>	zinc finger protein 36
A_51_P453010	1.22E-06	2.46	<b>Mphosph6</b>	M phase phosphoprotein 6
A_51_P120717	0.000141	2.46	<b>Lmnb1</b>	lamin B1
A_55_P2129920	4.71E-07	2.46	<b>Chd7</b>	chromodomain helicase DNA binding protein 7
A_30_P01032055	2.85E-05	2.46		
A_55_P1991891	1.91E-05	2.46	<b>Slc34a1</b>	solute carrier family 34 (sodium phosphate), member 1
A_55_P2364241	2.52E-05	2.46		
A_55_P1989976	0.000674	2.46	<b>Ly9</b>	lymphocyte antigen 9
A_30_P01023831	4.89E-05	2.46		
A_30_P01026992	1.12E-05	2.46		
A_55_P1982563	4.07E-06	2.46	<b>Rhbdf1</b>	rhomboid family 1 (Drosophila)
A_55_P2131238	0.005819	2.46	<b>Ttc39a</b>	tetratricopeptide repeat domain 39A
A_55_P2102998	0.000389	2.46	<b>Gm3893</b>	predicted gene 3893
A_55_P2074291	7.56E-08	2.46	<b>Fbxo6</b>	F-box protein 6
A_55_P2146177	4.88E-07	2.46	<b>Cerk</b>	ceramide kinase
A_55_P2015312	0.000291	2.46	<b>Efcab7</b>	EF-hand calcium binding domain 7
A_30_P01032347	0.00132	2.46		
A_30_P01018116	0.001548	2.46		
A_55_P2081323	0.000461	2.46	<b>Gnas</b>	GNAS (guanine nucleotide binding protein, alpha stimulating) complex locus
A_55_P2157195	0.00067	2.46		
A_66_P109220	3.31E-06	2.46	<b>4833442J19Rik</b>	RIKEN cDNA 4833442J19 gene
A_30_P01028790	0.000359	2.45		

A_51_P155565	0.000734	2.45	4930590J08Rik	RIKEN cDNA 4930590J08 gene
A_55_P2209298	3.53E-05	2.45	AA589532	expressed sequence AA589532
A_30_P01025958	1.44E-05	2.45		
A_51_P120066	0.000515	2.45	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_55_P2079388	0.000175	2.45	Snora74a	small nucleolar RNA, H/ACA box 74A
A_51_P120066	0.000394	2.45	9330151L19Rik	RIKEN cDNA 9330151L19 gene
A_55_P1971854	1.51E-07	2.45	Gm71	predicted gene 71
A_30_P01026045	0.004587	2.45		
A_55_P2270740	6.65E-06	2.45		
A_30_P01025881	3.60E-07	2.45		
A_55_P2033680	1.47E-06	2.45		
A_30_P01022387	7.23E-06	2.45		
A_66_P121976	0.00116	2.45	Slc4a11	solute carrier family 4, sodium bicarbonate transporter-like, member 11
A_51_P229613	5.55E-05	2.45	Pcsk2	proprotein convertase subtilisin/kexin type 2
A_51_P119429	0.001051	2.45	Nckap11	NCK associated protein 1 like
A_55_P2396375	9.86E-07	2.45	1810073O08Rik	RIKEN cDNA 1810073O08 gene
A_30_P01024439	0.002853	2.45		
A_55_P2052048	0.00016	2.45	Plh1d2	PIH1 domain containing 2
A_51_P359272	6.49E-07	2.45	Alcam	activated leukocyte cell adhesion molecule
A_30_P01033420	2.87E-05	2.45		
A_55_P2045127	1.53E-08	2.45		
A_52_P615375	0.000873	2.45	Hist3h2a	histone cluster 3, H2a
A_55_P2008740	9.18E-05	2.45	Fcgr1	Fc receptor, IgG, high affinity I
A_30_P01025798	0.000144	2.45		
A_51_P415126	6.93E-05	2.45	Tgfa	transforming growth factor alpha
A_30_P01027445	3.21E-06	2.45		
A_55_P2126423	8.45E-07	2.45		
A_30_P01029540	1.41E-06	2.45		
A_51_P194306	2.18E-05	2.45	Lrrc1	leucine rich repeat containing 1
A_30_P01025703	0.000552	2.45		
A_51_P282268	2.19E-06	2.45	Snopc1	small nuclear RNA activating complex, polypeptide 1
A_30_P01023653	0.001913	2.44		
A_51_P186856	3.12E-05	2.44	Krt5	keratin 5
A_51_P246924	0.000153	2.44	Tppp3	tubulin polymerization-promoting protein family member 3
A_55_P2186802	0.003522	2.44	2300003K06Rik	RIKEN cDNA 2300003K06 gene
A_55_P2133375	0.003672	2.44		
A_30_P01027016	5.04E-09	2.44		
A_51_P261560	0.000833	2.44	1700061J05Rik	RIKEN cDNA 1700061J05 gene
A_51_P490296	1.58E-08	2.44	Slx4	SLX4 structure-specific endonuclease subunit homolog ( <i>S. cerevisiae</i> )
A_30_P01018304	1.95E-06	2.44		
A_55_P2073238	1.87E-05	2.44	Daf2	decay accelerating factor 2
A_55_P1977149	1.35E-05	2.44	4933426M11Rik	RIKEN cDNA 4933426M11 gene
A_51_P334685	1.74E-06	2.44	Esyt1	extended synaptotagmin-like protein 1
A_30_P01026682	6.25E-06	2.44		
A_30_P01031468	0.000113	2.44		
A_55_P2019989	0.000574	2.44		
A_55_P2079430	1.68E-05	2.44	Spred1	sprouty protein with EVH-1 domain 1, related sequence
A_30_P01032155	2.41E-07	2.44		
A_55_P2080592	3.72E-06	2.44	Gm4934	predicted gene 4934
A_30_P01027658	0.000984	2.44		
A_55_P2412329	7.71E-06	2.44	4930581F22Rik	RIKEN cDNA 4930581F22 gene
A_55_P1956762	4.90E-06	2.44		
A_51_P493857	6.61E-06	2.44	Katna1	katanin p60 (ATPase-containing) subunit A1
A_55_P2135750	1.94E-06	2.44		
A_30_P01017771	2.05E-06	2.44		
A_55_P2001233	2.04E-05	2.44	Pydc3	pyrin domain containing 3
A_55_P2067518	0.003061	2.44	Slc13a3	solute carrier family 13 (sodium-dependent dicarboxylate transporter), member 3
A_66_P122415	2.64E-06	2.44	Snhg6	small nucleolar RNA host gene (non-protein coding) 6
A_51_P120875	0.002776	2.44	Olf713	olfactory receptor 713
A_55_P1961084	6.58E-06	2.44	Map3k1	mitogen-activated protein kinase kinase kinase 1
A_30_P01025913	0.000151	2.43		
A_51_P310741	4.17E-05	2.43	Olf791	olfactory receptor 791
A_52_P188593	0.001119	2.43		
A_55_P2020286	0.001335	2.43	Tmem179	transmembrane protein 179
A_30_P01030492	3.42E-05	2.43		
A_51_P415126	0.000182	2.43	Tgfa	transforming growth factor alpha
A_55_P2151919	3.17E-06	2.43		
A_55_P2022251	9.09E-06	2.43	Cdkn2d	cyclin-dependent kinase inhibitor 2D (p19, inhibits CDK4)
A_55_P2131088	1.60E-06	2.43	Vwa5a	von Willebrand factor A domain containing 5A
A_30_P01029415	0.005828	2.43		
A_55_P2367463	0.000108	2.43	Acer2	alkaline ceramidase 2
A_55_P2097808	0.000878	2.43	P4ha1	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha 1 polypeptide
A_30_P01027008	0.000314	2.43		
A_55_P2053153	2.15E-08	2.43		
A_55_P2134557	0.000191	2.43	Ms4a13	membrane-spanning 4-domains, subfamily A, member 13
A_66_P116250	6.53E-05	2.43	Efhd2	EF hand domain containing 2
A_30_P01022730	0.000492	2.43		
A_51_P105927	9.20E-05	2.43	Ras12	RAS-like, family 12
A_66_P101366	0.000195	2.43	Gm7157	predicted gene 7157
A_51_P104897	1.44E-05	2.43	Itpr3	inositol 1,4,5-triphosphate receptor 3
A_30_P01023529	2.95E-05	2.43		
A_55_P2021345	4.92E-08	2.43		
A_55_P2028024	2.71E-06	2.43		
A_55_P2016227	2.36E-08	2.43	Srcrb4d	scavenger receptor cysteine rich domain containing, group B (4 domains)
A_30_P01028660	0.000244	2.43		
A_55_P2130855	0.000216	2.43	Nap11	nucleosome assembly protein 1-like 1
A_55_P2049080	3.80E-07	2.43	Fam160a2	family with sequence similarity 160, member A2
A_30_P01033350	1.35E-06	2.43		
A_30_P01019358	2.10E-08	2.43		
A_66_P109276	6.15E-06	2.43		
A_55_P2179030	3.36E-07	2.43	Ostf1	osteoclast stimulating factor 1
A_30_P01025728	9.44E-06	2.43		
A_55_P2097048	0.000141	2.43		
A_55_P1978258	3.84E-07	2.43		
A_55_P2096807	7.42E-07	2.43	Rbms1	RNA binding motif, single stranded interacting protein 1

A_55_P2416494	0.002006	2.43	8430426J06Rik	RIKEN cDNA 8430426J06 gene
A_55_P2022634	3.25E-06	2.43		
A_30_P01025732	7.86E-05	2.43		
A_51_P399845	0.000426	2.43	Fgf2	fibroblast growth factor 2
A_51_P418168	5.32E-07	2.43	Manf	mesencephalic astrocyte-derived neurotrophic factor
A_55_P1999815	0.003599	2.43		
A_30_P01026841	1.33E-08	2.43		
A_55_P2041397	5.39E-05	2.43	Ezh2	enhancer of zeste homolog 2 (Drosophila)
A_55_P2012599	1.56E-06	2.42	Klfc5c-ps	kinesin family member C5C, pseudogene
A_51_P121031	0.000936	2.42	March1	membrane-associated ring finger (C3HC4) 1
A_30_P01023221	3.19E-06	2.42		
A_52_P481423	0.000232	2.42	Cttnbp2nl	CTTNBP2 N-terminal like
A_55_P2162678	4.29E-09	2.42	Dnajc10	DnaJ (Hsp40) homolog, subfamily C, member 10
A_30_P01029532	1.13E-06	2.42		
A_55_P2010134	2.44E-06	2.42		
A_51_P327121	2.19E-05	2.42	Was	Wiskott-Aldrich syndrome homolog (human)
A_51_P398191	2.53E-05	2.42	Aut2	autism susceptibility candidate 2
A_30_P01017494	0.000384	2.42		
A_55_P2021211	6.26E-08	2.42		
A_55_P1970596	1.93E-05	2.42		
A_30_P01022909	7.72E-06	2.42		
A_51_P128876	1.87E-07	2.42	Ifitm3	interferon induced transmembrane protein 3
A_55_P2089942	7.61E-06	2.42	Xpo1	exportin 1, CRM1 homolog (yeast)
A_55_P2315057	0.003665	2.42	Tll8	tubulin tyrosine ligase-like family, member 8
A_51_P128463	0.000467	2.42	Grrp1	glycine/arginine rich protein 1
A_55_P1955233	8.04E-06	2.42	March3	membrane-associated ring finger (C3HC4) 3
A_30_P01021079	0.000247	2.42		
A_55_P2074521	6.21E-05	2.42	Psg28	pregnancy-specific glycoprotein 28
A_30_P01030850	0.000601	2.42		
A_55_P1968738	0.00021	2.42	Nfkb1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
A_51_P123314	1.73E-05	2.42	Olf74	olfactory receptor 74
A_55_P2056344	0.001634	2.42	Gm9992	predicted gene 9992
A_55_P1975640	2.71E-06	2.42	Zfp217	zinc finger protein 217
A_52_P468068	0.002479	2.42	Tchh	trichohyalin
A_55_P2145257	1.09E-06	2.42		
A_30_P01026681	0.000369	2.42		
A_51_P355360	0.000686	2.42	Jak3	Janus kinase 3
A_51_P150678	0.001509	2.42	Tnfaip8l2	tumor necrosis factor, alpha-induced protein 8-like 2
A_30_P01027967	1.21E-05	2.42		
A_51_P431554	1.18E-05	2.42	2310004N24Rik	RIKEN cDNA 2310004N24 gene
A_51_P415126	1.14E-06	2.42	Tgfa	transforming growth factor alpha
A_52_P324767	0.000116	2.42	Tmed8	transmembrane emp24 domain containing 8
A_66_P116683	3.87E-05	2.42	D630010B17Rik	RIKEN cDNA D630010B17 gene
A_55_P2109032	4.62E-05	2.42	Olf545	olfactory receptor 545
A_55_P2146279	0.000165	2.42	2610027L16Rik	RIKEN cDNA 2610027L16 gene
A_55_P1989846	0.000408	2.42	Tm6sf1	transmembrane 6 superfamily member 1
A_51_P124535	0.00043	2.42	Mest	mesoderm specific transcript
A_55_P1982628	1.00E-05	2.42	1810029B16Rik	RIKEN cDNA 1810029B16 gene
A_51_P399845	4.08E-05	2.42	Fgf2	fibroblast growth factor 2
A_51_P128876	5.19E-08	2.42	Ifitm3	interferon induced transmembrane protein 3
A_55_P2142222	0.000272	2.42	Serpina3h	serine (or cysteine) peptidase inhibitor, clade A, member 3H
A_55_P2081690	0.00071	2.42	4930544O15Rik	RIKEN cDNA 4930544O15 gene
A_51_P295192	7.12E-05	2.42	Nfkb1a	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha
A_55_P1963489	4.31E-08	2.41		
A_30_P01021577	1.23E-08	2.41		
A_52_P513842	1.53E-06	2.41	Fubp1	far upstream element (FUSE) binding protein 1
A_66_P102374	0.004819	2.41	Calb1	calbindin 1
A_55_P2110718	4.20E-06	2.41	Npm1	nucleophosmin 1
A_55_P2017441	3.05E-06	2.41		
A_51_P117226	0.000733	2.41	Zdhc2	zinc finger, DHHC domain containing 2
A_55_P2032024	0.000117	2.41	Ugg2	UDP-glucose glycoprotein glucosyltransferase 2
A_55_P1995503	8.90E-07	2.41	Gm5643	heterogeneous nuclear ribonucleoprotein A1 pseudogene
A_55_P1995173	3.76E-05	2.41	Odc1	ornithine decarboxylase, structural 1
A_30_P01032068	6.76E-07	2.41		
A_55_P2002133	3.38E-07	2.41	Eif2c2	eukaryotic translation initiation factor 2C, 2
A_51_P105927	5.66E-05	2.41	Ras12	RAS-like, family 12
A_51_P128876	9.87E-09	2.41	Ifitm3	interferon induced transmembrane protein 3
A_51_P452153	0.004943	2.41	2010001M09Rik	RIKEN cDNA 2010001M09 gene
A_51_P124535	0.000379	2.41	Mest	mesoderm specific transcript
A_55_P2017972	3.09E-05	2.41	Slc7a5	solute carrier family 7 (cationic amino acid transporter, y+ system), member 5
A_55_P2120777	5.96E-05	2.41	Vsig10l	ZV-set and immunoglobulin domain containing 10 like
A_55_P2347073	0.000256	2.41	AI662501	expressed sequence AI662501
A_30_P01019780	0.000525	2.41		
A_30_P01018760	7.62E-07	2.41		
A_55_P2260052	7.35E-05	2.41	LOC654469	hypothetical LOC654469
A_55_P2125049	1.09E-07	2.41	Gm11127	predicted gene 11127
A_30_P01032353	0.000801	2.41		
A_51_P402193	6.11E-06	2.41	Map3k1	mitogen-activated protein kinase kinase kinase 1
A_52_P289893	2.65E-06	2.41	Prdm4	PR domain containing 4
A_55_P2169888	8.72E-05	2.41	D8Ert82e	DNA segment, Chr 8, ERATO Doi 82, expressed
A_55_P2416119	0.000114	2.41	Cep290	centrosomal protein 290
A_55_P1954161	0.00114	2.41	Plagl2	pleiomorphic adenoma gene-like 2
A_55_P2420983	0.002102	2.41	6330575P09Rik	RIKEN cDNA 6330575P09 gene
A_30_P01022886	2.55E-07	2.41		
A_55_P2021471	5.33E-06	2.41	Mum1	melanoma associated antigen (mutated) 1
A_30_P01028706	2.05E-05	2.41		
A_30_P01021534	0.00209	2.41		
A_30_P01030458	0.000584	2.41		
A_55_P2011872	6.46E-06	2.41	Scd4	stearoyl-coenzyme A desaturase 4
A_51_P169516	6.75E-06	2.41	Ppp1r3d	protein phosphatase 1, regulatory subunit 3D
A_55_P2104487	2.09E-08	2.40	Pld1	phospholipase D1
A_55_P1984406	0.001355	2.40	Lrrk2	leucine-rich repeat kinase 2
A_51_P130475	0.004046	2.40	Wnt4	wingless-related MMTV integration site 4
A_55_P2072940	0.00017	2.40		
A_52_P341449	4.42E-05	2.40	Pgm3	phosphoglucomutase 3

A_55_P2174067	2.53E-05	2.40	Cerk	ceramide kinase
A_30_P01023473	4.10E-05	2.40		
A_55_P1984985	0.004443	2.40	Trim28	tripartite motif-containing 28
A_30_P01018847	0.000105	2.40		
A_51_P124719	1.14E-07	2.40	Ccdc93	coiled-coil domain containing 93
A_55_P2332194	1.85E-05	2.40		
A_55_P2025883	0.000832	2.40	Rims4	regulating synaptic membrane exocytosis 4
A_55_P2080850	3.08E-05	2.40	Ptpn2	protein tyrosine phosphatase, non-receptor type 2
A_30_P01020072	1.78E-06	2.40		
A_30_P01025346	1.94E-06	2.40		
A_55_P2100963	2.71E-09	2.40	8430410A17RIK	RIKEN cDNA 8430410A17 gene
A_51_P119429	0.000744	2.40	Nckap1l	NCK associated protein 1 like
A_30_P01024571	0.000294	2.40		
A_66_P108345	0.000219	2.40	Sgcb	sarcoglycan, beta (dystrophin-associated glycoprotein)
A_30_P01028825	0.000324	2.40		
A_30_P01026097	1.11E-07	2.40		
A_55_P1986630	6.40E-06	2.40		
A_55_P1992227	4.47E-05	2.40	Zkscan2	zinc finger with KRAB and SCAN domains 2
A_55_P2019203	0.000124	2.40	Spire1	spire homolog 1 (Drosophila)
A_52_P510877	0.000134	2.40	Bcl2l1	BCL2-like 1
A_51_P128463	1.21E-05	2.40	Grrp1	glycine/arginine rich protein 1
A_51_P227718	0.005296	2.40	Rasgrp4	RAS guanyl releasing protein 4
A_51_P358462	0.000808	2.40	4930579J09RIK	RIKEN cDNA 4930579J09 gene
A_51_P117115	0.000746	2.40	Olf53	olfactory receptor 53
A_52_P402663	0.000347	2.40	Nlnl	ninein-like
A_55_P2007656	0.000105	2.40	Cryab	crystallin, alpha B
A_30_P01032887	0.001464	2.40		
A_51_P221625	1.72E-06	2.40	Stk24	serine/threonine kinase 24 (STE20 homolog, yeast)
A_66_P105032	0.000196	2.40	Gm13889	predicted gene 13889
A_30_P01024664	2.05E-05	2.40		
A_52_P556290	1.63E-05	2.40	Arih1	ariadne ubiquitin-conjugating enzyme E2 binding protein homolog 1 (Drosophila)
A_55_P2207498	2.34E-05	2.40	LOC541456	hypothetical LOC541456
A_55_P2038767	0.000745	2.40	Fam49a	family with sequence similarity 49, member A
A_52_P126266	0.000367	2.40	Prkab2	protein kinase, AMP-activated, beta 2 non-catalytic subunit
A_51_P117226	0.002419	2.40	Zdhc2	zinc finger, DHHC domain containing 2
A_55_P2094964	0.000219	2.39		
A_66_P124788	5.29E-10	2.39	Tbcb	tubulin folding cofactor B
A_55_P2123566	7.50E-06	2.39		
A_51_P472901	7.82E-07	2.39	Slc3a2	solute carrier family 3 (activators of dibasic and neutral amino acid transport), member 2
A_51_P121031	0.001406	2.39	March1	membrane-associated ring finger (C3HC4) 1
A_30_P01023468	2.37E-06	2.39		
A_30_P01029386	0.000284	2.39		
A_55_P2115192	7.30E-08	2.39	Sike1	suppressor of IKBKE 1
A_55_P1994107	7.33E-08	2.39		
A_51_P105927	2.18E-07	2.39	Ras12	RAS-like, family 12
A_52_P301374	4.26E-06	2.39	Aaas	achalasia, adrenocortical insufficiency, alacrimia
A_51_P305052	0.000249	2.39	Siglecg	sialic acid binding Ig-like lectin G
A_55_P2060163	5.81E-07	2.39		
A_55_P2042297	0.001819	2.39		
A_55_P2069550	0.000989	2.39		
A_55_P2060487	1.62E-06	2.39	Zfp593	zinc finger protein 593
A_55_P2172989	1.14E-06	2.39	Ptpn23	protein tyrosine phosphatase, non-receptor type 23
A_51_P398833	5.78E-05	2.39	Tcfap2d	transcription factor AP-2, delta
A_55_P2002103	0.000215	2.39	Hmha1	histocompatibility (minor) HA-1
A_66_P124806	0.000738	2.39	Tlr4	toll-like receptor 4
A_51_P126302	9.60E-06	2.39	Rbm2	RNA binding motif protein, X-linked 2
A_55_P2039454	0.001592	2.39	Gm5088	poly(A)-binding protein, cytoplasmic pseudogene
A_55_P1973254	3.95E-05	2.39	Cmtm7	CKLF-like MARVEL transmembrane domain containing 7
A_30_P01024959	2.60E-05	2.39		
A_51_P104897	1.59E-06	2.39	Itpr3	inositol 1,4,5-triphosphate receptor 3
A_55_P2140031	9.94E-05	2.39	Fam129b	family with sequence similarity 129, member B
A_52_P108502	3.00E-05	2.39	Slc4a7	solute carrier family 4, sodium bicarbonate cotransporter, member 7
A_55_P2165401	1.75E-08	2.39		
A_51_P502119	1.16E-06	2.39	F11	coagulation factor XI
A_55_P1980321	3.23E-05	2.39	Pcbp3	poly(rC) binding protein 3
A_51_P128876	1.34E-08	2.39	Ifitm3	interferon induced transmembrane protein 3
A_55_P2135331	0.000284	2.39	Evl	Ena-vasodilator stimulated phosphoprotein
A_30_P01032277	0.001345	2.39		
A_30_P01026352	0.000403	2.39		
A_51_P120066	0.000287	2.39	9330151L19RIK	RIKEN cDNA 9330151L19 gene
A_30_P01030895	4.65E-06	2.39		
A_51_P110888	0.001447	2.39	Pck2	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_30_P01019397	9.78E-06	2.39		
A_30_P01030109	1.07E-06	2.39		
A_55_P2106489	0.00013	2.38	Ankrd52	ankyrin repeat domain 52
A_55_P2002815	0.000629	2.38		
A_52_P89683	8.93E-07	2.38		
A_30_P01025306	0.000212	2.38		
A_65_P08881	0.00458	2.38	Pabpc1l	poly(A) binding protein, cytoplasmic 1-like
A_55_P2165539	2.96E-05	2.38	Aebp2	AE binding protein 2
A_30_P01029340	3.75E-07	2.38		
A_51_P124719	2.69E-08	2.38	Ccdc93	coiled-coil domain containing 93
A_55_P1997831	6.98E-05	2.38	Dbndd1	dysbindin (dystrobrevin binding protein 1) domain containing 1
A_30_P01026103	0.006283	2.38		
A_55_P2063426	0.000393	2.38		
A_55_P2074381	8.58E-05	2.38		
A_51_P120717	0.00014	2.38	Lmnb1	lamin B1
A_51_P445562	0.003061	2.38	Chst10	carbohydrate sulfotransferase 10
A_55_P1991219	2.37E-05	2.38	Stat3	signal transducer and activator of transcription 3
A_51_P246166	0.001936	2.38	Expi	extracellular proteinase inhibitor
A_55_P2000127	1.30E-05	2.38	Tgfb11l	transforming growth factor beta 1 induced transcript 1
A_30_P01022530	0.000251	2.38		
A_55_P2324425	1.76E-07	2.38	5830403F22RIK	RIKEN cDNA 5830403F22 gene
A_52_P365011	0.000173	2.38	Fes	feline sarcoma oncogene
A_52_P458647	0.000404	2.38		

A_55_P1976504	6.66E-07	2.38		
A_30_P01030818	4.95E-05	2.38		
A_55_P2097017	2.15E-07	2.38	<b>Eid1</b>	EP300 interacting inhibitor of differentiation 1
A_55_P2038627	0.003067	2.38		
A_55_P1961385	8.87E-06	2.38		
A_51_P105927	6.64E-05	2.38	<b>Ras12</b>	RAS-like, family 12
A_51_P119429	0.000893	2.38	<b>Nckap1l</b>	NCK associated protein 1 like
A_51_P169255	0.000471	2.38	<b>Olf190</b>	olfactory receptor 190
A_51_P415126	5.85E-05	2.38	<b>Tgfa</b>	transforming growth factor alpha
A_55_P2097651	0.000375	2.38		
A_30_P01026003	0.002002	2.38		
A_55_P2092826	5.69E-06	2.37	<b>Anxa1</b>	annexin A1
A_55_P2278965	3.87E-05	2.37	<b>5430420F09Rik</b>	RIKEN cDNA 5430420F09 gene
A_55_P2016064	0.004503	2.37		
A_55_P2030080	3.81E-06	2.37	<b>Kdm6b</b>	KDM1 lysine (K)-specific demethylase 6B
A_55_P2125786	0.001332	2.37	<b>Lrrc8e</b>	leucine rich repeat containing 8 family, member E
A_52_P60693	0.000121	2.37		
A_30_P01029285	1.66E-06	2.37		
A_55_P2108077	0.000248	2.37		
A_30_P01033017	0.000291	2.37		
A_30_P01029203	2.19E-05	2.37		
A_51_P100997	9.43E-06	2.37	<b>Serp1b3c</b>	serine (or cysteine) peptidase inhibitor, clade B, member 3C
A_55_P2162136	0.000208	2.37	<b>Hmgn2</b>	high mobility group nucleosomal binding domain 2
A_51_P208870	8.22E-07	2.37	<b>Zdhhc24</b>	zinc finger, DHC domain containing 24
A_55_P1990026	4.81E-05	2.37	<b>Plscr3</b>	phospholipid scramblase 3
A_51_P161929	8.91E-07	2.37	<b>Tspo2</b>	translocator protein 2
A_55_P2015485	0.000234	2.37	<b>Ccdc19</b>	coiled-coil domain containing 19
A_55_P2006792	1.73E-05	2.37	<b>Ntrk2</b>	neurotrophic tyrosine kinase, receptor, type 2
A_55_P2123029	1.60E-06	2.37	<b>Olf353</b>	olfactory receptor 353
A_51_P124535	0.000561	2.37	<b>Mest</b>	mesoderm specific transcript
A_55_P1963645	7.93E-08	2.37	<b>Gm6323</b>	predicted gene 6323
A_51_P124719	4.86E-08	2.37	<b>Ccdc93</b>	coiled-coil domain containing 93
A_55_P2084696	4.52E-05	2.37	<b>Hist1h2aa</b>	histone cluster 1, H2aa
A_66_P132710	0.000233	2.37	<b>Il20</b>	interleukin 20
A_51_P224771	0.000108	2.37	<b>Tmem184b</b>	transmembrane protein 184b
A_66_P104945	4.71E-06	2.37	<b>Krt24</b>	keratin 24
A_52_P137765	2.35E-07	2.37	<b>Lmna</b>	lamin A
A_30_P01018823	1.11E-05	2.36		
A_55_P2069052	3.46E-06	2.36	<b>Sacs</b>	sacsin
A_30_P01031734	0.000265	2.36		
A_30_P01032592	0.000128	2.36		
A_55_P1976376	0.00042	2.36	<b>Gimap4</b>	GTPase, IMAP family member 4
A_55_P2128611	1.63E-05	2.36		
A_52_P518997	7.88E-06	2.36	<b>Epha2</b>	Eph receptor A2
A_55_P2141241	2.46E-06	2.36	<b>E330016A19Rik</b>	RIKEN cDNA E330016A19 gene
A_51_P305532	0.000385	2.36	<b>Elf2s3x</b>	eukaryotic translation initiation factor 2, subunit 3, structural gene X-linked
A_30_P01018274	6.32E-05	2.36		
A_30_P01031286	0.002375	2.36		
A_30_P01028974	0.00495	2.36		
A_55_P2000533	0.000158	2.36	<b>Polk</b>	polymerase (DNA directed), kappa
A_52_P152219	5.81E-05	2.36	<b>Rpgrip1l</b>	Rpgrip1-like
A_55_P2157751	0.000293	2.36	<b>Stk35</b>	serine/threonine kinase 35
A_55_P1968841	7.20E-07	2.36		
A_51_P268843	0.000515	2.36	<b>Rasip1</b>	Ras interacting protein 1
A_55_P2049553	1.47E-06	2.36	<b>Gm6003</b>	predicted gene 6003
A_55_P2029294	0.000374	2.36	<b>Cetn4</b>	centrin 4
A_66_P116373	2.14E-06	2.36	<b>Pwwp2b</b>	PWWP domain containing 2B
A_52_P368650	4.35E-05	2.36	<b>Zswim4</b>	zinc finger, SWIM domain containing 4
A_30_P01022244	7.23E-05	2.36		
A_55_P2179805	4.60E-07	2.36	<b>Syng14</b>	synaptogyrin 4
A_55_P2062549	3.17E-05	2.36	<b>Gm6524</b>	katanin p60 (ATPase-containing) subunit A1 pseudogene
A_30_P01032071	0.000302	2.36		
A_30_P01030817	8.52E-05	2.36		
A_30_P01027326	4.43E-06	2.36		
A_52_P437084	4.90E-07	2.36		
A_30_P01025011	0.001215	2.36		
A_51_P114062	0.002613	2.36	<b>Ncs1</b>	neuronal calcium sensor 1
A_55_P2112991	0.000144	2.36	<b>Slc4a3</b>	solute carrier family 4 (anion exchanger), member 3
A_55_P1997106	1.34E-06	2.36	<b>Gylt1b</b>	glycosyltransferase-like 1B
A_51_P120066	0.000874	2.36	<b>9330151L19Rik</b>	RIKEN cDNA 9330151L19 gene
A_55_P1956862	0.000704	2.36	<b>Egfr</b>	epidermal growth factor receptor
A_55_P2040121	1.54E-05	2.36	<b>Cdv3</b>	carnitine deficiency-associated gene expressed in ventricle 3
A_51_P126302	1.19E-05	2.36	<b>Rbmx2</b>	RNA binding motif protein, X-linked 2
A_55_P2035182	0.000106	2.36	<b>Pcdh9</b>	protocadherin 9
A_51_P128876	1.25E-08	2.36	<b>Ifitm3</b>	interferon induced transmembrane protein 3
A_55_P2051766	6.62E-06	2.36	<b>Cbx1</b>	chromobox homolog 1 (Drosophila HP1 beta)
A_55_P2121516	3.37E-05	2.36	<b>Ankfn1</b>	ankyrin-repeat and fibronectin type III domain containing 1
A_55_P2167521	4.86E-05	2.36		
A_55_P2075000	1.71E-05	2.36		
A_55_P2043992	0.003986	2.36		
A_30_P01031830	2.51E-05	2.36		
A_52_P326214	1.05E-07	2.36	<b>Cttn</b>	cortactin
A_30_P01019825	1.00E-06	2.36		
A_55_P1982131	1.09E-05	2.36		
A_51_P128876	5.78E-09	2.35	<b>Ifitm3</b>	interferon induced transmembrane protein 3
A_52_P417825	7.51E-06	2.35	<b>Osgin2</b>	oxidative stress induced growth inhibitor family member 2
A_51_P295215	7.38E-09	2.35	<b>Alkbh5</b>	alkB, alkylation repair homolog 5 (E. coli)
A_30_P01030455	2.83E-08	2.35		
A_55_P1954749	6.59E-05	2.35		
A_30_P01032787	9.22E-08	2.35		
A_55_P2143581	0.004361	2.35	<b>2610018G03Rik</b>	RIKEN cDNA 2610018G03 gene
A_30_P01018059	2.88E-05	2.35		
A_55_P2039279	3.71E-08	2.35	<b>Kcnh3</b>	potassium voltage-gated channel, subfamily H (eag-related), member 3
A_55_P2105351	0.000248	2.35	<b>Tmed5</b>	transmembrane emp24 protein transport domain containing 5
A_55_P2014765	0.002501	2.35	<b>Gm318</b>	predicted gene 318



A_55_P1953938	0.000882	2.35	1700057K13Rik	RIKEN cDNA 1700057K13 gene
A_55_P2000658	8.83E-05	2.35	Gm15645	predicted gene 15645
A_30_P01027834	0.000387	2.35		
A_55_P1962655	0.000847	2.35	Olf652	olfactory receptor 652
A_30_P01031721	8.27E-05	2.35		
A_51_P108629	7.11E-07	2.35	Prl3b1	prolactin family 3, subfamily b, member 1
A_51_P121031	0.000968	2.35	March1	membrane-associated ring finger (C3HC4) 1
A_55_P2140002	3.80E-07	2.35	Tnfrsf8	tumor necrosis factor, alpha-induced protein 8
A_55_P2369707	3.32E-06	2.35	Gm5919	predicted gene 5919
A_55_P1987054	1.11E-06	2.35	Krtap5-1	keratin associated protein 5-1
A_51_P193813	2.78E-06	2.35	Fga	fibrinogen alpha chain
A_30_P01023128	1.22E-08	2.35		
A_52_P173555	0.004999	2.35	Cd247	CD247 antigen
A_30_P01028976	0.002267	2.35		
A_52_P155554	0.00052	2.35	Cdc42ep2	CDC42 effector protein (Rho GTPase binding) 2
A_30_P01025932	0.000404	2.35		
A_55_P2046485	3.17E-06	2.35	Zfp81	zinc finger protein 81
A_30_P01027707	1.65E-05	2.35		
A_55_P1961616	0.00058	2.35		
A_55_P2009857	3.70E-05	2.35		
A_52_P491569	0.000123	2.35	1700017B05Rik	RIKEN cDNA 1700017B05 gene
A_30_P01030990	0.003049	2.35		
A_55_P1996862	2.45E-08	2.35	Psme2	proteasome (prosome, macropain) 28 subunit, beta
A_52_P85864	6.93E-09	2.35	Elf6	eukaryotic translation initiation factor 6
A_30_P01027942	2.09E-05	2.35		
A_51_P132013	0.000385	2.35	Cyslr2	cysteinyl leukotriene receptor 2
A_55_P2055844	0.000466	2.35	Fbxo25	F-box protein 25
A_51_P271153	6.56E-07	2.35	Olf166	olfactory receptor 166
A_30_P01020695	0.000971	2.35		
A_30_P01027541	3.61E-05	2.35		
A_55_P2119032	3.19E-06	2.35	Rasl2-9-ps	RAS-like, family 2, locus 9, pseudogene
A_55_P2025008	0.000609	2.34	Hvcn1	hydrogen voltage-gated channel 1
A_55_P2035335	3.29E-05	2.34		
A_30_P01023607	0.001176	2.34		
A_55_P2103190	0.004374	2.34	C530025M09Rik	RIKEN cDNA C530025M09 gene
A_55_P2114594	0.000142	2.34	Gm6040	predicted gene 6040
A_55_P2133255	7.01E-05	2.34	Mad2l1	MAD2 mitotic arrest deficient-like 1 (yeast)
A_51_P266695	0.000408	2.34	Pell3	pellino 3
A_55_P1967015	7.86E-09	2.34	Fgfr1	fibroblast growth factor receptor 1
A_55_P2101956	1.09E-05	2.34		
A_55_P2150603	0.000887	2.34		
A_52_P587738	0.002137	2.34	P2ry2	purinergic receptor P2Y, G-protein coupled 2
A_52_P527874	2.51E-05	2.34	Rrp12	ribosomal RNA processing 12 homolog (S. cerevisiae)
A_55_P1955612	1.69E-07	2.34	Nup93	nucleoporin 93
A_55_P2120652	1.42E-09	2.34	Snrpa1	small nuclear ribonucleoprotein polypeptide A'
A_51_P351194	9.17E-07	2.34	Cnfn	cornifelin
A_55_P1979848	1.29E-05	2.34	Celf6	CUGBP, Elav-like family member 6
A_55_P1985638	9.33E-07	2.34	Shisa7	shisa homolog 7 (Xenopus laevis)
A_30_P01030518	0.000266	2.34		
A_55_P1957880	1.58E-08	2.34	Hn1l	hematological and neurological expressed 1-like
A_30_P01027691	2.44E-08	2.34		
A_30_P01032009	0.000198	2.34		
A_51_P199098	5.34E-07	2.34	Tmem107	transmembrane protein 107
A_55_P2184897	3.89E-05	2.34	Lbr	lamin B receptor
A_55_P2110507	1.10E-08	2.34		
A_55_P2171578	1.92E-07	2.34	Mkm1	makorin, ring finger protein, 1
A_51_P433430	5.89E-06	2.34	Phc1	polyhomeotic-like 1 (Drosophila)
A_30_P01020725	0.002759	2.34		
A_30_P01026167	1.52E-06	2.34		
A_55_P2148534	0.003343	2.34	Nr1d2	nuclear receptor subfamily 1, group D, member 2
A_55_P2050073	1.11E-05	2.34		
A_55_P2138856	3.08E-06	2.34		
A_30_P01028057	0.000453	2.34		
A_55_P2109327	0.00162	2.34	Ache	acetylcholinesterase
A_55_P2076749	2.38E-06	2.34	Cad	carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase
A_55_P2100585	0.000715	2.34	Cass4	Cas scaffolding protein family member 4
A_30_P01019758	5.16E-05	2.34		
A_55_P2172022	1.75E-07	2.34	B4gal1	UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 1
A_30_P01029371	2.03E-06	2.34		
A_51_P156438	0.000118	2.34	Slc25a33	solute carrier family 25, member 33
A_51_P253897	1.54E-06	2.33	Psca	prostate stem cell antigen
A_55_P2029046	3.70E-05	2.33	Fgd3	FYVE, RhoGEF and PH domain containing 3
A_52_P502577	8.15E-05	2.33	S1pr3	sphingosine-1-phosphate receptor 3
A_51_P285446	1.24E-05	2.33	Lig1	ligase I, DNA, ATP-dependent
A_30_P01027205	2.25E-06	2.33		
A_30_P01022836	5.03E-05	2.33		
A_30_P01029969	3.94E-06	2.33		
A_52_P546513	0.000355	2.33	Ppyr1	pancreatic polypeptide receptor 1
A_55_P2006861	0.000316	2.33	Trio	triple functional domain (PTPRF interacting)
A_52_P395342	7.21E-05	2.33		
A_55_P2088028	0.000747	2.33	Mtss1	metastasis suppressor 1
A_30_P01023675	1.27E-05	2.33		
A_55_P2165074	2.95E-06	2.33	Rnf31	ring finger protein 31
A_55_P2016222	0.000475	2.33	Srcrb4d	scavenger receptor cysteine rich domain containing, group B (4 domains)
A_52_P505143	1.06E-06	2.33	Jrk	jerky
A_52_P463518	0.001192	2.33	Cd200r1	CD200 receptor 1
A_55_P1961270	0.001421	2.33	Cd72	CD72 antigen
A_30_P01030260	0.00052	2.33		
A_55_P1966337	1.40E-07	2.33	Polr2h	polymerase (RNA) II (DNA directed) polypeptide H
A_65_P11718	3.35E-06	2.33	Nol8	nucleolar protein 8
A_55_P2243768	0.002238	2.33	D930030O05Rik	RIKEN cDNA D930030O05 gene
A_30_P01031757	2.34E-07	2.33		
A_55_P2420928	1.66E-06	2.33	2900016J10Rik	RIKEN cDNA 2900016J10 gene
A_55_P2105457	8.47E-07	2.33	Zfp7	zinc finger protein 7
A_30_P01028915	1.50E-06	2.33		

A_30_P01030548	1.82E-05	2.33		
A_51_P123314	9.16E-05	2.33	<b>Olf74</b>	olfactory receptor 74
A_30_P01024428	3.52E-09	2.33		
A_55_P2113981	0.000206	2.33	<b>St6gal2</b>	beta galactoside alpha 2,6 sialyltransferase 2
A_55_P2177834	5.52E-06	2.33		
A_51_P128876	1.14E-07	2.33	<b>Ifitm3</b>	interferon induced transmembrane protein 3
A_30_P01024308	0.000213	2.33		
A_51_P487869	1.41E-07	2.33	<b>Cyp4f16</b>	cytochrome P450, family 4, subfamily f, polypeptide 16
A_30_P01022012	4.66E-05	2.33		
A_55_P1964902	0.000513	2.33	<b>Gm3014</b>	predicted gene 3014
A_55_P1986185	1.38E-06	2.33		
A_55_P2061119	0.002203	2.33		
A_51_P341177	4.94E-05	2.33	<b>Ddah2</b>	dimethylarginine dimethylaminohydrolase 2
A_55_P2169659	0.002344	2.33		
A_52_P109304	2.88E-08	2.33	<b>Tbl2</b>	transducin (beta)-like 2
A_51_P401343	4.20E-05	2.33	<b>Cldn14</b>	claudin 14
A_30_P01028387	2.60E-07	2.33		
A_55_P2185605	0.000146	2.33	<b>Cd48</b>	CD48 antigen
A_30_P01020925	1.23E-05	2.32		
A_51_P254471	3.53E-06	2.32	<b>Blrc2</b>	baculoviral IAP repeat-containing 2
A_55_P2216976	0.001685	2.32	<b>D13Erd608e</b>	DNA segment, Chr 13, ERATO Doi 608, expressed
A_30_P01020233	0.000604	2.32		
A_55_P2028491	0.000282	2.32	<b>Hmgn2</b>	high mobility group nucleosomal binding domain 2
A_51_P152826	3.01E-07	2.32	<b>Golt1b</b>	golgi transport 1 homolog B (S. cerevisiae)
A_55_P2162204	9.39E-05	2.32	<b>Kctd15</b>	potassium channel tetramerisation domain containing 15
A_52_P528963	3.97E-07	2.32	<b>Eps15l1</b>	epidermal growth factor receptor pathway substrate 15-like 1
A_30_P01031403	0.004764	2.32		
A_30_P01023859	1.18E-05	2.32		
A_55_P1952696	5.12E-06	2.32		
A_55_P2322719	9.75E-05	2.32		
A_55_P2044587	1.28E-05	2.32	<b>Sorcs1</b>	VPS10 domain receptor protein SORCS 1
A_55_P2096942	0.002532	2.32	<b>Nrn1l</b>	neuritin 1-like
A_55_P1952156	6.49E-05	2.32		
A_55_P2125992	4.07E-09	2.32		
A_55_P2177347	8.05E-12	2.32		
A_55_P2093679	0.000255	2.32	<b>Zfp599</b>	zinc finger protein 599
A_30_P01020386	0.005933	2.32		
A_55_P1957762	5.27E-07	2.32	<b>Tsr1</b>	TSR1, 20S rRNA accumulation, homolog (yeast)
A_51_P272066	1.35E-05	2.32	<b>2010109I03Rik</b>	RIKEN cDNA 2010109I03 gene
A_52_P315890	0.000223	2.32	<b>Zfp934</b>	zinc finger protein 934
A_52_P404329	0.0003	2.32	<b>Saa4</b>	serum amyloid A 4
A_30_P01020492	0.00279	2.32		
A_55_P2120169	0.000321	2.32		
A_55_P2172678	0.000396	2.32	<b>Tm4sf19</b>	transmembrane 4 L six family member 19
A_55_P2286503	5.28E-07	2.32	<b>A930001C03Rik</b>	RIKEN cDNA A930001C03 gene
A_55_P2120596	0.001192	2.32	<b>BC018473</b>	cDNA sequence BC018473
A_51_P117115	0.000143	2.32	<b>Olf753</b>	olfactory receptor 53
A_52_P571607	1.01E-06	2.32	<b>Myo1a</b>	myosin IA
A_51_P203827	0.000811	2.32	<b>Adrb1</b>	adrenergic receptor, beta 1
A_51_P246066	0.001355	2.32	<b>Slamf9</b>	SLAM family member 9
A_52_P315369	4.04E-06	2.32	<b>Cyb5r1</b>	cytochrome b5 reductase 1
A_30_P01028626	6.03E-05	2.32		
A_55_P2038770	0.001188	2.32	<b>Fam49a</b>	family with sequence similarity 49, member A
A_55_P2161640	0.002497	2.32	<b>Slc38a1</b>	solute carrier family 38, member 1
A_30_P01028959	0.00463	2.32		
A_30_P01026733	3.12E-09	2.32		
A_55_P2090142	1.85E-07	2.32	<b>Kcna7</b>	potassium voltage-gated channel, shaker-related subfamily, member 7
A_51_P219789	7.47E-08	2.32	<b>H2-Q2</b>	histocompatibility 2, Q region locus 2
A_30_P01022325	6.22E-06	2.32		
A_30_P01018756	1.20E-05	2.32		
A_55_P2042606	0.000224	2.32		
A_55_P2013356	0.000373	2.31	<b>Renbp</b>	renin binding protein
A_55_P2061432	5.38E-05	2.31	<b>Abpe</b>	androgen binding protein epsilon
A_55_P2059382	5.81E-08	2.31	<b>Arl6</b>	ADP-ribosylation factor-like 6
A_55_P1960725	8.51E-06	2.31		
A_51_P492893	6.64E-07	2.31	<b>Foxp4</b>	forkhead box P4
A_55_P1989116	0.000407	2.31		
A_55_P2173576	9.23E-05	2.31		
A_55_P1982340	0.000992	2.31		
A_66_P125405	2.08E-07	2.31	<b>Olf7285</b>	olfactory receptor 285
A_30_P01021455	1.79E-07	2.31		
A_52_P46310	4.92E-07	2.31	<b>Dcaf7</b>	DDB1 and CUL4 associated factor 7
A_55_P2084248	5.71E-05	2.31	<b>Adc</b>	arginine decarboxylase
A_55_P1976734	1.92E-05	2.31	<b>Cacna2d2</b>	calcium channel, voltage-dependent, alpha 2/delta subunit 2
A_55_P2010758	8.33E-08	2.31	<b>Npm3</b>	nucleoplasmin 3
A_51_P105927	0.000166	2.31	<b>Ras12</b>	RAS-like, family 12
A_55_P2106926	0.001086	2.31	<b>Kcna3</b>	potassium voltage-gated channel, shaker-related subfamily, member 3
A_55_P1971889	0.001442	2.31	<b>F3</b>	coagulation factor III
A_55_P2136561	0.001153	2.31	<b>LOC100502818</b>	hypothetical protein LOC100502818
A_51_P223458	5.68E-08	2.31	<b>Polr3d</b>	polymerase (RNA) III (DNA directed) polypeptide D
A_51_P121031	0.000272	2.31	<b>March1</b>	membrane-associated ring finger (C3HC4) 1
A_55_P2112355	0.000254	2.31		
A_55_P2113690	0.004321	2.31	<b>Raph1</b>	Ras association (RalGDS/AF-6) and pleckstrin homology domains 1
A_55_P1967025	4.73E-08	2.31	<b>Thoc7</b>	THO complex 7 homolog (Drosophila)
A_55_P1977369	8.28E-08	2.31	<b>Ptprn2</b>	protein tyrosine phosphatase, receptor type, N polypeptide 2
A_30_P01026217	0.00223	2.31		
A_51_P114693	0.000502	2.31	<b>Parm1</b>	prostate androgen-regulated mucin-like protein 1
A_30_P01025667	2.18E-06	2.31		
A_30_P01018542	0.000279	2.31		
A_55_P1984751	9.32E-08	2.31	<b>Ppp1r14b</b>	protein phosphatase 1, regulatory (inhibitor) subunit 14B
A_51_P335480	4.88E-05	2.31	<b>1810055G02Rik</b>	RIKEN cDNA 1810055G02 gene
A_30_P01033651	0.000477	2.31		
A_55_P1967022	8.77E-07	2.31	<b>Fgfr1</b>	fibroblast growth factor receptor 1
A_51_P101196	2.74E-08	2.31	<b>Psme1</b>	proteasome (prosome, macropain) 28 subunit, alpha
A_30_P01021613	0.000398	2.31		

A_30_P01024634	2.37E-08	2.31		
A_55_P2123854	0.000418	2.31	<b>Zfx2</b>	zinc finger homeobox 2
A_30_P01024530	2.81E-05	2.31		
A_55_P1970484	1.00E-05	2.31		
A_51_P157112	2.45E-05	2.31	<b>Serpina3c</b>	serine (or cysteine) peptidase inhibitor, clade A, member 3C
A_52_P98778	2.41E-06	2.31	<b>Ang4</b>	angiogenin, ribonuclease A family, member 4
A_55_P2119864	2.64E-07	2.31	<b>Cd2bp2</b>	CD2 antigen (cytoplasmic tail) binding protein 2
A_55_P1991214	0.000645	2.31	<b>Lair1</b>	leukocyte-associated Ig-like receptor 1
A_66_P129800	0.000125	2.31	<b>Rab8b</b>	RAB8B, member RAS oncogene family
A_30_P01031515	4.46E-05	2.31		
A_52_P131458	9.75E-05	2.31	<b>Ttc39b</b>	tetratricopeptide repeat domain 39B
A_55_P2062977	6.89E-05	2.31		
A_30_P01021435	2.96E-05	2.30		
A_51_P112174	0.000231	2.30	<b>Ahl1</b>	Abelson helper integration site 1
A_30_P01019108	7.86E-07	2.30		
A_55_P2017389	2.36E-06	2.30		
A_55_P2002553	2.19E-07	2.30	<b>Stx16</b>	syntaxin 16
A_52_P13815	0.000288	2.30	<b>Laptm5</b>	lysosomal-associated protein transmembrane 5
A_30_P01026203	3.10E-07	2.30		
A_55_P1982049	0.000457	2.30	<b>Icam2</b>	intercellular adhesion molecule 2
A_55_P2016287	2.70E-08	2.30	<b>Tpst1</b>	protein-tyrosine sulfotransferase 1
A_51_P446085	0.00032	2.30	<b>4933403G14Rik</b>	RIKEN cDNA 4933403G14 gene
A_51_P165683	2.28E-05	2.30	<b>Hrip3</b>	HIRA interacting protein 3
A_55_P1994477	1.10E-05	2.30	<b>Prrc2c</b>	proline-rich coiled-coil 2C
A_55_P2159094	3.56E-07	2.30	<b>Lepre1</b>	leprecan 1
A_30_P01026511	0.000772	2.30		
A_30_P01032868	0.000127	2.30		
A_55_P2169669	0.00158	2.30	<b>Csf1</b>	colony stimulating factor 1 (macrophage)
A_30_P01024946	3.95E-05	2.30		
A_55_P2168781	2.07E-06	2.30		
A_51_P124535	0.000309	2.30	<b>Mest</b>	mesoderm specific transcript
A_30_P01021260	2.07E-06	2.30		
A_66_P140185	0.000166	2.30	<b>Rgs9</b>	regulator of G-protein signaling 9
A_55_P2021821	2.60E-06	2.30	<b>Prm1</b>	protein arginine N-methyltransferase 1
A_55_P2121185	7.41E-05	2.30	<b>Omp</b>	olfactory marker protein
A_30_P01020458	1.55E-06	2.30		
A_55_P1952230	9.68E-07	2.30	<b>Gm8883</b>	predicted gene 8883
A_55_P1956179	3.85E-08	2.30	<b>Git2</b>	G protein-coupled receptor kinase-interactor 2
A_51_P237040	0.000741	2.30	<b>Nog</b>	noggin
A_55_P2213828	1.37E-05	2.30	<b>4933412E12Rik</b>	RIKEN cDNA 4933412E12 gene
A_52_P440445	1.55E-05	2.30		
A_66_P134297	0.001388	2.30	<b>Olf978</b>	olfactory receptor 978
A_55_P2034365	9.27E-06	2.30		
A_55_P1985005	1.21E-05	2.30	<b>Ghrh</b>	growth hormone releasing hormone
A_52_P248604	0.000548	2.30	<b>Cdh5</b>	cadherin 5
A_30_P01018404	2.24E-07	2.30		
A_55_P2181109	0.000109	2.30	<b>Il10rb</b>	interleukin 10 receptor, beta
A_52_P86693	1.89E-06	2.30	<b>Ifi2711</b>	interferon, alpha-inducible protein 27 like 1
A_30_P01026193	0.000224	2.30		
A_52_P481316	0.005307	2.29	<b>Wdr93</b>	WD repeat domain 93
A_52_P380263	0.002118	2.29	<b>Podxl</b>	podocalyxin-like
A_55_P1952957	0.000141	2.29	<b>Olf551</b>	olfactory receptor 551
A_51_P124535	0.000484	2.29	<b>Mest</b>	mesoderm specific transcript
A_55_P2159666	4.34E-07	2.29		
A_55_P1993933	2.51E-07	2.29		
A_55_P2208463	1.63E-07	2.29	<b>6820426E19Rik</b>	RIKEN cDNA 6820426E19 gene
A_55_P2120737	1.17E-06	2.29		
A_66_P122758	4.94E-07	2.29	<b>Tsr1</b>	TSR1, 20S rRNA accumulation, homolog (yeast)
A_55_P2094945	0.005109	2.29		
A_55_P1959530	8.41E-07	2.29		
A_30_P01019947	8.16E-05	2.29		
A_30_P01022057	2.85E-05	2.29		
A_55_P1958246	1.23E-06	2.29	<b>Tcof1</b>	Treacher Collins Franceschetti syndrome 1, homolog
A_55_P2029528	2.10E-06	2.29	<b>LOC100044874</b>	h-2 class I histocompatibility antigen, K-W28 alpha chain-like
A_30_P01023902	0.001921	2.29		
A_51_P415126	1.24E-05	2.29	<b>Tgfa</b>	transforming growth factor alpha
A_51_P120875	0.000678	2.29	<b>Olf713</b>	olfactory receptor 713
A_30_P01033498	1.17E-06	2.29		
A_55_P1963304	0.000103	2.29	<b>Brwd3</b>	bromodomain and WD repeat domain containing 3
A_55_P2141782	2.19E-08	2.29		
A_55_P2013893	0.000267	2.29	<b>Cntn4</b>	contactin 4
A_30_P01031410	0.001786	2.29		
A_51_P418809	0.006438	2.29	<b>Airm</b>	antisense Igf2r RNA
A_55_P2035623	0.001811	2.29	<b>Zfp473</b>	zinc finger protein 473
A_55_P2103491	0.001221	2.29	<b>Fam170b</b>	family with sequence similarity 170, member B
A_52_P639402	0.000336	2.29	<b>Kcnk3</b>	potassium channel, subfamily K, member 3
A_30_P01030101	0.001987	2.29		
A_30_P01023847	0.000677	2.29		
A_55_P2004511	0.000215	2.29	<b>Cd300lf</b>	CD300 antigen like family member F
A_55_P2015292	4.40E-06	2.29	<b>Ltc4s</b>	leukotriene C4 synthase
A_30_P01021685	1.20E-06	2.29		
A_52_P253004	3.54E-06	2.29	<b>Ralb</b>	v-ral simian leukemia viral oncogene homolog B (ras related)
A_30_P01017810	1.67E-06	2.29		
A_51_P124535	0.000511	2.29	<b>Mest</b>	mesoderm specific transcript
A_30_P01021780	1.42E-07	2.29		
A_55_P2131831	2.45E-05	2.29	<b>Gdf5</b>	growth differentiation factor 5
A_51_P368009	3.43E-05	2.29	<b>E2f2</b>	E2F transcription factor 2
A_55_P2013873	0.001922	2.29	<b>Gm3718</b>	predicted gene 3718
A_52_P187940	0.000249	2.29	<b>Lfng</b>	LFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
A_51_P362661	0.001855	2.29	<b>Spin4</b>	spindlin family, member 4
A_52_P316437	0.000171	2.29	<b>1810013L24Rik</b>	RIKEN cDNA 1810013L24 gene
A_30_P01024819	6.37E-08	2.29		
A_55_P2027653	0.000788	2.29	<b>Arhgap25</b>	Rho GTPase activating protein 25
A_55_P2044729	0.00068	2.28	<b>Aoc2</b>	amine oxidase, copper containing 2 (retina-specific)
A_30_P01026727	2.79E-05	2.28		

A_51_P349888	2.84E-05	2.28	Ang2	angiogenin, ribonuclease A family, member 2
A_66_P139250	8.24E-05	2.28	Kctd3	potassium channel tetramerisation domain containing 3
A_51_P101196	1.03E-07	2.28	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_55_P2012459	7.18E-07	2.28		
A_30_P01032031	0.000163	2.28		
A_30_P01019760	7.92E-05	2.28		
A_55_P2116111	9.46E-05	2.28	D8Ert82e	DNA segment, Chr 8, ERATO Doi 82, expressed
A_52_P156852	8.02E-05	2.28		
A_51_P415126	7.30E-05	2.28	Tgfa	transforming growth factor alpha
A_51_P479321	0.000183	2.28	Acss1	acyl-CoA synthetase short-chain family member 1
A_66_P130906	6.56E-05	2.28	Dcaf7	DDB1 and CUL4 associated factor 7
A_55_P1960743	5.95E-05	2.28	Stylx1	serine/threonine/tyrosine interacting-like 1
A_30_P01018912	0.000708	2.28		
A_66_P123635	2.94E-08	2.28	Csf2rb	colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage)
A_55_P2256686	0.000833	2.28	2610037D02Rik	RIKEN cDNA 2610037D02 gene
A_30_P01030782	0.000111	2.28		
A_55_P2192729	1.65E-05	2.28	5830469G19Rik	RIKEN cDNA 5830469G19 gene
A_51_P390715	0.00059	2.28	Tgfb1	transforming growth factor, beta 1
A_55_P2067629	2.03E-05	2.28	Ush1g	Usher syndrome 1G homolog (human)
A_55_P2132894	6.37E-06	2.28	Sdcbp	syndecan binding protein
A_51_P116421	9.08E-05	2.28	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_52_P323852	5.33E-05	2.28	Tnfrsf22	tumor necrosis factor receptor superfamily, member 22
A_55_P2287947	1.47E-07	2.28	A930037O16Rik	RIKEN cDNA A930037O16 gene
A_30_P01027973	1.15E-06	2.28		
A_55_P1988202	0.000713	2.28	Ifi203	interferon activated gene 203
A_55_P2011943	4.81E-05	2.28	Gramd1a	GRAM domain containing 1A
A_55_P2097391	0.002208	2.28	Fam46a	family with sequence similarity 46, member A
A_30_P01031715	5.40E-05	2.28		
A_65_P10450	2.13E-05	2.28	Tmpo	thymopoietin
A_55_P2067413	0.000351	2.28		
A_55_P2179069	1.97E-08	2.28		
A_51_P114693	1.84E-05	2.28	Parm1	prostate androgen-regulated mucin-like protein 1
A_55_P1967241	4.56E-05	2.28	Mkl2	MKL/myocardin-like 2
A_55_P1961034	0.003231	2.28	Gm13272	predicted gene 13272
A_30_P01026718	4.93E-05	2.28		
A_51_P124719	5.60E-08	2.28	Ccdc93	coiled-coil domain containing 93
A_30_P01029119	4.52E-05	2.28		
A_55_P2081925	2.78E-05	2.28	Zfp53	zinc finger protein 53
A_55_P2133452	5.44E-05	2.28	Prss48	protease, serine, 48
A_55_P2109263	4.48E-07	2.28	Ppp1r14b	protein phosphatase 1, regulatory (inhibitor) subunit 14B
A_30_P01021865	1.27E-05	2.27		
A_52_P153189	7.82E-06	2.27	Arl2bp	ADP-ribosylation factor-like 2 binding protein
A_51_P276943	1.02E-06	2.27	Gpc1	glypican 1
A_52_P504478	3.03E-05	2.27	Adprh	ADP-ribosylarginine hydrolase
A_55_P2034853	2.24E-05	2.27	2610028H24Rik	RIKEN cDNA 2610028H24 gene
A_52_P227937	0.000205	2.27		
A_51_P347154	0.005592	2.27	Adam18	a disintegrin and metallopeptidase domain 18
A_55_P2295671	3.78E-06	2.27	D9Ert720e	DNA segment, Chr 9, ERATO Doi 720, expressed
A_66_P107790	4.74E-06	2.27	2900073G15Rik	RIKEN cDNA 2900073G15 gene
A_30_P01019837	0.000141	2.27		
A_55_P2155103	0.000802	2.27	Sypl2	synaptophysin-like 2
A_30_P01031085	7.36E-07	2.27		
A_55_P2088530	2.24E-07	2.27	Htt	huntingtin
A_55_P2170876	0.001863	2.27	Tcp10c	t-complex protein 10c
A_30_P01027520	0.000913	2.27		
A_55_P1952414	2.55E-05	2.27	Odf2	outer dense fiber of sperm tails 2
A_55_P2010922	1.82E-07	2.27		
A_55_P1979014	6.71E-08	2.27		
A_30_P01020907	0.000341	2.27		
A_51_P115626	0.006185	2.27	Shank3	SH3/ankyrin domain gene 3
A_30_P01019649	0.002905	2.27		
A_55_P2177899	7.75E-06	2.27	Dact1	dapper homolog 1, antagonist of beta-catenin (xenopus)
A_55_P2007886	2.63E-05	2.27		
A_51_P112174	0.000216	2.27	Ahi1	Abelson helper integration site 1
A_55_P2169104	0.000184	2.27	Odz4	odd Oz/ten-m homolog 4 (Drosophila)
A_55_P2044385	0.000505	2.27	Fgfbp3	fibroblast growth factor binding protein 3
A_55_P2118540	9.19E-06	2.27		
A_55_P2136348	0.000285	2.27	Ccr8	chemokine (C-C motif) receptor 8
A_55_P1964078	0.000299	2.27		
A_55_P1973526	1.75E-05	2.27	AU021034	expressed sequence AU021034
A_51_P518163	2.79E-08	2.27	Rrp9	RRP9, small subunit (SSU) processome component, homolog (yeast)
A_51_P318551	1.89E-05	2.27	Nle1	notchless homolog 1 (Drosophila)
A_51_P101196	1.50E-07	2.27	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_51_P101196	6.21E-08	2.27	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_52_P312371	1.93E-07	2.27	Zfp345	zinc finger protein 345
A_51_P156434	0.000157	2.27	Slc25a33	solute carrier family 25, member 33
A_55_P2101392	0.000327	2.27	Als2cr4	amyotrophic lateral sclerosis 2 (juvenile) chromosome region, candidate 4
A_51_P390715	0.001707	2.27	Tgfb1	transforming growth factor, beta 1
A_55_P2126050	1.16E-07	2.27		
A_55_P2076861	0.000207	2.27	Sema6d	sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6D
A_55_P2097398	4.48E-05	2.27		
A_55_P2040921	0.003689	2.27		
A_55_P2012389	3.75E-05	2.26	Sfxn3	sideroflexin 3
A_55_P1999012	0.000201	2.26		
A_55_P2153990	6.15E-09	2.26	Gm1332	predicted gene 1332
A_55_P2151685	0.000663	2.26	Pira11	paired-Ig-like receptor A11
A_30_P01026116	1.20E-05	2.26		
A_30_P01026389	0.000455	2.26		
A_55_P2173224	0.001416	2.26	Kif2a	kinesin family member 2A
A_55_P2200009	1.48E-05	2.26	LOC493582	hypothetical LOC493582
A_66_P128440	5.45E-07	2.26	BB094273	expressed sequence BB094273
A_55_P2101920	0.000451	2.26	4931408A02RIK	RIKEN cDNA 4931408A02 gene
A_55_P1957272	0.000167	2.26		
A_30_P01029249	0.000624	2.26		
A_55_P2032815	0.000346	2.26	Rnase13	ribonuclease, RNase A family, 13 (non-active)

A_55_P2010596	0.00079	2.26	Tdpoz2	TD and POZ domain containing 2
A_30_P01029457	0.00474	2.26		
A_30_P01021042	2.98E-05	2.26		
A_30_P01018450	0.000296	2.26		
A_55_P2135833	1.97E-05	2.26		
A_51_P115159	5.63E-07	2.26	Fam162a	family with sequence similarity 162, member A
A_30_P01024368	0.000759	2.26		
A_30_P01032001	5.67E-07	2.26		
A_55_P2102250	2.22E-06	2.26	Dzip1	DAZ interacting protein 1
A_55_P1997861	0.000101	2.26	Adamts15	ADAMTS-like 5
A_51_P463428	0.000882	2.26	Plk3ip1	phosphoinositide-3-kinase interacting protein 1
A_55_P2046661	7.99E-07	2.26	Tnfrsf14	tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator)
A_66_P114537	1.33E-07	2.26		
A_55_P2011712	1.40E-05	2.26		
A_55_P2028015	0.000124	2.26	Pawr	PRKC, apoptosis, WT1, regulator
A_66_P117366	9.78E-05	2.26	Csnk1e	casein kinase 1, epsilon
A_51_P195573	3.42E-06	2.26	Dnmt1	DNA methyltransferase (cytosine-5) 1
A_55_P2034245	5.91E-05	2.26	Meox1	mesenchyme homeobox 1
A_51_P128876	3.16E-08	2.26	Ifitm3	interferon induced transmembrane protein 3
A_51_P255257	4.21E-05	2.26	Olf1513	olfactory receptor 1513
A_30_P01027755	2.41E-06	2.26		
A_30_P01026612	1.68E-05	2.26		
A_55_P1968483	2.31E-06	2.26	Gtpbp6	GTP binding protein 6 (putative)
A_55_P1968095	0.000449	2.26	Olf1280	olfactory receptor 1280
A_51_P497882	0.000307	2.26	Creb3l4	cAMP responsive element binding protein 3-like 4
A_51_P201721	6.47E-06	2.26	Crtap	cartilage associated protein
A_30_P01029576	3.95E-06	2.26		
A_30_P01031338	3.93E-08	2.25		
A_30_P01030403	8.45E-07	2.25		
A_30_P01030226	1.86E-05	2.25		
A_51_P312497	1.83E-07	2.25	Atp7a	ATPase, Cu <sup>++</sup> transporting, alpha polypeptide
A_55_P2120577	0.000304	2.25	Cited2	Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 2
A_55_P2059606	5.02E-06	2.25	Stat2	signal transducer and activator of transcription 2
A_30_P01027242	5.01E-05	2.25		
A_55_P2032849	9.89E-07	2.25		
A_55_P2073915	3.62E-05	2.25		
A_51_P317443	1.85E-08	2.25	Cd3eap	CD3E antigen, epsilon polypeptide associated protein
A_55_P2004930	2.46E-06	2.25	Hddc2	HD domain containing 2
A_52_P305949	0.001255	2.25	Mllt4	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 4
A_30_P01025032	5.61E-06	2.25		
A_30_P01023807	8.01E-06	2.25		
A_65_P09031	6.10E-05	2.25	Cdc42se2	CDC42 small effector 2
A_30_P01018306	1.23E-05	2.25		
A_51_P450924	3.61E-05	2.25	Pole4	polymerase (DNA-directed), epsilon 4 (p12 subunit)
A_30_P01030080	6.69E-06	2.25		
A_30_P01024953	0.000189	2.25		
A_30_P01018487	3.94E-06	2.25		
A_51_P437608	1.97E-05	2.25	Tulp3	tubby-like protein 3
A_51_P250993	0.000701	2.25	Zfp626	zinc finger protein 626
A_66_P140658	0.000765	2.25	Olf1787	olfactory receptor 1787
A_51_P292116	0.000882	2.25	Ica1	islet cell autoantigen 1
A_55_P1955457	0.001411	2.25	Grb10	growth factor receptor bound protein 10
A_55_P1993423	7.34E-08	2.25		
A_55_P1970144	7.29E-06	2.25	Slc16a14	solute carrier family 16 (monocarboxylic acid transporters), member 14
A_51_P241861	2.96E-05	2.25	Tc1rg1	T-cell, immune regulator 1, ATPase, H <sup>+</sup> transporting, lysosomal V0 protein A3
A_30_P01025068	1.23E-05	2.25		
A_51_P101196	1.54E-07	2.25	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_65_P20799	4.67E-06	2.25	Abi2	abl-interactor 2
A_52_P8922	0.000469	2.25	Sntb2	syntrophin, basic 2
A_30_P01022756	6.89E-05	2.25		
A_55_P2024302	0.000111	2.25	Spin1	spindlin 1
A_30_P01027126	6.72E-06	2.25		
A_66_P120494	6.92E-05	2.25	Duoxa1	dual oxidase maturation factor 1
A_52_P642207	3.69E-06	2.25	Mkrn1	makorin, ring finger protein, 1
A_55_P2116898	0.004084	2.25		
A_55_P2010014	7.28E-08	2.25	Mtap7d1	microtubule-associated protein 7 domain containing 1
A_51_P101196	2.29E-07	2.25	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_51_P123314	7.34E-05	2.25	Olf174	olfactory receptor 174
A_52_P624149	1.68E-07	2.25	Hsp90b1	heat shock protein 90, beta (Grp94), member 1
A_51_P116421	5.88E-05	2.25	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_55_P2407751	6.04E-05	2.25	Tomm20l	translocase of outer mitochondrial membrane 20 homolog (yeast)-like
A_30_P01025118	4.71E-05	2.25		
A_55_P2022364	6.16E-06	2.24	Nxn	nucleoredoxin
A_55_P2182392	7.83E-06	2.24	Adat3	adenosine deaminase, tRNA-specific 3, TAD2 homolog (S. cerevisiae)
A_55_P2182458	4.82E-09	2.24	Kcnh4	potassium voltage-gated channel, subfamily H (eag-related), member 4
A_52_P572447	2.77E-05	2.24	Agpat5	1-acylglycerol-3-phosphate O-acyltransferase 5 (lysophosphatidic acid acyltransferase, epsilon)
A_51_P200083	2.38E-05	2.24	Grina	glutamate receptor, ionotropic, N-methyl D-aspartate-associated protein 1 (glutamate binding)
A_55_P1973448	1.23E-05	2.24	Ybx2	Y box protein 2
A_30_P01025698	0.000125	2.24		
A_30_P01028437	9.07E-06	2.24		
A_30_P01019235	5.46E-06	2.24		
A_55_P2161423	3.53E-06	2.24	Hif3a	hypoxia inducible factor 3, alpha subunit
A_55_P2149787	0.000311	2.24	Fcnb	ficolin B
A_55_P2118629	0.000322	2.24		
A_55_P1969078	4.84E-05	2.24	Adar	adenosine deaminase, RNA-specific
A_51_P124748	2.88E-05	2.24	Tgfb3	transforming growth factor, beta 3
A_30_P01027462	7.68E-10	2.24		
A_51_P415126	0.000136	2.24	Tgfa	transforming growth factor alpha
A_52_P891775	1.08E-05	2.24	Cdr2l	cerebellar degeneration-related protein 2-like
A_30_P01017923	7.44E-06	2.24		
A_55_P2342264	0.000692	2.24	2610008G14Rik	RIKEN cDNA 2610008G14 gene
A_55_P2046145	0.000289	2.24	Gm10693	predicted pseudogene 10693
A_55_P2049532	8.66E-05	2.24		
A_66_P112919	6.69E-06	2.24	Ppyr1	pancreatic polypeptide receptor 1
A_55_P2017487	6.33E-07	2.24		

A_30_P01032262	0.000243	2.24		
A_51_P124535	0.000293	2.24	Mest	mesoderm specific transcript
A_52_P616580	0.000193	2.24	Lgr6	leucine-rich repeat-containing G protein-coupled receptor 6
A_51_P222590	2.63E-08	2.24	Arf6	ADP-ribosylation factor 6
A_55_P2021530	3.23E-06	2.24	Cllic4	chloride intracellular channel 4 (mitochondrial)
A_55_P2035003	7.39E-05	2.24	LOC100503847	hypothetical LOC100503847
A_52_P56394	4.45E-08	2.24	Psmg4	proteasome (prosome, macropain) assembly chaperone 4
A_51_P307864	1.20E-05	2.24	1700019N19Rik	RIKEN cDNA 1700019N19 gene
A_30_P01033614	8.41E-05	2.24		
A_55_P2185811	0.000421	2.24		
A_55_P2113210	0.000216	2.24	Cyth4	cytohesin 4
A_55_P1999878	1.11E-05	2.24	Sec24b	Sec24 related gene family, member B (S. cerevisiae)
A_55_P2076273	4.35E-05	2.24		
A_55_P2382065	0.000601	2.24	2810001A02Rik	RIKEN cDNA 2810001A02 gene
A_55_P2043652	6.34E-06	2.24	Zfp667	zinc finger protein 667
A_55_P1968643	2.31E-05	2.24	Vmn1r173	vomeroneasal 1 receptor 173
A_55_P2174601	0.000104	2.24	LOC100047292	pleckstrin homology domain-containing family A member 7-like
A_55_P2448776	2.49E-06	2.24	Mdn1	midasin homolog (yeast)
A_51_P101196	1.69E-08	2.24	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_55_P2127139	2.69E-05	2.24	Hist1h3d	histone cluster 1, H3d
A_51_P101196	3.60E-07	2.23	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_55_P2021423	0.002796	2.23	Morn3	MORN repeat containing 3
A_30_P01023641	5.18E-05	2.23		
A_30_P01021730	0.001866	2.23		
A_51_P426373	0.000532	2.23	Cib4	calcium and integrin binding family member 4
A_55_P1959833	2.22E-06	2.23	AI118078	expressed sequence AI118078
A_55_P2240301	5.73E-05	2.23	D430034N21	hypothetical protein D430034N21
A_30_P01023035	1.70E-08	2.23		
A_55_P2002954	0.002994	2.23		
A_55_P2031021	0.00264	2.23	Bex1	brain expressed gene 1
A_51_P486719	0.000202	2.23	1700090G07Rik	RIKEN cDNA 1700090G07 gene
A_66_P133189	0.000391	2.23		
A_52_P649561	5.44E-07	2.23	Heg1	HEG homolog 1 (zebrafish)
A_51_P203306	0.001253	2.23	Vmn1r216	vomeroneasal 1 receptor 216
A_55_P2173452	2.85E-08	2.23		
A_30_P01032492	1.38E-06	2.23		
A_30_P01026773	4.35E-06	2.23		
A_30_P01018198	0.000182	2.23		
A_51_P401683	0.001146	2.23	Tm6sf1	transmembrane 6 superfamily member 1
A_55_P2078335	0.000213	2.23	Mapk4	mitogen-activated protein kinase 4
A_55_P1995996	4.13E-07	2.23	Gm13157	predicted gene 13157
A_51_P415126	3.41E-05	2.23	Tgfa	transforming growth factor alpha
A_55_P2125811	0.000724	2.23	Esam	endothelial cell-specific adhesion molecule
A_55_P2088910	0.000412	2.23		
A_65_P19395	5.37E-08	2.23	H2-D1	histocompatibility 2, D region locus 1
A_30_P01024996	0.002464	2.23		
A_30_P01023813	0.00582	2.23		
A_55_P2017570	0.000435	2.23	Ncrna00085	non-protein coding RNA 85
A_55_P1971093	1.08E-06	2.23		
A_30_P01027839	0.001539	2.23		
A_55_P2060892	1.54E-05	2.23	Gm3238	predicted gene 3238
A_51_P125882	4.82E-06	2.23	Glp2r	glucagon-like peptide 2 receptor
A_51_P221823	0.00088	2.23	Krtap16-7	keratin associated protein 16-7
A_30_P01024053	1.44E-05	2.23		
A_30_P01030550	1.41E-06	2.23		
A_55_P1985189	0.000253	2.23		
A_30_P01027440	1.53E-05	2.23		
A_52_P247927	0.000993	2.23		
A_30_P01028296	0.000598	2.23		
A_55_P1955998	7.58E-05	2.23	Nlrp1a	NLR family, pyrin domain containing 1A
A_55_P1956130	4.89E-07	2.22		
A_55_P2084758	4.26E-10	2.22	Agfg1	ArfGAP with FG repeats 1
A_55_P1953138	0.000612	2.22		
A_55_P2032916	0.000971	2.22	Slc6a20a	solute carrier family 6 (neurotransmitter transporter), member 20A
A_66_P123209	4.58E-05	2.22	Vmn1r56	vomeroneasal 1 receptor 56
A_30_P01026079	0.000317	2.22		
A_55_P1965228	0.000434	2.22		
A_55_P2117124	3.02E-07	2.22	Zbtb49	zinc finger and BTB domain containing 49
A_55_P1972182	1.01E-06	2.22	Slah1b	seven in absentia 1B
A_51_P265406	1.20E-08	2.22	Ric8	resistance to inhibitors of cholinesterase 8 homolog (C. elegans)
A_55_P2087265	0.00028	2.22	Gm7676	interferon induced transmembrane protein 1 pseudogene
A_66_P124806	0.001312	2.22	Tlr4	toll-like receptor 4
A_55_P2154914	0.001117	2.22	Acap1	ArfGAP with coiled-coil, ankyrin repeat and PH domains 1
A_52_P563617	0.000705	2.22	Ssbp4	single stranded DNA binding protein 4
A_30_P01027435	1.87E-06	2.22		
A_30_P01023852	0.000337	2.22		
A_51_P442206	1.83E-05	2.22	Ankrd42	ankyrin repeat domain 42
A_55_P2113523	7.01E-07	2.22	Whsc1	Wolf-Hirschhorn syndrome candidate 1 (human)
A_55_P2011570	0.000851	2.22		
A_51_P116421	0.000144	2.22	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_55_P2367843	1.28E-05	2.22	Efcab4a	EF-hand calcium binding domain 4A
A_55_P1953341	0.000403	2.22	Wfdc2	WAP four-disulfide core domain 2
A_30_P01033142	0.000709	2.22		
A_30_P01017434	5.79E-09	2.22		
A_55_P2044193	1.38E-06	2.22		
A_55_P1991811	0.001561	2.22	Gm5431	predicted gene 5431
A_55_P2168544	9.05E-05	2.22	Plk3c2b	phosphoinositide-3-kinase, class 2, beta polypeptide
A_55_P2137561	1.76E-08	2.22		
A_51_P252677	1.46E-05	2.22	1110007C09Rik	RIKEN cDNA 1110007C09 gene
A_52_P288750	0.000238	2.22	Gm527	predicted gene 527
A_55_P2145775	2.41E-05	2.22		
A_30_P01027855	4.16E-06	2.22		
A_66_P107348	0.000499	2.22	Olf955	olfactory receptor 955
A_55_P2095271	0.000371	2.22	Pkn3	protein kinase N3
A_52_P155805	0.000397	2.22	2010204K13Rik	RIKEN cDNA 2010204K13 gene

A_30_P01033182	1.41E-05	2.22		
A_51_P414746	0.00247	2.22	<b>Defb15</b>	defensin beta 15
A_55_P2060630	0.000382	2.22	<b>Stk111p</b>	serine/threonine kinase 11 interacting protein
A_55_P1971313	2.61E-07	2.22	<b>Gm15847</b>	predicted gene 15847
A_30_P01032108	9.11E-07	2.22		
A_51_P259555	7.03E-07	2.22	<b>Gpatch3</b>	G patch domain containing 3
A_30_P01018730	3.39E-05	2.22		
A_55_P2005585	0.00116	2.22	<b>Trps1</b>	trichorhinophalangeal syndrome I (human)
A_66_P101538	0.002259	2.22	<b>Lrrk2</b>	leucine-rich repeat kinase 2
A_30_P01031946	5.44E-07	2.22		
A_55_P2100620	0.002962	2.22	<b>Gm12216</b>	predicted gene 12216
A_55_P1957168	1.26E-07	2.22	<b>Ube2s</b>	ubiquitin-conjugating enzyme E2S
A_55_P1993698	3.53E-05	2.22	<b>Celf1</b>	CUGBP, Elav-like family member 1
A_66_P137285	0.001714	2.22	<b>A730045E13Rik</b>	RIKEN cDNA A730045E13 gene
A_66_P117204	1.25E-05	2.22		
A_51_P116421	0.000116	2.22	<b>Abcc5</b>	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_52_P137331	0.00259	2.22		
A_55_P1971373	0.001624	2.22	<b>Nlrp12</b>	NLR family, pyrin domain containing 12
A_55_P2099064	0.000294	2.22	<b>Whsc1</b>	Wolf-Hirschhorn syndrome candidate 1 (human)
A_52_P671812	4.61E-06	2.22		
A_66_P106760	0.000883	2.21	<b>Adam32</b>	a disintegrin and metallopeptidase domain 32
A_55_P1956093	0.000843	2.21		
A_51_P116421	0.000128	2.21	<b>Abcc5</b>	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_30_P01027231	0.000326	2.21		
A_30_P01019605	0.000484	2.21		
A_30_P01022814	2.65E-06	2.21		
A_55_P2040295	0.000569	2.21	<b>Ptp4a1</b>	protein tyrosine phosphatase 4a1
A_55_P2105359	1.67E-06	2.21	<b>Tmed5</b>	transmembrane emp24 protein transport domain containing 5
A_55_P2044953	1.53E-06	2.21	<b>Lst1</b>	leukocyte specific transcript 1
A_51_P117115	1.48E-05	2.21	<b>Olfir53</b>	olfactory receptor 53
A_55_P2027900	5.67E-05	2.21	<b>Gabra2</b>	gamma-aminobutyric acid (GABA) A receptor, subunit alpha 2
A_52_P322029	0.000321	2.21	<b>4930470P17Rik</b>	RIKEN cDNA 4930470P17 gene
A_51_P117226	0.000779	2.21	<b>Zdhc2</b>	zinc finger, DHHC domain containing 2
A_66_P102676	0.000487	2.21	<b>Olfir951</b>	olfactory receptor 951
A_55_P1965574	8.93E-05	2.21	<b>BC048546</b>	cDNA sequence BC048546
A_30_P01026531	1.92E-06	2.21		
A_30_P01033413	8.63E-05	2.21		
A_55_P2043833	4.55E-06	2.21	<b>Srgap2</b>	SLIT-ROBO Rho GTPase activating protein 2
A_30_P01025772	4.28E-06	2.21		
A_30_P01030900	8.40E-07	2.21		
A_30_P01027065	8.08E-06	2.21		
A_55_P2146254	0.000233	2.21	<b>Ifitm1</b>	interferon induced transmembrane protein 1
A_30_P01024414	0.000632	2.21		
A_30_P01020704	7.35E-05	2.21		
A_55_P2033425	8.95E-05	2.21	<b>Grm5</b>	glutamate receptor, metabotropic 5
A_66_P132846	7.09E-07	2.21	<b>Exosc1</b>	exosome component 1
A_51_P123314	5.10E-05	2.21	<b>Olfir74</b>	olfactory receptor 74
A_51_P121031	0.001211	2.21	<b>March1</b>	membrane-associated ring finger (C3HC4) 1
A_66_P106113	1.70E-05	2.21	<b>Rhoj</b>	ras homolog gene family, member J
A_30_P01021959	2.72E-05	2.21		
A_51_P277795	3.31E-06	2.21	<b>2810474O19Rik</b>	RIKEN cDNA 2810474O19 gene
A_52_P237973	0.000889	2.21	<b>Olfir170</b>	olfactory receptor 170
A_55_P2064538	0.000183	2.21	<b>Gm13154</b>	predicted gene 13154
A_30_P01032792	2.70E-05	2.21		
A_30_P01021304	2.19E-06	2.21		
A_55_P1957797	0.000275	2.21	<b>U46068</b>	cDNA sequence U46068
A_55_P2099468	0.000619	2.21		
A_51_P105927	3.81E-05	2.21	<b>Ras12</b>	RAS-like, family 12
A_30_P01028302	2.80E-07	2.21		
A_55_P2152009	0.000218	2.21	<b>Tesc</b>	tescalcin
A_55_P2032518	6.77E-05	2.21	<b>Slc5a4a</b>	solute carrier family 5, member 4a
A_55_P2070005	1.62E-06	2.21		
A_51_P486001	1.51E-05	2.21	<b>Mobk12a</b>	MOB1, Mps One Binder kinase activator-like 2A (yeast)
A_55_P2374197	4.56E-05	2.21		
A_55_P1982490	0.004497	2.21		
A_55_P2132897	4.92E-06	2.21	<b>1600023N17Rik</b>	RIKEN cDNA 1600023N17 gene
A_55_P2219581	1.93E-05	2.21	<b>C76332</b>	expressed sequence C76332
A_55_P2187121	0.000125	2.20	<b>Gpr137b-ps</b>	G protein-coupled receptor 137B, pseudogene
A_51_P112174	0.000172	2.20	<b>Ahi1</b>	Abelson helper integration site 1
A_51_P121031	0.00159	2.20	<b>March1</b>	membrane-associated ring finger (C3HC4) 1
A_30_P01021497	0.00012	2.20		
A_55_P2067473	4.02E-05	2.20		
A_30_P01022726	0.000358	2.20		
A_30_P01025427	0.000774	2.20		
A_30_P01021197	1.47E-06	2.20		
A_55_P2083988	0.000122	2.20	<b>Lmo2</b>	LIM domain only 2
A_55_P2073940	1.02E-05	2.20	<b>Abcc5</b>	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_51_P422629	7.95E-06	2.20	<b>Tbpl1</b>	TATA box binding protein-like 1
A_55_P2141841	1.68E-05	2.20		
A_30_P01027737	5.61E-06	2.20		
A_51_P365378	0.000278	2.20	<b>Best2</b>	bestrophin 2
A_55_P2119877	8.49E-05	2.20		
A_55_P2046143	0.000107	2.20	<b>Gm10693</b>	predicted pseudogene 10693
A_55_P2060097	0.002301	2.20	<b>Prdm5</b>	PR domain containing 5
A_51_P128876	1.03E-08	2.20	<b>Ifitm3</b>	interferon induced transmembrane protein 3
A_51_P377376	8.71E-05	2.20	<b>Gnl3</b>	guanine nucleotide binding protein-like 3 (nucleolar)
A_30_P01021544	6.10E-05	2.20		
A_55_P2330600	6.21E-05	2.20	<b>4930554C24Rik</b>	RIKEN cDNA 4930554C24 gene
A_55_P2312144	0.000186	2.20		
A_30_P01017693	2.89E-05	2.20		
A_30_P01025779	8.94E-08	2.20		
A_52_P280360	2.74E-07	2.20	<b>Rbm3</b>	RNA binding motif protein 3
A_51_P390715	0.000461	2.20	<b>Tgfb1</b>	transforming growth factor, beta 1
A_51_P390715	0.001415	2.20	<b>Tgfb1</b>	transforming growth factor, beta 1
A_52_P434055	0.001056	2.20	<b>Birc3</b>	baculoviral IAP repeat-containing 3

A_51_P171288	0.00022	2.20	GlI3	GLI-Kruppel family member GLI3
A_30_P01029338	0.00029	2.20		
A_55_P2107247	0.001883	2.20	Tssk5	testis-specific serine kinase 5
A_55_P1968153	6.56E-06	2.20	Pcgf2	polycomb group ring finger 2
A_30_P01028830	3.09E-07	2.20		
A_66_P106654	2.21E-06	2.20	Camsap1	calmodulin regulated spectrin-associated protein 1
A_55_P1983262	0.001176	2.20		
A_55_P2032202	0.000632	2.20		
A_55_P1981760	0.001964	2.20	Vmn2r88	vomeroneasal 2, receptor 88
A_51_P325836	2.58E-07	2.20	Hpx	hemopexin
A_55_P2329136	9.45E-06	2.20	D130017N08Rik	RIKEN cDNA D130017N08 gene
A_30_P01021076	0.000217	2.20		
A_52_P222624	8.68E-06	2.20	Hspb2	heat shock protein 2
A_52_P506271	8.63E-08	2.20	Cmtm4	CKLF-like MARVEL transmembrane domain containing 4
A_55_P2133646	0.000185	2.20	4922501C03Rik	RIKEN cDNA 4922501C03 gene
A_51_P272563	2.21E-05	2.20	Naa25	N(alpha)-acetyltransferase 25, NatB auxiliary subunit
A_55_P2169247	0.001046	2.20	Gm15056	predicted gene 15056
A_55_P2111860	2.83E-05	2.20	Zc3h12c	zinc finger CCCH type containing 12C
A_55_P2109377	3.47E-08	2.20	Camk2b	calcium/calmodulin-dependent protein kinase II, beta
A_55_P2077488	0.004165	2.20	5330417H12Rik	RIKEN cDNA 5330417H12 gene
A_30_P01026875	3.83E-06	2.20		
A_55_P2007811	3.92E-05	2.20		
A_51_P101196	2.44E-07	2.20	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_51_P390285	6.68E-05	2.20	Larp6	La ribonucleoprotein domain family, member 6
A_30_P01032070	0.0005	2.20		
A_55_P2054663	6.22E-08	2.20	Cox4i2	cytochrome c oxidase subunit IV isoform 2
A_30_P01018187	0.005574	2.20		
A_51_P206445	0.000201	2.20	Zfp773	zinc finger protein 773
A_30_P01021908	0.0004	2.20		
A_51_P411770	4.28E-07	2.20	Nlp7	nuclear import 7 homolog (S. cerevisiae)
A_30_P01020336	4.91E-06	2.20		
A_51_P293069	1.96E-08	2.20	Mfsd7b	major facilitator superfamily domain containing 7B
A_51_P275976	6.28E-05	2.20	Dok1	docking protein 1
A_55_P2060343	6.56E-05	2.20	Zfp352	zinc finger protein 352
A_30_P01022324	3.84E-05	2.20		
A_55_P2013273	4.38E-06	2.20		
A_51_P464576	5.49E-06	2.20	Psen1	presenilin 1
A_55_P2174308	1.54E-05	2.20	Gm2102	predicted gene 2102
A_55_P1998421	0.000233	2.19		
A_51_P403610	1.18E-05	2.19	Olf1339	olfactory receptor 1339
A_55_P2114562	1.77E-07	2.19		
A_30_P01027767	3.54E-05	2.19		
A_30_P01032940	0.001039	2.19		
A_55_P2089677	1.23E-07	2.19	Synrg	synergic, gamma
A_51_P309501	0.002823	2.19	Praf2	PRA1 domain family 2
A_51_P117226	0.001984	2.19	Zdhc2	zinc finger, DHHC domain containing 2
A_30_P01023209	3.22E-08	2.19		
A_55_P2122605	0.005706	2.19	Cbr2	carbonyl reductase 2
A_30_P01029784	3.23E-09	2.19		
A_30_P01019633	0.000339	2.19		
A_55_P2145139	7.80E-05	2.19		
A_51_P492595	3.63E-05	2.19	Fbxo42	F-box protein 42
A_55_P1993365	2.17E-06	2.19		
A_65_P07450	0.000323	2.19	Brd8	bromodomain containing 8
A_30_P01023789	0.000646	2.19		
A_51_P503261	0.000117	2.19	Lrrc8c	leucine rich repeat containing 8 family, member C
A_52_P26357	0.00022	2.19	Arhgef7	Rho guanine nucleotide exchange factor (GEF7)
A_51_P241074	5.33E-06	2.19	Map2k1	mitogen-activated protein kinase kinase 1
A_52_P469381	8.26E-07	2.19	Comtd1	catechol-O-methyltransferase domain containing 1
A_55_P2066429	2.15E-07	2.19		
A_55_P2023424	6.41E-07	2.19	Trip10	thyroid hormone receptor interactor 10
A_30_P01031383	0.005682	2.19		
A_52_P498086	0.001231	2.19	Sfpi1	SFFV proviral integration 1
A_55_P2241488	3.31E-07	2.19	5330439K02Rik	RIKEN cDNA 5330439K02 gene
A_55_P1982891	5.61E-05	2.19	Klik9	kallikrein related-peptidase 9
A_30_P01022856	0.000104	2.19		
A_55_P1998601	0.000987	2.19	Slc17a9	solute carrier family 17, member 9
A_30_P01022072	9.57E-06	2.19		
A_55_P2118740	4.94E-08	2.19		
A_55_P2040341	1.61E-05	2.19		
A_30_P01023978	0.002438	2.19		
A_55_P2093689	3.96E-06	2.19	Pold3	polymerase (DNA-directed), delta 3, accessory subunit
A_30_P01018609	0.000277	2.19		
A_55_P1982817	3.12E-05	2.19		
A_55_P2098558	1.18E-09	2.19	Slc39a1	solute carrier family 39 (zinc transporter), member 1
A_55_P1975510	1.01E-06	2.19	H6pd	hexose-6-phosphate dehydrogenase (glucose 1-dehydrogenase)
A_52_P452019	5.03E-05	2.19	Usp31	ubiquitin specific peptidase 31
A_55_P2059323	2.04E-06	2.19	Gm13315	lactate dehydrogenase A pseudogene
A_55_P2073268	4.46E-05	2.19	Pin1	protein (peptidyl-prolyl cis/trans isomerase) NIMA-interacting 1
A_30_P01023537	1.96E-07	2.19		
A_66_P113659	1.79E-06	2.19	Ripply1	rippy1 homolog (zebrafish)
A_51_P463860	0.000115	2.19	Fam161b	family with sequence similarity 161, member B
A_55_P2141876	1.76E-05	2.19	Ldha	lactate dehydrogenase A
A_30_P01020667	4.69E-06	2.19		
A_55_P2139027	8.44E-07	2.19	Plec	plectin
A_30_P01025193	0.00424	2.19		
A_51_P110888	0.000382	2.19	Pck2	phosphoenolpyruvate carboxykinase 2 (mitochondrial)
A_55_P1998374	1.00E-07	2.19	Ppflbp1	PTPRF interacting protein, binding protein 1 (liprin beta 1)
A_55_P2013928	6.05E-08	2.19	Dhrs13	dehydrogenase/reductase (SDR family) member 13
A_52_P562769	1.01E-05	2.19	Ccdc66	coiled-coil domain containing 66
A_55_P1979103	1.64E-05	2.19	E330009J07Rik	RIKEN cDNA E330009J07 gene
A_55_P2178733	0.000396	2.19	Tbc1d1	TBC1 domain family, member 1
A_55_P2006183	3.43E-05	2.19		
A_51_P327491	0.001931	2.19	Apoa4	apolipoprotein A-IV
A_55_P2049913	1.55E-05	2.19		



A_51_P281380	0.000327	2.19	Tspan5	tetraspanin 5
A_55_P2181251	8.38E-05	2.19	A430105I19Rik	RIKEN cDNA A430105I19 gene
A_51_P449325	0.005944	2.19	H2-Oa	histocompatibility 2, O region alpha locus
A_30_P01019322	2.70E-06	2.19		
A_55_P2353462	3.92E-05	2.19	9530036O11Rik	RIKEN cDNA 9530036O11Rik
A_51_P116421	0.000166	2.19	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_30_P01021694	2.52E-05	2.19		
A_51_P182311	0.000173	2.19	Clec2l	C-type lectin domain family 2, member i
A_55_P1998095	0.000598	2.19		
A_55_P2019118	7.74E-05	2.19	LOC634012	ubiquitin-conjugating enzyme E2 Q2-like
A_55_P1961458	8.06E-05	2.19	Speer1-ps1	spermatogenesis associated glutamate (E)-rich protein 1, pseudogene 1
A_52_P225898	0.00373	2.19	Kcnj8	potassium inwardly-rectifying channel, subfamily J, member 8
A_30_P01019372	2.92E-07	2.19		
A_30_P01030474	0.000328	2.19		
A_55_P2108165	2.39E-06	2.19	Gm6907	predicted gene 6907
A_55_P1959379	8.42E-05	2.19	BC080695	cDNA sequence BC080695
A_55_P2090768	1.83E-05	2.19		
A_55_P2085940	5.54E-06	2.18		
A_55_P2173353	3.35E-07	2.18	Gm628	predicted gene 628
A_30_P01027548	5.07E-06	2.18		
A_51_P234113	0.000561	2.18	Nod1	nucleotide-binding oligomerization domain containing 1
A_55_P2059164	1.31E-05	2.18	H3f3b	H3 histone, family 3B
A_65_P19933	0.000678	2.18	Zdhhc23	zinc finger, DHHC domain containing 23
A_30_P01026543	4.91E-06	2.18		
A_30_P01033469	0.000156	2.18		
A_55_P2090045	3.86E-05	2.18		
A_30_P01017841	3.80E-09	2.18		
A_55_P2146127	2.17E-08	2.18	Chmp4b	chromatin modifying protein 4B
A_55_P2152547	6.37E-06	2.18	Myl3	myosin, light polypeptide 3
A_55_P2149001	1.09E-08	2.18		
A_55_P2112613	2.02E-07	2.18		
A_55_P1999108	3.42E-05	2.18	Defa1	defensin, alpha 1
A_55_P1973043	0.003903	2.18	Tmem163	transmembrane protein 163
A_55_P2045299	1.62E-05	2.18	Gpc5	glypican 5
A_55_P2132671	8.63E-06	2.18		
A_55_P2036303	6.81E-05	2.18	Bdnf	brain derived neurotrophic factor
A_55_P2108763	2.09E-06	2.18	Sp100	nuclear antigen Sp100
A_55_P2101666	8.81E-05	2.18	Vamp5	vesicle-associated membrane protein 5
A_55_P1997574	8.45E-06	2.18	Gm4850	THO complex 4 pseudogene
A_55_P2053894	0.000672	2.18	Olf91	olfactory receptor 91
A_30_P01030965	0.000262	2.18		
A_55_P1954511	1.02E-06	2.18	Btbd10	BTB (POZ) domain containing 10
A_55_P2019896	0.00013	2.18	D730005E14Rik	RIKEN cDNA D730005E14 gene
A_55_P2011132	3.13E-08	2.18	Armc10	armadillo repeat containing 10
A_55_P1989539	0.002222	2.18	Ckif	chemokine-like factor
A_55_P2042356	0.000415	2.18	Rftn1	raftlin lipid raft linker 1
A_30_P01023953	0.000774	2.18		
A_30_P01019824	0.000113	2.18		
A_55_P1987364	6.15E-06	2.18	C330006K01Rik	RIKEN cDNA C330006K01 gene
A_55_P2161450	0.000446	2.18	Serpina3b	serine (or cysteine) peptidase inhibitor, clade A, member 3B
A_51_P121031	0.002114	2.18	March1	membrane-associated ring finger (C3HC4) 1
A_52_P650540	4.89E-05	2.18	Nlrp3	NLR family, pyrin domain containing 3
A_55_P2153361	0.000131	2.18		
A_55_P2069995	2.03E-05	2.18		
A_30_P01030397	3.98E-07	2.18		
A_30_P01028728	9.87E-07	2.18		
A_55_P2133568	0.000144	2.18		
A_55_P1956048	2.53E-05	2.18	H2-T3	histocompatibility 2, T region locus 3
A_55_P2130905	4.55E-07	2.18		
A_51_P481930	0.000104	2.18	Cdh15	cadherin 15
A_51_P117226	0.005543	2.18	Zdhhc2	zinc finger, DHHC domain containing 2
A_55_P2002357	5.93E-06	2.17	Tnrc18	trinucleotide repeat containing 18
A_55_P2331844	0.001886	2.17	AU041474	expressed sequence AU041474
A_30_P01021087	1.07E-05	2.17		
A_51_P165704	1.62E-06	2.17	Mcm7	minichromosome maintenance deficient 7 (S. cerevisiae)
A_51_P115626	0.001931	2.17	Shank3	SH3/ankyrin domain gene 3
A_51_P440460	2.12E-06	2.17	Hlp1r	huntingtin interacting protein 1 related
A_55_P1981322	0.000872	2.17	Grhl2	grainyhead-like 2 (Drosophila)
A_55_P2021266	0.002234	2.17	Hpse	heparanase
A_55_P1967835	1.82E-05	2.17	Tmem198	transmembrane protein 198
A_55_P2084631	3.02E-05	2.17	Hist1h2an	histone cluster 1, H2an
A_51_P136521	2.47E-05	2.17	Lypd2	Ly6/Plaur domain containing 2
A_55_P2113550	7.74E-05	2.17		
A_30_P01026266	9.56E-06	2.17		
A_52_P138806	3.15E-05	2.17	Dlgap3	discs, large (Drosophila) homolog-associated protein 3
A_30_P01031484	0.000573	2.17		
A_55_P2108206	8.06E-08	2.17	Rrp7a	ribosomal RNA processing 7 homolog A (S. cerevisiae)
A_30_P01032934	0.000192	2.17		
A_30_P01033337	2.40E-07	2.17		
A_55_P2075670	1.39E-05	2.17		
A_51_P513163	1.84E-05	2.17	Tra2a	transformer 2 alpha homolog (Drosophila)
A_30_P01026070	0.001205	2.17		
A_55_P2060966	0.000163	2.17	Mov10	Moloney leukemia virus 10
A_51_P126302	0.000607	2.17	Rbmx2	RNA binding motif protein, X-linked 2
A_52_P580707	1.98E-07	2.17	Zfp781	zinc finger protein 781
A_30_P01022105	8.15E-06	2.17		
A_55_P2024709	1.25E-06	2.17	4933427D14Rik	RIKEN cDNA 4933427D14 gene
A_55_P1989013	7.22E-07	2.17	Elf6	eukaryotic translation initiation factor 6
A_30_P01023971	0.001613	2.17		
A_55_P2179572	9.10E-08	2.17	Slc18a3	solute carrier family 18 (vesicular monoamine), member 3
A_55_P2041910	5.07E-05	2.17	Gm7935	predicted pseudogene 7935
A_30_P01025186	0.00046	2.17		
A_55_P2156583	0.000206	2.17	Cdk5r1	cyclin-dependent kinase 5, regulatory subunit 1 (p35)
A_30_P01027147	0.000967	2.17		
A_30_P01026788	0.002539	2.17		

A_52_P694988	1.22E-06	2.17	Zfp933	zinc finger protein 933
A_30_P01027190	8.79E-06	2.17		
A_30_P01027329	7.03E-05	2.17		
A_51_P506417	3.21E-05	2.17	Krt14	keratin 14
A_51_P382805	5.99E-06	2.17	Zpbbp2	zona pellucida binding protein 2
A_30_P01031187	8.35E-09	2.17		
A_30_P01018639	1.85E-05	2.17		
A_30_P01023664	0.000141	2.17		
A_30_P01025720	9.39E-06	2.17		
A_51_P414927	0.002525	2.17	Pigw	phosphatidylinositol glycan anchor biosynthesis, class W
A_55_P2076489	8.30E-06	2.17	Rac1	RAS-related C3 botulinum substrate 1
A_55_P2093439	7.64E-05	2.17	Mex3d	mex3 homolog D (C. elegans)
A_55_P2047598	1.90E-09	2.17	Arhgdia	Rho GDP dissociation inhibitor (GDI) alpha
A_55_P2125261	7.67E-06	2.17	4930523C07RIK	RIKEN cDNA 4930523C07 gene
A_55_P2170210	5.25E-05	2.17	Ap1s3	adaptor-related protein complex AP-1, sigma 3
A_51_P390715	0.000398	2.17	Tgfb1	transforming growth factor, beta 1
A_55_P1982404	0.000247	2.17	Gpm6b	glycoprotein m6b
A_66_P101394	0.000785	2.17	Gm11190	predicted gene 11190
A_51_P186476	0.003656	2.17	Slc11a1	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 1
A_51_P101196	3.23E-07	2.17	Psme1	proteasome (prosome, macropain) 28 subunit, alpha
A_30_P01024188	0.000473	2.17		
A_55_P2139886	1.74E-07	2.17	Sft2d1	SFT2 domain containing 1
A_30_P01023470	0.000168	2.17		
A_55_P2018017	0.001982	2.17	Tnfsf10	tumor necrosis factor (ligand) superfamily, member 10
A_55_P2132132	0.000788	2.17		
A_55_P2079561	0.000446	2.17	Lilra6	leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 6
A_55_P2058871	7.23E-06	2.17	Otud5	OTU domain containing 5
A_51_P174434	1.54E-05	2.17	Cenpj	centromere protein J
A_55_P2068882	0.000503	2.16	Ccng2	cyclin G2
A_55_P2127991	0.000191	2.16	Ccl19	chemokine (C-C motif) ligand 19
A_51_P116421	5.81E-05	2.16	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_55_P2025690	0.000332	2.16	Slc5a7	solute carrier family 5 (choline transporter), member 7
A_51_P357422	3.07E-05	2.16	2410022L05RIK	RIKEN cDNA 2410022L05 gene
A_52_P612803	7.74E-05	2.16	Ccng1	cyclin G1
A_55_P2054559	1.30E-08	2.16		
A_55_P2087292	0.002918	2.16		
A_30_P01025930	1.07E-07	2.16		
A_30_P01031896	5.07E-06	2.16		
A_30_P01025072	0.000912	2.16		
A_55_P2066304	4.95E-05	2.16	Limk2	LIM motif-containing protein kinase 2
A_52_P483129	0.003054	2.16	Utp23	UTP23, small subunit (SSU) processome component, homolog (yeast)
A_55_P2169311	0.004085	2.16	4930515G01RIK	RIKEN cDNA 4930515G01 gene
A_30_P01023456	9.71E-06	2.16		
A_55_P2085015	7.20E-06	2.16	Vsx1	visual system homeobox 1 homolog (zebrafish)
A_55_P2136890	0.004573	2.16		
A_30_P01029868	0.000248	2.16		
A_55_P1958932	2.23E-05	2.16		
A_51_P321331	1.20E-05	2.16	Sptlc2	serine palmitoyltransferase, long chain base subunit 2
A_52_P524227	8.78E-07	2.16	Olf149	olfactory receptor 149
A_55_P2114201	0.000546	2.16	G2e3	G2/M-phase specific E3 ubiquitin ligase
A_30_P01026516	3.96E-05	2.16		
A_55_P2186450	3.70E-06	2.16		
A_55_P2227355	0.001606	2.16	Ptpro	protein tyrosine phosphatase, receptor type, O
A_55_P2026079	3.83E-05	2.16	Usp31	ubiquitin specific peptidase 31
A_30_P01028720	2.37E-06	2.16		
A_51_P240614	0.002146	2.16	Tm4sf1	transmembrane 4 superfamily member 1
A_55_P2016099	0.003455	2.16	Gpr31c	G protein-coupled receptor 31, D17Leh66c region
A_30_P01021840	0.0002	2.16		
A_55_P2160761	0.000123	2.16	Zcchc2	zinc finger, CCHC domain containing 2
A_51_P134030	2.81E-06	2.16	Oas1e	2'-5' oligoadenylate synthetase 1E
A_51_P479818	0.000168	2.16	Lonr3	LON peptidase N-terminal domain and ring finger 3
A_55_P2065966	3.49E-06	2.16	Ctdp1	CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) phosphatase, subunit 1
A_55_P2156490	0.000191	2.16	Gm3146	predicted gene 3146
A_52_P608255	0.000584	2.16	Pim2	proviral integration site 2
A_55_P2107362	0.000656	2.16	Gjc1	gap junction protein, gamma 1
A_51_P446012	0.000192	2.16	Phf13	PHD finger protein 13
A_52_P557059	0.000198	2.16	Olf1536	olfactory receptor 536
A_55_P2014328	1.55E-07	2.16		
A_55_P1990735	1.65E-05	2.16	Ift122	intraflagellar transport 122 homolog (Chlamydomonas)
A_55_P2168451	0.000208	2.16	Nhlrc4	NHL repeat containing 4
A_55_P2132549	0.000656	2.16	Cd48	CD48 antigen
A_55_P2042637	0.000725	2.16		
A_55_P2032079	0.000695	2.16	Dbp	D site albumin promoter binding protein
A_30_P01027312	2.62E-06	2.16		
A_55_P2321125	0.000309	2.16	D230040A04RIK	RIKEN cDNA D230040A04 gene
A_51_P116421	2.90E-05	2.16	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_55_P2139814	2.62E-05	2.16		
A_55_P2156930	0.000104	2.16	Syt13	synaptotagmin-like 3
A_51_P419017	0.006054	2.16	Pde10a	phosphodiesterase 10A
A_51_P347529	0.000899	2.16	Nek5	NIMA (never in mitosis gene a)-related expressed kinase 5
A_51_P500949	0.00018	2.16	Aff1	AF4/FMR2 family, member 1
A_52_P445622	4.03E-05	2.16	2610002M06RIK	RIKEN cDNA 2610002M06 gene
A_55_P2062054	2.23E-08	2.16	Dbndd2	dysbindin (dystrobrevin binding protein 1) domain containing 2
A_55_P2107367	1.41E-05	2.16		
A_55_P2146891	1.01E-07	2.16		
A_30_P01027229	0.00082	2.16		
A_55_P2044992	1.13E-06	2.16		
A_30_P01026642	0.003995	2.16		
A_55_P2182586	3.36E-07	2.16	Esrp1	epithelial splicing regulatory protein 1
A_30_P01026690	0.000101	2.16		
A_55_P1962811	1.08E-07	2.16	Anp32b	acidic (leucine-rich) nuclear phosphoprotein 32 family, member B
A_51_P124719	1.84E-07	2.16	Ccdc93	coiled-coil domain containing 93
A_55_P2233368	0.000125	2.15	4930572J10RIK	RIKEN cDNA 4930572J10 gene
A_55_P2018457	1.81E-05	2.15	Hdac7	histone deacetylase 7
A_30_P01029366	4.62E-06	2.15		

A_65_P15340	3.54E-07	2.15	Zfp251	zinc finger protein 251
A_55_P1969481	0.001834	2.15	Hlvep3	human immunodeficiency virus type I enhancer binding protein 3
A_51_P123314	4.89E-05	2.15	Olf74	olfactory receptor 74
A_55_P1981155	0.000124	2.15	Phldb1	pleckstrin homology-like domain, family B, member 1
A_55_P2048119	0.000743	2.15	Slc29a4	solute carrier family 29 (nucleoside transporters), member 4
A_55_P2122546	7.77E-06	2.15	Csnk1e	casein kinase 1, epsilon
A_30_P01030298	7.95E-05	2.15		
A_30_P01024515	5.94E-07	2.15		
A_55_P1974612	0.001264	2.15	C030039L03Rik	RIKEN cDNA C030039L03 gene
A_51_P128463	0.002532	2.15	Grrp1	glycine/arginine rich protein 1
A_55_P1997415	0.000129	2.15	Exoc6b	exocyst complex component 6B
A_55_P2055050	0.000175	2.15	4930547M16Rik	RIKEN cDNA 4930547M16 gene
A_30_P01023378	1.25E-05	2.15		
A_55_P2133225	5.29E-05	2.15	Mmgt2	membrane magnesium transporter 2
A_55_P2155479	0.00032	2.15	Eps8	epidermal growth factor receptor pathway substrate 8
A_51_P195875	0.000329	2.15	Notch4	Notch gene homolog 4 (Drosophila)
A_52_P436238	0.000265	2.15	Odc1	ornithine decarboxylase, structural 1
A_55_P2157068	5.67E-07	2.15	Cdhr2	cadherin-related family member 2
A_55_P2043269	1.36E-07	2.15	Cdc42se1	CDC42 small effector 1
A_30_P01020051	3.50E-06	2.15		
A_30_P01033251	0.000601	2.15		
A_55_P2028496	0.000853	2.15		
A_30_P01020853	0.001051	2.15		
A_30_P01017514	2.71E-06	2.15		
A_30_P01017601	6.11E-06	2.15		
A_51_P436521	8.07E-05	2.15	Tmc2	transmembrane channel-like gene family 2
A_52_P578790	0.002153	2.15	Dok3	docking protein 3
A_55_P2053810	0.000216	2.15	Gm4831	predicted gene 4831
A_55_P2003576	0.002532	2.15	Tpx2	TPX2, microtubule-associated protein homolog (Xenopus laevis)
A_30_P01032845	0.00282	2.15		
A_51_P117226	0.00134	2.15	Zdhc2	zinc finger, DHHC domain containing 2
A_30_P01019364	2.50E-05	2.15		
A_51_P212977	2.00E-05	2.15	AA960436	expressed sequence AA960436
A_55_P2129330	0.00025	2.15		
A_55_P2032099	0.001618	2.15	Zfp715	zinc finger protein 715
A_30_P01019135	0.001379	2.15		
A_55_P1959338	4.52E-05	2.15	AI846148	expressed sequence AI846148
A_55_P2053466	1.30E-06	2.15		
A_55_P2313658	0.000296	2.15	C79777	expressed sequence C79777
A_55_P2067483	1.99E-06	2.15		
A_30_P01022314	0.000457	2.15		
A_66_P118849	0.00037	2.15	2310034G01Rik	RIKEN cDNA 2310034G01 gene
A_30_P01026323	5.12E-05	2.15		
A_51_P145433	8.86E-06	2.15	Lin7c	lin-7 homolog C (C. elegans)
A_51_P222657	7.78E-06	2.15	Tspo	translocator protein
A_51_P115655	1.97E-05	2.15	Iqcd	IQ motif containing D
A_52_P141687	4.97E-05	2.14	Gpr3711	G protein-coupled receptor 37-like 1
A_55_P1965817	0.000189	2.14		
A_55_P1964038	2.70E-07	2.14		
A_55_P1969700	7.76E-05	2.14	Olf1380	olfactory receptor 1380
A_55_P2338090	3.37E-05	2.14	F830115B05Rik	RIKEN cDNA F830115B05 gene
A_51_P304490	0.00092	2.14	Olf12	olfactory receptor 12
A_55_P1959953	0.000446	2.14	BC006779	cDNA sequence BC006779
A_55_P2210724	0.00031	2.14	Trcg1	taste receptor cell gene 1
A_55_P2113524	2.03E-06	2.14	Whsc1	Wolf-Hirschhorn syndrome candidate 1 (human)
A_55_P1975090	3.78E-06	2.14		
A_30_P01025480	2.90E-05	2.14		
A_55_P1952379	0.001153	2.14	Fkbp5	FK506 binding protein 5
A_30_P01027230	1.35E-08	2.14		
A_51_P214197	0.000624	2.14	Stk17b	serine/threonine kinase 17b (apoptosis-inducing)
A_51_P168695	1.97E-05	2.14	Mast4	microtubule associated serine/threonine kinase family member 4
A_51_P390715	0.000701	2.14	Tgfb1	transforming growth factor, beta 1
A_55_P1953489	0.001311	2.14	Lrrc8b	leucine rich repeat containing 8 family, member B
A_30_P01022241	9.91E-08	2.14		
A_51_P161354	4.89E-05	2.14	Sesn2	sestrin 2
A_51_P207028	6.46E-05	2.14	Vmn1r227	vomeroneasal 1 receptor 227
A_55_P2348126	1.88E-05	2.14	1500032F14Rik	RIKEN cDNA 1500032F14 gene
A_55_P1992326	4.61E-06	2.14	BC066135	cDNA sequence BC066135
A_55_P1954768	5.32E-08	2.14		
A_30_P01019583	0.001591	2.14		
A_55_P1990111	1.96E-06	2.14	Shroom3	shroom family member 3
A_55_P2000930	8.07E-06	2.14	Ccnyl1	cyclin Y-like 1
A_30_P01025008	0.004632	2.14		
A_55_P1990450	0.002998	2.14	Kif3b	kinesin family member 3B
A_51_P115159	1.44E-07	2.14	Fam162a	family with sequence similarity 162, member A
A_55_P2060198	9.86E-06	2.14		
A_55_P2115127	2.87E-05	2.14	Mphosph10	M-phase phosphoprotein 10 (U3 small nucleolar ribonucleoprotein)
A_55_P2182740	0.000146	2.14	2310047D07Rik	RIKEN cDNA 2310047D07 gene
A_51_P290576	7.90E-05	2.14	Plk2	polo-like kinase 2 (Drosophila)
A_30_P01032176	0.002089	2.14		
A_55_P1978830	1.03E-06	2.14	Camk2d	calcium/calmodulin-dependent protein kinase II, delta
A_30_P01021426	0.001683	2.14		
A_55_P1986665	9.04E-08	2.14	Olf319	olfactory receptor 319
A_52_P334796	0.000125	2.14	Taar4	trace amine-associated receptor 4
A_51_P342877	1.54E-05	2.14	Scn1b	sodium channel, voltage-gated, type I, beta
A_52_P451834	2.07E-05	2.14	Stk35	serine/threonine kinase 35
A_51_P300506	8.96E-06	2.14	Cox6b2	cytochrome c oxidase subunit VIb polypeptide 2
A_55_P2099765	4.38E-06	2.14		
A_51_P411917	1.34E-05	2.14	Gata6	GATA binding protein 6
A_55_P2109382	1.89E-07	2.14	Adora2a	adenosine A2a receptor
A_66_P134252	1.19E-08	2.14	Gm12471	predicted gene 12471
A_51_P278868	0.003476	2.14	H2-DMb1	histocompatibility 2, class II, locus Mb1
A_30_P01023730	0.000256	2.14		
A_51_P116421	5.55E-05	2.14	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_65_P10399	0.000632	2.14	Gna13	guanine nucleotide binding protein, alpha 13

A_51_P450278	9.75E-06	2.14	2010003K11Rik	RIKEN cDNA 2010003K11 gene
A_55_P2103432	6.28E-07	2.14		
A_30_P01020315	5.34E-05	2.14		
A_55_P1993976	5.53E-07	2.14	Aimp2	aminoacyl tRNA synthetase complex-interacting multifunctional protein 2
A_55_P2090279	0.000173	2.13		
A_55_P1997231	0.00013	2.13		
A_51_P228706	1.77E-05	2.13	Kcnc4	potassium voltage gated channel, Shaw-related subfamily, member 4
A_55_P1986716	0.000673	2.13		
A_55_P2033445	7.56E-06	2.13	Tnfrsf1b	tumor necrosis factor receptor superfamily, member 1b
A_30_P01020278	2.10E-05	2.13		
A_55_P1973848	3.29E-05	2.13	Sema4b	sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (sema
A_55_P1983819	1.03E-06	2.13	Srsf7	serine/arginine-rich splicing factor 7
A_55_P2121541	1.36E-07	2.13	Gm6607	40S ribosomal protein S20 pseudogene
A_66_P123666	1.94E-07	2.13	Gdap111	ganglioside-induced differentiation-associated protein 1-like 1
A_55_P1993789	0.001546	2.13	Hmgn2	high mobility group nucleosomal binding domain 2
A_55_P2013591	1.83E-06	2.13		
A_51_P494675	3.34E-05	2.13	Cotl1	coactosin-like 1 (Dictyostelium)
A_51_P117115	7.27E-07	2.13	Olf53	olfactory receptor 53
A_51_P132685	0.004019	2.13	Alpl2	alkaline phosphatase, placental-like 2
A_55_P2292608	0.000471	2.13	A930037H05Rik	RIKEN cDNA A930037H05 gene
A_66_P124052	5.77E-05	2.13	Bok	BCL2-related ovarian killer protein
A_55_P2268945	0.004836	2.13	LOC100038759	hypothetical LOC100038759
A_51_P465281	3.66E-05	2.13	Lgals1	lectin, galactose binding, soluble 1
A_55_P2333061	0.001627	2.13	A230101C19Rik	RIKEN cDNA A230101C19 gene
A_30_P01026566	2.00E-06	2.13		
A_30_P01027165	1.55E-06	2.13		
A_51_P187901	9.24E-09	2.13	Nop56	NOP56 ribonucleoprotein homolog (yeast)
A_55_P2081555	2.44E-05	2.13	Phf23	PHD finger protein 23
A_30_P01031319	0.000786	2.13		
A_55_P2071656	0.000452	2.13	Kcna1	potassium large conductance calcium-activated channel, subfamily M, alpha member 1
A_51_P108901	2.76E-06	2.13	Ccdc86	coiled-coil domain containing 86
A_30_P01030836	0.000707	2.13		
A_51_P124089	8.43E-05	2.13	Gtpbp2	GTP binding protein 2
A_51_P486810	0.000282	2.13	Gpx2	glutathione peroxidase 2
A_55_P2004208	0.000106	2.13	Defa-rs2	defensin, alpha, related sequence 2
A_30_P01030481	0.002003	2.13		
A_51_P497171	0.000376	2.13	Ly9	lymphocyte antigen 9
A_30_P01020580	5.07E-05	2.13		
A_55_P2052853	0.000254	2.13		
A_55_P2118810	8.78E-07	2.13		
A_51_P487813	2.95E-05	2.13	Lxn	latexin
A_55_P2108948	0.000348	2.13	Gjc3	gap junction protein, gamma 3
A_55_P2030717	3.32E-06	2.13		
A_55_P2135845	1.43E-06	2.13		
A_30_P01029394	0.004016	2.13		
A_51_P115159	3.76E-07	2.13	Fam162a	family with sequence similarity 162, member A
A_30_P01031198	0.000438	2.13		
A_55_P2420948	6.84E-05	2.13		
A_55_P2010386	8.48E-05	2.13	Tspan32	tetraspanin 32
A_51_P483013	4.51E-06	2.13	1110018G07Rik	RIKEN cDNA 1110018G07 gene
A_52_P188261	4.00E-05	2.13	Camk2d	calcium/calmodulin-dependent protein kinase II, delta
A_30_P01026519	0.000897	2.13		
A_55_P2091889	0.000113	2.13	2210015D19Rik	RIKEN cDNA 2210015D19 gene
A_52_P189676	4.37E-05	2.13	Olf559	olfactory receptor 559
A_55_P2118183	4.72E-05	2.13	Tnks2	tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase 2
A_30_P01019036	4.10E-06	2.13		
A_30_P01019970	3.07E-05	2.13		
A_30_P01030134	1.11E-05	2.13		
A_55_P2123381	0.000116	2.13	Fga	fibrinogen alpha chain
A_55_P2177233	5.64E-06	2.13	Abhd5	abhydrolase domain containing 5
A_55_P2047599	1.40E-08	2.13	Arhgdla	Rho GDP dissociation inhibitor (GDI) alpha
A_30_P01030002	3.67E-06	2.13		
A_30_P01024088	0.002055	2.13		
A_30_P01026797	0.000338	2.13		
A_30_P01023757	0.000153	2.13		
A_55_P1971448	4.92E-08	2.13	Snrpd1	small nuclear ribonucleoprotein D1
A_55_P1968982	1.32E-06	2.13	Pbx3	pre B-cell leukemia transcription factor 3
A_30_P01022766	0.000307	2.13		
A_30_P01030491	7.41E-06	2.13		
A_30_P01022818	2.20E-05	2.13		
A_55_P2030171	7.25E-05	2.12	Ifna2	interferon alpha 2
A_51_P179504	1.51E-05	2.12	Ang3	angiogenin, ribonuclease A family, member 3
A_30_P01024848	3.71E-06	2.12		
A_30_P01030654	0.001106	2.12		
A_30_P01026412	5.12E-08	2.12		
A_30_P01026395	2.70E-05	2.12		
A_51_P387608	1.59E-05	2.12	Hif1a	hypoxia inducible factor 1, alpha subunit
A_55_P2347976	2.27E-05	2.12	Mir17hg	MIR17 host gene 1 (non-protein coding)
A_30_P01022432	0.000349	2.12		
A_30_P01017851	3.64E-07	2.12		
A_51_P328818	0.001019	2.12	Olf100	olfactory receptor 100
A_55_P2115255	3.43E-07	2.12	Fert2	fer (fms/fps related) protein kinase, testis specific 2
A_51_P115159	5.70E-07	2.12	Fam162a	family with sequence similarity 162, member A
A_55_P2012960	4.82E-05	2.12	Gpx7	glutathione peroxidase 7
A_52_P231075	0.000133	2.12	Fcrls	Fc receptor-like S, scavenger receptor
A_55_P2031668	1.75E-06	2.12	Gstp1	glutathione S-transferase, pi 1
A_51_P328489	0.000362	2.12	1700025G04Rik	RIKEN cDNA 1700025G04 gene
A_55_P2016685	6.34E-07	2.12	Csnk1g1	casein kinase 1, gamma 1
A_30_P01019459	8.39E-06	2.12		
A_30_P01021863	0.000671	2.12		
A_30_P01032718	6.09E-05	2.12		
A_55_P2055315	4.08E-05	2.12		
A_51_P115626	0.002488	2.12	Shank3	SH3/ankyrin domain gene 3
A_52_P484925	0.000395	2.12		
A_55_P1984886	0.000822	2.12	Hcst	hematopoietic cell signal transducer

A_30_P01027214	0.000271	2.12		
A_30_P01028724	8.15E-05	2.12		
A_51_P115159	3.10E-06	2.12	<b>Fam162a</b>	family with sequence similarity 162, member A
A_55_P2038303	7.11E-05	2.12		
A_51_P126835	5.84E-07	2.12	<b>2700007P21Rik</b>	RIKEN cDNA 2700007P21 gene
A_55_P2063411	4.63E-08	2.12	<b>Rgp1</b>	RGP1 retrograde golgi transport homolog ( <i>S. cerevisiae</i> )
A_51_P126835	4.54E-07	2.12	<b>2700007P21Rik</b>	RIKEN cDNA 2700007P21 gene
A_55_P2061036	0.001764	2.12		
A_30_P01028844		2.12		
A_55_P2367250	7.20E-05	2.12	<b>Pou4f1</b>	POU domain, class 4, transcription factor 1
A_51_P103650	6.96E-09	2.12	<b>Trim8</b>	tripartite motif-containing 8
A_55_P1999240	1.32E-06	2.12		
A_55_P2061737	8.00E-05	2.12	<b>Tmsb4x</b>	thymosin, beta 4, X chromosome
A_55_P2023692	1.18E-05	2.12	<b>Neur1a</b>	neutralized homolog 1A ( <i>Drosophila</i> )
A_51_P252859	0.000149	2.12	<b>Cyr61</b>	cysteine rich protein 61
A_55_P2015375	0.001562	2.12	<b>Tuba3a</b>	tubulin, alpha 3A
A_55_P2107288	7.84E-06	2.12	<b>Tgfb2</b>	transforming growth factor, beta receptor II
A_30_P01023320	3.77E-05	2.12		
A_51_P396273	5.29E-06	2.12	<b>Nras</b>	neuroblastoma ras oncogene
A_30_P01019478	1.10E-06	2.12		
A_30_P01020064	2.06E-06	2.12		
A_30_P01019873	0.000129	2.12		
A_55_P2148519	0.000671	2.12	<b>5830403L16Rik</b>	RIKEN cDNA 5830403L16 gene
A_55_P2076106	0.000305	2.12		
A_51_P115159	7.68E-07	2.12	<b>Fam162a</b>	family with sequence similarity 162, member A
A_55_P2201020	0.000333	2.12	<b>AI790442</b>	expressed sequence AI790442
A_55_P1998987	8.09E-05	2.12		
A_55_P1975177	3.19E-05	2.12	<b>Acyp1</b>	acylphosphatase 1, erythrocyte (common) type
A_55_P2002632	4.46E-06	2.12	<b>Rap1b</b>	RAS related protein 1b
A_52_P241508	0.000156	2.11	<b>Zbtb46</b>	zinc finger and BTB domain containing 46
A_51_P124748	0.000233	2.11	<b>Tgfb3</b>	transforming growth factor, beta 3
A_51_P272876	0.001707	2.11	<b>Fam46a</b>	family with sequence similarity 46, member A
A_55_P2176802	1.75E-05	2.11	<b>Hipk1</b>	homeodomain interacting protein kinase 1
A_30_P01027263	0.000558	2.11		
A_51_P396708	6.97E-05	2.11	<b>Med21</b>	mediator complex subunit 21
A_51_P360586	0.000202	2.11	<b>Hoxa6</b>	homeobox A6
A_52_P215469	3.83E-05	2.11	<b>Plekha1</b>	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 1
A_55_P1981050	0.000217	2.11	<b>Gemin8</b>	gem (nuclear organelle) associated protein 8
A_55_P2018412	0.000615	2.11	<b>Sycp2</b>	synaptonemal complex protein 2
A_30_P01020862	9.24E-06	2.11		
A_55_P2148744	7.31E-07	2.11		
A_30_P01026071	0.000686	2.11		
A_51_P477229	0.000626	2.11	<b>Olf780</b>	olfactory receptor 780
A_55_P2055537	1.44E-06	2.11	<b>Slc16a6</b>	solute carrier family 16 (monocarboxylic acid transporters), member 6
A_30_P01018135	0.000643	2.11		
A_30_P01025687	0.001092	2.11		
A_55_P2041075	2.11E-07	2.11	<b>Ccnd3</b>	cyclin D3
A_30_P01026504	3.65E-05	2.11		
A_52_P95910	0.000255	2.11	<b>Ugcg</b>	UDP-glucose ceramide glucosyltransferase
A_51_P121031	0.004706	2.11	<b>March1</b>	membrane-associated ring finger (C3HC4) 1
A_55_P2016367	0.000131	2.11	<b>Rhox3f</b>	reproductive homeobox 3F
A_55_P2066081	6.67E-07	2.11	<b>Prmt6</b>	protein arginine N-methyltransferase 6
A_55_P1958280	1.43E-06	2.11	<b>Arrdc1</b>	arrestin domain containing 1
A_55_P2390796	3.63E-05	2.11	<b>5031420N21Rik</b>	RIKEN cDNA 5031420N21 gene
A_51_P124748	0.000239	2.11	<b>Tgfb3</b>	transforming growth factor, beta 3
A_55_P2064272	1.09E-05	2.11		
A_66_P114295	0.000392	2.11		
A_55_P2122709	2.46E-06	2.11	<b>Arhgef3</b>	Rho guanine nucleotide exchange factor (GEF) 3
A_66_P116311	2.78E-06	2.11	<b>Kif5b</b>	kinesin family member 5B
A_55_P1997791	3.07E-07	2.11	<b>Fbl</b>	fibrillarin
A_30_P01027090	2.61E-05	2.11		
A_51_P155763	0.000927	2.11	<b>Ascc3</b>	activating signal cointegrator 1 complex subunit 3
A_30_P01023604	1.58E-07	2.11		
A_30_P01027639	4.69E-05	2.11		
A_55_P2295445	1.38E-05	2.11	<b>2600002B07Rik</b>	RIKEN cDNA 2600002B07 gene
A_51_P124748	8.90E-05	2.11	<b>Tgfb3</b>	transforming growth factor, beta 3
A_55_P1957018	1.68E-05	2.11	<b>Caskin2</b>	CASK-interacting protein 2
A_55_P2109752	1.93E-05	2.11	<b>Nans</b>	N-acetylneuraminic acid synthase (sialic acid synthase)
A_52_P374157	0.00192	2.11	<b>Kbtbd8</b>	kelch repeat and BTB (POZ) domain containing 8
A_52_P142412	3.40E-05	2.11	<b>5830409B07Rik</b>	RIKEN cDNA 5830409B07 gene
A_30_P01022903	0.002761	2.11		
A_55_P2155041	2.27E-05	2.11	<b>Ssbp2</b>	single-stranded DNA binding protein 2
A_65_P18981	0.003632	2.11	<b>Palb2</b>	partner and localizer of BRCA2
A_55_P2240116	2.67E-05	2.11	<b>2310005E17Rik</b>	RIKEN cDNA 2310005E17 gene
A_55_P1959470	2.17E-05	2.11	<b>Lrrflp1</b>	leucine rich repeat (in FLII) interacting protein 1
A_51_P124748	0.000464	2.11	<b>Tgfb3</b>	transforming growth factor, beta 3
A_55_P2190994	0.000177	2.11	<b>Cdsn</b>	corneodesmosin
A_52_P22617	2.39E-06	2.11	<b>Gm4862</b>	predicted gene 4862
A_52_P80007	0.000513	2.11	<b>Gpr139</b>	G protein-coupled receptor 139
A_55_P2136786	6.60E-06	2.11	<b>Zkscan1</b>	zinc finger with KRAB and SCAN domains 1
A_51_P338317	2.92E-05	2.11	<b>Rhoq</b>	ras homolog gene family, member Q
A_30_P01021038	0.001759	2.11		
A_51_P148060	0.000547	2.11	<b>Ptgfrn</b>	prostaglandin F2 receptor negative regulator
A_52_P192426	1.46E-06	2.11	<b>Tnfrsf1a</b>	tumor necrosis factor receptor superfamily, member 1a
A_55_P1970604	0.000238	2.11		
A_30_P01032045	5.17E-08	2.11		
A_51_P467410	1.39E-06	2.11	<b>Npm1</b>	nucleophosmin 1
A_55_P2054310	6.22E-06	2.11	<b>M6pr</b>	mannose-6-phosphate receptor, cation dependent
A_55_P2032368	4.03E-06	2.11		
A_55_P1998072	0.00014	2.11		
A_30_P01030532	0.000249	2.10		
A_55_P2012799	1.01E-06	2.10	<b>Rtkn</b>	rhotekin
A_55_P2060592	0.003074	2.10	<b>Hoxa1</b>	homeobox A1
A_30_P01028473	0.002973	2.10		
A_55_P1998995	7.98E-05	2.10	<b>Speg</b>	SPEG complex locus

A_30_P01022125	1.41E-06	2.10		
A_55_P2024224	0.004041	2.10	<b>Mapk6</b>	mitogen-activated protein kinase 6
A_51_P115626	0.00491	2.10	<b>Shank3</b>	SH3/ankyrin domain gene 3
A_51_P124748	2.89E-05	2.10	<b>Tgfb3</b>	transforming growth factor, beta 3
A_30_P01021453	2.35E-05	2.10		
A_55_P1966928	9.67E-05	2.10	<b>Lnx1</b>	ligand of numb-protein X 1
A_51_P355753	0.001763	2.10	<b>Hic1</b>	hypermethylated in cancer 1
A_51_P124748	2.53E-05	2.10	<b>Tgfb3</b>	transforming growth factor, beta 3
A_30_P01024410	0.006151	2.10		
A_55_P2150343	1.26E-05	2.10	<b>Fam38a</b>	family with sequence similarity 38, member A
A_51_P124748	3.77E-05	2.10	<b>Tgfb3</b>	transforming growth factor, beta 3
A_51_P115626	0.003223	2.10	<b>Shank3</b>	SH3/ankyrin domain gene 3
A_55_P2125963	7.67E-07	2.10		
A_51_P124748	0.000107	2.10	<b>Tgfb3</b>	transforming growth factor, beta 3
A_55_P2146768	6.93E-06	2.10	<b>Wfdc8</b>	WAP four-disulfide core domain 8
A_55_P2022354	4.28E-06	2.10	<b>Tmem209</b>	transmembrane protein 209
A_30_P01029598	4.22E-06	2.10		
A_55_P2149927	3.80E-05	2.10	<b>Gm5101</b>	predicted gene 5101
A_51_P317836	9.12E-07	2.10	<b>Cetn1</b>	centrin 1
A_30_P01019490	0.001459	2.10		
A_55_P2146789	1.32E-05	2.10		
A_30_P01032378	5.52E-05	2.10		
A_30_P01032401	2.78E-05	2.10		
A_55_P1997310	0.003562	2.10	<b>Fam57a</b>	family with sequence similarity 57, member A
A_55_P2021953	1.31E-06	2.10	<b>Olf700</b>	olfactory receptor 700
A_66_P121361	1.93E-06	2.10		
A_55_P2057537	0.006148	2.10	<b>Gas7</b>	growth arrest specific 7
A_30_P01023496	0.00331	2.10		
A_30_P01028038	0.000153	2.10		
A_55_P2028600	6.71E-07	2.10	<b>Myh9</b>	myosin, heavy polypeptide 9, non-muscle
A_30_P01024771	8.27E-05	2.10		
A_51_P126835	2.96E-06	2.10	<b>2700007P21Rik</b>	RIKEN cDNA 2700007P21 gene
A_30_P01022139	0.002265	2.10		
A_55_P2113208	1.20E-08	2.10	<b>Snrpa1</b>	small nuclear ribonucleoprotein polypeptide A'
A_30_P01021554	0.000161	2.10		
A_30_P01021825	0.001698	2.10		
A_55_P1964752	0.002607	2.10	<b>Slc23a3</b>	solute carrier family 23 (nucleobase transporters), member 3
A_30_P01030722	0.005725	2.10		
A_51_P337944	4.90E-06	2.10	<b>Bmp2k</b>	BMP2 inducible kinase
A_55_P1993512	0.000103	2.10		
A_55_P2083834	0.000885	2.10		
A_55_P2169440	2.33E-05	2.10	<b>Mfsd6</b>	major facilitator superfamily domain containing 6
A_30_P01029735	3.67E-05	2.10		
A_51_P117226	0.003621	2.10	<b>Zdhc2</b>	zinc finger, DHHC domain containing 2
A_55_P2183493	4.71E-06	2.10	<b>Spcs3</b>	signal peptidase complex subunit 3 homolog (S. cerevisiae)
A_30_P01032547	0.003183	2.10		
A_30_P01027936	1.42E-05	2.10		
A_55_P2085335	6.67E-06	2.10	<b>Mia1</b>	melanoma inhibitory activity 1
A_55_P2025611	2.04E-06	2.10	<b>Psme2</b>	proteasome (prosome, macropain) 28 subunit, beta
A_55_P2010469	7.09E-07	2.10	<b>Gm6616</b>	predicted gene 6616
A_55_P2234744	1.19E-05	2.10	<b>Spice1</b>	spindle and centriole associated protein 1
A_51_P124345	1.97E-06	2.10	<b>Cpne5</b>	copine V
A_51_P371279	0.002228	2.10	<b>Icos</b>	inducible T-cell co-stimulator
A_55_P2122835	3.53E-06	2.10		
A_30_P01026369	6.36E-07	2.10		
A_52_P744437	1.58E-05	2.10		
A_55_P2112370	0.000585	2.10		
A_55_P2064043	5.92E-07	2.10	<b>Cd44</b>	CD44 antigen
A_51_P115626	0.003263	2.10	<b>Shank3</b>	SH3/ankyrin domain gene 3
A_51_P351481	0.000148	2.10	<b>Ccn1</b>	cyclin L1
A_55_P2422243	6.75E-05	2.10	<b>2900072G11Rik</b>	RIKEN cDNA 2900072G11 gene
A_30_P01032106	0.000116	2.10		
A_55_P2053491	2.86E-06	2.10	<b>Pdia6</b>	protein disulfide isomerase associated 6
A_55_P1970763	0.005225	2.10	<b>Pilrb2</b>	paired immunoglobulin-like type 2 receptor beta 2
A_30_P01022321	0.000264	2.10		
A_30_P01021236	8.67E-06	2.10		
A_55_P2080756	9.37E-06	2.10	<b>Olf704</b>	olfactory receptor 704
A_52_P645159	3.67E-06	2.10	<b>Cpsf6</b>	cleavage and polyadenylation specific factor 6
A_30_P01021297	4.11E-06	2.10		
A_55_P2071276	1.91E-05	2.09	<b>Gm6812</b>	predicted gene 6812
A_55_P2003139	0.000862	2.09	<b>Phf8</b>	PHD finger protein 8
A_51_P379775	5.58E-06	2.09	<b>Nrm</b>	nurim (nuclear envelope membrane protein)
A_52_P117197	0.002883	2.09	<b>Epc1</b>	enhancer of polycomb homolog 1 (Drosophila)
A_55_P2137496	0.000484	2.09	<b>Cd79a</b>	CD79A antigen (immunoglobulin-associated alpha)
A_51_P165060	0.001231	2.09	<b>Slc22a5</b>	solute carrier family 22 (organic cation transporter), member 5
A_30_P01026393	3.25E-06	2.09		
A_30_P01024774	0.000181	2.09		
A_55_P2116744	0.000495	2.09	<b>Xlrp1</b>	xin actin-binding repeat containing 1
A_51_P115626	0.003318	2.09	<b>Shank3</b>	SH3/ankyrin domain gene 3
A_55_P2056221	2.67E-07	2.09		
A_55_P2076814	0.002887	2.09		
A_51_P428086	2.20E-05	2.09	<b>Spnb2</b>	spectrin beta 2
A_51_P258078	3.27E-09	2.09	<b>Nop2</b>	NOP2 nucleolar protein homolog (yeast)
A_30_P01033512	0.000927	2.09		
A_55_P1984837	8.91E-08	2.09		
A_55_P1954860	3.63E-07	2.09		
A_55_P2128869	1.21E-05	2.09	<b>Ccdc80</b>	coiled-coil domain containing 80
A_51_P233947	2.97E-08	2.09	<b>Tbc1d10b</b>	TBC1 domain family, member 10b
A_30_P01026806	0.000573	2.09		
A_55_P2149873	0.000105	2.09	<b>Mapk1ip1l</b>	mitogen-activated protein kinase 1 interacting protein 1-like
A_30_P01024326	3.31E-07	2.09		
A_66_P114964	6.40E-07	2.09		
A_55_P2046245	0.001425	2.09	<b>Hes1</b>	hairy and enhancer of split 1 (Drosophila)
A_30_P01029752	3.83E-05	2.09		
A_55_P2058908	7.94E-07	2.09	<b>Gphb5</b>	glycoprotein hormone beta 5

A_55_P2170359	0.000318	2.09		
A_30_P01030704	3.61E-06	2.09		
A_30_P01025303	1.09E-07	2.09		
A_51_P121031	0.000719	2.09	March1	membrane-associated ring finger (C3HC4) 1
A_55_P1990678	7.71E-06	2.09		
A_55_P2000172	0.002646	2.09	Ppp1r16b	protein phosphatase 1, regulatory (inhibitor) subunit 16B
A_55_P2045234	3.61E-06	2.09		
A_55_P2170847	0.000211	2.09	Fbxo27	F-box protein 27
A_51_P399985	6.76E-06	2.09	Myo9b	myosin IXb
A_55_P2105406	1.20E-06	2.09		
A_51_P247157	4.32E-06	2.09	Hn1	hematological and neurological expressed sequence 1
A_66_P115053	1.01E-06	2.09	Anp32b	acidic (leucine-rich) nuclear phosphoprotein 32 family, member B
A_52_P566348	3.59E-09	2.09	Nras	neuroblastoma ras oncogene
A_66_P134171	7.89E-06	2.09		
A_30_P01019959	8.95E-06	2.09		
A_55_P2083806	1.18E-05	2.09	Sp8	trans-acting transcription factor 8
A_52_P144263	1.33E-06	2.09	Rbms1	RNA binding motif, single stranded interacting protein 1
A_55_P2155216	7.67E-05	2.09	Ankrd34a	ankyrin repeat domain 34A
A_30_P01025833	0.000189	2.09		
A_30_P01027344	6.02E-07	2.09		
A_30_P01020171	0.000322	2.09		
A_55_P2168189	1.93E-06	2.09		
A_52_P515282	0.000477	2.09	1110051M20Rik	RIKEN cDNA 1110051M20 gene
A_55_P2040777	3.06E-05	2.09	Lipo1	lipase, member O1
A_55_P1961391	4.20E-06	2.09	LOC100046950	hypothetical LOC100046950
A_55_P1958547	1.12E-06	2.09	Gm7550	predicted gene 7550
A_66_P117727	0.000121	2.08	Lipo4	lipase, member O4
A_30_P01027154	1.20E-06	2.08		
A_30_P01024506	0.001287	2.08		
A_51_P124719	1.07E-08	2.08	Ccdc93	coiled-coil domain containing 93
A_55_P2037323	1.22E-06	2.08	Usp54	ubiquitin specific peptidase 54
A_30_P01030751	0.000113	2.08		
A_65_P05252	3.86E-06	2.08	Cdc25a	cell division cycle 25 homolog A (S. pombe)
A_65_P03719	6.89E-05	2.08	Fuca2	fucosidase, alpha-L- 2, plasma
A_30_P01029108	3.02E-07	2.08		
A_55_P2007678	7.53E-06	2.08	Trpc2	transient receptor potential cation channel, subfamily C, member 2
A_55_P2107155	1.81E-05	2.08	Rasd2	RASD family, member 2
A_55_P2093277	0.000459	2.08	Olf1077-ps1	olfactory receptor 1077, pseudogene 1
A_55_P2139763	4.29E-05	2.08	Trim56	tripartite motif-containing 56
A_30_P01027091	1.65E-07	2.08		
A_30_P01025417	0.000832	2.08		
A_51_P115159	5.62E-07	2.08	Fam162a	family with sequence similarity 162, member A
A_55_P2410240	0.000346	2.08	A430075N02	hypothetical protein A430075N02
A_30_P01022298	0.000143	2.08		
A_30_P01026285	1.53E-09	2.08		
A_30_P01028285	2.49E-06	2.08		
A_30_P01031819	0.00012	2.08		
A_30_P01017896	3.04E-06	2.08		
A_30_P01024397	2.75E-06	2.08		
A_30_P01020543	0.000173	2.08		
A_51_P128463	0.000503	2.08	Grrp1	glycine/arginine rich protein 1
A_66_P140474	0.000115	2.08		
A_55_P2088325	4.72E-07	2.08	Ctdsp2	CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) small phosphatase 2
A_55_P2039556	4.88E-05	2.08	Pak6	p21 protein (Cdc42/Rac)-activated kinase 6
A_51_P483220	3.65E-05	2.08	Impact	imprinted and ancient
A_30_P01020637	5.32E-06	2.08		
A_55_P1978089	1.40E-05	2.08	Dcaf17	DDB1 and CUL4 associated factor 17
A_55_P2144248	0.000716	2.08	Zfp790	zinc finger protein 790
A_55_P2109857	0.000213	2.08	Rgs2	regulator of G-protein signaling 2
A_55_P1995354	0.000165	2.08	Btnl2	butyrophilin-like 2
A_30_P01018790	0.000605	2.08		
A_55_P1974827	2.74E-05	2.08	Pde1b	phosphodiesterase 1B, Ca <sup>2+</sup> -calmodulin dependent
A_30_P01019833	9.95E-05	2.08		
A_55_P2154398	0.000192	2.08	Mtap7d3	MAP7 domain containing 3
A_55_P1976634	0.000627	2.08	Olf657	olfactory receptor 657
A_55_P2109678	4.58E-05	2.08		
A_51_P116421	8.62E-06	2.08	Abcc5	ATP-binding cassette, sub-family C (CFTR/MRP), member 5
A_51_P124719	6.21E-10	2.08	Ccdc93	coiled-coil domain containing 93
A_55_P2046158	8.85E-07	2.08	Tax1bp3	Tax1 (human T-cell leukemia virus type I) binding protein 3
A_55_P2279997	0.000393	2.08	4930549C15Rik	RIKEN cDNA 4930549C15 gene
A_52_P606065	0.000266	2.08		
A_55_P2022399	0.00029	2.08	Ghrl	ghrelin
A_66_P129643	5.00E-05	2.08	Gm6567	predicted gene 6567
A_51_P441426	0.001413	2.08	Pf4	platelet factor 4
A_55_P2040260	3.96E-05	2.08	Acot5	acyl-CoA thioesterase 5
A_55_P2087391	0.001321	2.08		
A_55_P2002068	6.21E-05	2.08		
A_52_P447424	3.35E-06	2.08		
A_55_P2107711	0.000473	2.08	Col25a1	collagen, type XXV, alpha 1
A_52_P387124	0.000102	2.08	Zfp324	zinc finger protein 324
A_55_P2086079	3.07E-06	2.08		
A_55_P2006210	0.000815	2.08	Fgf22	fibroblast growth factor 22
A_55_P1993517	3.66E-06	2.08	Tbc1d14	TBC1 domain family, member 14
A_55_P2108271	9.16E-05	2.07	Ephb6	Eph receptor B6
A_30_P01027907	0.000214	2.07		
A_55_P2006975	1.29E-06	2.07		
A_55_P2185085	5.68E-05	2.07		
A_55_P2016166	0.001268	2.07	Wfdc2	WAP four-disulfide core domain 2
A_55_P2127699	0.000207	2.07	Pira2	paired-Ig-like receptor A2
A_30_P01029477	0.00056	2.07		
A_66_P133703	0.002538	2.07		
A_55_P2048975	6.63E-05	2.07		
A_66_P106238	0.000352	2.07	Gm5106	predicted gene 5106
A_55_P2016526	0.000245	2.07	Lrrc49	leucine rich repeat containing 49
A_52_P637730	1.30E-05	2.07	Ubl4	ubiquitin-like 4

A_52_P523480	5.89E-06	2.07	Rfx1	regulatory factor X, 1 (influences HLA class II expression)
A_30_P01020769	0.000652	2.07		
A_52_P385536	0.000432	2.07	Ddx58	DEAD (Asp-Glu-Ala-Asp) box polypeptide 58
A_30_P01022408	1.16E-05	2.07		
A_30_P01018752	0.000147	2.07		
A_55_P2030010	0.000608	2.07	2700046G09Rik	RIKEN cDNA 2700046G09 gene
A_55_P2122633	0.000335	2.07	Airm	antisense Igf2r RNA
A_51_P390715	0.000191	2.07	Tgfb1	transforming growth factor, beta 1
A_30_P01021243	5.23E-06	2.07		
A_52_P532029	0.000225	2.07	Tbk1	TANK-binding kinase 1
A_55_P2467415	6.87E-07	2.07	B3galt6	UDP-Gal:betaGal beta 1,3-galactosyltransferase, polypeptide 6
A_55_P2111825	2.88E-05	2.07	1700001C02Rik	RIKEN cDNA 1700001C02 gene
A_30_P01018273	3.96E-05	2.07		
A_30_P01023506	0.002944	2.07		
A_52_P418489	0.000974	2.07	Tinag1	tubulointerstitial nephritis antigen-like 1
A_55_P2186332	0.000126	2.07		
A_55_P2055107	6.89E-09	2.07	Agpat1	1-acylglycerol-3-phosphate O-acyltransferase 1 (lysophosphatidic acid acyltransferase, alpha)
A_55_P2304507	0.000111	2.07	Noxa1	NADPH oxidase activator 1
A_55_P2090152	8.58E-05	2.07	Vmn2r121	vomeronal 2, receptor 121
A_55_P1970949	1.92E-07	2.07		
A_55_P2329298	0.00207	2.07		
A_66_P134584	4.69E-06	2.07		
A_30_P01027971	6.47E-07	2.07		
A_51_P156243	2.82E-05	2.07	Eps15	epidermal growth factor receptor pathway substrate 15
A_66_P104118	2.97E-06	2.07		
A_55_P1983414	1.75E-05	2.07		
A_30_P01031794	7.19E-05	2.07		
A_55_P2129771	1.30E-05	2.07	Prmt1	proline-rich transmembrane protein 1
A_30_P01028492	7.83E-06	2.07		
A_51_P126835	7.00E-06	2.07	2700007P21Rik	RIKEN cDNA 2700007P21 gene
A_55_P2098757	6.17E-06	2.07		
A_55_P2050019	0.001113	2.07	Scml2	sex comb on midleg-like 2 (Drosophila)
A_55_P1997534	3.46E-05	2.07	Gm4871	predicted gene 4871
A_55_P1968250	0.000221	2.07	Cyp2j13	cytochrome P450, family 2, subfamily j, polypeptide 13
A_55_P2155814	0.002615	2.07		
A_55_P2346736	0.001194	2.07	A430105D02Rik	RIKEN cDNA A430105D02 gene
A_55_P1952877	2.37E-06	2.07	Snrpf	small nuclear ribonucleoprotein polypeptide F
A_55_P2092869	0.000216	2.07	Anxa9	annexin A9
A_51_P275642	4.96E-07	2.07		
A_30_P01026324	4.34E-07	2.07		
A_30_P01024283	1.56E-06	2.07		
A_55_P2063553	7.72E-06	2.07		
A_55_P2324654	0.001202	2.07		
A_55_P1974807	0.001388	2.07		
A_55_P2096535	1.39E-06	2.07	Icmt	isoprenylcysteine carboxyl methyltransferase
A_55_P2013188	1.82E-06	2.07	Dnajb6	DnaJ (Hsp40) homolog, subfamily B, member 6
A_55_P2130525	0.000841	2.07		
A_55_P1987605	0.005939	2.07	Nav3	neuron navigator 3
A_30_P01020144	0.000279	2.07		
A_66_P134968	1.63E-07	2.07	Gm410	predicted gene 410
A_51_P509997	7.88E-05	2.07	Cox6a2	cytochrome c oxidase, subunit VI a, polypeptide 2
A_30_P01032329	7.28E-06	2.07		
A_51_P114693	0.000243	2.07	Parm1	prostate androgen-regulated mucin-like protein 1
A_55_P1967119	4.73E-06	2.07	Trim39	tripartite motif-containing 39
A_51_P390715	0.000769	2.07	Tgfb1	transforming growth factor, beta 1
A_55_P1994074	9.66E-08	2.07	Mkl1	MKL (megakaryoblastic leukemia)/myocardin-like 1
A_30_P01030301	0.000126	2.07		
A_30_P01021288	0.000476	2.07		
A_55_P1960693	6.15E-06	2.07	Gm11710	predicted gene 11710
A_51_P114693	8.82E-05	2.07	Parm1	prostate androgen-regulated mucin-like protein 1
A_51_P151820	1.85E-06	2.07	Urb1	URB1 ribosome biogenesis 1 homolog (S. cerevisiae)
A_55_P2288645	0.000998	2.07	LOC497255	hypothetical LOC497255
A_52_P642239	8.30E-07	2.07	Plk3ap1	phosphoinositide-3-kinase adaptor protein 1
A_55_P2172624	2.38E-05	2.07	Gm1123	predicted gene 1123
A_52_P451888	0.000208	2.07	Tik2	tousled-like kinase 2 (Arabidopsis)
A_30_P01029485	1.40E-06	2.07		
A_30_P01023053	0.002275	2.07		
A_55_P2126444	1.67E-05	2.07	1810032O08Rik	RIKEN cDNA 1810032O08 gene
A_55_P2110998	0.000618	2.07	Gpr153	G protein-coupled receptor 153
A_55_P2103334	1.73E-05	2.07		
A_51_P242201	0.001015	2.07	Naaa	N-acyl ethanolamine acid amidase
A_55_P1956863	0.002026	2.07	Egfr	epidermal growth factor receptor
A_51_P237754	5.02E-07	2.07	H2-T23	histocompatibility 2, T region locus 23
A_30_P01028587	3.46E-05	2.07		
A_55_P1957219	1.50E-08	2.07	Ptma	prothymosin alpha
A_52_P144297	0.001858	2.07	Tsply3	TSPY-like 3
A_52_P261496	0.001664	2.07	Gabpb1	GA repeat binding protein, beta 1
A_30_P01027358	0.000221	2.06		
A_51_P101137	1.33E-05	2.06	Samd14	sterile alpha motif domain containing 14
A_51_P378210	4.02E-05	2.06	Guca2a	guanylate cyclase activator 2a (guanylin)
A_55_P2073699	4.53E-05	2.06	Bnip3l	BCL2/adenovirus E1B interacting protein 3-like
A_55_P2185794	2.66E-05	2.06	Sirt6	sirtuin 6 (silent mating type information regulation 2, homolog) 6 (S. cerevisiae)
A_30_P01023057	0.000104	2.06		
A_51_P461884	9.66E-07	2.06	Abl2	v-abl Abelson murine leukemia viral oncogene homolog 2 (arg, Abelson-related gene)
A_30_P01020417	3.11E-05	2.06		
A_55_P2079787	0.000362	2.06	Prss50	protease, serine, 50
A_55_P2026894	1.67E-06	2.06		
A_55_P2037121	0.000316	2.06	Tmem106a	transmembrane protein 106A
A_30_P01033567	0.000299	2.06		
A_30_P01018087	1.92E-05	2.06		
A_55_P2093286	4.99E-06	2.06	Apod	apolipoprotein D
A_30_P01023023	0.000117	2.06		
A_52_P474636	9.03E-07	2.06	Stk4	serine/threonine kinase 4
A_55_P2098061	1.70E-06	2.06	Tchp	trichoplein, keratin filament binding
A_30_P01029133	0.001353	2.06		



A_51_P353232	4.23E-06	2.06	Tnnc2	troponin C2, fast
A_55_P1961335	0.000478	2.06	Ctsk	cathepsin K
A_55_P2124153	0.000203	2.06	Rusc2	RUN and SH3 domain containing 2
A_55_P2032302	0.006021	2.06	B230307C23Rik	RIKEN cDNA B230307C23 gene
A_55_P2002732	7.94E-05	2.06	Inpp4a	inositol polyphosphate-4-phosphatase, type I
A_52_P449417	5.00E-06	2.06	Vangl1	vang-like 1 (van gogh, Drosophila)
A_30_P01028839	0.000103	2.06		
A_55_P2158006	6.30E-05	2.06		
A_55_P1955422	9.76E-06	2.06	Gm1715	predicted gene 1715
A_52_P56751	9.55E-05	2.06	Lcp1	lymphocyte cytosolic protein 1
A_52_P625880	1.85E-06	2.06		
A_55_P2007630	0.000142	2.06	Sez6l2	seizure related 6 homolog like 2
A_55_P2129523	0.000226	2.06	Gm9519	predicted gene 9519
A_52_P192426	1.19E-05	2.06	Tnfrsf1a	tumor necrosis factor receptor superfamily, member 1a
A_30_P01018080	0.000222	2.06		
A_52_P576180	0.002186	2.06	BC048671	cDNA sequence BC048671
A_55_P2133410	0.000112	2.06		
A_55_P2332761	4.15E-07	2.06		
A_30_P01021702	5.90E-05	2.06		
A_55_P2126557	2.08E-06	2.06		
A_51_P297968	1.67E-05	2.06	Pdia6	protein disulfide isomerase associated 6
A_55_P2195202	0.002247	2.06	1700016K05Rik	RIKEN cDNA 1700016K05 gene
A_51_P473272	4.49E-05	2.06	Tspan6	tetraspanin 6
A_55_P2182716	5.11E-05	2.06	Adig	adipogenin
A_51_P115159	2.03E-06	2.06	Fam162a	family with sequence similarity 162, member A
A_51_P357433	1.99E-06	2.06	Ap1g2	adaptor protein complex AP-1, gamma 2 subunit
A_55_P2173506	6.06E-05	2.06		
A_30_P01019577	1.37E-05	2.06		
A_51_P154753	6.54E-05	2.06	Klc3	kinesin light chain 3
A_51_P148744	0.000114	2.06	A930005I04Rik	RIKEN cDNA A930005I04 gene
A_51_P389664	5.45E-08	2.06	Scrt2	scratch homolog 2, zinc finger protein (Drosophila)
A_51_P104939	0.000666	2.06	Klra5	killer cell lectin-like receptor, subfamily A, member 5
A_30_P01030159	3.18E-07	2.06		
A_30_P01027015	5.33E-08	2.06		
A_30_P01018537	1.09E-06	2.06		
A_55_P2027067	8.42E-07	2.06	Phc2	polyhomeotic-like 2 (Drosophila)
A_55_P2168588	1.82E-06	2.06	Cdk9	cyclin-dependent kinase 9 (CDC2-related kinase)
A_55_P1969511	1.97E-05	2.06	Ttc23l	tetratricopeptide repeat domain 23-like
A_55_P2052769	3.88E-06	2.06	Mast2	microtubule associated serine/threonine kinase 2
A_30_P01019206	1.73E-07	2.06		
A_55_P2107447	3.28E-05	2.06	Rab37	RAB37, member of RAS oncogene family
A_51_P103650	5.49E-07	2.06	Trim8	tripartite motif-containing 8
A_51_P114693	0.000819	2.06	Parm1	prostate androgen-regulated mucin-like protein 1
A_30_P01032591	3.58E-05	2.06		
A_55_P2025518	6.09E-07	2.06	Arhgap6	Rho GTPase activating protein 6
A_30_P01030734	3.58E-05	2.06		
A_55_P2166326	9.74E-05	2.06		
A_51_P319453	0.001116	2.06	Zfp143	zinc finger protein 143
A_66_P122219	1.92E-07	2.06	Kcnd3	potassium voltage-gated channel, Shal-related family, member 3
A_30_P01018695	0.000629	2.06		
A_30_P01022727	7.76E-08	2.06		
A_30_P01021478	0.000628	2.05		
A_55_P1984347	0.000141	2.05	Rhox3h	reproductive homeobox 3H
A_51_P114693	3.23E-06	2.05	Parm1	prostate androgen-regulated mucin-like protein 1
A_55_P2047106	9.72E-08	2.05	Rel2	RELT-like 2
A_51_P115626	0.004822	2.05	Shank3	SH3/ankyrin domain gene 3
A_52_P192426	3.58E-06	2.05	Tnfrsf1a	tumor necrosis factor receptor superfamily, member 1a
A_30_P01025304	9.13E-07	2.05		
A_51_P420176	5.38E-07	2.05	Senp5	SUMO/sentrin specific peptidase 5
A_51_P338397	5.62E-07	2.05	Kctd10	potassium channel tetramerisation domain containing 10
A_55_P2071271	1.40E-07	2.05	3110003A17Rik	RIKEN cDNA 3110003A17 gene
A_51_P115626	0.003411	2.05	Shank3	SH3/ankyrin domain gene 3
A_55_P2137001	0.000402	2.05	Hhip1	hedgehog interacting protein-like 1
A_55_P2075274	0.001279	2.05	Rab11fip4	RAB11 family interacting protein 4 (class II)
A_55_P2068356	1.13E-06	2.05	1700016K19Rik	RIKEN cDNA 1700016K19 gene
A_55_P2229645	3.07E-08	2.05	C77847	expressed sequence C77847
A_30_P01022900	0.00276	2.05		
A_30_P01032302	1.65E-07	2.05		
A_30_P01022383	0.000156	2.05		
A_55_P2156350	3.64E-06	2.05	Clcn5	chloride channel 5
A_51_P169693	1.55E-05	2.05	Bst2	bone marrow stromal cell antigen 2
A_55_P2107775	8.28E-05	2.05	Apol9a	apolipoprotein L 9a
A_30_P01025374	0.000244	2.05		
A_30_P01031826	5.79E-06	2.05		
A_55_P1978576	3.71E-06	2.05	Dtx2	deltex 2 homolog (Drosophila)
A_30_P01024413	8.25E-06	2.05		
A_30_P01027269	2.36E-06	2.05		
A_51_P225179	2.75E-05	2.05	Smndc1	survival motor neuron domain containing 1
A_55_P2104703	1.92E-05	2.05	Gm3020	predicted gene 3020
A_66_P122063	1.99E-05	2.05		
A_30_P01024665	8.46E-05	2.05		
A_55_P2144341	0.000463	2.05	BC033916	cDNA sequence BC033916
A_30_P01023851	5.08E-05	2.05		
A_51_P520384	1.35E-06	2.05	Atp1b3	ATPase, Na <sup>+</sup> /K <sup>+</sup> transporting, beta 3 polypeptide
A_55_P2087087	0.000976	2.05	Pecam1	platelet/endothelial cell adhesion molecule 1
A_51_P124719	1.33E-08	2.05	Ccdc93	coiled-coil domain containing 93
A_30_P01028793	0.000332	2.05		
A_55_P2151082	6.66E-08	2.05	Gm6323	predicted gene 6323
A_30_P01027193	0.001583	2.05		
A_30_P01027736	3.15E-05	2.05		
A_55_P1988388	1.84E-05	2.05	Gm2347	predicted gene 2347
A_30_P01029977	6.23E-09	2.05		
A_51_P151020	4.19E-06	2.05	Tnp1	transition protein 1
A_55_P2169188	3.56E-06	2.05	Ccdc23	coiled-coil domain containing 23
A_30_P01032619	7.33E-07	2.05		

A_30_P01023516	7.28E-06	2.05		
A_55_P2001223	0.000123	2.05	<b>Mpz</b>	myelin protein zero
A_51_P252784	1.01E-07	2.05	<b>1500011H22Rik</b>	RIKEN cDNA 1500011H22 gene
A_30_P01025618	6.97E-06	2.05		
A_30_P01031174	2.49E-05	2.04		
A_55_P2301713	0.00019	2.04	<b>9430062P05Rik</b>	RIKEN cDNA 9430062P05 gene
A_55_P2059019	0.000135	2.04	<b>Mapk8ip3</b>	mitogen-activated protein kinase 8 interacting protein 3
A_52_P67212	0.000743	2.04	<b>2900052N01Rik</b>	RIKEN cDNA 2900052N01 gene
A_51_P421303	1.69E-06	2.04	<b>Caly</b>	calcyon neuron-specific vesicular protein
A_66_P114589	7.13E-08	2.04	<b>4930597O21Rik</b>	RIKEN cDNA 4930597O21 gene
A_55_P2113683	0.000179	2.04	<b>Raph1</b>	Ras association (RalGDS/AF-6) and pleckstrin homology domains 1
A_30_P01019719	0.00355	2.04		
A_30_P01027966	0.000232	2.04		
A_55_P1982818	0.000165	2.04	<b>Odc1</b>	ornithine decarboxylase, structural 1
A_55_P2262081	8.98E-06	2.04	<b>4930563F15Rik</b>	RIKEN cDNA 4930563F15 gene
A_55_P2178247	0.000177	2.04	<b>Fam20b</b>	family with sequence similarity 20, member B
A_55_P2048603	0.004307	2.04		
A_55_P2117764	8.37E-05	2.04	<b>Vangl2</b>	vang-like 2 (van gogh, Drosophila)
A_55_P1996674	1.98E-05	2.04	<b>Itih3</b>	inter-alpha trypsin inhibitor, heavy chain 3
A_55_P1988043	1.71E-05	2.04		
A_55_P2022419	0.001288	2.04	<b>D030018L15Rik</b>	nuclear receptor coactivator 2 pseudogene
A_55_P2058189	0.000902	2.04	<b>Slc35e3</b>	solute carrier family 35, member E3
A_51_P328932	1.40E-07	2.04	<b>Tmem165</b>	transmembrane protein 165
A_30_P01020965	4.42E-05	2.04		
A_55_P2116235	2.63E-05	2.04		
A_30_P01024139	2.20E-06	2.04		
A_51_P103650	6.55E-09	2.04	<b>Trim8</b>	tripartite motif-containing 8
A_30_P01021223	0.001384	2.04		
A_51_P243914	2.23E-06	2.04	<b>Skap2</b>	src family associated phosphoprotein 2
A_55_P1978651	0.000969	2.04	<b>Wasf3</b>	WAS protein family, member 3
A_55_P1978628	1.05E-07	2.04	<b>Hnrnpa2b1</b>	heterogeneous nuclear ribonucleoprotein A2/B1
A_55_P2168599	5.17E-08	2.04		
A_51_P365318	0.001983	2.04	<b>Pcf11</b>	cleavage and polyadenylation factor subunit homolog (S. cerevisiae)
A_30_P01024195	0.001161	2.04		
A_55_P2098603	0.004755	2.04		
A_55_P2340885	8.75E-05	2.04	<b>C630001G18Rik</b>	RIKEN cDNA C630001G18 gene
A_55_P2093232	0.00017	2.04	<b>Myh7</b>	myosin, heavy polypeptide 7, cardiac muscle, beta
A_55_P1953053	1.59E-06	2.04		
A_55_P2114110	8.38E-06	2.04	<b>Cadm4</b>	cell adhesion molecule 4
A_30_P01030078	0.003602	2.04		
A_30_P01025573	0.0002	2.04		
A_51_P468020	0.00026	2.04	<b>Lrrc50</b>	leucine rich repeat containing 50
A_52_P262118	0.000601	2.04	<b>Prdm15</b>	PR domain containing 15
A_51_P346453	4.74E-08	2.04	<b>Noc4l</b>	nucleolar complex associated 4 homolog (S. cerevisiae)
A_55_P2186395	0.000375	2.04	<b>Gm6340</b>	predicted pseudogene 6340
A_30_P01029880	1.07E-05	2.04		
A_30_P01017553	7.37E-08	2.04		
A_55_P2054857	0.000269	2.04	<b>Ube2v2</b>	ubiquitin-conjugating enzyme E2 variant 2
A_66_P128128	0.003436	2.04		
A_51_P491426	0.001297	2.04	<b>Cst13</b>	cystatin 13
A_55_P2138500	0.000188	2.04		
A_55_P2269254	3.28E-05	2.04	<b>5730419F03Rik</b>	RIKEN cDNA 5730419F03 gene
A_55_P2011380	0.001083	2.04	<b>Acvr1l</b>	activin A receptor, type II-like 1
A_55_P2014326	2.88E-05	2.04	<b>LOC100045736</b>	hypothetical protein LOC100045736
A_51_P502082	0.000124	2.04	<b>Rrm1</b>	ribonucleotide reductase M1
A_55_P2097616	0.000669	2.04	<b>Stxbp1</b>	syntaxin binding protein 1
A_51_P358122	0.001584	2.04	<b>Olf332</b>	olfactory receptor 332
A_30_P01032030	0.000226	2.04		
A_30_P01022676	3.17E-06	2.04		
A_55_P2011981	8.32E-06	2.04	<b>Ebf4</b>	early B-cell factor 4
A_55_P2000728	1.23E-05	2.04	<b>Myef2</b>	myelin basic protein expression factor 2, repressor
A_55_P2143934	8.48E-07	2.04	<b>Gm9785</b>	BMI1-like
A_55_P1983468	5.60E-06	2.04	<b>Cflar</b>	CASP8 and FADD-like apoptosis regulator
A_55_P2064771	0.001074	2.04	<b>Ly6c1</b>	lymphocyte antigen 6 complex, locus C1
A_51_P288026	6.71E-07	2.04	<b>Haus6</b>	HAUS augmin-like complex, subunit 6
A_30_P01029746	4.25E-05	2.04		
A_55_P2165234	6.38E-05	2.03	<b>2300005B03Rik</b>	RIKEN cDNA 2300005B03 gene
A_55_P2173825	2.13E-06	2.03	<b>Tox2</b>	TOX high mobility group box family member 2
A_55_P2133716	2.48E-06	2.03	<b>Tax1bp3</b>	Tax1 (human T-cell leukemia virus type I) binding protein 3
A_52_P232314	1.61E-06	2.03		
A_30_P01027959	0.00071	2.03		
A_55_P2082529	0.000175	2.03	<b>Sav1</b>	salvador homolog 1 (Drosophila)
A_55_P2000553	2.05E-05	2.03	<b>Slc6a8</b>	solute carrier family 6 (neurotransmitter transporter, creatine), member 8
A_55_P2273439	0.000292	2.03	<b>Nlrp3</b>	NLR family, pyrin domain containing 3
A_51_P115159	2.87E-07	2.03	<b>Fam162a</b>	family with sequence similarity 162, member A
A_55_P2048348	5.21E-06	2.03	<b>Alg1</b>	androgen-induced 1
A_52_P437850	0.000209	2.03	<b>Fam13c</b>	family with sequence similarity 13, member C
A_30_P01019149	7.69E-05	2.03		
A_66_P112005	2.85E-06	2.03	<b>Olf1252</b>	olfactory receptor 1252
A_30_P01029881	4.28E-07	2.03		
A_30_P01032522	0.000418	2.03		
A_30_P01017842	0.00655	2.03		
A_30_P01030882	3.44E-05	2.03		
A_51_P129546	2.98E-07	2.03	<b>Sstr4</b>	somatostatin receptor 4
A_30_P01021330	0.000226	2.03		
A_55_P2044413	2.18E-05	2.03	<b>Cxcl11</b>	chemokine (C-X-C motif) ligand 11
A_66_P108138	0.001663	2.03	<b>Impact</b>	imprinted and ancient
A_55_P2013357	1.18E-05	2.03	<b>Renbp</b>	renin binding protein
A_51_P126835	2.41E-06	2.03	<b>2700007P21Rik</b>	RIKEN cDNA 2700007P21 gene
A_55_P2122260	0.001184	2.03	<b>Tmem87b</b>	transmembrane protein 87B
A_30_P01018234	1.56E-07	2.03		
A_52_P529650	0.001444	2.03	<b>Drd2</b>	dopamine receptor D2
A_55_P2173623	1.28E-05	2.03	<b>Samd1</b>	sterile alpha motif domain containing 1
A_55_P2157401	1.81E-05	2.03		
A_55_P2071863	8.52E-05	2.03	<b>Zfp788</b>	zinc finger protein 788

A_30_P01026719	3.04E-06	2.03		
A_55_P2043459	8.71E-07	2.03		
A_30_P01020403	1.55E-06	2.03		
A_30_P01025405	0.00084	2.03		
A_51_P340747	0.003118	2.03	Hspa11	heat shock protein 1-like
A_55_P2145759	0.002613	2.03	Atp6v1g3	ATPase, H+ transporting, lysosomal V1 subunit G3
A_55_P2052834	0.004643	2.03	Lst1	leukocyte specific transcript 1
A_55_P1955494	3.49E-08	2.03		
A_51_P286436	0.000771	2.03	Olf434	olfactory receptor 434
A_55_P2092958	0.004748	2.03	Traf2	TNF receptor-associated factor 2
A_30_P01025143	0.002303	2.03		
A_51_P248387	0.001245	2.03	Pcyox1l	prenylcysteine oxidase 1 like
A_55_P2121426	4.42E-07	2.03		
A_30_P01029553	1.81E-05	2.03		
A_51_P399845	0.004206	2.03	Fgf2	fibroblast growth factor 2
A_55_P2078611	0.00187	2.03		
A_30_P01028095	2.14E-06	2.03		
A_55_P2015734	2.45E-06	2.03	Syvn1	synovial apoptosis inhibitor 1, synoviolin
A_30_P01018454	0.003547	2.03		
A_55_P2161140	0.000116	2.03	Rgs6	regulator of G-protein signaling 6
A_55_P2115310	3.58E-05	2.03	Spata21	spermatogenesis associated 21
A_55_P2015492	0.003251	2.03	BC048609	cDNA sequence BC048609
A_30_P01033118	0.00119	2.03		
A_55_P2081373	5.00E-05	2.03	Glis1	GLIS family zinc finger 1
A_66_P126603	1.05E-06	2.03		
A_51_P500718	8.08E-05	2.03	Dck	deoxycytidine kinase
A_52_P276935	4.38E-06	2.03	Dnajb6	DnaJ (Hsp40) homolog, subfamily B, member 6
A_51_P135939	0.000244	2.03	Rnf219	ring finger protein 219
A_55_P2163774	9.61E-05	2.03	Crip1	cysteine-rich protein 1 (intestinal)
A_30_P01021530	1.29E-06	2.03		
A_55_P2259660	0.000192	2.03	E230032D23Rik	RIKEN cDNA E230032D23 gene
A_52_P10041	4.56E-06	2.03	Akr1b3	aldo-keto reductase family 1, member B3 (aldose reductase)
A_51_P464576	1.42E-05	2.03	Psen1	presenilin 1
A_30_P01018845	3.12E-06	2.03		
A_51_P517051	0.000242	2.03	Gats3	GATS protein-like 3
A_55_P2013983	4.66E-05	2.03		
A_51_P419959	1.17E-07	2.03	Eaf1	ELL associated factor 1
A_55_P2182931	4.94E-05	2.02	Sim2	single-minded homolog 2 (Drosophila)
A_30_P01022824	0.000134	2.02		
A_55_P2139625	1.16E-06	2.02	Gtf2a2	general transcription factor II A, 2
A_55_P2114938	1.17E-06	2.02	Irf9	interferon regulatory factor 9
A_51_P382688	2.85E-07	2.02	Zmynd19	zinc finger, MYND domain containing 19
A_55_P2064862	0.005182	2.02	Ica1	islet cell autoantigen 1
A_51_P288906	1.05E-05	2.02	Clp1	CAP-GLY domain containing linker protein 1
A_55_P1988918	0.000165	2.02		
A_30_P01020184	1.11E-05	2.02		
A_55_P2183318	0.001307	2.02		
A_55_P2140612	3.72E-05	2.02	Nhlh1	nescient helix loop helix 1
A_51_P464576	7.57E-06	2.02	Psen1	presenilin 1
A_55_P2110086	0.000718	2.02		
A_30_P01021047	0.004609	2.02		
A_30_P01022770	7.20E-06	2.02		
A_55_P2156462	0.001547	2.02	Nt5c3l	5'-nucleotidase, cytosolic III-like
A_55_P1973560	0.000151	2.02		
A_55_P2047698	5.77E-07	2.02	Pop7	processing of precursor 7, ribonuclease P family, (S. cerevisiae)
A_30_P01028970	5.67E-05	2.02		
A_51_P128463	1.07E-05	2.02	Grrp1	glycine/arginine rich protein 1
A_52_P372165	3.43E-06	2.02	Rpsa	ribosomal protein SA
A_55_P2037141	2.95E-06	2.02	Jsrp1	junctional sarcoplasmic reticulum protein 1
A_55_P2127557	1.34E-07	2.02	3110003A17Rik	RIKEN cDNA 3110003A17 gene
A_55_P2045213	4.94E-06	2.02	Defa-rs12	defensin, alpha, related sequence 12
A_51_P255387	2.35E-06	2.02	Med31	mediator of RNA polymerase II transcription, subunit 31 homolog (yeast)
A_30_P01024367	0.001245	2.02		
A_51_P103650	2.46E-08	2.02	Trim8	tripartite motif-containing 8
A_55_P1975210	1.54E-06	2.02	Fubp3	far upstream element (FUSE) binding protein 3
A_30_P01019006	0.001751	2.02		
A_55_P1981366	0.000105	2.02	Lamc2	laminin, gamma 2
A_55_P2164297	1.98E-06	2.02	Rnps1	ribonucleic acid binding protein S1
A_55_P2355041	0.000361	2.02	BB217526	expressed sequence BB217526
A_30_P01027844	9.20E-06	2.02		
A_55_P1996365	1.03E-07	2.02	Ifna14	interferon, alpha 14
A_30_P01031722	0.002567	2.02		
A_55_P1991094	0.005158	2.02		
A_55_P2027212	1.15E-06	2.02	Gm7303	predicted gene 7303
A_30_P01017992	0.001407	2.02		
A_55_P2161858	2.43E-05	2.02	Pdlim7	PDZ and LIM domain 7
A_30_P01029197	2.70E-05	2.02		
A_55_P2058757	8.22E-07	2.02	Cap1	CAP, adenylate cyclase-associated protein 1 (yeast)
A_66_P115734	4.76E-05	2.02	Fbxo16	F-box protein 16
A_55_P2238406	0.001596	2.02	6330407A03Rik	RIKEN cDNA 6330407A03 gene
A_55_P1975275	0.00239	2.02	Crygc	crystallin, gamma C
A_55_P2029116	0.000716	2.02	Pex11c	peroxisomal biogenesis factor 11 gamma
A_55_P2058384	9.97E-07	2.02		
A_55_P2038646	0.001569	2.02		
A_55_P2277825	1.34E-08	2.02	E430010N07Rik	RIKEN cDNA E430010N07 gene
A_30_P01024850	0.002911	2.02		
A_30_P01021965	2.71E-06	2.02		
A_30_P01024043	0.002931	2.02		
A_52_P78123	1.17E-05	2.02	Dcaf12	DDB1 and CUL4 associated factor 12
A_55_P1985428	6.80E-05	2.02	Atg16l2	autophagy related 16 like 2 (S. cerevisiae)
A_51_P126835	9.15E-06	2.02	2700007P21Rik	RIKEN cDNA 2700007P21 gene
A_30_P01025039	0.00344	2.02		
A_30_P01033429	4.00E-07	2.02		
A_30_P01018471	1.04E-05	2.02		
A_30_P01023935	0.000222	2.02		

A_51_P427934	5.99E-06	2.02	Megf8	multiple EGF-like-domains 8
A_55_P1989748	2.70E-07	2.02		
A_55_P2057877	2.30E-05	2.02	Pou2f2	POU domain, class 2, transcription factor 2
A_55_P2091846	0.001026	2.02	Zcchc11	zinc finger, CCHC domain containing 11
A_55_P2038852	2.18E-05	2.02		
A_30_P01021027	0.000169	2.02		
A_55_P2162988	0.001096	2.02	Tmem179	transmembrane protein 179
A_55_P2040588	0.000945	2.02	Pabpc5	poly(A) binding protein, cytoplasmic 5
A_51_P172131	0.000283	2.02	D4Bwg0951e	DNA segment, Chr 4, Brigham & Women's Genetics 0951 expressed
A_51_P481238	0.001069	2.02	Dopey2	dopey family member 2
A_30_P01020671	0.000757	2.02		
A_30_P01022264	6.17E-06	2.02		
A_52_P572045	0.000192	2.02	Pfkip	phosphofructokinase, platelet
A_52_P532456	0.001567	2.02	Plagl1	pleiomorphic adenoma gene-like 1
A_51_P440892	1.31E-06	2.02	Dph2	DPH2 homolog (S. cerevisiae)
A_30_P01021037	4.88E-06	2.02		
A_51_P477019	0.000189	2.01	Rnaset2a	ribonuclease T2A
A_55_P2366273	0.000191	2.01	Amn1	antagonist of mitotic exit network 1 homolog (S. cerevisiae)
A_30_P01025449	0.000669	2.01		
A_30_P01030390	9.42E-05	2.01		
A_55_P2012824	2.14E-05	2.01		
A_30_P01023418	0.000563	2.01		
A_55_P2014531	8.85E-07	2.01	Hes7	hairy and enhancer of split 7 (Drosophila)
A_51_P168632	0.000434	2.01	Prim1	DNA primase, p49 subunit
A_30_P01020112	8.41E-07	2.01		
A_66_P106593	3.09E-06	2.01	Vhl	von Hippel-Lindau tumor suppressor
A_52_P609200	1.40E-05	2.01	Serinc3	serine incorporator 3
A_30_P01023697	0.004748	2.01		
A_55_P1999182	0.00033	2.01	Cdk12	cyclin-dependent kinase 12
A_30_P01024908	0.000157	2.01		
A_52_P638319	1.57E-06	2.01		
A_55_P2021841	1.72E-07	2.01	Calm3	calmodulin 3
A_30_P01024131	0.000158	2.01		
A_52_P192426	6.97E-06	2.01	Tnfrsf1a	tumor necrosis factor receptor superfamily, member 1a
A_55_P2018532	0.003783	2.01	Mobk12a	MOB1, Mps One Binder kinase activator-like 2A (yeast)
A_30_P01017615	5.01E-05	2.01		
A_51_P120823	0.000446	2.01	Olfr868	olfactory receptor 868
A_55_P1963764	1.34E-07	2.01	Sept1	septin 1
A_30_P01018673	0.000137	2.01		
A_51_P189899	1.98E-05	2.01	Olfr1134	olfactory receptor 1134
A_30_P01024402	3.08E-06	2.01		
A_55_P2111033	1.23E-05	2.01	Hat1	histone aminotransferase 1
A_30_P01032546	3.72E-07	2.01		
A_30_P01026118	0.004794	2.01		
A_55_P2066778	0.000311	2.01	AB124611	cDNA sequence AB124611
A_51_P464576	1.89E-06	2.01	Psen1	presenilin 1
A_30_P01019302	7.57E-08	2.01		
A_52_P288873	1.30E-06	2.01	Chmp4b	chromatin modifying protein 4B
A_55_P2024115	0.000114	2.01	Gm10229	predicted gene 10229
A_55_P1972648	0.000127	2.01	Fam109b	family with sequence similarity 109, member B
A_55_P2016426	1.43E-08	2.01	Nova2	neuro-oncological ventral antigen 2
A_52_P603184	2.81E-05	2.01	Sufu	suppressor of fused homolog (Drosophila)
A_30_P01033403	0.000315	2.01		
A_51_P100997	0.001279	2.01	Serpib3c	serine (or cysteine) peptidase inhibitor, clade B, member 3C
A_66_P109720	7.62E-05	2.01	Hn1l	hematological and neurological expressed 1-like
A_30_P01023401	6.35E-05	2.01		
A_55_P2004268	0.004776	2.01	Hic1	hypermethylated in cancer 1
A_55_P1987645	0.00061	2.01	Unc13b	unc-13 homolog B (C. elegans)
A_55_P1972481	9.67E-08	2.01		
A_51_P267239	1.82E-05	2.00	Litaf	LPS-induced TN factor
A_51_P186487	0.000372	2.00		
A_55_P2104425	0.003584	2.00	Inadl	InaD-like (Drosophila)
A_51_P124719	2.41E-07	2.00	Ccdc93	coiled-coil domain containing 93
A_55_P2055612	2.80E-05	2.00	Zfp800	zinc finger protein 800
A_55_P1953540	0.00056	2.00	Orly	oppositely-transcribed, rearranged locus on the Y
A_55_P2371301	4.36E-06	2.00	4930413E15RIK	RIKEN cDNA 4930413E15 gene
A_55_P1999289	1.85E-08	2.00	Ovol2	ovo-like 2 (Drosophila)
A_55_P2276221	0.000263	2.00	Gm5222	predicted gene 5222
A_55_P2133983	1.81E-05	2.00	Gm436	predicted gene 436
A_51_P286563	0.000507	2.00	Gna13	guanine nucleotide binding protein, alpha 13
A_55_P2161695	6.20E-06	2.00	Kdelc1	KDEL (Lys-Asp-Glu-Leu) containing 1
A_30_P01030302	0.000166	2.00		
A_66_P111049	1.23E-05	2.00	Prlh	prolactin releasing hormone
A_30_P01017837	2.44E-05	2.00		
A_30_P01026512	2.44E-07	2.00		
A_55_P2376547	0.000144	2.00		
A_51_P424518	0.000156	2.00	Nin	ninein
A_30_P01022450	0.003282	2.00		
A_30_P01023499	0.000408	2.00		
A_30_P01017630	5.51E-06	2.00		
A_55_P2165299	0.000414	2.00	Mybpc1	myosin binding protein C, slow-type
A_55_P2051384	5.58E-07	2.00	Ccdc88c	coiled-coil domain containing 88C
A_55_P2095854	4.64E-05	2.00	Rab3c	RAB3C, member RAS oncogene family
A_30_P01020149	1.00E-05	2.00		
A_55_P2125496	1.58E-05	2.00	Gm10731	predicted gene 10731
A_55_P2118153	0.002157	2.00	1700014B07RIK	RIKEN cDNA 1700014B07 gene
A_55_P2086398	0.000516	2.00		

## HEP-15-0195.R2

Supporting Table 2. Antibody List.

### First antibodies for Immunostaining

Antibody	Product ID	Manufacturer	Clone
DP1	101640	Cayman Chemical	Polyclonal
Desmin	ab6322	Abcam	DE-U-10
F4/80	ab16911	Abcam	BM8
CD31	550274	BD Biosciences	MEC13.3
Vimentin	550513	BD Pharmingen	RV202
HPGDS	10004349	Cayman Chemical	7H4
Phospho-p65 (Ser536)	3033	CST (Cell Signaling Technology)	93H1
TNF- $\alpha$	ab34674	Abcam	Polyclonal
CCL2	AAM43	AbD Serotec	Polyclonal
VCAM-1	ab27560	Abcam	MVCAM.A (429)
iNOS	ab15323	Abcam	Polyclonal
Tissue factor	ab151748	Abcam	EPR8986
Gr-1	ab2557	Abcam	NIMP-R14
CD3	ab16669	Abcam	SP7

### Secondary antibodies for Immunostaining

Antigen	Format	Product ID	Manufacturer
Rabbit IgG	Alexa Fluor 488	A-21206	Molecular Probes
Rabbit IgG	Alexa fluor 594	A-21207	Molecular Probes
Rat IgG	Alexa Fluor 488	A-21208	Molecular Probes
Rat IgG	Alexa Fluor 594	A-21209	Molecular Probes

### First antibodies for Western Blot

Antibody	Product ID	Manufacturer	Clone
p65	sc-372	Santa Cruz	Polyclonal
I $\kappa$ B $\alpha$	sc-371	Santa Cruz	Polyclonal
JNK	9252	CST	Polyclonal
pJNK	9251	CST	Polyclonal
p38	9212	CST	Polyclonal
pp38	9211	CST	Polyclonal
GAPDH	AM4300	Life Technologies	6C5
Lamin B	sc-6216	Santa Cruz	Polyclonal

### Secondary antibodies for Western Blot

Antigen	Format	Product ID	Manufacturer
Rabbit IgG	HRP	NA934	GE Healthcare
Mouse IgG	HRP	NA931	GE Healthcare
Goat IgG	HRP	PI-9500	Vector Laboratories


### Antibodies for flow cytometry

Antigen	Format	Product ID	Manufacturer	Clone
CD3e	PE-Cyanine 5	12-0031	eBioscience	145-2C11
Gr1	PE	12-5931	eBioscience	RB6-8C5


Supporting Table 3. Primers used for RT-PCR

Gene symbol	Forward	Reverse
<i>18S</i>	gag gcc ctg taa ttg gaa tga g	gca gca act act tta ata tac gct att gg
<i>Emr1</i> (F4/80)	gga gga ctt ctc caa gcc tat t	agg cct ctc aga ctt ctg ctt
<i>Des</i> (desmin)	gcg tga caa cct gat aga cg	tgg att tcc tcc tgt agt ttg g
<i>Alb</i> (Albumin)	tga ccc agt gtt gtg cag ag	ttc tcc ttc aca cca tca agc
<i>Vwf</i>	tgg tcc tga agc aca cat acc	gac ggg gtc ttc ctc cac
<i>Ptgdr</i> (DP1)	ccc agt cag gct cag act aca	gct cca tag tac gca cga taa at
<i>Tnf</i>	ccc tca cac tca gat cat ctt ct	gct acg acg tgg gct aca g
<i>Ccl2</i>	tta aaa acc tgg atc gga acc aa	gca tta gct tca gat tta cgg gt
<i>Nos2</i>	ggg ctg tca cgg aga tca	cca tga tgg tca cat tct gc
<i>Edn1</i>	tcc ttg atg gac aag gag tgt	ccc agt cca tac ggt acg a
<i>F3</i> (tissue factor)	ttc tcc agg aaa act aac caa aa	cca caa tga gtg ttt ctc c
<i>Vcam1</i>	tct tac ctg tgc gct gtg ac	tta ctg gat ctt cag gga atg ag
<i>Ccl7</i>	ttc tgt gcc tgc tgc tca ta	ttg aca tag cag cat gtg gat
<i>Ccl11</i>	aga gct cca cag cgc ttc t	gca gga agt tgg gat gga
<i>TNF</i> (human)	cag cct ctt ctc ctt cct gat	gcc aga ggg ctg att aga ga
<i>CCL2</i> (human)	agt ctc tgc cgc cct tct	gtg act ggg gca ttg att g
<i>NFKBIA</i> (human)	acc tgg tgt cac tcc tgt tga	ctg ctg ctg tat ccg ggt g
<i>ACTA2</i> (human)	tca gct tcc ctg aac acc a	gga gct gct tca cag gat tc
<i>VIM</i> (human)	att cca ctt tgc gtt caa gg	ctt cag aga gag gaa gcc ga
<i>PTGDR</i> (human)	ttg ggc tct cct cga cac t	cca tct gga taa agc acc agg
<i>EDN1</i> (human)	tct ctg ctg ttt gtg gct tg	gag ctc agc gcc taa gac tg


(A) DP1 immunostaining of mouse ileum.




(B) Expression of DP1, CD31, and F4/80 in mouse liver.



(C) Morphology and autofluorescence of isolated mouse HSCs




**Supporting Figure 2. Time course of nuclear p65 and cytosolic I $\kappa$ B $\alpha$  proteins after stimulation of human HSCs with TNF- $\alpha$  and vehicle or BW245C.**







**Supporting Figure 3. Serum AST and ALT levels of WT mice, prostanoid receptor-deficient mice, and mice treated with an EP4 antagonist subjected to ConA-induced hepatitis.**



**Supporting Figure 4. Effects of BW245C on serum TNF- $\alpha$  levels of bone marrow chimeras.**




**Supporting Figure 5. HPGDS immunostaining in mouse livers treated with ConA for 8 hours.**




**Bars, 100  $\mu$ m**


**Supporting Figure 6. IFN- $\gamma$  concentrations in sera of ConA - injected mice (A) and in vitro co-culture system (B).**



**Supporting Figure 7. Clustering analysis of genes that showed changes similar to that of *nos2* in response to ConA injection and BW245C treatment.**



## Supporting Figure 8. Sinusoidal congestion induced by ConA is ameliorated by BW245C.



**Supporting Figure 9. Intracellular Ca<sup>2+</sup> assay of human HSCs stimulated with endothelin-1 (EDN-1) in the presence of vehicle or BW245C.**

