TITLE:

Syn-metamorphic B-bearing fluid infiltrations deduced from tourmaline in the Main Central Thrust zone, Eastern Nepal Himalayas

AUTHOR(S):

Kawakami, Tetsuo; Sakai, Harutaka; Sato, Katsushi

CITATION:

Kawakami, Tetsuo ...[et al]. Syn-metamorphic B-bearing fluid infiltrations deduced from tourmaline in the Main Central Thrust zone, Eastern Nepal Himalayas. *Lithos* 2019, 348-349: 105175.

ISSUE DATE:

2019-12-01

URL:

<http://hdl.handle.net/2433/244136>

RIGHT:

© 2019. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <http://creativecommons.org/licenses/by-nc-nd/4.0/>; The full-text file will be made open to the public on 1 December 2021 in accordance with publisher's 'Terms and Conditions for Self-Archiving'; この論文は出版社版ではありません。引用の際には出版社版をご確認ください。; This is not the published version. Please cite only the published version.

Syn-metamorphic B-bearing fluid infiltrations deduced from tourmaline in the Main Central Thrust zone, eastern Nepal Himalayas

Tetsuo KAWAKAMI^{1,*}, Harutaka SAKAI¹, Katsushi SATO¹

Department of Geology and Mineralogy, Graduate School of Science, Kyoto University,
Kitashirakawa-Oiwake-cho, Sakyo-ku, Kyoto 606-8502, Japan

* Corresponding author, t-kawakami@kueps.kyoto-u.ac.jp

Abstract

Mode of occurrence and chemical composition of tourmaline in pelitic schists from the Main Central Thrust (MCT) zone of the Lesser Himalayan Sequences (LHS) are described in detail with the aim of deducing the chemical characteristics of tourmaline formed through B-bearing fluid infiltration and of estimating the composition of the syn-metamorphic fluids. Metasomatic tourmalines from the tourmalinized wall rocks show significant increases in X_{Ca} [$=Ca/(Ca+Na)$] at almost constant X_{Mg} [$=Mg/(Mg+Fe^{2+})$] from the cores or mantles to the rims. Tourmaline in tourmaline-rich (> 1.0 vol%) pelitic schists from the biotite zone to the kyanite zone also show marked increase in X_{Ca} at almost constant X_{Mg} , and are interpreted as a product of B-bearing fluid infiltration. Abundant margarite and

19 anorthite formed in the pelitic schists intercalated with the metadolostone layers suggesting that the
20 B-rich fluid became Ca enriched as it interacted with metadolostone layers, and metasomatically
21 introduced Ca into the pelitic schists. Infiltration of such B- and Ca-rich fluids into pelitic schists likely
22 resulted in production of abundant tourmaline with the compositional trend of increasing X_{Ca} at almost
23 constant X_{Mg} . Most of the tourmaline in tourmaline-rich pelitic schists are in equilibrium with
24 plagioclase, suggesting that the fluid composition was buffered by the pelitic schists. Composition of
25 tourmaline in the pelitic schists with less than 1 vol% tourmaline mostly show increase in X_{Ca} and
26 wider range of X_{Mg} values, reflecting its growth during prograde metamorphism. The composition of
27 fluids that coexisted with tourmaline is estimated by applying experimentally-determined
28 fluid/tourmaline chemical relationships to the composition of tourmaline from veins associated with
29 tourmalinization, pelitic schists with less than 1 vol% tourmaline and tourmaline-rich pelitic schists.
30 Assuming coexisting anion to be Cl, the salinity estimated for these rock types was ~0.44-0.59 mol/l
31 NaCl+CaCl₂ that is similar to or slightly lower than the present-day seawater. Veins associated with
32 tourmalinization and tourmaline-rich pelitic schists are sporadically distributed in the MCT zone of
33 the LHS, suggesting that the syn-metamorphic, B-bearing saline fluid infiltrations took place widely
34 in the MCT zone, and the fluid pathways were localized and channeled. Our observation supports the
35 scenario whereby infiltration of fluid into the High Himalayan Crystallines (HHC) caused vapor-
36 saturated partial melting of the HHC to give tourmaline leucogranite melts contemporaneous with

37 inverted metamorphism in the MCT zone.

38

39 Keywords: metamorphic fluid; boron; metasomatism; tourmaline leucogranite; inverted
40 metamorphism

41

42 **1 Introduction**

43 Syn-metamorphic fluid movements in the continental collision zone is of great importance especially
44 for mass and heat transfer from the site of their generation. Under a tectonic setting of an inverted
45 metamorphism, low-grade metamorphic rocks have been thrust under high-grade metamorphic rocks.
46 In a study of the Annapurna and Manaslu massifs in the Nepal Himalaya, Le Fort (1981) emphasized
47 the importance of underlying low-grade metamorphic rocks as a source of aqueous fluids that infiltrate
48 into the overlying higher-grade metamorphic rocks to trigger fluid-fluxed partial melting. As the
49 concept of dehydration melting was becoming increasingly accepted, more emphasis was placed on
50 the role of muscovite dehydration melting in forming leucogranites in continental collision settings
51 (e.g., Harrison et al., 1999; Visona and Lombardo, 2002). However, taking into account the relatively
52 low temperature estimates obtained from some areas of the High Himalayan Crystallines (HHC) and
53 most of the Lesser Himalayan Sequences (LHS) compared to the temperature required for the
54 dehydration melting of muscovite, fluid-fluxed melting is potentially an alternative explanation for

55 the formation of leucogranites in these rocks.

56 A potential tracer of aqueous fluids is B, which can crystallize as tourmaline once the
57 pressure-temperature (P - T) conditions and bulk composition of the rocks are favorable. Tourmaline,
58 with a general chemical formula of $XY_3Z_6(T_6O_{18})(BO_3)_3V_3W$, is a common accessory mineral in the
59 Earth's upper continental crust having a wide stability field (Henry and Dutrow, 1996; van Hinsberg
60 et al, 2011). In metapelites, prograde breakdown of illite and micas locally supply B for tourmaline
61 growth (Henry and Dutrow, 1996; Sperlich et al, 1996; Kawakami and Ikeda, 2003). On the other hand,
62 because tourmaline is the most important sink of B in metapelites (Henry and Dutrow, 1996;
63 Kawakami, 2001a; 2004; Sperlich et al, 1996), B is commonly fixed at the site of fluid/rock interaction
64 as accumulations of tourmaline (e.g., Kawakami, 2001b; Kawakami et al., 2008; Marschall et al.,
65 2006; Marocchi et al., 2011), and thus accumulations of tourmaline are testimony to former presence
66 of B-bearing fluids. Therefore, chemical composition of tourmaline varies as a function of
67 metamorphic grade (e.g., Henry and Dutrow, 1996) and can also serve as a monitor of fluid
68 compositions (von Goerne et al., 2011; Berryman et al., 2016).

69 Tourmaline is a common mineral in Himalayas, contained in the HHC, LHS, and High
70 Himalayan leucogranites (HHL) and thus has been studied by many researchers (e.g., Benard et al.,
71 1985; Rai and Le Fort, 2002; Visona and Lombardo, 2002). It is clear from its occurrence as a major
72 mafic mineral in the HHL that B played an important role in the formation of the HHL and can

potentially serve as a proxy to constrain its source region. Addition of B can lower the temperature of the granitic solidus and reduce the viscosity of the melt (Johannes and Holtz, 1996). There are several hypotheses for the HHL formation including: (a) fluid-present melting (e.g. Le Fort, 1981; Harris et al., 1993), (b) decompression melting (e.g. Harris and Massey, 1994) and (c) muscovite- and biotite-dehydration melting (e.g., Harrison et al., 1999; Visona and Lombardo, 2002). This study aims to deduce chemical characteristics of tourmaline that may be associated with B-bearing fluid infiltration, unravel the syn-metamorphic fluid activity in the MCT zone by using mode of occurrence and composition of tourmaline, and finally discuss which melting process(es) are likely to form the HHL in the Dhankuta area, Eastern Nepal. Mineral abbreviations are after Whitney and Evans (2010).

2 Geological setting of the MCT zone in the Dhankuta area (Eastern Nepal)

The metamorphic field mapping and sampling were carried out in the Dhankuta area, Eastern Nepal, where the HHC and LHS bounded by the Main Central Thrust (MCT) are widely exposed (Sakai et al., 2013; Fig. 1a). The MCT in this area gently dips north (Fig. 1b). In the footwall side of the MCT, the LHS mainly composed of pelitic schists (Fig. 2a, Table 1) are widely exposed intercalated with subordinate amounts of actinolite schists, quartzites and mafic rocks. The orientation of the foliation appears to be subparallel to the MCT. Mesoscale N-S trending folds with a wavelength of several tens of meters are locally developed and disturb this trend. Actinolite schists (Fig. 2b, Table 1) are locally

boudinaged by the E-W stretching. The detailed metamorphic zone mapping of the footwall rocks of the MCT revealed that the metamorphic grade decreases from the Ky zone through the St and Grt zones to the Bt zone as distance from the MCT increases toward the south (Fig. 1b), representing the inverted metamorphic sequence. These metamorphic zones are apparently affected by the top-to-the-S movement of the MCT as indicated by the asymmetrical structures of deformed quartz lenses (Fig. 2a), and termed the “MCT zone” in the previous studies. In the hanging wall of the MCT, the HHC mainly composed of migmatitic Grt-Bt-Ms gneiss (Fig. 2c, Table 1) is widely distributed. The gneissosity generally dips north, and mesoscale N-S trending upright folds locally disturb this trend. Tourmaline-bearing leucogranite patches either occur concordantly to the gneissosity or cut it discordantly (Fig. 2d).

3 Analytical methods

Quantitative analyses of rock-forming minerals and X-ray elemental mapping of thin section samples were performed by a JEOL JXA-8105 superprobe. Analytical conditions for quantitative analyses were 15.0 kV acceleration voltage, 10 nA beam current, and 3 μm beam diameter. The counting time for the peak and backgrounds were 30 s and 15 s for Cl, 60 s and 30 s for F, and 10 s and 5 s for other elements. Natural and synthetic minerals were used as standards and the ZAF correction was applied. Representative mineral analyses are given in Table 2 for tourmaline and Table 3 for other rock-forming

minerals. Analytical conditions for the Zr-in-rutile thermometry followed that of Zack et al. (2004). Analytical conditions for X-ray elemental mapping were an acceleration voltage of 15.0 kV, probe current of 50 nA, with a focused beam or a beam diameter of 3 μm . Fine-grained Al_2SiO_5 minerals were identified with laser Raman spectroscopy (JASCO NRS 3100). All of these analyses were done at Department of Geology and Mineralogy, Kyoto University, Japan. Tourmaline composition was normalized based on 15 T+Z+Y cations (Henry and Dutrow, 1996; Henry et al., 2011), assuming three B atoms per formula unit (apfu). The most common constituents of each site are: $^{[9]}\text{X} = \text{Na}^+, \text{Ca}^{2+}, \text{K}^+$ and $\square$ (vacancy); $^{[6]}\text{Y} = \text{Fe}^{2+}, \text{Mg}^{2+}, \text{Al}^{3+}$ and Li^+ ; $^{[6]}\text{Z} = \text{Al}^{3+}, \text{Fe}^{3+}$ and Mg^{2+} ; $^{[4]}\text{T} = \text{Si}^{4+}$ and Al^{3+} ; $^{[3]}\text{B} = \text{B}^{3+}$; $\text{V} = \text{OH}^-$ and O^{2-} ; and $\text{W} = \text{OH}^-, \text{F}^-$ and O^{2-} (Henry et al., 2011). Although $\text{Fe}_{\text{total}} = \text{Fe}^{2+}$ in most of the tourmaline analyses, Fe^{3+} and Fe^{2+} were estimated by $\text{Fe}^{3+} = 6 - \text{Al}(\text{Z})$ and $\text{Fe}^{2+} = \text{Fe}_{\text{total}} - \text{Fe}^{3+}$, respectively in some analyses. Small amounts of Ba^{2+} are assumed to enter the X site in this study (Table 2). Full dataset of tourmaline analyses is available as a supplementary material (Table S1).

4 Sample description

4.1 Metapelites in the Lesser Himalayan Sequences

Four metamorphic zones are defined in the MCT zone based on mineral assemblages in pelitic schists (Fig. 1b; Table 1). Abundant quartz veins are found as sheared lenses concordant to the penetrative schistosity in the MCT zone (termed “quartz lenses” hereafter). Their asymmetric shapes indicate the

shear sense of ductile deformation to be top-to-the-S (Fig. 2a), which is identical with the movement of the MCT.

Pelitic schists in the Ky zone are characterized by the presence of kyanite (Fig. 1b; Table 1). Representative mineral assemblage is Ky + Grt + Bt ± St + Ms + Pl + Qtz. Some of the kyanite-bearing rocks have appearance similar to black slates in the outcrop due to accessory graphite. In such samples (e.g., sample 402-3; Table 1), fine-grained, lath-shaped kyanite is arranged along the schistosity with muscovite, biotite and staurolite. Kyanite, garnet and minor plagioclase are found as mm- to cm-sized crystals near or within the quartz lenses, and are significantly coarser-grained than other matrix-constituting minerals (Fig. 2e). Some garnet and kyanite grains show sheared and elongated grain shape in the vicinity of the quartz lenses, and some kyanite grains contained in the quartz lenses show curved growth texture (bottom left of Fig. 3k). The conventional Grt-Bt geothermometer (Bhattacharya et al., 1992; Holdaway, 2000) and GASP geobarometer (Holdaway, 2001) applied to the Grt + Ky + Pl + Bt + Qtz assemblage seen in the quartz lens and adjacent pelitic schist domain (Fig. 2e) yielded ~610 °C and ~0.92 GPa (Fig. 4). The two different calibrations of Grt-Bt geothermometer gave almost identical temperature estimates.

Pelitic schists with more than 1 vol% tourmaline sometimes show different microtexture. In sample 505A, garnet shows discontinuous core/rim zoning and the rim is dark under the BSE image. This kind of discontinuous zoning in garnet is rare in other samples. Plagioclase is An-rich (An₆₉₋₈₀)

and includes tourmaline crystals (Fig. 3b). In a black pelitic schist sample 109B collected from the boundary between St- and Ky-zones (Table 1), tourmaline enclosed in garnet defines an internal foliation that is continuous to the matrix schistosity defined by the preferred orientation of biotite, muscovite and tourmaline (Fig. 3c).

Pelitic schists from the St zone are represented by the mineral assemblage Grt + St + Bt + Ms + Qtz $\pm$ Pl (Fig. 1b; Table 1). Staurolite and muscovite are coarser-grained near the quartz lenses. In sample 908, plagioclase cores with anorthite-rich composition (An₈₀₋₈₅) is replaced by anorthite-poor plagioclase rims (An₂₅₋₃₉), which are considered to be in equilibrium with other matrix minerals such as tourmaline. Conventional *P-T* estimate by Grt-Bt geothermometers in combination with the Grt-Bt-Ms-Pl geobarometer (Wu, 2015) gave scattered estimates depending on the calibration of the Grt-Bt geothermometers: that of Bhattacharya et al. (1992) yielded ~580 °C and ~0.66 GPa, whereas that of Holdaway (2000) yielded ~655 °C and ~0.78 GPa (Fig. 4). Plagioclase with a composition of ~An₃₂ that is in chemical equilibrium with matrix tourmaline was used for these estimates (Table 1). In a pelitic schist with more than 1vol% tourmaline from the St zone (sample 602, Table 1), garnet that encloses abundant tourmaline crystals shows bell-shaped Mn zoning indicative of its prograde growth (Fig. 3e). For this sample, the *P-T* condition for the matrix mineral assemblage estimated by the Grt-Bt geothermometer (Holdaway, 2000) in combination with the Grt-Bt-Ms-Pl geobarometer (Wu, 2015) was ~570 °C and ~0.80 GPa. A slightly lower *P-T* estimate of ~550 °C and ~0.76 GPa was

obtained by the Grt-Bt geothermometer (Bhattacharya et al., 1992) in combination with the same geobarometer.

Pelitic schists from the Grt zone are represented by the mineral assemblage of Grt + Bt + Ms + Chl + Qtz $\pm$ Pl (Fig. 1b). The P - T estimate by Grt-Bt geothermometers (Bhattacharya et al., 1992; Holdaway, 2000) and the Grt-Bt-Ms-Pl geobarometer (Wu, 2015) gave ~ 575 °C and ~ 0.79 GPa (Fig. 4). Two calibrations of the Grt-Bt geothermometer yielded almost identical temperature.

Pelitic schists from the Bt zone are represented by the assemblage of Bt + Chl + Ms + Qtz (Fig. 1b; Table 1). Pelitic schist with more than 1vol% tourmaline (sample 2-807) was found near the boundary between the Grt- and Bt-zones (Fig. 1b).

4.2 Actinolite schists in the Lesser Himalayan Sequences

Actinolite schists are commonly intercalated with pelitic and psammitic schists from the Bt- to the Ky-zones of the LHS, and are green-colored in outcrop. Radial crystals of actinolite form flat, oval-shaped aggregates arranged parallel to the sedimentary layering of protolith and define the schistosity. Some of them in the Ky zone are intercalated with orange-colored, dolomite-rich parts (Fig. 2b). In such samples, green actinolite selvages fill cracks that cut the schistosity, with offshoots parallel to the schistosity (Fig. 2b; sample 104). The main mineral assemblage in the orange-colored part is Dol ($X_{Mg} = 0.86$ - 0.87) + Bt ($X_{Mg} = 0.67$ - 0.73), whereas that in the greenish-part is Act ($X_{Mg} = 0.79$ - 0.84)

+ Cal. Minor relic dolomite is present in the greenish, actinolite schist part. Some actinolite grains enclose cores of magnesiohornblende ($X_{Mg} = 0.70-0.76$). In pelitic schists near the actinolite schists, abundant grains of secondary margarite and anorthite-rich plagioclase cut the schistosity of the metapelites within several to ~10 meters from metadolostone layers (Fig. 2f).

4.3 Pelitic gneiss from the High Himalayan Crystallines

Pelitic gneiss is the main rock type in the Formation I of the HHC. Tourmaline-bearing leucogranitic layers, either concordant (Fig. 2c) or discordant (Fig. 2d) to the gneissosity, are common in the pelitic gneisses. Sillimanite is rare, and is typically fibrolitic occurring at grain boundaries of matrix minerals (Table 1). Two types of garnet are seen in some pelitic gneisses: garnet with rounded, nearly euhedral shape shows Mn-bell-shaped zoning, whereas that with elongated shape is mostly homogeneous in major element composition (Fig. 3l-n; sample 604). The elongated garnet includes euhedral plagioclase (Fig. 3l) and has composition similar to the thin outermost rims of the rounded garnet (Fig. 3m-n). Tourmaline is included in the Mn-bell-shaped domains and rims of the rounded garnet, and it is also enclosed in a garnet grain showing similar composition with the elongated garnet (top left of Fig. 3l-n).

The P - T estimate of sample 604 by the Grt-Bt geothermometers (Bhattacharya et al., 1992; Holdaway, 2000) and GASP geobarometer (Holdaway, 2001) gave ~665 °C and ~1.13 GPa (Fig. 4).

199 The Zr-in-rutile thermometer (Tomkins et al., 2007) applied to rutile grains included in the elongated
200 garnet (Fig. 3l-n) also gave ~665 °C at 1.13 GPa. For sample 201A, the Grt-Bt geothermometer
201 (Bhattacharya et al., 1992; Holdaway, 2000) and GASP geobarometer (Holdaway, 2001) gave ~630
202 °C and ~1.13 GPa, and the Zr-in-rutile thermometer (Tomkins et al., 2007) gave ~670 °C at ~1.13 GPa
203 (Fig. 4). For sample 201A, *P-T* estimate using the Zr-in-rutile thermometer is preferred.

204

205 5 Tourmaline composition and textures

206 5.1 Pelitic schists with less than 1 vol% tourmaline in the Lesser Himalayan Sequences

207 Tourmaline in pelitic schists with less than 1 vol% tourmaline (Table 1) in the Lesser Himalayan
208 Sequences shows chemical zoning consisting of several domains (Fig. 3a). Cores are in most cases
209 detrital in origin and differ in composition from one to another, whereas they are considered to be
210 metamorphic in origin in the few cases where their compositions define a chemical trend towards the
211 rims representative of increasing metamorphism (Fig. 5b-d).

212 Tourmaline inclusions in garnet porphyroblasts together with cores, mantles and rims of
213 matrix tourmaline commonly show increase in $X_{Mg} [=Mg/(Mg+Fe^{2+})]$ in each sample (Fig. 5c-e). This
214 chemical trend, commonly observed in metamorphic tourmaline in general, is considered to reflect the
215 increase of metamorphic grade as the tourmaline grows (Henry and Dutrow, 1996). On the other hand,
216 $X_{Ca} [=Ca/(Na+Ca)]$ does not always increase as a function of X_{Mg} (Fig. 5a, e). Similarly, X-site

vacancy does not always decrease as often observed as metamorphic grade increases (Fig. S1). Based on the chemical zoning from the cores to the rims that follows the trend of increasing metamorphism (Figs. 5c-d, S1b, S1d-e), tourmaline contained in the pelitic schists with less than 1 vol% tourmaline in the MCT zone of the LHS is considered to have grown during the prograde metamorphism.

In addition to tourmaline zoning observed in each sample, rims of matrix tourmaline in each metamorphic zone systematically change in composition as metamorphic grade increases. The rims of matrix tourmaline show increase in X_{Mg} from the Grt zone to the Ky zone (Fig. 5f), representing progressive increase in metamorphic grade (Henry and Dutrow, 1996). Change of X_{Ca} and X-site vacancy is again not straightforward (Fig. 5f, S1f).

5.2 Pelitic schists with more than 1 vol% tourmaline in the Lesser Himalayan Sequences

Pelitic schists that contain more than 1 vol% tourmaline are termed “tourmaline-rich pelitic schists” hereafter. They are either associated with or without quartz lenses (Table 1). The tourmaline-rich pelitic schists not accompanied by quartz veins with tourmalinization are common in the Grt- to Ky-zone rocks (Table 1). In such samples, tourmaline tends to be abundant in muscovite-rich layers, and also included in garnet (Fig. 3c-d; samples 505A, 109B, 602 and 803).

Tourmaline in the tourmaline-rich pelitic schists commonly define different chemical trends from that in the pelitic schists with less than 1 vol% tourmaline: They show significant increase of X_{Ca}

value from cores to rims at almost constant X_{Mg} value (Fig. 6g). The X-site vacancy values vary widely at almost constant X_{Mg} in some samples (Fig. S2b, f, g). These compositional trends are commonly observed for matrix tourmaline in the Grt-zone to the Ky-zone rocks, while tourmaline enclosed in garnet sometimes follow or constitute a part of the trends as well (Figs. 6d-h, S2d-h). For example, in a pelitic schist from the St zone (sample 602, Table 1) tourmaline enclosed in garnet follows the compositional trend that mantles and rims of matrix tourmaline define, i.e., increasing X_{Ca} and decreasing X-site vacancy at almost constant X_{Mg} (Figs. 6f, S2f). On the other hand, large compositional variations of the tourmaline cores that are commonly observed in pelitic schists with more than 1 vol% tourmaline (Fig. 6d-g) can be ascribed to their detrital origin, supported by the irregular shape of the cores under BSE images.

245

246 5.3 Pelitic gneisses from the High Himalayan Crystallines

Tourmaline is found as matrix mineral (Fig. 3l) as well as inclusions in garnet. The matrix tourmaline is commonly euhedral, but some are developed as xenomorphic grains along the matrix grain boundaries, indicating later crystallization. Composition of tourmaline in Formation I gneisses is homogeneous within a sample, while it varies between samples (Fig. 5g, S1g).

251

252 5.4 Veins associated with tourmalinization in the kyanite zone of the Lesser Himalayan

253 Sequences

254 Veins discordantly cutting the schistosity of metapelites and associated with tourmalinization in the
255 wall rock were found at three localities in the Ky zone (Fig. 2h). In these localities, tourmaline replaces
256 mafic minerals such as biotite and staurolite that are concordantly arranged with the schistosity of the
257 wall rock.

258 Sample 808-2 is a tourmaline-quartz vein (Table 1). In the wall rock, kyanite and staurolite
259 are surrounded by secondary muscovite aggregates and by secondary chlorite. The tourmaline is
260 considered to be entirely of metasomatic origin. The X_{Ca} value of tourmaline increases from
261 metamorphic cores to mantles and rims at constant X_{Mg} (Figs. 6a), and the X-site vacancy value
262 systematically decreases from the cores to mantles and rims (Fig. S2a).

263 Sample 107-1 is a plagioclase-quartz vein that crosscuts the compositional layering of the
264 wall rock at a high angle (Fig. 2h; Table 1). The wall rock is mainly pelitic schists locally intercalated
265 with actinolite-rich layers (e.g., Fig. 2b). The vein itself is mainly composed of Pl (An88) + Qtz with
266 accessory Chl + Ms, whereas a selvage rich in tourmaline is developed in the wall rock along the
267 vein. Tourmaline in the wall rock is concentrated in the partly folded, muscovite-rich layers (Fig. 3f).
268 Further away from the contact with the vein, pre-existing schistose layers consisting of biotite and
269 staurolite are significantly tourmalinized (Fig. 3f). Schistose layers rich in muscovite envelope garnet
270 and staurolite crystals, but do not envelope metasomatic tourmaline. This indicates that the

271 compositional banding defined by the arrangement of peak metamorphic minerals in the wall rock
272 served as sites for tourmaline nucleation and growth. Rims of staurolite include tourmaline that has
273 chemical zoning identical to the wall rock tourmaline. Tourmaline formed in the wall rock is fractured
274 normal to the c-axis and shows pulling apart of the fragments (Fig. 3f). New tourmaline is locally
275 developed on the pre-existing tourmaline in the space opened by the pulling and breaking apart of the
276 pre-existing tourmaline. Tourmaline included in garnet shows variation of X_{Ca} and X-site vacancy at
277 almost constant X_{Mg} (Figs. 6b, S2b). The cores of the matrix tourmaline show similar composition
278 with rims of tourmaline inclusions in garnet (Fig. 6b). Temperature estimate using interplanar Ca/Na
279 partitioning of tourmaline (Henry and Dutrow, 1996; van Hinsberg and Schumacher, 2007) developed
280 in the wall rock gave ~530-590 °C.

281 In sample 101 from the Ky zone (Table 1; Fig. 3g), tourmaline-quartz vein (area 3; Fig. 3h)
282 almost vertically cuts the schistosity, and tourmalinized domains replacing biotite and staurolite stem
283 out parallel to the schistosity. The mineral assemblage of the wall rock changes as a function of the
284 distance from the vein, that is, from $Chl + Tur + Qtz \pm Grt$ at the contact with the vein (area 2; Fig. 3i)
285 to $Tur + Chl + Qtz + Bt + St \pm Grt$ at about 4 cm distant from the vein (area 1; Fig. 3j). Plagioclase
286 and K-feldspar are absent in this sample. Biotite and staurolite are partly replaced by tourmaline and
287 chlorite in the area 1, indicating incomplete progress of tourmalinization reactions consuming them.
288 The X_{Ca} decreases from areas 3 and 2 to area 1 at almost constant X_{Mg} (Fig. 6c). Compositional

289 variation tends to be the largest in area 1 compared to areas 2 and 3.

290

291 **5.5 Quartz veins in the Main Central Thrust zone of the Lesser Himalayan Sequence**

292 Abundant quartz lenses showing top-to-the-S sense of shear (Fig. 2a) are found in the Ky zone near
293 the MCT to the Grt zone distant from the MCT zone. They are the most obvious evidence for the pre-
294 to syn-kinematic fluid activities in the MCT zone. Quartz lenses several centimeters to several
295 decimeters in length are found in most pelitic layers. The quartz lenses are not associated with
296 tourmalinized selvages in pelitic host rocks, and the selvages are in most cases biotite or chlorite
297 depending on the metamorphic grade. In sample 402-3, kyanite and garnet are coarser-grained in the
298 vicinity of and in the quartz lenses, and some kyanite grains in the quartz vein show curved growth
299 texture (Fig. 3k). The *P-T* condition recorded by these coarse-grained garnet, kyanite and quartz, and
300 proximal plagioclase and biotite is estimated at ~610 °C and ~0.92 GPa by applying the Grt-Bt
301 geothermometers and GASP geobarometer (Bhattacharya et al., 1992; Holdaway, 2000; 2001) (Fig.
302 4)

303

304 **6 Discussion**

305 **6.1 Compositional constraints on the tourmalinization- and metamorphic-fluids**

306 Boron-bearing fluid infiltration in the MCT zone of the LHS took place continuously from the
307 prograde metamorphic stage to the final stage of schistosity-forming deformation possibly during early

308 retrograde metamorphism. The former is evidenced by the presence of abundant tourmaline inclusions
309 in prograde garnet (Fig. 3c, e). The latter is evidenced by the presence of veins accompanied by
310 tourmaline-rich selvages cross-cutting the schistosity (sample 107-1; Fig. 2h) whose formation
311 temperature is estimated to be ~530-590 °C from tourmaline thermometry, and by the microstructures
312 indicating that staurolite + garnet was stable at the time of B-bearing fluid infiltration.

313 Temperature condition of the experiment by von Goerne et al. (2011) (600 °C) is similar to
314 that estimated for the St and Ky zone samples (~600 °C; Fig. 4), and broadly similar to that for
315 tourmaline-forming vein sample (~530-590 °C). Therefore, in order to estimate the coexisting fluid
316 composition, the equations $\text{Na}_{\text{fluid}}(\text{mol/l}) = 1.39X_{\text{Na}} - 1.04X_{\text{Na}}^2$ and $\text{Ca}_{\text{fluid}}(\text{mol/l}) = 0.60X_{\text{Ca}} - 0.35X_{\text{Ca}}^2$
317 were calculated from the experimental data reported by von Goerne et al. (2011) for 600 °C, where
318 $X_{\text{Na}} = \text{Na}/(\text{Na}+\text{Ca})$ and $X_{\text{Ca}} = \text{Ca}/(\text{Ca}+\text{Na})$ in tourmaline (cf. Dutrow and Henry, 2016). These
319 equations are applied to the studied samples, keeping in mind that extrapolating 0.20 GPa experiments
320 to higher-*P*, chemically complex natural samples is associated with large uncertainty. Assuming
321 coexisting anion to be Cl, fluid compositions calculated for vein samples, Tur-rich pelitic schists, and
322 even pelitic schists with less than 1 vol% tourmaline all showed salinity (~0.44-0.59 mol/l
323 NaCl+CaCl₂) similar to the present-day sea water (~0.6 mol/l NaCl) as summarized in Table 1. Fluid
324 compositions for the Formation I samples are given for reference only (Table 1) because at least part
325 of tourmaline crystals are shown to have coexisted with euhedral plagioclase indicating their magmatic

origin (Fig. 3n-l). A magmatic origin of tourmaline in the Formation I samples is also indicated by its occurrence as a euhedral mineral in leucosome (Fig. 2c-d).

Tourmaline and plagioclase are known to show almost identical X_{Ca} values when they are in chemical equilibrium (von Goerne et al., 2011). As shown in Fig. 7, compositions of plagioclase and tourmaline in several samples such as a vein associated with tourmalinization (sample 107-1) and pelitic schists with more than 1 vol% tourmaline (samples 505A and 505B) do not plot on the equilibrium line defined by the experimental study of von Goerne et al. (2011), suggesting that plagioclase and tourmaline in these samples are in disequilibrium relationship. Because there is a possibility that fluid-mineral equilibrium is not attained in these samples, estimated fluid compositions are only given for reference for these samples as well (Table 1). Although anorthite-rich cores of plagioclase show disequilibrium relationship with matrix tourmaline in sample 908, plagioclase rims and matrix tourmaline show equilibrium relationship (Fig. 7). Therefore, matrix tourmaline composition is used in estimating fluid compositions for sample 908.

6.2 Ca-metasomatism in the Main Central Thrust zone

Some actinolite schists in the Ky zone are intercalated with orange-colored, dolomite-rich portions (Fig. 2b). In such samples, selvages of green actinolite fill cracks that cut the schistosity, with offshoots parallel to the schistosity (Fig. 2b; sample 104). These textures clearly show that the orange

344 dolomitic portions are the protolith of greenish actinolite-rich regions, and that the hydration reaction

345 $5\text{Ca}(\text{Mg,Fe})(\text{CO}_3)_2 + 8\text{SiO}_2 (\text{in fluid}) + \text{H}_2\text{O}$

346 $= \text{Ca}_2(\text{Mg,Fe})_5\text{Si}_8\text{O}_{22}(\text{OH})_2 + 3\text{CaCO}_3 + 7\text{CO}_2$ (1)

347 took place locally along the crack and parallel to the schistosity into which H₂O-rich fluid infiltrated.

348 The actinolite-rich parts developed parallel to the schistosity become thinner away from the crack (Fig.

349 2b), suggesting that H₂O infiltration from the crack along the schistosity was necessary for the progress

350 of the reaction (1), and that H₂O was consumed during the reaction along the schistosity. Therefore, it

351 is highly likely that the actinolite schists in the study area were originally metadolostones that

352 underwent water-rock interaction as represented by reaction (1).

353 Abundant grains of secondary margarite and anorthite-rich plagioclase cut the schistosity of

354 the metapelites within several to ~10 meters from the actinolite schist (i.e., metadolostone) layers (Fig.

355 2f). This suggests that some of the CaCO₃ and CO₂ components in the product side of the reaction (1)

356 were presumably contained in the H₂O fluid and removed from the actinolite schists during the

357 progress of reaction (1). Infiltration of such Ca-bearing fluids into surrounding pelitic schists possibly

358 caused Ca-metasomatism especially in the vicinity of the metadolostone layers, and produced

359 observed anorthite-rich plagioclase and margarite (Fig. 2f). The An-rich nature of plagioclase in the

360 plagioclase-quartz vein (Fig. 2h; sample 107-1) is also indicative of movement of the Ca-bearing fluid,

361 and the development of tourmaline-rich selvages in the wall rock (Fig. 2g-h) points to the presence

of B in such fluids. The An-rich plagioclase contained in some of the tourmaline-rich pelitic schists (e.g., Fig. 3b; Table 1) would be the products of Ca-metasomatism similar to that observed in the vicinity of actinolite schists (metadolostones). Drastic change of X_{Ca} in the tourmaline enclosed in garnet in the tourmaline-rich pelitic schists (e.g., Fig. 6d) suggests that such Ca-metasomatism took place during the garnet growth, i.e., during the prograde metamorphism of the LHS. Enrichment of some pelitic schists in tourmaline indicates that B was also introduced into the pelitic schists by the same metasomatic fluid. This is consistent with the case of veins associated with tourmalinization in which Ca and B were also carried by the metasomatic fluid as discussed above.

6.3 Pressure-temperature conditions of the fluid infiltration event that formed quartz-lenses

As described above, garnet and kyanite are coarse-grained only in and around the quartz lenses developed parallel to the schistosity (Fig. 2e), suggesting that the fluid infiltration event that formed the quartz lenses (originally veins) took place during prograde to peak metamorphism when these porphyroblasts grew in the Ky zone. In a pelitic schist sample 402-3, some kyanite grains in the quartz lenses show curved growth texture possibly indicating the fluid flow during their growth (Fig. 3k). Presence of such kyanite and plagioclase in the quartz lenses suggests that they crystallized in a fluid, and Si, Al, Na and Ca were likely contained in the fluid. The P - T condition of $\sim 610^\circ\text{C}$ and ~ 0.92 GPa, estimated by applying the conventional geothermometers and geobarometers to the Grt + Ky + Pl +

Bt + Qtz assemblage found in the vein and in the adjacent wall rock, probably represents the P - T condition of the fluid infiltration (Fig. 4). These lens-shaped quartz veins are not associated with tourmalinization, and thus the B content of the fluid might have been lower than that of the fluid which formed the schistosity-cutting veins associated with tourmalinization.

6.4 Origin of tourmaline-rich pelitic schists and tourmaline-veins

In the veins associated with tourmalinization from the Ky zone, biotite and staurolite in the wall rock are gradually replaced by tourmaline with decreasing distance from a tourmaline-quartz vein (Figs. 2g-h; 3g-j). This texture indicates that B-bearing fluids infiltrated into the wall rock using schistosity as a pathway of the B-bearing fluids, and selectively consumed biotite and staurolite to form tourmaline. A similar process probably took place in forming the tourmaline-rich pelitic schists. Pelitic schists with more than 1 vol% tourmaline are sporadically distributed in the MCT zone of the LHS as shown in Fig. 1b. In such rocks, tourmaline is commonly localized in muscovite-rich aluminous layers. The tourmaline-rich micaceous layers tend to be poor in biotite, although biotite not coexisting with abundant tourmaline is present elsewhere in the same sample (Fig. 3d). This probably reflects the control of local bulk composition in the progression of tourmaline precipitation either locally or ubiquitously during the infiltration of B-bearing fluids. In domains of appropriate bulk composition, biotite was selectively consumed as a reactant to supply Mg, Fe and Al when B-bearing fluids

398 infiltrated to form tourmaline. Presence of biotite not coexisting with abundant tourmaline in the same
399 sample suggests that the fluid infiltration was localized and channeled. Localized and channeled nature
400 of the fluid movement in the MCT zone of the LHS is also supported by the H₂O-rich fluid infiltration
401 recorded in metadolostones (Fig. 2b) and sporadic occurrence of tourmaline-rich pelitic schists. Such
402 a B-bearing fluid infiltration probably started during the prograde metamorphic stage, because garnet
403 with prograde chemical zoning (bell-shaped zoning of Mn; Fig. 3e) includes abundant tourmaline
404 crystals, and lasted until the post tectonic, tourmaline-rich vein formation stage.

405 Tourmaline in the tourmaline-rich pelitic schists is characterized by a large variation in X_{Ca}
406 at almost constant X_{Mg} value (Fig. 6). Previous studies on metamorphic tourmaline show that X_{Ca} and
407 X_{Mg} tend to increase as metamorphic grade increases (Henry and Dutrow, 1996). However, the
408 chemical trend observed in tourmalines in the tourmaline-rich pelitic schists of this study contrasts
409 with the trend representative of increasing metamorphic grade elsewhere. We consider that the large
410 variation of X_{Ca} at nearly constant X_{Mg} reflects change of whole-rock X_{Ca} at constant metamorphic
411 grade, i.e., Ca-metasomatism at constant P - T condition. Because the inverted metamorphism is
412 observed in the MCT zone, a potential source of B-bearing fluids that infiltrated into the MCT zone
413 could be structurally lower metapelites of lower metamorphic grades, because syn-metamorphic
414 dehydration reactions of B-bearing hydrous minerals in low- to medium-grade metapelites such as
415 illite and muscovite (Henry and Dutrow, 1996) can supply H₂O, B and other incompatible elements

416 into the fluid phase that migrate upwards into the higher-grade metamorphic zones. The metadolostone
417 layers (actinolite schists) commonly intercalated with the pelitic schist in the MCT zone texturally
418 preserve evidence for hydration and decarbonation reactions as represented by reaction (1) (Fig. 2b).
419 Upward migration of the B-bearing fluids that originated from metapelites and reaction with
420 metadolostone layers likely produced B- and Ca-rich metasomatic fluids. Infiltration of B- and Ca-
421 rich fluids into the higher structural levels resulted in the Ca-metasomatism that produced anorthite
422 and margarite in the overlying metapelites (Fig. 2f). The compositional trend recorded in tourmalines
423 in the tourmaline-rich pelitic schists and in the tourmalinization domains along the veins, i.e., increase
424 of X_{Ca} at constant X_{Mg} , can be ascribed to the infiltration of the B- and Ca-rich fluids into the pelitic
425 schists and precipitation of tourmaline whose composition reflect that of the fluids. Disequilibrium
426 relationship between tourmaline and coexisting An-rich plagioclase (Fig. 7) in some of the vein
427 samples (sample 107-1) and tourmaline-rich pelitic schists (samples 505A, 505B, 908; Fig. 7) can be
428 also explained by the short-lived infiltration of such fluids along cracks and schistosity. On the other
429 hand, in the samples with equilibrium tourmaline-plagioclase pairs, reaction between the pelitic schists
430 and the infiltrated B- and Ca-rich fluids were likely buffered by the pelitic schists, probably smaller
431 amount of fluid infiltrated for longer period. In sample 908, plagioclase cores with anorthite-rich
432 composition (An80-85) is replaced by anorthite-poor plagioclase rims (An25-39), suggesting that
433 plagioclase formation took place at several discrete stages. Presence of several formation stages of

different tourmaline-plagioclase pairs, either disequilibrium and equilibrium (Figs. 3a, 5c and 7), points to multistage fluid infiltration events during the metamorphism (e.g., Dutrow et al., 1999).

Pelitic schists with less than 1 vol% tourmaline in the MCT zone of the LHS are probably the rocks that were less affected by the infiltration of B- and Ca-rich fluids. However, the change of X_{Ca} and X-site vacancy of tourmaline as a function of metamorphic grade is not straightforward as proposed in Henry and Dutrow (1996) even in some of the pelitic schists with less than 1 vol% tourmaline (Figs. 5a, e, S1). This probably reflects the effect of B- and Ca-rich fluid infiltration even for some of the pelitic schists with less than 1 vol% tourmaline, although the effect is likely weaker compared to the tourmaline-rich pelitic schists.

6.5 Significance of B-bearing aqueous fluid infiltration into the HHC in petrogenesis of tourmaline leucogranites

Our study has shown that there is abundant evidence of B-bearing aqueous fluid infiltration that took place during the prograde to post-peak metamorphism in the MCT zone of the LHS. These fluids most likely infiltrated into the structurally higher HHC across the MCT during the high- T metamorphism in the HHC. Microstructural constraints described above (e.g., Fig. 3l-m) shows that at least some of the tourmaline in the HHC grew in the presence of melt and thus the melt was B-bearing. Therefore, such fluid infiltration provides support for the concept of fluid-fluxed melting of the HHC (Le Fort,

1981). Fluid-fluxed melting has been considered unimportant for the formation of granitic bodies because melts formed at wet solidus cannot rise without crystallizing. However, if the T conditions of the HHC rocks into which the H_2O -rich fluid have infiltrated is sufficiently higher than the wet solidus, the melting reaction can be incongruent, forming water-undersaturated melt and peritectic phases such as garnet (Weinberg and Hasalová, 2015). Compared to a melt formed on the wet solidus, such melt can rise without crystallizing. In addition, the rising melt can form more melt because the maximum amount of water that can be incorporated in the melt decreases as pressure decreases (Weinberg and Hasalová, 2015), especially in the case where the melt intrudes into the hotter HHC. Patiño Douce and Harris (1998) melted a pelitic schist from the HHC under 1.0 GPa and 700°C with 4 wt % added H_2O , and observed a reaction as follows:

This reaction successfully accounts for the phases present in the Formation I gneisses of the Dhankuta area, and the P - T conditions of this reaction (2) is also consistent with the estimated P - T conditions for the Formation I rocks there (~670 °C at 1.13 GPa), taking the solidus-lowering effect of B (Pichavant, 1987) into account. It should be also noted that with the salinity of the fluid estimated by this study, activity of H_2O is not lowered significantly from unity (e.g., Aranovich and Newton, 1996; Johannes and Holtz, 1996). Tourmaline-bearing leucogranite patches observed in the HHC just above the MCT in this study would be a product of fluid fluxed melting of the HHC because it has a diffuse

boundary with the host gneiss (Fig. 2d) indicative of fluid-fluxed melting (Weinberg and Hasalová, 2015). This leucogranite patch, however, failed to be extracted from the site of formation judging from the fact that it occurs just above the MCT (Fig. 1b).

Guo and Wilson (2012) pointed out that the whole-rock major and trace elements and Sr–Nd isotope data from the HHL suggest that the HHL could have formed by the partial melting of the HHC metasomatized by the fluid derived from the LHS. Their data are consistent with our evidence for widespread movement of B-bearing fluid in the MCT zone of the LHS, and its possible infiltration into the structurally higher HHC. Therefore, influx of B-bearing aqueous fluids released from the LHS into the hot HHC during the inverted metamorphism of the MCT is one of the likely processes for partial melting of the HHC, and potentially an important process for the formation of tourmaline-bearing HHL in the studied area.

7. Conclusions

(1) Tourmaline in the MCT zone of the LHS records channeled syn-metamorphic fluid flow through an inverted metamorphic sequence.

(2) Dehydration of low-grade pelitic rocks likely released B-bearing fluids. Upward movement and interaction of such fluids with metadolostone layers made them enriched in Ca.

(3) Such syn-metamorphic B- and Ca-rich fluids infiltrated to form tourmaline showing significant

488 increases of XCa at constant XMg from the cores or mantles to the rims. Salinity of such fluids was
489 estimated to be almost equivalent to the present-day sea water.

490 (4) The B- and Ca-rich fluids that infiltrated into the HHC caused vapor-fluxed melting of pelitic
491 gneisses and produced tourmaline leucogranites.

492

493 **Acknowledgement**

494 We would like to thank Edward Grew, Barbara Dutrow and Darrell Henry for constructive reviews
495 and Marco Scambelluri for editorial efforts. Gabriel Theophilus Valera is thanked for checking English
496 expressions. This study was financially supported by the JSPS KAKENHI Grant Numbers
497 JP23340156, JP16H04062 to H. Sakai, JP23740391, JP26400513, JP19H01991 to T. Kawakami, and
498 JP18KK0096 to K. Yoshida.

499

500 **References**

501 Aranovich, L.Y., Newton, R.C., 1996. H₂O activity in concentrated NaCl solutions at high pressures
502 and temperatures measured by the brucite-periclase equilibrium. Contributions to Mineralogy and
503 Petrology, 105, 200-212.

504 Bhattacharya, A., Mohantf, L., Maji, A., Sen, S.K., Raith, M., 1992. Non-ideal mixing in the
505 phlogopite-annite binary: constraints from experimental data on Mg-Fe partitioning and a

- 506 reformulation of the biotite-garnet geothermometer. *Contributions to Mineralogy and Petrology*,
507 111, 87-93.
- 508 Benard, F., Moutou, P., Pichavant, M., 1985. Phase relations of tourmaline leucogranites and the
509 significance of tourmaline in silicic magmas. *Journal of Geology*, 93, 271-291.
- 510 Berryman, E.J., Wunder, B., Rhede, D., Schettler, G., Franz, G., Heinrich, W., 2016. *P-T-X* controls
511 on Ca and Na distribution between Mg-Al tourmaline and fluid. *Contributions to Mineralogy and*
512 *Petrology*, 171, 31.
- 513 Catlos, E.J., Harrison, T.M., Kohn, M.J., Grove, M., Ryerson, F.J., Manning, C.E., Upreti, B.N., 2001.
514 Geochronologic and thermobarometric constraints on the evolution of the Main Central Thrust,
515 central Nepal Himalaya. *Journal of Geophysical Research*, 106, 16177–16204.
- 516 Dutrow, B.L., Foster, C.T. Jr., Henry, D.J., 1999. Tourmaline-rich pseudomorphs in sillimanite zone
517 metapelites; demarcation of an infiltration front. *American Mineralogist*, 84, 794-805.
- 518 Dutrow, B., Henry, D.J., 2011. Tourmaline: A geologic DVD. *Elements*, 7, 301–306.
- 519 Dutrow, B., Henry, D.J., 2016. Fibrous tourmaline: A sensitive probe of fluid compositions and
520 petrologic environments. *The Canadian Mineralogist*, 54, 311–335.
- 521 Guo, Z., Wilson, M., 2012. The Himalayan leucogranites: Constraints on the nature of their crustal
522 source region and geodynamic setting. *Gondwana Research*, 22, 360–376.
- 523 Harris, N., Massey, J., 1994. Decompression and anatexis of Himalayan metapelites. *Tectonics*, 13,

- 524 1537–1546.
- 525 Harris, N., Inger, S., Massey, J., 1993. The role of fluids in the formation of High Himalayan
- 526 leucogranites. In: Treloar, P.J., Searle, M.P. (Eds.), *Himalayan Tectonics*: Geological Society of
- 527 London Special Publications, 74, pp. 391–400.
- 528 Harrison, T.M., Grove, M., McKeegan, K.D., Coath, C.D., Lovera, O.M., Le Fort, P., 1999. Origin and
- 529 episodic emplacement of the Manaslu intrusive complex, central Himalaya. *Journal of Petrology*
- 530 40, 3–19.
- 531 Henry D.J., Dutrow, B., 1996. Metamorphic tourmaline and its petrologic applications. In: Grew, E.S.,
- 532 Anovitz, L.M. (Eds), *Boron: Mineralogy, petrology and geochemistry*. *Reviews in Mineralogy*,
- 533 33, 503–557.
- 534 Henry, D.J., Dutrow, B., 2012. Tourmaline at diagenetic to low-grade metamorphic conditions: Its
- 535 petrologic applicability. *Lithos*, 154, 16–32.
- 536 Henry, D.J., Novák, M., Hawthorne, F.C., Ertl, A., Dutrow B.L., Uher. P., Pezzotta, F., 2011.
- 537 Nomenclature of the tourmaline-supergroup minerals. *American Mineralogist*, 96, 895–913.
- 538 Holdaway, M.J., 2000. Application of new experimental and garnet Margules data to the garnet-biotite
- 539 geothermometer: *American Mineralogist*, 85, 881–892.
- 540 Holdaway, M.J., 2001. Recalibration of the GASP geobarometer in light of recent garnet and
- 541 plagioclase activity models and versions of the garnet-biotite geothermometer. *American*

- 542 Mineralogist, 86, 1117-1129.
- 543 Johannes, W., Holtz, W., 1996. Petrogenesis and Experimental Petrology of Granitic Rocks. Springer-
544 Verlag, Berlin Heidelberg. 335p.
- 545 Kawakami, T., 2001a. Boron depletion controlled by the breakdown of tourmaline in the migmatite
546 zone of the Aoyama area, Ryoke metamorphic belt, SW Japan. The Canadian Mineralogist, 39,
547 1529-1546.
- 548 Kawakami, T., 2001b. Tourmaline breakdown in the migmatite zone of the Ryoke metamorphic belt,
549 SW Japan. Journal of Metamorphic Geology, 19, 61–75.
- 550 Kawakami, T., 2004. Tourmaline and boron as indicators of the presence, segregation and extraction
551 of melt in pelitic migmatites: examples from the Ryoke metamorphic belt, SW Japan. Transactions
552 of the Royal Society of Edinburgh: Earth Sciences, 95, 111–124.
- 553 Kawakami, T., Ikeda, T., 2003. Depletion of whole-rock boron controlled by the breakdown of
554 tourmaline and retrograde formation of borosilicates in the Yanai area, Ryoke metamorphic belt,
555 SW Japan. Contributions to Mineralogy and Petrology, 145, 131–150.
- 556 Kawakami, T., Grew E.S., Motoyoshi, Y., Shearer, C.K., Ikeda, T., Burger, P.V., Kusachi, I., 2008.
557 Kornerupine *sensu stricto* associated with mafic and ultramafic rocks in the Lützow-Holm
558 Complex at Akarui Point, East Antarctica: What is the source of boron? Geological Society,
559 London, Special Publications, 308, 351–375.

- 560 Le Fort, P., 1981. Manaslu Leucogranite: A collision signature of the Himalaya. A model for its genesis
561 and emplacement. *Journal of Geophysical Research*, 86, 10545–10568.
- 562 Marocchi, M., Marschall, H.R., Konzett, J., Tropper, P., Ludwig, T., Mair, V., Bargossi, G.M., 2011.
563 Metasomatic tourmaline in hybrid contact bands between gneiss and peridotite in the Ulten Zone
564 (Eastern Italian Alps): geochemistry and boron isotopic composition determined by SIMS. *The*
565 *Canadian Mineralogist*, 49, 245–261.
- 566 Marschall, H.R., Ludwig, T., Altherr, R., Kalt, A., Tonarini, S., 2006. Syros metasomatic tourmaline:
567 Evidence for very high-d¹¹B fluids in subduction zones. *Journal of Petrology*, 47, 1915-1942.
- 568 Patiño Douce, A.E., Harris, N., 1998. Experimental constraints on Himalayan anatexis. *Journal of*
569 *Petrology*, 39, 689–710.
- 570 Pichavant, M., 1987. Effects of B and H₂O on liquidus phase relations in the haplogranite system at 1
571 kbar. *American Mineralogist*, 72, 1056–1070.
- 572 Rai S.M., Le Fort, P., 2002. Tourmaline chemistry in the metamorphic rocks of the central Nepal
573 Himalaya. *Journal of Nepal Geological Society*, 26, 7–15.
- 574 Sakai, H., Iwano, H., Danhara, T., Takigami, Y., Rai, S.M., Upreti, B.N., Hirata, T., 2013. Rift-related
575 origin of the Paleoproterozoic Kuncha Formation, and cooling history of the Kuncha nappe and
576 Taplejung granites, eastern Nepal Lesser Himalaya: a multichronological approach. *Island Arc*, 22,
577 338–360.

- 578 Sato, K., Sakai, H., Kawakami, T., 2019, Distribution of ductile and brittle deformations around the
579 inversely metamorphosed Main Central Thrust zone at the frontal part of nappe in eastern Nepal
580 Himalaya. Island Arc, in prep.
- 581 Sperlich, R., Giere, R., Frey, M., 1996. Evolution of compositional polarity and zoning in tourmaline
582 during prograde metamorphism of sedimentary rocks in the Swiss Central Alps. American
583 Mineralogist, 81, 1222–1236.
- 584 Tomkins, H.S., Powell, R., Ellis, D.J., 2007. The pressure dependence of the zirconium-in-rutile
585 thermometer. Journal of Metamorphic Geology, 25, 703–713.
- 586 van Hinsberg, V.J., Schumacher, J.C., 2007. Intersector element partitioning in tourmaline: a
587 potentially powerful single crystal thermometer. Contributions to Mineralogy and Petrology, 153,
588 289–301.
- 589 van Hinsberg, V.J., Henry, D.J., Marschall, H.R., 2011. Tourmaline: An ideal indicator of its host
590 environment. The Canadian Mineralogist, 49, 1–16.
- 591 Visona, D., Lombardo, B., 2002. Two-mica and tourmaline leucogranites from the Everest–Makalu
592 region (Nepal–Tibet): Himalayan leucogranite genesis by isobaric heating? Lithos, 62, 125–150.
- 593 von Goerne, G., Franz, G., Heinrich, W., 2001. Synthesis of tourmaline solid solutions in the system
594 Na₂O–MgO–Al₂O₃–SiO₂–B₂O₃–H₂O–HCl and the distribution of Na between tourmaline and fluid
595 at 300 to 700 degrees C and 200 MPa. Contributions to Mineralogy and Petrology, 141, 160–173.

596 von Goerne, G., Franz, G., van Hinsberg, V.J., 2011. Experimental determination of Na–Ca
597 distribution between tourmaline and fluid in the system $\text{CaO–Na}_2\text{O–MgO–Al}_2\text{O}_3\text{–SiO}_2\text{–B}_2\text{O}_3\text{–}$
598 H_2O . The Canadian Mineralogist, 49, 137–152.

599 Weinberg, R.F., Hasalová, P., 2015. Water-fluxed melting of the continental crust: A review. Lithos,
600 212-215, 158–188.

601 Whitney, D.L., Evans, B.W., 2010, Abbreviations for names of rock-forming minerals. American
602 Mineralogist, 95, 185-187.

603 Wu, C.M., 2015. Revised empirical garnet–biotite–muscovite–plagioclase geobarometer in
604 metapelites. Journal of Metamorphic Geology, 33, 167-176.

605 Zack, T., Moraes, A.R., Kronz, A.A., 2004. Temperature dependence of Zr in rutile: empirical
606 calibration of a rutile thermometer. Contributions to Mineralogy and Petrology, 148, 471-488.

607

608

609 **Figure captions**

610

611 Fig. 1. (a) Simplified geological map of the Himalayas in eastern Nepal (after Catlos et al., 2001)
612 showing the study area (red box). Area in pink - Tethys Himalayan Sequence (THS); area in yellow
613 – High Himalayan Crystallines (HHC); area in green – Lesser Himalayan Sequences (LHS); area

614 in orange - Siwalik Group. Lines – South Tibetan Detachment (STD); Main Boundary Thrust
615 (MBT) and Main Frontal Thrust (MFT). (b) Geological map of the Dhankuta area with
616 metamorphic mineral assemblage observed in the LHS. Thin blue lines – rivers; thick black broken
617 lines - boundaries of metamorphic zones; red line - MCT, area in yellow - HHC, area in green -
618 LHS. Location of the MCT is after Sato et al. (in revision).

619

620 Fig. 2. Field photos of representative rock types from Dhankuta area. Pen as a scale. (a) Pelitic schist
621 with quartz lenses showing top-to-the-S sense of shear from the LHS. (b) Metadolostone from the
622 Ky zone of the LHS. Orange part is mainly composed of Dol + Bt and green part is mainly
623 composed of Amp + Cal. Sample 104. (c) Pelitic migmatite with tourmaline-bearing (black crystal)
624 leucosome from the HHC. (d) Pelitic migmatite with tourmaline-bearing leucocratic patch cutting
625 the gneissosity from the HHC. (e) Ky-grade pelitic schist from the uppermost part of the LHS.
626 Garnet and kyanite are coarser-grained in and around the quartz lenses. Sample 402-3. (f)
627 Randomly-oriented, secondary margarite crystals (white) cutting the schistosity of pelitic schist in
628 the LHS. An-rich plagioclase is commonly associated with margarite. Ky zone. (g) Tourmaline-
629 quartz vein (indicated by red arrows) cutting the schistosity of chlorite-rich metapelite. Red box
630 indicates sample 101. Ky zone. (h) Tourmalinization at the boundary between wall rock pelitic
631 schist and a plagioclase-quartz vein. Red box indicates sample 107-1. Ky zone.

632

633 Fig. 3. (a) A BSE image of tourmaline cut parallel to the c-axis from the St zone pelitic schist (sample
634 908). Bright detrital core shows a xenomorphic outline. Preferential growth indicates that a top
635 corresponds to the +c pole. (b) A BSE image of An-rich plagioclase enclosing tourmaline. Sample
636 505A from the Ky zone. (c) Muscovite-rich matrix is surrounding garnet that is enclosing
637 tourmaline. Sample 109B from the boundary between the St and Ky zones. PPL. (d) Abundant
638 tourmaline in the Ms-rich matrix of the St zone pelitic schist. Sample 602. PPL. (e) X-ray elemental
639 map showing abundant tourmaline (light green) enclosed in garnet and present in the matrix (left
640 map) and bell-shaped Mn zoning of garnet indicative of its prograde growth (right map). Sample
641 602 from the St zone. (f) Tourmaline selectively replaces pre-existing biotite and staurolite, which
642 are oriented parallel to the schistosity, resulting in development of tourmaline-rich layers in the
643 wall rock of a plagioclase-quartz vein. Fractured parts of tourmaline are indicated by red arrows.
644 Sample 107-1 from the Ky zone. (g) A slab photo of sample 101 from the Ky zone hosting a
645 tourmaline-quartz vein (black). Note that pre-existing mafic minerals distributed in the vicinity of
646 the vein are selectively tourmalinized. (h) Enlargement of the boxed area (area 3) in Fig. 3g. The
647 vein is composed of quartz and green to blue tourmaline, and the schistosity of the host pelitic
648 schist is defined by the preferred orientation of chlorite that has replaced biotite. (i) Enlargement
649 of the boxed area (area 2) in Fig. 3g. Aggregates of greenish tourmaline have grown subparallel to

the schistosity, possibly replacing pre-existing staurolite and biotite. Schistosity is now mainly defined by the parallel orientation of chlorite. (j) Enlargement of the boxed area (area 1) in Fig. 3g. Greenish tourmaline surrounding and replacing staurolite oriented parallel to the schistosity. The schistosity is defined by the parallel orientation of chlorite and minor biotite. (k) Thin section photo of sample 402-3 from the Ky zone. (l) Thin section photo of sample 604 from Formation I showing the mode of occurrence of two types of garnet and matrix tourmaline. Euhedral plagioclase is included in elongate garnet. PPL. (m), (n) X-ray elemental maps of garnets shown in Fig. 3l. Note the difference of chemical zoning preserved in the round and elongate garnets. Euhedral plagioclase is included in elongate garnet that has the same chemical composition with another garnet grain enclosing tourmaline (top left). Sample 604. Lighter blue color indicates the higher X-ray intensity of a mapped element. (m) Ca map. (n) Mn map.

Fig. 4. *P-T* diagram showing the *P-T* estimates from the HHC (samples 604 and 201A shown by orange circles; Zr-in-Rt thermometry results) and from the LHS (samples 806, 908 and 402-3 shown by green circles) in the Dhankuta area. *P-T* grid and tourmaline-stable/unstable regions are from Dutrow and Henry (2011).

Fig. 5. Composition of tourmaline from the pelitic schists with less than 1 vol% tourmaline. X_{Mg} vs

668 X-site vacancy plot for samples (a) 407-1 from the Ky zone with 0.4 vol% tourmaline, (b) 3-807
669 from the Ky zone with 0.2 vol% tourmaline, (c) 908 from the St zone with 0.6 vol% tourmaline,
670 (d) 605 from the Grt zone with 0.9 vol% tourmaline, and (e) 806 from the Grt zone with 0.8 vol%
671 tourmaline. Blue arrows signify the chemical zoning trends observed from cores to rims, except
672 for (e) signifying a zoning from mantles to rims. (f) Rim compositions of matrix tourmaline from
673 the pelitic schists from the Ky, St and Grt zones. X_{Mg} vs X_{Ca} plot. (g) Rim and mantle compositions
674 of tourmaline from the HHC.

675

676 Fig. 6 Composition of tourmaline from the veins associated with tourmalinization and pelitic schists
677 with more than 1 vol% tourmaline (tourmaline-rich pelitic schists). X_{Mg} vs X_{Ca} plot for samples (a)
678 808-2 from the Ky zone with abundant tourmaline, (b) 107-1 from the Ky zone with abundant
679 tourmaline, (c) 101 from the Ky zone with abundant tourmaline, (d) 505A from the Ky zone with
680 4.2 vol% tourmaline, (e) 109B from the boundary between the St and the Ky zones with 1.8 vol%
681 tourmaline, (f) 602 from the St zone with 12.2 vol% tourmaline, (g) 803 from the Grt zone with
682 3.7 vol% tourmaline, and (h) 406B from the Formation I just above the MCT with 5.7 vol%
683 tourmaline. Blue arrows signify the chemical zoning trends observed from cores to rims, except
684 for (g) signifying a zoning from mantles to rims.

685

686 Fig. 7. Plot showing the relationship between X_{Ca} of rims of matrix tourmaline and average X_{Ca} of
687 rims of coexisting matrix plagioclase except for sample 908. For sample 908, anorthite-rich cores
688 and less calcic rims are both plotted in this figure in order to show that the rims rather than the
689 cores are in equilibrium with matrix tourmaline rims.

690

691 Table 1. Summary of samples used in this study.

692

693 Table 2. Representative analyses of tourmaline. Tourmaline composition was normalized to 15 T+Z+Y
694 cations (Henry and Dutrow, 1996; Henry et al., 2011), assuming three B atoms per formula unit.
695 Full dataset is available as a supplementary material ([Table S1](#)).

696

697 Table 3. Representative analyses of rock-forming minerals other than tourmaline.

698

699 **Electronic Supplementary Figures and Tables**

700 Fig. S1 Composition of tourmaline from the pelitic schists with less than 1 vol% tourmaline. X_{Mg} vs
701 X_{Ca} plot for samples (a) 407-1 from the Ky zone, (b) 3-807 from the Ky zone, (c) 908 from the St
702 zone, (d) 605 from the Grt zone, and (e) 806 from the Grt zone. (f) Rim compositions of matrix
703 tourmaline from the pelitic schists from the Ky, St and Grt zones. X_{Mg} vs X-site vacancy plot. Note

704 the progressive chemical change towards higher X_{Mg} and lower or almost constant X-site vacancy
705 as an increase of metamorphic grade. (g) Rim and mantle compositions of tourmaline from the
706 HHC.

707

708 Fig. S2 Composition of tourmaline from the veins associated with tourmalinization and pelitic schists
709 with more than 1 vol% tourmaline (tourmaline-rich pelitic schists). X_{Mg} vs X-site vacancy plot for
710 samples (a) 808-2 from the Ky zone, (b) 107-1 from the Ky zone, (c) 101 from the Ky zone, (d)
711 505A from the Ky zone, (e) 109B from the boundary between the St and the Ky zones, (f) 602
712 from the St zone, (g) 803 from the Grt zone, and (h) 406B from the Formation I just above the
713 MCT.

714

715 Table S1. Full dataset of tourmaline analyses used in this study. Tourmaline composition was
716 normalized to 15 T+Z+Y cations (Henry and Dutrow, 1996; Henry et al., 2011), assuming three B
717 atoms per formula unit.

Kawakami et al. Fig. 1

Kawakami et al. Fig. 2

Fig. 3 Kawakami et al.

Fig. 3 continued Kawakami et al.

Kawakami et al. Fig. 4

Kawakami et al. Fig. 5

Kawakami et al. Fig. 6

Kawakami et al. Fig. 7

Table 1

Sample number	metamorphic zone/unit	lithology	Modal amount of Tur (vol%)	Major mineral assemblage in matrix [+secondary]	accessory minerals	EPMA analysis	Matrix Tur rim (apfu)**		Fluid (mol/l)***		comments	sample locality		original sample number
							Na	Ca	Na	Ca		Latitude	Longitude	
505E	FmI	pelitic gneiss	n.d.	Grt+Bt+Ms+Tur+Pl(An9-15)+Kfs+Qtz [+Chl]	Ap+Ilm+Rt+Tn+Zrn	○	0.74-0.78	0.08-0.12	(0.46)	(0.05-0.07)	partial melting	26°58'32.07"N	87°19'2.01"E	TK2013111505E
702C	FmI	pelitic gneiss	n.d.	Grt+Bt+Ms+Tur+Pl(An4-16)+Kfs+Qtz [+Chl]	Ap+Gr+Ilm+Zrn	○	0.71-0.77	0.10-0.12	(0.46)	(0.06-0.07)	partial melting	26°59'11.58"N	87°18'40.20"E	TK2013111702C
604	FmI	pelitic gneiss	n.d.	Grt+Bt+Ms+Sil+Tur+Pl(An22)+Kfs+Qtz	Ap+Ep+Ilm+Mnz+Rt+Zrn	○	0.45-0.59	0.07-0.16	(0.42-0.46)	(0.04-0.06)	partial melting	26°58'44.67"N	87°19'51.92"E	TK2013111604
703B-1	FmI	pelitic gneiss	n.d.	Grt+Bt+Ms+Tur+Pl(An16)+Kfs+Qtz	Gr+Mnz+Zrn	○	0.67-0.72	0.13-0.17	(0.46-0.47)	(0.07-0.09)	partial melting	26°59'7.54"N	87°18'44.20"E	TK2013111703B-1
201A	FmI	pelitic gneiss	n.d.	Grt+Bt+Ms+Sil+Tur+Pl(An13-18)+Kfs+Qtz	Ap+Ccp+Ep+Gr+Ilm+Mnz+Py+Rt+Zrn	○	0.66-0.68	0.13-0.14	(0.47)	(0.07)	partial melting. Tur is minor.	26°59'9.91"N	87°19'25.97"E	TK2012111201A
406B	MCT	Tur-rich pelitic gneiss	5.7	Grt+Bt+Ms+Tur+Pl(An31-32)+Kfs+Qtz	Ap+Ep+Ilm+Zrn	○	0.60-0.71	0.18-0.26	0.46	0.10-0.13	Just above the MCT. FmI origin?	26°58'19.84"N	87°18'23.26"E	TK2013111406B
808-2	Ky	vein + tourmalinized wall rock	abundant	vein: Tur+Qtz, wall rock: Bt+Ky+St+Ms+Tur+Qtz [+Chl]	Ap+Ep+Ilm+Py+Zrn	○	0.45-0.50	0.21-0.27	0.42-0.44	0.11-0.14		26°57'58.54"N	87°19'13.09"E	TK2013111808-2
107-1	Ky	vein + tourmalinized wall rock	abundant	vein: Pl(An88)+Qtz+Ms+Chl+Tur, wall rock: Grt+St+Bt+Ms+Qtz+Tur	Ap+Ilm+Py+Zrn	○	0.34-0.39	0.18-0.23	(0.35-0.39)	(0.10-0.12)	Disequilibrium between Tur and Pl.	26°57'54.22"N	87°19'28.49"E	TK2013112107-1
101	Ky	vein + tourmalinized wall rock	abundant	vein: Tur+Qtz (area3), wall rock: Chl+Tur+Qtz±Grt (area2), Tur+Chl+Qtz+Bt+St+Grt (area1)	Ap+Ccp+Ilm+Py+Zrn	○	(3)0.32-0.57 (2)0.42-0.59 (1)0.44-0.56	(3)0.22-0.32 (2)0.20-0.29 (1)0.24-0.32	(3)0.34-0.46 (2)0.40-0.46 (1)0.41-0.45	(3)0.11-0.16 (2)0.11-0.15 (1)0.12-0.15	(3) to (1) represent zone numbers.	26°57'55.71"N	87°19'28.92"E	TK2013112101
505A	Ky	Tur-rich pelitic schist with Qtz lens	4.2	Grt+Ky+Ms+Bt+Pl(An69-80)+Qtz+Tur	Ap+Ep+Ilm+Py+Rt+Tn+Zrn	○	0.37-0.57	0.15-0.38	(0.37-0.46)	(0.08-0.18)	Disequilibrium between Tur and Pl.	26°58'5.07"N	87°19'54.44"E	TK2012111505A
505B	Ky	Tur-rich pelitic schist near Qtz lens	1.7	Grt+Bt+Ms+Pl(An74-84)+Tur+Qtz	Ap+Ep+Gr+Ilm+Py+Rt+Zrn	○	0.36-0.65	0.16-0.37	(0.36-0.47)	(0.09-0.18)	Disequilibrium between Tur and Pl.	26°58'5.07"N	87°19'54.44"E	TK2012111505B
407-1	Ky	pelitic schist	0.4	Bt+St+Ky+Ms(Paragonite)+Chl+Pl(An6-9)+Qtz	Ap+Py+Rt+Tur+Zrn	○	0.66-0.77	0.04-0.10	0.46-0.47	0.02-0.06		26°58'8.50"N	87°21'17.64"E	TK2012111407-1
3-807	Ky	pelitic schist	0.2	St+Ky+Bt+Ms+Chl+Qtz	Ap+Ep+Rt+Tur+Zrn (+Ilm in St)	○	0.30-0.34	0.26-0.27	0.29-0.30	0.15-0.16		26°57'58.54"N	87°19'13.09"E	TK2013111807
402-3	Ky	pelitic schist with Qtz lens	0	Grt+Ky+Bt+Pl(An19-22)+Qtz [+Ms+Chl]	Ap+Gr+Ilm+Zrn	○	—	—	—	—	Tur absent.	26°57'57.79"N	87°19'1.88"E	TK2013111402-3
104	Ky	intercalation of Dol-rich rock and Act-schist	0	orange part: Dol + Bt greenish-part: Act + Cal	Py+Zrn	○	—	—	—	—	Tur absent.	26°57'55.71"N	87°19'28.92"E	TK2013112104
109B	St/Ky*	Tur-rich pelitic schist with Qtz lens	1.8	Grt+Ms+Bt+Qtz+Tur	Ap+Ccp+Ilm+Py+Tn+Zrn	○	0.39-0.57	0.18-0.26	0.38-0.46	0.10-0.13	Pl absent.	26°57'50.49"N	87°19'27.53"E	TK2013112109B
602	St	Tur-rich pelitic schist	12.2	Grt+Ms+Bt+Pl(An21-27)+Qtz+Tur [+Chl]	Ap+Ccp+Ep+Ilm+Py+Zrn	○	0.59-0.73	0.10-0.23	0.46-0.47	0.06-0.12		26°57'47.38"N	87°19'31.22"E	TK2012111602
908	St	pelitic schist	0.6	Grt+Bt+Ms+Chl+An+St+Qtz+Pl(An80-85 is replaced by An25-39. An7-11 occurs enclosed in Bt flakes in matrix)	Ap+Ep+Ilm+Tur+Zrn	○	0.63, 0.41-0.51	0.01-0.11, 0.16-0.32	0.40-0.47	0.01-0.16	St also occurs as an inclusion in Grt. All Tur compositions are used for the calculation of fluid composition.	26°57'53.20"N	87°19'53.64"E	TK2012111908
001	St	Tur-rich pelitic schist	9.36	Grt+Bt+Ms+Chl+Tur+Pl(An30-36)+Qtz	Ap+Ep+Ilm+Zrn	○	0.49-0.60	0.16-0.26	0.43-0.46	0.09-0.13		26°57'50.49"N	87°19'27.53"E	TK2012112001
107	St	Tur-rich pelitic schist	2.25	Bt+Ms+Cal+Tur+Qtz	Ap+Cal+Ep+Gr+Ilm+Rt+Tn+Zrn	×	n.d.	n.d.	n.d.	n.d.		26°57'22.53"N	87°20'40.41"E	TK2012112107
905	St	Tur-rich pelitic schist	7.85	Bt+Ms+Tur+Qtz	Ap+Ep+Ilm+Py+Tn+Zrn	×	n.d.	n.d.	n.d.	n.d.		26°57'45.29"N	87°19'48.84"E	TK2012111905
605	Grt	pelitic schist	0.9	Grt+Bt+Ms+Chl+Pl(An18-20)+Qtz	Ap+Ccp+Ilm+Py+Tur+Zrn	○	0.55-0.62	0.06-0.08	0.45-0.46	0.06-0.08		26°57'32.44"N	87°19'48.24"E	TK2012111605
806	Grt	pelitic schist	0.8	Grt+Bt+Ms+Chl+Pl(An6-16)+Qtz	Ap+Ep+Ilm+Tur+Zrn	○	0.54-0.75	0.03-0.11	0.45-0.47	0.02-0.06		26°57'13.22"N	87°20'0.93"E	TK2012111806
803	Grt	Tur-rich pelitic schist with Qtz lens	3.7	Grt+Bt+Ms+Chl+Tur+Qtz	Ap+Ep+Ilm+Zrn	○	0.46-0.73	0.03-0.13	0.42-0.46	0.02-0.07	Tur included in Grt. Pl absent.	26°56'46.96"N	87°19'30.42"E	TK2013111803
109	Grt	pelitic schist	0.86	Grt+Bt+Ms+Chl+Qtz	Ap+Ep+Ilm+Py+Tur+Zrn	×	n.d.	n.d.	n.d.	n.d.		26°57'11.12"N	87°20'36.89"E	TK2012112109
2-807	Bt	Tur-rich pelitic schist	1.07	Bt+Chl+Ms+Tur+Qtz	Ap+Ep+Gr+Ilm+Tn+Zrn	×	n.d.	n.d.	n.d.	n.d.	Pl absent.	26°57'7.94"N	87°20'3.65"E	TK2012111807

n.d. : not determined ** Mantle and rim compositions are given for sample 101.

*** Calculated based on expressions $\text{Na}_{\text{fluid}}(\text{mol/l}) = 1.39\text{X}_{\text{Na}} - 1.04\text{X}_{\text{Na}}^2$, and $\text{Ca}_{\text{fluid}}(\text{mol/l}) = 0.60\text{X}_{\text{Ca}} - 0.35\text{X}_{\text{Ca}}^2$ constructed from experimental data for intermediate Na-Ca tourmalines at 600°C of von Goerne et al. (2011). Data for samples 505A, 505B, 107-1 and Formation I samples in parentheses are only for reference. See text for details.

Table 2. Representative analyses of tourmaline

Metamorphic zone Sample name Analysis number core/mantle/rim	migmatite		tourmaline-poor pelitic schist					tourmaline-rich pelitic schist					tourmaline-rich wall rock/vein		
	Fml	Fml	Ky	Ky	St	Grt	Grt	Ky	St/Ky	St	St	Grt	Ky	Ky	Ky
	703B-1	604	407-1	3-807	908	605	806	505B	109B	602	001	803	808-2	107-1	101
	t65	604-38	tur5	807-64	tur2	4	68	59	9B-8	tur1	40	604-55	t6	tur/mica87	136
	matrix rim	matrix rim	matrix rim	matrix rim	matrix rim	matrix rim	matrix -c rim	matrix rim	matrix -c rim	matrix rim	matrix rim	matrix +c rim	matrix rim	matrix rim	area3 rim
SiO ₂	36.08	35.99	37.15	36.24	35.89	36.54	36.89	37.42	36.25	36.13	36.39	35.86	36.85	36.20	36.14
TiO ₂	0.56	0.82	0.69	0.50	0.53	0.49	0.33	0.78	0.61	0.55	0.50	0.98	1.02	0.69	0.47
B ₂ O ₃ *	10.38	10.45	10.67	10.52	10.54	10.52	10.49	10.51	10.52	10.43	10.51	10.49	10.57	10.59	10.48
Al ₂ O ₃	32.06	32.89	32.48	33.01	31.54	33.39	32.62	30.89	32.54	30.87	31.94	32.74	32.02	33.34	32.81
Cr ₂ O ₃	0.06	0.03	0.07	0.08	0.01	0.00	0.02	0.05	0.06	0.03	0.09	0.01	0.08	0.00	0.02
Fe ₂ O ₃ *	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
FeO	8.18	9.45	5.37	5.75	7.69	6.06	8.41	6.40	7.52	8.18	6.68	11.01	5.37	7.20	7.35
MnO	0.03	0.08	0.03	0.00	0.00	0.02	0.00	0.06	0.09	0.00	0.02	0.06	0.00	0.02	0.01
MgO	5.66	4.58	7.78	6.98	6.82	6.48	5.31	7.31	6.24	6.86	7.14	4.07	7.59	6.26	6.12
CaO	0.95	0.56	0.29	1.91	1.49	0.58	0.62	0.92	1.04	0.84	1.45	0.40	1.54	1.33	1.57
BaO	0.11	0.00	0.00	0.06	0.00	0.00	0.08	0.50	0.06	0.17	0.00	0.00	0.17	0.00	0.00
Na ₂ O	2.08	1.69	2.27	0.81	1.41	1.85	1.69	2.05	1.55	2.07	1.64	1.72	1.50	1.07	1.11
K ₂ O	0.05	0.03	0.02	0.07	0.07	0.01	0.06	0.05	0.03	0.04	0.02	0.07	0.03	0.02	0.00
F	0.09	0.11	0.00	0.08	0.03	0.16	0.17	0.22	0.02	0.10	0.09	0.08	0.09	0.10	0.01
Cl	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.00
H ₂ O*	3.54	3.55	3.68	3.59	3.58	3.56	3.54	3.52	3.61	3.55	3.58	3.58	3.60	3.60	3.61
-O≡F, Cl	0.04	0.05	0.00	0.03	0.01	0.07	0.07	0.09	0.01	0.04	0.04	0.04	0.04	0.04	0.01
Total	99.8	100.2	100.5	99.6	99.5	99.6	100.2	100.6	100.1	99.8	100.0	101.0	100.4	100.4	99.7
formula															
T site															
Si	6.04	5.99	6.05	5.99	5.98	6.02	6.11	6.19	5.99	6.02	6.02	5.94	6.06	5.94	5.99
Al(IV)	0.00	0.01	0.00	0.01	0.02	0.00	0.00	0.00	0.01	0.00	0.00	0.06	0.00	0.06	0.01
Z site															
Al(Z)	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
Fe ³⁺	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Y site															
Al(Y)	0.32	0.43	0.23	0.41	0.17	0.49	0.37	0.02	0.33	0.06	0.22	0.34	0.21	0.39	0.41
Cr	0.01	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.00	0.01	0.00	0.00
Ti	0.07	0.10	0.08	0.06	0.07	0.06	0.04	0.10	0.08	0.07	0.06	0.12	0.13	0.09	0.06
Fe ²⁺	1.14	1.31	0.73	0.79	1.07	0.84	1.17	0.88	1.04	1.14	0.92	1.53	0.74	0.99	1.02
Mg	1.41	1.13	1.89	1.72	1.69	1.59	1.31	1.80	1.54	1.70	1.76	1.01	1.86	1.53	1.51
Mn	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.00
Y-site total	2.96	3.00	2.95	3.00	3.00	2.98	2.89	2.81	3.00	2.97	2.98	3.00	2.93	3.00	3.00
X site															
Ca	0.17	0.10	0.05	0.34	0.27	0.10	0.11	0.16	0.18	0.15	0.26	0.07	0.27	0.23	0.28
Na	0.68	0.54	0.72	0.26	0.46	0.59	0.54	0.66	0.50	0.67	0.53	0.55	0.48	0.34	0.36
K	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.00	0.00
Ba	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.00	0.01	0.00	0.00	0.01	0.00	0.00
vacancy	0.14	0.35	0.23	0.38	0.26	0.30	0.33	0.14	0.31	0.16	0.21	0.36	0.24	0.42	0.36
V,W sites															
F	0.04	0.06	0.00	0.04	0.02	0.08	0.09	0.11	0.01	0.05	0.05	0.04	0.05	0.05	0.01
Cl	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OH	3.96	3.94	4.00	3.96	3.98	3.92	3.91	3.89	3.99	3.95	3.95	3.96	3.95	3.95	3.99
Mg/(Mg+Fe ²⁺)	0.55	0.46	0.72	0.68	0.61	0.66	0.53	0.67	0.60	0.60	0.66	0.40	0.72	0.61	0.60

* Calculated based on stoichiometric constraints.

Table 3. Representative analyses of minerals other than tourmaline

Sample name	604 (Formation I)				402-3 (Ky zone)				908 (St zone)						605 (Grt zone)			
Mineral	Grt	Bt	Ms	Pl	Grt	Bt	Pl	Ms	Grt	St	Bt	Ms	Pl	Pl	Grt	Bt	Ms	Pl
Occurrence	matrix	matrix	matrix	matrix	matrix	matrix	matrix	secondary	matrix	inclusion in Grt rim	matrix	matrix	replaced by An- poor Pl	replacing An-rich Pl	matrix	matrix	matrix	matrix
core/mantle/rim	rim			rim	rim				rim				core	rim	rim			
analysis number	604-3	604-5	604-6	604-44	line100	tur/mica3	110	tur/mica15	44	42	34	25	32	39	line1	37	13	12
SiO ₂	37.95	36.87	48.02	63.61	38.45	37.65	62.91	47.81	38.00	28.53	37.07	46.68	47.23	59.26	37.41	35.43	46.86	63.80
TiO ₂	b.d.	2.61	1.41	b.d.	b.d.	2.08	0.08	0.82	0.11	0.66	1.38	0.26	b.d.	b.d.	0.08	1.61	0.31	b.d.
Al ₂ O ₃	22.00	19.07	31.58	23.06	21.48	18.65	22.65	34.44	21.57	53.49	18.31	33.54	34.16	25.35	21.39	18.28	35.60	22.43
Cr ₂ O ₃	0.01	b.d.	0.02	0.02	0.06	0.07	b.d.	0.01	0.03	0.03	b.d.	b.d.	n.d.	n.d.	0.01	b.d.	0.05	b.d.
FeO	33.72	20.21	1.90	b.d.	32.90	15.00	0.13	1.35	25.87	13.24	19.34	2.94	0.11	0.04	35.53	20.07	0.96	b.d.
MnO	0.64	b.d.	b.d.	0.01	1.12	0.06	b.d.	0.02	8.03	0.27	0.16	0.02	b.d.	0.03	0.13	b.d.	0.04	b.d.
MgO	3.10	7.93	1.48	b.d.	4.16	11.51	b.d.	1.14	2.62	2.22	10.00	0.98	0.01	b.d.	2.54	9.79	0.54	0.03
CaO	4.32	b.d.	b.d.	4.46	3.48	0.02	4.51	0.04	4.63	0.03	0.05	0.02	17.18	7.26	3.42	0.02	0.03	4.08
BaO	b.d.	0.13	0.17	0.06	b.d.	0.50	b.d.	0.23	0.21	b.d.	0.44	0.40	b.d.	b.d.	b.d.	0.06	0.00	0.17
Na ₂ O	0.03	0.22	0.66	8.76	0.09	0.23	9.18	0.91	0.04	0.02	0.09	0.70	1.65	7.80	0.03	0.19	1.71	9.42
K ₂ O	b.d.	8.76	9.71	0.11	b.d.	7.47	0.14	7.83	0.01	b.d.	8.34	8.59	0.05	0.10	0.01	8.65	6.95	0.05
F	b.d.	0.04	0.11	n.d.	n.d.	0.27	n.d.	0.06	b.d.	b.d.	0.19	0.07	n.d.	n.d.	n.d.	0.18	0.08	n.d.
Cl	b.d.	0.01	b.d.	n.d.	n.d.	0.04	n.d.	b.d.	0.01	b.d.	0.02	b.d.	n.d.	n.d.	n.d.	0.04	b.d.	n.d.
-O≡F	0.00	0.02	0.05			0.11		0.02	0.00	0.00	0.08	0.03				0.08	0.03	
-O≡Cl	0.00	0.00	0.00					0.00	0.00	0.00	0.00	0.00				0.01	0.00	
Total	101.76	95.82	95.01	100.10	101.73	93.42	99.60	94.62	101.12	98.48	95.32	94.18	100.39	99.84	100.54	94.23	93.09	99.98
number of O	12	22	22	8	12	22	8	22	12	24.5	22	22	8	8	12	22	22	8
Si	2.98	5.56	6.41	2.81	3.01	5.66	2.80	6.31	3.00	4.18	5.61	6.29	2.16	2.65	2.99	5.46	6.25	2.82
Ti	0.00	0.30	0.14	0.00	0.00	0.23	0.00	0.08	0.01	0.07	0.16	0.03	0.00	0.00	0.00	0.19	0.03	0.00
Al	2.04	3.39	4.97	1.20	1.98	3.30	1.19	5.36	2.01	9.23	3.26	5.32	1.84	1.34	2.02	3.32	5.60	1.17
Cr	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00			0.00		0.01	0.00
Fe	2.21	2.55	0.21	0.00	2.15	1.89	0.00	0.15	1.71	1.62	2.45	0.33	0.00	0.00	2.38	2.59	0.11	0.00
Mn	0.04	0.00	0.00	0.00	0.07	0.01	0.00	0.00	0.54	0.03	0.02	0.00	0.00	0.00	0.01		0.00	0.00
Mg	0.36	1.78	0.29	0.00	0.48	2.58	0.00	0.22	0.31	0.48	2.26	0.20	0.00	0.00	0.30	2.25	0.11	0.00
Ca	0.36	0.00	0.00	0.21	0.29	0.00	0.21	0.01	0.39	0.00	0.01	0.00	0.84	0.35	0.29	0.00	0.00	0.19
Ba	0.00	0.01	0.01	0.00	0.00	0.03	0.00	0.01	0.01	0.00	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00
Na	0.00	0.06	0.17	0.75	0.01	0.07	0.79	0.23	0.01	0.00	0.03	0.18	0.15	0.68	0.00	0.06	0.44	0.81
K	0.00	1.68	1.66	0.01	0.00	1.43	0.01	1.32	0.00	0.00	1.61	1.48	0.00	0.01	0.00	1.70	1.18	0.00
F	0.00	0.02	0.05			0.13		0.02	0.00	0.00	0.09	0.03				0.09	0.03	
Cl	0.00	0.00	0.00			0.01			0.00	0.00	0.00	0.00				0.01	0.00	
Total cation	8.00	15.33	13.87	4.97	8.01	15.20	5.01	13.70	7.99	15.63	15.42	13.85	5.00	5.02	8.00	15.57	13.73	5.00
Mg/(Fe _{total} +Mg)	0.14	0.41	0.58		0.18	0.58		0.60	0.15	0.23	0.48	0.37			0.11	0.47	0.50	
Ca/(Ca+Na)				0.22			0.21						0.85	0.34				0.19

b.d.= below detection limit; n.d.= not determined.

Kawakami et al. Fig. S1

Kawakami et al. Fig. S2

original sample number	TK13111406Blinp																											
	metamorphic zone	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT	just above MCT			
	mineral	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur			
	site of occurrence	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix		
core/mantle/rim	no zoning	no zoning	no zoning	no zoning	no zoning	no zoning	no zoning	no zoning	no zoning	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim			
analysis number	t18	t19	t20	t21	t22	t23	t24	t25	t27	t32	t37	t47	t55	t57	t57	ter) t26	ter) t29	ter) t31	ter) t38	ter) t41	ter) t42	ter) t46	ter) t51	ter) t52	ter) t56	ner) t28	ner) t39	
SiO ₂	36.20	36.47	36.55	36.19	36.49	36.18	36.44	36.37	35.29	36.39	35.46	36.38	35.72	35.76	35.76	36.11	35.82	36.58	36.27	35.53	36.18	36.50	36.44	35.83	36.76	36.88	36.40	
TiO ₂	0.74	0.48	0.99	1.27	1.22	0.87	0.80	0.58	0.78	0.75	1.15	1.01	0.84	1.17	0.74	0.74	0.80	0.91	0.98	1.32	0.80	0.99	1.08	1.51	0.87	0.41	1.07	
Al ₂ O ₃	31.82	32.00	31.06	31.68	31.26	31.04	31.53	32.21	31.11	31.09	31.12	31.27	30.90	31.56	31.02	31.28	31.10	31.06	31.27	31.22	31.39	31.16	31.28	31.35	32.78	32.75		
Cr ₂ O ₃	0.03	0.03	0.00	0.05	0.00	0.00	0.03	0.03	0.05	0.02	0.00	0.01	0.02	0.04	0.03	0.01	0.00	0.00	0.10	0.07	0.05	0.05	0.01	0.06	0.02	0.05		
B ₂ O ₃ calc	10.37	10.48	10.48	10.45	10.42	10.40	10.49	10.45	10.33	10.41	10.36	10.47	10.31	10.43	10.38	10.38	10.39	10.37	10.33	10.39	10.49	10.48	10.48	10.49	10.53	10.61		
Fe ₂ O ₃ calc	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
FeO calc	9.48	10.06	10.72	9.40	9.27	10.45	10.09	9.33	9.86	9.76	9.77	9.99	9.42	9.82	10.62	9.82	10.08	10.94	9.19	9.35	9.82	9.87	9.82	9.55	8.63	8.80		
FeO	9.48	10.06	10.72	9.40	9.27	10.45	10.09	9.33	9.86	9.76	9.77	9.99	9.42	9.82	10.62	9.82	10.08	10.94	9.19	9.35	9.82	9.87	9.82	9.55	8.63	8.80		
MnO	0.08	0.09	0.14	0.03	0.09	0.09	0.13	0.03	0.04	0.03	0.01	0.02	0.07	0.03	0.02	0.04	0.01	0.10	0.03	0.03	0.02	0.04	0.01	0.06	0.04	0.00		
MgO	4.84	4.98	5.00	5.21	5.28	5.05	5.23	5.06	5.54	5.37	5.56	5.36	5.55	5.31	5.02	5.41	4.89	4.49	5.34	5.51	5.35	5.50	5.63	5.46	5.24	5.62		
CaO	0.32	0.22	0.35	0.25	0.48	0.33	0.23	0.31	1.44	1.10	1.19	1.03	1.32	1.35	0.36	1.28	0.33	0.23	1.24	0.61	0.50	0.38	1.13	0.47	0.30	0.56		
BaO	0.00	0.06	0.22	0.17	0.00	0.00	0.33	0.22	0.00	0.00	0.00	0.50	0.00	0.00	0.00	0.11	0.22	0.00	0.22	0.22	0.00	0.00	0.00	0.00	0.17	0.22		
Na ₂ O	2.22	2.54	2.49	2.51	2.38	2.47	2.68	2.60	1.89	2.20	1.87	1.94	1.87	1.85	2.57	1.97	2.58	2.60	1.98	2.44	2.46	2.58	1.91	2.39	2.34	2.22		
K ₂ O	0.03	0.02	0.05	0.06	0.00	0.04	0.04	0.02	0.04	0.06	0.06	0.07	0.05	0.04	0.04	0.07	0.06	0.07	0.03	0.05	0.02	0.05	0.06	0.07	0.02	0.01		
F	0.05	0.12	0.08	0.10	0.11	0.03	0.13	0.15	0.20	0.18	0.15	0.15	0.17	0.10	0.07	0.13	0.05	0.12	0.16	0.07	0.16	0.14	0.14	0.19	0.08	0.12		
Cl	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01		
H ₂ O calc	3.55	3.56	3.57	3.55	3.54	3.57	3.56	3.53	3.46	3.50	3.50	3.54	3.47	3.55	3.55	3.52	3.56	3.52	3.48	3.55	3.54	3.55	3.55	3.53	3.59	3.60		
Total	99.72	101.10	101.70	100.91	100.54	100.52	101.70	100.89	100.03	100.86	100.19	101.73	99.70	101.02	100.52	100.62	100.74	100.75	100.23	100.48	101.30	101.30	101.35	101.25	101.02	102.05		
O=F, Cl	0.02	0.05	0.04	0.05	0.05	0.01	0.05	0.06	0.08	0.08	0.06	0.06	0.07	0.04	0.03	0.05	0.02	0.05	0.07	0.03	0.07	0.06	0.06	0.08	0.03	0.05		
TOTAL	99.70	101.05	101.66	100.87	100.50	100.51	101.64	100.83	99.94	100.79	100.13	101.66	99.63	100.98	100.49	100.57	100.72	100.69	100.16	100.45	101.23	101.24	101.29	101.16	100.98	102.00		
Formula	Si	6.07	6.05	6.06	6.02	6.09	6.05	6.04	6.05	5.94	6.08	5.95	6.04	6.02	5.96	6.04	6.00	6.12	6.08	5.98	6.05	6.05	6.04	5.94	6.09	6.09	5.96	
	Ti	0.09	0.06	0.12	0.16	0.15	0.11	0.10	0.07	0.10	0.09	0.14	0.13	0.11	0.15	0.09	0.10	0.11	0.12	0.17	0.10	0.12	0.13	0.19	0.11	0.05	0.13	
	Al	6.29	6.25	6.07	6.21	6.14	6.11	6.16	6.32	6.17	6.12	6.15	6.12	6.14	6.20	6.12	6.17	6.13	6.13	6.20	6.15	6.13	6.09	6.11	6.12	6.38	6.32	
	Cr	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.00	
	Fe	1.33	1.40	1.49	1.31	1.29	1.46	1.40	1.30	1.39	1.36	1.37	1.39	1.33	1.37	1.49	1.37	1.41	1.53	1.29	1.31	1.36	1.37	1.36	1.32	1.19	1.21	
	Mn	0.01	0.01	0.02	0.00	0.01	0.01	0.02	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00	
	Mg	1.21	1.23	1.24	1.29	1.31	1.26	1.29	1.25	1.39	1.34	1.39	1.33	1.39	1.32	1.25	1.35	1.22	1.12	1.34	1.37	1.32	1.36	1.39	1.35	1.29	1.37	
	Ca	0.06	0.04	0.06	0.04	0.09	0.06	0.04	0.06	0.26	0.20	0.21	0.18	0.24	0.24	0.06	0.23	0.06	0.04	0.22	0.11	0.09	0.07	0.20	0.08	0.05	0.10	
	Ba	0.00	0.00	0.01	0.01	0.00	0.00	0.02	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.01	0.01	
	Na	0.72	0.82	0.80	0.81	0.77	0.80	0.86	0.84	0.62	0.71	0.61	0.62	0.61	0.60	0.84	0.64	0.84	0.65	0.79	0.79	0.83	0.61	0.77	0.75	0.70	0.70	
	K	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.00	0.01	0.01	0.02	0.00	0.00	
	F	0.03	0.06	0.04	0.05	0.06	0.01	0.07	0.08	0.11	0.09	0.08	0.08	0.09	0.05	0.04	0.07	0.03	0.06	0.09	0.04	0.08	0.07	0.07	0.10	0.04	0.06	
	Cl	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	T	B	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
		Si	6.07	6.05	6.06	6.02	6.09	6.05	6.04	6.05	5.94	6.08	5.95	6.04	6.02	5.96	6.04	6.00	6.12	6.08	5.98	6.05	6.05	6.04	5.94	6.09	6.09	5.96
		Al(IV)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.05	0.00</														

[illegible]

TK2013112107

Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky
Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix
rim	rim	rim	rim	rim	mantle	mantle	mantle	core	core	core	core	core	core	core	rim	rim	rim	rim	rim	rim	rim	rim	rim	mantle	mantle	mantle	mantle	core	core
t9	t11	t13	t16	t17	t2	t4	t15	t1	t3	t5	t8	t10	t12	t14	tur/mica87	tur/mica89	tur/mica94	tur/mica98	tur/mica99	tur/mica101	tur/mica102	tur/mica103	tur/mica86	tur/mica88	tur/mica91	tur/mica92	tur/mica84	tur/mica85	
36.46	36.66	36.70	36.94	36.00	36.65	36.90	36.56	37.69	37.26	37.77	37.92	37.57	38.29	37.29	36.20	36.90	36.31	37.16	36.31	36.71	36.90	36.86	36.30	37.16	36.67	37.46	36.27	36.98	
0.49	0.66	0.63	0.76	0.61	0.77	0.79	0.62	0.14	0.18	0.36	0.34	0.31	0.06	0.14	0.69	0.31	0.59	0.36	0.53	0.30	0.74	0.82	0.80	0.14	0.73	0.34	0.84	0.64	
33.30	33.51	32.83	33.19	33.79	33.88	33.73	33.41	34.51	33.81	33.89	34.34	34.09	34.66	34.73	33.34	34.79	33.84	34.69	34.02	34.23	34.88	33.42	33.83	34.52	34.02	34.10	34.25	33.97	
0.00	0.05	0.00	0.00	0.01	0.03	0.02	0.02	0.06	0.02	0.01	0.01	0.01	0.01	0.01	0.00	0.09	0.00	0.02	0.05	0.02	0.00	0.04	0.02	0.04	0.03	0.01	0.02	0.02	
10.59	10.70	10.54	10.70	10.60	10.67	10.63	10.61	10.75	10.62	10.76	10.85	10.72	10.89	10.76	10.59	10.77	10.61	10.72	10.56	10.65	10.82	10.66	10.66	10.66	10.70	10.73	10.61	10.57	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
4.58	5.23	4.68	4.79	4.64	4.76	4.01	4.37	3.88	4.04	4.24	4.03	4.31	4.38	4.20	7.20	6.44	6.11	5.58	6.05	5.83	6.16	6.44	6.26	5.76	6.05	5.92	6.18	5.45	
4.58	5.23	4.68	4.79	4.64	4.76	4.01	4.37	3.88	4.04	4.24	4.03	4.31	4.38	4.20	7.20	6.44	6.11	5.58	6.05	5.83	6.16	6.44	6.26	5.76	6.05	5.92	6.18	5.45	
0.01	0.00	0.00	0.01	0.02	0.00	0.06	0.01	0.02	0.00	0.03	0.00	0.04	0.00	0.00	0.02	0.01	0.00	0.00	0.02	0.00	0.01	0.02	0.00	0.00	0.00	0.05	0.02	0.00	
7.69	7.56	7.52	7.84	7.60	7.34	7.42	7.69	7.38	7.41	7.58	7.80	7.33	7.47	7.42	6.26	6.30	6.61	6.38	6.20	6.56	6.46	6.54	6.70	6.15	6.68	6.51	6.12	6.18	
1.35	1.41	1.33	1.29	1.20	1.07	1.34	1.44	0.61	0.75	0.65	0.65	0.69	0.51	0.52	1.33	1.25	1.16	1.02	1.05	1.14	1.09	1.31	1.43	0.82	1.05	0.91	1.14	1.11	
0.28	0.34	0.00	0.11	0.11	0.00	0.00	0.00	0.11	0.00	0.11	0.00	0.00	0.22	0.00	0.00	0.00	0.33	0.00	0.00	0.06	0.44	0.00	0.00	0.00	0.22	0.00	0.00	0.00	
1.46	1.42	1.49	1.59	1.49	1.47	1.44	1.63	1.32	1.50	1.47	1.32	1.40	1.33	1.39	1.07	1.22	1.19	1.24	1.20	1.25	1.16	1.24	1.21	1.04	1.36	1.19	1.14	1.21	
0.00	0.03	0.02	0.01	0.03	0.03	0.00	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.00	0.02	0.03	0.02	0.01	0.03	0.02	0.00	0.03	0.03	0.02	0.02	0.03	0.04	0.01	
0.08	0.07	0.05	0.09	0.04	0.02	0.05	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.03	0.02	0.01	0.06	0.09	0.02	0.00	0.01	0.06	0.00	0.02	0.01	
0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.61	3.66	3.61	3.65	3.64	3.67	3.64	3.62	3.70	3.66	3.71	3.74	3.70	3.75	3.71	3.60	3.71	3.64	3.68	3.63	3.64	3.68	3.67	3.68	3.67	3.66	3.70	3.65	3.64	
99.89	101.29	99.41	100.97	99.77	100.35	100.03	100.07	100.21	99.28	100.59	101.01	100.19	101.59	100.18	100.42	101.81	100.45	100.88	99.68	100.48	102.42	101.04	100.91	100.00	101.26	100.94	100.30	99.78	
0.03	0.03	0.02	0.04	0.02	0.01	0.02	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.01	0.01	0.01	0.03	0.04	0.01	0.00	0.01	0.03	0.00	0.01	0.00	
99.86	101.27	99.39	100.93	99.76	100.35	100.01	100.04	100.20	99.28	100.59	101.01	100.19	101.59	100.18	100.37	101.81	100.44	100.87	99.67	100.45	102.38	101.03	100.91	99.99	101.23	100.94	100.29	99.77	
5.99	5.96	6.05	6.00	5.90	5.97	6.03	5.99	6.09	6.10	6.10	6.07	6.09	6.11	6.02	5.94	5.95	5.95	6.03	5.97	5.99	5.93	6.01	5.92	6.06	5.96	6.07	5.94	6.08	
0.06	0.08	0.08	0.09	0.08	0.09	0.10	0.08	0.02	0.02	0.04	0.04	0.04	0.01	0.02	0.09	0.04	0.07	0.04	0.07	0.04	0.09	0.10	0.10	0.02	0.09	0.04	0.10	0.08	
6.44	6.42	6.38	6.35	6.53	6.50	6.50	6.45	6.58	6.52	6.45	6.48	6.51	6.52	6.61	6.45	6.61	6.53	6.63	6.60	6.58	6.61	6.42	6.50	6.64	6.59	6.51	6.61	6.58	
0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
0.63	0.71	0.65	0.65	0.64	0.65	0.55	0.60	0.52	0.55	0.57	0.54	0.58	0.58	0.57	0.99	0.87	0.84	0.76	0.83	0.80	0.83	0.88	0.85	0.79	0.82	0.80	0.85	0.75	
0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	
1.88	1.83	1.85	1.90	1.86	1.78	1.81	1.88	1.78	1.81	1.82	1.86	1.77	1.78	1.78	1.53	1.51	1.61	1.54	1.52	1.59	1.55	1.59	1.63	1.49	1.62	1.57	1.49	1.51	
0.24	0.25	0.24	0.22	0.21	0.19	0.24	0.25	0.11	0.13	0.11	0.11	0.12	0.09	0.09	0.23	0.22	0.20	0.18	0.18	0.20	0.19	0.23	0.25	0.14	0.18	0.16	0.20	0.20	
0.02	0.02	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.03	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	
0.47	0.45	0.48	0.50	0.47	0.46	0.46	0.52	0.41	0.48	0.46	0.41	0.44	0.41	0.44	0.34	0.38	0.38	0.39	0.38	0.39	0.36	0.39	0.38	0.33	0.43	0.37	0.36	0.39	
0.00	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.01	0.01	0.00	
0.04	0.03	0.03	0.05	0.02	0.01	0.03	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.02	0.01	0.01	0.03	0.05	0.01	0.00	0.01	0.03	0.00	0.01	0.01	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
5.99	5.96	6.05	6.00	5.90	5.97	6.03	5.99	6.09	6.10	6.10	6.07	6.09	6.11	6.02	5.94	5.95	5.95	6.03	5.97	5.99	5.93	6.01	5.92	6.06	5.96	6.07	5.94	6.08	
0.01	0.04	0.00	0.00	0.10	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.05	0.05	0.00	0.03	0.01	0.07	0.00	0.08	0.00	0.04	0.00	0.06	0.00	
6.00	6.00	6.05	6.00	6.00	6.00	6.03	6.00	6.09	6.10	6.10	6.07	6.09	6.11	6.02	6.00	6.00	6.00	6.03	6.00	6.00	6.00	6.01	6.00	6.06	6.00	6.07	6.00	6.08	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.43	0.37	0.38	0.35	0.43	0.47	0.50	0.44	0.58	0.52	0.45	0.48	0.51	0.52	0.61	0.39	0.57	0.48	0.63	0.57	0.57	0.54	0.42	0.42	0.64	0.47	0.51	0.55	0.58	
0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
0.06	0.08	0.08	0.09	0.08	0.09	0.10	0.08	0.02	0.02	0.04	0.04	0.04	0.01	0.02	0.09	0.04	0.07	0.											

Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	
Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Grt rim inc	Tur rim inc	Tur rim inc	Grt rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	Tur rim inc	
core	core	core	core	core	core	rim	rim	rim	rim	rim	core	core	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	
tur/mica90	tur/mica93	tur/mica96	tur/mica97	tur/mica100	tur/mica108	tur/mica112	tur/mica113	tur/mica116	tur/mica105	tur/mica115	tur1	tur8	tur10	tur14	tur32	tur34	tur37	tur39	tur40	tur42	tur44	tur47	tur49	tur51	tur52	tur2	tur6	tur7
36.28	36.59	36.38	37.23	35.80	35.78	36.67	35.94	36.25	36.40	37.24	36.13	36.04	36.60	35.97	36.38	35.85	35.98	36.70	36.44	36.28	36.31	36.39	35.99	36.55	36.64	36.89	36.15	35.99
0.36	0.41	0.62	0.15	0.41	0.56	1.06	0.22	0.58	0.57	0.37	0.55	0.34	0.49	0.19	0.64	0.27	0.66	0.58	0.62	0.56	0.48	0.48	0.73	0.59	0.82	0.05	0.52	0.60
31.81	33.32	31.84	31.48	31.76	32.26	31.05	32.00	30.57	34.02	31.92	30.87	30.28	30.32	31.33	31.34	30.42	30.78	31.16	31.14	30.92	30.48	30.92	30.58	30.54	31.73	32.66	31.67	30.98
0.62	0.08	0.00	0.53	0.04	0.04	0.00	0.00	0.00	0.02	0.02	0.03	0.07	0.04	0.00	0.07	0.01	0.02	0.04	0.12	0.04	0.09	0.00	0.10	0.08	0.04	0.04	0.00	0.07
10.46	10.67	10.56	10.58	10.51	10.56	10.55	10.59	10.44	10.72	10.71	10.43	10.32	10.38	10.29	10.36	10.34	10.31	10.45	10.38	10.39	10.29	10.31	10.30	10.35	10.45	10.44	10.40	10.30
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7.85	6.78	8.32	8.37	8.40	8.01	9.85	8.48	9.08	6.96	6.39	8.18	8.12	7.89	7.68	7.79	8.14	8.06	8.35	7.73	7.73	7.44	7.22	7.22	7.38	7.39	7.02	7.42	7.89
7.85	6.78	8.32	8.37	8.40	8.01	9.85	8.48	9.09	6.96	6.39	8.18	8.12	7.99	7.68	7.79	8.14	8.06	8.35	7.73	7.73	7.44	7.22	7.22	7.38	7.39	7.02	7.42	7.89
0.00	0.01	0.03	0.05	0.00	0.06	0.03	0.06	0.10	0.08	0.11	0.00	0.05	0.02	0.00	0.04	0.03	0.02	0.04	0.00	0.06	0.04	0.07	0.00	0.07	0.02	0.00	0.04	0.05
6.15	6.80	6.54	6.30	6.79	6.80	5.84	7.02	6.50	6.48	7.92	6.86	6.86	6.79	6.28	6.06	7.05	6.36	6.22	6.34	6.67	6.65	6.53	6.83	6.75	6.27	5.90	6.45	6.20
1.45	1.60	1.56	0.13	1.87	1.52	0.26	2.02	1.29	1.26	0.63	0.84	0.97	0.57	0.84	0.91	1.16	0.91	0.89	0.79	1.00	0.93	0.79	1.25	1.03	0.74	0.26	0.72	0.81
0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.39	0.00	0.17	0.00	0.00	0.00	0.22	0.22	0.00	0.06	0.00	0.28	0.00	0.00	0.0					

Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky
Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur
matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix
rim	rim	rim	rim	rim	rim	rim	mantle/rim	mantle/rim	mantle	mantle	mantle	mantle	mantle	mantle	core	core	core	core	core	core	core	core	core	core	core	core	core	core	core
76	81	82	84	85	87	11	65	63	73	75	83	86	88	12	56	64	67	68	70	72	74	80	18	24	26	29	30	32	
36.40	36.18	37.32	35.29	36.05	35.94	36.27	36.84	35.80	36.34	36.60	36.13	36.11	36.76	36.27	36.21	35.67	37.03	36.57	34.90	36.42	36.54	34.94	36.77	36.99	37.16	36.84	36.87	36.29	
0.68	0.73	0.55	0.90	0.52	0.23	0.80	0.37	0.78	0.77	0.76	0.62	0.92	0.70	0.54	0.81	0.22	0.63	0.84	0.52	0.74	0.26	0.72	0.48	0.97	0.86	1.07	1.14	0.69	
32.29	31.13	31.91	32.40	32.51	32.15	32.14	32.70	31.83	31.90	31.01	31.68	32.56	31.99	33.22	31.97	31.99	31.84	32.56	32.76	31.74	33.07	31.80	31.52	31.07	30.53	30.60	30.47	31.98	
0.03	0.07	0.00	0.07	0.02	0.00	0.02	0.03	0.00	0.04	0.00	0.00	0.03	0.03	0.07	0.00	0.00	0.03	0.04	0.02	0.01	0.00	0.00	0.04	0.08	0.00	0.07	0.01	0.03	
10.60	10.51	10.58	10.51	10.48	10.49	10.52	10.62	10.44	10.50	10.49	10.42	10.50	10.48	10.57	10.54	10.32	10.53	10.58	10.16	10.44	10.37	10.25	10.58	10.53	10.53	10.56	10.59	10.55	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.53	0.88	0.00	
4.83	7.10	6.53	5.53	4.41	4.45	4.87	5.34	6.38	4.48	6.80	6.09	5.26	5.97	5.37	7.06	12.61	6.91	7.03	13.47	6.51	8.54	13.92	7.45	6.63	6.19	6.44	6.42	6.95	
4.83	7.10	6.53	5.53	4.41	4.45	4.87	5.34	6.38	4.48	6.80	6.09	5.26	5.97	5.37	7.06	12.61	6.91	7.03	13.47	6.51	8.54	13.92	7.45	6.63	6.62	6.92	7.21	6.95	
0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.03	0.01	0.00	0.00	0.00	0.02	0.00	0.16	0.04	0.00	0.15	0.02	0.00	0.08	0.05	0.01	0.08	0.05	0.04	0.00	
8.33	7.60	7.06	7.98	8.01	8.57	8.05	7.70	7.31	7.42	7.46	7.34	7.42	7.03	7.25	7.11	3.22	6.73	6.61	1.62	6.87	4.46	2.53	7.20	7.27	7.73	7.77	7.86	7.11	
2.04	1.07	0.87	2.14	1.76	1.80	1.90	1.42	2.08	1.79	1.11	1.73	1.61	1.82	1.28	1.49	0.44	0.14	0.99	0.38	1.83	0.17	0.95	0.15	0.36	0.48	0.32	0.38	1.25	
0.11	0.00	0.00	0.00	0.00	0.11	0.00	0.06	0.00	0.34	0.00	0.17	0.00	0.00	0.00	0.45	0.22	0.06	0.17	0.28	0.00	0.00	0.11	0.00	0.17	0.00	0.00	0.02	0.17	
1.20	1.65	1.79	1.17	1.33	1.27	1.35	1.45	0.98	1.26	1.76	1.19	1.25	1.11	1.41	1.23	2.04	2.10	1.33	1.75	1.05	1.75	1.91	2.36	2.34	2.38	2.40	2.43	1.49	
0.03	0.08	0.04	0.03	0.03	0.09	0.03	0.03	0.04	0.08	0.08	0.04	0.04	0.06	0.03	0.03	0.04	0.03	0.05	0.08	0.03	0.04	0.09	0.04	0.01	0.02	0.03	0.01	0.06	
0.16	0.14	0.11	0.08	0.15	0.13	0.05	0.08	0.20	0.11	0.09	0.16	0.08	0.09	0.04	0.11	0.00	0.11	0.02	0.00	0.15	0.00	0.00	0.08	0.08	0.08	0.14	0.15	0.15	
0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	
3.58	3.56	3.60	3.59	3.54	3.55	3.60	3.62	3.51	3.57	3.58	3.52	3.58	3.57	3.62	3.58	3.56	3.58	3.64	3.50	3.52	3.57	3.53	3.61	3.59	3.59	3.57	3.58	3.56	
100.28	99.82	100.37	99.71	98.82	98.79	99.61	100.26	99.33	99.41	99.75	99.09	99.37	99.61	99.69	100.58	100.50	99.77	100.42	99.58	99.34	98.78	100.82	100.31	100.16	99.98	100.32	100.98	100.39	
0.07	0.06	0.05	0.04	0.06	0.05	0.02	0.04	0.08	0.05	0.04	0.07	0.04	0.04	0.02	0.05	0.00	0.05	0.01	0.00	0.07	0.00	0.00	0.03	0.03	0.03	0.06	0.06	0.06	
100.22	99.76	100.32	99.67	98.75	98.73	99.59	100.22	99.24	99.37	99.71	99.03	99.34	99.57	99.67	100.53	100.50	99.72	100.41	99.58	99.28	98.78	100.82	100.28	100.13	99.94	100.26	100.92	100.33	
5.97	5.98	6.13	5.83	5.98	5.96	5.99	6.03	5.96	6.02	6.06	6.02	5.97	6.09	5.97	5.97	6.01	6.11	6.01	5.97	6.06	6.12	5.93	6.04	6.11	6.14	6.06	6.05	5.98	
0.08	0.09	0.07	0.11	0.08	0.07	0.03	0.10	0.05	0.10	0.10	0.09	0.08	0.11	0.09	0.07	0.10	0.03	0.08	0.10	0.07	0.09	0.03	0.09	0.06	0.12	0.11	0.13	0.14	
6.24	6.06	6.18	6.31	6.36	6.28	6.26	6.21	6.24	6.23	6.06	6.22	6.35	6.25	6.44	6.21	6.35	6.19	6.30	6.60	6.23	6.53	6.36	6.10	6.05	5.94	5.93	5.89	6.29	
0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	
0.66	0.98	0.90	0.76	0.61	0.62	0.67	0.73	0.89	0.62	0.94	0.85	0.73	0.83	0.74	0.97	1.78	0.95	0.97	1.93	0.91	1.20	1.97	1.02	0.92	0.91	0.95	0.99	0.96	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00	0.02	0.00	0.00	0.01	0.01	0.00	0.01	0.01	0.02	
2.04	1.87	1.73	1.97	1.98	2.12	1.98	1.88	1.81	2.03	1.84	1.82	1.83	1.74	1.78	1.75	0.81	1.66	1.62	0.41	1.70	1.11	0.64	1.76	1.79	1.90	1.91	1.92	1.75	
0.36	0.19	0.15	0.38	0.31	0.32	0.34	0.25	0.37	0.32	0.20	0.31	0.29	0.32	0.23	0.26	0.08	0.03	0.17	0.07	0.33	0.03	0.17	0.03	0.06	0.08	0.06	0.07	0.22	
0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.02	0.00	0.01	0.00	0.00	0.00	0.03	0.01	0.00	0.01	0.02	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.01	
0.38	0.53	0.57	0.37	0.43	0.41	0.43	0.46	0.32	0.41	0.57	0.38	0.40	0.36	0.45	0.39	0.67	0.67	0.42	0.58	0.34	0.57	0.63	0.75	0.75	0.76	0.77	0.77	0.48	
0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.00	0.00	0.01	0.00	0.01	
0.08	0.07	0.06	0.04	0.08	0.07	0.03	0.04	0.10	0.06	0.04	0.08	0.04	0.04	0.02	0.06	0.00	0.06	0.01	0.00	0.08	0.00	0.00	0.04	0.04	0.04	0.07	0.08	0.08	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
5.97	5.98	6.13	5.83	5.98	5.96	5.99	6.03	5.96	6.02	6.06	6.02	5.97	6.09	5.97	5.97	6.01	6.11	6.01	5.97	6.06	6.12	5.93	6.04	6.11	6.14	6.06	6.05	5.98	
0.03	0.02	0.00	0.17	0.02	0.04	0.01	0.00	0.04	0.00	0.00	0.00	0.03	0.00	0.03	0.03	0.00	0.00	0.00	0.03	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.02	
6.00	6.00	6.13	6.00	6.00	6.00	6.00	6.03	6.00	6.02	6.06	6.02	6.00	6.09	6.00	6.00	6.01	6.11	6.01	6.00	6.06	6.12	6.00	6.04	6.11	6.14	6.06	6.05	6.00	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.06	0.07	0.11	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.21	0.05	0.18	0.15	0.34	0.24	0.24	0.31	0.20	0.23	0.06	0.22	0.32	0.25	0.41	0.18	0.35	0.19	0.30	0.57	0.23	0.53	0.28	0.10	0.05	0.00	0.00	0.00	0.19	
0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	
0.08	0.09	0.07	0.11	0.07	0.03	0.10	0.05	0.10	0.09	0.08	0.11	0.09	0.07	0.10	0.03	0.08	0.10	0.07	0.09	0.03	0.09	0.06	0.12	0.11	0.13	0.14	0.09	0.00	
0.66	0.98	0.90	0.76	0.61	0.62	0.67	0.73	0.89	0.62	0.94	0.85	0.73	0																

Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky
Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur
Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt core inc	Grt core inc	Grt core inc	Grt core inc	Grt core inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc	Grt rim inc
rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	mantle/rim	mantle/rim	mantle/rim	mantle	mantle	core	core	core
34	35	37	38	39	40	42	46	89	90	91	92	95	101	104	105	108	109	20	21	28	103	19	107	17	23
36.54	37.27	36.64	37.13	36.44	36.27	37.31	36.51	35.46	36.90	36.32	36.91	36.55	36.53	36.57	36.76	36.80	36.77	36.91	37.34	36.77	36.99	36.97	36.71	36.97	36.54
0.88	0.89	0.67	0.80	0.30	0.80	0.14	0.50	0.65	0.77	0.52	0.66	0.95	0.56	0.66	0.58	0.97	0.71	0.22	0.43	0.58	0.90	0.99	0.83	0.16	0.53
31.18	31.45	31.91	31.11	32.89	31.48	32.50	31.75	31.73	30.67	32.47	31.65	32.18	32.52	32.39	32.06	31.50	31.59	32.05	31.46	31.47	31.00	31.06	32.61	32.32	33.46
0.00	0.03	0.04	0.00	0.00	0.00	0.00	0.05	0.02	0.05	0.05	0.00	0.01	0.00	0.02	0.02	0.07	0.01	0.04	0.00	0.06	0.07	0.00	0.05	0.04	0.00
10.55	10.65	10.57	10.63	10.59	10.53	10.67	10.55	10.37	10.45	10.56	10.64	10.52	10.61	10.62	10.59	10.62	10.56	10.56	10.52	10.46	10.59	10.58	10.63	10.53	10.48
0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
7.37	6.98	6.73	7.07	6.85	7.48	7.94	7.21	6.60	6.80	6.68	7.11	6.35	7.47	6.87	7.16	7.16	7.30	7.46	6.44	6.48	6.95	7.07	5.30	10.30	9.30
7.37	6.98	6.73	7.11	6.85	7.48	7.94	7.21	6.60	6.80	6.68	7.11	6.35	7.47	6.87	7.16	7.16	7.30	7.46	6.44	6.48	6.97	7.07	5.30	10.30	9.30
0.06	0.01	0.03	0.00	0.05	0.02	0.02	0.00	0.02	0.01	0.02	0.05	0.06	0.01	0.06	0.05	0.03	0.06	0.02	0.03	0.05	0.00	0.01	0.06	0.06	0.03
7.32	7.43	7.26	7.65	6.85	7.15	6.51	7.18	7.11	7.29	7.08	7.44	6.87	6.75	7.12	6.95	7.34	7.03	6.74	7.16	7.02	7.54	7.42	7.74	4.68	4.19
1.13	0.28	1.30	1.22	1.23	1.38	0.11	1.70	1.89	0.76	1.45	1.25	1.51	1.04	1.57	1.00	1.35	1.06	0.61	0.16	1.59	0.90	0.47	1.72	0.09	0.45
0.11	0.00	0.23	0.22	0.11	0.17	0.45	0.00	0.06	0.00	0.00	0.28	0.06	0.11	0.28	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.39	0.39	0.34	0.00
1.64	2.51	1.55	1.72	1.20	1.65	2.25	1.17	1.11	2.12	1.25	1.63	1.18	1.51	1.19	1.70	1.65	1.60	1.77	2.29	1.18	2.02	2.36	1.21	1.91	1.75
0.04	0.01	0.05	0.03	0.03	0.03	0.00	0.02	0.04	0.06	0.05	0.03	0.03	0.04	0.04	0.04	0.01	0.01	0.02	0.00	0.03	0.02	0.00	0.04	0.00	0.02
0.07	0.11	0.19	0.16	0.04	0.12	0.03	0.06	0.07	0.12	0.11	0.16	0.05	0.08	0.10	0.10	0.09	0.05	0.03	0.04	0.05	0.18	0.02	0.09	0.00	0.06
0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00
3.60	3.62	3.55	3.59	3.63	3.57	3.66	3.61	3.54	3.55	3.59	3.59	3.60	3.62	3.62	3.60	3.62	3.62	3.63	3.61	3.58	3.56	3.63	3.62	3.63	3.58
100.51	101.25	100.72	101.38	100.20	100.66	101.60	100.32	98.66	99.54	100.14	101.40	99.91	100.83	101.09	100.62	101.19	100.35	100.07	99.47	99.28	100.77	100.69	100.68	101.09	100.81
0.03	0.05	0.08	0.07	0.02	0.05	0.01	0.03	0.03	0.05	0.05	0.07	0.02	0.03	0.04	0.04	0.04	0.02	0.02	0.02	0.08	0.01	0.04	0.00	0.03	0.04
100.48	101.20	100.64	101.31	100.18	100.61	101.59	100.29	98.63	99.49	100.09	101.33	99.89	100.80	101.05	100.57	101.15	100.33	100.05	99.45	99.26	100.69	100.68	100.64	101.09	100.78
6.02	6.08	6.02	6.07	5.98	5.98	6.08	6.01	5.94	6.13	5.98	6.03	6.04	5.98	5.99	6.03	6.02	6.05	6.07	6.11	6.07	6.07	6.00	6.10	6.06	6.12
0.11	0.11	0.08	0.10	0.04	0.10	0.02	0.06	0.08	0.10	0.06	0.08	0.12	0.07	0.08	0.07	0.12	0.09	0.03	0.05	0.07	0.11	0.12	0.10	0.02	0.07
6.05	6.05	6.18	5.99	6.36	6.12	6.24	6.16	6.27	6.10	6.27	6.28	6.25	6.20	6.08	6.08	6.17	6.21	6.12	6.12	6.00	6.02	6.28	6.54	5.93	5.97
0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.00	0.01
1.02	0.95	0.92	0.97	0.94	1.03	1.08	0.99	0.92	0.95	0.92	0.97	0.88	1.02	0.94	0.98	0.98	1.00	1.03	0.89	0.90	0.96	0.97	0.72	1.42	1.29
0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.01	0.00
1.80	1.81	1.78	1.86	1.67	1.76	1.58	1.76	1.78	1.81	1.73	1.81	1.69	1.65	1.74	1.70	1.79	1.72	1.65	1.76	1.74	1.85	1.82	1.89	1.15	1.03
0.20	0.05	0.23	0.21	0.22	0.24	0.02	0.30	0.34	0.14	0.26	0.22	0.27	0.18	0.28	0.18	0.24	0.19	0.11	0.03	0.28	0.16	0.08	0.30	0.02	0.08
0.01	0.00	0.01	0.01	0.01	0.01	0.03	0.00	0.00	0.00	0.00	0.02	0.00	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.03	0.03	0.02
0.52	0.79	0.49	0.54	0.38	0.53	0.71	0.37	0.36	0.68	0.40	0.52	0.38	0.48	0.38	0.54	0.52	0.51	0.57	0.73	0.38	0.64	0.75	0.38	0.61	0.56
0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.01
0.04	0.06	0.10	0.08	0.02	0.06	0.02	0.03	0.04	0.06	0.06	0.08	0.03	0.04	0.05	0.05	0.05	0.02	0.02	0.02	0.02	0.09	0.01	0.05	0.00	0.03
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00
6.02	6.08	6.02	6.07	5.98	5.98	6.08	6.01	5.94	6.13	5.98	6.03	6.04	5.98	5.99	6.03	6.02	6.05	6.07	6.11	6.07	6.07	6.00	6.10	6.06	6.12
0.00	0.00	0.00	0.00	0.02	0.02	0.00	0.00	0.06	0.00	0.02	0.00	0.00	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6.02	6.08	6.02	6.07	6.00	6.00	6.08	6.01	6.00	6.13	6.00	6.03	6.04	6.00	6.00	6.03	6.02	6.05	6.07	6.17	6.11	6.07	6.07	6.00	6.10	6.06
6.00	6.00	6.00	5.99	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	5.93
0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
0.05	0.05	0.18	0.00	0.34	0.11	0.24	0.16	0.21	0.01	0.27	0.10	0.27	0.26	0.23	0.20	0.08	0.13	0.21	0.12	0.17	0.00	0.02	0.28	0.29	0.54
0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00
0.11	0.11	0.08	0.10	0.04	0.10	0.02	0.06	0.08	0.10	0.06	0.08	0.12	0.07	0.08	0.07	0.12	0.09	0.03	0.05	0.07	0.11	0.12	0.10	0.02	0.07
1.02	0.95	0.92	0.97	0.94	1.03	1.08	0.99	0.92	0.95	0.92	0.97	0.88	1.02	0.94	0.98	0.98	1.00	1.03	0.89	0.90	0.95	0.97	0.72	1.42	1.29
1.80	1.81	1.78	1.86	1.67	1.76	1.58	1.76	1.78	1.81	1.73	1.81	1.69	1.65	1.74	1.70	1.79	1.72	1.65	1.76	1.74	1.85	1.82	1.89	1.15	1.03
0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.01	0.00
2.98	2.92	2.98	2.93	3.00	3.00	2.92	2.99	3.00	2.87	3.00	2.97	2.96	3.00	3.00	2.97	2.98	2.95	2.93	2.83	2.89	2.93	2.93	3.00	2.90	2.94
0.20	0.05	0.23	0.21	0.22	0.24	0.02	0.30	0.34	0.14	0.26	0.22	0.27	0.18</												

[illegible]

TK2012111407-

St	St	St	St	St	St	St	St	St	St	St	St	St	St	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky
Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur inc	Tur inc	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix
rim tur14	rim tur30	rim tur37	rim tur40	core tur1	core tur4	core tur12	core tur28	core tur32	core tur36	core tur39	rim tur21	rim tur22	mantle tur7	mantle tur10	mantle tur18	mantle tur25	mantle tur29	mantle tur35	rim tur4	rim tur5	rim tur8	rim tur1	rim tur12	rim tur19	rim tur22	rim tur23	rim tur26	rim tur28	
37.65	36.15	37.21	36.59	35.60	35.70	35.68	35.90	35.54	35.08	35.66	35.84	36.87	36.98	36.97	37.25	37.48	37.25	37.49	37.88	37.15	37.22	37.22	37.31	37.22	36.86	37.19	36.63	37.56	
0.01	0.32	0.70	0.40	0.37	0.23	1.28	0.80	0.94	0.30	1.99	0.43	0.13	0.61	0.28	0.16	0.53	0.39	0.26	0.73	0.69	0.78	0.29	0.61	0.50	0.43	0.60	0.80	0.53	
31.88	31.25	31.89	31.89	32.49	29.28	29.08	33.33	30.99	32.24	30.20	31.33	32.58	31.60	32.28	31.69	32.36	32.36	32.60	32.04	32.48	31.66	32.53	31.84	31.75	32.28	31.99	31.78	32.54	
0.02	0.02	0.02	0.01	0.00	0.00	0.03	0.02	0.00	0.00	0.00	0.01	0.01	0.04	0.01	0.00	0.01	0.02	0.00	0.02	0.07	0.00	0.01	0.02	0.05	0.00	0.04	0.00	0.06	
10.52	10.41	10.67	10.63	10.22	10.24	10.19	10.49	10.02	10.16	10.14	10.40	10.52	10.54	10.58	10.58	10.63	10.58	10.62	10.74	10.67	10.59	10.61	10.60	10.58	10.52	10.59	10.47	10.63	
0.00	0.00	0.00	0.00	0.00	1.11	1.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8.75	7.22	8.22	7.65	15.22	13.93	13.37	8.90	13.61	14.04	14.40	7.21	7.24	5.53	5.36	5.84	4.41	4.73	5.22	5.30	5.37	5.06	4.86	4.71	4.91	4.69	5.21	4.77	5.24	
8.75	7.22	8.22	7.65	15.22	14.92	14.43	8.90	13.61	14.04	14.40	7.21	7.24	5.53	5.36	5.84	4.41	4.73	5.22	5.30	5.37	5.06	4.86	4.71	4.91	4.69	5.21	4.77	5.24	
0.03	0.02	0.02	0.00	0.23	0.05	0.04	0.01	0.09	0.05	0.09	0.01	0.00	0.04	0.03	0.01	0.00	0.01	0.03	0.02	0.06	0.02	0.01	0.02	0.07	0.02	0.06	0.01	0.06	
5.49	7.08	6.61	7.30	0.76	3.66	3.26	4.89	1.50	1.73	1.79	7.12	6.27	7.78	7.76	7.85	8.08	7.83	7.51	8.11	7.78	8.07	7.82	8.22	8.17	7.76	7.81	7.80	7.40	
0.08	1.50	1.23	1.87	0.08	0.68	1.40	0.81	0.22	0.20	0.23	1.83	0.97	0.36	0.31	0.51	0.40	0.45	0.26	0.38	0.29	0.47	0.33	0.41	0.56	0.22	0.44	0.28	0.36	
0.00	0.39	0.28	0.11	0.17	0.00	0.06	0.11	0.06	0.00	0.11	0.00	0.00	0.06	0.00	0.06	0.00	0.00	0.28	0.62	0.00	0.00	0.28	0.00	0.11	0.00	0.00	0.11	0.11	
1.98	1.59	1.57	1.34	2.30	2.01	1.48	1.90	2.26	2.31	2.38	1.23	1.35	2.44	2.32	2.39	2.25	2.26	1.99	2.45	2.27	2.26	2.21	2.27	2.23	2.09	2.29	2.32	2.09	
0.02	0.06	0.04	0.01	0.04	0.04	0.06	0.05	0.05	0.04	0.03	0.03	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.02	0.02	0.00	0.01	0.00	0.03	0.03	0.01	0.03	
0.02	0.11	0.11	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.02	0.03	0.08	0.05	0.05	0.06	0.01	0.05	0.00	0.09	0.02	0.07	0.06	0.04	0.00	0.04	0.00	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.61	3.53	3.63	3.62	3.52	3.53	3.51	3.62	3.45	3.50	3.49	3.54	3.62	3.62	3.61	3.63	3.64	3.62	3.66	3.68	3.68	3.61	3.65	3.62	3.62	3.60	3.65	3.59	3.65	
100.06	99.65	102.19	101.52	100.99	100.34	100.50	100.82	98.73	99.65	100.52	99.08	99.59	99.61	99.57	99.99	99.86	99.56	99.92	101.99	100.50	99.83	99.90	99.71	99.77	98.58	99.85	98.67	100.22	
0.01	0.05	0.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.01	0.01	0.03	0.02	0.02	0.03	0.00	0.02	0.00	0.04	0.01	0.03	0.02	0.02	0.00	0.02	0.01	
100.05	99.60	102.14	101.48	100.99	100.34	100.50	100.82	98.72	99.65	100.52	99.04	99.58	99.59	99.54	99.97	99.84	99.53	99.91	101.97	100.50	99.80	99.89	99.68	99.74	98.56	99.85	98.65	100.21	
6.22	6.04	6.06	5.98	6.05	6.06	6.09	5.95	6.09	6.00	6.11	5.99	6.09	6.10	6.07	6.12	6.13	6.12	6.13	6.13	6.05	6.11	6.10	6.12	6.11	6.09	6.10	6.08	6.14	
0.00	0.04	0.09	0.05	0.05	0.03	0.16	0.10	0.12	0.04	0.26	0.05	0.02	0.08	0.03	0.02	0.06	0.05	0.03	0.09	0.08	0.10	0.04	0.07	0.06	0.05	0.07	0.10	0.06	
6.21	6.15	6.12	6.04	6.05	5.86	5.85	6.51	6.34	6.50	6.10	6.17	6.35	6.14	6.25	6.14	6.24	6.26	6.29	6.11	6.23	6.12	6.28	6.15	6.15	6.29	6.19	6.22	6.27	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	
1.21	1.01	1.12	1.05	2.16	2.12	2.06	1.23	1.97	2.01	2.06	1.01	1.00	0.76	0.74	0.80	0.60	0.65	0.71	0.72	0.73	0.69	0.67	0.65	0.67	0.65	0.72	0.66	0.72	
0.00	0.00	0.00	0.00	0.03	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.00	
1.35	1.76	1.60	1.78	0.19	0.92	0.83	1.21	0.39	0.44	0.46	1.77	1.54	1.91	1.90	1.92	1.97	1.92	1.83	1.95	1.89	1.97	1.91	2.01	2.00	1.91	1.91	1.93	1.80	
0.01	0.27	0.21	0.33	0.01	0.12	0.26	0.14	0.04	0.04	0.04	0.33	0.17	0.06	0.05	0.09	0.07	0.08	0.04	0.07	0.05	0.08	0.06	0.07	0.10	0.04	0.08	0.05	0.06	
0.00	0.03	0.02	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.04	0.00	0.00	0.02	0.00	0.01	0.00	0.00	0.01	0.01	
0.63	0.52	0.50	0.42	0.76	0.66	0.49	0.61	0.76	0.76	0.79	0.40	0.43	0.78	0.74	0.76	0.71	0.72	0.63	0.77	0.72	0.72	0.70	0.72	0.71	0.67	0.73	0.75	0.66	
0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	
0.01	0.06	0.06	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	0.01	0.04	0.02	0.02	0.03	0.01	0.03	0.00	0.04	0.01	0.03	0.03	0.02	0.00	0.02	0.02	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
6.22	6.04	6.06	5.98	6.05	6.06	6.09	5.95	6.17	6.00	6.11	5.99	6.09	6.10	6.07	6.12	6.13	6.12	6.13	6.13	6.05	6.11	6.10	6.12	6.11	6.09	6.10	6.08	6.14	
0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.22	6.04	6.06	6.00	6.05	6.06	6.09	6.00	6.17	6.00	6.11	6.00	6.09	6.10	6.07	6.12	6.13	6.12	6.13	6.13	6.05	6.11	6.10	6.12	6.11	6.09	6.10	6.08	6.14	
6.00	6.00	6.00	6.00	6.00	5.86	5.85	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.00	0.00	0.00	0.00	0.14	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.21	0.15	0.12	0.13	0.51	0.00	0.00	0.46	0.34	0.50	0.10	0.16	0.35	0.14	0.25	0.14	0.24	0.26	0.29	0.11	0.23	0.12	0.28	0.15	0.15	0.29	0.19	0.22	0.27	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	
0.00	0.04	0.09	0.05	0.05	0.03	0.16	0.10	0.12	0.04	0.26	0.05	0.02	0.08	0.03	0.02	0.06	0.05	0.03	0.09	0.08	0.10	0.04	0.07	0.06	0.05	0.07	0.10	0.06	
1.21	1.01	1.12																											

Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	
Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	
rim	rim	rim	rim	rim	rim	core	core	core	core	rim	rim	rim	rim	rim	rim	mantle	mantle	mantle	mantle	mantle	mantle	mantle	core	core	core	core	core	rim	rim
tur31	tur32	tur36	tur39	tur42	tur43	tur1	tur6	tur9	tur38	4	6	7	11	19	21	2	3	5	9	10	16	1	8	15	18	20	25	26	
37.01	37.72	36.79	36.85	37.01	36.36	37.24	37.12	36.43	37.15	36.54	36.47	36.27	37.12	36.64	36.15	36.17	36.49	35.90	36.15	37.02	36.74	35.20	35.88	34.31	33.72	34.96	36.52	37.11	
0.67	0.46	0.79	0.28	0.53	0.41	0.30	0.36	0.82	0.43	0.49	0.78	0.79	0.44	0.95	0.60	0.81	0.70	0.85	0.96	0.65	1.04	0.80	0.62	0.89	0.20	1.12	0.70	0.23	
32.40	32.85	31.88	32.28	32.57	32.49	31.57	31.58	29.87	32.05	33.39	32.73	32.38	32.46	32.15	31.72	32.22	31.81	32.06	30.95	32.83	32.01	32.94	32.50	32.98	33.84	33.93	32.84	33.89	
0.03	0.02	0.00	0.02	0.00	0.00	0.00	0.03	0.07	0.04	0.00	0.04	0.00	0.04	0.04	0.01	0.06	0.02	0.05	0.03	0.00	0.00	0.01	0.04	0.01	0.00	0.02	0.07	0.04	
10.61	10.69	10.53	10.50	10.63	10.51	10.51	10.52	10.32	10.57	10.54	10.48	10.49	10.55	10.54	10.36	10.50	10.51	10.42	10.36	10.51	10.61	10.20	10.34	10.18	10.08	10.12	10.38	10.67	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5.50	5.04	5.00	4.90	5.49	4.94	5.50	6.28	6.11	5.30	6.06	7.66	7.52	6.61	9.33	8.06	8.18	9.08	8.96	8.93	8.58	9.26	12.41	12.82	15.23	14.80	11.88	9.40	9.95	
5.50	5.04	5.00	4.90	5.49	4.94	5.50	6.28	6.64	5.30	6.06	7.66	7.52	6.61	9.33	8.06	8.18	9.08	8.96	8.93	8.58	9.26	12.41	12.82	15.23	14.80	11.88	9.40	9.95	
0.04	0.01	0.00	0.00	0.05	0.00	0.01	0.04	0.00	0.04	0.02	0.01	0.00	0.00	0.06	0.04	0.00	0.05	0.02	0.01	0.00	0.04	0.10	0.11	0.32	0.07	0.14	0.02	0.01	
7.52	7.52	7.88	7.64	7.61	7.77	7.64	7.28	7.54	7.72	6.48	5.64	6.21	6.59	5.28	5.78	6.01	5.72	5.43	5.74	4.90	5.75	1.98	2.53	0.68	0.53	0.96	3.98	4.34	
0.29	0.31	0.37	0.22	0.30	0.29	0.47	0.58	0.90	0.39	0.58	0.65	0.78	0.81	0.70	0.83	0.76	0.88	0.78	0.82	0.48	0.86	0.31	0.18	0.24	0.50	0.26	0.32	0.08	
0.00	0.00	0.00	0.06	0.00	0.00	0.11	0.00	0.17	0.17	0.00	0.22	0.22	0.00	0.17	0.00	0.00	0.00	0.22	0.00	0.00	0.22	0.00	0.00	0.00	0.17	0.17</			

Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Ky	Ky	Ky	Ky
Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	
Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	matrix	matrix	matrix	matrix
rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	rim	mantle	mantle	core	core	core	core	core	core	core	core	core	rim	rim	rim	rim
28	29	31	32	34	37	38	40	42	43	45	54	56	30	49	27	33	36	39	44	48	53	55	59	69	70	72	73	
36.65	36.30	36.60	36.44	36.71	35.78	36.28	36.76	36.38	35.96	36.16	35.87	36.48	36.15	36.92	34.60	35.41	35.91	35.47	35.50	35.79	34.81	36.34	37.42	36.73	36.71	36.44	36.44	
1.08	0.43	0.49	0.48	0.46	0.49	0.83	0.63	1.12	0.83	0.67	0.82	1.07	0.78	0.12	0.74	0.89	0.23	0.00	0.75	0.41	0.52	0.09	0.78	0.43	0.90	0.82	0.60	
31.38	32.31	32.22	33.16	33.40	31.89	31.70	32.74	33.34	34.09	32.70	32.31	31.70	32.90	34.26	32.84	33.87	33.54	32.66	33.46	33.79	34.07	34.13	30.89	32.58	31.65	32.01	31.95	
0.07	0.01	0.04	0.02	0.04	0.02	0.08	0.06	0.05	0.00	0.00	0.04	0.01	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.05	0.07	0.02	0.02	0.00	
10.50	10.44	10.50	10.52	10.51	10.41	10.41	10.51	10.49	10.38	10.38	10.45	10.63	10.42	10.73	10.28	10.47	10.33	10.16	10.40	10.50	10.33	10.37	10.51	10.62	10.55	10.50	10.47	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8.97	8.82	8.47	9.60	9.62	7.84	8.74	9.58	10.11	10.79	9.64	9.42	9.69	9.44	8.26	15.03	11.71	13.66	12.70	11.64	11.68	14.62	14.14	6.40	6.57	6.69	6.27	6.37	
8.97	8.82	8.47	9.60	9.62	7.84	8.74	9.58	10.11	10.79	9.64	9.42	9.69	9.44	8.26	15.03	11.71	13.66	12.70	11.64	11.68	14.62	14.14	6.40	6.57	6.69	6.27	6.37	
0.01	0.00	0.01	0.00	0.01	0.04	0.01	0.05	0.01	0.14	0.01	0.05	0.00	0.06	0.02	0.12	0.05	0.10	0.08	0.05	0.09	0.10	0.15	0.06	0.05	0.00	0.04	0.00	
5.76	5.40	5.76	4.61	4.19	6.35	5.53	4.56	3.71	2.47	4.21	5.16	6.04	4.35	5.52	1.45	3.06	1.38	2.04	2.98	3.25	3.02	0.60	7.31	7.14	7.24	7.07	7.02	
0.84	0.63	0.70	0.54	0.63	1.06	0.91	0.68	0.57	0.13	0.59	0.86	0.88	0.66	0.29	0.31	0.50	0.17	0.31	0.53	0.23	0.12	0.08	0.92	1.58	1.16	1.40	1.41	
0.17	0.00	0.28	0.00	0.17	0.00	0.28	0.00	0.06	0.17	0.00	0.00	0.33	0.06	0.00	0.06	0.00	0.00	0.17	0.00	0.17	0.06	0.17	0.50	0.00	0.11	0.28	0.22	
1.85	1.88	2.02	1.36	1.54	1.97	2.14	1.61	1.37	1.77	1.38	1.64	2.00	1.53	1.52	2.16	1.97	1.96	2.21	1.80	1.89	2.05	1.56	2.05	1.12	1.58	1.23	1.35	
0.00	0.01	0.03	0.00	0.00	0.01	0.02	0.01	0.01	0.03	0.02	0.00	0.01	0.00	0.00	0.03	0.04	0.08	0.06	0.03	0.04	0.04	0.04	0.05	0.09	0.08	0.04	0.01	
0.13	0.15	0.16	0.05	0.00	0.10	0.09	0.00	0.00	0.01	0.02	0.09	0.19	0.05	0.05	0.00	0.00	0.00	0.21	0.00	0.01	0.30	0.00	0.22	0.00	0.08	0.10	0.11	
0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	
3.55	3.53	3.55	3.60	3.62	3.54	3.55	3.62	3.61	3.57	3.57	3.56	3.57	3.57	3.67	3.54	3.61	3.56	3.40	3.58	3.61	3.42	3.57	3.52	3.66	3.60	3.57	3.56	
100.98	99.91	100.82	100.38	100.90	99.49	100.57	100.82	100.82	100.34	99.33	100.26	102.61	99.96	101.42	101.14	101.58	100.93	99.47	100.74	101.47	101.45	101.25	100.67	100.63	100.35	99.79	99.50	
0.06	0.06	0.07	0.02	0.00	0.04	0.04	0.00	0.00	0.00	0.01	0.04	0.08	0.02	0.02	0.00	0.00	0.00	0.09	0.00	0.01	0.13	0.00	0.09	0.00	0.04	0.04	0.05	
100.92	99.85	100.76	100.36	100.90	99.45	100.53	100.82	100.82	100.34	99.33	100.23	102.53	99.94	101.40	101.14	101.58	100.93	99.38	100.74	101.46	101.46	101.33	101.25	100.58	100.63	100.31	99.74	
6.07	6.04	6.06	6.02	6.07	5.98	6.05	6.08	6.03	6.02	6.06	5.96	5.96	6.03	5.98	5.85	5.88	6.04	6.07	5.94	5.93	5.86	6.09	6.19	6.01	6.05	6.03	6.05	
0.13	0.05	0.06	0.06	0.06	0.06	0.10	0.08	0.14	0.11	0.08	0.10	0.13	0.10	0.01	0.09	0.11	0.03	0.00	0.09	0.05	0.07	0.01	0.10	0.05	0.11	0.10	0.08	
6.12	6.34	6.28	6.46	6.51	6.28	6.23	6.38	6.51	6.73	6.46	6.33	6.11	6.47	6.54	6.55	6.62	6.65	6.58	6.59	6.59	6.75	6.74	6.02	6.28	6.14	6.25	6.25	
0.01	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.01	
1.24	1.23	1.17	1.33	1.33	1.09	1.22	1.32	1.40	1.51	1.35	1.31	1.32	1.32	1.12	2.13	1.63	1.92	1.82	1.63	1.62	2.06	1.98	0.88	0.90	0.92	0.87	0.88	
0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.02	0.00	0.01	0.00	0.01	0.00	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.00	0.01	0.00	
1.42	1.34	1.42	1.13	1.03	1.58	1.37	1.12	0.92	0.62	1.05	1.28	1.47	1.08	1.33	0.36	0.76	0.35	0.52	0.74	0.80	0.26	0.15	1.80	1.74	1.78	1.74	1.71	
0.15	0.11	0.12	0.09	0.11	0.19	0.16	0.12	0.10	0.02	0.11	0.15	0.15	0.12	0.05	0.06	0.09	0.03	0.06	0.09	0.04	0.02	0.01	0.16	0.28	0.20	0.25	0.26	
0.01	0.00	0.02	0.00	0.01	0.00	0.02	0.00	0.00	0.01	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.01	0.03	0.00	0.01	0.02	0.01	
0.59	0.61	0.65	0.44	0.49	0.64	0.69	0.52	0.44	0.58	0.45	0.53	0.63	0.49	0.48	0.71	0.63	0.64	0.73	0.58	0.61	0.67	0.51	0.66	0.36	0.50	0.39	0.40	
0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.00	0.02	
0.07	0.08	0.08	0.02	0.00	0.05	0.05	0.00	0.00	0.00	0.01	0.05	0.10	0.03	0.03	0.00	0.00	0.00	0.11	0.00	0.01	0.16	0.00	0.11	0.00	0.04	0.05	0.06	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00
6.07	6.04	6.06	6.02	6.07	5.98	6.05	6.08	6.03	6.02	6.06	5.96	5.96	6.03	5.98	5.85	5.88	6.04	6.07	5.94	5.93	5.86	6.09	6.19	6.01	6.05	6.03	6.05	
0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.00	0.02	0.15	0.12	0.00	0.00	0.06	0.07	0.14	0.00	0.00	0.00	0.00	0.00	0.00	
6.07	6.04	6.06	6.02	6.07	6.00	6.05	6.08	6.03	6.02	6.06	6.00	6.00	6.03	6.00	6.00	6.00	6.04	6.07	6.00	6.00	6.00	6.00	6.09	6.19	6.01	6.05	6.03	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.12	0.34	0.28	0.46	0.51	0.26	0.23	0.38	0.51	0.73	0.46	0.30	0.07	0.47	0.52	0.40	0.50	0.65	0.58	0.53	0.52	0.61	0.74	0.02	0.28	0.14	0.25	0.25	
0.01	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.01	
0.13	0.05	0.06	0.06	0.06	0.06	0.10	0.08	0.14	0.11	0.08	0.10	0.13	0.10	0.01	0.09	0.11	0.03	0.00	0.09	0.05	0.07	0.01	0.10	0.05	0.11	0.10	0.08	
1.24	1.23	1.17	1.33	1.33	1																							

Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	FmI	FmI	FmI	FmI	FmI
Tur area1	Tur area1	Tur area1	Tur area1	Tur area1	Tur area1	Tur area1	Tur area2	Tur area2	Tur area2	Tur area2	Tur area2	Tur area2	Tur area2	Tur area2	Tur area2	Tur area2	Tur area3	Tur area3	Tur area3	Tur area3	Tur area3	Tur area3	Tur area3	Tur area3	Tur area3	Tur area3	Tur area3	Tur area3	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	
core light	mantle	mantle1 dark	mantle2 light	mantle3 dark	rim dark	light core	light core	mantle	mantle	mantle	mantle	mantle	mantle	rim	rim	light core	mantle	mantle	mantle	mantle	mantle	mantle	mantle	mantle	mantle	mantle	mantle	rim	rim	rim	rim	rim		
14	29	2	3	4	5	48	80	49	50	76	77	78	79	51	127	128	129	130	131	132	133	134	135	136	604-38	604-39	604-40	604-41	604-42	604-43	604-44	604-45	604-46	
36.99	36.50	36.43	35.63	35.59	35.72	36.47	36.27	36.51	36.06	36.31	36.78	35.73	35.84	35.90	36.89	36.21	35.50	36.54	35.88	35.84	36.59	36.14	35.87	36.14	35.99	36.21	36.27	36.48	36.27	36.48	36.27	36.48	36.27	
0.30	0.62	0.43	0.42	0.49	0.44	0.85	0.79	0.57	0.37	0.61	0.61	0.38	0.32	0.39	0.16	0.31	0.55	0.57	0.85	0.32	0.37	0.28	0.30	0.47	0.82	1.21	0.67	1.07	0.67	1.07	0.67	1.07	0.67	
31.93	31.13	31.28	31.80	31.61	32.49	30.71	29.90	31.47	31.63	30.55	31.22	32.03	32.02	31.81	32.32	31.32	30.68	32.16	31.81	33.12	33.69	32.76	31.71	32.81	32.89	32.22	32.20	32.05	32.22	32.20	32.05	32.22	32.05	
0.01	0.01	0.00	0.02	0.00	0.00	0.02	0.04	0.01	0.05	0.00	0.02	0.03	0.00	0.01	0.00	0.05	0.02	0.04	0.00	0.02	0.02	0.03	0.00	0.02	0.03	0.05	0.00	0.05	0.00	0.05	0.00	0.05	0.00	
10.51	10.37	10.49	10.40	10.35	10.46	10.53	10.46	10.58	10.49	10.51	10.58	10.50	10.46	10.36	10.65	10.45	10.29	10.52	10.42	10.46	10.59	10.43	10.47	10.48	10.45	10.45	10.53	10.40	10.45	10.53	10.40	10.45	10.53	
0.00	0.00	0.00	0.00	0.00	0.00	0.22	1.14	0.00	0.00	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10.47	5.76	7.11	9.08	8.30	8.35	9.04	9.33	7.22	9.44	9.22	7.30	9.56	8.25	7.66	9.02	6.76	8.79	8.87	8.02	7.51	6.73	7.24	8.91	7.35	9.45	10.53	10.41	10.61	9.45	10.53	10.41	10.61	9.45	
10.47	5.76	7.11	9.08	8.30	8.35	9.24	10.36	7.22	9.44	9.53	7.30	9.56	8.25	7.66	9.02	6.76	8.79	8.87	8.02	7.51	6.73	7.24	8.91	7.35	9.45	10.53	10.41	10.61	9.45	10.53	10.41	10.61	9.45	
0.00	0.01	0.00	0.00	0.01	0.06	0.00	0.00	0.03	0.01	0.00	0.03	0.00	0.00	0.03	0.06	0.00	0.06	0.00	0.00	0.06	0.02	0.00	0.00	0.01	0.08	0.25	0.13	0.07	0.01	0.08	0.25	0.13	0.07	
4.73	7.41	7.36	5.86	6.14	5.97	6.61	6.34	7.52	6.02	6.66	7.46	5.92	6.40	6.26	6.18	7.46	6.25	5.70	6.17	5.90	6.16	6.00	6.32	6.12	4.58	4.04	4.90	3.84	4.58	4.04	4.90	3.84	4.58	
0.16	1.34	1.55	1.76	1.45	1.42	1.12	0.23	1.29	1.66	1.15	1.23	1.62	1.39	1.48	0.69	1.22	1.76	1.35	1.78	1.48	1.25	1.35	1.42	1.57	0.56	0.41	0.91	0.46	0.56	0.41	0.91	0.46	0.56	
0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.02	0.08	0.00	0.00	0.00	0.00	0.09	0.04	0.09	0.04	0.05	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1.72	1.73	1.61	1.37	1.38	1.38	1.75	2.43	1.76	1.30	1.72	1.87	1.32	1.47	1.37	1.63	1.76	1.25	1.26	0.98	1.20	1.12	1.17	1.42	1.11	1.69	1.56	1.77	1.39	1.69	1.56	1.77	1.39	1.69	
0.02	0.03	0.02	0.03	0.00	0.02	0.04	0.01	0.02	0.03	0.01	0.02	0.01	0.01	0.02	0.02	0.05	0.03	0.00	0.01	0.00	0.05	0.04	0.00	0.00	0.03	0.03	0.07	0.02	0.03	0.07	0.02	0.03	0.07	
0.00	0.14	0.08	0.04	0.07	0.01	0.03	0.01	0.05	0.00	0.07	0.04	0.01	0.02	0.07	0.01	0.03	0.05	0.00	0.00	0.01	0.02	0.00	0.03	0.01	0.11	0.12	0.18	0.11	0.11	0.12	0.18	0.11	0.11	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.62	3.51	3.58	3.57	3.54	3.60	3.62	3.60	3.62	3.62	3.59	3.63	3.61	3.59	3.54	3.67	3.59	3.52	3.63	3.59	3.60	3.64	3.59	3.59	3.61	3.55	3.54	3.54	3.53	3.55	3.54	3.53	3.55	3.54	
100.49	98.60	99.94	99.98	98.91	99.96	101.00	100.43	100.64	100.77	100.73	100.86	100.72	99.78	98.89	101.29	99.29	98.79	100.71	99.55	99.56	100.28	100.03	99.70	100.22	100.62	101.58	100.25	100.25	100.62	101.58	100.25	100.62	101.58	
0.00	0.06	0.03	0.01	0.03	0.00	0.01	0.01	0.02	0.00	0.03	0.02	0.01	0.01	0.03	0.00	0.01	0.02	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.05	0.05	0.08	0.05	0.05	0.08	0.05	0.05	0.08	
100.49	98.54	99.90	99.97	98.89	99.95	100.99	100.42	100.62	100.77	100.69	100.85	100.72	99.77	98.85	101.29	99.28	98.77	100.71	99.55	99.56	100.27	99.02	100.01	99.69	100.17	100.57	101.50	100.25	100.62	101.50	100.25	100.62	101.50	
6.12	6.12	6.04	5.95	5.98	5.94	6.02	6.03	6.00	5.98	6.01	6.04	5.91	5.96	6.02	6.02	6.02	6.00	6.04	5.99	5.96	6.00	6.02	5.96	5.99	5.99	6.02	5.99	6.02	5.99	6.02	5.99	6.02	5.99	
0.04	0.08	0.05	0.05	0.06	0.06	0.11	0.10	0.07	0.05	0.08	0.07	0.05	0.04	0.05	0.02	0.04	0.07	0.07	0.11	0.04	0.05	0.03	0.04	0.06	0.10	0.15	0.08	0.13	0.15	0.08	0.13	0.15	0.08	
6.23	6.15	6.11	6.26	6.26	6.36	5.97	5.86	6.09	6.18	5.96	6.05	6.25	6.27	6.29	6.22	6.14	6.11	6.26	6.26	6.49	6.52	6.44	6.21	6.41	6.45	6.32	6.27	6.31	6.45	6.32	6.27	6.31	6.45	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.01	0.00	0.01	
1.45	0.81	0.98	1.27	1.17	1.16	1.28	1.44	0.99	1.31	1.32	1.00	1.32	1.15	1.07	1.23	0.94	1.24	1.22	1.12	1.04	0.92	1.01	1.24	1.02	1.31	1.47	1.44	1.48	1.31	1.47	1.44	1.48	1.31	
0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.04	0.02	0.01	0.01	0.04	0.02	0.01	0.01		
1.17	1.85	1.82	1.46	1.54	1.48	1.63	1.57	1.84	1.49	1.64	1.83	1.46	1.58	1.56	1.50	1.85	1.57	1.40	1.53	1.46	1.51	1.49	1.56	1.51	1.13	1.00	1.20	0.96	1.13	1.00	1.20	0.96	1.13	
0.03	0.24	0.28	0.32	0.26	0.25	0.20	0.04	0.23	0.29	0.20	0.22	0.29	0.25	0.27	0.12	0.22	0.32	0.24	0.32	0.26	0.22	0.24	0.25	0.28	0.10	0.07	0.16	0.08	0.10	0.07	0.16	0.08	0.10	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	
0.55	0.56	0.52	0.44	0.45	0.44	0.56	0.78	0.56	0.42	0.55	0.60	0.42	0.47	0.44	0.52	0.57	0.41	0.40	0.32	0.39	0.36	0.38	0.46	0.36	0.54	0.50	0.57	0.45	0.54	0.50	0.57	0.45	0.54	
0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	
0.00	0.07	0.04	0.02	0.04	0.01	0.01	0.01	0.01	0.02	0.00	0.04	0.02	0.01	0.04	0.00	0.01	0.03	0.00	0.00	0.00	0.01	0.00	0.02	0.01	0.06	0.06	0.09	0.06	0.06	0.09	0.06	0.06	0.09	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
6.12	6.12	6.04	5.95	5.98	5.94	6.02	6.03	6.00	5.98	6.01	6.04	5.91	5.96	6.02	6.02	6.02	6.00	6.04	5.99	5.96	6.00	6.02	5.96	5.99										

TK2013111807

Fml	Fml	Fml	Fml	Fml	Fml	Fml	Fml	Fml	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Ky	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt
Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix
rim	rim	core	core	core	core	core	core	core	rim	rim	rim	rim	rim	core	core	core	core	core	core	core	core	-c rim	+c rim	-c rim	rim	rim	rim	rim	rim
604-46	604-48	604-32	604-35	604-37	604-42	604-45	604-47	807-64	807-67	807-69	807-74	807-80	807-65	807-66	807-68	807-73	807-78	807-79	807-81	68	69	70	71	72	73	82	83	84	
36.40	36.85	36.59	36.73	36.10	36.19	36.65	36.35	36.24	36.44	36.21	36.50	36.80	36.50	36.33	36.62	36.35	37.08	36.48	36.44	36.89	36.96	36.83	36.87	36.51	36.51	35.55	37.25	36.73	
1.11	0.55	0.80	0.53	0.97	0.76	0.94	0.78	0.50	1.01	0.41	0.25	0.98	0.64	0.57	0.66	0.76	0.85	0.57	0.78	0.33	0.21	0.40	0.83	0.59	1.18	0.84	0.48	0.53	
32.07	31.80	31.90	32.27	31.42	31.86	32.07	31.44	33.01	33.46	33.24	33.35	32.73	33.16	33.44	31.25	33.03	31.78	32.82	32.50	32.62	33.38	32.23	32.09	31.80	31.71	32.39	32.55	32.55	
0.00	0.00	0.04	0.04	0.01	0.06	0.00	0.00	0.08	0.01	0.00	0.00	0.07	0.04	0.09	0.00	0.01	0.02	0.06	0.00	0.02	0.06	0.00	0.09	0.02	0.00	0.00	0.00	0.01	
10.41	10.45	10.48	10.48	10.41	10.31	10.52	10.40	10.52	10.69	10.57	10.58	10.61	10.60	10.57	10.45	10.53	10.54	10.58	10.60	10.49	10.54	10.45	10.53	10.40	10.49	10.47	10.45	10.41	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10.22	10.29	8.28	8.45	8.69	9.74	8.74	7.59	5.75	5.35	5.57	6.03	5.59	6.83	6.55	6.51	6.26	6.38	6.11	6.79	8.41	8.74	8.57	9.63	9.29	10.10	10.69	9.28	8.75	
10.22	10.29	8.28	8.45	8.69	9.74	8.74	7.59	5.75	5.35	5.57	6.03	5.59	6.83	6.55	6.51	6.26	6.38	6.11	6.79	8.41	8.74	8.57	9.63	9.29	10.10	10.69	9.28	8.75	
0.24	0.05	0.00	0.00	0.00	0.06	0.04	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.11	0.02	0.13	0.14	
4.07	4.59	5.84	5.49	5.82	4.33	5.54	6.32	6.98	7.49	7.28	6.92	7.17	6.49	6.36	7.25	6.54	6.99	7.10	7.01	5.31	4.78	5.27	4.98	5.03	4.86	4.72	4.26	4.61	
0.44	0.46	0.55	0.51	0.62	0.35	0.53	0.65	1.91	1.76	1.79	1.83	1.73	1.24	1.52	0.91	1.69	0.80	1.49	1.82	0.62	0.31	0.49	0.43	0.42	0.29	0.42	0.19	0.20	
0.01	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.01	0.00	0.03	0.03	0.00	0.13	0.00	0.00	0.08	0.00	0.00	0.08	0.00	0.03	0.00	0.00	0.00	0.04	0.00	0.08	
1.49	1.82	2.09	2.29	2.31	2.35	2.36	2.23	0.81	0.81	0.83	0.83	0.82	0.90	0.90	1.67	0.82	1.73	1.10	1.05	1.69	1.94	2.02	2.09	2.14	2.28	1.89	2.03	1.97	
0.06	0.05	0.05	0.01	0.03	0.02	0.00	0.03	0.07	0.07	0.07	0.09	0.05	0.04	0.05	0.06	0.02	0.04	0.05	0.05	0.06	0.04	0.06	0.07	0.04	0.04	0.05	0.07	0.03	
0.14	0.23	0.11	0.05	0.06	0.03	0.10	0.07	0.08	0.09	0.06	0.05	0.01	0.02	0.03	0.10	0.11	0.08	0.11	0.04	0.17	0.15	0.14	0.09	0.11	0.17	0.21	0.12	0.10	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.52	3.49	3.56	3.59	3.56	3.54	3.58	3.55	3.59	3.64	3.62	3.63	3.65	3.65	3.63	3.55	3.58	3.59	3.59	3.63	3.54	3.56	3.53	3.59	3.53	3.54	3.51	3.54	3.54	
100.17	100.70	100.29	100.44	99.99	99.61	101.06	99.41	99.61	100.83	99.65	100.09	100.28	100.10	100.16	99.05	99.75	99.96	100.07	100.71	100.22	100.68	100.08	101.28	99.96	101.28	100.79	100.34	99.66	
0.06	0.10	0.05	0.02	0.03	0.01	0.04	0.03	0.03	0.04	0.02	0.02	0.01	0.01	0.01	0.04	0.05	0.03	0.05	0.02	0.07	0.06	0.06	0.04	0.05	0.07	0.09	0.05	0.04	
100.11	100.60	100.25	100.42	99.96	99.60	101.02	99.38	99.57	100.80	99.63	100.07	100.28	100.09	100.15	99.01	99.70	99.93	100.02	100.69	100.15	100.61	100.02	101.24	99.91	101.21	100.70	100.29	99.62	
6.08	6.13	6.07	6.09	6.03	6.10	6.06	6.07	5.99	5.92	5.96	5.99	6.03	5.98	5.98	6.09	6.00	6.12	5.99	5.98	6.11	6.10	6.13	6.09	6.10	6.05	5.90	6.20	6.13	
0.14	0.07	0.10	0.07	0.12	0.10	0.12	0.10	0.06	0.12	0.05	0.03	0.12	0.08	0.07	0.08	0.09	0.11	0.07	0.10	0.04	0.03	0.05	0.10	0.07	0.15	0.10	0.06	0.07	
6.31	6.23	6.23	6.31	6.18	6.33	6.25	6.19	6.43	6.41	6.44	6.45	6.32	6.41	6.48	6.12	6.43	6.18	6.35	6.28	6.37	6.49	6.32	6.24	6.26	6.19	6.34	6.38	6.41	
0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1.43	1.43	1.15	1.17	1.21	1.37	1.21	1.06	0.79	0.73	0.77	0.83	0.77	0.94	0.90	0.91	0.86	0.88	0.84	0.93	1.17	1.21	1.19	1.33	1.30	1.40	1.48	1.29	1.22	
0.03	0.01	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00	0.02	0.02	
1.01	1.14	1.44	1.36	1.45	1.09	1.36	1.57	1.72	1.81	1.78	1.69	1.75	1.58	1.56	1.80	1.61	1.72	1.74	1.71	1.31	1.17	1.31	1.22	1.25	1.20	1.17	1.06	1.15	
0.08	0.08	0.10	0.09	0.11	0.06	0.09	0.12	0.34	0.31	0.32	0.32	0.30	0.22	0.27	0.16	0.30	0.14	0.26	0.32	0.11	0.05	0.09	0.08	0.08	0.05	0.07	0.03	0.04	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	
0.48	0.59	0.67	0.74	0.75	0.77	0.76	0.72	0.26	0.26	0.27	0.27	0.26	0.28	0.29	0.54	0.26	0.55	0.35	0.33	0.54	0.62	0.65	0.67	0.69	0.73	0.61	0.65	0.64	
0.01	0.01	0.01	0.00	0.01	0.00	0.00	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0.07	0.12	0.06	0.03	0.03	0.01	0.05	0.04	0.04	0.04	0.03	0.03	0.01	0.01	0.01	0.05	0.06	0.04	0.06	0.02	0.09	0.08	0.07	0.05	0.06	0.09	0.11	0.06	0.05	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
6.08	6.13	6.07	6.09	6.03	6.10	6.06	6.07	5.99	5.92	5.96	5.99	6.03	5.98	5.98	6.09	6.00	6.12	5.99	5.98	6.11	6.10	6.13	6.09	6.10	6.05	5.90	6.20	6.13	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.08	0.04	0.01	0.00	0.02	0.02	0.00	0.00	0.00	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	
6.08	6.13	6.07	6.09	6.03	6.10	6.06	6.07	6.00	6.00	6.00	6.00	6.03	6.00	6.00	6.09	6.00	6.12	6.00	6.00	6.11	6.10	6.13	6.09	6.10	6.05	6.00	6.20	6.13	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.31	0.23	0.23	0.31	0.18	0.33	0.25	0.19	0.41	0.33	0.40	0.45	0.32	0.39	0.46	0.12	0.42	0.18	0.34	0.26	0.37	0.49	0.32	0.24	0.26	0.19	0.24	0.38	0.41	
0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.0						

TK201211200

Grt	Grt	Grt	Grt	Grt	Grt	Grt	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St
Tur matrix	Tur matrix	Tur matrix	Tur Grt inc	Tur Grt inc	Tur Grt inc	Tur Grt inc	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur Grt inc	Tur Grt inc	
core 94	core 95	core 96	core 52	rim 54	rim 57	rim 58	rim 40	rim 43	rim 45	rim 46	rim 48	rim 50	rim 53	rim 54	rim 58	rim 59	rim 60	rim 64	rim 66	rim 68	rim 70	core 38	core 41	core 51	core 55	core 61	rim 15	rim 17	
36.32	36.58	36.88	36.06	36.60	35.89	34.72	36.39	36.11	36.52	36.28	36.26	36.68	35.34	36.16	36.74	36.54	36.17	36.41	36.57	36.99	36.77	37.19	36.69	36.54	36.50	36.25	37.10	36.08	
1.03	0.44	0.47	0.76	0.57	0.99	0.88	0.50	0.64	0.49	0.57	0.62	0.74	0.60	0.43	0.61	0.52	0.28	0.36	0.55	0.68	0.44	0.39	0.79	0.55	0.66	0.34	0.60	0.35	
31.08	31.94	32.39	31.77	32.07	30.49	33.53	31.94	32.47	32.26	32.37	32.90	32.71	32.71	32.41	32.69	32.16	31.68	32.39	32.49	32.90	33.20	32.11	32.47	30.77	30.43	30.85	31.61	30.59	
0.00	0.02	0.00	0.02	0.03	0.04	0.00	0.09	0.06	0.04	0.05	0.07	0.11	0.10	0.08	0.01	0.00	0.04	0.02	0.08	0.12	0.00	0.08	0.03	0.05	0.24	0.01	0.02	0.04	
10.41	10.41	10.51	10.36	10.50	10.39	10.36	10.51	10.52	10.57	10.44	10.54	10.58	10.36	10.41	10.53	10.58	10.42	10.51	10.52	10.62	10.63	10.56	10.51	10.41	10.41	10.42	10.52	10.31	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	
10.25	10.78	9.98	13.12	10.45	10.78	11.08	6.68	6.60	6.74	6.38	6.10	6.43	6.21	6.27	6.52	6.84	7.70	6.84	6.04	6.08	6.98	4.43	8.73	6.94	7.09	8.49	7.96	8.09	
10.25	10.78	9.98	13.12	10.45	10.78	11.08	6.68	6.60	6.74	6.38	6.10	6.43	6.21	6.27	6.52	6.84	7.70	6.84	6.04	6.08	6.98	4.43	8.73	6.94	7.16	8.49	7.96	8.09	
0.10	0.04	0.08	0.16	0.16	0.25	0.41	0.02	0.06	0.07	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.05	0.10	0.04	0.12	0.08	0.04	0.07	0.00	0.02	0.00	0.00	0.00	
5.00	4.18	4.61	2.80	4.66	5.24	3.31	7.14	6.90	7.08	6.62	6.94	6.75	6.60	6.61	6.52	7.19	6.51	6.79	6.93	6.84	6.42	8.05	5.26	7.21	7.23	6.70	6.26	6.55	
0.47	0.16	0.09	0.23	0.51	0.76	0.35	1.45	1.21	1.38	0.98	1.12	1.06	1.00	1.07	0.94	1.20	1.25	1.14	0.91	1.10	1.07	0.15	0.81	0.87	1.12	0.80	1.03	1.06	
0.11	0.07	0.13	0.02	0.06	0.07	0.08	0.00	0.00	0.00	0.03	0.10	0.16	0.00	0.02	0.03	0.00	0.00	0.04	0.08	0.05	0.00	0.06	0.00	0.00	0.00	0.02	0.02	0.00	
2.03	2.11	1.82	2.01	1.76	2.07	1.96	1.64	1.81	1.52	1.60	1.79	1.73	1.69	1.63	1.71	1.70	1.74	1.63	1.78	1.89	1.72	2.25	1.54	1.95	1.90	1.98	1.98	1.85	
0.04	0.07	0.02	0.00	0.03	0.02	0.03	0.02	0.02	0.02	0.03	0.01	0.03	0.03	0.03	0.05	0.00	0.04	0.04	0.04	0.03	0.03	0.02	0.00	0.02	0.03	0.00	0.03	0.00	
0.16	0.15	0.09	0.17	0.20	0.22	0.18	0.09	0.06	0.12	0.06	0.05	0.12	0.02	0.07	0.11	0.09	0.17	0.07	0.11	0.05	0.20	0.02	0.12	0.12	0.08	0.05	0.14	0.00	
0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.51	3.52	3.58	3.49	3.53	3.47	3.49	3.58	3.60	3.59	3.57	3.61	3.59	3.56	3.55	3.58	3.60	3.51	3.59	3.59	3.61	3.64	3.55	3.61	3.53	3.53	3.56	3.60	3.49	
100.50	100.46	100.64	100.97	101.11	100.69	100.37	100.07	100.03	100.40	98.98	100.09	100.71	98.23	98.75	100.04	100.41	99.58	99.84	99.75	101.07	101.06	99.11	100.50	99.06	99.32	99.51	100.78	98.53	
0.07	0.06	0.04	0.07	0.08	0.09	0.08	0.04	0.02	0.05	0.03	0.02	0.05	0.01	0.03	0.05	0.04	0.07	0.03	0.03	0.05	0.02	0.08	0.01	0.05	0.05	0.03	0.02	0.06	
100.43	100.40	100.60	100.90	101.03	100.59	100.29	100.03	100.01	100.35	98.96	100.08	100.65	98.22	98.71	100.00	100.37	99.50	99.81	99.72	101.03	101.04	99.02	100.49	99.01	99.27	99.48	100.76	98.47	
6.07	6.11	6.10	6.05	6.05	6.01	5.82	6.02	5.97	6.01	6.04	5.98	6.02	5.93	6.04	6.06	6.01	6.03	6.02	6.04	6.05	6.01	6.12	6.06	6.10	6.10	6.04	6.13	6.08	
0.13	0.06	0.06	0.10	0.07	0.12	0.11	0.06	0.08	0.06	0.04	0.08	0.09	0.08	0.05	0.08	0.06	0.04	0.04	0.07	0.08	0.05	0.05	0.10	0.07	0.08	0.04	0.07	0.04	
6.12	6.28	6.31	6.28	6.25	6.01	6.63	6.22	6.32	6.25	6.35	6.39	6.33	6.47	6.38	6.36	6.23	6.23	6.31	6.33	6.34	6.40	6.23	6.33	6.05	5.99	6.06	6.15	6.08	
0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.01	0.02	0.00	0.01	0.03	0.00	0.00	0.00	0.00	0.00	
1.43	1.51	1.38	1.84	1.45	1.51	1.55	0.92	0.91	0.93	0.89	0.84	0.88	0.87	0.88	0.90	0.94	1.07	0.95	0.83	0.83	0.95	0.61	1.21	0.97	1.00	1.18	1.10	1.14	
0.01	0.01	0.01	0.02	0.02	0.04	0.06	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.02	0.01	0.01	0.01	0.00	0.00	0.00	0.00	
1.24	1.04	1.14	0.70	1.15	1.31	0.83	1.76	1.70	1.14	1.64	1.71	1.65	1.65	1.64	1.60	1.76	1.62	1.67	1.71	1.67	1.56	1.97	1.30	1.79	1.80	1.66	1.54	1.65	
0.08	0.03	0.02	0.04	0.09	0.14	0.06	0.26	0.21	0.24	0.17	0.20	0.19	0.18	0.19	0.17	0.21	0.22	0.20	0.16	0.19	0.19	0.03	0.14	0.16	0.20	0.14	0.18	0.19	
0.01	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.66	0.68	0.58	0.65	0.56	0.67	0.64	0.53	0.58	0.49	0.52	0.57	0.55	0.55	0.53	0.55	0.54	0.56	0.52	0.57	0.60	0.55	0.72	0.49	0.63	0.61	0.64	0.63	0.60	
0.01	0.01	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.00	
0.08	0.08	0.05	0.09	0.10	0.12	0.10	0.05	0.03	0.06	0.03	0.02	0.06	0.01	0.04	0.06	0.05	0.09	0.04	0.04	0.05	0.02	0.10	0.01	0.06	0.06	0.04	0.03	0.07	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
6.07	6.11	6.10	6.05	6.05	6.01	5.82	6.02	5.97	6.01	6.04	5.98	6.02	5.93	6.04	6.06	6.01	6.03	6.02	6.04	6.05	6.01	6.12	6.06	6.10	6.10	6.04	6.13	6.08	
0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.03	0.00	0.00	0.02	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.07	6.11	6.10	6.05	6.05	6.01	6.00	6.02	6.00	6.01	6.04	6.00	6.02	6.00	6.04	6.06	6.01	6.03	6.02	6.04	6.05	6.01	6.12	6.06	6.10	6.10	6.04	6.13	6.08	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.12	0.28	0.31	0.28	0.25	0.01	0.45	0.22	0.29	0.25	0.35	0.37	0.33	0.39	0.38	0.36	0.23	0.23	0.31	0.33	0.34	0.40	0.23	0.33	0.05	0.00	0.06	0.15	0.08	
0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.01	0.02	0.00	0.01	0.00	0.01	0.03	0.00	0.00	0.00	
0.13	0.06	0.06	0.10	0.07	0.12	0.11	0.06	0.08	0.06	0.07	0.08	0.09	0.08	0.05	0.08	0.06	0.04	0.04	0.07	0.08	0.05	0.05	0.10	0.07	0.08	0.04	0.07	0.04	
1.43	1.51	1.38	1.84																										

TK2013112109

St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St	St/Ky	St/Ky	St/Ky	St/Ky	St/Ky	St/Ky	St/Ky	St/Ky	St/Ky	St/Ky	St/Ky	St/Ky
Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur
Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc
rim	rim	rim	rim	rim	rim	rim	core	core	core	core	core	core	core	core	core	core	core	rim	rim	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc	Grt inc
19	20	22	27	28	31	36	16	18	21	25	26	29	32	35	37	9B-34	9B-35	9B-36	9B-37	9B-38	9B-39	9B-40	9B-41	9B-42	9B-6	9B-7	9B-16	9B-17	
36.23	36.77	36.58	36.09	35.64	36.22	36.10	36.44	36.61	35.51	36.36	34.98	36.04	36.19	36.68	36.45	35.47	36.33	36.73	36.84	35.54	36.48	36.00	35.95	35.81	36.17	35.84	36.08	34.75	
0.60	0.36	0.62	0.69	0.63	0.27	0.44	0.34	0.66	1.06	0.57	1.16	1.05	0.53	0.50	0.42	0.41	0.64	0.68	0.00	0.75	0.66	0.80	0.73	0.42	0.59	0.55	0.46	0.74	
31.60	31.28	31.41	30.21	29.81	30.74	30.57	32.34	33.11	31.29	30.58	31.95	28.59	30.44	30.52	30.66	34.66	30.64	31.00	32.46	32.77	30.77	30.13	31.01	32.06	31.01	31.12	31.31	31.16	
0.09	0.05	0.07	0.05	0.03	0.10	0.06	0.08	0.04	0.04	0.09	0.00	0.10	0.10	0.08	0.05	0.00	0.09	0.08	0.00	0.00	0.04	0.00	0.07	0.07	0.02	0.02	0.04	0.16	
10.57	10.38	10.43	10.34	10.24	10.32	10.41	10.41	10.48	10.18	10.32	10.10	10.17	10.39	10.38	10.32	10.44	10.42	10.48	10.45	10.40	10.51	10.39	10.43	10.47	10.44	10.39	10.38	10.27	
0.00	0.00	0.00	0.11	0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8.74	7.93	7.95	8.11	9.08	8.02	9.05	8.45	8.69	11.30	8.29	12.95	9.60	8.97	10.37	10.14	13.78	10.71	10.98	10.34	12.22	11.00	10.49	10.33	9.46	10.85	10.33	10.42	13.84	
8.74	7.93	7.95	8.21	9.34	8.02	9.05	8.45	8.69	11.30	8.29	12.95	11.28	8.97	10.37	10.14	13.78	10.71	10.98	10.34	12.22	11.02	10.90	10.33	9.46	10.85	10.33	10.42	13.84	
0.00	0.00	0.07	0.04	0.02	0.08	0.04	0.08	0.04	0.04	0.07	0.13	0.00	0.01	0.03	0.06	0.06	0.00	0.10	0.15	0.20	0.13	0.00	0.06	0.04	0.00	0.14	0.01	0.05	
6.66	6.01	6.19	6.76	6.23	6.44	6.54	5.25	4.67	3.46	6.15	1.80	5.17	6.44	5.26	5.08	1.26	5.38	4.89	4.25	3.11	5.45	5.64	5.50	5.08	5.29	5.35	5.06	3.32	
1.18	0.70	0.67	0.87	0.88	0.90	0.90	0.55	0.52	0.34	0.63	0.89	0.24	0.74	0.37	0.30	0.20	1.12	0.34	0.24	0.28	1.23	1.77	1.55	1.64	0.77	1.44	0.80	1.51	
0.00	0.																												

Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky	Su/Ky
Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur	Tur
Grt inc	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix	matrix
	core	core	core	core	core	core	core	core	core	core	mantle	mantle	mantle	inner mantle 9B-47	outer mantle 9B-49	inner mantle 9B-12	outer mantle 9B-13	outer mantle 9B-9	inner mantle 9B-10	mantle	mantle	matrix	-c rim	+c rim	rim	rim	rim	rim	rim
9B-18	9B-11	9B-25	9B-33	9B-43	9B-44	9B-48	9B-55	9B-56	9B-59	9B-23	9B-24	9B-45								9B-31	9B-29	9B-28	9B-8	9B-14	9B-26	9B-27	9B-30	9B-32	9B-50
36.14	34.03	36.50	35.89	35.22	36.08	36.74	36.14	36.28	36.23	35.58	35.98	36.00	36.42	36.24	35.91	36.09	36.34	36.78	35.63	35.83	35.94	36.25	35.12	35.30	36.44	36.44	36.50	36.54	
0.24	0.96	0.52	0.44	1.05	0.69	0.44	0.63	0.30	0.38	0.83	0.27	0.45	0.64	1.14	0.49	0.72	0.54	0.36	0.24	0.82	0.82	0.61	0.89	0.56	0.14	0.37	0.94	0.86	
31.69	34.30	30.02	31.82	31.27	31.46	31.12	32.43	31.72	31.71	31.63	31.48	32.53	31.64	29.77	30.67	32.42	31.74	32.15	30.81	31.61	32.08	32.54	31.58	31.47	32.51	32.52	32.05	32.36	
0.00	0.02	0.02	0.01	0.00	0.02	0.00	0.03	0.00	0.00	0.09	0.02	0.03	0.87	0.01	0.02	0.08	0.02	0.04	0.02	0.03	0.03	0.06	0.01	0.03	0.00	0.00	0.00	0.00	
10.39	10.17	10.38	10.40	10.42	10.45	10.34	10.50	10.43	10.46	10.43	10.28	10.38	10.38	10.32	10.32	10.47	10.49	10.46	10.38	10.47	10.56	10.52	10.33	10.29	10.53	10.41	10.51	10.60	
0.00	0.00	0.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10.51	12.97	10.51	8.15	10.78	10.49	11.30	7.49	10.53	10.65	9.02	9.51	8.38	5.85	10.51	10.05	7.24	10.40	10.24	10.80	10.20	8.57	7.52	8.60	8.84	7.54	6.35	7.25	7.94	
10.51	12.97	11.04	8.15	10.78	10.49	11.30	7.49	10.53	10.65	9.02	9.51	8.38	5.85	11.17	10.05	7.24	10.40	10.24	10.80	10.20	8.57	7.52	8.60	8.84	7.54	6.35	7.25	7.94	
0.10	0.07	0.00	0.02	0.00	0.00	0.00	0.06	0.00	0.05	0.07	0.00	0.13	0.03	0.05	0.04	0.00	0.06	0.01	0.04	0.01	0.01	0.09	0.00	0.01	0.00	0.00	0.00	0.00	
4.79	1.13	5.40	6.18	5.41	5.18	4.06	6.37	4.94	5.01	5.93	4.99	5.21	6.56	5.04	5.49	6.29	5.11	4.51	5.60	5.43	6.45	6.24	6.03	5.76	6.54	6.37	6.51	6.39	
0.96	0.40	0.65	1.43	1.29	1.12	0.13	1.10	0.81	0.86	1.46	0.85	1.10	0.58	0.65	1.83	1.24	1.35	0.33	1.69	1.76	1.08	1.04	1.43	1.35	1.39	1.15	1.23	1.33	
0.02	0.02	0.03	0.00	0.00	0.00	0.04	0.00	0.00	0.02	0.00	0.10	0.00	0.00	0.09	0.02	0.00	0.07	0.00	0.00	0.04	0.02	0.06	0.00	0.07	0.00	0.00	0.16	0.05	
1.50	1.88	2.02	1.22	1.50	1.41	2.08	1.68	1.63	1.50	1.67	1.51	1.12	2.15	1.97	1.20	1.44	1.35	1.75	1.27	1.10	1.79	1.55	1.76	1.66	1.28	1.24	1.62	1.43	
0.02	0.05	0.03	0.06	0.04	0.04	0.03	0.02	0.00	0.07	0.04	0.06	0.03	0.03	0.03	0.04	0.07	0.05	0.02	0.02	0.04	0.02	0.03	0.06	0.07	0.02	0.06	0.03	0.06	
0.01	0.00	0.03	0.05	0.05	0.05	0.00	0.07	0.09	0.04	0.05	0.05	0.07	0.42	0.04	0.04	0.08	0.06	0.00	0.07	0.11	0.03	0.02	0.05	0.08	0.07	0.13	0.04	0.07	
0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	
3.58	3.51	3.56	3.56	3.57	3.58	3.56	3.59	3.56	3.59	3.57	3.52	3.54	3.38	3.54	3.54	3.57	3.58	3.61	3.54	3.56	3.63	3.61	3.54	3.51	3.60	3.53	3.60	3.62	
99.94	99.51	100.20	99.24	100.59	100.56	99.84	100.10	100.28	100.54	100.36	98.63	98.95	100.05	99.65	99.70	101.17	100.28	100.11	101.01	101.02	100.14	99.40	99.00	100.06	98.56	100.44	101.25		
0.00	0.00	0.01	0.02	0.02	0.02	0.00	0.03	0.04	0.02	0.02	0.02	0.03	0.17	0.02	0.02	0.03	0.00	0.03	0.05	0.01	0.01	0.01	0.02	0.03	0.03	0.05	0.02	0.03	
99.93	99.51	100.18	99.22	100.57	100.54	99.84	100.07	100.25	100.53	100.34	98.61	98.92	98.77	100.04	99.63	99.67	101.14	100.28	100.08	100.96	101.01	100.13	99.37	98.97	100.03	98.50	100.43	101.22	
6.04	5.81	6.11	6.00	5.87	6.00	6.17	5.98	6.04	6.02	5.93	6.08	6.03	6.10	6.10	6.05	5.99	6.02	6.11	5.97	5.95	5.91	5.99	5.91	5.96	6.01	6.08	6.03	5.99	
0.03	0.12	0.06	0.06	0.13	0.09	0.06	0.08	0.04	0.05	0.10	0.03	0.06	0.08	0.14	0.06	0.09	0.07	0.04	0.03	0.10	0.10	0.08	0.11	0.07	0.02	0.05	0.12	0.11	
6.25	6.91	5.93	6.27	6.15	6.17	6.16	6.32	6.23	6.21	6.21	6.27	6.42	6.28	5.91	6.09	6.34	6.20	6.29	6.08	6.18	6.22	6.34	6.26	6.26	6.32	6.40	6.24	6.25	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.12	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
1.47	1.85	1.55	1.14	1.50	1.46	1.59	1.04	1.47	1.48	1.26	1.34	1.17	0.82	1.57	1.42	1.00	1.44	1.42	1.51	1.42	1.18	1.04	1.21	1.25	1.04	0.89	1.00	1.09	
0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00	0.02	0.00	0.01	0.01	0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
1.19	0.29	1.35	1.54	1.34	1.28	1.02	1.57	1.23	1.24	1.47	1.26	1.30	1.64	1.27	1.38	1.56	1.26	1.12	1.40	1.34	1.58	1.54	1.51	1.45	1.61	1.58	1.60	1.56	
0.17	0.07	0.12	0.26	0.23	0.20	0.02	0.19	0.14	0.15	0.26	0.15	0.20	0.10	0.12	0.33	0.22	0.24	0.06	0.30	0.31	0.19	0.18	0.26	0.24	0.25	0.21	0.22	0.23	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	
0.49	0.62	0.65	0.40	0.49	0.45	0.68	0.54	0.52	0.48	0.54	0.50	0.36	0.70	0.64	0.39	0.46	0.43	0.56	0.41	0.35	0.57	0.50	0.57	0.54	0.41	0.40	0.52	0.45	
0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
0.00	0.00	0.02	0.03	0.02	0.03	0.00	0.04	0.05	0.02	0.03	0.03	0.04	0.22	0.02	0.02	0.04	0.03	0.00	0.04	0.06	0.02	0.01	0.03	0.04	0.04	0.07	0.02	0.04	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00
6.04	5.81	6.11	6.00	5.87	6.00	6.17	5.98	6.04	6.02	5.93	6.08	6.03	6.10	6.10	6.05	5.99	6.02	6.11	5.97	5.95	5.91	5.99	5.91	5.96	6.01	6.08	6.03	5.99	
0.00	0.19	0.00	0.00	0.13	0.00	0.00	0.02	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.03	0.05	0.09	0.01	0.09	0.04	0.00	0.00	0.00	0.01	
6.04	6.00	6.11	6.00	6.00	6.00	6.17	6.00	6.04	6.02	6.00	6.08	6.03	6.10	6.10	6.05	6.00	6.02	6.11	6.00	6.00	6.00	6.00	6.00	6.00	6.01	6.08	6.03	6.00	
6.00	6.00	5.93	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	5.91	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00
0.25	0.72	0.00	0.26	0.02	0.17	0.16	0.30	0.23	0.21	0.14	0.27	0.42	0.25	0.00	0.09	0.34	0.20	0.29	0.05	0.13	0.13	0.33	0.17	0.23	0.32	0.40	0.24	0.24	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.12	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0								

TK2013111803

St/Ky	St/Ky	St/Ky	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt	Grt
Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix	Tur matrix
rim	rim	rim	core	core	core	core	core	core	core	core	core	core	core	core	inner mantle	inner mantle	outer mantle	inner mantle	outer mantle	inner mantle	inner mantle	outer mantle	mantle	mantle	mantle	mantle	inner mantle	inner mantle	outer mantle
9B-57	9B-58	9B-60	604-50	604-51	604-59	604-61	604-63	604-69	604-74	604-79	604-85	604-88	604-93	604-96	604-52	604-53	604-54	604-56	604-57	604-64	604-66	604-68	604-71	604-73	604-75	604-77	604-80	604-82	604-83
36.55	37.19	36.12	35.29	35.43	35.84	36.68	35.87	36.28	36.23	36.15	35.82	36.04	36.10	40.31	36.44	36.47	36.18	36.21	36.63	37.24	36.58	36.69	36.38	35.95	36.51	36.27	36.77	36.11	
0.45	1.16	0.56	0.20	0.72	0.20	0.41	1.03	0.69	1.26	0.84	0.43	0.01	0.80	0.28	1.38	0.90	1.29	1.11	1.23	0.95	0.52	0.33	1.23	0.92	0.60	0.66	0.84	0.55	
32.75	33.03	32.45	33.41	31.73	33.60	33.53	33.26	33.68	33.33	32.57	32.58	34.94	32.91	29.92	31.19	32.02	30.59	31.07	30.97	31.92	33.01	32.79	31.38	31.62	31.83	30.79	32.61	32.62	
0.01	0.04	0.08	0.00	0.00	0.00	0.03	0.02	0.01	0.03	0.04	0.00	0.00	0.00	0.00	0.02	0.00	0.01	0.00	0.01	0.00	0.00	0.03	0.01	0.00	0.05	0.00	0.03	0.03	
10.53	10.72	10.49	10.25	10.24	10.36	10.52	10.45	10.49	10.51	10.30	10.24	10.39	10.38	10.46	10.41	10.45	10.34	10.40	10.41	10.55	10.45	10.49	10.45	10.38	10.29	10.31	10.46	10.36	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7.69	7.41	7.72	13.31	15.05	13.15	7.40	12.04	6.01	6.43	7.31	14.47	8.77	10.40	9.22	11.02	11.13	10.93	11.38	10.82	11.29	10.56	11.31	11.60	11.55	10.19	10.86	10.83	10.51	
7.69	7.41	7.72	13.31	15.05	13.15	7.40	12.04	6.01	6.43	7.31	14.47	8.77	10.40	10.25	11.02	11.13	10.93	11.38	10.82	11.29	10.56	11.31	11.60	11.55	10.19	10.86	10.83	10.51	
0.00	0.00	0.04	0.14	0.05	0.01	0.00	0.11	0.11	0.06	0.00	0.08	0.14	0.04	0.07	0.00	0.06	0.09	0.02	0.01	0.04	0.05	0.01	0.00	0.03	0.07	0.00	0.00	0.10	
5.99	6.25	6.20	1.63	1.58	1.90	5.40	2.78	6.00	5.94	5.12	1.09	3.38	3.62	3.95	4.28	4.01	4.60	4.40	4.53	4.04	3.64	3.69	4.15	4.04	3.81	4.59	3.61	3.74	
1.35	1.25	1.25	0.28	0.42	0.33	0.34	0.31	0.60	1.00	0.48	0.23	0.42	0.17	0.11	0.41	0.26	0.42	0.50	0.40	0.28	0.24	0.21	0.42	0.52	0.12	0.40	0.11	0.33	
0.00	0.01	0.08	0.02	0.11	0.03	0.05	0.00	0.00	0.01	0.05	0.02	0.00	0.05	0.04	0.00	0.03	0.03	0.02	0.00	0.07	0.03	0.07	0.04	0.00	0.03	0.03	0.00	0.07	
1.22	1.26	1.51	1.80	2.10	1.69	1.94	1.88	1.93	1.65	1.65	2.00	1.59	1.94	1.82	1.93	1.98	1.98	1.99	1.95	2.05	1.67	1.84	2.16	2.00	1.79	2.05	1.72	1.71	
0.07	0.03	0.06	0.03	0.03	0.05	0.10	0.05	0.06	0.07	0.04	0.09	0.02	0.06	0.03	0.03	0.03	0.05	0.06	0.02	0.03	0.05	0.04	0.03	0.01	0.04	0.03	0.04	0.04	
0.09	0.08	0.11	0.22	0.36	0.04	0.29	0.31	0.31	0.17	0.08	0.07	0.12	0.38	0.06	0.13	0.12	0.14	0.13	0.20	0.05	0.11	0.07	0.14	0.14	0.08	0.15	0.07	0.11	
0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
3.59	3.66	3.57	3.43	3.36	3.55	3.49	3.46	3.47	3.54	3.51	3.50	3.52	3.40	3.58	3.53	3.55	3.50	3.52	3.50	3.61	3.55	3.59	3.54	3.52	3.51	3.48	3.57	3.52	
100.28	102.09	100.22	100.00	101.16	100.76	100.16	101.55	99.63	100.22	98.15	100.61	99.35	100.25	100.88	100.75	101.00	100.13	100.80	100.68	102.13	100.45	101.15	101.53	100.67	98.92	99.62	100.68	99.80	
0.04	0.03	0.05	0.09	0.15	0.02	0.12	0.13	0.13	0.07	0.03	0.03	0.05	0.16	0.02	0.05	0.05	0.06	0.05	0.08	0.02	0.04	0.03	0.06	0.06	0.03	0.06	0.03	0.04	
100.24	102.06	100.18	99.91	101.01	100.75	100.04	101.42	99.50	100.15	98.11	100.58	99.30	100.09	100.86	100.70	100.95	100.07	100.75	100.60	102.11	100.40	101.12	101.47	100.61	98.89	99.56	100.65	99.75	
6.03	6.03	5.98	5.98	6.02	6.01	6.06	5.97	6.01	5.99	6.10	6.08	6.03	6.04	6.70	6.09	6.06	6.08	6.05	6.11	6.13	6.09	6.08	6.05	6.02	6.17	6.11	6.11	6.06	
0.06	0.14	0.07	0.03	0.09	0.03	0.05	0.13	0.09	0.16	0.11	0.06	0.00	0.10	0.04	0.17	0.11	0.16	0.14	0.15	0.12	0.06	0.04	0.15	0.12	0.08	0.08	0.10	0.07	
6.37	6.31	6.33	6.68	6.35	6.64	6.53	6.52	6.58	6.49	6.47	6.52	6.89	6.49	5.86	6.14	6.27	6.06	6.12	6.09	6.20	6.47	6.40	6.15	6.24	6.34	6.12	6.38	6.45	
0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
1.06	1.00	1.07	1.89	2.14	1.84	1.02	1.67	0.83	0.89	1.03	2.05	1.23	1.46	1.42	1.54	1.55	1.54	1.59	1.51	1.55	1.47	1.57	1.61	1.62	1.44	1.53	1.50	1.47	
0.00	0.00	0.01	0.02	0.01	0.00	0.00	0.02	0.02	0.01	0.00	0.01	0.02	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.01	
1.47	1.51	1.53	0.41	0.40	1.33	0.69	1.48	1.46	1.29	0.28	0.84	0.90	0.98	1.06	0.99	1.15	1.09	1.13	0.99	0.90	0.91	1.03	1.01	0.96	1.15	0.89	0.93	0.93	
0.24	0.22	0.22	0.05	0.08	0.06	0.06	0.05	0.11	0.18	0.09	0.04	0.08	0.03	0.02	0.07	0.05	0.08	0.09	0.07	0.05	0.04	0.04	0.08	0.09	0.02	0.07	0.02	0.06	
0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.39	0.40	0.48	0.59	0.69	0.55	0.62	0.61	0.62	0.53	0.54	0.66	0.51	0.63	0.58	0.62	0.64	0.64	0.64	0.63	0.65	0.54	0.59	0.69	0.65	0.59	0.67	0.55	0.56	
0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	
0.05	0.04	0.06	0.12	0.19	0.02	0.15	0.16	0.16	0.09	0.04	0.04	0.06	0.20	0.03	0.07	0.06	0.07	0.07	0.10	0.03	0.06	0.04	0.07	0.07	0.04	0.08	0.04	0.06	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00
6.03	6.03	5.98	5.98	6.02	6.01	6.06	5.97	6.01	5.99	6.10	6.08	6.03	6.04	6.70	6.09	6.06	6.08	6.05	6.11	6.13	6.09	6.08	6.05	6.02	6.17	6.11	6.11	6.06	
0.00	0.00	0.02	0.02	0.00	0.00	0.00	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.03	6.03	6.00	6.00	6.02	6.01	6.06	6.00	6.01	6.00	6.10	6.08	6.03	6.04	6.70	6.09	6.06	6.08	6.05	6.11	6.13	6.09	6.08	6.05	6.02	6.17	6.11	6.11	6.06	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	5.86	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	
0.37	0.31	0.32	0.66	0.35	0.64	0.53	0.49	0.58	0.48	0.47	0.52	0.89	0.49	0.00	0.14	0.27	0.06	0.12	0.09	0.20	0.47	0.40	0.15	0.24	0.34	0.12	0.38	0.45	
0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.0																						

[illegible]

TK2012111201A

Grt	Grt	FmI	FmI	FmI
Tur	Tur	Tur	Tur	Tur
Grt inc	Grt inc	matrix	matrix	matrix
		rim	rim	core
604-109	604-111	201A-127	201A-126	201A-128
36.62	36.10	36.26	35.98	36.34
0.92	0.66	1.08	1.61	0.70
32.48	32.75	32.44	31.85	31.93
0.00	0.02	0.10	0.26	0.07
10.50	10.36	10.50	10.46	10.46
0.00	0.00	0.00	0.00	0.00
10.33	9.85	8.11	7.97	8.49
10.33	9.85	8.11	7.97	8.49
0.15	0.06	0.13	0.00	0.00
4.21	3.95	5.58	5.84	5.79
0.55	0.44	0.72	0.71	0.80
0.11	0.00	0.00	0.00	0.04
1.73	1.75	2.04	2.06	2.12
0.02	0.07	0.05	0.06	0.05
0.08	0.07	0.08	0.03	0.04
0.00	0.00	0.00	0.00	0.01
3.58	3.54	3.58	3.59	3.58
101.28	99.62	100.67	100.42	100.42
0.04	0.03	0.03	0.02	0.02
101.24	99.59	100.64	100.41	100.40
6.06	6.06	6.00	5.98	6.04
0.11	0.08	0.13	0.20	0.09
6.34	6.48	6.33	6.24	6.25
0.00	0.00	0.01	0.03	0.01
1.43	1.38	1.12	1.11	1.18
0.02	0.01	0.02	0.00	0.00
1.04	0.99	1.38	1.45	1.43
0.10	0.08	0.13	0.13	0.14
0.01	0.00	0.00	0.00	0.00
0.55	0.57	0.66	0.66	0.68
0.00	0.02	0.01	0.01	0.01
0.04	0.04	0.04	0.02	0.02
0.00	0.00	0.00	0.00	0.00
3.00	3.00	3.00	3.00	3.00
6.06	6.06	6.00	5.98	6.04
0.00	0.00	0.00	0.02	0.00
<i>6.06</i>	<i>6.06</i>	<i>6.00</i>	<i>6.00</i>	<i>6.04</i>
6.00	6.00	6.00	6.00	6.00
0.00	0.00	0.00	0.00	0.00
<i>6.00</i>	<i>6.00</i>	<i>6.00</i>	<i>6.00</i>	<i>6.00</i>
0.34	0.48	0.33	0.21	0.25
0.00	0.00	0.01	0.03	0.01
0.11	0.08	0.13	0.20	0.09
1.43	1.38	1.12	1.11	1.18
1.04	0.99	1.38	1.45	1.43
0.02	0.01	0.02	0.00	0.00
<i>2.94</i>	<i>2.94</i>	<i>3.00</i>	<i>3.00</i>	<i>2.96</i>
0.10	0.08	0.13	0.13	0.14
0.55	0.57	0.66	0.66	0.68
0.00	0.02	0.01	0.01	0.01
0.01	0.00	0.00	0.00	0.00
0.34	0.33	0.20	0.20	0.16
<i>1.00</i>	<i>1.00</i>	<i>1.00</i>	<i>1.00</i>	<i>1.00</i>
0.04	0.04	0.04	0.02	0.02
0.00	0.00	0.00	0.00	0.00
3.96	3.96	3.96	3.98	3.98
<i>4.00</i>	<i>4.00</i>	<i>4.00</i>	<i>4.00</i>	<i>4.00</i>
0.42	0.42	0.55	0.57	0.55
0.42	0.42	0.55	0.57	0.55
0.15	0.12	0.16	0.16	0.17