

MEMOIRS
OF THE
COLLEGE OF SCIENCE

UNIVERSITY OF KYOTO

SERIES B

VOL. XXXI

1964—1965

KYOTO

PUBLISHED BY
THE UNIVERSITY OF KYOTO

DATES OF ISSUE

VOL. XXXI, No. 1 — August, 1964

VOL. XXXI, No. 2 — September, 1964

VOL. XXXI, No. 3 — February, 1965

VOL. XXXI, No. 4 — February, 1965

CONTENTS OF VOL. XXXI

No. 1

	Page
Art. 1. Taxonomy of the Thelypteroid Ferns, with Special Reference to the Species of Japan and Adjacent Regions II. Circumscription of the Group. By Kunio IWATSUKI	1
Art. 2. Taxonomy of the Thelypteroid Ferns, with Special Reference to the Species of Japan and Adjacent Regions III. Classification. By Kunio IWATSUKI	11

No. 2

Art. 1. On the Twinning and Lattice Type of Polyhalite. By Tateo UEDA and Masahisa TATEKAWA	41
Art. 2. Geochemical Study of the Sambagawa Metamorphic System in the Besshi District, Central Shikoku, Japan. Part I Variation of Chemical Compositions of the Schists, Related to the Local Tectonic Phenomena. By Hiroshi TAKUBO	49
Art. 3. The Muro Group in the Kii Peninsula, Southwest Japan. By Tetsuro HARATA	71
Art. 4. The Asagai-Poronaian Molluscs from Shizuoka Prefecture, Central Japan. By Eiji MATSUMOTO	95

No. 3

Art. 1. Some Aspects of Relationship between Hyper-Hydrogen Sulfide-Producing Activity and Copper Resistance of Yeast. By Tadatoshi KIKUCHI	113
Art. 2. Taxonomy of the Thelypteroid Ferns, with Special Reference to the Species of Japan and Adjacent Regions IV. Enumeration of the Species of Japan and Adjacent Regions By Kunio IWATSUKI	125

No. 4

Art. 1. Zeolites in the Neogene Pyroclastic Rocks in the Eastern Part of Tanzawa Mountainland, Central Japan.—Studies on the Alteration of the Green Tuff Formation, 1.—By Akihiko YOSHITANI	199
Art. 2. A Trial Method of Determining Uranium and Thorium Content in Rocks by Means of an Alpha-ray Scintillation Counter and a Radioscope. By Zin'itiro HATUDA and Susumu NISHIMURA	215
Art. 3. Variation in the Content of Uranium and Thorium across Igneous Contacts. By Susumu NISHIMURA	227
Art. 4. The Relations between the Petrology and the Radioactivity of Some Granitic Bodies (2). By S. NISHIMURA, K. KATSURA and H. KUSANAGI	239
Art. 5. Geochemical Study of the Sambagawa Metamorphic System in the Besshi District, Central Shikoku, Japan. Part II General Tendencies in the Variation of the Bulk Chemical Composition of the Metamorphic Rocks. By Hiroshi TAKUBO	255
Art. 6. Geology and Petrography of the Hira Granite, and Mutual Relation between Granites in the Northeastern Kinki District, Japan. By H. YOSHIKAWA, K. ISHIZUKA, K. KANEKO and M. KAWAHARA	279

AUTHOR INDEX TO VOL. XXXI

		No.	Page
HARATA, T. The Muro Group in the Kii Peninsula, Southwest Japan.....	2		71
HATUDA, Z. and S. NISHIMURA, A Trial Method of Determining Uranium and Thorium Content in Rocks by Means of an Alpha-ray Scintillation Counter and a Radioscope	4		215
IWATSUKI, K. Taxonomy of the Thelypteroid Ferns, with Special Reference to the Species of Japan and Adjacent Regions II. Circumscription of the Group	1		1
IWATSUKI, K. Taxonomy of the Thelypteroid Ferns, with Special Reference to the Species of Japan and Adjacent Regions III. Classification	1		11
IWATSUKI, K. Taxonomy of the Thelypteroid Ferns, with Special Reference to the Species of Japan and Adjacent Regions IV. Enumeration of the Species of Japan and Adjacent Regions	3		125
KIKUCHI, T. Some Aspect of Relationship between Hyper-Hydrogen Sulfide-Producing Activity and Copper Resistance of Yeast	3		113
MATSUMOTO, E. The Asagai-Poronaian Molluscs from Shizuoka Prefecture, Central Japan	2		95
NISHIMURA, S. Variation in the Content of Uranium and Thorium across Igneous Contacts	4		227
NISHIMURA, S., K. KATSURA, and H. KUSANAGI, The Relations between the Petrology and the Radioactivity of Some Granitic Bodies (2)	4		239
TAKUBO, H. Geochemical Study of the Sambagawa Metamorphic System in the Besshi District, Central Shikoku, Japan. Part I Variation of Chemical Compositions of the Schists, Related to the Local Tectonic Phenomena	2		49
TAKUBO, H. Geochemical Study of the Sambagawa Metamorphic System in the Besshi District, Central Shikoku, Japan. Part II General Tendencies in the Variation of the Bulk Chemical Composition of the Metamorphic Rocks	4		255
UEDA, T. and M. TATEKAWA, On the Twinning and Lattice Type of Polyhalite			
YOSHITANI, A. Zeolites in the Neogene Pyroclastic Rocks in the Eastern Part of Tanzawa Mountainand, Central Japan. — Studies on the Alteration of the Green Tuff Formation, 1 —	4		199
YOSHIZAWA, H., K. ISHIZUKA, K. KANEKO and M. KAWAHARA, Geology and Petrography of the Hira Granite, and Mutual Relation between Granites in the Northeastern Kinki District, Japan.....	4		279