

M E M O I R S
OF THE
COLLEGE OF SCIENCE
UNIVERSITY OF KYOTO

SERIES B

VOL. XXXII

1965 – 1966

KYOTO

PUBLISHED BY
THE UNIVERSITY OF KYOTO

DATES OF ISSUE

VOL. XXXII, No. 1 — October, 1965

VOL. XXXII, No. 2 — November, 1965

VOL. XXXII, No. 3 — March, 1966

VOL. XXXII, No. 4 — March, 1966

CONTENTS OF VOL. XXXII

No. 1

| | Page |
|--|------|
| Art. 1. Stimulation of Rice Coleptile Elongation by Reduced Oxygen Supply. By Hisao FUJISAWA..... | 1 |
| Art. 2. Phases of Water Absorption in Germinating <i>Raphanus</i> Embryo. By Hisao FUJISAWA..... | 9 |
| Art. 3. Notes on <i>Schismatoglottidinae</i> of Borneo, I. By Mitsuru HOTT... 19 | |

No. 2

| | |
|--|----|
| Art. 1. Geochemical Study of the Sambagawa Metamorphic System in the Besshi District, Central Shikoku, Japan. Part III-A. Chemical Characteristics of the Schists in the Conformable Cupriferous Pyritic Ore Deposits. By Hiroshi TAKUBO..... | 31 |
| Art. 2. Studies on Oxyhornblende. By Katsutoshi TOMITA | 47 |
| Art. 3. Preliminary Report of the Palaeomagnetic and Seismic Studies on the Ryukyu Islands. By Sadao SASAJIMA and Masahiko SHIMADA..... 89 | |
| Art. 4. Some Directional Structures in the Flysch-like Beds of the Shimanto Terrain in the Kii Peninsula, Southwest Japan. By Tetsuro HARATA 103 | |

No. 3

| | |
|---|-----|
| Art. 1. Sensitivity of <i>Artemia</i> Eggs to γ -irradiation. VI. The Effect of Fractionated Irradiation. By Tamiko IWASAKI | 177 |
| Art. 2. Determination of Base Ratios of the "Early" and "Late" Messenger RNAs of Bacteriophage T2 under the Different Conditions. By Yo- shiji KITAZUME | 185 |
| Art. 3. An Electron Microscope Study on the Development of Chloroplast in <i>Tradescantia virginiana</i> . By Tatsuya TAMURA | 199 |
| Art. 4. Notes on <i>Schismatoglottidinae</i> of Borneo, II. By Mitsuru HOTT... 223 | |
| Art. 5. A Contribution to the Biology of Japanese Birches. By Hideo TABATA | 239 |

No. 4

| | |
|---|-----|
| Art. 1. Geochemical Study of the Sambagawa Metamorphic System in the Besshi District, Central Shikoku, Japan. Part III-B. Post-metamor- phic Hydrothermal Mineralization and Alteration of the Schists. By Hiroshi TAKUBO..... | 273 |
| Art. 2. On the Anorthite Found in Lava Flow. By Tateo UEDA and Masa- hisa TATEKAWA..... | 285 |
| Art. 3. Studies on Sandstones in the Maizuru Zone, Southwest Japan. IV. Gamma Irradiation Effect on Quartz and its Application to the Study of Provenances. By Tsunemasa SHIKI | 291 |
| Art. 4. On the Lower Cretaceous Fossils Found near the Ominé Mine, Iwaté Prefecture, Northeast Japan. By Keiji NAKAZAWA and Masafumi MURATA..... | 303 |
| Art. 5. Kizekkyo Sandstone and Conglomerate of the Paleogene Muro Group in the Kii Peninsula, Japan. By Takao TOKUOKA..... | 335 |
| Art. 6. Kambrische Conodonten von China. Teil 1. Conodonten aus den Oberkambrischen Kushan-Schichten in China. Von Yasuo NOGAMI... 351 | |

| | |
|--|-----|
| Art. 7. Molluscan Fossils from the Muro Group in the Southern Part of the Kii Peninsula, Central Japan. Part 1. By Eiji MATSUMOTO..... | 369 |
| Art. 8. Notes on <i>Elephas shigensis</i> (MATSUMOTO and OZAKI) from the Osaka Group and the Paleo-Biwa Group. By Tadao KAMEI..... | 381 |
| Art. 9. Permian Brachiopod Fossils of Timor. By Daikichiro SHIMIZU..... | 401 |
| Art. 10. Effects of the Natural Earth Currents on the Electric Potential Distribution on the Surface due to Underground Structure. By Zin'itirô HATUDA | 429 |
| Art. 11. The Ryoke Metamorphic Zone of the Kinki District, Southwest Japan: Accomplishment of a Regional Geological Map. By Hajime YOSHIZAWA, Waitsu NAKAJIMA and Kyoichi ISHIZAKA | 437 |

AUTHOR INDEX TO VOL. XXXII

| | No. | Page |
|--|-----|------|
| FUJISAWA, H. Stimulation of Rice Coleoptile Elongation by Reduced Oxygen Supply. | 1 | 1 |
| FUJISAWA, H. Phases of Water Absorption in Germinating <i>Raphanus</i> Embryo. | 1 | 9 |
| HARATA, T. Some Directional Structures in the Flysch-like Beds of the Shimanto Terrain in the Kii Peninsula, Southwest Japan. | 2 | 103 |
| HATUDA, Z. Effects of the Natural Earth Currents on the Electric Potential Distribution on the Surface due to Underground Structure. | 4 | 429 |
| HOTTA, M. Notes on <i>Schismatoglottidinae</i> of Borneo, I. | 1 | 19 |
| HOTTA, M. Notes on <i>Schismatoglottidinae</i> of Borneo, II. | 3 | 223 |
| IWASAKI, T. Sensitivity of <i>Artemia</i> Eggs to γ -irradiation. VI. The Effect of Fractionated Irradiation. | 3 | 177 |
| KAMEI, T. Notes on <i>Elephas shigensis</i> (MATSUMOTO and OZAKI) from the Osaka Group and the Paleo-Biwa Group. | 4 | 381 |
| KITAZUME, Y. Determination of Base Ratios of the "Early" and "Late" Messenger RNAs of Bacteriophage T2 under the Different Conditions. | 3 | 185 |
| MATSUMOTO, E. Molluscan Fossils from the Muro Group in the Southern Part of the Kii Peninsula, Central Japan. Part 1. | 4 | 369 |
| NAKAZAWA, K. and M. MURATA, On the Lower Cretaceous Fossils Found near the Ominé Mine, Iwate Prefecture, Northeast Japan. | 4 | 303 |
| NOGAMI, Y. Kambrische Conodonten von China. Teil 1. Conodonten aus den Oberkambrischen Kushan-Schichten in China. | 4 | 351 |
| SASAJIMA, S. and M. SHIMADA, Preliminary Report of the Palaeomagnetic and Seismic Studies on the Ryukyu Islands. | 2 | 89 |
| SHIKI, T. Studies on Sandstones in the Maizuru Zone, Southwest Japan. IV. Gamma Irradiation Effect on Quartz and its Application to the Study of Provenances. | 4 | 291 |
| SHIMIZU, D. Permian Brachiopod Fossils of Timor. | 4 | 401 |
| TABATA, H. A Contribution to the Biology of Japanese Birches. | 3 | 239 |
| TAKUBO, H. Geochemical Study of the Sambagawa Metamorphic System in the Besshi District, Central Shikoku, Japan. Part III-A. Chemical Characteristics of the Schists in the Conformable Cupriferous Pyritis Ore Deposits. | 2 | 31 |
| TAKUBO, H. Geochemical Study of the Sambagawa Metamorphic System in the Besshi District, Central Shikoku, Japan. Part III-B. Post-metamorphic Hydrothermal Mineralization and Alteration of the Schists. | 4 | 273 |
| TAMURA, T. An Electron Microscope Study on the Development of Chloroplast in <i>Tradescantia virginiana</i> | 3 | 199 |
| TOKUOKA, T. Kizekkyo Sandstone and Conglomerate of the Paleogene Muro Group in the Kii Peninsula, Japan. | 4 | 335 |
| TOMITA, K. Studies on Oxyhornblende. | 2 | 47 |
| UEDA, T. and M. TATEKAWA, On the Anorthite Found in Lava Flow. | 4 | 285 |
| YOSHIZAWA, H., W. NAKAJIMA, and K. ISHIZAKA, The Ryoke Metamorphic Zone of the Kinki District, Southwest Japan: Accomplishment of a Regional Geological Map. | 4 | 437 |