

## Structural Energy Bioscience Research Section

M. Katahira, Professor  
 T. Nagata, Associate Professor  
 Y. Yamaoki, Assistant Professor

### 1. Introduction

We explore the way how biomolecules such as proteins (involving enzymes) and functional nucleic acids (DNA and RNA) work at atomic resolution based on structural biology with NMR. We determine both static and dynamical structures with the aid of our own development of the new methodology and elucidate the underlying mechanism of functions of these biomolecules. Structural biological approach is also applied to analyze enzymes involved in degradation of wood biomass at atomic resolution. The analysis is useful to develop the way to extract energy and valuable materials that can be used as starting materials of various products from the wood biomass. Thus, we pursue to contribute to the paradigm shift from oil refinery to biorefinery. Followings are main research achievements in the year of 2020.


### 2. Activity analysis of *PeGE* on the cleavage of ester-linkage in natural woody biomass

The major components of woody biomass, cellulose, hemicellulose, and lignin, are promising carbon-neutral resources to produce biofuels and various materials. These components form the rigid complex so-called lignin-carbohydrate complex (LCC) in natural biomass. One of the direct linkage contributing to LCC formation is ester-linkage between lignin and glucuronic acid residue in hemicellulose. Fungal glucuronoyl esterases (FGEs) catalyze the cleavage of the ester linkage and thereby facilitate the isolation of woody biomass components. Our previous study revealed that FGE from *Pleurotus eryngii* (*PeGE*) has the highest activity toward a model substrate, benzyl glucuronic acid. This year, we have investigated the activity of *PeGE* on the cleavage of the ester-linkage in natural LCC. NMR spectra of the LCC fraction that was extracted from natural woody biomass were recorded before and after the treatment by *PeGE*. Change in the signal intensity of the ester-linked lignin and glucuronic acid residue proved that *PeGE* can catalyze the cleavage of the ester-linkage in woody biomass.

### 3. Structural and functional analysis of lytic polysaccharide monoxygenase

Saccharification of cellulose by cellulolytic

enzymes is a crucial process in the production of 2nd-generation biofuels. Lytic polysaccharide monoxygenases (LPMOs), which catalyze oxidative cleavage of glycosidic linkage, are known to have a synergistic effect on the activity of cellulases on the degradation of crystalline cellulose. Previously we had obtained a crystal of LPMO of a white-rot fungus and solved the crystal structure. We further refined the structure, which revealed that this LPMO has a canonical structure of AA9 family, having a copper ion at the catalytic center (Figure 1). Some polar amino acid and three tyrosine residues around the catalytic center apparently participate in the binding with cellulose. Furthermore, the synergy of LPMO




**Figure 1.** Over-all structure (a) and copper-coordination (b) of LPMO. The copper ion and its coordinating residues are connected with dashed lines and distances.

and cellulase cocktail was investigated. In our previous study, simultaneous use of LPMO and cellulase cocktail exerted a 1.3-fold higher glucose yield from crystalline cellulose than the individual use of LPMO and cellulase cocktail. This year we

optimized the conditions for the cellulose degradation, by which a 4.7-fold higher glucose yield was recorded.

#### 4. Aggregation of FUS induced by mechanistic shear stress on pipetting and its suppression by non-coding RNA

Fused in sarcoma (FUS) has been considered as a molecular link between apparently different neurodegenerative diseases such as amyotrophic lateral sclerosis (ALS). Although the neurodegenerative diseases have different manifestations, FUS aggregation is associated with all of them, which suggests a common pathway for their neuropathologies. We found that FUS transforms into the amorphous aggregation state as an instant response to the shear stress caused by usual pipetting, by means of fluorescence spectroscopy, fluorescence microscopy, and transmission electron microscopy (TEM) (Figure 2). The more the number of strokes of pipetting is, the more the number of aggregates is. It was also revealed that non-coding RNA can suppress the transformation of FUS into aggregates. There is the possibility that RNA bound to the C-terminal region of FUS masks the interface required for the formation of aggregates, resulting in the prevention of aggregate formation. It is also likely that RNA bound to the C-terminal region of FUS neutralizes the cations and reduces the cation- $\pi$  interaction between the N- and C-terminal regions, resulting in the prevention of aggregate formation. The suppressive effect of RNA on FUS aggregation is sequence-dependent. These results suggested that the non-coding RNA could be a prospective suppressor of FUS aggregation caused by mechanistic stress in cells. Our finding might serve for the development of therapies for neurodegenerative diseases by using RNA as aggregation inhibitors.



**Figure 2.** The TEM image showing FUS aggregates formed after 30 strokes of pipetting.

#### 5. The detection of the DNA triplex structure in the living human cells

DNAs reportedly fold into not only a double-helix structure but also a triple-helix or triplex structure under *in vitro* conditions. However, the formation of the triplex structure of DNA in living human cells has not been proven. Here, the oligodeoxynucleotide (triplex ODN) that forms a triplex structure under *in vitro* conditions was introduced into HeLa cells by cell-resealing system utilizing a pore-forming toxin. The NMR spectrum of this sample was recorded, in which the imino proton signals of the triplex ODN inside the living cells were clearly detected. Most importantly in the living cells, all the imino proton signals that correspond to the triplex structure of the triplex ODN formed under *in vitro* conditions were commonly observed. This result indicates that the triplex ODN forms the triplex structure that is similar, if not the same, to that formed in *in vitro* even in the living human cells.

#### 6. Interaction of human origin recognition complex subunit 1 with human G-quadruplex DNAs

DNA replication initiates from particular loci in genomes called replication origins. Origin recognition complex (ORC) binds to a replication origin and recruits other replication factors. ORC in some organisms reportedly bind to a replication origin sequence-specifically. However, the manners by which human ORC (hORC) recognizes a replication origin is elusive. Genome-wide studies revealed previously that guanine (G)-rich sequences are present in most replication origins in human genome. Our previous study implied that the amino acid region 413-511 of the first subunit of hORC, hORC1(413-511), binds preferentially to G-rich DNAs that form a G-quadruplex (G4) structure. Here, we investigated the interaction of hORC1(413-511) with various G-rich DNAs derived from human c-myc promoter and telomere regions. Fluorescence anisotropy revealed that hORC1(413-511) binds preferentially to DNAs that formed G4 structures over ones having double-stranded structures. CD and NMR clearly showed that the G4 structures of those G-rich DNAs were retained even after complex formation. Importantly, NMR chemical shift perturbation analyses revealed that hORC1(413-511) primarily binds to the external G-tetrad planes of the G4 structures. Our study propose that human ORC1 may recognize replication origins through the G4 structure.

## Collaboration Works

片平正人, Gyeongsang National University (韓国), プリオン蛋白質の悪性を阻害する RNA アプタマーに関する構造機能相関

片平正人, University of Naples "Federico II" (イタリア), プリオン蛋白質の悪性を阻害する RNA アプタマーへの化学修飾の導入による高性能化

片平正人, Nanyang Technological University (シンガポール) & University of Bordeaux (フランス), iモチーフ 4 重鎖 DNA と低分子化合物の相互作用様式の解明

片平正人, 永田崇, BIOTEC, NSTDA (タイ), LIPI (インドネシア), NUOL (ラオス), サトウキビ収穫廃棄物の統合バイオリファイナリー

大垣英明, 森井孝, 片平正人, 野平俊之, モンゴル国立大学, インドネシア大学, フィリピン大学ディリマン校, ベトナム国家大学ハノイ校, ラオス国立大学, 王立ブノンペン大学, アジア新興国産天然資源を由来とする機能性物質創生のための高度分析研究拠点の形成

永田崇, Institute of Biophysical Chemistry, Goethe-University, Frankfurt am Main, (ドイツ), 深層学習の技術を取り入れた多次元 NMR 解析とタンパク質立体構造解析のシステム開発

永田崇, Institute of Biophysical Chemistry, Goethe-University, Frankfurt am Main (ドイツ), 有糸分裂から減数分裂への切り替えを担う因子 YTHDC2 の立体構造解析

永田崇, State University of New York at Albany, Albany, NY, United States (アメリカ), 核酸の in-cell NMR 測定方法の開発

## Financial Support

### 1. Grant-in-Aid for Scientific Research

片平正人, 基盤研究(B), 神経変性疾患に関連した反復配列 RNA 分子の反復回数に依存した液液相分離の構造基盤

片平正人, 挑戦的研究(萌芽), 同一 RNA 分子によるプリオン蛋白質と A $\beta$  蛋白質の無毒化及び三者間のクロストーク (期間延長)

片平正人, 挑戦的研究(萌芽), A $\beta$  受容体であるプリオン蛋白質を RNA で阻害することによる抗アルツハイマー病効果

永田崇, 基盤研究(C), 核酸とペプチドツールを用いたアルツハイマー病関連複合体の形成原理の解明

永田崇, 基盤研究(C), 癌・幹細胞増殖性維持に関わる翻訳抑制複合体の形成原理と創薬に向けた分子基盤の構築 (期間延長)

永田崇, 基盤研究(C), データサイエンスを導入した原子間力顕微鏡による四重鎖 DNA 検出法の開発, (分担金)

山置佑大, 若手研究, In-cell NMR 法を用いたヒト生細胞内核酸の構造安定性および相互作用の評価

近藤敬子, 基盤研究(C), リグニンと多糖を分離する酵素の実バイオスに対する活性および構造機能相関の解析

近藤敬子, 若手研究, テロメアの伸長抑制に関わる TLS 蛋白質による四重鎖核酸認識の構造基盤解明 (期間延長)

## 2. Others

片平正人, 日本医療研究開発機構, HIV 複製と創薬研究を推進する革新的な構造生物学研究基盤の創成

片平正人, 科学技術振興機構, サトウキビ収穫廃棄物の統合バイオリファイナリー

永田崇, 日本医療研究開発機構, 中分子アゴニスト創薬のロジカルデザイン~OX40 アゴニスト開発を実施例として~

## Publications

N. Hamad, T. Mashima, Y. Yamaoki, K. Kondo, R. Yoneda, T. Oyoshi, R. Kurokawa, T. Nagata, M. Katahira, RNA sequence and length contribute to RNA-induced conformational change of TLS/FUS, Scientific Reports, 10, 2629, 2020.

K. Kawata, A. Kitada, N. Tsuchida, M. Saimura, T. Nagata, M. Katahira, K. Fukami, K. Murase, Suppression of Fast Proton Conduction by Dilution of a Hydronium Solvate Ionic Liquid: Localization of Ligand Exchange, Journal of The Electrochemical Society, 167, 046508, 2020

T. Mashima, J.H. Lee, Y. Kamatari, T. Hayashi, T. Nagata, F. Nishikawa, S. Nishikawa, M. Kinoshita, K. Kuwata, M. Katahira, Development and structural determination of

- an anti-PrPC aptamer that blocks pathological conformational conversion of prion protein, *Scientific Reports*, 10, 4934, 2020
- Y. Tonouchi, K. Matsumoto, T. Nagata, M. Katahira, R. Hagiwara, Fluoride Ion Interactions in Alkali-Metal Fluoride-Diol Complexes, *Inorganic Chemistry*, 59, 9, 6631-6639, 2020
- M. Takeda, K. Kondo, R. Tominaga, H. Mori, M. Kato, R. Usami, T. Murakami, K. Ueda, I. Suzuki, M. Katahira, Aggregability of  $\beta(1\rightarrow4)$ -linked glucosaminoglycan originating from a sulfur-oxidizing bacterium *Thiothrix nivea*, *Bioscience, Biotechnology, and Biochemistry*, 84, 2085, 2020
- N. Hamad, H. Watanabe, T. Uchihashi, R. Kurokawa, T. Nagata, M. Katahira, Direct visualization of the conformational change of FUS/TLS upon binding to promoter-associated non-coding RNA, *Chemical Communications*, 56, 64, 9134-9137, 2020
- Y. Tokunaga, T. Nagata, K. Kondo, M. Katahira, T. Watanabe, Complete NMR assignment and analysis of molecular structural changes of  $\beta$ -O-4 lignin oligomer model compounds in organic media with different water content, *Holzforchung*, 75, 379, 2020
- F. He, R. Endo, K. Kuwasako, M. Takahashi, K. Tsuda, T. Nagata, S. Watanabe, A. Tanaka, N. Kobayashi, T. Kigawa, P. Güntert, M. Shirouzu, S. Yokoyama, Y. Muto, <sup>1</sup>H, <sup>13</sup>C and <sup>15</sup>N resonance assignment of the YTH domain of YTHDC2, *Biomolecular NMR Assignments*, 15, 1, 2020
- Z. Chen, Y. Tonouchi, K. Matsumoto, S. Tsuzuki, T. Nagata, M. Katahira, R. Hagiwara, Structural evaluation and protium-deuterium exchange in 1-ethyl-3-methylimidazolium halide-ethylene glycol mixtures, *Journal of Fluorine Chemistry*, 239, 109637, 2020
- J. Amato, T. Mashima, Y. O. Kamatari, K. Kuwata, E. Novellino, A. Randazzo, C. Giancola, M. Katahira, B. Pagano, Improved anti-prion nucleic acid aptamers by incorporation of chemical modifications, *Nucleic Acid Therapeutics*, 30, 6, 414-421, 2020
- Y. Tokunaga, T. Nagata, K. Kondo, M. Katahira, T. Watanabe, NMR elucidation of nonproductive binding sites of lignin models with carbohydrate-binding module of cellobiohydrolase I, *Biotechnology for Biofuels*, 13, 1, 164, 2020
- K. Kawata, A. Kitada, N. Tsuchida, M. Saimura, T. Nagata, M. Katahira, K. Fukami, K. Murase, Proton conduction in hydronium solvate ionic liquids affected by ligand shape, *Physical Chemistry Chemical Physics*, 23, 1, 449-456, 2021
- N. Nakayama, G. Sakashita, T. Nagata, N. Kobayashi, H. Yoshida, S-Y. Park, Y. Nariai, H. Kato, E. Obayashi, K. Nakayama, S. Kyom, T. Urano, Nucleus Accumbens-Associated Protein 1 Binds DNA Directly through the BEN Domain in a Sequence-Specific Manner, *Biomedicines*, 8, 12, 608, 2020
- A. Kitada, K. Kawata, M. Shimizu, M. Saimura, T. Nagata, M. Katahira, K. Fukami, K. Murase, Ligand Exchange Conduction of Lithium Ion in a Pentaglyme-Lithium Bis(trifluoromethylsulfonyl)amide Super-Concentrated Electrolyte, *Journal of the Electrochemical Society*, 168, 016506, 2021
- K. Kawata, A. Kitada, K. Fukami, M. Saimura, T. Nagata, M. Katahira, K. Murase, An Ammonium Solvate Ionic Liquid, *Journal of the Electrochemical Society*, 168, 026515, 2021
- A. Eladl, Y. Yamaoki, S. Hoshina, H. Horinouchi, K. Kondo, S. Waga, T. Nagata, M. Katahira, Investigation of the Interaction of Human Origin Recognition Complex Subunit 1 with G-Quadruplex DNAs of Human c-myc Promoter and Telomere Regions, *International Journal of Molecular Sciences*, 22, 7, 3481, 2021
- Y. Yamaoki, T. Nagata, T. Sakamoto, M. Katahira, Recent progress of in-cell NMR of nucleic acids in living human cells, *Biophysical Reviews*, 12, 2, 411-417, 2020
- Y. Yamaoki, T. Nagata, T. Sakamoto, M. Katahira, Observation of nucleic acids inside living human cells by in-cell NMR spectroscopy, *Biophysics and Physicobiology*, 17, 36-41, 2020
- 大田ゆかり, 西村裕志, 片平正人, 磯崎勝弘, 中村正治, リグニン利活用のための最新技術動向 (第4章 リグニンの応用展開 11), 海洋微生物酵素群によるリグニン分解高度化と人工漆材料への展開, CMC 出版, 201-207, 2020
- 片平正人, 「核酸化学ハンドブック」(分担)、第1部 核酸科学の基盤概念・理論・手法 第1章 物理化学 1.3 "NMR", 講談社, 20, 30, 2020
- 山置佑大, 永田崇, 片平正人, 「生命金属ダイナミクス～生体内における金属の挙動と制御～」(分担)、第4章 維持 ―分子―"金属原子による RNA 立体構造形成とその生理活性のスイッチングへの応用", エヌ・ディー・エス, 198, 204, 2021

## Presentations

T. Watanabe, Y. Tokunaga, T. Nagata, K. Kondo, M. Katahira, Interaction analysis between cellulase carbohydrate-binding module and lignin by ultra-high sensitivity NMR for biorefinery, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

N. Hamad, R. Yoneda, H. Watanabe, Y. Yamaoki, K. Kondo, T. Uchihashi, T. Nagata, M. Katahira, R. Kurokawa, Structural analysis of FUS/TLS protein upon binding to promotor-associated non coding RNA, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

K. Matsumoto, Z. Chen, Y. Tonouchi, M. Saimura, T. Nagata, M. Katahira, R. hagiwara, Solvate structure analysis of fluoride ion by NMR spectroscopy, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

S. Waga, Y. Yamaoki, A. Eladl, S. Hoshina, H. Horinouchi, O. Eladl, K. Kondo, T. Nagata, M. Katahira, Characterization of the interaction between human origin recognition complex subunit 1 and DNAs, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

K. Kumagai, T. Suzuki, Y. Sekikawa, K. Kamba, L. Wan, K. Nagata, A. Takaori-Kondo, M. Katahira, T. nagata, T. Sakamoto, NMR analysis for the development of artificial RNAs to control biomolecular functions, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

A. Takaori-Kondo, T. Nagata, Research and development of enzymatic activity control using VHH antibody, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

Y. Tanaka, T. Nagata, T. Ogino, Elucidation of correlation between G-quadruplex-based gene expression regulation and their structure, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

W. Hsun Tu, K. Kamba, T. Nagata, M. Katahira, T. Imai, NMR analysis of the three-dimensional solution structure of the sequence-specific RNA-binding protein Musashi1 involved in translation control of the downstream target RNA, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

M. Horiuchi, S. Kuninaga, I. Saito, M. Katahira, T. Nagata, Development of the crystalline cellulose degradation system consisting of the psychrophilic

fungus-type hybrid enzymes, The 11th International Symposium of Advanced Energy Science, Online, 2020.9.15-16

徳永有希, 永田崇, 近藤敬子, 片平正人, 渡辺隆司, 有機溶媒-水系における b-O-4 結合型リグニンオリゴマーモデルの2次元 NMR スペクトルの帰属と高次構造の解析, 第17回持続的生存圏創成のためのエネルギー循環シンポジウム・第10回先進素材開発解析システム (ADAM) シンポジウム, オンライン開催, 2020.10.30

永田崇, 天然変性領域を含むタンパク質の NMR 解析, 蛋白研セミナー 生体系 NMR 法の最前線 基礎から学ぶ最新 NMR 解析法—構造解析の自動化, オンライン開催, 2020.11.5-6

熊谷紀志, 鈴木拓也, 関川湧斗, 神庭圭佑, 万里, 永田佳代子, 高折晃史, 片平正人, 永田崇, 坂本泰一, Vif-CBF $\beta$ -CUL5-EL0B-EL0C 複合体に結合するアプタマーの NMR 解析, 第59回 NMR 討論会, Gメッセ群馬, 2020.11.17-19

神庭圭佑, 万里, 雲財悟, 森下了, 永田崇, 片平正人, HIV Vif5 者複合体は APOBEC3G と APOBEC3F の脱アミノ化を阻害する, 第59回 NMR 討論会, Gメッセ群馬, 2020.11.18-20

片平正人, 非コード RNA が引き起こす FUS の大きな構造変化と凝集傾向の変化, 第43回日本分子生物学会年会, オンライン開催, 2020.12.2-4

堀内正隆, 国永史郎, 齋藤泉, 片平正人, 永田崇, 好冷菌 *Sclerotinia borealis* 由来  $\beta$ -グルコシダーゼのクローニングおよびキャラクタリゼーション, 第43回日本分子生物学会年会, オンライン開催, 2020.12.2-4

阪本知樹, 山置佑大, 永田崇, 片平正人, In-cell NMR 法による非標準構造を形成する DNA のヒト生細胞内観測, 第43回日本分子生物学会年会, オンライン開催, 2020.12.2-4

米沢柚香, 近藤敬子, 坂井勇太, 林孟宜, 永田崇, 片平正人, 腐朽菌由来グルクロノイルエステラーゼによる天然リグニン-多糖複合体の分解活性評価, 第43回日本分子生物学会年会, オンライン開催, 2020.12.2-4

W.H. Tu, K. Kamba, T. Nagata, M. Katahira, Analysis of the interaction between Msi1 RBD1-RBD2 and RNAs, The 43rd Annual Meeting of the Molecular Biology Society of Japan, Online, 2020.12.2-4

A. Eladl, Y. Yamaoki, S. Hoshina, H. Horinouchi, K. Kondo, O. Eladl, T. Nagata, S. Waga, M. Katahira,

Investigation of the interaction between human origin recognition complex subunit 1 and G-rich DNAs, The 43rd Annual Meeting of the Molecular Biology Society of Japan, Online, 2020.12.2-4

M. Katahira, Fungal lytic polysaccharide monooxygenase and its synergetic effects with cellulases, e-ASIA Workshop–Integrated Biorefinery of Sugarcane Trash-, Online, 2021.2.26

A. Phienluphon, K. Kondo, T. Nagata, M. Katahira, Screening and heterologous expression of fungal feruloyl esterases, a lignin-carbohydrate complex degrading enzymes, in *Pichis pastoris* X-33, The 2021 Annual Meeting of The Japan Society for Bioscience, Biotechnology and Agrochemistry, Online, 2021.3.18-21

武田穰, 宇佐美亮児, 柏原大輔, 近藤敬子, 片平正人, 脱N-アセチル化された両性多糖に特異的な新規多糖リアーゼ, 日本農芸化学会 2021 年度仙台大会, オンライン開催, 2021.3.18-21

徳永有希, 渡辺隆司, 様々な合成条件で調製した Dehydrogenation polymer の性状解析, 第 71 回日本木材学会大会, 東京農工大学 (オンライン開催), 2021.3.19-21

八木勇成, 近藤敬子, 永田崇, 片平正人, 選択的白色腐朽菌由来の溶解性多糖モノオキシゲナーゼとセルラーゼのシナジー効果の検証, 第 71 回日本木材学会大会, 東京農工大学 (オンライン開催), 2021.3.19-21