

京都帝國大學
工學部紀要

第三卷 第一號

大正十二年三月

MEMOIRS

OF THE

COLLEGE OF ENGINEERING

KYOTO IMPERIAL UNIVERSITY.

VOL. III. NO. 1

MARCH, 1923.

Published by the University.

KYOTO, JAPAN.

ALL COMMUNICATIONS REGARDING THE MEMOIRS SHOULD
BE ADDRESSED TO THE DIRECTOR OF THE COLLEGE

ERRATA.

Page 13, line 23,	for " can blanks "	read " blanks can."
„ 8, „ 11,	„ " working i.e.,"	„ " working, i.e.,"
„ 17, „ 13,	„ " fillet "	„ " fillet."
„ 18, „ 6,	„ " operation "	„ " operations."
„ 18, „ 3, from bottom,	„ " Cuertler & Tamman "	„ " Guertler & Tammann."
„ 21, „ 23,	„ " blands "	„ " blanks."
„ 21, „ 2, from bottom,	„ " page 7-9 "	„ " pages 9-13."
„ 22, „ 7,	„ " 7-9 "	„ " 9-13."
„ 22, „ 6, from bottom,	„ " clacrlly "	„ " clearly."
„ 26, „ 14,	„ " Figs 63 "	„ " Fig. 63."
„ 30, „ 10,	„ " X.4= "	„ " X 0.4=."
„ 31, „ 2,	„ " peried "	„ " period."
„ 35, „ 3,	„ " annealng "	„ " annealing."
„ 43, „ 3, from bottom,	„ " hardnes "	„ " hardness."

Vol. III. No. 1. Published March twelfth 1923.

Price - - - Yen 2.200

These Memoirs are on sale at

MARUZEN COMPANY, LTD.

TOKYO, OSAKA, KYOTO, NAGOYA, YOKOHAMA, FUKUOKA AND SENDAI.

大正十二年三月九日印刷

大正十二年三月十二日發行

編纂兼發行者 京都帝國大學工學部

印刷者 大久保秀次郎

東京府荏原郡世田谷字下町五拾番地

印刷所 株式會社 東京築地活版製造所

東京市京橋區築地二丁目十七番地

賣捌所 丸善株式會社

東京、大阪、京都、名古屋、橫濱、福岡、仙臺

CONTENTS

Vol. III

	PAGE
INTRODUCTORY.	1
PART I. THE PROPER TEMPERATURE FOR ANNEALING COIN- AGE CUPRO-NICKEL.	
1) Annealing and bending tests.	2
2) Hardness tests from 550°C. to 900°C.	9
3) Present appliances in the Mint.	15
PART II. INJURIOUS SUBSTANCES CAUSING THE BRITTLE- NESS OF CUPRO-NICKEL.	
4) A brief account of the manufacturing process for coinage nickel in the Mint.	15
5) Equilibrium diagram for cupro-nickel alloys.	18
6) Liquation of cupro-nickel alloys.	20
a) Cooling phenomena of ingot-bars.	20
b) Effects of annealing on the internal structure of the bars.	21
c) Ditto of the fillets.	21
d) Ditto of the blanks.	21
e) Internal structure of brittle blanks.	24
f) Annealing of scale-like blanks.	24
g) Influence of oxygen on the internal structure.	24
PART III. CHEMICAL INVESTIGATION OF THE BRITTLE CUPRO- NICKEL BLANKS.	
7) Tests for injurious matter causing brittleness.	25
8) Chemical composition of the brittle blanks.	26
9) Influence of oxygen added intentionally.	27
10) Oxidation of cupro-nickel and its reduction.	29
11) Deoxidation of cupro-nickel.	30
12) Influence of sulphur upon brittleness.	31
13) Influence of carbon upon brittleness.	34
PART IV. GENERAL CONSIDERATIONS AS SET FORTH BY DIF- FERENT WRITERS.	
14) Further structural investigations of the brittleness.	35
15) Conclusions.	42

These publications are issued at irregular intervals. When about 300 pages are reached, they form one volume.