

PUBLICATIONS

STATES AND STRUCTURES

I. Atomic and Molecular Physics

Nakamatsu H, Mukoyama T: Ionic and Covalent Bonds in CeO₂ Crystal, *ICR Annual Report 1995 (Institute for Chemical Research, Kyoto University, Uji, 1996)*, pp. 4-5.

Mukoyama T: Estimation of Atomic Parameters for Electron Capture Decay of ¹⁶³Ho, in *Study of the Mass of the Electron Neutrino in Japan*, ed. by S. Yasumi and H. Maezawa, *KEK REPORT 95-17 (National Laboratory for High Energy Physics, Tsukuba, 1996)*, pp. 71-82.

Yasui J, Mukoyama T, Shibuya T: Analytical Expressions of Atomic Wave Functions and Molecular Integrals for the X-Ray Transition Probabilities of Molecules, *Adv. in X-Ray Chem. Anal.*, Japan **27**, 329-338 (1996).

Sarkadi L, Mukoyama T, Smit Z: Investigation of the Vacancy Sharing Process in L-Shell Ionization of Gold and Bismuth by Bare Ions, *J Phys. B: At. Mol. Opt. Phys.*, **29**, 2253-2264 (1996).

Tökési K, Némethy A, Kövér L, Varga D, Mukoyama T: Modeling of electron scattering in thin manganese films on silicon by Monte Carlo methods, *J. Appl. Phys.*, **79**, 3763-3769 (1996).

Onoe J, Nakamatsu H, Mukoyama T, Sekine R, Adachi H, Takeuchi K: Relativistic Change in Bond Overlap Population for the Study of Relativistic Effects on Bond Length of Diatomic Molecules, *J. Phys. Soc. Japan*, **65**, 2459-2462 (1996).

Ishizuka T, Vlaicu A M, Tochio T, Ohsawa D, Yamaguchi K, Ito Y, Mukoyama T, Nisawa A, Omote K, Shoji T, Yoshikado S: K and L X-Ray Spectra of Copper Metal Radiated by the Electron Bombardment, in *Abst. X96, 17th Internat. Conf. X-ray and Inner-Shell Processes, Hamburg, Germany, Sept. 9-13, 1996 (HASYLAB at DESY, Hamburg, 1996)*, p. 85.

Song B, Taniguchi K, Nakamatsu H, Mukoyama T: Titanium La_a_b X-Ray Emission Spectra in Several Titanium Compounds, in *Abst. X96, 17th Internat. Conf. X-ray and Inner-Shell Processes, Hamburg, Germany, Sept. 9-13, 1996 (HASYLAB at DESY, Hamburg, 1996)*, p. 87.

Tochio T, Vlaicu A M, Ishizuka T, Ohsawa D, Ito Y, Mukoyama T, Kawai S, Motoyama M, Yoshikado S: Investigation on Chromium Kb X-Ray Emission Spectrum in Several Chromium Compounds, in *Abst. X96, 17th Internat. Conf. X-ray and Inner-Shell Processes, Hamburg, Germany, Sept. 9-13, 1996 (HASYLAB at DESY, Hamburg, 1996)*, p. 93.

Ito Y, Tochio T, Mukoyama T, Takahashi M, Emura S, Azuma Y: Double Electron Transitions in the X-Ray Absorption near Xe L Edges, in *Abst. X96, 17th Internat. Conf. X-ray and Inner-Shell Processes, Hamburg, Germany, Sept. 9-13, 1996 (HASYLAB at DESY, Hamburg, 1996)*, p. 145.

Mukoyama T, Kaji H: K-Shell Ionization of Atoms by Mesons, in *Abst. X96, 17th Internat. Conf. X-ray and Inner-Shell Processes, Hamburg, Germany, Sept. 9-13, 1996 (HASYLAB at DESY, Hamburg, 1996)*, p. 313.

Mukoyama T, Tökési K, Ito Y: Monte Carlo Code for the study of the Response Function of Si(Li) Detectors for X Rays, in *Abst. X96, 17th Internat. Conf. X-ray and Inner-Shell Processes, Hamburg, Germany, Sept. 9-13, 1996 (HASYLAB at DESY, Hamburg, 1996)*, p. 374.

Yamaguchi K, Mukoyama T: Wavelet representation for the solution of radial Schrödinger equation, *J. Phys. B: At. Mol. Opt. Phys.*, **29**, 4059-4071 (1996).

Shigemi A, Nakamatsu H, Mukoyama T, Ikeda S: Shake-up Transition Probability for Molecule (in Japanese), *Bull. Soc. Discrete Variational Xa* **9**, 23 (1996).

Mukoyama T: X-ray emission rates of molecules in the relaxed-orbital approximation (in Japanese), *Bull. Soc. Discrete Variational Xa* **9**, 41 (1996).

Hirata M, Sekine R, Onoe J, Nakamatsu H, Mukoyama T, Adachi H: The electronic structures of actinyl nitrate-extractant complexes using the relativistic DV-DS method (in Japanese), *Bull. Soc. Discrete Variational Xa* **9**, 50 (1996).

Kurakado M, Ohsawa D, Katano R, Ito S, Isozumi Y, Shimizu H, Ebisu T, Watanabe T: Radiation spectroscopy of new generation (in Japanese), *Nihon Genshiryoku Gakkai-shi*, **38**, (9), 18-23 (1996).

Tochio T, Ito Y, Mukoyama T, Takahashi M, Emura S, Azuma Y: Multielectron transitions above the Xenon L edges, in *Abstracts of 9th Intern Conf. on X-ray Absorption Fine Structure, Grenoble, France, 26-31 Aug.*, PS3-112, 269 (1996).

Ito Y, Mukoyama T, Takahashi M, Emura S, Kanamaru F, Yoshikado S, Koto K: A possibility of phase transition at a low temperature in β -PbF₂, in *Abstracts of 9th Intern Conf. on X-ray Absorption Fine Structure, Grenoble, France, 26-31 Aug.*, PS3-113, 269 (1996).

Emura S, Takahashi M, Osawa D, Yamaguchi K, Ito Y, Mukoyama T, Yoshikado S: Multielectron excitation in X-ray absorption spectra of RbCl and RbNO₃, in *Abstracts of 9th Intern Conf. on X-ray Absorption Fine Structure, Grenoble, France, 26-31 Aug.*, PS3-114, 269 (1996).

Takahashi M, Emura S, Ishida A, Osawa D, Yamaguchi K, Ito Y, Mukoyama T, Yoshikado S: Multielectron excitation in X-ray absorption spectra of KOH, in *Abstracts of 9th Intern Conf. on X-ray Absorption Fine Structure, Grenoble, France, 26-31 Aug.*, PS3-115, 270 (1996).

Ichihara J, Takahashi M, Emura S, Tochio T, Ito Y, Mukoyama T: XAFS study on the heterogeneous reaction between lead fluoride and benzyl bromide in acetonitrile, in *Abstracts of 9th Intern Conf. on X-ray Absorption Fine Structure, Grenoble, France, 26-31 Aug.*

Aug., PS3-136, 277 (1996).

Emura S, Ito Y, Takahashi M: x-ray absorption hyper fine structure, in Abstracts of 9th Intern Conf. on X-ray Absorption Fine Structure, Grenoble, France, 26-31 Aug., PS3-161, 285 (1996).

Ito Y, Vlaicu A M, Mukoyama T, Sato S, Yoshikado S, Chong I, Takano M, Julian C: The strutural investigation of Pb rich Bi-2201 and its related super- conductors, in abstracts of NATO-ASI Materials Aspects of H Tc-Superconductivity: 10 years After the Discovery, Delphi, Greek, 19-31 Aug., 76 (1996).

Mukoyama T, Tochio T, Ito Y, Takahashi M, Emura S, Azuma Y: Multi-Electron transitions above the Xenon L edges, in abstracts for the DAMOP Meeting of the American Physical Society, Ann Arbor, May 15-18, 1 (1996).

II. Crystal Information Analysis

Kurata H., Moriguchi S., Isoda S. and Kobayashi T.: Attainable Resolution of Energy-Selecting Image Using High-voltage Electron Microscope. *J. Electron Microsc.*, **45**, 79-84 (1996).

Kuwamoto K., Irie S., Ogawa T., Miles M.J., Isoda S. and Kobayashi T.: Crystal Formation of 2,4,6-tris(1,3-dithiol-2-ylidene)-1,3,5-cyclohexanetrione by a Process in Dry System. *Technical Report of IEICE*, 96/31, 31-36 (1996) (in Japanese).

Kurata H., Isoda S. and Kobayashi T.: Chemical Mapping by Energy-Filtering Transmission Electron Microscopy. *J. Electron Microsc.*, **45**, 317-320 (1996).

Kobayashi T., Isoda S. and Kubono K.: Cyclophosphazene; Structure and Molecular Selectivity. p.399-420, in "Comprehensive Supramolecular Chemistry, vol.3", Pergamon, (1996).

Hoshino A., Isoda S. and Kobayashi T.: STM Analysis of the Interfacial Structure in Organic Epitaxy. *Denshi-Kenbikyo*, **31**, 10-14 (1996) (in Japanese).

Komatsu K., Kim D., Kobayashi T., Watanabe K., Aguekian V.F., Karasawa T., Akai I. and Iida T.: Size Effects on Excitons of BiI_3 in Layered Matrices. *Surface Review and Letters*, **3**, 1127-1131 (1996).

III. Polymer Condensed States Analysis

Yoon J R, Hashim A S, Kawabata N and Kohjiya S: Blends of Brominated EPDM and NR, *Rubber World*, **213**, 20-24 (1996).

Kohjiya S and Ikeda Y: Progress of Rubbery Materials I. From Natural Rubber to Functional Elastomer, *Shinsosai*, **7**, 41-45 (1996) (in Japanese).

Ikeda Y and Kohjiya S: Molecular Design of Thermoplastic Elastomers, *Kobunshi*, **45**, 136-140 (1996) (in Japanese).

Kohjiya S and Ikeda Y: Progress of Rubbery Materials II. From Natural Rubber to Functional Elastomer, *Shinsosai*, **7**, 28-31 (1996) (in Japanese).

Kohjiya S, Tanaka A, Wada Y and Ikeda Y: Study on

the Reaction Condition for in situ Silica Reinforcement of Butadiene Rubber by Sol-Gel Method, *J. Soc. Rubber Ind., Jpn.*, **69**, 442-446 (1996) (in Japanese).

Kohjiya S and Sato H: Enzyme Immobilization, in "Polymeric Materials Encyclopedia", Salamone J C Ed., CRC Press, NY, pp. 2135-2139 (1996).

Sando K, Kohjiya S, Ikeda Y, Yamashita S and Kawabata N: Liquid Rubber as a Reactive Softener for 1-Chlorobutadiene-Butadiene Rubber, *J. Appl. Polym. Sci.*, **62**, 1093-1098 (1996).

Urayama K and Kohjiya S: Crossover of the Concentration Dependence of Swelling and Elastic Properties for Polysiloxane Networks Crosslinked in Solution, *J. Chem. Phys.*, **104**, 3352-3359 (1996).

Kohjiya S, Takada Y, Urayama K, Tezuka Y and Kidera A: GPC Analysis of Polymer Network Formation : 1. Bifunctional Siloxane Monomer/Crosslinker System, *Bull. Chem. Soc. Jpn.*, **69**, 565-574 (1996).

Takigawa T, Oodate M, Urayama K and Masuda T: Structure and Viscoelastic Properties of Segmented Polyurethane Blends, *J. Appl. Polym. Sci.*, **59**, 1563-1568 (1996).

Takigawa T, Morino Y, Urayama K and Masuda T: Poisson's Ratio of Polyacrylamide (PAAm) Gels, *Polymer Gels & Networks*, **4**, 1-5 (1996).

Takigawa T, Yamasaki S, Urayama K, Takahashi M and Masuda T: Stress-Strain Behavior of Segmented Polyurethaneureas under Pure Shear Deformation, *Rheologica Acta*, **35**, 288-295 (1996).

Urayama K, Kawamura T and Kohjiya S: Elastic Modulus and Equilibrium Swelling of Networks Crosslinked by End-linking Oligodimethylsiloxane at Solution State, *J. Chem. Phys.*, **105**, 4833-4840 (1996).

Takigawa, T, Urayama K, Yamasaki S and Masuda T: Elastic Properties of Real Elastomers at Small Deformations, *Angew. Makromol. Chem.*, **240**, 197-203 (1996).

Takigawa, T, Morino Y, Urayama K and Masuda T: Osmotic Poisson's Ratio and Equilibrium Stress of Poly(acrylamide) Gels, *Polym. J.*, **28**, 1012-1013 (1996).

Murakami S, Yamakawa M, Tsuji M and Kohjiya S: Structure Development in the Uniaxial-Drawing Process of Poly(ethylene naphthalate), *Polymer*, **37**, 3945-3951 (1996).

Uehara H, Kanamoto T, Kawaguchi A and Murakami S: Real-time X-ray Diffraction Study on Two-Stage Drawing of Ultra-High Molecular Weight Polyethylene Reactor Powder above the Static Melting Temperature, *Macromolecules*, **29**, 1540-1547 (1996).

Nishikawa Y, Murakami S, Kohjiya S and Kawaguchi A: Dynamical Observation of Structural Transition of Polymers Using an X-ray Diffraction System with Imaging Plates. 1. Reversible Helix/Helix Transformation of Poly(vinylcyclohexane), *Macromolecules*, **29**, 5558-5566 (1996).

Torii H, Tsuji M and Kawaguchi A: Oriented Over-

growth of Metals onto Poly-1,4-phenylene, *J. Mater. Res.*, **11**, 970-980 (1996).

Magoshi A, Yamakawa M, Tsuji M and Kohjiya S: Structural Study on the Blend of Poly(aryl-ether-ether-ketone) and Poly(*p*-phenylene sulfide) by Electron Diffraction, *Kobunshi Ronbunshu*, **53**, 375-380 (1996) (in Japanese).

Ihn KJ and Tsuji M: Electron Microscopy for *Polymers*, *Polym. Sci. Technol.(Korea)*, **7**, 437-444 (1996) (in Korean).

Tsuji M: Structural Studies on Polymer Crystals by Electron and X-ray Diffraction, in *Proc. 41th Symp. Jpn. Soc. E.M.*, (Kyoto), pp.11-14 (1996) (in Japanese).

Tsuji M: Structural Studies on Fibers and Polymer Solids by Crystal Lattice Imaging, *SEN'I GAKKAISHI*, **52**, P486-P493 (1996) (in Japanese).

Yamaguchi S, Tatemoto M and Tsuji M: Fine Structures in As-polymerized and Sintered Poly (tetrafluoroethylene), *SEN'I GAKKAISHI*, **52**, 657-659 (1996).

Tosaka M: Epitaxial growth of polymers on the friction-transferred oriented thin film, *Kaigai Kobunshi Kenkyu*, **42**, 10-11 (1996) (in Japanese).

INTERFACE SCIENCE

I. Solutions and Interfaces

Wakai C and Nakahara M : Attractive Potential Effect on the Rotational Correlation Times for Benzene-*d*₆ in Organic Solvents, *Bul. Chem. Soc. Jpn.*, **69**, 853-860 (1996).

Nakahara M, Wakai C, Yoshimoto Y and Matubayasi N : Dynamics of Hydrophobic Hydration of Benzene, *J. Phys. Chem.*, **100**, 1345-1349 (1996).

Nakahara M : Attractive Force and Repulsive Force, *Kagaku (Chemistry)*, **51**, 432-434 (1996) (in Japanese).

Nakahara M : Structure of Supercritical Water, *Kagaku (Chemistry)*, **51**, 691-694 (1996) (in Japanese).

Yonezawa Y, Sato T, Miyama T, Takami A, Umemura J and Takenaka T : Photoinduced Formation of Aggregated Silver Particles from Silver Salt of Polysaccharide, *Surf. Rev. Lett.*, **3**, 1109-1112 (1996)

Takenaka T and Umemura J : Application of Vibrational Spectroscopy to the Study of Structure-Function Relationship in Langmuir-Blodgett Films, in "New Developments in Construction and Functions of Organic Thin Films" (T. Kajiyama and M. Aizawa, eds), Elsevier, 145-180 (1996).

Nakagawa T, Umemura J, Hayashi S, Oobatake M, Miwa Y and Machida K : Molecular Dynamics Study of the Spectroscopic Properties of Liquid Benzene, *Mol. Phys.*, **88**, 1635-1643 (1996).

Sakai H and Umemura J : Structure Disordering during Surface Pressure Relaxation of Langmuir Films of Stearic Acid as Studied by Infrared External Reflection Spectroscopy, *Chem. Lett.*, 465-466 (1996).

Tano T and Umemura J : Gel to Liquid Crystal Phase Transition of Black Lipid Films in Air as Studied by FT-IR Spectroscopy, *Chem. Lett.*, 801-802 (1996).

Kimura N, Umemura J and Hayashi S : Polarized FT-IR Spectra of Water in the Middle Phase of Triton X100-Water System, *J. Colloid and Interface Sci.*, **182**, 356-364 (1996).

Ishiguro R, Matsumoto M and Takahashi S : Interaction of Fusogenic Synthetic Peptide with Phospholipid Bilayers: Orientation of the Peptide a-Helix and Binding Isotherm, *Biochemistry*, **35**, 4976-4983 (1996).

Matsumoto M, Tsuji Y, Nakamura K and Yoshimoto T : A Trough with Radial Compression for Studies of Monolayers and Fabrication of Langmuir-Blodgett Films, *Thin Solid Films*, **280**, 238-243 (1996).

Morita M, Kubo M and Matsumoto M : Interfacial Properties and Emulsification in Systems of Perfluoropolyether/Non-fluorinated Oil/Partially Fluorinated Oligomeric and Polymeric Compounds, *Colloids and Surfaces*, **A109**, 183-194 (1996).

Matubayasi M and Levy R M : Thermodynamics of the Hydration Shell. 2. Excess Volume and Compressibility of a Hydrophobic Solute, *J. Phys. Chem.*, **100**, 2681-2688 (1996).

Matubayasi N : Mean-field Theory of Solutions: Chemical Potential and Solution Structure in the Superposition Approximation, *J. Chem. Phys.*, **104**, 5265-5278 (1996).

II. Molecular Aggregates

Asami K: Dielectric Imaging of Biological Cells, *Colloid and Polym. Sci.*, **273**, 1095-1097 (1995).

Asami K and Yonezawa T: Dielectric Behavior of Non-spherical Cells in Culture, *Biochim. Biophys. Acta*, **1245**, 317-324 (1995).

Nagaoka Y, Iida A, Kambara T, Asami K, Tachikawa E and Fujita T: Ion-channel-forming and Catecholamine-releasing Activities of Elongated and Truncated Analogues of Trichosporin-B, *J. Chem. Soc., Chem. Commun.*, 2203-2204 (1995).

Asami K: Evaluation of Colloids by Dielectric Spectroscopy, *Hewlett-Packard Application Note*, **380** (3), 1-19 (1995).

Sato N, Oda M, Okuno T, Izuoka A and Sugawara T: Change of Electronic Absorption Spectra Observed through Heating Evaporated Thin Films of a Diacetylene Compound, *Mol. Cryst. Liq. Cryst.*, **277**, 195-203 (1996).

Sato N and Yoshikawa M: Valence Electronic Structure at the Interface of Organic Thin Films, *J. Elect. Spectrosc. Relat. Phenom.*, **78**, 387-390 (1996).

Shirota I, Takeda K, Onuma F and Sato N: Electrical Properties of Thin Films of Bis(1,2-benzoquinone dioxime)platinum(II), Pt(bqd)₂, *Mol. Cryst. Liq. Cryst.*, **285**, 119-124 (1996).

Nagaoka Y, Iida A, Kambara T, Asami K and Fujita T: Role of Gln7 in the Ion-channel-forming Properties of

the Peptaibol Trichosporin-B-VIa, *J. Chem. Soc., Chem. Commun.*, 1079-1080 (1996).

Asami K, Yonezawa T, Wakamatsu H and Koyanagi N: Dielectric Spectroscopy of Biological Cells, *Bioelectrochem. Bioenerg.*, **40**, 141-145 (1996).

Matsubara A, Asami K, Akagi A and Nishino N: Ion-channels of Cyclic Template-assembled Alamethicins that Emulate the Pore Structure Predicted by Barrel-Stave Model, *J. Chem. Soc., Chem. Commun.*, 2069-2070 (1996).

Asami K and Yonezawa T: Dielectric Behavior of Wild-type Yeast and Vacuole-deficient Mutant over a Frequency Range of 10kHz to 10GHz, *Biophys. J.*, **71**, 2192-2200 (1996).

Nagaoka Y, Iida A, Kambara T, Asami K, Tachikawa E and Fujita T: Role of Proline Residue in the Channel-forming and Catecholamine-releasing Activities of the Peptaibol, Trichosporin-B-Via, *Biochim. Biophys. Acta*, **1283**, 31-36 (1996).

Wada S, Iida A, Asami K and Fujita T: Ion Channel-forming Property of Trichorovin-XII, an 11-residue Peptaibol from the Fungus *Trichoderma viride*, in Planar Lipid Bilayer Membranes, *Bioorga. Medicin. Chem. Lett.*, **6**, 2275-2278 (1996).

Yoshida H, Terasaki A and Kondow T: Photoelectron Spectroscopy of Co_n^+ and Product Anions of Co_n^+ with O_2 and N_2 , *Surf. Rev. Lett.*, **3**, 667-670 (1996).

Iseda M, Nishio T, Yoshida H, Terasaki A and Kondow T: Electronic Structure of Vanadium Cluster Anions - Measurement and DV-X α Calculation of Photoelectron Spectra, *The Science Reports of the Research Institutes, Tohoku University, Ser. A, Tohoku University* **A41**, 215-218 (1996).

III. Separation Chemistry

Umetani S, Le T H Q, Tomita T, and Matsui M: Design of Novel β -Diketones of High Selectivity: Role of the Distance of the Two Donating Oxygens in "Value Adding through Solvent Extraction" (Shallcross D C, Paimin R, and Prvcic L M, Eds), The University of Melbourne, Melbourne, **1**, 347-352 (1996).

Tsurubou S, Sasaki T, Umetani S, and Matsui M: Highly Selective Extraction-Separation System Utilizing Macroyclic Ionophores as Masking Reagents in "Value Adding through Solvent Extraction" (Shallcross D C, Paimin R, and Prvcic L M, Eds), The University of Melbourne, Melbourne, **1**, 623-628 (1996).

Matsui M: Ligand Design for Ion Size Recognition, *Bunseki Kagaku*, **45**, 209-223 (1996) (in Japanese).

Kokusen H, Sohrin S, Matsui M, Hata Y, and Hasegawa H: Selectivity Design Using Interligand Contact: Solvent Extraction and Structures of First-series-transition Metal-bis(pyrazol-1-yl)borate Complexes, *J. Chem Soc., Dalton Trans.*, 195-201 (1996).

Fujino O, Umetani S, Matsui M, Nishida S, Sanada K, and Orimi K: Determination of Rare Earth Elements, Uranium and Thorium in Apatite Minerals by Inductively Coupled Plasma-Mass Spectrometry, *Nippon*

Kagaku Kaishi, 650-655 (1996) (in Japanese).

Li Q, Zhou D, Yao G, Huang C, Umetani S, and Matsui M: Synthesis, Fluorescence Characteristics and Langmuir-Blodgett Film of a Green Strongly Fluorescent Terbium-Isobutyryl Pyrazolone Complex, *Chem. J. Chinese Univ.*, **17**, 1016-1018 (1996) (in Chinese).

Sasaki T, Umetani S, Le T H Q, Matsui M, and Tsurubou S: Improved Extraction-Separation of Alkaline Earths and Lanthanides with the Aid of an Ion Size Selective Masking Reagent, *Analyst*, **121**, 1051-1054 (1996).

Ying L, Yu A, X Zhao X, Li Q, Zhou D, Huang C, Umetani S, and Matsui M: Excited State Properties and Intramolecular Energy Transfer of Rare-Earth Acetylpyrazolone Complexes, *J. Phys. Chem.*, **100**, 18387 - 18391 (1996).

Zhou D, Huang C, Luo C, Yao G, Xu J, Li T, Umetani S, and Matsui M: Synthesis, Luminescent Properties and Langmuir Films of Four New Amphiphilic N-Hexadecyl Pyridinium Tetrakis(3-phenyl-4-benzoyl-5-isoxazolone) Lanthanide Complexes, *Chem. J. Chinese Univ.*, **17**, 1828-1832 (1996) (in Chinese).

SOLID STATE CHEMISTRY

I. Artificial Lattice Alloys

Kikuchi H, Nagasawa H, Mibu K, Ono T, Hosooit N and Shinjo T: Susceptibility Measurements of the Halide System $\text{NiC}_2\text{O}_4 \cdot 2\text{DMiZ}$ Doped with Nonmagnetic Zn Ions, *J.Phys.Soc.Jpn.*, **64**, 3429-3433 (1995).

Levy P M, Zhang S, Ono T and Shinjo T: Electrical Transport in Corrugated Multilayered Structures, *Phys.Rev.B*, **52**, 16049-16054 (1995).

Passamani E C, Baggio-Saitovitch E, Mibu K and Shinjo T: ^{151}Eu Mössbauer Study of Transition-Metal/ Eu Multilayers, *Phys.Rev.B*, **53**, 6566-6571 (1995).

Sugimoto T, Ueda K, Kanehisa N, Kai Y, Shiro M, Hosooit N, Takeda N and Ishikawa M: Weak-Ferromagnetism and Ferromagnetism in Tetrafluorotetracyanoquinodimethane Salts, *ACS Symposium Series 644, Molecule-Based Magnetic Materials, Theory, Techniques, and Applications*, Chap.19, 276-295 (1996).

Sugimoto T, Ueda K, Tsujii M, Fujita H, Hosooit N, Kanehisa N, Shibamoto Y and Kai Y: Ferromagnetic Behavior of a Tetrafluorotetracyanoquinodimethane Salt at Room Temperature, *Chem.Phys.Lett.*, **249**, 304-308 (1996).

Ueda K, Tsujii M, Suga T, Sugimoto T, Kanehisa N, Kai Y and Hosooit N: Remarkably Strong Antiferromagnetic Interaction through an Intervening Hydrogen Atom in N-(n-propyl)pyridinium-substituted Imidazolin-1-oxyl Iodide, *Chem.Phys.Lett.*, **253**, 355-360 (1996).

Ueda K, Sugimoto T, Endo S, Toyota N, Hohama M, Yamamoto K, Suenaga Y, Morimoto H, Yamaguchi T, Munakata M, Hosooit N, Kanehisa N, Shibamoto Y and Kai Y: 1:2 TCNQ/TCNQ $^-$ (Mixed Salts Exhibiting Ferromagnetic Behavior at Room Temperature, *Chem.Phys.Lett.*, **261**, 295-300 (1996).

Kobayashi Y, Nasu S, Emoto T and Shinjo T: ^{197}Au and ^{57}Fe Mössbauer Study of Au/Fe Multilayers, *Conf.Proc. Vol. 50, "ICAME-95"*, SIF, Bologna, 619-622(1996).

Tappert J, Keune W, Brand R A, Vulliet P, Sanchez J -P and Shinjo T: Magnetism and Structure of Dy/Fe Multilayers Studied by ^{57}Fe and ^{161}Dy Mössbauer Spectroscopy, *J.Appl.Phys.*, **80**, 4503-4511(1996).

Shinjo T and Ono T: Magnetoresistance of Multilayers on Microstructured Substrates, *J.Magn.Magn.Mater.*, **156**, 11-14(1996).

Kobayashi Y, Nasu S, Emoto T and Shinjo T: ^{197}Au Mössbauer Study of Au/M (M=Fe, Co, Ni) Multilayers, *J.Magn.Magn.Mater.*, **156**, 45-46(1996).

Emoto T, Hosoi N and Shinjo T: Spin Penetration in Au Layers: ^{119}Sn Mössbauer Study of Co/Au Multilayers, *J.Magn.Magn.Mater.*, **156**, 47-48(1996).

Mibu K, Nagahama T and Shinjo T: Magnetoresistance Studies of Multilayers Including Hard Magnetic CoSm Layers, *J.Magn.Magn.Mater.*, **156**, 299-300(1996).

Hosoi N, Mibu K, Ono T, Emoto T and Shinjo T: Relationship between Magnetoresistance Change and Antiparallel Magnetization Estimated by Neutron Diffraction in Giant Magnetoresistance Systems, *J. Magn. Magn.Mater.*, **156**, 325-326(1996).

Trhlík M, Mibu K, De Moor P, Pari P P, Rotter M, Severijns N, Shinjo T, Van Geert A and Vanneste L: Evidence for Perpendicular Magnetic Anisotropy of Tb in Tb/Fe Multilayers, *J.Phys.: Condens. Matter*, **8**, 8907-8913(1996).

Kobayashi Y, Aoki Y, Sato H, Ono T and Shinjo T: Hall Effect and Thermoelectric Power in Multilayers Prepared on Microstructured Substrate, *J.Phys.Soc.Jpn.*, **65**, 1910-1913(1996).

Ono T, Shugita Y and Shinjo T: Magnetization Relaxation in Multilayer Wire Arrays Observed by GMR Effect, *J.Phys.Soc.Jpn.*, **65**, 3021-3024(1996).

Shinjo T: Recent Progress in Preparation of Metallic Multilayers, *Materia*, **35**, 190-195(1996) (in Japanese).

Nagahama N, Mibu K and Shinjo T: Spring Magnetization Process of Hard-Magnetic/Soft-Magnetic Bilayers, *Nippon Oyo Jiki Gakkaishi*, **20**, 389-392(1996) (in Japanese).

Ono T, Sugita Y and Shinjo T: GMR Effect of Multilayers Prepared on Microstructured Substrates, *Nippon Oyo Jiki Gakkaishi*, **20**, 397-400(1996) (in Japanese).

Shinjo T: Magnetic Structure and Magnetoresistance of Metallic Multilayers, *Thin Solid Films*, **281-282**, 469-473(1996).

II. Artificial Lattice Compounds

Kusano Y, Kikuchi T, Takada J, Ikeda Y, Takano M and Bando Y: Phases and their Relations in the BaO(BaCO₃)-CaO-CuO System. *Funtai oyobi Funmatsu Yakin* **43**, 157-161 (1996) (in Japanese).

Kikuchi T, Kusano Y, Takada J, Ikeda Y, Takano M

and Bando Y: Phases and their Relations in the YO_{1.5}-BaO(BaCO₃)-SrO-CuO System. *Funtai oyobi Funmatsu Yakin* **43**, 162-167 (1996) (in Japanese).

Kiyama T, Yoshimura K, Kosuge K, Ikeda Y and Bando Y: Invar Effect of SrRuO₃: Itinerant Electron Magnetism of Ru 4d electrons. *Phys. Rev. B* **54**, R756-R759 (1996).

Kiyama T, Yoshimura K, Kosuge K, Ikeda Y and Bando Y: Itinerant Electron Magnetism of (Sr-Ca)RuO₃ System -Invar Effect-. *Funtai oyobi Funmatsu Yakin* **43**, 1090-1094 (1996) (in Japanese).

Takada J, Ikeda Y and Takano M: Phases and their Relationships in the Bi-Pb-Sr-Ca-Cu-O System. Bismuth-Based High-Temperature Superconductors, *Applied Physics* (ed. Maeda H and Togano K), Marcel Dekker, Inc., New York **6**, 93-128 (1996).

Terashima T, Komai E, Nakazawa K, Bando Y, Kawahara T and Suzuki T: Electric Field Effects in YBa₂Cu₃O_{7-x} Ultrathin Films. *Proceedings of the Seventh US-Japan Workshop on High-T_c Superconductors, Oct. 24-25, 1995, Tsukuba, Japan* (ed. Tachikawa K, Kitazawa K, Togano K and Muromachi E), 184-187 (1996).

Kawahara T, Suzuki T, Komai E, Nakazawa K, Terashima T and Bando Y: Electric-Field Effect on Transport and Superconducting Properties of YBa₂Cu₃O_{7-x}. *Physica C* **266**, 149-156 (1996).

Tsuchiya Y, Kosuge K, Ikeda Y, Shigematsu T, Yamaguchi S and Nakayama N: Non-Stoichiometry and Antiferromagnetic Phase Transition of NaCl-Type CrN Thin Films Prepared by Reactive Sputtering. *Materials Transactions, JIM* **37**, 121-129 (1996).

III. Multicomponent Materials

Kawasaki S, Takano M and Takeda Y: Ferromagnetic Properties of AFe_{1-x}Co_xO₃ (A=Sr, Ca). *Funtai oyobi Funmatsu Yakin* **43**, 1001-1006 (1996) (in Japanese).

Kikuchi T, Kusano Y, Takada J, Ikeda Y, Takano M and Bando Y: Phases and their Relations in the YO_{1.5}-BaO(BaCO₃)-SrO-CuO System. *Funtai oyobi Funmatsu Yakin* **43**, 162-167 (1996) (in Japanese).

Takeda Y, Okazoe C, Imanishi N, Yamamoto O, Takano M and Kanno R: Electrochemical Oxidation of Ca_{1-x}Sr_xFeO_{3-z} and SrFe_{1-x}Co_xO_{3-z} Systems. *Funtai oyobi Funmatsu Yakin* **43**, 1095-1098 (1996) (in Japanese).

Nishiyama M, Tanaka N, Maegawa S, Oyamada A and Takano M: Magnetic Properties of Kagomé Lattice Antiferromagnets, $R\text{Fe}_3(\text{OH})_6(\text{SO}_4)_2$ [$R=\text{NH}_4$, Na]. *Proceedings of the 21st International Conference on Low Temperature Physics, Aug. 8-14, 1996*, 2053-2054 (1996).

Kusano Y, Kikuchi T, Takada J, Ikeda Y, Takano M and Bando Y: Phases and their Relations in the BaO(BaCO₃)-CaO-CuO System. *Funtai oyobi Funmatsu Yakin* **43**, 157-161 (1996) (in Japanese).

Chmaissem O, Jorgensen J D, Yamaura K, Hiroi Z, Takano M, Shimoyama J and Kishio K: Crystal Structures of Hg-Sr-Ca-Cu-O Superconductors with

- Enhanced Flux Pinning: $Hg_{1-x}Re_xSr_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ ($n=2,3$; $x\approx 0.2-0.25$). *Phys. Rev. B* **53**, 14647-14655 (1996).
- Okazoe C, Takeda Y, Imanishi N, Yamamoto O, Takano M and Kanno R: Oxygen Doping in $SrFe_{1-x}Co_xO_3$ Perovskite Oxides by the Electrochemical Method. *Solid State Ionics* **86-88**, 1431-1435 (1996).
- Maegawa S, Nishiyama M, Tanaka N, Oyamada A and Takano M: Observation of Successive Phase Transitions in Kagomé Lattice Antiferromagnets $RFe_3(OH)_6(SO_4)_2$ [$R=NH_4$, Na, K]. *J. Phys. Soc. Jpn.* **65**, 2776-2778 (1996).
- Hiroi Z, Kobayashi N and Takano M: Synthesis, Structure, and Superconductivity of $Ca_{2-x}Na_xCuO_2Cl_2$. *Physica C* **266**, 191-202 (1996).
- Saitoh T, Mizokawa T, Fujimori A, Takeda Y and Takano M: Electronic Structure and Magnetism in Valence-Control $La_{1-x}Sr_xCoO_3$. *J. Electron Spectroscopy and Related Phenomena* **78**, 195-198 (1996).
- Takada J, Ikeda Y and Takano M: Phases and their Relationships in the Bi-Pb-Sr-Ca-Cu-O System. *Bismuth-Based High-Temperature Superconductors, Applied Physics* (ed. Maeda H and Togano K), Marcel Dekker, Inc., New York **6** 93-128 (1996).
- Hiroi Z, Shimoyama J and Kishio K: Microscopic Segregation in Intergrowth Layers of $(Hg, Re)Ba_2Ca_{n-1}Cu_nO_y$. *Physica C* **257**, 210-216 (1996).
- Hiroi Z: New Cu Oxide Quantum Spin Ladder Compound $La_{1-x}Sr_xCuO_{2.5}$. *Kotai Butsuri* **31**, 131-136 (1996) (in Japanese).
- Ishida K, Kitaoka Y, Tokunaga Y, Matsumoto S, Asayama K, Azuma M, Hiroi Z and Takano M: Spin Correlation and Spin Gap in Quasi-One-Dimensional Spin-1/2 Cuprate Oxides: A ^{63}Cu NMR Study. *Phys. Rev. B* **53**, 2827-2834 (1996).
- Sarma D D, Shanthi N, Krishnakumar S R, Saitoh T, Mizokawa T, Sekiyama A, Kobayashi K, Fujimori A, Weschke E, Meier R, Kaindl G, Takeda Y and Takano M: Temperature-Dependent Photoemission Spectral Weight in $La_{0.6}Sr_{0.4}MnO_3$. *Phys. Rev. B* **53**, 6873-6876 (1996).
- Kawasaki S, Takano M and Takeda Y: Ferromagnetic Properties of $SrFe_{1-x}Co_xO_3$ Synthesized under High Pressure. *J. Solid State Chem.* **121**, 174-180 (1996).
- Ishida K, Tokunaga Y, Kitaoka Y, Asayama K, Azuma M, Hiroi Z and Takano M: Antiferromagnetic Nuclear Resonance of Cu in Infinite-Layer Compounds, $SrCuO_2$ and $Ca_{0.9}Sr_{0.1}CuO_2$ -Comparison between Hyperfine Coupling Constant in a CuO_2 Plane and in a Spin-Ladder System-. *J. Phys. Soc. Jpn.* **65**, 329-330 (1996).
- Eccleston R S, Azuma M and Takano M: Neutron Scattering and Susceptibility Study of Spin Chains and Spin Ladders in $(Sr_{0.8}Ca_{0.2})_{14}Cu_{24}O_{41}$. *Phys. Rev. B* **53**, R14721-R14724 (1996).
- Takano M: Spin Ladder Compounds. *Physica C* **263**, 468-474 (1996).
- Hiroi Z: $La_{1-x}Sr_xCuO_{2.5}$ as a Doped Spin-Ladder Compound. *J. Solid State Chem.* **123**, 223-235 (1996).
- Oka Y, Yao T, Yamamoto N, Ueda Y, Kawasaki S, Azuma M and Takano M: Hydrothermal Synthesis, Crystal Structure, and Magnetic Properties of $FeVO^4II$. *J. Solid State Chem.* **123**, 54-59 (1996).
- Matsumoto S, Kitaoka Y, Ishida K, Asayama K, Hiroi Z, Kobayashi N and Takano M: Competition between the Singlet-Spin Liquid State and the Magnetic Ground State in a Two-Chain Spin-1/2 Antiferromagnetic Ladder Compound $LaCuO^{2.5}$: A ^{63}Cu NMR Study. *Phys. Rev. B* **53**, R11942-R11945 (1996).
- Kishio K, Shimoyama J, Yamaura K, Hiroi Z, Takano M, Chmaissem O and Jorgensen J D: Chemical Stabilization and Flux Pinning in Hg-Based Superconductors. *Advances in Superconductivity VIII: Proceedigns of the 8th International Symposium on Superconductivity (ISS'95), Oct. 30-Nov. 2, 1995, Hamamatsu, Japan* (ed. Hayakawa H and Enomoto Y), Springer-Verlag Tokyo, Hong Kong, 279-284 (1996).
- #### IV. Amorphous Materials
- Zhao G, Kozuka H and Yoko T: Photoelectrochemical Properties of Dye-Sensitized TiO_2 Films Containing Dispersed Gold Metal Particles Prepared by Sol-Gel Method. *J. Ceram. Soc. Jpn.*, **104**, 164-168 (1996).
- Ohyama M, Kozuka H, Yoko T and Sakka S: Preparation of ZnO Films with Preferential Orientation by Sol-Gel Method. *J. Ceram. Soc. Jpn.*, **104**, 296-300 (1996).
- Sakai H, Jin JS and Yoko T: The Local Structure of Antimony Ions in Silicate Glasses, *NEW GLASS*, **11**, 27-34 (1996) (in Japanese).
- Jin JS, Kozuka H, Yoko T, and Fukunaga T : Structure of Y-Ba-Si-O-N Glasses by Neutron Diffraction, *phys. stat. sol. (b)*, **193**, 295-306 (1996).
- Terashima K, Kim SH and Yoko T: Nonlinear Optical Properties of B_2O_3 -Based Glasses: Binay $Ag_2O-B_2O_3$ and Ternary $AgX-Ag_2O-B_2O_3$ ($X=Cl$, Br and I) Glasses, *Phys. Chem. Glasses*, **37**, 129-33 (1996).
- Fujihara S, Kozuka H, and Yoko T: Superconducting Properties of the Li-Substituted $YBa_2Cu_4O_8$ Prepared by the Sol-Gel Method, *J. Mater. Sci.*, **31**, 2975-79 (1996).
- Hashimoto T and Yoko T: Phase-Matching of Rutile Single Crystal, *Appl. Phys. Lett.*, **68**, 2478-79 (1996).
- Monde T, Kamiusuki T, Nakayama N, Nemoto F, Yoko T and Konakahara T: Thermal Decomposition of Branched-Polyfluoroalkylsilane Coated on Silica-Gels, *J. Ceram. Soc. Jpn.*, **104**, 682-684 (1996).
- Innocenzi P, Kozuka H and Yoko T: Dimer-to-Monomer Transformation of Rhodamine 6G in Sol-Gel Silica Films, *J. Non-Cryst. Solids*, **201**, 26-36 (1996).
- Uchino T and Yoko T: Low Frequency Raman Scattering and Fast Relaxation Process in Glycerol, *Science*, **273**, 480-483 (1996).
- Miyaji F, Fujimine S, Yoko T and Sakka S: Electrical

Properties of Nonconventional Bi-R-Cu-O (R = Ca, Sr, Ba) Glasses, *J. Am. Ceram. Soc.*, **79**, 1815-20 (1996).

Zhao G, Kozuka H and Yoko T: Photoelectrochemical Properties of Metal Particle Doped TiO₂ Films Prepared by Sol-Gel Method, *Thin Solid Films*, **277**, 147-154 (1996).

Uchino T and Yoko T: Ab Initio Cluster Model Calculations on the Boson Peak Frequencies of B₂O₃ Glass, *J. Chem. Phys.*, **105**, 4140-4151 (1996).

Hashimoto T, Yamada T and Yoko T: Third-Order Nonlinear Optical Properties of Sol-Gel Derived α -Fe₂O₃, γ -Fe₂O₃ and Fe₃O₄ Thin Films, *J. Appl. Phys.* **80**, 3184-90 (1996).

Terashima K, Hashimoto T, Uchino T, Kim SH and Yoko T: Structure and Nonlinear Optical Properties of Sb₂O₃-B₂O₃ Binary Glasses, *J. Ceram. Soc. Jpn.*, **104**, 1008-14 (1996).

Yoko T, Hu LL, Kozuka H and Sakka S: Photoelectrochemical Properties of TiO₂ Coating Films Prepared Using Different Solvents by Sol-Gel Method, *Thin Solid Films*, **283**, 188-196 (1996).

Yoko T: Preparation and Characterization of Ceramic Coating Films by Sol-Gel Method, *New Ceramics*, **9**, 39-46 (1996) (in Japanese).

Hashimoto T and Yoko T: Sol-Gel Preparation and Nonlinear Optical Properties of Transition Metal Oxide Thin Films, *Mater. Trans., JIM*, **37**, 435-441 (1996).

Yoko T: Nonlinear Optical Inorganic Materials, *ELECTRONICS COMMUNICATIONS*, No. **11**, 2-7 (1996) (in Japanese).

Uchino T and Yoko T: Ab Initio Cluster Model Calculations on the Vibrational Frequencies of TeO₂ Glass, *J. Non-Cryst. Solids*, **204**, 243-252 (1996).

Lin H, Seo WS, Kuwabara K, Di GQ, Uchiyama S and Koumoto K: Vapor-Growth of Bismuth on Oriented Organic Films, *J. Surf. Sci. Soc. Jpn.*, **17(1)**, 31-37 (1996).

Lin H, Seo WS, Kuwabara K and Koumoto K: Crystallization of Hydroxyapatite under Langmuir Monolayers, *J. Ceram. Soc. Japan*, **104(4)**, 291-295 (1996).

Di GQ, Lin H, Uchida N, Kurata Y, Koumoto K and Hasegawa S: Preparation of Three-Dimensionally Oriented Polycrystalline Si Film, *Appl. Phys. Lett.*, **68(1)**, 69-71 (1996).

Lin H, Ando H, Seo WS, Kuwabara K and Koumoto K: Two-Dimensionally Oriented Organic Molecules as a Substrate for Vapor-Growth of Zinc Thin Films, *Thin Solid Films*, **281-282**, 521-524 (1996).

Lin H, Yanagi T, Seo WS, Kuwabara K and Koumoto K: Crystal Growth of Hydroxyapatite under Two-Dimensionally Oriented Organic Films, *Bioceramics*, **9**, 371-374 (1996).

FUNDAMENTAL MATERIAL PROPERTIES

I. Molecular Rheology

Osaki K, Watanabe H, and Inoue T: Damping Function of the Shear Relaxation Modulus and the Chain Retraction Process of Entangled Polymers, *Macromolecules*, **29**, 3611-3614 (1996).

Watanabe H, Yao ML, and Osaki K: Comparison of Dielectric and Viscoelastic Behavior of Polyisoprene Solutions: Coherence in Subchain Motion, *Macromolecules*, **29**, 97-103 (1996).

Watanabe H, Sato T, and Osaki K: Viscoelastic Relaxation of Styrene-Butadiene Diblock Copolymer Micellar Systems. 1. Behavior in a Nonentangling, Short Polybutadiene Matrix, *Macromolecules*, **29**, 104-112 (1996).

Watanabe H, Sato T, and Osaki K: Viscoelastic Relaxation of Styrene-Butadiene Diblock Copolymer Micellar Systems. 2. Behavior in Entangling, Long Polybutadiene Matrices", *Macromolecules*, **29**, 113-118 (1996).

Watanabe H, Urakawa O, Yamada H, and Yao ML: Dielectric Relaxation of cis-Polyisoprene Chains in Oligo- and Polybutadiene Matrices: Matrix Effects on Mode Distribution and Relaxation Time, *Macromolecules*, **29**, 755-763 (1996).

Balsara NP, Dai HJ, Watanabe H, Sato T, and Osaki K: Influence of Defect Density on the Rheology of Ordered Block Copolymers, *Macromolecules*, **29**, 3507-3510 (1996).

Sato T, Watanabe H, Osaki K, and Yao ML: Relaxation of Spherical Micellar Systems of Styrene-Isoprene Diblock Copolymers. 1. Linear Viscoelastic and Dielectric Behavior", *Macromolecules*, **29**, 3881-3889 (1996).

Watanabe H, Sato T, Osaki K, and Yao ML: Relaxation of Spherical Micellar Systems of Styrene-Isoprene Diblock Copolymers. 2. Nonlinear Stress Relaxation Behavior", *Macromolecules*, **29**, 3890-3897 (1996).

Sato T, Watanabe H, and Osaki K: Rheological and Dielectric Behavior of a Styrene-Isoprene-Styrene Triblock Copolymer in n-Tetradecane: 1. Rubbery-Plastic-Viscous Transition, *Macromolecules*, **29**, 6231-6239 (1996).

Watanabe H, Yao ML, Yamagishi A, Osaki K, Shikata T, Niwa H, and Morishima Y: Nonlinear Rheological Behavior of a Concentrated Spherical Silica Suspension, *Rheol. Acta.*, **35**, 433-445 (1996).

Inoue T and Osaki K: Role of polymer chain flexibility on the viscoelasticity around the glass transition zone, *Macromolecules*, **29**, 1595-1599 (1996).

Inoue T, Okamoto H, Mizukami Y, Matsui H, Watanabe H, Kanaya T and Osaki K: Dynamic birefringence of vinyl polymers, *Macromolecules*, **29**, 6240-6245 (1996).

Inoue T and Osaki K: Viscoelastic properties and bire-

fringence of amorphous polymers around the glass transition region, *Kobunshi Ronbunshu*, **53**, 602-603 (1996) (in Japanese).

Inoue T and Osaki K: On the Strain-Induced Birefringence of Glassy Polymers, *Polymer J.*, **28**, 76-79 (1996).

Inoue T and Osaki K: Viscoelastic properties of amorphous polymers, *Koubunshi Kakou*, **46**, 50-56 (1996) (in Japanese).

Ryu T, Inoue T and Osaki K: A Simple Evaluation Method of Stress-Optical Coefficeint of Polymers, *Nihon Reoroji Gakkaishi*, **24**, 129-132 (1996).

Ediger M D, Inoue T, Cicerone M T and Blackburn F R: Probe Rotation near and below The Glass Transition Temperature, Relationship to Viscoelasticity and Physical Aging: *Macromol. Symp.*, **101**, 139 (1996).

II. Polymer Materials Science

Kanaya T, Kawaguchi T and Kaji K: Fast Process of Amorphous Polystyrene below and above the Glass Transition Temperature Tg as Studied by Quasielastic Neutron Scattering, *J. Chem. Phys.*, **104**, 3841-3850 (1996).

Nagano K, Kanaya T, Fukunaga T and Mizutani U: Amorphization of PVA Powder by Mechanical Milling, *Funtai and Funmatsuyakin*, **43**, 726-730 (1996) (in Japanese).

Yamamoto O, Matsuo T, Takeda K, Kanaya T, Kawaguchi T and Kaji K: Inelastic Neutron Scattering Study of Low-energy Excitations in Glassy 1-Butene, *J. Chem. Phys.*, **105**, 732-737 (1996).

Zorn R, Kanaya T, Kawaguchi T, Richter D and Kaji K: Infuence of the Microstructure in the Incoherent Neutron Scattering of Glass-forming Polybutadienes, *J. Chem. Phys.*, **105**, 1189-1197 (1996).

Kanaya T, Imai M and Kaji K: Low-energy Excitation of Amorphous and Semicrystalline Poly(ethylene terephthalate), *Physica*, **B226**, 82-85 (1996).

Kanaya T, Kawaguchi T and Kaji K: Microscopic View of Glass Transition Dynamics. A Quasielastic Neutron Scattering Study on trans-1,4-Polychloroprene, *J. Chem. Phys.*, **105**, 4342-4349 (1996).

Kanaya T, Miyakawa M, Kawaguchi T and Kaji K: Annealing Effects on Low-energy Excitation of Amorphous Poly(methyl methacrylate), *Non Equilibrium Phenomena in Supercooled Fluids, Glasses and Amorphous Materials*, edited by Giordano M, Leporini D and Tosi M P (World Scientific, Singapore, 1996), p.301-302.

Fukunaga T, Nagano K, Kanaya T and Mizutani U: Formation of Amorphous Poly(vinyl alcohol) by Means of Mechanical Milling, *Kobunshi-Ronbunshu*, **53**, 665-669 (1996) (in Japanese)

Kanaya T and Kaji K: Microscopic View of Dynamics of Polymer Glasses and Glass Transition, *Kobunshi-Ronbunshu*, **53**, 648-659 (1996) (in Japanese).

Sakai Y, Imai M, Kaji K and Tsuji M: Growth Shape Observed in Two-dimensional Poly (ethylene terephthalate) Spherulites, *Macromolecules*, **29**, 8830-8834 (1996)

III. Molecular Motion Analysis

Horii F, Hu S, Deguchi K, Sugisawa H, Ohgi H and Sato T: ^1H CRAMPS Spectra of Poly(vinyl alcohol) Films with Different Tacticities, *Macromolecules*, **29**, 3330-3331 (1996).

Ishida M, Yoshinaga K and Horii F: Solid-State ^{13}C NMR Analyses of the Microphase-Separated Structure of Polyurethane Elastomer, *Macromolecules*, **29**, 8824-8829 (1996).

Egawa Y, Imanishi S, Matsumoto A and Horii F: Solid-State ^{13}C NMR Study on Miscibility of Polyoxyethylene/terpenepheno Blends, *Polymer*, **37**, 5569-5575 (1996).

Yamamoto H, Horii F and Hirai A: *In Situ* Crystallization of Bacterial Cellulose. II. Influences of Different Polymeric Additives on the Formation of Celluloses I_α and I_β at the Early Stage of Incubation, *Cellulose*, **3**, 229-242 (1996).

Horii F: Orientation of Polymers as Revealed by Multi-Dimentional Solid-State NMR, *Koubunshi*, **45**, 856-856 (1996) (in Japanese).

Nonaka Y and Horii F: Development of Speaker Cones Using Tunicate Cellulose, *Cellulose Commun.* **3**, 41-44 (1996) (in Japanese).

Horii F, Kaji H, Ishida H, Kuwabara K and Masuda K: Solid-State NMR Analyses of Structure and Dynamics of Polymers in the Difference States, *Proc. Soc. Solid-State NMR Mat.*, **20**, 21-25 (1996).

Tsunashima Y: Dilute Solution Properties of Functional Polysaccharides, *Cellulose Commun.* **3**, 13-17 (1996) (in Japanese).

Tsunashima Y: Block Copolymer Micelles in Solution, *Koubunshi*, **45**, 482-486 (1996) (in Japanese).

Tsunashima Y, Hashimoto T and Nakano T: First and Second Concentration-Dependent Coefficients of Translational Diffusion and Sedimentation for Poly(α -methylstyrene) in a Good Solvent, *Macromolecules*, **29**, 3475-3484 (1996).

ORGANIC MATERIALS CHEMISTRY

I. Polymeric Materials

Ide N, Fukuda T and Miyamoto T: Gelation of Fully Acylated Cellobiose in n-Alkane Solution, *Bull. Chem. Soc. Jpn.*, **68**, 3423-3428 (1995).

Bedekar B A, Tsujii Y, Ide N, Kita Y, Fukuda T and Miyamoto T: Dielectric Relaxation of Cyanoethylated Poly(2,3-dihydroxypropyl methacrylate), *Polymer*, **36**, 4735-4740 (1995).

Miyamoto T: Future Development of Cellulose Chem-

- istry and Technology, *Ann. High Performance Paper Soc., Jpn.*, **34**, 2-7 (1995) (in Japanese).
- Fukuda T, Fujimoto K, Tsujii Y and Miyamoto T: Orientation-Dependent Interactions in Polymer Systems. 6. Effect of Segmental Orientation on Polymer Miscibility, *Macromolecules*, **29**, 3300-3302 (1996).
- Fukuda T, Fujimoto K, Murakami M M, Kawabata K and Miyamoto T: Orientation-Dependent Interactions in Polymer Systems: Segmental Orientation, Miscibility and Self-organization, *Macromol. Symp.*, **101**, 147-155 (1996).
- Ide N, Tsujii Y, Fukuda T and Miyamoto T: Gelation Processes of Polymer Solutions. 1. Photodimerization of Free and Polymer-Bound Anthryl Groups, *Macromolecules*, **29**, 3851-3856 (1996).
- Fukuda T and Terauchi T: Mechanism of "Living" Radical Polymerization Mediated by Stable Nitroxyl Radicals, *Chem. Lett.*, 293-294 (1996).
- Fukuda T, Terauchi T, Goto A, Tsujii Y and Miyamoto T: Well-Defined Block Copolymers Comprising Styrene-Acrylonitrile Random Copolymer Sequences Synthesized by "Living" Radical Polymerization, *Macromolecules*, **29**, 3050-3052 (1996).
- Fukuda T, Terauchi T, Goto A, Ohno K, Tsujii Y and Miyamoto T: Mechanisms and Kinetics of Nitroxide-Controlled Free Radical Polymerization, *Macromolecules*, **29**, 6393-6398 (1996).
- Yamamoto S, Tsujii Y, Yamada K, Fukuda T and Miyamoto T: Langmuir-Blodgett Films of A Glucose Residue-Carrying Amphiphilic Block Copolymer Studied by Surface Plasmons and Transmission Electron Microscopy, *Langmuir*, **12**, 3671-3674 (1996).
- Okamura H, Minoda M, Komatsu K and Miyamoto T: Synthesis of Disubstituted Dihydro[60]fullerenes with Well-defined Structure by Addition of 1-Alkoxy-1-chloroethane to 2-(1-Octynyl)-1,2-dihydro[60]fulleren-1-ide Ion, *J. Org. Chem.*, **61**, 8500-8502 (1996).
- Matsui M, Murase Y, Ohwaki S, Iohara K and Miyamoto T: Ultra-High Speed Spinning of Poly(ethylene 2,6-naphthalenedicarboxylate) (PEN), *Koubunshi Ronbunshu*, **53**, 294-301 (1996) (in Japanese).
- Gilbert R D, Buback M, Fukuda T et al.: Critically-Evaluated Propagation Rate Coefficients in Free Radical Polymerizations I. Styrene and Methyl Methacrylate, *Pure Appl. Chem.*, **68**, 1491-1494 (1996).
- Matsumoto M, Tsujii Y, Nakamura K and Yoshimoto T: A Trough with Radical compression for Studies of Monolayers and Fabrication of Langmuir-Blodgett Films: *Thin Solid Films*, **280**, 238-243 (1996).
- Miyamoto T and Yamada K: Synthesis of Glycopolymers and Their Application to Biofunctional Materials, *Kobunshi*, **45**, 553-557 (1996) (in Japanese).
- Miyamoto T, Nishimura H, Long M and Donkai N: Synthesis of New Types of Temperature-Responsive Cellulose Derivatives, *Kasen-Kouenshu*, **53**, 31-42 (1996) (in Japanese).
- Fukuda T: Molecular Properties versus Thermotropicity in Cellulose Derivatives, *Cell. Commun.*, **3**, 23-26 (1996) (in Japanese).
- Mizutani C, Tsujii Y and Fukuda T: Effect of Fiber Structure on Heat of Wetting of Cotton and Regenerated Cellulose Fibers for Sports Underwear, *Descente Sports Science*, **17**, 77-86 (1996).
- Fukuda T, Tsujii Y and Miyamoto T: Applications of Nitroxide-Controlled Free Radical Polymerization to Synthesis of New Polymer Materials, *Proceedings of ICRIS'96*, 142-146 (1996).
- Tsujii Y, Minoda M, Fukuda T and Miyamoto T: Synthesis and Interfacial Properties of Amphiphilic Block Copolymer with Pendant Glucose Residues, *Proceedings of ICRIS'96*, 147-150 (1996).
- Kokubo T, Miyaji F, Minoda M and Miyamoto T: Apatite Formation on Organic Polymers, *Proceedings of ICRIS'96*, 151-154 (1996).
- ## II. High-Pressure Organic Chemistry
- Kaneta N, Mitamura F, Uemura M, Murata Y and Komatsu K: Electronic Interaction of Tricarbonylchromium-Complexed Benzene with a Facing Aryl Ring in the 1,8-Diarylphthalene System, *Tetrahedron Lett.*, **37**, 5385-5388 (1996).
- Komatsu K, Takimoto N, Murata Y, Wan T S M and Wong T: Synthesis and Properties of Dialkyl Derivatives of Di[60]fullerenylbutadiene and Di[60]fullerenylacetylene: the Buckydumbbells, *Tetrahedron Lett.*, **37**, 6153-6156 (1996).
- Murata Y, Komatsu K and Wan T S M: The Reaction of [60]Fullerene with Lithium Fluorenone: Formation of a Novel 1,4-Adduct of [60]Fullerene, *Tetrahedron Lett.*, **37**, 7061-7064 (1996).
- Murata Y, Motoyama K, Komatsu K and Wan T S M: Synthesis, Properties, and Reactions of a Stable Carbanion Derived from Alkynyldihydrofullerene: 1-Octynyl-C₆₀ Carbanion, *Tetrahedron*, **52**, 5077-5090 (1996).
- Komatsu K, Murata Y, Wang G-W and Wan T S M: Novel Nucleophilic Addition Reactions Leading to New Derivatives of Fullerene C₆₀: *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, **3**, 1200-1211 (1996).
- Wang G-W, Murata Y, Komatsu K and Wan T S M: The Solid-Phase Reaction of [60]Fullerene: Novel Addition of Organozinc Reagents, *Chem. Commun.*, 2059-2060 (1996).
- Okamura H, Murata Y, Minoda M, Komatsu K, Miyamoto T and Wan T S M: Synthesis of Disubstituted 1,2-Dihydro[60]fullerenes with Well-Defined Structure by Addition of 1-Alkoxy-1-chloroethanes to 2-(1-Octynyl)-1,2-dihydro[60]fulleren-1-ide Ion, *J. Org. Chem.*, **61**, 8500-8502 (1996).
- Komatsu K: Synthesis and Properties of Cyclic π-Conjugated Hydrocarbons Surrounded by Rigid p-Frameworks the Effects of C-C Hyperconjugation, *J. Synth. Chem. Jpn.*, **54**, 868-878 (1996).

Kudo K, Oida Y, Mitsuhashi K, Mori S, Komatsu K and Sugita N: Hydrocarbonylation of Enol Esters Catalyzed by a Palladium(II) Complex, *Bull. Chem. Soc. Jpn.*, **69**, 1337-1345 (1996).

Prassides K, Keshavarz-K M, Hummelen J C, Andreoni W, Giannozzi P, Beer E, Bellavia C, Cristofolini L, Gonzalez R, Lappas A, Murata Y, Malecki M, Srdanov V and Wudl F: Isolation, Structure, and Electronic Calculations of the Heterofullerene Salt $K_6C_{59}N$, *Science*, **271**, 1833-1835 (1996).

Komatsu K, Yoshida Z: Cyclopropenylum Salts, In *Houben-Weyl, Methods of Organic Chemistry*, G. Thieme Verlag, Stuttgart, **E17d**, 3079-3192 (1996).

SYNTHETIC ORGANIC CHEMISTRY

I. Synthetic Design

Tamao K, Nakamura K, Ishii H, Yamaguchi S, Shiro M: Axially Chiral Spirosilanes via Catalytic Asymmetric Intramolecular Hydrosilation, *J. Am. Chem. Soc.*, **118**, 12469-12470 (1996).

Tamao K, Nakamura K, Yamaguchi S, Shiro M, Saito S: New Chiral Diphosphines, 2,3-Bis(siloxy)-1,4-bis(diphenylphosphino)butanes and Their Cationic Rh(I) Complexes: Synthesis and Structures, *Chem. Lett.*, 1007-1008 (1996).

Tamao K, Uchida M, Izumizawa T, Furukawa K, Yamaguchi S: Silole Derivatives as Efficient Electron Transporting Materials, *J. Am. Chem. Soc.*, **118**, 11974-11975 (1996).

Kawachi A, Tamao K: The Different Modes of Reaction of Monoalkoxy- and Dialkoxy-phenylchlorosilanes with Lithium Metal: Selective Formation of [2-(Alkoxy)disilanyl]lithium vs (Dialkoxy)silyl)lithium, *Organometallics*, **15**, 4653-4656 (1996).

Yamaguchi S, Tamao K: Theoretical Study on the Electronic Structure of 2,2'-Bisilole in Comparison with 1,1'-Bicyclopentadiene: σ^* - π^* Conjugation and Low-Lying LUMO as the Origin of Unusual Optical Properties of 3,3',4,4'-Tetraphenyl-2,2'-bisilole, *Bull. Chem. Soc. Jpn.*, **69**, 2327-2334 (1996).

Tamao K, Asahara M, Kawachi A: The Differing Modes of Reaction of 1-(8-Dimethylamino-1-naphthyl)-1-hydrodisilane and 1-(1-naphthyl)-1-hydrodisilane in nickel-catalyzed reactions with acetylene: Formation of a Pseudo-Pentacoordinate Silole via Si-Si Bond Cleavage vs. Hydrosilation without Si-Si Bond Cleavage, *J. Organomet. Chem. (Corruu issue)*, **521**, 325-334 (1996).

Tamao K, Ohno S, Yamaguchi S: Silole-Pyrrole Cooligomers: Synthesis, Structure, and UV-vis Absorption Spectra, *Chem. Commun.* 1873-1874 (1996).

Toshimitsu A, Hirosawa C, Tamao K: Chiral Friedel-Crafts Alkylation of Aromatic Compounds Using Chiral Episulfonium Ions as Carbon Electrophiles, *Synlett*, 465-467 (1996).

Yamaguchi S, Tamao K: Synthesis, Structure, and

Absorption Spectra of the Well-Defined 1,1'-Bicyclopentadiene Derivatives, *Tetrahedron Lett.*, **37**, 2983-2986 (1996).

Tamao K, Kawachi A, Tanaka Y, Ohtani H, Ito Y: Synthetic Applications of Functionalized Silyl Anions: Aminosilyl Anions as Hydroxy Anion Equivalent, *Tetrahedron*, **52**, 5765-5772 (1996).

Toshimitsu A, Nakano K, Mukai T, Tamao K: Steric Protection of the Selenium Atom of Episelenonium Ion Intermediate to Prevent both the Racemization of the Chiral Carbon and the Selenophilic Attack of Carbon Nucleophiles, *J. Am. Chem. Soc.*, **118**, 2756-2757 (1996).

Tamao K, Hayashi T, Ito Y: Anion Complexation by Bidentate Lewis Acidic Hosts, ortho-Bis(fluorosilyl)benzenes, *J. Organomet. Chem.*, **506**, 85-91 (1996).

Tamao K, Yamaguchi S: Regio-Controlled Intramolecular Reductive Cyclization of Diynes, *Pure & Appl. Chem.*, **68**, 139-144 (1996).

II. Fine Organic Synthesis

K. Tanaka, K. Otsubo, and K. Fuji: Tandem Michael-Horner-Wadsworth-Emmons Reaction of a,b-Unsaturated 2,6-Di-tert-butyl-4-methylphenyl Esters as a Convenient Method for the Preparation of d-Branched Allen Carboxylates, *Tetrahedron Lett.*, **36**, 9513-9514 (1995).

F. Tanaka, M. Node, K. Tanaka, M. Mizuch, S. Hosoi, M. Nakayama, T. Taga, and K. Fuji: 1,1'-Binaphthalene-2,2'-diol as a Chiral Auxiliary. Diastereoselective Alkylation of Binaphthyl Esters, Complex-Induced Proximity Effects in Enolate Formation, and One-Step Synthesis of an Optically Active b-Substituted Ketone, *J. Am. Chem. Soc.* **117**, 12159-12171 (1995).

K. Fuji, T. Kawabata, Y. Kiryu, and Y. Sugiura: Ring Opening of Optically Active cis-Disubstituted Aziridino Alcohols: An Enantiodivergent Synthesis of Functionalized Amino Alcohol Derivatives, *Heterocycles*, **42**, 701-722 (1996).

M. Node, H. Imazato, R. Kurosaki, Y. Kawano, T. Inoue, K. Nishide, and K. Fuji: Asymmetric Syntheses of (-)-Aphanorphine and (-)-Eptazocine, *Heterocycles*, **42**, 811-819 (1996).

H. Ikeda, K. Fuji, and K. Tanaka: Preparation, Characterization and DNA Photocleavage of Diazapyprene-Tethered Oligothymidylates, *Bioorg. Med. Chem. Lett.*, **6**, 101-104 (1996).

M. Node, X. J. Hao, K. Nishide, and K. Fuji: A Formal Asymmetric Synthesis of Calabar Bean Alkaloids, *Chem. Pharm. Bull.*, **44**, 715-719 (1996).

K. Tanaka, K. Otsubo, and K. Fuji: Enantioselective Preparation of Allenecarboxylates by Asymmetric Horner-Wadsworth-Emmons Reaction, *Tetrahedron Lett.*, **37**, 3735-3738 (1996).

T. Kawabata, A. Kuroda, E. Nakata, K. Takasu, and K. Fuji: Chiral Recognition of Amino Acid Derivatives by 1,1'-Binaphthalene-8,8'-diol, *Tetrahedron Lett.*, **37**, 4153-4156 (1996).

K. Fuji, K. Tanaka, K. Takasu, and T. Taga: Facile Synthesis of Optically Active *cis*-2,5-Diphenyl-1,4-Diazabicyclo [2.2.2] octane, *Tetrahedron: Asymmetry*, **7**, 1749-1751 (1996).

K. Tanaka, M. Ahn, Y. Watanabe, and K. Fuji: Asymmetric Synthesis of Uncommon α -Amino Acids by Diastereoselective Alkylation of a chiral Glycine Equivalent, *Tetrahedron: Asymmetry*, **7**, 1771-1782 (1996).

K. Fuji, M. Sakurai, N. Tohkai, A. Kuroda, T. Kawabata, Y. Fukazawa, T. Kinoshita, and T. Tada. Unexpectedly Facile Racemization of 8-Diphenylphosphinoyl-8'-methoxy-1,1'-binaphthyl, *Chem. Commun.*, 1609-1610 (1996).

K. Tanaka, K. Fuji, T.I Yokoi, T. Shingu, B. Li, and H. Sun, Structures of Taxchimins L and M, Two New Diterpenoids from *Taxus chinensis* var. *Mairei*, *Chem. Pharm. Bull.*, **49**, 1770-1774 (1996).

K. Tanaka, T. Furuta, K. Fuji, Y. Miwa, and T. Taga: Preparation and Absolute Configuration of Hexahydroxy and Octahydroxyquaternaphthalene Derivatives, *Tetrahedron: Asymmetry*, **7**, 2199-2002 (1996).

K. Fuji, K. Takasu, H. Miyamoto, K. Tanaka, and T. Taga: Polyaza Macrocycles Containing the Piperazine Ring as a Semi-Flexible Moiety, *Tetrahedron Lett.* **37**, 7111-7114 (1996).

K. Fuji, X. Yang, K. Tanaka, N. Asakawa, X. Hao: 1,1'-Binaphthalene-8,8'-diol as an Efficient Chiral Controller: High Enantioselective Lyntesis of Optically Active Ketones, *Tetrahedron Lett.*, **37**, 7373-7376 (1996).

BIOORGANIC CHEMISTRY

I. Bioorganic Reaction Theory

Okuma K, Koda G, Okumura S, Ohno A: Novel Reaction of Selenobenzophenones with Alkyllithiums Leading to Symmetrical Olefins. *Chem. Lett.*, 609-610 (1996).

Ohno A, Kunitomo J, Kawai Y, Kawamoto T, Tomishima M, Yoneda F: Atropisomeric Flavoenzyme Models with a Modified Pyrimidine Ring: Syntheses, Physical Properties and Stereochemistry in the Reactions with NAD(P)H Analogs. *J. Org. Chem.*, **61**, 9344-9355 (1996).

Ohno A, Tsutsumi A, Yamazaki N, Okamura M, Mikata Y, Fujii M: NAD(P)⁺-NAD(P)H Models. 87. Nonsteric Stereochemistry Controlled by a Carbonyl Dipole. *Bull. Chem. Soc. Jpn.*, **69**, 1679-1685 (1996).

Ohno A, Yamazaki N, Okamura M, Kawai Y, Tsutsumi A, Mikata Y, Fujii M: NAD(P)⁺-NAD(P)H Models. 86. Nonsteric Stereochemistry in Hydride-Transfer to Sulfinylpyridinium Ion. *Bull. Chem. Soc. Jpn.*, **69**, 1093-1098 (1996).

Tanaka K, Kitahara Y, Suzuki H, Osuga H, Kawai Y: Synthesis and Crystal Structure of Chiral Bifunctional Helicenes with π -Deficient Pyridine and π -Excessive Thiophene Units. *Tetrahedron Lett.*, **37**, 5295-5298 (1996).

Kawai Y, Kunitomo J, Ohno A: Geometrical Change of a Flavoenzyme Model through Hydrogen Bonding to the Pyrimidine Ring. *Tetrahedron Lett.*, **37**, 8905-8908 (1996).

Kawai Y, Saitou K, Hida K, Dao D H, Ohno A: Stereocchemical control in Microbial Reduction. XXVIII. Asymmetric Reduction of α,β -Unsaturated Ketones with Bakers' Yeast. *Bull. Chem. Soc. Jpn.*, **69**, 2633-2638 (1996).

Ogawa S, Ohmiya T, Kikuchi T, Kawai Y, Niizuma S, Sato R: Molecular Structure Determination and Studies on Chemical and Electrochemical Redox Reactions of a Cyclic Triselenide Compound, 4,7-Dimethoxybenzotriselenole. *Heterocycles*, **43**, 1843-1846 (1996).

Ogawa S, Nobuta S, Nakayama R, Kawai Y, Niizuma S, Sato R: Synthesis and Unique Packing Structure by X-Ray Analysis of New Types of Stable Trithioles Bound to Fused Aromatic Systems. *Chem Lett.*, 757-758 (1996).

Kinoshita M, Ohno A: Factors Influencing Enantioselectivity of Lipase-Catalyzed Hydrolysis. *Tetrahedron*, **52**, 5397-5406 (1996).

Yasui S, Shioji K, Tsujimoto M, Ohno A: An Intramolecular Arbuzov Rearrangement Initiated by Anodic Oxidation. *Tetrahedron Lett.*, **37**, 1625-1628 (1996).

Yasui S, Shioji K, Ohno A, Yoshihara M: Reaction of Diphenylphosphine Oxide with a 10-Methylacridinium Salt. Reversible Formation of a P-C Covalent Bond. *Heteroatom Chem.*, **6**, 475-480 (1995).

Yasui S, Shioji K, Ohno A: Dediazoniation of Arenediazonium Salts with Trivalent-Phosphorus Compounds. Tool for Examination of the Reactivity of Phosphorus-Centered Radicals. *Heteroatom Chem.*, **6**, 223-233 (1995).

Nakamura K, Kondo S, Kawai Y, Hida K, Kitano K, Ohno A: Enantio- and Regioselective Reduction of α -Diketones by Bakers' Yeast. *Tetrahedron: Asymm.*, **7**, 409-412 (1996).

Nakamura K, Kitano K, Matsuda T, Ohno A: Asymmetric Reduction of Ketones by Acetone Powder of *Geotrichum candidum*. *Tetrahedron Lett.*, **37**, 1629-1632 (1996).

Nakamura K, Kawasaki M, Ohno A: Lipase-Catalyzed Transesterification of Aryl-Substituted Alkanols in an Organic Solvent. *Bull. Chem. Soc. Jpn.*, **69**, 1079-1085 (1996).

Nakamura K, Matsuda T, Ohno A: Asymmetric Synthesis of (*S*)-Arylalkanols by Microbial Reduction. *Tetrahedron: Asymm.*, **7**, 3021-3024 (1996).

Nakamura K, Matsuda T, Itoh T, Ohno A: Different Stereochemistry for the Reduction of Trifluoromethyl Ketones and Methyl Ketones Catalyzed by Alcohol Dehydrogenase from *Geotrichum*. *Tetrahedron Lett.*, **37**, 5727-5730 (1996).

Ishihara K, Higashi Y, Nakajima N, Utaka M, Nakamura K: Enzymatic Production of (*S*)-1-acetoxy-2-Alkanol with Bakers' Yeast Cell-Free Extract in a

Membrane Reactor. *J. Ferment. Bioeng.*, **81**, 266-268 (1996).

Hamada H, Shiromoto M, Funahashi M, Itoh T, Nakamura K: Efficient Synthesis of Optically Pure 1,1,1-Tri-fluoro-2-alkanols through Lipase-catalyzed Acylation in Organic Media. *J. Org. Chem.*, **61**, 2332-2336 (1996).

Itoh T, Shiromoto M, Inoue H, Hamada H, Nakamura K: Simple Preparation of Optically Pure Bis(trifluoromethyl)alkanediol through Lipase-Catalyzed Reaction. *Tetrahedron Lett.*, **37**, 5001-5002 (1996).

Ishihara K, Kondo S, Nakamura K, Nakajima N: Protein Sequences of Two Keto Ester Reductases: Possible Identity as Hypothetical Proteins. *Biosci. Biotech. Biochem.*, **60**, 1538-1539 (1996).

II. Bioactive Chemistry

Fujita M, Otsuka M, and Sugiura Y: Metal-chelating inhibitors of a zinc finger protein HIV-EP1. Remarkable potentiation of inhibitory activity by introduction of SH groups, *J.Med.Chem.*, **39**, 503-507 (1996).

Fuji K, Kawabata T, Kiryu Y, and Sugiura Y: Ring opening of optically active cis-disubstituted aziridino alcohols. An enantiodivergent synthesis of functionalized amino alcohol derivatives, *Heterocycles*, **42**, 701-722 (1996).

Okuno Y, Iwashita T, Otani T, and Sugiura Y: Interaction of C-1027 chromophore with d(GTATAC)₂. A binding model based on NMR experiments, *J.Am.Chem.Soc.*, **118**, 4729-4730 (1996).

Nakamura E, Tokuyama H, Yamago S, Shiraki T, and Sugiura Y: Biological activity of water-soluble fullerenes. Structural dependence of DNA cleavage, cytotoxicity, and enzyme inhibitory activities including HIV-protease inhibition, *Bull.Chem.Soc.Jpn.*, **69**, 2143-2151 (1996).

Guan L.L., Morii T, Otsuka M, and Sugiura Y: Specific interaction with guanine residues of z-form DNA by bleomycin-nickel(III) complex, *Biochim.Biophys.Acta*, **1308**, 169-176 (1996).

Nagaoka M and Sugiura Y: Distinct phosphate backbone contacts revealed by some mutant peptides of zinc finger protein Sp1: Effect of protein-induced bending on DNA recognition, *Biochemistry*, **35**, 8761-8768 (1996).

Otsuka M, Satake H, Murakami S, Doi M, Ishida T, Shibusaki M, and Sugiura Y: An artificial Cu^{II} complex with intriguing oxygen radical-quenching profile. X-Ray structure, cytochrome c assay, and ESR study, *Bioorg.Med.Chem.*, **4**, 1703-1708 (1996).

Morii T, Yamane J, Aizawa Y, Makino K, and Sugiura Y: Cooperative oligomerization enhances sequence-selective DNA binding by a short peptide, *J. Am. Chem. Soc.*, **118**, 10011-10017 (1996).

Yamamoto Y, Kimachi T, Kanaoka Y, Kato S, Bessho K, Matsumoto T, Kusakabe T, and Sugiura Y: Synthesis and DNA binding properties of amide bond-modified analogues related to distamycin, *Tetrahedron Lett.*, **37**,

7801-7804 (1996).

Takahashi T, Tanka H, Yamada H, Matsumoto T, and Sugiura Y: DNA cleavage by a nine-membered masked enediyne, an analogue of the kedarcidin and C-1027 chromophores, *Angew.Chem.Int.Ed. Engl.*, **35**, 1835-1837 (1996).

III. Molecular Clinical Chemistry

Ueda K, Tanaka S and Kawamata J: Correlation between Temporal Lobe Atrophy and *APOE ε4(+)* Genotype in Alzheimer's Disease: X-Ray CT and MRI Studies, *Neurobiol. Aging*, **17**, S61 (1996).

Ueda K: Gene Examination and Diagnosis, *Mol. Med.*, **33**, 18-24 (1996) (in Japanese).

Ueda K: Information Control in Gene Diagnosis and Therapy, in "Gene Diagnosis and Therapy '95" (Mori T, ed), Igaku-Shoin, 98-100 (1996) (in Japanese).

Ueda: Gene-Related Laboratory Tests. 2. DNA Diagnosis Practicable in Clinical Laboratories, *Nipponrinsho*, **53** (Suppl. II), 890-893 (1995) (in Japanese).

Kido T and Ueda K: DNA Diagnosis in Clinical Laboratory Tests, *PNE (Protein-Nucleic Acid-Enzyme)*, **41**, 2484-2490 (1996) (in Japanese).

Nishikimi A and Adachi Y: Examination of Signal Transduction-Related Proteins by in vitro Kinase Assay and Phosphoamino Acid Analysis, *Radiat. Biol. Res. Commun.*, **31**, 232-242 (1996) (in Japanese).

Adachi Y: *In vivo Poly(ADP-ribosylation) and Apoptosis*, *Nippon Nogeikagaku Kaishi*, **70**, 793-794 (1996) (in Japanese).

Nishikimi A and Adachi Y: Isolation and Biochemical Analysis of Trace Cellular Proteins by Two-cycle Immunoprecipitation, *Radiat. Biol. Res. Commun.*, **31**, 150-158 (1996) (in Japanese).

Adachi Y: Retroviral Infection and Nuclear Transport: Possible Mechanism of Rev/Rex-dependent Transactivation of Viral Genes, *Exp. Med.*, **14**, 62-70 (1996) (in Japanese).

Adachi Y: Possible Mechanism of Protein Transport to Nucleolus, *Seikagaku*, **68**, 35-41 (1996) (in Japanese).

MOLECULAR BIOFUNCTION

I. Functional Molecular Conversion

Hara T, Kato H, Katsume Y and Oda J: A Pseudo-Michaelis Quaternary Complex in the Reverse Reaction of a Ligase: Structure of *Escherichia coli* B Glutathione Synthetase Complexed with ADP, Glutathione, and Sulfate at 2.0 Å Resolution. *Biochemistry*, **35**, 11967-11974 (1996).

Hibi T, Nishioka T, Kato H, Tanizawa K, Fukui T, Katsume Y and Oda J: Structure of the multifunctional loops in the nonclassical ATP-binding fold of glutathione synthetase. *Nat. Struct. Biol.*, **3**, 16-18 (1996).

Nakatsu T, Kato H and Oda J.: Crystallization and preliminary crystallographic study of asparagine syn-

thetase from *Escherichia coli*. *Acta Cryst.*, **D52**, 604-606 (1996).

Katoh M, Hiratake J, Kato H and Oda J: Mechanism-Based Inactivation of *E. coli* γ -Glutamylcysteine Synthetase by Phosphinic Acid- and Sulfoximine-Based Transition-State Analogues. *Bioorg. & Med. Chem. Lett.*, **6**, 1437-1442 (1996).

Kato H and Oda J: Organic Chemistry and Protein Crystallography-Probing Enzyme Mechanisms with Transition State Analogs. *Nippon Kesshou Gakkaishi*, **38**, 99-104 (1996) (in Japanese).

Oda J: Transition State Analog. *Kagaku*, **51**, 702-703 (1996) (in Japanese).

Oda J: Studies on Functional Analysis and Application of Biocatalysts. *Nippon Nôgeikagaku Kaishi*, **70**, 859-866 (1996) (in Japanese).

II. Molecular Microbial Science

Esaki N, Nakamori S, Kurihara T, Furuyoshi S and Soda K: Enzymology of Amino Acid Production, *Biotechnology*, **6**, 505-560 (1996)

Hisano T, Hata Y, Fujii T, Liu J, Kurihara T, Esaki N and Soda K: Crystallization and Preliminary X-Ray Crystallographic Studies of L-2-Haloacid Dehalogenase from *Pseudomonas* sp. YL, *PROTEINS: Structure, Function, and Genetics*, **24**, 520-522 (1996)

Hisano T, Hata Y, Fujii T, Liu J, Kurihara T, Esaki N and Soda K: Crystal Structure of L-2-Haloacid Dehalogenase from *Pseudomonas* sp. YL, *J. Biol. Chem.*, **271**, 20322-20330 (1996)

Jhee K, Yoshimura T, Esaki N and Soda K: Stereospecificity of Thermostable Ornithine 5-Aminotransferase for the Hydrogen Transfer in the L- and D-Ornithine Transamination, *Biochemistry*, **35**, 9792-9796 (1996)

Yoshimura T, Jhee K and Soda K: Stereospecificity for the Hydrogen Transfer and Molecular Evolution of Pyridoxal Enzymes, *Biosci. Biotech. Biochem.*, **60**, 181-187 (1996)

Esaki N and Soda K: Trace Element as an Activator of Enzyme, *Nihon-Rinsho*, **54**, 17-25 (1996) (in Japanese)

Yoshimura T and Soda K: Physiological Role and Metabolism of D-Amino Acids, *Chemistry Today*, 14-19 (1996) (in Japanese)

MOLECULAR BIOLOGY AND INFORMATION

I. Biopolymer Structure

Fujii T, Hata Y, Ohzeki M, Moriyama H, Wakagi T, Tanaka N and Oshima T: Refined crystal structure of ferredoxin from thermoacidophilic archaeon, *Acta Cryst.*, **A52**, C-233 (1996).

Fujii T, Hata Y, Wakagi T, Tanaka N and Oshima T: Novel zinc-binding centre in thermoacidophilic archaeal ferredoxins, *Nat. Struct. Biol.*, **3**, 834-837

(1996).

Hamada K, Hata Y, Katsuya Y, Hiramatsu H, Fujiwara T and Katsume Y: Crystal Structure of *Serratia* Protease, a Zinc-Dependent Proteinase from *Serratia* sp. E-15, Containing a β -Sheet Coil Motif at 2.0 Å Resolution, *J. Biochem.*, **119**, 844-851 (1996).

Hamada K, Hata Y, Miyatake H, Fujii T, Amada F, Fukuyama K: Identification of Ca^{2+} ions bound to proteins using X-ray anomalous dispersion technique, *Acta Cryst.*, **A52**, C-134 (1996).

Hata Y, Hisano T, Fujii T, Liu J-Q, Kurihara T, Esaki N and Soda K: Crystal structure of L-2-haloacid dehalogenase from *Pseudomonas* sp. YL at 2.5 Å resolution, *Acta Cryst.*, **A52**, C-122 (1996).

Hiragi Y: Structural Kinetics by Solution Scattering Using Synchrotron Radiation, Proc. of the X International Conference on Small-Angle Scattering, Campinas, Brazil, 95 (1996).

Hiragi Y, Tagawa H, Suzuki K, Miyata C, Muroga Y, Inoue H and Sano Y: Structure of Tobacco Mosaic Virus-RNA in Solution, Proc. of the XIIth International Biophysics Congress. Amsterdam, The Netherlands, 55 (1996).

Hisano T, Hata Y, Fujii T, Liu J-Q, Kurihara T, Esaki N and Soda K: Crystallization and Preliminary X-Ray Crystallographic Studies of L-2-Haloacid Dehalogenase From *Pseudomonas* sp. YL, *Proteins: Struct. Func. Genet.*, **24**, 520-522 (1996).

Hisano T, Hata Y, Fujii T, Liu J-Q, Kurihara T, Esaki N and Soda K: Crystal Structure of L-2-Haloacid Dehalogenase from *Pseudomonas* sp. YL. An α/β hydrolase structure that is different from the α/β hydrolase fold, *J. Biol. Chem.*, **271**, 20322-20330 (1996).

Kajiwara K and Hiragi Y: Chapter 6, Structure Analysis by Small-Angle X-Ray Scattering, in "Applications of Synchrotron Radiation to Material Analysis" (Saisyo H and Gohshi Y, eds.), pp. 354-404, Elsevier, Amsterdam (1996).

Kojima S, Kuriki Y, Sato Y, Arisaka F, Kumagai I, Takahashi S and Miura K: Synthesis of α -helix-forming peptides by gene engineering methods and their characterization by circular dichroism spectra measurements, *Biophys. Biochem. Acta*, **1294**, 129-137 (1996).

Kokusen H, Sohrin Y, Matsui M, Hata Y and Hasegawa H: Selectivity design using interligand contact: solvent extraction and structures of first-series-transition metal-bis(pyrazol-1-yl)borate complexes, *J. Chem. Soc., Dalton Trans.*, 195-201 (1996).

Sano Y, Inoue H, Hiragi Y and Kajiwara K: Difference of Reconstitution Process between Tobacco Mosaic Virus and Its Mutant by Solution X-ray Scattering Study. Proc. of the 3rd Workshop "Principle of Protein Architecture", Kyoto, 211 (1996).

Wakagi T, Fujii T and Oshima T: Molecular Cloning, Sequencing, and Heterologous Expression of a Novel Zinc-Containing Ferredoxin Gene from a Thermoacidophilic Archaeon *Sulfolobus* Sp. Strain 7, *Biochem. Biophys. Res. Commun.*, **225**, 489-493 (1996).

II. Molecular Biology

Nevalainen L T, Aoyama T, Ikura M, Crivici A, Yan H, Chua N-H and Nairn A C: Characterization of Novel Calmodulin-Binding Peptides with Distinct Inhibitory Effects on Calmodulin-dependent Enzymes. *Biochem. J.*, **321**, 107-115 (1997).

Aoyama T: A Glucocorticoid-mediated Transcriptional Induction System in Higher Plants. *Tampakushitsutsu-Kakusan-Kouso*, **41**, 2559-2563 (1996) (in Japanese).

Aoyama T: Steroid-mediated Induction System for Protein Function. *Saibou-Kougaku, Shokubutsu-Saibou-Kougaku Series*, **4**, 125-128 (1996) (in Japanese).

Goto K: Molecular and Genetic Analyses of Flower Homeotic Genes of *Arabidopsis*. *Biosciences*, **21** (No.3), 369-378 (1996).

Goto K: Molecular Mechanisms of Floral Organ Identity. In *Ikusyugaku Saikinno-Shinpo*, **38**, 43-46 (1996) (in Japanese).

III. Biological Information Science

Bono H, Goto S, Ogata H, Kanehisa M: Systematic Prediction of Enzyme Genes by the Metabolic Pathway Database, *Recent Advance in Genome Biology of Micro-organisms*, p. 24 (1996).

Bono H, Ogata H, Goto S, Kanehisa M: Genome Scale Prediction of Enzyme Genes Utilizing the Knowledge of Metabolic Interactions, *Proc. 7th Workshop on Genome Informatics*, pp. 252-253 (1996).

Fujibuchi W, Goto S, Kanehisa M: Deductive Calculation Library for KEGG Pathway Simulation, *Proc. 7th Workshop on Genome Informatics*, pp. 250-251 (1996).

Goto S, Fukushima N, Kanehisa M: Standard Gibbs Free Energy Changes of Enzyme Reaction in Metabolic Pathway Computation, *Proc. 7th Workshop on Genome Informatics*, pp. 248-249 (1996).

Goto S, Bono H, Ogata H, Fujibuchi W, Nishioka T, Sato K, Kanehisa, M: Organizing and Computing Metabolic Pathway Data in Terms of Binary Relations, *Proc. Pacific Symposium on Biocomputing '97*, pp. 175-186 (1996).

Kanehisa M: Toward Pathway Engineering: A New Database of Genetic and Molecular Pathways, *Science & Technology Japan*, No. 59, pp. 34-38 (1996).

Kanehisa M: Integration of Genetic Information by the Internet, *Idenshi Shinryo '96*, 101-103 (1996). (in Japanese)

Kanehisa M: Current Status and Future Prospects of Genome Informatics: From Technology Development to Functional Prediction, *Gakujutsu Geppou*, **49**, 937-942 (1996) (in Japanese).

Kanehisa M: Biological Information Network, In *Genome Biology*, Fujiyama A, Matsubara K eds. Kyoritsu Shuppan, pp. 111-130 (1996). (in Japanese)

Kanehisa M: Genome Informatics, *Jouhoushori* **37**, 908-913 (1996) (in Japanese).

Kanehisa M: Invitation to Genome Informatics, Kyoritsu Shuppan, Tokyo (1996). (in Japanese)

Kihara D, Shimizu T, Kanehisa M: A Prediction Method for Transmembrane Segments in Proteins Utilizing Multiple Discrimination Functions, *Proc. 7th Workshop on Genome Informatics*, pp. 244-245 (1996).

Kihara D: WWW Homepages for Biophysicists, *Biophysics*, **36**, 246 (1996). (in Japanese)

Nakai K, Fujibuchi W: Internet-Based System for the Analysis of Genetic Information: Current Status, *Pharmaceutical Library Bulletin*, **41**, 359-364 (1996) (in Japanese).

Ogata H, Kanehisa M: Function Analysis Using Protein Databases, *Biophysics*, **36**, 152-154 (1996). (in Japanese)

Ogata H, Fujibuchi W, Kanehisa M: The Size Differences Among Mammalian Introns are Due to the Accumulation of Small Deletions, *FEBS Lett.*, **390**, 99-103 (1996).

Ogata H, Fujibuchi W, Kanehisa M: Size Distribution and Evolutionary Rate of Intron Revealed by Comparison of Different Mammalian Species, *Progress in Biophysics & Molecular Biology*, **65**, supple. 1, 75 (1996).

Ogata H, Bono H, Fujibuchi W, Goto S, Kanehisa M: Analysis of Binary Relations and Hierarchies of Enzymes in the Metabolic Pathways, *Proc. 7th Workshop on Genome Informatics*, pp. 128-136 (1996).

Ogiwara A, Uchiyama I, Takagi T, Kanehisa M: Construction and Analysis of a Profile Library Characterizing Groups of Structurally Known Proteins, *Prot. Sci.*, **5**, 1991-1999 (1996).

Sato K, Katsurada T, Kamiya T, Egoshi M, Kanehisa M: Java Applets for Handling Genome Maps in KEGG, *Proc. 7th Workshop on Genome Informatics*, pp. 254-255 (1996).

Takagi T, Kanehisa M eds.: Introduction to GenomeNet Databases, Kyoritsu Shuppan, Tokyo (1996) (in Japanese).

Tomii K, Kanehisa M: Analysis of Amino Acid Indices and Mutation Matrices for Sequence Comparison and Structure Prediction of Proteins, *Protein Engineering*, **9**, 27-36 (1996).

Tomii K, Kanehisa, M: A Statistical Analysis of Gene Arrangement Patterns in Bacterial and Yeast Genomes, *Proc. 7th Workshop on Genome Informatics*, pp. 246-247 (1996).

Tomii K, Kanehisa M: Comparison of Amino Acid Mutation Matrices: Hierarchical Clustering and Correlation to Amino Acid Indices, *Progress in Biophysics & Molecular Biology*, **65**, supple. 1, 39 (1996).

Waizumi K, Masuda H, Fukushima N: Crystallographic Investigations of Diaquatetrachloro-Cobalt (II) and Nickel (II) Complexes, *J. Coord. Chem.*, **38**, 199-206 (1996).

NUCLEAR SCIENCE RESEARCH FACILITY

I. Particle and Photon Beams

II. Beams and Fundamental Reaction

Shirai T, Kando M, Ikegami M, Iwashita Y, Okamoto H, Kakigi S, Dewa H, Fujita H, Noda A, Inoue M and Mashiko M: A 100 MeV Injector for the Electron Storage Ring at Kyoto University, *Proc. of the 1995 Particle Accelerator Conference, Dallas*, 1079-1082 (1995).

Noda A, Dewa H, Fujita H, Ikegami M, Iwashita Y, Kakigi S, Kando M, Mashiko K, Okamoto H, Shirai T and Inoue M: Electron Storage Ring, KSR for Light Source with Synchrotron Radiation, *Proc. of 1995 Particle Accelerator Conference, Dallas*, 278-280 (1995).

Iwashita Y, Noda A, Okamoto H, Shirai T, Inoue M: Cold Model Test of Biperiodic L-support Disk-and-Washer Linac Structure, *Proc. of the 1995 Particle Accelerator Conference, Dallas*, 1093-1095 (1995).

Hirota J, Hiramoto K, Nishi M, Iwashita Y, Noda A and Inoue M: A Ferrite Loaded Untuned Cavity for a Compact Proton Synchrotron, *Proc. of the 1995 Particle Accelerator Conference, Dallas*, 1770-1772 (1995).

Kando M, Ikegami M, Dewa H, Fujita H, Shirai T, Okamoto H, Iwashita Y, Kakigi S, Noda A and Inoue M: Matching Section to the RFQ Using Permanent Magnet Symmetric Lens, *Proc. of the 1995 Particle Accelerator Conference, Dallas*, 1843-1845 (1995).

Kapin V, Inoue M, Iwashita Y, Noda A: Application of the Two Stable Phases Phenomenon for Improvement of the Longitudinal Stability in RFQ-like Funneling System, *Proc. of the 12th International Conference on Laser Interaction and Related Plasma Phenomena, Osaka, Japan*, 1127-1132 (1995).

Noda A, Yoshizawa M, Watanabe T, Osuka T, Katayama T, Mizobuchi A, Emoto K: Alignment of TARNII, *Proc. of the Fourth International Workshop on Accelerator Alignment (IWAA95) KEK, Tsukuba, Japan*, I/30-I/38 (1995).

Noda K, Kanazawa M, Itano A, Takada E, Torikoshi M, Araki N, Yoshizawa J, Sato K, Yamada S, Ogawa H, Itoh H, Noda A, Tomizaa M, Yoshizawa M: Slow Beam Extraction by a Transverse RF Field with AM and FM, *Nucl. Instrum. & Meth.*, **A374**, 269-277 (1996).

Inoue M: Beam Science and Technology Now, *Beam Science and Technology*, **1**, 1-7 (1996).

Yoshimura T, Kakigi S, Okihana A, Warner R E, Chant N S, Roos P G, Samanta C, Fujiwara M, Matsuoka N, Tamura K, Koori N, Kubo E and Ushiro K: Quasifree Scattering in the ($p, p\alpha$) Reaction on Light Nuclei at $E_p=296$ MeV, *Beam Science and Technology*, **1**, 8-11 (1996).

Saito K, Hirota J, Katane M, Tadokoro M, Noda F, Iwashita Y, Noda A, Inoue M: RF Acceleration System of Proton Synchrotron Dedicated for Cancer Therapy, *Beam Science and Technology*, **1**, 12-16 (1996).

Matsuda K, Hiramoto K, Noda A, Inoue M: A Resonant Beam Extraction Scheme for a Compact Synchrotron, *Beam Science and Technology*, **1**, 17-20 (1996).

Kando M, Ao H, Kihara T, Sugimura T, Ikegami M, Dewa H, Tonguu H, Fujita H, Shirai T, Okamoto H, Iwashita Y, Kakigi S, Noda A, Inoue M: An Emittance Measurement System for the Low Energy Beam Transport of the ICR Proton Linac, *Beam Science and Technology*, **1**, 21-24 (1996).

Ikegami M and Okamoto H: Development of Space-Charge Codes at ICR, *Beam Science and Technology*, **1**, 25-30 (1996).

Iwashita Y: Superfast Longitudinal Kicker, *Beam Science and Technology*, **1**, 31-36 (1996).

Noda A, Dewa H, Fujita H, Ikegami M, Inoue M, Iwashita Y, Kakigi S, Kando M, Mashiko K, Okamoto H, Shirai T, Sugimura T, Tonguu H: Electron Storage Ring, KSR, *Beam Science and Technology*, **1**, 37-40 (1996).

Kihara T, Ao H, Dewa H, Shirai T and Iwashita Y: Distribution Measurement of the Gold Strip Target for the Longitudinal Emittance Monitor, *Beam Science and Technology*, **1**, 41-44 (1996).

Watanabe T, Katayama T, Watanabe S, Yoshizawa M, Arakaki Y, Chida K, Tomizawa M, Takanaka M, Kanazawa M, Hosono K, Noda A: Beam Position Monitoring System and COD Correction at the Cooler Synchrotron TARN II, *Nucl. Instrum. & Meth.*, **A381**, 194-208 (1996).

Dewa H, Ao H, Kihara T, Tonguu H, Shirai T, Okamoto H, Iwashita Y, Fujita H, Kakigi S, Noda A, Inoue M: Longitudinal Beam Emittance Monitor for 433 MHz Proton Linac, *Review of Scientific Instruments*, **67**, No. 9, 3085-3091 (1996).

Jiang S, Gluckstern R L and Okamoto H: The Coupling Impedance of Periodic Irises in a Beam Pipe, *Particle Accelerators* **52**, 179-200 (1996).

Okamoto H and Wei J: Laser Cooling in a Storage Ring and Crystalline Beams, *Genshikaku-Kenkyu* **41**, No. 2, 1-10 (1996) (in Japanese).

Matsuki S and Ogawa I: Present Status of Dark Matter Axion Search in Kyoto, *Proc. of the 30th Rencontre de Moriond Conference on the Dark Matter in Cosmology, Clocks and Tests of Fundamental Laws, Villars sur Ollon, Switzerland*, 187-194 (1995).

Ogawa I, Nakamura S, Takimoto T, Tada M, Yamamoto K, Masaike A and Matsuki S: Search for Dark Matter Axions with Rydberg Atoms in Cooled Cavities, *Proc. of the International Conference on Weak and Electromagnetic Interactions in Nuclei, Osaka*, 640-643 (1995).

Ogawa I, Matsuki S and Yamamoto K: Interactions of Cosmic Axions with Rydberg Atoms in Resonant Cavities via the Primakoff Process, *Phys. Rev.* **D53**, 1740-1744 (1996).

Matsuki S, Ogawa I, Nakamura S, Tada M, Yamamoto K and Masaike A: Rydberg-atom Cavity Detector for

Dark Matter Axion Search in Kyoto, Nucl. Phys. B (Proc. Suppl.) **51B**, 213-217 (1996).

Tonguu H, Ao H, Kihara T, Sugimura T, Kando M, Ikegami M, Dewa H, Fujita H, Okamoto H, Iwashita Y, Kakigi S, Noda A and Inoue M: Vacuum System of the Electron Storage Ring KSR, *Proc. of the 21st Linear Accelerator Meeting, Chiba*, 147-149 (1996) (in Japanese).

Dewa H, Ao H, Kihara T, Sugimura T, Kando M, Ikegami M, Kapin V, Tonguu H, Shirai T, Okamoto H, Iwashita Y, Fujita H, Kakigi S, Noda A and Inoue M: Measurement of the Beam Distribution of 433 MHz Proton Linac in Longitudinal Phase Space, *Proc. of the 1996 Linear Accelerator Conference, CERN, Geneva*, 237-239 (1996).

Shirai T, Sugimura T, Iwashita Y, Kakigi S, Fujita H, Tonguu H, Noda A and Inoue M: Performance of the 100 MeV Injector Linac for the Electron Strange Ring at Kyoto University, *Proc. of the 1996 Linear Accelerator Conference, CERN, Geneva*, 240-242 (1996).

Kapin V, Noda A, Iwashita Y and Inoue M: Multiple-beam RFE Structure with a Matrix-array of Beamlets, *Proc. of the 1996 Linear Accelerator Conference, CERN, Geneva*, 722-724 (1996).

Iwashita Y, Ao H, Noda A, Okamoto H, Shirai T, and Inoue M: Power Model of Biperiodic DAW Cavity, *Proc. of the 1996 Linear Accelerator Conference, CERN, Geneva*, 857-859 (1996).