

PUBLICATIONS

STATES AND STRUCTURES

I. Atomic and Molecular Physics

Mukoyama T, Nakamatsu H, Adachi H: Chemical Effect on X-ray Fluorescence Yields for Carbon, *International Journal of PIXE*, **6**, 3&4, 447-452 (1997)

Toksie K, Sarkadi L, and Mukoyama T: Model calculation of the electron capture to the continuum paeak at neutral particle impact, *J. Phys. B: At. Mol. Opt. Phys.* **30**, 123-129 (1997).

Yamaguci K and Mukoyama T: Calculations of discrete and continuum wave functions for atoms using wavelets, *Nucl. Instr. and Meth. in Phys. Res.* **B124**, 361-364 (1997).

Ito Y, Mukoyama T, Vlaicu A M, Tochio T, Takahashi M, Emura S, and Azuma Y: Multielectron transitions in photoabsorption spectra above the Xe L edges, in *Abst. of Contributed Papers of Twentieth Internat. Conf. on the Physics of Electronic and Atomic Collisions*, Vienna, 23-29 July, 1997, ed. by F. Aumayr, G. Betz, and H. P. Winter, P. MO 034.

Mukoyama T and Lin C -D: Inner-shell ionization of atoms by charged particles in the distortion approximation, "*Application of Accelerators in Research and Industry*", ed. by J. L. Duggan and I. L. Morgan (AIP Press, New York, 1997) 101-104.

Mukoyama T, Kaji H, Taniguchi K, and Adachi H: Theoretical estimation of the chemical effect on K X-ray intensity ratios for 4d elements, *X-Ray Spectrometry* **26**, 269-271 (1997).

Emura S, Ito Y, Takahashi M, and Mukoyama T: Thresholds of x-ray absorption structure in Zn between the 500 ~ 1000 eV energy region above K edge, *Photon Factory Activity Report* #14, 159 (1997).

Ito Y, Vlaicu A M, Tochio T, Mukoyama T, Takahashi M, Emura S, and Azuma Y: X-ray absorption features from double-electron excitations above Xe L edges, *Photon Factory Activity Report* #14, 160 (1997).

Sekino T, Nakata Y, Hitotsu Y, Emura S, Ito Y, Tanaka A and Sakamoto H: Structure analysis of Ti - Ni amorphous alloys, *Photon Factory Activity Report* #14, 171 (1997).

Tochio T, Ito Y, Mukoyama T, Takahashi M and Emura S: Multielectron excitations above the Xenon L edges, *J. Phys.*, **C2**, 1263-1264 (1997).

Takahashi T, Ishida A, Emura S, Osawa D, Yamaguchi K, Ito Y and Mukoyama T: Multielectron excitations in x-ray absorption spectra of KOH, *J. Phys.*, **C2**, 1265-1266 (1997).

Ohsawa D, Katano R, Ito Y, Isozumi Y: A simple crystal spectrometer for low-energy photons emitted from radioactive sources, Part II, *Nucl. Instr. and Methods*. **A390** 183-190 (1997).

Kurakado M, Ohsawa D, Katano R, Ito S, Isozumi Y: Further developments of series-connected superconducting tunnel junction to radiation detection, *Review of Scientific Instruments*, **68**(10) 3685-3696 (1997)

Ueda K, Shimizu Y, Chiba H, Okunishi M, Ohmori K, West J. B., Sato Y, Hayashi T, Nakamatsu H and Mukoyama T: Correlation between Core-Hole Polarization and Localized Bond Rupture Probed by Anisotropy in the Photofragmentation of F 1s Excited SF₆, *Phys. Rev. Lett.*, **79**, 3371-3374 (1997).

Ikeda T, Kobayashi H, Ohmura Y, Nakamatsu H and Mukoyama T: Electronic Structure of Alkaline-Earth Fluorides Studied by

Model Clusters. II. Auger-Free Luminescence, *J. Phys. Soc. Jpn.*, **6**, 1079-1087 (1997).

Hirata M, Monjyushiro H, Sekine R, Onoe J, H. Nakamatsu, Mukoyama T, Adachi H and Takeuchi K: Valence Electronic Structure of Uranyl Nitrate UO₂(NO₃)₂ · H₂O, *J. Electron Spectrosc.*, **83**, 59-64 (1997).

Ikeda T, Kobayashi H, Ohmura Y, Nakamatsu H and Mukoyama T: Electronic Structure of Alkaline-Earth Fluorides Studied by Model Clusters. I. Ground State, *J. Phys. Soc. Jpn.*, **66**, 1074-1078 (1997).

Onoe J, Nakamatsu H, Mukoyama T, Sekine R, Adachi H and Takeuchi K: Structure and Bond Nature of the UF₅ Monomer, *Inorg. Chem.*, **36**, 1934-1938 (1997).

Adachi K, Sekine R and Nakamatsu H: Electronic states of CaB₆ and YB₆H (in Japanese), *Bull. Soc. Discrete Variational Xα* **10**, 126-130 (1997).

Bastug T, Nakamatsu H, Onoe J, Takeuchi K and Mukoyama T: Relativistic DV-Xα calculations for the potential energy surface of the UF₅ molecule (in Japanese), *Bull. Soc. Discrete Variational Xα* **10**, 35-39 (1997).

Nakamatsu H: Report on visiting Ellis' laboratory (in Japanese), *Bull. Soc. Discrete Variational Xα* **10**, 58-62 (1997).

Hirata M, Sekine R, Onoe J, H. Nakamatsu, Mukoyama and Tachimori S: Electronic structure of actinide-nitrite system (in Japanese), *Bull. Soc. Discrete Variational Xα* **10**, 118-121 (1997).

Kurihara M, Hirata M, Sekine R, Onoe J, H. Nakamatsu, Mukoyama and Adachi H: Electronic structure of uranium (2) (in Japanese), *Bull. Soc. Discrete Variational Xα* **10**, 136-140 (1997).

II. Crystal Information Analysis

Kobayashi T, Furukawa C, Ogawa T and Isoda S: Structures of Germanium- and Silicon-phthalocyanine Thin Films; Polymorphism and Isomorphism, *J. Porphyrine and Phthalocyanines*, **1**, 297-305 (1997).

Ogawa T, Isoda S and Kobayashi T: Structure Analysis of C₆₀ Low-Temperature Phase by Electron Crystallography with Cryo-TEM, *Acta Cryst.*, **B53**, 831-837 (1997).

Irie S, Hoshino A, Kuwamoto K, Isoda S, Miles M J and Kobayashi T: Point-on-Line Coincidence in Epitaxial Growth of CuPcCl₁₆ on Graphite, *Appl. Surf. Science*, **113/114**, 310-315 (1997).

Sano Y, Inoue H, Kajiwaru K, Hiragi Y and Isoda S: Structural Analysis of A-Protein of Cucumber Green Mottle Mosaic Virus and Tobacco Mosaic Virus by Synchrotron Small-Angle X-ray Scattering, *J. Protein Chemistry*, **16**, 151-159 (1997).

Irie S, Isoda S, Kobayashi T, Ozaki H and Mazaki Y: Photopolymerization of Alkyldiyne Monolayer, *Technical Report of IEICE*, **OME97-59**, 5-10 (1997) (in Japanese).

Fujiwara E, Omoto K and Fujimoto H: Theoretical Study of Strong Basicity in Aromatic Diamines, *J. Org. Chem.*, **62**, 7234-7238 (1997).

Tosaka M, Hamada N, Tsuji M, Kohjiya S, Ogawa T, Isoda S and Kobayashi T: Crystallization of Syndiotactic Polypropylene in β-Form. 1: Positional Identification of Stacking Faults in the

Solution-grown Single Crystals, *Macromolecules*, **30**, 4132-4136 (1997).

Isoda S and Kobayashi T: Phthalocyanine, Chemistry and Functions, IPC Press, 63-78 (1997) (in Japanese).

Ogawa T, Moriguchi S, Isoda S and Kobayashi T: Electron Crystallography with a New High Voltage Electron Microscope, *Proc. Swiss-Jpn. Joint Forum on Elec. Microsc. in Mat.*, 31-34, Zurich, Swiss, (1997).

Kim D G, Karasawa T, Komatsu T and Kobayashi T: Exciton Transition in Size-Distributed BiI₃ Microcrystallites Embedded in CdI₂ Crystals, *J. Phys. Soc. Jpn.*, **65**, 3371-3378 (1997).

Kobayashi T: Molecular Images and Stacking Fault of an Organic Complex Prepared by Chemical Reaction on a Solid Surface, ed. *Nihon Denshi-Kenbikyuu-Gakkai*, 96-97, Gakusai-Kikaku, (1997) (in Japanese).

Knippelmeyer R, Wahlbring P and Kohl H: Relativistic Ionization Cross Section for Use in Microanalysis, *Ultramicroscopy*, **68**, 25-41 (1997).

Kobayashi T: Direct Observation of Atom Arrangement in an Organic Molecule, ed. *Nihon Denshi-Kenbikyuu-Gakkai*, 94-95, Gakusai-Kikaku, (1997) (in Japanese).

III. Polymer Condensed States Analysis

Kohjiya S: Overview - Can Metallocene Polyolefins be Developed to a Novel Elastomers?, *J. Soc. Rubber Ind., Jpn.*, **70**, 62-68 (1997) (in Japanese).

Ikeda Y, Tanaka A, Kohjiya S: Effect of Catalyst on *in situ* Silica Reinforcement of Styrene-Butadiene Rubber Vulcanizate by the Sol-Gel Reaction of Tetraethoxysilane, *J. Mater. Chem.*, **7**, 455-458 (1997).

Takino H, Iwama S, Yamada Y, Kohjiya S: Effect of Processing Additives on Carbon Black Dispersion and Grip Property of High-Performance Tire Tread Compound, *Rubber Chem. Technol.*, **70**, 15-24 (1997).

Sugiya M, Terakawa K, Miyamoto Y, Tomono S, Kohjiya S, Ikeda Y: Dynamic Mechanical Properties and Morphology of Silica-Reinforced Butadiene Rubber by the Sol-Gel Process, *Kautsch. Gummi Kunst.*, **50**, 538-543 (1997).

Kohjiya S, Hashim A S: Chemistry of Epoxydized Natural Rubber with Amine Compounds, *Proc. Int. Workshop on Green Polymers - Reevaluation of Natural Polymers*, (Ed. Hendayani T, et al.), 109-134 (1997).

Ikeda Y, Masui H, Syoji S, Sakashita T, Matoba Y, Kohjiya S: Comb-shaped High Molecular Weight Polyether Consisting of Oxyethylene Units for Polymer Solid Electrolyte, *Polym. Int.*, **43**, 269-273 (1997).

Ikeda Y, Kohjiya S: *In Situ* Formed Silica Particles in Rubber Vulcanizate by the Sol-Gel Method, *Polymer*, **38**, 4417-4423 (1997).

Ikeda Y, Tanaka A, Kohjiya S: Reinforcement of Styrene-Butadiene Rubber Vulcanizate by *in situ* Silica Prepared by the Sol-Gel Reaction of Tetraethoxysilane, *J. Mater. Chem.*, **7**, 1497-1503 (1997).

Urayama K, Kohjiya S: Uniaxial Elongation of Deswollen Polydimethylsiloxane Networks with Supercoiled Structure, *Polymer*, **38**, 955-962 (1997).

Kidera A, Higashira T, Ikeda Y, Urayama K, Kohjiya S: GPC Analysis of Polymer Network Formation: 2. Bifunctional PPG

Prepolymer/Crosslinker System, *Polym. Bull.*, **38**, 461-468 (1997).

Ikeda Y, Yonezawa T, Urayama K, Kohjiya S: Thermal and I.R.-Dichroic Properties of Side-Chain Type Liquid-Crystalline Elastomers, *Polymer*, **38**, 3229-3235 (1997).

Urayama K and Tsuji M (Partial Collaboration): in *Dictionary of Rubber Technology*, (Soc. Rubber Ind, Jpn., Ed.) (1997) (in Japanese).

Urayama K, Kohjiya S, Yamamoto M, Ikeda Y, Kidera A: Formation Process of End-linked Networks by Gel Permeation Chromatography, *J. Chem. Soc., Faraday Trans.*, **93**, 3689-3693 (1997).

Kawamura T, Urayama K, Kohjiya S: Equilibrium Swelling and Elastic Modulus of End-linked Polydimethylsiloxane Networks in Theta Solvent, *J. Soc. Rheol., Jpn.*, **25**, 195-196 (1997).

Kohjiya S, Urayama K, Ikeda Y: Poly(Siloxane) Network of Ultra-high Elongation, *Kautsch. Gummi Kunst.*, **50**, 868-872 (1997).

Inoue T, Matsui H, Murakami S, Kohjiya S, Osaki K: Strain-induced Birefringence and Molecular Structure of Glassy Polymers, *Polymer*, **38**, 1215-1220 (1997).

Murakami S, Kawaguchi A: Structure Formation in the Drawing Process of Poly(ethylene-2,6-naphthalate), *Kobunshi Ronbunshu*, **54**, 183-198 (1997) (in Japanese).

Murakami S, Shimamura K, Kohjiya S: Deformation Behavior of Extruded Blown Film of High Density Polyethylene, *Nihon Reorji Gakkaishi*, **25**, 193-194 (1997) (in Japanese).

Hirai A, Tsuji M and Horii F: Formation of Cellulose II crystal in bacterial cellulose, *Cell. Commun.*, **4**, 21-24 (1997) (in Japanese).

Hirai A, Tsuji M and Horii F: Culture conditions producing structure entities composed of Cellulose I and II in bacterial cellulose, *Cellulose*, **4**, 239-245 (1997).

Tsuji M, Fujita M and Kohjiya S: Correlation between the crystallite modulus along chain axis and the durability of crystallinity against electron irradiation for polymers, *Nihon Reorji Gakkaishi*, **25**, 235-238 (1997) (in Japanese).

Tsuji M and Shimizu T: How fine details are identified by the latest nanoscopic techniques? -Ultrafine structures in synthetic fibers studied by electron microscopy and/or STM/AFM-, *SEN'I GAKKAISHI*, **53**, 137-141 (1997) (in Japanese).

Tsuji M and Vogl O: ICRIS '96: Controlled organization and molecular dynamics of polymers, Uji, Kyoto, Japan, *Polym. News*, **22**, 293-297 (1997).

Tsuji M and Tosaka M: Sample preparation and measuring methods • measured examples. in "Kobunshi jikkengakukoza 6 Kobunshi no kozo (2) - Sanranjikken to Keitakansatsu" (Jpn. Soc. Polym. Sci. Ed.), Kyoritsu syuppan, Tokyo, 1997, 2-1, Densikenbikyoo, 1.1 TEM, §1.1.2, 405-426 (in Japanese).

Tosaka M, Hamada N, Tsuji M, Kohjiya S, Ogawa T, Isoda S and Kobayashi T: Crystallization of Syndiotactic Polystyrene in β -form. 1. Positional Identification of Stacking Faults in the Solution Grown Single Crystals, *Macromolecules*, **30**, 4132-4136 (1997).

Fujita M, Hamada N, Tosaka M, Tsuji M and Kohjiya S: A TEM Study on Polyoxymethylene Rodlike Crystals Grown Epitaxially on NaCl, *J. Macromol. Sci., -Phys.*, **B36**, 681-687 (1997).

Hamada N, Tosaka M, Tsuji M, Kohjiya S and Katayama K:

Crystallization of Syndiotactic Polystyrene in β -form. 2: Quantification of Stacking Faults in the Solution-Grown Single Crystals, *Macromolecules*, **30**, 6888-6892 (1997).

Tosaka M, Hamada N, Tsuji M and Kohjiya S: Crystallization of Syndiotactic Polystyrene in β -form. 3: Energetic Analysis of the Incorporation Mechanism of Stacking Faults into the Crystal, *Macromolecules*, **30**, 6592-6596 (1997)

Tsuji M, Tosaka M and Kohjiya S: Polymer crystals observed by high-resolution electron microscopy, *Ann. Rep. Res. Chem. Fibers, Jpn.*, **54**, 67-74 (1997) (in Japanese)

INTERFACE SCIENCE

I. Solutions and Interfaces

Matubayasi N, Wakai C and Nakahara M: NMR Study of Water Structure in Super- and Subcritical Conditions, *Phys. Rev. Lett.*, **78**, 2573-2576, 4309 (1997).

Okamura E, Wakai C, Matubayasi N and Nakahara M: ^{14}N NMR Spectra Sensitive to Surface Curvature and Segmental Motion of Hydrophilic Headgroups in Lipid Bilayers and Micelles, *Chem. Lett.*, 1061-1062 (1997).

Wakai C and Nakahara M: Attractive potential effect on the self-diffusion coefficients of a solitary water molecule in organic solvents, *J. Chem. Phys.*, **106**, 7512-7518 (1997).

Nakahara M, Yamaguchi T and Ohtaki H: The Structure of Water and Aqueous Electrolyte Solutions under Extreme Conditions, *Recent Res. Devel. in Physical Chem.*, **1**, 17-49 (1997).

Nakahara M, Tenuh T, Wakai C, Fujita E and Enomoto H: ^{13}C -NMR Evidence for Hydrogen Supply by Water for Polymer Cracking in Supercritical Water, *Chem. Lett.*, 163-164 (1997).

Matubayasi N and Nakahara M: Structure of Water at High Temperatures and Pressures, *Koatsu-ryoku no Kagaku to Gijutsu (Rev. High Pressure Sci. Tech.)*, **6**, 16-23 (1997) (in Japanese).

Tatsumi K, Conard J, Nakahara M, Menu S, Lauginie P, Sawada Y and Ogumi Z: ^7Li NMR Studies on a Lithiated Non-graphitizable Carbon Fibre at Low Temperatures, *Chem. Commun.*, 687-688 (1997).

Nakahara M: Structure and Properties of Supercritical Water and Solutions, in "Handbook for Hydrothermal Sciences (Suinetsu-Kagaku)", *Gihoudou Shuppan*, 21-37 (1997) (in Japanese).

Sakai H and Umemura J: Effect of Infrared Radiation and Air Flow on Fourier Transform Infrared External Reflection Spectra of Langmuir Monolayers, *Langmuir*, **13**, 502-505 (1997).

Hasegawa T, Nishijo J, Kobayashi Y and Umemura J: Effect of Substrates on the Infrared External Reflection Spectra of Langmuir-Blodgett Films, *Bull. Chem. Soc. Jpn.*, **70**, 525-533 (1997).

Sakai H and Umemura J: Molecular Orientation Change in Langmuir Films of Stearic Acid and Cadmium Stearate on Surface Compression as Studied by Infrared External Reflection Spectroscopy, *Bull. Chem. Soc. Jpn.*, **70**, 1027-1032 (1997).

Tano T and Umemura J: FT-IR Spectra and Molecular Orientation of Black Lipid Films in Air Interacting with Metal Ions, *Langmuir*, **13**, 5718-5725 (1997).

Tano T and Umemura J: Deviation from the Lambert Law in Ultrathin Films Such as Black Soap Films, *Appl. Spectrosc.*, **51**, 944-948 (1997).

Matubayasi N: Yuuden-ritsu (dielectric constant), *Kagaku (Chemistry)*, **52**, 42-43 (1997) (in Japanese).

Payne V A, Matubayasi N, and Murphy L R, and Levy R M: Monte Carlo Study of the Effect of Pressure on Hydrophobic Association, *J. Phys. Chem.*, **B101**, 2054-2060 (1997).

Matubayasi N: Mean-field theory of solutions: Chemical potential and solution structure in the superposition approximation, *bussei kenkyu*, **68**, 379-399 (1997) (in Japanese).

II. Molecular Aggregates

Izuoka A, Murase T, Tukada M, Ito Y, Sugawara T, Uchida A, Sato N and Inokuchi H: Crystal Structure and Solid State Reaction of Tetrabenzo[*de,hi,op,st*]pentacene Endoperoxide, *Tetrahedron Lett.*, **38**, 245-248 (1997).

Sato N: Molecular Electronic Relaxation in Organic Solids: *Electrical and Related Properties of Organic Solids*, Munn R W, Miniewicz A and Kuchta B (eds.), (Kluwer Academic Publishers, Dordrecht, 1997), pp. 157 - 166.

Inagaki Y, Shirota I, Konno M, Sato N and Nishi H: Structure and Absorption Spectra of Thin Films of Triphenodithiazine, $\text{C}_{18}\text{N}_2\text{S}_2\text{H}_{10}$, *Mol. Cryst. Liq. Cryst.*, **296**, 397-407 (1997).

Hasegawa M and Sato N: Correlation of Molecular Orientations at the Interface of Organic Double-Layered Thin Films, *Mol. Cryst. Liq. Cryst.*, **296**, 409-426 (1997).

Oda M and Sato N: A Theoretical Study on Solid-State Thermal Isomerization Reaction of Methyl 4-(Dimethylamino)-benzenesulfonate in the Energetic Aspect, *Chem. Phys. Lett.*, **275**, 40-45 (1997).

Wada S, Iida A, Asami K, Tachikawa E and Fujita T: Ion Channel Formation in Lipid Membranes and Catecholamine Secretion from Chromaffin Cells by Trichocellines A-II and B-II, 20 Residue Peptaiboles, *Biochim. Biophys. Acta*, **1325**, 209-214 (1997).

Koide N, Asami K and Fujita T: Ion-Channels of Hypelcins, Antibiotic Peptides, Formed in Planar Bilayer Lipid Membranes, *Biochim. Biophys. Acta*, **1326**, 47-53 (1997).

Iseda M, Nishio T, Han S Y, Yoshida H, Terasaki A and Kondou T: Electronic Structure of Vanadium Cluster Anions as Studied by Photoelectron Spectroscopy, *J. Chem. Phys.*, **106**, 2182-2186 (1997).

III. Separation Chemistry

Hasegawa H: Seasonal Changes in Methylarsenic Distribution in Tosa Bay and Uranouchi Inlet, *Applied Organometallic Chemistry*, **10**, 733-740 (1996).

Zhou D, Li Q, Huang C, Yao G, Umetani S, Matsui M, Ying L, Yu A, Zhao X: Room-Temperature Fluorescence, Phosphorescence and Crystal Structure of 4-Acyl Pyrazolone Lanthanides Complexes: $\text{Ln}(\text{L})_3 \cdot \text{H}_2\text{O}$, *Polyhedron*, **16**, 1381-1389 (1997).

Sohrin Y, Tateishi T, Mito S, Matsui M, Maeda H, Hattori A, Kawashima M, Hasegawa H: Nutrients of Lake Biwa in the Unusually Cool and Hot Summers of 1993 and 1994, *Lakes & Reservoirs: Research and Management* **1996**, **2**, 77-87 (1997).

Le Q.T.H, Umetani S, Suzuki M, Matsui M: α -Substituted β -Diketones: Effect of the α Substituent on the Complexation and Selectivity for Lanthanides, *J. Chem. Soc., Dalton Trans.*, 643-647 (1997).

Suzuki M, Umetani S, Matsui M, Kihara S: Oxidation of Ascorbate and Ascorbic Acid at the Aqueous/Organic Solution Interface, *J. Electroanal. Chem.*, **420**, 119-125 (1997).

Obata H, Karatani H, Matsui M, Nakayama E: Fundamental Studies for Chemical Speciation of Iron in Seawater with an Improved Analytical Method, *Marine Chemistry*, **56**, 97-106 (1997).

Tsurubou S, Umetani S, Matsui M: Solvent Extraction of Some Divalent Metal Ions with 4,4'-(1,3-Phenylenediaceoxy)bis(1-phenyl-3-methyl-5-pyrazolone), *Solvent Extr. Res. Dev., Jpn.*, **4**, 190-198 (1997).

Hasegawa H: The Behavior of Trivalent and Pentavalent Methylarsenicals in Lake Biwa, *Appl. Organometallic Chem.*, **11**, 305-311 (1997).

Umetani S, Kawase Y, Le Q T H, Matsui M: The Synergistic Extraction of Lanthanides with Trifluoroacetylcycloalkanones and Trioctylphosphine Oxide, *Chem. Lett.*, 771-772 (1997).

Sohrin Y, Matsui M, Kawashima M, Hojo M, Hasegawa H: Arsenic Biogeochemistry Affected by Eutrophication in Lake Biwa, Japan, *Environ. Sci. Technol.*, **31** (10), 2712-2720 (1997).

Le Q T H, Umetani S, Matsui M: Ion-size Recognition of Group 13 Metals (Al^{3+} , In^{3+}) with Modified β -Diketones, *J. Chem. Soc., Dalton Trans.*, 3835-3840 (1997).

Umetani S, Le Q T H, Matsui M: Molecular Design of Highly Selective Ligands for Group 13 Metals, *Anal. Sci.*, **13 Suppl**, 103-106 (1997).

Umetani S, Sasaki T, Matsui M, Tsurubou S, Kimura T, Yoshida Z: Complex Formation of Metal Ions with Sulfonated Crown Ethers in Water as Ion Size Selective Masking Reagents, *Anal. Sci.*, **13 Suppl**, 123-126 (1997).

Komatsu Y, Umatsni S: Triple-phase Separation of Alkaline Earth Metal Ions, *Anal. Sci.*, **13 Suppl**, 107-110 (1997).

Mukai H, Umetani S, Matsui M: The Synergic Extraction of Rare Earth Metals with Ortho-Substituted 1-Phenyl-3-methyl-4-aryl-5-pyrazolones and Trioctylphosphine Oxide, *Anal. Sci.*, **13 Suppl**, 145-148 (1997).

Tsurubou S, Sasaki T, Umetani S, Matsui M: Quantitative Separation of Alkaline Earths Using Diazapolyoxabicyclic Ligands as Ion-size Selective Masking Reagents, *Anal. Sci.*, **13 Suppl**, 127-130 (1997).

Li Q, Huang C, Yao G, Umatani S, Matsui M: Synthesis, Characterization and Luminescence of Tb^{3+} Mixed Ligand Complexes with 1-Phenyl-3-methyl-4-isobutryl-5-pyrazolone and Neutral Ligands, *J. Chinese Rare Earth Soc.*, **15**, 295-299 (1997).

SOLID STATE CHEMISTRY

I. Artificial Lattice Alloys

Sugimoto T, Ueda K, Kanehisa N, Kai Y, Shiro M, Hosoi N, Takeda N and Ishikawa M: Weak-Ferromagnetism and Ferromagnetism in Tetrafluorotetracyanoquinodimethanide Salts, *ACS Symposium Series 644, Molecule-Based Magnetic Materials, Theory, Techniques, and Applications*, **Chap. 19**, 276-295 (1996).

Ueda K, Sugimoto T, Endo S, Toyota N, Kohama M, Yamamoto K, Suenaga Y, Morimoto H, Yamaguchi T, Munakata M, Hosoi N, Kanehisa N, Shibamoto Y and Kai Y: 1:2 TCNQ/TCNQ $^{\cdot-}$

Mixed Salts Exhibiting Ferromagnetic Behavior at Room Temperature, *Chem. Phys. Lett.*, **261**, 295-300 (1996).

Passamani E C, Mibu K, Baggio-Saitovitch E and Shinjo T: ^{151}Eu Mössbauer Study of V/Eu, Cr/Eu, Fe/Eu, and Co/Eu Multilayers, *Conf. Proc. 50 "ICAME-95"*, I. Ortalli (Ed.), SIF, Bologna, 631-634 (1996).

Kobayashi Y, Sato H, Sugawara H, Aoki Y, Ono T, Shinjo T and Kamijo A: Transport Properties in Microstructured Multilayers, *Czechoslovak J. Phys.*, **46**, Suppl. S4, 2351-2352 (1996).

Mibu K, Nagahama T and Shinjo T: Reversible Magnetization Process and Magnetoresistance of Soft-Magnetic (NiFe)/ Hard-Magnetic (CoSm) Bilayers, *J. Magn. Magn. Mater.*, **163**, 75-79 (1996).

Shinjo T, Ono T, Shigeto K and Sugita Y: Magnetism and Magnetoresistance of Multilayers Prepared on Microstructured Substrates, *Acta Physica Polonica A*, **91**, 27-36 (1997).

Emoto T, Hosoi N and Shinjo T: Magnetic Polarization of Conduction Electrons at Au Layers in Fe/Au Multilayers by ^{119}Sn Mössbauer Spectroscopy, *J. Phys. Soc. Jpn.*, **66**, 803-808 (1997).

Shigeto K, Ono T and Shinjo T: Magnetoresistance Study of Noncoupled-Type Multilayers Prepared on V-groove Substrates, *J. Phys. Soc. Jpn.*, **66**, 2425-2428 (1997).

Hamada S, Hosoi N and Shinjo T: Local Spin Polarization in Au Layers of Co/Au(111) Multilayers by ^{57}Fe Mössbauer Probes, *J. Phys. Soc. Jpn.*, **66**, 30-33 (1997).

Ishimatsu N, Venkataraman C T, Hashizume H, Hosoi N, Namikawa K and Iwazumi T: X-ray Reflectivity at the L Edges of Gd, *J. Synchrotron Rad.*, **4**, 175-179 (1997).

Ono T, Shigeto K, Shinjo T, Shintaku K and Moriya H: Giant Magnetoresistance of Multilayers Prepared on Replicas of V-Groove Substrates, *Jpn. J. Appl. Phys.*, **36**, L616-L618 (1997).

Hashizume H, Ishimatsu N, Sakata O, Hosoi N, Emoto T, Lee Ki-Bong, Lee Dong-Ryeol and Iwazumi T: X-Ray Circular Dichroic Bragg Reflections from a GdCo/Ag Multilayer, *Jpn. J. Appl. Phys.*, **36**, 4525-4530 (1997).

Ono T, Sugita Y, Shigeto K, Mibu K, Hosoi N and Shinjo T: Magnetoresistance Study of Co/Cu/NiFe/Co Multilayers Prepared on V-groove Substrates, *Phys. Rev. B*, **55**, 14457-14466 (1997).

Ono T, Shigeto K and Shinjo T: Magnetoresistance of Co/Cu(Ag)/NiFe/Cu(Ag) Multilayers Prepared on V-groove Substrates, *Physica B*, **237-238**, 267-268 (1997).

Ono T, Shigeto K and Shinjo T: GMR Properties of Co/Ag(Cu)/NiFe/Ag(Cu) Multilayers Prepared on V-groove Substrates, *Physica B*, **239**, 41-46 (1997).

Ono T and Shinjo T: GMR Properties of Multilayers Prepared on Microstructured Substrates, *Kotai Butsuri*, **32**, 212-220 (1997). (in Japanese)

Amaral L, Scorzelli R B, Paesano A, Brückman M E, Bustamante Dominguez A, Shinjo T, Ono T and Hosoi N: Mössbauer Study on Phase Separation in FeNi Multilayers under Ion Bombardment, *Surface Science*, **389**, 103-108 (1997).

Trhlík M, De Moor P, Mibu K, Severijns N, Shinjo T, Van Geert A and Vanneste L: Perpendicular Magnetic Anisotropy of Tb Magnetic Moments in Tb/Fe Multilayers, *J. Magn. Magn. Mater.*, **165**, 408-410 (1997).

II. Artificial Lattice Compounds

Chong I, Terashima T, Bando Y, Takano M, Matsuda Y, Nagaoka T and Kumagai K: Growth of Heavily Pb-Substituted Bi-2201 Single Crystals by a Floating Zone Method, *Physica C*, **290**, 57-62 (1997).

Joko H, Fujiwara M, Nakanishi M, Fujii T, Takada J, Kusano Y, Takeda Y, Ikeda Y, Takano M and Bando Y: Li Doping into the Pb Substituted Bi-2212 Phase by Electrochemical Method, *Funtai oyobi Funmatsu Yakini*, **44**, 792-796 (1997) (in Japanese).

Takeuchi T, Ding H, Campuzano J C, Yokoya T, Takahashi T, Chong I, Terashima T and Takano M: ARPES Studies of Pb Substituted Bi2201 Compounds, *Physica C*, **282-287**, 999-1000 (1997).

Izumi M, Nakazawa K, Bando Y, Yoneda Y and Terauchi H: Magnetotransport of SrRuO₃ Thin Film on SrTiO₃ (001), *J. Phys. Soc. Jpn.*, **66**, 3893-3900 (1997).

Bando Y: Synthesis and Research of Materials, *Butsuri*, **52**, 170-174 (1997) (in Japanese).

Fujiwara M, Nakanishi M, Fujii T, Takada J, Kusano Y, Takeda Y, Ikeda Y, Takano M and Bando Y: Li Doping into the Bi-2212 Phase by Electrochemical Method, *Funtai oyobi Funmatsu Yakini*, **44**, 142-146 (1997) (in Japanese).

Chong I, Hiroi Z, Izumi M, Shimoyama J, Nakayama Y, Kishio K, Terashima T, Bando Y and Takano M: High Critical Current Density in the Heavily Pb-Doped Bi₂Sr₂CaCu₂O_{8+d} Superconductor: Generation of Efficient Pinning Centers, *Science*, **276**, 770-773 (1997).

Kawahara T, Sugiuchi N, Komai E, Terashima T and Bando Y: Hole and Electron Doping in Ultrathin Films with the Infinite Layer Structure by Electric Field Effect, *Physica C*, **276**, 127-131 (1997).

Ikeda Y and Bando Y: Subsidiary Phase Relations in the BaO-TiO₂-Fe₂O₃ System, *J. Phys. IV France* **7**, C1-343-344 (1997).

Fujiwara M, Nakanishi M, Kusano Y, Fujii T, Takada J, Takeda Y and Ikeda Y: Electrochemical Lithium Intercalation into the Bi-2212 Phase, *Physica C*, **279**, 219-224 (1997).

Chong I, Terashima T, Ikeda Y, Bando Y, Takano M, Matsuda Y, Nagaoka T and Kumagai K: Growth of Pb-Substituted Bi-2201 Single Crystal by Floating Zone Method, *Journal of the Korean Physical Society*, **31**, 40-42 (1997).

Terashima T and Bando Y: Growth Mechanism and Microstructure of Ultrathin YBa₂Cu₃O_{7-δ} Films, *Proceedings of The Fourth R.O.C. - Japan Joint Seminar on Crystallography, Nov. 11-12, 1996, Hsinchu, Taiwan, R.O.C., Taiwan, R.O.C.*, 259-266 (1997).

Chong I, Terashima T, Bando Y, Takano M, Matsuda Y, Nagaoka T and Kumagai K: Growth of Pb-Substituted Bi-2201 Single Crystal by Floating Zone Method, *Advances in Superconductivity IX: Proceedings of the 9th International Symposium on Superconductivity (ISS'96), Oct. 21-24, 1996, Sapporo, Japan (ed. Nakajima S and Murakami M)*, Springer-Verlag, Tokyo, **1**, 449-452 (1997).

III. Multicomponent Materials

Kanno R, Shirane T, Kawamoto Y, Takeda Y, Takano M, Ohashi M and Yamaguchi Y: Synthesis, Structure, and Electrochemical Properties of a New Lithium Iron Oxide, LiFeO₂, with a Corrugated Layer Structure, *J. Electrochem. Soc.*, **143**, 2435-2442 (1996).

Hiroi Z, Amelinckx S, Tendeloo G V and Kobayashi N: Microscopic Origin of Dimerization in the CuO₂ Chains in Sr_{1-x}Cu₂O₄₁, *Phys. Rev. B*, **54**, 15849-15855 (1996).

Yamaura K, Takano M, Hirano A and Kanno R: Magnetic Properties of Li_{1-x}Ni_{1+x}O₂ (0≤x≤0.08), *J. Solid State Chem.*, **127**, 109-118 (1996).

Kobayashi N, Hiroi Z and Takano M: Compounds and Phase Relations in the SrO-CaO-CuO System under High Pressure, *J. Solid State Chem.*, **132**, 274-283 (1997).

Saitoh T, Sekiyama A, Kobayashi K, Mizokawa T, Fujimori A, Sarma D D, Takeda Y and Takano M: Temperature-Dependent Valence-Band Photoemission Spectra of La_{1-x}Sr_xMnO₃, *Phys. Rev. B*, **56**, 8836-8840 (1997).

Shimoyama J, Nakayama Y, Kitazawa K, Kishio K, Hiroi Z, Chong I and Takano M: Strong Flux Pinning up to Liquid Nitrogen Temperature Discovered in Heavily Pb-Doped and Oxygen Controlled Bi2212 Single Crystals, *Physica C*, **281**, 69-75 (1997).

Takeuchi T, Ding H, Campuzano J C, Yokoya T, Takahashi T, Chong I, Terashima T and Takano M: ARPES Studies of Pb Substituted Bi2201 Compounds, *Physica C*, **282-287**, 999-1000 (1997).

Joko H, Fujiwara M, Nakanishi M, Fujii T, Takada J, Kusano Y, Takeda Y, Ikeda Y, Takano M and Bando Y: Li Doping into the Pb Substituted Bi-2212 Phase by Electrochemical Method, *Funtai oyobi Funmatsu Yakini*, **44**, 792-796 (1997) (in Japanese).

Takano M, Azuma M, Fujishiro Y, Nohara M, Takagi H, Fujiwara M, Yasuoka H, Ohsugi S, Kitaoka Y and Eccleston R S: Impurity Effects on a 2-Leg Spin Ladder Compound SrCu₂O₃, *Physica C*, **282-287**, 149-152 (1997).

Hiroi Z: Beer and Electron Microscope - Record of Our Stay in Antwerp -, *Denshikenbikyo*, **32**, 176-178 (1997) (in Japanese).

Chong I, Hiroi Z, Izumi M, Shimoyama J, Nakayama Y, Kishio K, Terashima T, Bando Y and Takano M: High Critical Current Density in the Heavily Pb-Doped Bi₂Sr₂CaCu₂O_{8+d} Superconductor: Generation of Efficient Pinning Centers, *Science*, **276**, 770-773 (1997).

Chong I, Terashima T, Bando Y, Takano M, Matsuda Y, Nagaoka T and Kumagai K: Growth of Heavily Pb-Substituted Bi-2201 Single Crystals by a Floating Zone Method, *Physica C*, **290**, 57-62 (1997).

Kaimori S, Kawsaki S, Azuma M and Takano M: High Pressure Synthesis of Ln₂CuSnO₅ (Ln=La, Pr, Nd, Sm), *Funtai oyobi Funmatsu Yakini*, **44**, 127-131 (1997) (in Japanese).

Azuma M, Fujishiro Y, Takano M, Nohara M and Takagi H: Switching of the Gapped Single Spin-Liquid State to an Antiferromagnetically Ordered State in Sr(Cu_{1-x}Zn_x)₂O₃, *Phys. Rev. B*, **55**, R8658-R8661 (1997).

Takano M: Superconductivity, *Kikan Kagaku Sosetsu*, **32**, 73-83 (1997) (in Japanese).

Mizokawa T, Ootomo K, Konishi T, Fujimori A, Hiroi Z, Kobayashi N and Takano M: Photoemission and X-Ray-Absorption Study of the Hole-Doped Ladder System La_{1-x}Sr_xCuO_{2.5}, *Phys. Rev. B*, **55**, R13373-R13376 (1997).

Nozawa K, Nohara M, Takagi H, Hiroi Z and Takano M: Transport Properties of a Quasi-One Dimensional Ladder Compound La_{1-x}Sr_xCuO_{2.5}, *Advances in Superconductivity IX: Proceedings of the 9th International Symposium on Superconductivity (ISS'96), Oct. 21-24, 1996, Sapporo, Japan (ed. Nakajima S and Murakami M)*, Springer-

Verlag, Tokyo, **1**, 69-72 (1997).

Takano M and Onodera A: High Pressure Synthesis in Inorganic Systems, *Current Opinion in Solid State & Materials Science*, **2**, 166-173 (1997).

Fujiwara M, Nakanishi M, Fujii T, Takada J, Kusano Y, Takeda Y, Ikeda Y, Takano M and Bando Y: Li Doping into the Bi-2212 Phase by Electrochemical Method, *Funtai oyobi Funmatsu Yakin*, **44**, 142-146 (1997) (in Japanese).

Ohtani T, Honji S and Takano M: Phase Transitions in Quasi-One-Dimensional Selenide BaNbSe₃ and Superconductivity in BaNb₂Se₅, *J. Solid State Chem.*, **132**, 188-195 (1997).

Saitoh T, Mizokawa T, Fujimori A, Abbate M, Takeda Y and Takano M: Electronic Structure and Temperature-Induced Paramagnetism in LaCoO₃, *Phys. Rev. B*, **55**, 4257-4266 (1997).

Saitoh T, Mizokawa T, Fujimori A, Abbate M, Takeda Y and Takano M: Electronic Structure and Magnetic States in La_{1-x}Sr_xCoO₃ Studied by Photoemission and X-Ray-Absorption Spectroscopy, *Phys. Rev. B*, **56**, 1290-1295 (1997).

Chong I, Terashima T, Bando Y, Takano M, Matsuda Y, Nagaoka T and Kumagai K: Growth of Pb-Substituted Bi-2201 Single Crystal by Floating Zone Method, *Advances in Superconductivity IX: Proceedings of the 9th International Symposium on Superconductivity (ISS'96), Oct. 21-24, 1996, Sapporo, Japan (ed. Nakajima S and Murakami M)*, Springer-Verlag, Tokyo, **1**, 449-452 (1997).

Chong I, Terashima T, Ikeda Y, Bando Y, Takano M, Matsuda Y, Nagaoka T and Kumagai K: Growth of Pb-Substituted Bi-2201 Single Crystal by Floating Zone Method, *Journal of the Korean Physical Society*, **31**, 40-42 (1997).

Kageyama H, Yoshimura K, Kosuge K, Azuma M, Takano M, Mitamura H and Goto T: Magnetic Anisotropy of Ca₃Co₂O₆ with Ferromagnetic Ising Chains, *Journal of the Physical Society of Japan*, **66**, 3996-4000 (1997).

IV. Amorphous Materials

Kim S-H and Yoko T: Nonlinear Optical Properties of TeO₂-Based glasses: PbX₂ (X=F, Cl and Br)-TeO₂ Binary Glasses, *Metals. Materials and processes*, **8**, 291-300 (1996).

Uchino T, Kim S-H, Yoko T and Fukunaga T, Structure of TeO₂ Glass from Neutron Radial Distribution Functions, Raman Spectra and Ab Initio Molecular Orbital Calculations, *J. Ceram. Soc. Jpn.*, **105**, 201-5 (1997).

Terashima K, Uchino T, Hashimoto T and Yoko T: Structure and Nonlinear Optical Properties of BaO-TiO₂-B₂O₃ Glasses, *J. Ceram. Soc. Jpn.*, **105**, 288-293 (1997).

Monde T, Nakayama N, Tachiiri N, Hukube H, Nemoto F, Yoko T and Konakahara T: Adsorption Characteristics of the Silica-Gels Treated with Fluorinated Silylation Agents, *J. Colloid and Interface Science*, **185**, 111-18 (1997).

Hashimoto T, Ishibashi K and Yoko T: Third-Order Nonlinear Optical Susceptibility of Pb-Complex Perovskite Thin Films Prepared by the Sol-Gel Method, *J. Sol-Gel Science and Technology*, **9**, 211-218 (1997).

Terashima K, Hashimoto T and Yoko T: Nonlinear Optical Properties of B₂O₃-Based Glasses: PbO-Bi₂O₃-B₂O₃ Heavy Metal Oxide Glasses, *Phys. Chem. Glasses*, **38**, 211-217 (1997).

Innocenzi P, Kozuka H and Yoko T: Fluorescence Properties of Ru(bpy)₃²⁺ Complexes Incorporated in Sol-Gel-Derived Silica Coating Films, *J. Phys. Chem., B*, **101**, 2285-91 (1997).

Kitaoka K, Kozuka H, Hashimoto T, and Yoko T: Preparation of La_{0.5}Li_{0.5}TiO₃ Perovskite Thin Films by Sol-Gel Method, *J. Mater. Sci.*, **32**, 2063-70 (1997).

Zhao G-L, Kozuka H and Yoko T: Effects of the Incorporation of Silver and Gold Nanoparticles on the Photoanodic Properties of Rose Bengal Sensitized TiO₂ Films Electrodes Prepared by Sol-Gel Method, *Solar Energy Mater. Solar Cells*, **46**, 219-231 (1997).

Uchino T and Yoko T: Ab Initio Molecular Orbital Calculations on the Boson Peak Frequencies of Molecular Glasses, *Progress of Theoretical Physics Supplement*, **126**, 147-150 (1997).

Ohyama M, Kozuka H and Yoko T: Sol-Gel Preparation of ZnO Films with Extremely Preferred Orientation along the (002) Plane from Zinc Acetate Solution, *Thin Solid Films*, **306**, 78-85 (1997).

Terashima K, Tamura S, Kim S-H and Yoko T: Structure and Nonlinear Optical Properties of Lanthanide Borate Glasses, *J. Am. Ceram. Soc.*, **80**, 2903-09 (1997).

Uchino T and Yoko T: Ab Initio Molecular Orbital Calculations on the Structure and the Low-Frequency Vibrational Modes in B₂O₃ and Alkali Borate Glasses, in Borate Glasses, Crystals & Melts, eds by AC Wright, SA Feller and AC Hannon, *The Society of Glass Technology*, Scheffield (1997) pp 417-424

Kozuka H: Metal Nanoparticles in Gel-Derived Oxide Coating Films: Control and Application of Surface Plasma Resonance, *SPIE*, **3136**, 304-314 (1997).

Lin H, Yanagi T, Seo W-S, Kuwabara K and Koumoto K: Crystal Growth of Hydroxyapatite under Langmuir Monolayers, *Phosphorus Research Bulletin*, **6**, 39-42 (1996).

Lin H, Kuroiwa N, Seo W-S, Kuwabara K and Koumoto K: Preparation of Metallic Crystals by Langmuir-Blodgett Technique, *Molecular Crystals and Liquid Crystals*, **295**, 129-132 (1997).

Lin H and Koumoto K: Crystallization Control Based on Molecular Recognition phenomena at Inorganic-Organic Interfaces, *Catalysts and Catalysis*, **39(7)**, 572-579 (1997). (in Japanese)

FUNDAMENTAL MATERIAL

PROPERTIES

I. Molecular Rheology

Osaki K, Watanabe H, Inoue T: Creep Behavior of the Factorable BKZ Constitutive Model *Nihon Reoraji Gakkaishi*, **25**, 173-174(1997)

Urakawa O, Watanabe H: Dielectric Relaxation of Dipole-Inverted cis-Polyisoprene in Solutions: Concentration Dependence of the Second Mode Relaxation Time *Macromolecules*, **30**, 652-654 (1997).

Watanabe H: Linear Viscoelasticity of Polymer Melts and

Solutions", in Osaki K Ed., "Experimental Methods for Polymers (Kobunshi Jikken-Gaku)", Kyoritsu (Tokyo), Vol.8, Chapter 4, pp. 165–213, 1997.(in Japanese)

Watanabe H: Rheology of Diblock Copolymer Micellar Systems *Acta Polymerica*, **48**, 215–233 (1997).

Watanabe H, Sato T, Osaki K, Yao ML, Yamagishi A: Rheological and Dielectric Behavior of a Styrene-Isoprene-Styrene Triblock Copolymer in Selective Solvents: 2. Contribution of Loop-type Middle Blocks to Elasticity and Plasticity *Macromolecules*, **30**, 5877–5892(1997).

Watanabe H, Yao ML, Sato T, Osaki K: Non-Newtonian Flow Behavior of Diblock Copolymer Micelles: Shear-Thinning in a Nonentangling Matrix *Macromolecules*, **30**, 5905–5912 (1997).

Watanabe H: Rheology of Suspensions *J. Jap. Soc. Col. Mat.*, **70**, 468–475 (1997).

Watanabe H, Yao ML, Osaki K, Shikata T, Niwa H, Morishima Y: Nonlinear Rheology of A Concentrated Spherical Silica Suspension: 2. Role of Strain in Shear-Thickening *Rheol. Acta*, **36**(5), 524–533 (1997).

Inoue T, Osaki K: Rheo-optics in Osaki K Ed., "Experimental Methods for Polymers (Kobunshi Jikken-Gaku)", Kyoritsu (Tokyo), Vol.8, Chapter 4, pp. 301–324, 1997.(in Japanese)

Inoue T, Hwang EJ, Osaki K: Birefringence of amorphous polyarylates: 2. Dynamic Measurement on a Polyarylate with Low Optical Anisotropy *Polymer*, **5**, 1029–1034(1997).

Inoue T, Matsui H, Murakami S, Kojiya S, Osaki K: Strain - Induced Birefringence and Molecular Structure of Glassy Polymers *Polymer*, **5**, 1215–1220(1997).

Inoue T, Matsui H, Osaki K: Molecular Origin of Viscoelasticity and Chain Orientation of Glassy Polymers, *Rheol. Acta*, **36**, 239–244 (1997).

II. Polymer Materials Science

Imai M and Kaji K: Ordering Process in the Induction Period of Polymer Crystallization, *Kotaibutsuri*, **32**, 449-458 (1997). (in Japanese)

Kaji K and Imai M: Dynamics in the Induction Period of Polymer Crystallization, *Kobunshi*, **46**, 765-771 (1997). (in Japanese)

Nomura S and Kaji K: From the Micell Model to the Fringed-Micell Model, *Sen'i gakkaiishi*, **53**, 129-131 (1997). (in Japanese)

Kaji K: From the Fringed-Micell Microfibril Model to the Shish-Kebab Model, *Sen'i gakkaiishi*, **53**, 132-136 (1997). (in Japanese)

Yamamuro O, Tsukushi I, Matsuo T, Takeda K, Kanaya T and Kaji K: Inelastic neutron scattering study of low-energy excitations in vapor-deposited glassy propylene, *J. Chem. Phys.*, **105**, 2997-3002 (1997).

Kanaya T, Kaji K, Bartos J and Klimova M: Onset of the Fast Process in Amorphous Polypropylene as Detected by Quasielastic Neutron Scattering and Electron Spin Resonance Techniques, *Macromolecules*, **30**, 1101-1104 (1997).

Kanaya T, Tsukushi I and Kaji K: Non-Gaussian Parameter and Heterogeneity of Amorphous Polymers, *Prog. Theor. Phys. Suppl.*, **126**, 133-140 (1997).

Yamamuro O, Tsukushi I, Matsuo T, Takeda K, Kanaya T and Kaji K: Low Energy Excitations in Simple Molecular Glasses, *Prog. Theor. Phys. Suppl.*, **126**, 93-96 (1997).

Baros J, Kristiak J and Kanaya T: Free volume and microscopic dynamics in amorphous polymers, *Physica*, **B 234/236**, 435-436 (1997).

Bartos J, Bandzuch P, Sausa O, Kristiakova K, Kristiak J, Kanaya T and Jenninger: Free Volume Microstructure and Its Relation to the Chain Dynamics in cis-1,4-Polybutadiene As Seen by Positron Annihilation Lifetime Spectroscopy, *Macromolecules*, **30**, 6906-6912 (1997).

Kanaya T: Dynamics of Glassy Polymers and Glass Transition, *Molecular Electronics and Bioelectronics*, **8**, 2-16 (1997).(in Japanese)

Kanaya T: Slow Motion of Macromolecules, *RADIOISOTOPES*, **46**, 317-321 (1997).(in Japanese)

Kanaya T, Shibata K and Ikeda S: High Energy-resolution Spectrometer LAM-80ET, *Neutron News*, **8**, 34-37 (1997).

Kanaya T and Izumi Y: New Experimental Polymer Science 6, chap. 3, sec. 3 and 4, ed. The Society of Polymer Science, Japan, Kyoritsu Press, Tokyo, 333-351, 351-357 (1997). (in Japanese)

Kanaya T: Anomalous Heat Capacity at low Temperatures and Low Energy Excitations in Glassy Polymers - Inelastic Neutrons Scattering in Polymer Research, *Kobunshi Kako*, **46**, 40-43 (1997). (in Japanese)

Nishida K, Urakawa H, Kaji K, Gabrys B and Higgins J S: Electrostatic Persistence Length of NaPSS Polyelectrolytes Determined by a Zero Average Contrast SANS Technique, *POLYMER*, **38**, 6083-6085 (1997).

III. Molecular Motion Analysis

Horii F, Masuda K and Kaji H: CP/MAS ¹³C NMR Spectra of Frozen Solutions of Poly(vinyl alcohol) with Different Tacticities, *Macromolecules*, **30**, 2519-2520 (1997).

Ishida H, Kaji H and Horii F: Solid-State NMR Analyses of the Structure and Chain Conformation of Thermotropic Liquid Crystalline Polyurethane Crystallized from the Melt through the Liquid Crystalline State, *Macromolecules*, **30**, 5799-5803 (1997).

Kaji H and Horii F: One- and Two-Dimensional Solid-State ¹³C NMR Analyses of the Solid Structure and Molecular Motion of Poly(ϵ -caprolactone) Isothermally Crystallized from the Melt, *Macromolecules*, **30**, 5791-5798 (1997).

Kuwabara K, Kaji H and Horii F: Solid-State NMR Analyses of the Crystalline-Noncrystalline Structure for Metallocene-Catalyzed Linear Low-Density Polyethylene, *Macromolecules*, **30**, 7516-7521 (1997).

Horii F, Yamamoto H and Hirai A: Microstructural Analysis of Microfibrils of Bacterial Cellulose, *Macromol. Symp.*, **120**, 197-205 (1997).

Hirai A, Tsuji M and Horii F: Culture Conditions Producing Structure Entities Composed of Cellulose I and II in Bacterial Cellulose, *Cellulose*, **4**, 239-245 (1997).

Horii F: Bacterial Cellulose—Structural Formation in the Biogenesis, *Kagaku*, **52**, 70-71 (1997) (in Japanese).

Hirai A, Tsuji M and Horii F: Formation of Cellulose II Crystal in Bacterial Cellulose, *Cellulose Commun.*, **4**, 21-24 (1997) (in Japanese).

Nonaka T and Horii F: New Polymeric Materials as Speaker Cones, *Kobunshi Kako*, **46**, 368-373 (1997) (in Japanese).

Kaji H, Tai T and Horii F: Two-Dimensional Solid-State NMR Analyses of Medium-Range Molecular Motion of Polymers, *Proc. Soc. Solid-State NMR Mater.*, **No. 21**, 35-39 (1997) (in Japanese).

Kaji H: Analyses of Conformation and Local Structure of Polymers by Two-Dimensional Solid-State NMR Method, *Kaigai Koubunshi Kenkyu*, **43**, 107-108 (1997) (in Japanese).

ORGANIC MATERIALS CHEMISTRY

I. Polymeric Materials

Fukuda T, Ide N and Ma Y-D: Propagation and Termination Processes in Free Radical Copolymerization, *Macromol. Symp.*, **111**, 305-315 (1996).

Takaragi A, Sugiura M, Minoda M, Miyamoto T and Watanabe J: Oligosaccharide-based Thermotropic Liquid Crystals 4; Synthesis of Cellobiose-based Twin and Triplet Derivatives and Their Mesophase Properties, *Macromol. Chem. Phys.*, **198**, 2583-2598 (1997).

Nishimura H, Donkai N and Miyamoto T: Temperature-Responsive Hydrogels from Cellulose, *Macromol. Symp.*, **120**, 303-313 (1997).

Nishimura H, Donkai N and Miyamoto T: Preparation and Properties of a New Type of Comb-shaped, Amphiphilic Cellulose Derivative, *Cellulose*, **4**, 89-98 (1997).

Liu H-Q, Zhang L-N, Takaragi A and Miyamoto T: Effect of Substituent Distribution on Water Solubility of *O*-Methylcellulose, *Cellulose*, **4**, 321-327 (1997).

Liu H-Q, Zhang L-N, Takaragi A and Miyamoto T: Water Solubility of Regioselectively 2,3-*O*-Substituted Carboxymethylcellulose, *Macromol. Rapid Commun.*, **18**, 921-925 (1997).

Goto A, Terauchi T, Fukuda T and Miyamoto T: Gel Permeation Chromatographic Determination of Activation Rate Constants in Nitroxide-Controlled Free Radical Polymerization, 1 Direct Analysis by Peak Resolution, *Macromol. Rapid Commun.*, **18**, 673-682 (1997).

Fukuda T and Goto A: Gel Permeation Chromatographic Determination of Activation Rate Constants in Nitroxide-Controlled Free Radical Polymerization, 2 Analysis of Evolution of Polydispersities, *Macromol. Rapid Commun.*, **18**, 683-688 (1997).

Ohno K, Tsujii Y and Fukuda T: Mechanism and Kinetics of Nitroxide-Controlled Free Radical Polymerization. Thermal Decomposition of 2,2,6,6-Tetramethyl-1-polystyroxypiperidines, *Macromolecules*, **30**, 2503-2506 (1997).

Ide N and Fukuda T: Nitroxide-Controlled Free Radical Copolymerization of Vinyl and Divinyl Monomers. Evaluation of Pendant-Vinyl Reactivity, *Macromolecules*, **30**, 4268-4271 (1997).

Goto A and Fukuda T: Effects of Radical Initiator on Polymerization Rate and Polydispersity in Nitroxide-Controlled Free Radical Polymerization, *Macromolecules*, **30**, 4272-4277 (1997).

Goto A and Fukuda T: Mechanism and Kinetics of Activation Processes in A Nitroxide-Mediated Polymerization of Styrene, *Macromolecules*, **30**, 5183-5186 (1997).

Okamura H, Terauchi T, Minoda M, Fukuda T and Komatsu K: Synthesis of 1,4-Dipolystyryldihydro[60]fullerenes by Using 2,2,6,6-Tetramethyl-1-polystyroxypiperidine as a Radical

Source, *Macromolecules*, **30**, 5279-5284 (1997).

Gawronski M, Donkai N, Fukuda T and Miyamoto T: Triple Helix of the Polysaccharide Cinerean in Aqueous Solution, *Macromolecules*, **30**, 6994-6996 (1997).

Ide N, Oguchi A, Tsujii Y, Fukuda T, Miyamoto T, Higashida N and Chujo Y: Gelation of Styrene-Acrylonitrile Copolymer via Cyclodiborazane Formation, *Nihon Reoraji Gakkaishi*, **25**, 197-198 (1997). (in Japanese)

Fukuda T, Ohno K, Goto A, Tsujii Y and Miyamoto T: Synthesis of New Polymer Materials by "Living" Radical Polymerization, *Kasen-Kouenshu*, **54**, 1-10 (1997). (in Japanese)

II. High-Pressure Organic Chemistry

Nishinaga T, Kawamura T, Komatsu K: Synthesis, Structure, and Redox Behavior of the Dehydroannulenes Fused with Bicyclo[2.2.2]octene Frameworks, *J. Org. Chem.*, **62**, 5354-5362 (1997).

Matsuura A, Nishinaga T, Komatsu K: Synthesis and Electronic Properties of Anthracene Fully Annulated with Bicyclo[2.2.2]octene Frameworks, *Tetrahedron Lett.*, **38**, 3427-3430 (1997).

Matsuura A, Nishinaga T, Komatsu K: Reactions of a Novel Benzynes Annulated with Two Bicyclo[2.2.2]octene Units, *Tetrahedron Lett.*, **38**, 4125-4128 (1997).

Wang G-W, Komatsu K, Murata Y, Shiro M: Synthesis and X-Ray Structure of Dumb-bell-shaped C₁₂₀, *Nature*, **387**, 583-586 (1997).

Murata Y, Shiro M, Komatsu K: Synthesis, X-Ray Structure, and Properties of the First Tetrakisadduct of Fullerene C₆₀ Having a Fulvene-Type π -System on the Spherical Surface, *J. Am. Chem. Soc.*, **119**, 8117-8118 (1997).

Tanaka T, Kitagawa T, Komatsu K, Takeuchi K: Synthesis of a Hydrocarbon Salt Having a Fullerene Framework: *J. Am. Chem. Soc.*, **119**, 9313-9314 (1997).

Kitagawa T, Tanaka T, Takata Y, Takeuchi K, Komatsu K: Ionically Dissociative Hydrocarbons Containing the C₆₀ Skeleton: *Tetrahedron*, **53**, 9965-9976 (1997).

Mori S, Karita T, Komatsu K, Sugita N, Wan TSM: High-Pressure Synthesis of Cycloadduct of Fullerene C₆₀ with 2H-Pyran-2-one: *Synth. Commun.*, **27**, 1475-1482 (1997).

Kudo K, Ikoma F, Mori S, Komatsu K, Sugita N: Synthesis of Oxalate from Carbon Monoxide and Carbon Dioxide in the Presence of Caesium Carbonate, *J. Chem. Soc., Perkin Trans.2*, 679-682 (1997).

Kudo K, Oida Y, Mori S, Komatsu K, Sugita N: Palladium(II)-Catalyzed Hydroesterification of Enol Esters: Remarkable α -Substituent Effect upon Regioselectivity, *React. Kinet. Catal. Lett.*, **59**, 29-33 (1996).

Okamura H, Terauchi T, Minoda M, Fukuda T, Komatsu K: Synthesis of 1,4-dipolystyryldihydro[60]fullerenes by Using 2,2,6,6-Tetramethyl-1-polystyroxypiperidine as a Radical Source, *Macromolecules*, **30**, 5279-5284 (1997).

Okamura H, Minoda M, Komatsu K, Miyamoto T: Synthesis of C₆₀-Capped Vinyl Ether Oligomers by Living Cationic Polymerization Technique, *Macromolecular Chem. Phys.*, **198**, 777-786 (1997).

Komatsu K, Wang G-W, Murata Y, Shiro M: Synthesis of the Fullerene Dimer C₁₂₀ by a Solid State Reaction, *Fullerens:*

Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials, R. S. Ruoff and K. M. Kadish Eds; Electrochemical Society, Pennington, N.J., **4**, 290-297 (1997).

Komatsu K, Murata Y: Synthesis and Electrochemical Behavior of a Fulleranyl Anion Having Five Organic Addends Around the cyclopentadienide Ring on the C₆₀ Surface, *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, R. S. Ruoff and K. M. Kadish Eds; Electrochemical Society, Pennington, N.J., **4**, 199-208 (1997).

Komatsu K: The Organic Chemistry of Fullerene, *SUT Bulletin*, **14** (12), 29-33 (1997) (in Japanese).

SYNTHETIC ORGANIC CHEMISTRY

I. Synthrtic Design

Yamaguchi S, Ohno S, and Tamao K: Pd(II)-Catalyzed Oxidative Homo-Coupling of Aryl-Metal Compounds Using Acrylate Dibromide Derivatives as Effective Oxidants, *Synlett*, 199-1201 (1997).

Kawachi A, Tanaka Y, and Tamao K: Synthesis and Structures of Tris[2-(dimethylamino)phenyl]silane and -germane Compounds, *Organometallics*, **16**, 5102-5107 (1997).

Toshimitsu A, Hirosawa C, Nakano K, Mukai T, and Tamao K: Stereospecific Transformations of Chiral Compounds Using Anchimeric Assistance of Arylthio and Arylseleno Group, *Phosphorus, Sulfur, and Silicon*, **120 & 121**, 355-356 (1997).

Toshimitsu A, Terada M, and Tamao K: Intramolecular Cyclization Reaction via a Sterically Protected Episelenonium Ion Intermediate, *Chem. Lett.*, 733-734 (1997).

Yamaguchi S, Jin R.-Z, Tamao K, and Shiro M: Silicon-Catenated Silole Oligomers: Oligo(1,1-silole)s, *Organometallics*, **16**, 2486-2488 (1997).

Yamaguchi S, Jin R.-Z, Tamao K, and Shiro M: Synthesis of a Series of 1,1-Difunctionalized Siloles, *Organometallics*, **16**, 2230-2232 (1997).

Kawachi A and Tamao K: Preparations and Reactions of the Functionalized Silyllithiums (Accounts), *Bull. Chem. Soc. Jpn.*, **70**, 945-955 (1997).

Yamaguchi S, Jin R.-Z, Shiro M, and Tamao K: A New Example of the Linear Disiloxanes: Synthesis and X-ray Crystal Structure of Bis(2-silolyl)tetramethyldisiloxane, *Chem. Heterocyclic Comp.*, **356**, 180 - 185 (1997).

Tamao K, Sun G.-R, Kawachi A, and Yamaguchi S: Regioselective Synthesis of Polyfunctionalized Alkyl-Trisilanes and Tetrasilanes via Reductive Cross-Coupling Reaction of (Amino)alkylsilyl Chlorides with Lithium, *Organometallics*, **16**, 780-788 (1997).

Kawachi A, Doi N, and Tamao K: The Sila-Wittig Rearrangement, *J. Am. Chem. Soc.*, **119**, 233-234 (1997).

II. Fine Organic Synthesis

Nishide K, Nakamura D, Yokota K, Sumiya T, Node M, Ueda M and Fuji K: A Silver Salt-Iodine Reagent System for the Deprotection of Monothioacetals and Dithioacetals, *Heterocycles*, **44**, 393-404 (1997).

Aoki H, Fuji K and Miyajima K: Effects of blood on the uptake of charged liposomes by perfused rat liver: cationic glucosamine-modified liposomes interact with erythrocyte and escape phagocytosis by macrophages, *Internat. J. Pharmaceutics*, **149**, 15-23 (1997).

Aoki H, Tottori T, Sakurai F, Fuji K and Miyajima K: Effects of positive charge density on the liposomal surface on disposition kinetics of liposomes in rats, *Internat. J. Pharmaceutics*, **156**, 163-174 (1997).

Kawabata T, Nagato M, Takasu K and Fuji K: Nonenzymatic Kinetic Resolution of Racemic Alcohols through an "Induced Fit" Process, *J. Am. Chem. Soc.*, **119**, 3169-3170 (1997).

Aoki H, Fujita M, Sun C, Fuji K and Miyajima K: High-Efficiency Entrapment of Superoxide Dismutase into Cationic Liposomes Containing Synthetic Aminoglycolipid, *Chem. Pharm. Bull.*, **45**, 1327-1331 (1997).

Fuji K, Sakurai M, Kinoshita T, Tada T, Kuroda A and Kawabata T: Assessment of the Activity of 8-Diphenylphosphino-8'-methoxy-1,1'-binaphthyl as a Ligand for Palladium-Catalyzed Reactions, *Chem. Pharm. Bull.*, **45**, 1524-1526 (1997).

Tanaka K, Asakawa N, Nuruzzaman M and Fuji K: Use of 8,8'-dihydroxy-1,1'-binaphthalene as a chiral auxiliary for asymmetric Diels-Alder cycloadditions, *Tetrahedron: Asymmetry*, **8**, 3637-3645 (1997).

Tanaka K, Watanabe T, Ohta Y and Fuji K: Formation of non-racemic E- and Z-olefins based on discrimination of enantiotopic carbonyl groups in α -diketones by a chiral phosphonate reagent, *Tetrahedron Lett.*, **38**, 8943-8946 (1997).

BIOORGANIC CHEMISTRY

I. Bioorganic Reaction Theory

Ishihara K, Nishitani M, Yamaguchi H, Nakajima N, Ohshima T, Nakamura K: Preparation of Optically Active α -Hydroxy Esters: Stereoselective Reduction of α -Keto Esters Using Thermophilic Actinomycetes, *J. Ferment. Bioeng.*, **84**, 268-270 (1997).

Horiuchi A, Ikeda A, Kanamori M, Hosokawa H, Sugiyama T, Takahashi T: A New Synthesis of *trans*-Iodohydrins Using Iodine-cerium(IV) Salts, *J. Chem. Res., Synop.*, 60-61 (1997).

Kano K, Negi S, Kawashima A, Nakamura K: Optical Resolution of 1-Arylethanol Using Transesterification Catalyzed by Lipases, *Enantiomer*, **2**, 261-266 (1997).

Kawai Y, Takanobe K, Ohno A: Stereochemical Control in Microbial Reduction. XXIX. Mechanism of Stereochemical Control with an Additive in the Diastereoselective Reduction by *Geotrichum candidum*, *Bull. Chem. Soc. Jpn.*, **70**, 1683-1686 (1997).

Kawai Y, Kunitomo J, Ohno A: A Novel Function of an Atropisomeric Flavin Model as a Host Compound, *Acta Crystallogr.*, **C53**, 513-515 (1997).

Kawai Y, Ohno A: Fundamentals of Biofine Chemicals. Enzymes in Organic Synthesis. *Kikan Kagaku Sosetsu*, **33**, 7-19 (1997) (in Japanese).

Kimura T, Hanzawa M, Horn E, Kawai Y, Ogawa S, Sato R: Preparation and Conformational Analysis of 6,10-Disubstituted[1,2,3]trithiolo[h]benzopentathiepin Monooxides, *Tetrahedron Lett.*, **38**, 1607-1610 (1997).

Nakajima N, Ishihara K, Matsumura S, Hamada H, Nakamura K, Furuya T: Lipase-catalyzed Synthesis of Arbutin Cinnamate in an Organic Solvent and Application of Transesterification to Stabilize Plant Pigments, *Biosci. Biotech. Biochem.*, **61**, 1926-1928 (1997).

Nakamura K, Kondo S, Kawai Y, Nakajima N, Ohno A: Amino Acid Sequence and Characterization of Aldo-keto Reductase

from Bakers' Yeast. *Biosci. Biotechnol. Biochem.*, **61**, 375-377 (1997).

Nakamura K: Artificial Regulation of Biocatalytic Reaction. *Kagaku to Seibutsu*, **35**, 590-598 (1997) (in Japanese).

Ogawa S, Kikuchi M, Kawai Y, Sato R: Synthesis, Structure, and One-electron Redox Reactions of Novel Benzodithiolium Salts. *Phosphorus, Sulfur and Silicon*, **120-121**, 433-434 (1997).

Ohno A: The Simplest Reaction in Organic Chemistry - Transition State of Proton - Transfer Reaction. Maruzen, Tokyo (1997) (in Japanese).

Ohno A: Organic Chemistry of Enzyme Catalysis. Maruzen, Tokyo (1997) (in Japanese).

Ohno A, Kunitomo J, Kawai Y: Physical Properties of Atropisomeric 5-Deazaflavin Derivatives. *Tetrahedron*, **53**, 4601-4610 (1997).

Okamura M, Hazama K, Ohta M, Kato K, Horaguchi T, Ohno A: Exalted Resonance Effect in the Aryl-assisted Solvolyses of 2-Aryl-2-(trifluoromethyl)ethyl m-Nitrobenzenesulfonates. *Chem. Lett.*, 973-974 (1997).

Tanaka K, Kume T, Takimoto T, Kitahara Y, Suzuki H, Osuga H, Kawai Y: Synthesis, Structure and Properties of [7]Heterohelicenes Possessing Phenolic Hydroxy Functions. *Chem. Lett.*, 501-502 (1997).

Yamazaki N, Okamura M, Kawai Y, Mikata Y, Ohno A: Stereospecific Redox Reaction Directed by a Sulfinyl Group. *Phosphorus, Sulfur and Silicon*, **120-121**, 445-446 (1997).

Yasui S, Tsujimoto M, Shioji K, Ohno A: Dichotomy in the Reactivity of Trivalent Phosphorus Compounds Z₃P (Z=Ph, nBu, OR) Observed in the Photoreaction with a Ruthenium Complex. *Chem. Ber.*, **130**, 1699-1707 (1997).

II. Bioactive Chemistry

Ishiguro T, Saito J, Yawata H, Otsuka M, Inoue T, Sugiura Y: Fluorescence Detection of Specific Sequence Nucleic Acids by Oxazole Yellow-Linked Oligonucleotides. Homogeneous Quantitative Monitoring of in vitro Transcription. *Nucleic Acids Res.*, **24**, 4992-4997 (1996).

Sugiura Y, Nagaoka M: Recognition of DNA Sequence and DNA Bending. Molecular Design for Artificial Repressors. *J.Syn.Org.Chem.Jpn.*, **55**, 384-392 (1997) (in Japanese).

Otsuka M, Fujita M, Sugiura Y, Yamamoto T, Inoue J, Maekawa T, Ishii S: Synthetic Inhibitors of Regulatory Proteins Involved in the Signaling Pathway of the Replication of Human Immunodeficiency Virus I. *Bioorg. Med.Chem.*, **5**, 205-215 (1997).

Sugiura Y, Totsuka R, Araki M, Okuno Y: Selective Cleavage of tRNA^{Phe} with Secondary and Tertiary Structures by Eneidyne Antitumor Antibiotics. *Bioorg. Med. Chem.*, **5**, 1229-1234 (1997).

Kigoshi H, Kitamura Y, Fujita T, Ohashi E, Atsumi T, Mutou T, Yamada K, Kusakabe T, Sasaki D, Sugiura Y: New Synthetic Analogues of the Bracken Ultimate Carcinogen. Elevation of Stability and Alteration of DNA Alkylation Site Selectivity. *Tetrahedron Lett.*, **38**, 3235-3238 (1997).

Morii T, Saimei Y, Okagami M, Makino K, Sugiura Y: Factors Governing the Sequence-Selective DNA Binding of Geometrically Constrained Peptide Dimers. *J. Am. Chem. Soc.*, **119**, 3649-3655 (1997).

Takahashi T, Yamada T, Matsumoto T, Sugiura Y: Synthesis of Nine-Membered, Masked Eneidyne Analogues with DNA Intercalators and Its DNA Cleaving Activities. *Angew. Chem. Int. Ed. Engl.*, **36**, 1524-1526 (1997).

Saegusa N, Yokono M, Matsushita K, Sugiura Y: Different Contributions of Three Zinc Fingers of Transcription Factor Sp1 to DNA Recognition: Novel Binding Mode of N-Terminal Finger1. *Nucleic Acids Res. (Sym.Ser.)*, **37**, 151-152 (1997).

Kamiuchi T, Imanishi M, Abe E, Sugiura Y: New Multi Zinc Finger Protein. Biosynthetic Design and Characteristics of DNA Recognition. *Nucleic Acids Res. (Sym.Ser.)*, **37**, 153-154 (1997).

Aizawa Y, Morii T, Sugiura Y: Selective Recognition of Tandemly Repeated DNA Sequences by Homo- and Hetero-Dimers of Short Peptides. *Nucleic Acids Res. (Sym.Ser.)*, **37**, 311-312 (1997).

III. Molecular Clinical Chemistry

Ueda K: Possible role of poly(ADP-ribose) synthetase in neuronal degeneration., *Acta Neurobiologiae Experimentalis*, **57**, S47 (1997).

Li S, Mallory M, Alford M, Tanaka S, Masliah E: Glutamate transporter alterations in Alzheimer's disease are possibly associated with abnormal APP expression., *J. Neuropathol. Exp. Neurol.*, **56**, 901-911 (1997).

Ueda, K: Poly(ADP-ribose) synthetase : A multifunctional guardian of genomic DNA., *Proc. of 16th Annual Convention of Indian Association for Cancer Research and National Symposium on New Insights into the Molecular Mechanism of Oncogenesis*, 2-3 (1997).

Adachi, Y, Nishikimi, A, Teraoka, H, Ueda, K: Apoptotic degradation and subcellular localization of PARP regulated by phosphorylation., *Proc. of 12th International Symposium on ADP-ribosylation Reactions : From Bacterial Pathogenesis to Cancer*, 56 (1997).

Ariumi Y, Masutani M, Copeland TD, Mimori T, Sugimura T, Ueda K, Hatanaka M: Interaction of DNA-dependent protein kinase with poly(ADP-ribose) polymerase (PARP)., *Proc. of 12th International Symposium on ADP-ribosylation Reactions : From Bacterial Pathogenesis to Cancer*, 106 (1997).

Ueda K, Nishikimi A, Ariumi Y, Tokime T, Teraoka H, Strosznajder J, Tanaka S, Adachi Y: Poly(ADP-ribose) synthetase as a genome guardian., *Proc. of 1st Japan-Italy Bilateral Seminar on ADP-ribose and Nitric Oxide: Role in Cell Differentiation, Growth and Death*, 9-11 (1997).

Ueda K: Present status and future of gene diagnosis., in *Gene Diagnosis and Therapy 97*" (M. Muramatsu, ed), Igaku-shoin, 7-10 (1997). (in Japanese)

Ueda K: Gene and diseases; introduction., in *Progress of Molecular Biology (vol. 4), Medical Molecular Biology*, Asakura-shoten, 132-135 (1997). (in Japanese)

Ueda K: Gene and diseases; gene diagnosis., in *Progress of Molecular Biology (vol. 4), Medical Molecular Biology*, Asakura-shoten, 142-146 (1997). (in Japanese)

Tanaka S, Ueda K: Molecular genetics of Alzheimer's disease., *Gene & Medicine*, **1**, 62-71 (1997). (in Japanese)

Tanaka S: Gene diagnosis of Alzheimer's disease., *Saishin-Igaku*, **52**, 2160-2169 (1997). (in Japanese)

MOLECULAR BIOFUNCTION

I. Functional Molecular Conversion

Hiratake J and Oda J: Aminophosphonic and Aminoboronic Acids As a Key Element of Transition-State Analogue Inhibitor of Enzymes, *Biosci. Biotech. Biochem.*, **61**, 211-218 (1997).

Hiratake J and Oda J: Organic Synthesis and Catalytic Antibodies, *J. Synthetic Org. Chem.*, Japan, **55**, 452-459 (1997). (in Japanese)

Hiratake J: Transition-state Analogues: the Point of Contact between Enzyme Catalysis and Organic Chemistry, *Enzyme Engineering News* **38**, 21-25 (1997). (in Japanese)

Kato H and Oda J: Four-dimensional Structure of Enzyme: Watching enzyme at work by Time-Resolved X-Ray Crystallography, *Bioscience and Industry*, **55** (7), 32-34 (1997). (in Japanese)

Kato H: Supporting strategies of Protein Crystallization by Dynamic Light Scattering, *Nippon Kessyuu Gakkaishi*, **39**, 315-319 (1997). (in Japanese)

Koiwa H, Kato H, Nakatsu T, Oda J, Yamada Y and Sato F: Purification and Characterization of Tobacco Pathogenesis-Related Protein PR-5d, an Antifungal Thaumatin-like Protein, *Plant Cell Physiol.*, **38**, 783-791 (1997).

Oda J: Reaction Mechanism of Glutathione Synthetase, *Kagaku*, **52**(9), **23** (1997). (in Japanese)

II. Molecular Microbial Science

Liu J.-Q., Kurihara T, Miyagi M, Tsunasawa S, Nishihara M, Esaki N, Soda K: Paracatalytic Inactivation of L-2-Haloacid Dehalogenase from *Pseudomonas* sp. YL by Hydroxylamine, *J. Biol. Chem.*, **272**, 3363-3368 (1997)

Mihara H, Kurihara T, Yoshimura T, Soda K, Esaki N: Cysteine Sulfinate Desulfinate, a NIFS-like Protein of *Escherichia coli* with Selenocysteine Lyase and Cysteine Desulfurase Activities, *J. Biol. Chem.*, **272**, 22417-22424 (1997)

Galkin A, Kulakova L, Ohshima T, Esaki N, Soda K: Construction of a New Leucine Dehydrogenase with Preferred Specificity for NADP⁺ by Site-directed Mutagenesis of the Strictly NAD⁺-specific Enzyme. *Protein Engineering*, **10**, 687-690 (1997)

Inoue H, Inagaki K, Eriguchi S, Tamura T, Esaki N, Soda K, Tanaka H: Molecular Characterization of the *mde* Operon Involved in L-Methionine Catabolism of *Pseudomonas putida*, *J. Bacteriol.*, **179**, 3956-3962 (1997)

Nardi-dei V, Kurihara T, Park C, Esaki N, Soda K: Bacterial DL-2-Haloacid Dehalogenase from *Pseudomonas* sp. Strain 113: Gene Cloning and Structural Comparison with D- and L-2-Haloacid Dehalogenases, *J. Bacteriol.*, **179**, 4232-4238 (1997)

Galkin A, Kulakova L, Yoshimura T, Soda K, Esaki N: Synthesis of Optically Active Amino Acids from α -Keto Acids with *Escherichia coli* Cells Expressing Heterologous Genes, *Appl. Environ. Microbiol.*, **63**, 4651-4656 (1997)

Galkin A, Kulakova L, Yamamoto H, Tanizawa K, Tanaka H, Esaki N, Soda K: Conversion of α -Keto Acids to D-Amino Acids by Coupling of Four Enzyme Reactions, *J. Ferment. Bioeng.*, **83**, 299-300 (1997)

Liu L, Yoshimura T, Endo K, Esaki N, Soda K: Cloning and Expression of the Glutamate Racemase Gene of *Bacillus*

pumilus, *J. Biochem.*, **121**, 1155-1161 (1997)

Kishimoto K, Yoshimura T, Soda K, Esaki N: Mutation of Arginine 98, Which Serves as a Substrate-Recognition Site of D-Amino Acid Aminotransferase, Can Be Compensated for by Mutation of Tyrosine 88 to an Arginyl Residue, *J. Biochem.*, **122**, 1182-1189 (1997)

Soda K, Esaki N, Kurihara T, Liu J.-Q, Nardi-Dei V, Nishihara M, Hata Y, Fujii T, Hisano T, Tsunasawa S, Miyagi M: 2-haloacid Dehalogenase: Structure and Catalytic Mechanism, *Mechanisms of Biohalogenation and Dehalogenation* (D. B. Janssen, K. Soda and R. Wever eds.), 157-166 (1997)

Kurihara T, Nardi-Dei V, Park C, Esaki N, Soda K, Tsunasawa S, Miyagi M: Characteristics of DL-2-haloacid Dehalogenase, *Mechanisms of Biohalogenation and Dehalogenation* (D. B. Janssen, K. Soda and R. Wever eds.), 167-174 (1997)

Esaki N, Yoshimura T: Classification of Pyridoxal Enzymes Based on Stereospecificity of Hydrogen Transfer, *RADIOISOTOPES*, **46**, 327-329 (1997) (in Japanese)

MOLECULAR BIOLOGY AND INFORMATION

I. Biopolymer Structure

Fujii T, Hata Y, Oozeki M, Moriyama H, Wakagi T, Tanaka N and Ohshima T: The Crystal Structure of Zinc-Containing Ferredoxin from the Thermoacidophilic Archaeon *Sulfolobus* sp. Strain 7, *Biochemistry*, **36**, 1505-1513 (1997).

Fujii T, Wakagi T and Hata Y: The Structure of a Thermoacidophilic Archaeal Ferredoxin with a Novel Zinc Binding Center Crucial for Thermostabilization, *J. Inorg. Biochem.* **67**, 264 (1997).

Hata Y and Fujii T: Crystallographic Analysis of the Tertiary Structure and Reaction Mechanism of L-2-Haloacid dehalogenase, *Nippon Kesshougaku Kaishi*, **39**, 358-365 (1997) (in Japanese).

Ishiguro R and Takahashi S: ATR-IR spectroscopy and studies of lipid-peptide interaction, *Jasco Report*, **39**, 12-19 (1997) (in Japanese).

Kojoh K, Fujii T, Matsuzawa H and Wakagi T: A Dicluster Ferredoxin from the Thermoacidophilic Archaeon *Sulfolobus* sp. strain 7 is Highly Stabilized by its Inherent Zinc and N-Terminal Extra Stretch, *J. Inorg. Biochem.*, **67**, 265 (1997).

Kumar A, Reddy V S, Yushibov V, Chipman P R, Hata Y, Fita I, Fukuyama K, Rossmann M G, Loesch-Fries L S, Baker T and Johnson J E: The Structure of Alfalfa Mosaic Virus Capsid Protein Assembled as a T=1 Icosahedral Particle at 4.0-Å Resolution, *J. Virology*, **71**, 7911-7916 (1997).

Ozawa S, Hayashi R, Mazuda A, Ito T. and Takahashi S: Reconstitution of bacteriorhodopsin from a mixture of a proteinase V8 fragment and two synthetic peptides, *Biochem. Biophys. Acta*, **1323**, 145-153 (1997).

Sano Y, Inoue H, Kajiwara K, Hiragi Y and Isoda S: Structural Analysis of A-Protein of Cucumber Green Mottle Mosaic Virus and Tobacco Mosaic Virus by Synchrotron Small-Angle Scattering, *J. Protein Chem.*, **16**, 151-159 (1997).

Tokioka K, Masuda S, Fujii T, Hata Y and Yamamoto Y: Asymmetric Cycloaddition of Anthrone with N-Substituted Maleimides with C₂-Chiral Pyrrolidines, *Tetrahedron*, **8**, 101-107 (1997).

Watanabe K, Hata Y, Kizaki H, Katsube Y and Suzuki Y: The Refined Crystal Structure of *Bacillus cereus* Oligo-1,6-glucosidase at 2.0 Å Resolution: Structural Characterization of Proline-substitution Site for Protein Thermostabilization, *J. Mol. Biol.*, **269**, 142-153 (1997).

Yamamoto A, Hata T, Tomoo K, Ishida T, Fujii T, Hata Y, Murata M and Kitamura K: Binding Mode of CA074, a Specific Irreversible Inhibitor, to Bovine Carthepsin B as Determined by X-Ray Crystal Analysis of the Complex, *J. Biochem.*, **121**, 974-977 (1997).

II. Molecular Biology

Goto K: Molecular Mechanisms of Petal and Stamen Development in *Arabidopsis*. *J. Reprod. Develop.*, **43**, 19-20 (1997).

Kudo M and Goto K: Mechanism in Arrangements of Flower Organs. *Iden*, **51**, 27-33 (1997) (in Japanese).

Nevalainen L T, Aoyama T, Ikura M, Crivici A, Yan H, Chua N-H and Nairn A C: Characterization of Novel Calmodulin-binding Peptides with Distinct Inhibitory Effects on Calmodulin-dependent Enzymes. *Biochem J.*, **321**, 107-115 (1997).

Aoyama T and Chua N-H: A Glucocorticoid-mediated Transcriptional Induction System in Transgenic Plants. *Plant J.*, **11**, 605-612 (1997).

Oka A, Aoki M and Aoyama T: Phosphoprotein Phosphatases and Signal Transduction in Plant Cells. *Tanpakushitsu-Kakusan-Kouso*, **42**, 736-743 (1997) (in Japanese).

III. Biological Information Science

Bono H, Goto S, Ogata H, Kanehisa M: Genome Scale Prediction of Two-component Signal Transducers from the Knowledge of Regulatory Interactions, *8th Workshop on Genome Informatics*, 260-261 (1997).

Hattori M, Kanehisa M: The Construction of the Knowledge Base on Apoptotic Molecular Interactions, *8th Workshop on Genome Informatics*, 276-277 (1997).

Kanehisa M: Linking databases and organisms - GenomeNet resources in Japan. *Trends Biochem. Sci.*, **22**, 442-444 (1997).

Kanehisa M: A database for post-genome analysis. *Trends Genet.*, **13**, 375-376 (1997).

Kanehisa M: Network based analysis of genetic information, In "Introduction to Genetic Engineering" (T. Yamamoto, ed.), Yodosha, (1997) (in Japanese).

Kanehisa M: "Human Genome Project", *Series Biophysics Vol. 11*, Kyoritsu Shuppan, (1997) (in Japanese).

Kawashima S, Katayama T, Kanehisa M: Construction of Molecular Interaction Database and Searching for similar Pathways, *8th Workshop on Genome Informatics*, 298-299 (1997).

Kihara D, Kanehisa M, Takagi T: Internet Resources for Genome Research. *Protein, Nucleic Acid and Enzyme*, **42(suppl.)**, 3090-3099 (1997) (in Japanese).

Kihara D, Kanehisa M: Detection of Membrane Proteins in the Whole Genome sequences, *8th Workshop on Genome Informatics*, 300-301 (1997).

Nishioka K, Goto S, Kanehisa M: Present Status of LIGAND Chemical Database for Enzyme Reactions, *8th Workshop on*

Genome Informatics, 316-317 (1997).

Sato K, Katsurada T, Kimura Y, Kanehisa M: Integrated GENES database in KEGG. *8th Workshop on Genome Informatics*, 334-335 (1997).

Suzuki K, Kanehisa M: Database and prediction of sequence motifs on protein molecular interactions. *8th Workshop on Genome Informatics*, 344-345 (1997).

Takazawa F, Kanehisa M, Mitaku S: Analysis of amphiphilic periodicity of alpha-helices: detection of edges of helices and functional residues in proteins. *8th Workshop on genome Informatics*, 348-349 (1997).

Tomii K and Kanehisa M: Current Status of Pathway Analysis, *Protein, Nucleic Acid and Enzyme*, **42(suppl.)**, 3026-3032 (1997) (in Japanese).

NUCLEAR SCIENCE RESEARCH FACILITY

I. Particle and Photon Beams

II. Beams and Fundamental Reaction

Fujieda M, Ezura E, Mori Y, Nakayama H, Ohmori C, Saito K, Sawada S, Takagi A, Tanabe Y, Toda M, Uesugi T, Yamamoto M and Yoshii M: A Broad Band RF Cavity for JHF Synchrotrons, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 209-211 (1997).

Morita A, Inoue M, Noda A, Iwashita Y, Shirai T, Urakabe E, Hiramoto K and Noda K: Octupole Magnet for Expansion of Irradiation Area, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 399-401 (1997).

Noda A, Fujita Y, Hiramoto K, Hirota J, Iwashita Y, Nishi M, Noda K, Shirai T, Tadokoro M, Torikoshi M, Urakabe E, Yamada S, and Inoue M: Development of Proton Synchrotron Dedicated for Cancer Therapy at Kyoto University, *Proc. of the 6th China-Japan Joint Symposium on Accelerators for Nuclear Science and Their Applications, Chengdu, China*, 308-311 (1996).

Noda A, Fujita H, Inoue M, Iwashita Y, Shirai T, Sugimura T, Tonguu H and Mashiko K: Stretcher Mode of the Electron Storage Ring, KSR, *Beam Science and Technology*, **2**, 36-38 (1997).

Noda A, Dewa H, Fujita H, Ikegami M, Inoue M, Iwashita Y, Kakigi S, Kando M, Mashiko K, Okamoto H, Shirai T, Sugimura T and Tonguu H: Electron Storage and Stretcher Ring, KSR, *Proc. of the 5th European Particle Accelerator Conference, Sitges(Barcelona), Spain*, 451-453 (1996).

Saito K, Hirota J, Katane M, Tadokoro M, Iwashita Y, Noda A, and Inoue M: An Untuned RF Cavity using Multifeed Coupling, *Nucl. Instrum. & Meth.* **A401**, 133-143 (1997).

Noda A, Inoue M, Iwashita Y, Tonguu H, Fujita H, Shirai T and Sugimura T: Stretcher Mode of KSR, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 59-61 (1997).

Noda A, Iwashita Y, Inoue M, Morita A, Shirai T, Nishi M, Hiramoto K, Hirota J, Tadokoro M and Umezawa M: Development of Compact Proton Synchrotron with Combined Function Dedicated for Cancer Therapy, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 314-316 (1997).

- Umezawa M, Hiramoto K, Nishi M, Tadokoro M, Hirota J, Iwashita Y and Noda A: A New Dipole Bending Magnet with Improved Magnetic Field Distribution, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 380-382 (1997).
- Hiramoto K and Noda A: Tune Change due to Ripple of Magnetic Field in a Synchrotron of Combined Function Lattice, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 496-498 (1997).
- Shirai T, Bisoffi G and Andrev V: Design of the Superconducting RFQ1 Cavity for the PIAVE Linac, *L.N.L.-I.N.F.N Report 124/97* (1997).
- Sugimura T, Shirai T, Iwashita Y, Tonguu H, Noda A, Fujita H and Inoue M: The Emittance Measurement of 100 MeV Electron Linac at ICR, *Beam Science and Technology*, **2**, 30-33 (1997).
- Ao H and Iwashita Y: Study of the Coaxial Bridge Coupler for the DAW, *Beam Science and Technology*, **2**, 11-12 (1997).
- Ikegami M and Okamoto H: Can Beam Halo be Scraped ?, *Beam Science and Technology*, **2**, 20-22 (1997).
- Hayakawa Y, Seto M, Maeda Y, Shirai T and Noda A: Observation of Parametric X-Ray radiation from 80 MeV Electron Beams, *Beam Science and Technology*, **2**, 8-10 (1997).
- Urakabe E, Inoue M, Iwashita Y, Kanazawa M, Shirai T, Tadokoro M, Nishi M, Noda A, Torikoshi M, Noda K and Fujita Y: Parallel Plate Ionization Chamber for Studying the Time Structure of Slow Extracted Beam, *Beam Science and Technology*, **2**, 23-29 (1997).
- Urakabe E, Inoue M, Iwashita Y, Kanazawa M, Shirai T, Sugimura T, Tadokoro M, Nishi M, Noda A, Torikoshi M, Noda K and Fujita Y: Parallel Plate Ionization Chamber for the Medical-use Heavy-ion Beams, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 308-310 (1997).
- Kihara T, Okamoto H and Iwashita Y: A Possible 3D Laser Cooling Scheme in a Storage Ring, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 481-483 (1997).
- Tonguu H, Fujita H, Inoue M, Iwashita Y, Noda A, Shirai T and Sugimura T: Status of Pulse Stretcher, KSR, *Proc. of the 22nd Linear Accelerator Meeting in Japan, Sendai, Japan*, 296-298 (1997).
- Kapin V: A New Analysis of 4-rod RFQ Linac with Intrinsic Field Distortions, *Jpn J. Appl. Phys.*, **Vol. 36**(1997), Pt 1, No.4A, pp.2415-2427.
- Inoue M, Ao H, Dewa H, Fujisawa H, Ikegami M, Iwashita Y, Kakigi S, Kando, M, Kapin V, Kihara T, Noda A, Okamoto H, Shirai T, Sugimura T and Tonguu H: Linacs and Beam Physics at ICR Kyoto University, *Proc. of the 6th China-Japan Joint Symposium on Accelerators for Nuclear Science and their Applications, Chengdu*, 74-77 (1997).
- Inoue M, Noda A, Iwashita Y, Okamoto H and Shirai T: Pulsed Neutron source based on Accelerator-subcritical-assembly, *Proceedings of the 7th International Symposium on Advanced Nuclear Enrgy Research Recent Progress in Accelerator Beam Application, Takasaki, Japan*, 462-465 (1997).
- Kawase Y, Inoue M and future plan working group: Nutron Factory Project at KURRI, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 133-135 (1997).
- Okamoto H, Ikegami M: Simulation study of halo formation in breathing round beams, *Physical Review* **E55**, 4694-4705 (1997).
- Ikegami M, Okamoto H: Halo Formation from Mismatched Axisymmetric Beams in a Periodic Focusing Channel, *Jpn. J. Appl. Phys.*, **Vol. 36**, 7028-7034 (1997).
- Kando M, Nakajima K, Arinaga M, Kawakubo T, Nakanishi H, Ogata A, Kozawa T, Ueda T and Uesaka M: Interaction of Terawatt Laser with Plasma, *J. of Nuclear Materials*, **248**, 405-407 (1997).
- Kando M, Ahn H, Kotaki H, Tani K, Watanabe T, Ueda T, Uesaka M, Kishimoto Y, Nakajima K, Arinaga M, Nakanishi H and Ogata A: Formation of Self-Channeling and Electron Jet in an Underdense Plasma Excited by Ultrashort High Intensity Laser Pulses: *7th Workshop on Advanced Accelerator Concepts, AIP Conference Proceedings* **398**, 390-399 (1997).
- Kando M, Kotaki H, Dewa H, Ahn H, Sakai F, Kondoh S, Ueda T, Watanabe T, Uesaka M, Nakanishi H, Nakajima K and Ogata A: Laser Wakefield Acceleration Experiments, *Proc. of the 11th Symposium on Accelerator Science and Technology, Harima Science Garden City, Hyogo, Japan*, 513-515 (1997).
- Kando M, Ahn H, Dewa H, Kotaki H, Nakanishi H, Ogata A, Ueda T, Uesaka M, Watanabe T, and Nakajima K: Laser Wakefield Electron Acceleration over 100 MeV Driven by a Femtosecond Terawatt Laser Pulse, *JAERI-memo* 09-143 (1997).
- Kakigi S and Shirai T: Shielding for the 100 MeV Electron Linac at ICR, *Beam Science and Technology*, **2**, 1-7 (1997).
- Okihana A, Ushiro K, Yoshimura T, Kakigi S and Sekioka T: Quasifree Processes in the ${}^6\text{Li}$ Breakup Reaction by Alpha Particles, *Nucl. Phys.*, **A614**, 71-85 (1997).
- Iwashita Y: Phase Stability improvement of ICR Proton Linac, *Beam Science and Technology*, **2**, 13-14 (1997).
- Iwashita Y: Alignment Error of Q-Magnet in KSR, *Beam Science and Technology*, **2**, 34-35 (1997).
- Saito K, Hirota J, Noda F, Iwashita Y, Noda A and Inoue M: An Untuned RF Cavity Loaded with Fe-based Nanocrystalline FINEMET Cores, *Beam Science and Technology*, **2**, 15-19 (1997).
- Iwashita Y: PISCES II: 2.5D RF Cavity Code, *Proc. Computational Accelerator Physics, Williamsburg, Virginia, AIP conference Proceedings* **391**, 119-124 (1996).
- Iwashita Y: Ferro-magnetic material Loaded Untuned RF Cavity for Synchrotron, *JJAP* **36**, L727-L728, Part 2, No.6A (1997).
- Iwashita Y: Accuracy of Eigenvalue with Hybrid Elements on Axisymmetric Domains, *Proc. of the 11th Conference on the Computation of Electromagnetic Fields, Rio de Janeiro, Brazil*, 165-166 (1997).
- Yamamoto K, Matsuki S, and Ogawa I: Quantum calculation of axion-photon-Rydberg atom interactions in resonant cavities, *Proc. International Symposium on Dark Matter in the Universe and its Direct Detection, Tokyo*, 129 - 134 (1997).
- Ogawa I, Kishimoto Y, Tada M, Matsuki S, Yamamoto K, Masaike A, Watanabe S, and Matsuzawa M: Search for dark matter axions with Rydberg atoms in resonant cavities, *Proc. International Symposium on Dark Matter in the Universe and its Direct Detection, Tokyo*, 175 - 180 (1997).

RESEARCH FACILITY OF NUCLEIC ACIDS

Fujibuchi W, Goto S, Migimatsu H, Uchiyama I, Ogiwara A, Akiyama Y and Kanehisa M: DBGET/LinkDB: an Integrated Database Retrieval System. *Proc. Pacific Symposium on Biocomputing '98*, 683-694 (1997).

Fujibuchi W and Kanehisa M: KEGG: Kyoto Encyclopedia of Genes And Genomes, *Genes and Medicine*, **1**, 119-124 (1997) (in Japanese).

Fujibuchi W and Kanehisa M: Prediction of gene expression specificity by promoter sequence patterns. *DNA Res.*, **4**, 81-90 (1997).