

PUBLICATIONS

STATES AND STRUCTURES

I. Atomic and Molecular Physics

Tokesi K, Kover L, Varga D, Toth J and Mukoyama T: Effects of surface loss in REELS spectra of silver, *Surface Rev. Lett.*, **4**, 955-958 (1997).

Iwazumi T, Kobayasi K, Kisimoto S, Nakamura T, Nanao S, Ohsawa D, Katano R and Isozumi Y: Magnetic resonance effect in x-ray resonant raman scattering, *Phys. Rev.* **B56**, R14267 (1997).

Iwazumi T, Kobayasi K, Kisimoto S, Nakamura T, Nanao S, Ohsawa D, Katano R, Isozumi Y and Maruyama H: Magnetic circular dichroism of lanthanoid $L_{\beta_{2,15}}$ fluorescence spectra of magnetic lanthanoid compounds, *J. Electron Spectrosc. Related Phenom.*, **92**, 257-260 (1998).

Nakamura T, Nanao S, Iwazumi T, Kobayasi K, Kisimoto S, Ohsawa D, Katano R and Isozumi Y: X-ray magnetic circular dichroism of multielectron excitation by fluorescence spectroscopy, *J. Electron Spectrosc. Related Phenom.*, **92**, 261-264 (1998).

Song B, Nakamatsu H, Sekine R, Mukoyama T and Taniguchi K: Valence Band Structures of Titanium Nitride and Titanium Carbide Calculated with Chemically Complete Clusters, *J. Phys. Cond. Matter*, **10**, 9443-9454 (1998).

Song B, Nakamatsu H, Mukoyama T and Taniguchi K: Study of Valence Band Structure for TiO_2 (rutile) with DV-X α Calculations and Soft X-ray Emission Spectra, *Advances in X-Ray Chemical Analysis, Japan*, **29**, 191-202 (1998).

Hirata M, Sekine R, Onoe J, Nakamatsu H, Mukoyama T, Takeuchi K and Tachimori S: Electronic Structures of Actinyl Nitrate-triethyl Phosphate Complexes using the DV-DS method, *J. Alloys Compounds*, **271-273**, 128-132 (1998).

Kowada Y, Tanaka I, Nakamatsu H, Mizuno M and Adachi H: *Calculations of Electronic Structures for Beginners*, Sankyo Shuppan, Tokyo, 1998 (in Japanese).

Kowada Y, Tanaka I, Nakamatsu H, Mizuno M and Adachi H: *Calculations of Electronic Structures for Beginners*, HanRimWon Press, Seoul, 1998 (in Korean).

Sekine R, Nakamatsu H, Mukoyama T, Onoe J, Hirata M, Kurihara M and Adachi H: Electronic Structures of Metal Carbides TiC and UC: Similarity and Dissimilarity, *Adv. Quantum Chem.*, **29**, 123-136 (1997).

Ichihara J, Takahashi M, Emura S, Tochio T, Ito Y and Mukoyama M: Acceleration of halogen-exchange reaction of lead (II) fluoride in organic solvent, in *the Abst. of Tenth International Conference on X-ray Absorption Fine Structure (XAFS X)*, Illinois Institute of Technology, Chicago, Illinois, USA, August 10-14, 1998, R5.3-13.

Emura S, Ito Y, Takahashi M and Mukoyama T: A new type of fine structures in x-ray absorption spectroscopy, in *the Abst. of Tenth International Conference on X-ray Absorption Fine Structure (XAFS X)*, Illinois Institute of Technology, Chicago, Illinois, USA, August 10-14, 1998, R4.2-4.

Yamaguchi K, Ito Y, Mukoyama T, Takahashi M and Emura S: Linear Inverse problem solution of the basic XAFS equation via Wavelet-Galerkin method, in *the Abst. of Tenth International Conference on X-ray Absorption Fine Structure (XAFS X)*, Illinois Institute of Technology, Chicago, Illinois, USA, August 10-14, 1998, T5.1-30.

Yamaguchi K, Ito Y, Mukoyama T, Takahashi M and Emura S: Reconstruction of one-dimensional potential from XAFS spectrum, in *the Abst. of Tenth International Conference on X-ray Absorption Fine Structure (XAFS X)*, Illinois Institute of Technology, Chicago, Illinois, USA, August 10-14, 1998, T5.1-31.

Ito Y, Tochio T, Vlaicu A, Osawa D, Mukoyama T, Muramatsu Y, Pererra R, Grush M, Callcott T and Shermann E: The contribution of the ligands around Cr to the resonant inelastic L x-ray emission spectra, in *the Abst. of the 12th International conference on Vacuum Ultraviolet radiation Physics*, August 3-7, 1998, San Francisco, California, USA.

Ito Y, Mukoyama T, Ashio K, Yamamoto K, Suga Y, Yoshikado Y, Julien C and Tanaka T: Ionic conduction and crystal structure of β - $Pb_{1-x}Sn_xF_2$ ($x < 0.3$), *Solid State Ionics* **106**, 291 (1998).

Yoshiaki Ito, Aurel M. Vlaice, Tatsunori Tochio, Takeshi Mukoyama, Masao Takahashi, Shuichi Emura and Yoshiro Azuma: x-ray absorption features from multielectron excitations above Xe L edges, *Phys. Rev.* **A57**, 873 (1998).

Ito Y, Vlaicu A, Mukoyama T, Sato S, Yoshikado S, Julian C, Chong I, Ikeda Y, Takano M and Shermann E: Detailed structure of a Pb-doped $Bi_2Sr_2CuO_6$ superconductor, *Phys. Rev.* **B58**, 2851 (1998).

Vlaicu A, Tochio T, Ishizuka T, Osawa D, Ito Y, Mukoyama T, Nisawa A, Shoji T and Yoshikado S: Investigation of the $_{74}W$ L emission spectra and satellites, *Phys. Rev.* **A58**, 3544 (1998).

II. Crystal Information Analysis

Ogawa T, Isoda S, Suga T, Tsujimoto M, Hiragi Y and Kobayashi T: Analysis by SAXS and Cryo-TEM on Polymerization with a Surfactant, *Colloid & Polymer Science*, **106**, 141-143 (1997).

Kurata H, Wahlbring P, Isoda S and Kobayashi T: Importance of Relativistic Effects on Inelastic Scattering Cross-Sections for Quantitative Microanalysis, *Micron*, **28**, 381-388 (1997).

Kawase N, Isoda S, Kurata H, Murata Y, Takeda K and Kobayashi T: Polymerization Process of 1,6-di(N-carbazolyl)-2,4-hexadiyne (DCHD) Epitaxially Grown Films Studied by High-resolution Electron Microscopy, *Polymer*, **39**, 591-597 (1998).

Yoshida K, Tsujimoto M, Isoda S and Kobayashi T: Selective Crystal Growth in Organic Multilayer Formation, *Technical Report of IEICE*, **OME98-59**, 17-22 (1998) (in Japanese).

Ogawa T, Irie S, Isoda S, Kobayashi T and Whangbo M H: Simulation of Long-range Contrast Modulation in Scanning Tunneling Microscopy Image of Perylene-3,4,9,10-Tetracarboxylic-Dianhydride Monolayer on Graphite, *Jpn.J.Appl.Phys.*, **37**, 3864-3866 (1998).

Isoda S, Tsujimoto M, Yoshida K, Kobayashi T and Kamata T: Structure of the Green-phase of Bis(diphenylgloximato) platinum(II) with High χ^3 , *Mol. Cryst. & Liq. Cryst.*, **316**, 15-18 (1998).

Tosaka M, Tsuji M, Cartier L, Lotz B, Kohjiya S, Ogawa T, Isoda S and Kobayashi T: High Resolution TEM of the Melt-crystallized Modification of Syndiotactic Polystyrene, *Polymer*, **39**, 5273-5275 (1998).

Isoda S, Tsujimoto M, Yoshida K, Ogawa T, Kobayashi T and Kamata T: Structural Aspects of Reversible Control of Optical Activities of Bis(dimethylglyoximato) platinum(II) Thin Film, *Mol. Cryst. & Liq. Cryst.*, **316**, 71-74 (1998).

Terada S, Ogawa T, Nemoto T, Isoda S and Kobayashi T: Cryo-TEM on Structure Analysis of Metastable Polymorph of Hydrated Organic Crystal. I. Copper-oxinate Dihydrate, *Proc. The 14th International Conference on Electron Microscopy, Cancun*, **2**, pp.845-846 (1998).

Koshino M, Kurata H, Isoda S and Kobayashi T: Branching Ratio and L_2+L_3 Intensities of 3d-Transition Metals in Phthalocyanines and Their Amine Complexes, *Proc. The 14th International Conference on Electron Microscopy, Cancun*, **3**, pp.647-648 (1998).

Yoshida K, Tsujimoto M, Isoda S, Moriguchi S and Kobayashi T: Microscopic Analysis of On-top Crystal Nucleation in Organic Multilayers, *Proc. The 14th International Conference on Electron Microscopy, Cancun*, **2**, pp.891-892 (1998).

Hahakura S, Isoda S, Ogawa T, Moriguchi S and Kobayashi T: Direct Observation of Pt-particles Formed with a Surfactant with Cryogenic Transmission Electron Microscopy, *Proceed. Polymer Phasing Project Symposium on Multicomponent Polymer and Polyelectrolytes*, pp.107-110 (1998).

Isoda S, Kobayashi T and Hoshino A: STM Analysis on Interfacial Structures of Organic Epitaxy, *News letter, The division of Colloid and Surface Chemistry*, **23**, 6-9 (1998) (in Japanese).

Isoda S and Kobayashi T: Organic Hetero Epitaxy, *Molecular Electronics and Bioelectronics*, **9**, 80-87 (1998) (in Japanese).

Isoda S, Yoshida K, Tsujimoto M and Kobayashi T: Microscopic Analyses of Organic Double-layers, *Proc. Intern. Symp. Hybrid Analyses for Functional Nanostructure*, pp.89-92, (1998).

III. Polymer Condensed States Analysis

Kohjiya S and Ikeda Y: Polymer Solid Electrolytes from Poly(oxyethylene) Derivatives, *Mat. Sci. Res. Int.*, **4**, 73-78 (1998).

Manas Z, Abdullah I, Ahmad S and Kohjiya S: Effects of Dicumyl Peroxide and Liquid NR on the Physical Properties of NR/Polystyrene Blends, *Kaut. Gummi Kunst.*, **51**, 14-18 (1998).

Tanahashi H, Osanai S, Shigekuni M, Murakami K, Ikeda Y and Kohjiya S: Reinforcement of Acrylonitrile-Butadiene Rubber by Silica Generated in situ, *Rubber Chem. Technol.*, **71**, 38-52 (1998).

Hashim A S, Azahari B, Ikeda Y and Kohjiya S: The Effect of Bis(3-triethoxysilylpropyl) Tetrasulfide on Silica Reinforcement of Styrene-Butadiene Rubber, *Rubber Chem. Technol.*, **71**, 289-299 (1998).

Nishimoto A, Watanabe M, Ikeda Y and Kohjiya S: High Ionic Conductivity of New Polymer Electrolytes based on High Molecular Weight Polyether Comb Polymers, *Electrochimica Acta*, **43**, 1177-1184 (1998).

Yoon J R, Ikeda Y, Hashim A S and Kohjiya S: Die Wirkung der Bromierung auf die Eigenschaften von Ethylene-Propylen-Dien-Kautschuk in Anwesenheit von Divinylbenzol, *Gummi Fasern Kunst.*, **51**, 744-750 (1998).

Urayama K, Luo Z, Kawamura T and Kohjiya S: Phase Behavior of a Nematic Liquid Crystal in Polybutadiene Networks, *Chem. Phys. Lett.*, **287**, 342-346 (1998).

Kohjiya S, Tsubata H and Urayama K: Preparation of Copolymeric Gels Composed of Polydimethylsiloxane and Polyethylene Oxide Network Chains and Their Specific Characteristics, *Bull. Chem. Soc., Jpn.*, **71**, 961-971 (1998).

Urayama K and Kohjiya S: Extensive Stretch of Polysiloxane Network Chains with Random- and Super-coiled Conformations, *Eur. Phys. J. B.*, **2**, 75-78 (1998).

Urayama K, Kawamura T, Hirata Y and Kohjiya S: SAXS of Poly(dimethylsiloxane) Networks with Controlled Distributions of Chain Lengths between Crosslinks, *Polymer*, **39**, 3827-3833 (1998).

Kawamura T, Urayama K and Kohjiya S: Structure and Mechanical Properties of Bimodal PDMS Networks in the Swollen State, *Mater. Sci. Res. Int.*, **4**, 113-116 (1998).

Terakawa K, Muraoka K, Urayama K: Application of Epoxidized NR/Diamine Vulcanizates for Tyre Treads, *Kautschuk Gummi Kunst.*, **51**, 326-330 (1998).

Urayama K: Elastomer with Highest Extensibility, *Kohbunshi*, **47**, 572-573 (1998) (in Japanese).

Murakami S, Hirata Y, Murakami T, Kohjiya S, Nonoguchi M and Taniguchi K: New Design of the Small-Angle X-ray Scattering Spectrometer using Point Focus Optical System, *Beam Sci. & Technol.*, **3**, 5-9 (1998).

Murakami T, Murakami S and Ikeda Y: X-ray Scattering Studies on Elastomers, *J. Soc. Rubber Ind., Jpn.*, **71**, 129-139 (1998) (in Japanese).

Ikeda Y, Kasai Y, Murakami S and Kohjiya S: Preparation and Mechanical Properties of Graded Styrene-Butadiene Rubber Vulcanizates, *J. Jap. Inst. Metals*, **62**, 1013-1017 (1998) (in Japanese).

Murakami S: Structural Development under the Drawing of Poly(ethylene naphthalene-2,6-dicarboxylate), *Kohbunshi-Kako*, **47**, 223-229 (1998) (in Japanese).

Tosaka M, Tsuji M, Cartier L, Lotz B, Kohjiya S, Ogawa T, Isoda S and Kobayashi T: High-resolution TEM of the Melt-Crystallized Modification of Syndiotactic Polystyrene, *Polymer*, **39**, 5273 - 5275 (1998).

Tosaka M, Tsuji M and Kohjiya S: Stacking Faults in Syndiotactic Polystyrene β -form Crystals, *Proc. of Regional Conference on Polymeric Materials '98, Penang*, 154 - 159 (1998).

Tosaka M, Tsuji M and Kohjiya S: High-resolution Transmission Electron Microscopy of Polymer Crystals, *Mater. Sci. Res. Int.*, **4**, 79 - 85 (1998).

Fujita M, Tosaka M, Tsuji M and Kohjiya S: Crystalline Core in

the Folded-Chain Edge-on Lamella Crystallized Epitaxially from Solution onto Alkali Halides, *Proc. of Regional Conference on Polymeric Materials '98, Penang*, 123 - 127 (1998).

Shimizu T, Tsuji M and Kohjiya S: A TEM Study on Natural Rubber Thin Films Crystallized under Molecular Orientation, *Mater. Sci. Res. Int.*, **4**, 117 - 120 (1998).

Shimizu T, Tsuji M and Kohjiya S: TEM Studies on Oriented Crystallization of Natural Rubber and Polychloroprene, *Proc. of Regional Conference on Polymeric Materials '98, Penang*, 99 - 103 (1998).

Novillo-L F A, Fujita M, Tsuji M and Kohjiya S: Preferential Orientation of Poly(ethylene 2,6-naphthalate) Melt-Crystallized on the Friction-Transfer Layer of PTFE, *Sen'i Gakkaishi*, **54**, 544 - 549 (1998).

Hirai A, Tsuji M, Yamamoto H and Horii F: In situ Crystallization of Bacterial Cellulose. III. Influences of Different Polymeric Additives on the Formation of Microfibrils as Revealed by Transmission Electron Microscopy, *Cellulose*, **5**, 201 - 213 (1998).

Hirai A, Tsuji M and Horii F: Helical Sense of Ribbon Assemblies and Splayed Microfibrils of Bacterial Cellulose, *Sen'i Gakkaishi*, **54**, 506 - 510 (1998).

INTERFACE SCIENCE

I. Solutions and Interfaces

Matubayasi N, Wakai C, and Nakahara M: Structural study of supercritical water. I. Nuclear magnetic resonance spectroscopy, *J. Chem. Phys.*, **107**, 9133-9140 (1997).

Fujii K, Arata Y, Tanaka H, and Nakahara M: Stabilization Energies and Rotational Motions in Clathrate Hydrate of Benzene Studied by Molecular Dynamics Simulation, *J. Phys. Chem. A*, **102**, 2635-2640 (1998).

Murata Y, Tsunashima K, Umemura J and Koizumi N: Ferroelectric Properties of Polyamides Consisting of Hepta- and Nonamethylenediamines, *IEEE Trans. Dielectrics El*, **5**, 96-102 (1998).

Kobayashi K, Umemura J, Horiuchi T, Yamada H, and Matsushige K: Structural Study on Self-Assembled Monolayers of Alkanedithiol Molecules, *Jpn. J. Appl. Phys.*, **37**, L297-L299 (1998).

Miura Y, Kimura S, Imanishi Y, and Umemura J: Self-Assembly of α -Helix Peptide/Crown Ether Conjugate upon Complexation with Ammonium-Terminated Alkanethiolate, *Langmuir*, **14**, 2761-2767 (1998).

Sakai H and Umemura J: Molecular Orientation in Langmuir Films of 12-Hydroxystearic Acid Studied by Infrared External Reflection Spectroscopy, *Langmuir*, **14**, 6249-6255 (1998).

Hasegawa T, Nishijo J, Umemura J: Binding Mechanism of Sucrose to Dipalmitoylphosphatidylcholine Langmuir Films by Fourier Transform Infrared Reflection-Absorption Spectroscopy and Quartz-Crystal Microbalance Technique, *J. Phys. Chem. B*, **102**, 8498-8504 (1998).

Cohen R, Exerowa D, Kolarov T, Yamanaka T, and Tano T: Foam Films Stabilized with Lysophosphatidylcholine: A Comparison of Microinterferometric and Fourier Transform Infrared Spectroscopy Thickness Measurements, *Langmuir*, **13**, 3172-

3176 (1997).

Hartley P, Matsumoto M, and Mulvaney P: Determination of the Surface Potential of Two-Dimensional Crystals of Bacteriorhodopsin by AFM, *Langmuir*, **14**, 5203-5209 (1998).

Watanabe H, Osaki K, Matsumoto M, Bossev D P, McNamee C E, Nakahara M, and Yao M- L: Nonlinear rheology for threadlike micelles of tetraethylammonium perfluorooctyl sulfonate, *Rheol. Acta.*, **37**, 470-485 (1998).

Matubayasi N, Wakai C, and Nakahara M: NMR Study of Water Structure in Supercritical Conditions, *Rev. High Pressure Sci. Tech.*, **7**, 1112-1114 (1998).

Matubayasi N, Gallicchio E, and Levy R M: On the local and nonlocal components of solvation thermodynamics and their relation to solvation shell models, *J. Chem. Phys.*, **109**, 4864-4872 (1998).

Umemura J: FT-IR and Raman Spectroscopy of LB Film, L Monolayer, and Bilayer Lipid Membrane, *Maku (Membrane)*, **23**, 177-185 (1998) (in Japanese).

Takemoto T, Umemura J, Tsutiya H, Kubota T, Ohara S, Terasawa S, Huehuki Y, Horinouchi M, Shimatani K, Hirano M, Inoue J, Inoue T, Ueda K, Matsuda M, Nagasaki T, Kurokawa S, Kitagawa R: Development of New Connection Technique in Electronics Parts and Peripheral Techniques, in *1995-97 San-Gaku-Kan Joint Research Project "Development of New Connection Techniques in Electronics Parts and Peripheral Techniques"*, Kyoto Promotion Foundation for Industrial Techniques, 1-21 (1998) (in Japanese).

Umemura J: Study of Action Mechanism of Soldering Flux by FT-IR Spectroscopy, in *1995-97 San-Gaku-Kan Joint Research Project "Development of New Connection Techniques in Electronics Parts and Peripheral Techniques"*, Kyoto Promotion Foundation for Industrial Techniques, 32-46 (1998) (in Japanese).

Umemura J: Study of Reaction between Metals and Soldering Flux by Infrared Reflection Absorption Spectroscopy, in *1995-97 San-Gaku-Kan Joint Research Project "Development of New Connection Techniques in Electronics Parts and Peripheral Techniques"*, Kyoto Promotion Foundation for Industrial Techniques, 47-62 (1998) (in Japanese).

Nakahara M: Proceedings of International Conference-AIRAPT-16 and HPCJ-38- on High Pressure Science and Technology, The Review of High Pressure Science and Technology, **7** (1998).

II. Molecular Aggregates

Sato N, Yoshida H and Tsutsumi K: Photoemission and Inverse Photoemission Studies on a Thin Film of *N,N'*-Dimethylperylene-3,4,9,10-bis(dicarboximide), *J. Elect. Spectrosc. Relat. Phenom.*, **88-91**, 861-865 (1998).

Oda M and Sato N: Theoretical Study on the Topochemical Nature in the Initiation Process of the Solid-State Thermal Isomerization Reaction of Methyl 4-(Dimethylamino)benzenesulfonate, *J. Phys. Chem. B*, **102**, 3283-3286 (1998).

Okuno T, Izuoka A, Ito T, Kubo S, Sugawara T, Sato N and Sugawara Y: Reactivity of Mesogenic Diacetylenes Coupled with Phase Transitions between Crystal and Liquid Crystal Phases, *J. Chem. Soc. Perkin Trans. 2*, 889-895 (1998).

Sato N: Manners for Presenting Physical Quantities and Units,

Kagaku To Kyoiku, **46**, 569-573 (1998). (in Japanese)

Sato N: New Development of Studies on Electronic Structure in Organic Semiconductors, *Kagaku (Kyoto)*, **53**, 70-71 (1998). (in Japanese)

Asami K: Dielectric analysis of polystyrene microcapsules using scanning dielectric microscope, *Colloid Polym. Sci.*, **276**, 373-378 (1998).

Asami K, Gheorghiu E and Yonezawa T: Dielectric behavior of budding yeast in cell separation, *Biochim. Biophys. Acta*, **1381**, 234-240 (1998).

Gheorghiu E and Asami K: Monitoring cell cycle by impedance spectroscopy: experimental and theoretical aspects, *Bioelectrochem. Bioenerg.*, **45**, 139-143 (1998).

Asami K: Dielectric Relaxation Spectroscopy of Biological Cell Suspensions: *Handbook on Ultrasonic and Dielectric Characterization Techniques for Suspended Particulates*, Hackley V A and Texter J (eds.), (The American Ceramic Society, Westerville, 1998), pp. 333-349.

Kita Y: *Principles and Developments of Methods for Measuring Electrical Properties of Materials*, Yano S and Kita Y (eds.), (Toray Research Center, Tokyo, 1998), pp. 10-42 and 131-163 (in Japanese).

III. Separation Chemistry

Suzuki M, Matsui M, Kihara S: Reduction of flavin mononucleotide at the aqueous/organic solution interface in the absence and presence of oxygen, *J. Electroanal. Chem.*, **438**, 147-151 (1997).

Li Q, Huang C, Yao G, Umetani S, Matsui M: Synthesis, Characterization and Luminescence of Tb³⁺ Mixed Ligand Complexes with 1-Phenyl-3-methyl-4-isobutyl-5-pyrazolone and Neutral Ligands, *J. Chinese Rare Earth Soc.*, **15**, 295-299 (1997).

Umetani S, Kawase Y, Le Q.T.H, Matsui M: Role of the Intramolecular Hydrogen Bond and the Ligand Rigidity in the Complexation of Trifluoroacetyl-cycloalkanes with Lanthanides: Novel Strategy for the Design of Organic Ligands of High Selectivity, *Inorg.Chim.Acta*, **267**, 201-207 (1998).

Sasaki T, Umetani S, Matsui M, Tsurubou S, Kimura T, Yoshida Z: Complex Formation of Lanthanide Ions with Sulfonated Crown Ethers in Aqueous Solution, *Bull.Chem.Soc.Jpn*, **71**(2), 371-377 (1998).

Sohrin Y, Fujishima Y, Ueda K, Akiyama S, Mori K, Hasegawa H, Matsui M: Dissolved niobium and Tantalum in the North Pacific, *Geophys. Res. Lett.*, **25**(7), 999-1002 (1998).

Sohrin Y, Iwamoto S, Akiyama S, Fujita T, Kugii T, Obata H, Nakayama E, Goda S, Fujishima Y, Hasegawa H, Ueda K, Matsui M: Determination of trace elements in seawater by fluorinated metal alkoxide glass-immobilized 8-hydroxyquinoline concentration and high-resolution inductively coupled plasma mass spectrometry detection, *Anal. Chim. Acta*, **363**, 11-19 (1998).

Li Q, Zhou D, Huang C, Yao G, Zhou Y, Umetani S, Matsui M: Synthesis, Characterization and Luminescence of Tb(III)-1-Phenyl-4-methyl-4-acyl-5-pyrazolone Ternary Complexes(in Chinese), *Acta Chimica Sinica*, **56**, 52-57 (1998).

Gao X.C, Cao H, Huang C, Li B, Umetani S: Electroluminescence of a Novel Terbium Complex, *Appl. Phys. Lett.*, **72**, 2217-2219 (1998).

Komatsu Y, Umetani S, Tsurubou S, Michiue Y, Sasaki T: Quantitative Separation of Alkaline Earth Metal Ions by Triple-Phase Separation Method, *Chem. Lett.*, 1167-1168 (1998).

Gao X, Huang C, Li B, Ibrahim K, Liu F, Umetani S: Electroluminescence from both a Light-emitting Layer and Hole Transport Layer: Special Evidence for Charge Carrier Tunneling Injection, *Chem. Phys. Lett.*, **297**, 530-536 (1998).

Hojo M, Hasegawa H, Tsurui H, Kawashima K, Minami S, Mizobe A: Formation of Stable Carbocations or Zwitterions by a Specific Interaction with Alkali Metal Ions in Acetonitrile, *Bull. Chem. Soc. Jpn.*, **71**, 1619-1627 (1998).

SOLID STATE CHEMISTRY

I. Artificial Lattice Alloys

Shinjo T: Training for Originality, *J. Magn. Soc. Jpn.*, **21**, 1157-1158(1997). (in Japanese)

Amaral L, Scorzelli R B, Brückman M E, Paesano A, Schmidt J E, Shinjo T and Hosoito N: Very Thin Fe/Ni Modulation Multilayer Films under Ion Bombardment, *J. Appl. Phys.*, **81**, 4773-4775(1997).

Ueda K, Sugimoto T, Tada T, Nishimura K, Endo S, Toyota N, Kohama M, Yamamoto K, Yamaguchi T, Suenaga Y, Munakata M, Kanehisa N, Shibamoto Y, Kai Y and Hosoito N: Temperature Dependence of Crystal Structures, and Electrical Conducting and Magnetic Properties in Plate Crystals of 1:2 Tetrafluorotetracyanoquinodimethane Mixed Tetramethyl-Ammonium and -Phosphonium Salts, *Mol. Cryst. Liq. Cryst.*, **296**, 323-333(1997).

Sugimoto T, Ueda K, Endo S, Toyota N, Kohama M, Yamamoto K, Morimoto H, Yamaguchi T, Suenaga Y, Munakata M, Hosoito N, Kanehisa N, Shibamoto N and Kai Y: Ferromagnetic Behavior of 1:2 TCNQ/TCNQ⁻ Mixed Salts at Room Temperature, *Mol. Cryst. Liq. Cryst.*, **305**, 217-226(1997).

Kageyama H, Kawasaki S, Mibu K, Takano M, Yoshimura K and Kosuge K: Mössbauer Observation of the Quantum Levels of Fe³⁺ Ions Doped in 1D Ising Ferromagnet Ca₃Co₂O₆, *Phys. Rev. Lett.*, **79**, 3258-3261(1997).

Ono T, Miyajima H, Shigeto K and Shinjo T: Magnetization Reversal in Submicron Magnetic Wire Studied by Using Giant Magnetoresistance Effect, *Appl. Phys. Lett.*, **72**, 1116-1117(1998).

Mibu K and Shinjo T: Magnetic Anisotropy in Fe/Rare Earth Multilayers, *Hyper. Int.*, **113**, 287-293(1998).

Mibu K, Ito T and Shinjo T: Hyperfine Fields in Sn Layers of Cr/Sn Multilayers, *Hyper. Int. (C)*, **3**, 405-408(1998).

Shinjo T and Ono T: Nanostructured Magnetism: Studies of Multilayers Prepared on Microstructured Substrates, *J Magn. Mater.*, **117-181**, 31-36(1998).

Mibu K, Nagahama T, Ono T and Shinjo T: Magnetoresistance of Quasi-Bloch-Wall Induced in NiFe/CoSm Exchange-Spring Bilayers, *J. Magn. Mater.*, **177-181**, 1267-1268(1998).

Emoto T, Hosoito N and Shinjo T: Magnetic Polarization in Au

Layers of Au/M (M=Fe, Co, and Ni) Multilayers with ^{119}Sn Probes Studied by Mössbauer Spectroscopy, *J. Magn. Magn. Mater.*, **189**, 136-148(1998).

Shigeto K, Ono T and Shinjo T: Magnetization Measurement of a Single Submicron Wire by Using Giant Magnetoresistance Effect, *J. Magn. Soc. Jpn.*, **22**, 549-551(1998). (in Japanese)

Nagahama T, Mibu K and Shinjo T: The Magnetization Process and Magnetoresistance of Exchange-Spring Bilayer Systems, *J. Phys. D: Appl. Phys.*, **31**, 43-49(1998).

Mibu K, Tanaka S and Shinjo T: Preparation and Mössbauer Study of Epitaxial Cr/Sn Multilayers, *J. Phys. Soc. Jpn.*, **67**, 2633-2636(1998).

Mibu K, Nagahama T, Shinjo T and Ono T: Magnetoresistance of Bloch-Wall-Type Magnetic Structures Induced in NiFe/CoSm Exchange-Spring Bilayers, *Phys. Rev. B*, **58**, 6442-6446(1998).

Hashizume H, Ishimatsu N, Sakata O, Iizuka T, Hosoi N, Namikawa K, Iwazumi T, Srajer G, Venkataraman C T, Lang J C, Nelson C S and Berman L E: Resonant X-ray Magnetic Scattering from the Twisted States of an Fe/Gd Multilayer, *Physica B*, **248**, 133-139(1998).

Lee D R, Park Y J, Park S H, Jeong Y H, Lee K-B, Ishimatsu N, Hashizume H and Hosoi N: Resonant X-ray Reflectivity Measurements of a Magnetic Multilayer [Gd/Fe] $_{10}$, *Physica B*, **248**, 146-151(1998).

Hamada S, Hosoi N, Ono T and Shinjo T: Micromagnetic Structure in Co/Au Multilayers Revealed by ^{57}Fe Mössbauer Probes, *J. Magn. Soc. Jpn.*, **22**, 405-408(1998). (in Japanese)

Mibu K, Nagahama T, Ono T and Shinjo T: Magnetoresistance of Bloch-Wall-Type Magnetic Structures in Exchange-Spring Bilayers, *J. Magn. Soc. Jpn.*, **22**, 613-616(1998). (in Japanese)

II. Quantum Spin Fluids

C.H.Lee, N, Kaneko, S.Hosoya, K. Krahashi, S.Wakimoto, K.Yamada, and Y.Endoh : Growth of Large Single Crystals Using the Improved Lamp-image Floating-zone Furnace: Application to $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$, *Supercond. Sci. Technol.*, **11**, 891-897 (1998).

Yamada K, Lee C H, Kurahashi K, Wada J, Kimura Y, Ueki S, Endoh Y, Hosoya S, Shirane G, Birgeneau R J, Greven M, Kastner M A and Kim Y: Doping Dependence of Spatially Modulated Dynamical Spin Correlations and Superconducting Transition Temperature in $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$, *Phys. Rev. B*, **57**, 6165-6172 (1998) .

Isawa K, Yaegashi Y, Ogota S, Nagano M, Sudo S and Yamada K : Thermoelectric power of delafossite-derived compounds, RCuO_{2+d} (R=Y, La, Pr, Nd, Sm, and Eu), *Phys. Rev. B*, **57**, 7950-7954 (1998).

Isawa K, Yaegashi Y, Ogota S, Nagano M, Sudo S, Ohashi M and Yamada K : Crystal structure refinement of the oxygen-rich RCuO_{2+d} (R=Y and La) delafossite by neutron diffraction, *Advances in Superconductivity*, **X**, 395-398 (1998).

Ohta H, Ikeuchi Y, Kimura S, Okubo S, Nojiri H, Motokawa M, Hosoya S, Yamada K, Endoh Y : High field AFMR measurement of Bi_2CuO_4 , *Physica B*, **246-247**, 557-560 (1998).

Yamada K : How Does the High-T_c Superconductivity Disappear by Overdoping? -A Scenario from a Neutron

Scattering Study on $\text{La}_{2-x}\text{Sr}_x\text{CuO}_{4-d}$, *Advances in Superconductivity*, **X**, 37-42 (1998).

Ishiguro A, Sawada A, Suzuki M, Hiraka H, Yamada K, Endoh Y, Komatsubara T : De Haas-van Alphen effect in CoS_2 , *J. Mag. Mag. Mater.*, **177-181**, 1355-1356 (1998).

Wakimoto S, Kurahashi K, Yamada K, Kato K, Koike Y and Endoh Y: Magnetism of lightly oxygenated $\text{La}_{2-x}\text{Bi}_x\text{CuO}_{4+d}$, *Physica B*, **241-243**, 634-636 (1998).

Hirota K, Yamada K, Tanaka I and Kojima H : Quasi-elastic incommensurate peaks in $\text{La}_{2-x}\text{Sr}_x\text{Zn}_{1-y}\text{Cu}_y\text{O}_{4+d}$, *Physica B*, **241-243**, 817-819 (1998).

Suzuki T, Goto T, Shinoda T, Fukase T, Kimura H, Yamada K, Ohashi M, Yamaguchi Y : Observation of modulated-magnetic long-range order in $\text{La}_{1.88}\text{Sr}_{0.12}\text{CuO}_4$, *Phys. Rev. B*, **57**, R3229-3232 (1998) .

Hayashi F, Ueda E, Soto M, Kurahashi K, Yamada K : Anisotropy of the Superconducting Order Parameter of $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$ Studied by STM/STS, *J. Phys. Soc. Jpn.*, **67**, 3234-3239 (1998).

Sugai S, Kitamori N, Hosoya S and Yamada K : Separation of Spin and Charge Densities in $\text{La}_2\text{NiO}_{4+d}$, *J. Phys. Soc. Jpn.*, **67**, 2992-2995 (1998) .

Niinae T, Ikeda Y, Bando Y, Kusano Y and Takada J: The Modulation and Synthesis for $\text{Bi}_2\text{Sr}_2\text{CuO}_d$ under Ambient Oxygen Partial Pressure, *Funtai oyobi Funmatsu Yakin*, **45**, 661-665 (1998) (in Japanese).

Ito Y, Vlaicu A-M, Mukoyama T, Sato S, Yoshikado S, Julien C, Chong I, Ikeda Y, Takano M and Sherman E Y: Detailed Structure of a Pb-Doped $\text{Bi}_2\text{Sr}_2\text{CuO}_6$ Superconductor, *Phys. Rev. B*, **58**, 2851-2858 (1998).

Nakanishi M, Uwazumi Y, Fujiwara M, Takada J, Kusano Y, Takeda Y and Ikeda Y: Lithium Intercalation/Deintercalation of the Bi-2212 Phase by Electrochemical Method, *Funtai oyobi Funmatsu Yakin*, **45**, 666-669 (1998) (in Japanese).

Kusano Y, Takada J, Fukuhara M, Doi A, Ikeda Y and Takano M: Morphological Effects of Grinding on Bismuth-Based Cuprate Superconductors, *J. Am. Ceram. Soc.*, **81**, 217-221 (1998).

Yamada T, Niinae T, Ikeda Y, Hiroi Z, Takano M and Bando Y: Phase Diagram of the $\text{NdO}_{1-x}\text{-SrO-CuO}$ System, *Funtai oyobi Funmatsu Yakin*, **45**, 114-118 (1998) (in Japanese).

Nagaoka T, Matsuda Y, Obara H, Sawa A, Terashima T, Chong I, Takano M and Suzuki M: Hall Anomaly in the Superconducting State of High-T_c Cuprates: Universality in Doping Dependence, *Phys. Rev. Lett.*, **80**, 3594-3597 (1998).

Fujita M, Frost C D, Arai M, Motokawa M, Akimitsu J, Bennington S M: Spin dynamics of the spin-Peierls system CuGeO_3 at various temperatures, *Physica B*, **241-243** (1998) 241-243

III. Multicomponent Materials

Kawasaki S, Takano M, Kanno R, Takeda T and Fujimori A: Phase Transition in Fe^{4+} ($3d^4$)-Perovskite Oxides Dominated by Oxygen-Hole Character, *J. Phys. Soc. Jpn.*, **67**, 1529-1532 (1998).

Kawasaki S, Takano M and Takeda Y: Physical Properties of

Co-Substituted Iron Perovskite Systems, *Solid State Ionics*, **108**, 221-226 (1998).

Hiroi Z, Chong I, Izumi M and Takano M: Two-Phase Microstructures in the Heavily Pb-Substituted Bi-2212 Single Crystals Serving as Efficient Pinning Centers, *Advances in Superconductivity X: Proceedings of the 10th International Symposium on Superconductivity (ISS'97), Oct. 27-30, 1997, Gifu, Japan (ed. Osamura K and Hirabayashi I), Springer-Verlag Tokyo*, 285-288 (1998).

Kusano Y, Takada J, Fukuhara M, Doi A, Ikeda Y and Takano M: Morphological Effects of Grinding on Bismuth-Based Cuprate Superconductors, *J. Am. Ceram. Soc.*, **81**, 217-221 (1998).

Ito Y, Vlaicu A-M, Mukoyama T, Sato S, Yoshikado S, Julien C, Chong I, Ikeda Y, Takano M and Sherman E Y: Detailed Structure of a Pb-Doped $\text{Bi}_2\text{Sr}_2\text{CuO}_6$ Superconductor, *Phys. Rev. B*, **58**, 2851-2858 (1998).

Hiroi Z and Horiuchi S: High-Voltage High-Resolution Electron Microscopy Study of Alkaline-Earth Copper Oxides, *Microscopy Research and Technique*, **40**, 251-264 (1998).

Kitaoka Y, Kobayashi T, Kôda A, Wakabayashi H, Niino Y, Yamakage H, Taguchi S, Amaya K, Yamaura K, Takano M, Hirano A and Kanno R: Orbital Frustration and Resonating Valence Bond State in the Spin-1/2 Triangular Lattice LiNiO_2 , *J. Phys. Soc. Jpn.*, **67**, 3703-3706 (1998).

Vander Griend D A, Boudin S, Poepelmeier K R, Azuma M, Toganoh H and Takano M: High Pressure Transformation of $\text{La}_4\text{Cu}_3\text{MoO}_{12}$ to a Layered Perovskite, *J. Am. Chem. Soc.*, **120**, 11518-11519 (1998).

Takeda Y, Okazoe C, Imanishi N, Yamamoto O, Kawasaki S and Takano M: Oxygen Doping in $\text{Ca}_{1-x}\text{Sr}_x\text{FeO}_{3-z}$ Perovskite Oxides by an Electrochemical Method, *J. Ceram. Soc. Jpn.*, **106**, 759-762 (1998).

Azuma M, Kaimori S and Takano M: High-Pressure Synthesis and Magnetic Properties of Layered Double Perovskites Ln_2CuMO_6 (Ln=La, Pr, Nd, and Sm; M=Sn and Zr), *Chem. Mater.*, **10**, 3124-3130 (1998).

Azuma M, Fujishiro Y, Takano M, Nohara M, Takagi H, Ohsugi S, Kitaoka Y and Eccleston R S: Impurity Effects on a Two-Leg Spin Ladder Compound SrCu_2O_3 , *J. Mag. Mag. Mat.*, **177-181**, 655-656 (1998).

Fujiwara N, Yasuoka H, Fujishiro Y, Azuma M and Takano M: Nuclear Magnetic Resonance in the Ladder System $\text{Sr}(\text{Zn}_x\text{Cu}_{1-x})_2\text{O}_3$, *J. Mag. Mag. Mat.*, **177-181**, 628-629 (1998).

Nagaoka T, Matsuda Y, Obara H, Sawa A, Terashima T, Chong I, Takano M and Suzuki M: Hall Anomaly in the Superconducting State of High- T_c Cuprates: Universality in Doping Dependence, *Phys. Rev. Lett.*, **80**, 3594-3597 (1998).

Inami T, Maegawa S and Takano M: Neutron-Diffraction Study on Na- and K-Jarosit, *J. Mag. Mag. Mat.*, **177-181**, 752-753 (1998).

Yamada T, Niinae T, Ikeda Y, Hiroi Z, Takano M and Bando Y: Phase Diagram of the $\text{NdO}_{1.5-x}\text{-SrO-CuO}$ System, *Funtai oyobi Funmatsu Yakin*, **45**, 114-118 (1998) (in Japanese).

Kobayashi N, Hiroi Z and Takano M: Partial Substitution Effects of the La site in Two-Leg Ladder Compounds $\text{LaCuO}_{2.5}$, *Funtai oyobi Funmatsu Yakin*, **45**, 119-124 (1998) (in Japanese).

Sugai S, Shinoda T, Kobayashi N, Hiroi Z and Takano M: Spin Gap at the Phase Transition between Spin Liquid and Long-Range Ordered State in $\text{La}_{1-x}\text{Sr}_x\text{CuO}_{2.5}$, *Rev. High Pressure Sci. Technol.*, **7**, 571-573 (1998).

Fujiwara N, Yasuoka H, Fujishiro Y, Azuma M and Takano M: NMR Study of Zn Doping Effect in Spin Ladder System SrCu_2O_3 , *Phys. Rev. Lett.*, **80**, 604-607 (1998).

Mizokawa T, Konishi T, Fujimori A, Hiroi Z, Takano M and Takeda Y: Cu 2p X-Ray Absorption and Cu 2p-3d Resonant Photoemission Spectroscopy of LaCuO_3 , *J. Electron Spectrosc. Relat. Phenomen.*, **92**, 97-101 (1998).

Azuma M, Takano M and Eccleston R S: Disappearance of the Spin Gap in a Zn-Doped 2-Leg Ladder Compound $\text{Sr}(\text{Cu}_{1-x}\text{Zn}_x)_2\text{O}_3$, *J. Phys. Soc. Jpn.*, **67**, 740-743 (1998).

Mizokawa T, Fujimori A, Namatame H, Takeda Y and Takano M: Electronic Structure of Tetragonal LaCuO_3 Studied by Photoemission and X-Ray-Absorption Spectroscopy, *Phys. Rev. B*, **57**, 9550-9556 (1998).

Hiroi Z, Chong I and Takano M: Two-Phase Microstructures Generating Efficient Pinning Centers in the Heavily Pb-Substituted $\text{Bi}_x\text{Sr}_{1-x}\text{CaCu}_3\text{O}_{8+d}$ Single Crystals, *J. Solid State Chem.*, **138**, 98-110 (1998).

IV. Amorphous Materials

Uchino T and Yoko T, Vibration of Alkali Cations in Borate Glasses from Molecular Orbital Calculations, *Solid State Ionics*, **105**, 91-96 (1998).

Uchino T and Yoko T, Localized Low Frequency Dynamics in SiO_2 Glass, *J. Chem Phys*, **108**, 8130-38 (1998).

Kitaoka K, Kozuka H and Yoko T, Preparation of Lead Lanthanum Zirconate Titanate (PLZT, $(\text{Pb}, \text{La})(\text{Zr}, \text{Ti})\text{O}_3$) Fibers by Sol-Gel Method, *J. Am. Ceram. Soc.*, **81**, 1189-96 (1998).

Ohyama M, Kozuka H and Yoko T, Sol-Gel Preparation of Transparent and Conductive Aluminum-Doped Zinc Oxide Films with Highly Preferential Crystal Orientation, *J. Am. Ceram. Soc.*, **81**, 1622-32 (1998).

Lin H, Kozuka H and Yoko T, Preparation of TiO_2 Films on Self-Assembled Monolayers by Sol-Gel Method, *Thin Solid Films*, **315**, 111-117 (1998).

Lin H, Kumon S, Kozuka H and Yoko T, Electrical Properties of Titania Films Prepared by Sol-Gel Method, *Thin Solid Films*, **315**, 266-272 (1998).

Uchino T, Tokuda Y and Yoko T, Vibrational Dynamics of Defect Modes in Vitreous, *Phys. Rev. B*, **58**, 5322-28 (1998).

Zhao G-L, Utsumi S, Kozuka H and Yoko T, Photoelectrochemical Properties of Sol-Gel-Derived Anatase and Rutile TiO_2 Films, *J. Mater. Sci.*, **33**, 3655-59 (1998).

Uchino T and Yoko T, Structure and Vibrational Properties of Sodium Disilicate Glass from Ab Initio Molecular Orbital Calculations, *J. Phys. Chem.*, **102**, 8372-78 (1998).

Kitaoka K, Takahara K, Kozuka H and Yoko T, Sol-Gel Processing of Transparent PLZT $((\text{Pb}, \text{La})(\text{Zr}, \text{Ti})\text{O}_3)$ Fibers, *J. Sol-Gel. Sci. Tech.*, **81**, 1189-96 (1998)

Takahashi M, Izuki M, Kanno R and Kawamoto Y, Upconversion

characteristics of Er³⁺ in transparent oxyfluoride glass-ceramics, *J. Appl. Phys.*, **83**(7), 3920-3922 (1998).

Takahashi M, Fujiwara T and Ikushima A.J., Defect formation in GeO₂-SiO₂ glass by UV-excited poling, *Jpn. J. Appl. Phys.*, **37**, 71-74 (1998).

Takahashi M, Fujiwara T, Kawachi T and Ikushima A J, Thermal equilibrium of Ge-related defects in GeO₂-SiO₂ glass, *Appl. Phys. Lett.*, **72**(16), 1287-1289 (1998).

Takahashi M, Kano M and Kawamoto Y, Compositional dependence of local vibrational around rare earth ion in SiO₂-PbF₂ glass-ceramics, *J. Phys.: Condens. Matters*, **10**(14), 3269-3274 (1998).

Shojiya M, Takahashi M, Kanno R, Kawamoto Y and Kadono K, Optical transitions of Er³⁺ ions in ZnCl₂-based glass, *J. Appl. Phys.*, **82**(12), 6259-66 (1998).

Fujiwara T, Takahashi M and Ikushima A J, Second-harmonic generation in UV-poled glass, *Jpn J. Appl. Phys.*, **37**, 15-18 (1998).

Shojiya M, Takahashi M, Kanno R, Kawamoto Y and Kadono K, Optical transitions of Nd³⁺ ions in ZnCl₂-based glass, *Appl. Phys. Lett.*, **72**(23), 882-884 (1998).

Higuchi H, Takahashi M, Kawamoto Y, Kadono K, Ohtsuki T, Peyghanbarian N and Kitamura N, Optical transitions and frequency upconversion emission of Er³⁺ ions in Ga₂S₃-GeS₂-La₂S₃ glasses, *J. Appl. Phys.*, **83**(1), 19-27 (1998).

Shigemura H, Shojiya M, Kanno R, Kawamoto Y, Kadono K and Takahashi M, Optical property and local environment of Ni²⁺ in fluoride glasses, *J. Phys. Chem.*, **102**(11), 1920-1925 (1998).

FUNDAMENTAL MATERIAL

PROPERTIES

I. Molecular Rheology

Osaki K, Watanabe H and Inoue T: On the Estimation of Stresses in Steady Shear Flow from the Dynamic Viscoelasticity for Polymeric Liquids, *J. Soc. Rheol. Jpn.*, **26**, 49-52 (1998).

Watanabe H: Rheology of Multiphase Polymeric Systems, in Araki T, Tran-Cong Q and Shibayama M ed., "Structures and Properties of Multiphase Polymeric Materials", Chapter 9, Marcel Dekker, New York, 317-360 (1998).

Watanabe H, Yao M-L, Osaki K, Shikata T, Niwa H, Morishima Y, Balsara N P and Wang H: Nonlinear Rheology and Flow-induced Structure in a Concentrated Spherical Silica Suspension, *Rheol. Acta*, **37**, 1-6 (1998).

Watanabe H, Sato T, Osaki K, Hamersky M, Chapman B and Lodge T: Diffusion and Viscoelasticity of Copolymer Micelles in a Homopolymer Matrix, *Macromolecules*, **31**, 3740-3742 (1998).

Watanabe H, Sato T, Osaki K, Aoki Y, Li L, Uchida H, Kakiuchi M and Yao M-L: Rheological Images of Poly(vinyl chloride) Gels. 4. Nonlinear Behavior in a Critical Gel State, *Macromolecules*, **31**, 4198-4204 (1998).

Aoki Y, Li L, Uchida H, Kakiuchi M and Watanabe H:

Rheological Images of Poly(vinyl chloride) Gels. 5. Effect of Molecular Weight Distribution, *Macromolecules*, **31**, 7472-7478 (1998).

Matsumiya Y, Watanabe H, Osaki K and Yao M-L: Dynamics of Dipole-Inverted Cis-Polyisoprene Chains in a Matrix of Long, Entangling Chains. 1. Effects of Constraint Release on the Eigenmodes of the Local Correlation Function, *Macromolecules*, **31**, 7528-7537 (1998).

Watanabe H, Matsumiya Y, Osaki K and Yao M-L: Dynamics of Dipole-Inverted Cis-Polyisoprene Chains in a Matrix of Long, Entangling Chains. 2. Effects of Constraint Release on the Coherence of the Subchain Motion, *Macromolecules*, **31**, 7538-7545 (1998).

Matsumiya Y, Watanabe H, Inoue T, Osaki K and Yao M-L: Rheo-Dielectric Behavior of Oligostyrene and Polyisoprene, *Macromolecules*, **31**, 7973-7975 (1998).

Watanabe H, Osaki K, Matsumoto M, Bossev D P, McNamee C E, Nakahara M and Yao M-L: Nonlinear Rheology of Threadlike Micelles of Tetraethylammonium Perfluorooctyl Sulfonate, *Rheol. Acta*, **37**, 470-485 (1998).

Watanabe H: Structure and Rheology of Block Copolymer Systems, *Fiber (Sen-i Gakkaishi)*, **4**, 391-395 (1998). (in Japanese)

Ryu DS, Inoue T and Osaki K: A Rheo-optical study of polymer crystallization in the process of elongation of films, *Polymer*, **39**, 2515-2520 (1998).

Inoue T, Kuwada S, Ryu D-S and Osaki K: Effect of Wavelength on Strain-Induced Birefringence of Polymers, *Polymer J.*, **31**, 929-934 (1998).

Inoue T, Ryu D-S and Osaki K: A Rheo-Optical Study on Polystyrene under Large Tensile Deformation around the Glass Transition Temperature, *Macromolecules*, **31**, 6977-6983 (1998).

Onogi T, Inoue T and Osaki K: Shear Birefringence Measurement on Amorphous Polymers around the Glass Transition Zone, *Nihon Reoroji Gakkaishi*, **26**, 49-52 (1998). (in Japanese)

II. Polymer Materials Science

Hansen J, Kanaya T, Nishida K, Kaji K, Tanaka T and Yamaguchi A: Role of Vibrational Softening in Fast Dynamics of an Amorphous Polyimide Far below T_g, *J. Chem. Phys.*, **108**, 6492-6497 (1998).

Bartos J, Klimova M, Kanaya T and Kaji K: Microscopic Dynamic Aspects of the Free Radical Decay Acceleration in sub-T_g Region in Atactic Poly(propylene), *Polymer*, **39**, 1107-1112 (1998).

Kanaya T, Tsukushi I, Kaji K, Gabrys B and Bennington S M: Heterogeneity of Amorphous Polymers with Various Fragility Indices As Studied in Terms of non-Gaussian Parameter, *J. Non-Cryst. Solids*, **235/237**, 212-218 (1998).

Tsukushi I, Kanaya T and Kaji K: Spatial Scale Concerning the Low-energy Excitation in Amorphous Polymers, *J. Non-Cryst. Solids*, **235/237**, 250-253 (1998).

Kanaya T, Takeshita H, Nishikoji Y, Ohkura M, Nishida K and Kaji K: Micro- and Mesoscopic Structure of Poly(vinyl alcohol) Gels Determined by Neutron and Light Scattering, *Supramolecular Science*, **5**, 215-221 (1998).

Hara K, Nakamura A, Hiramatsu N and Kanaya T: Low-energy Excitation in Hydrated Gel, *Physica*, **B241/243**, 982-983 (1998).

Kaji K: Glass Transition of Polymers, *Nippon Gomu Kyokaishi*, **71**, 125-128 (1998) (in Japanese).

Takeshita H, Kanaya T, Kaji K, Nishida K, Nishikoji Y, Ohkura M, Hierarchic Structure of Poly(vinyl alcohol) Gels, *Kobunshi Ronbunshu*, **55**, 595-602 (1998) (in Japanese).

Kanaya T: Relaxation Process in Glass-forming Polymers and Heterogeneity, *Koubunshi*, **47**, 302-305 (1998) (in Japanese).

Kanaya T, Zorn R, Tsukushi, I, Murakami S, Kaji K and Richter R: Orientational Effects on Low-energy Modes in Amorphous Poly(ethylene terephthalate) Fiber, *J. Chem. Phys.*, **109**, 10456-10463 (1998)

III. Molecular Motion Analysis

Masuda K and Horii F: CP/MAS ^{13}C NMR Analyses of the Chain Conformation and Hydrogen Bonding for Frozen Poly(vinyl alcohol) Solutions, *Macromolecules*, **31**, No. 17, 5810-5817 (1998).

Kawanishi H, Tsunashima Y and Horii F: A Nest of Structures in Dynamics of Cellulose Diacetate in *N, N*-dimethylacetamide in Quiescent Solution State Studied by Dynamic Light Scattering, *J. Chem. Phys.*, **109**, No. 24, 11027-11031 (1998).

Kaji H and Horii F: Analyses of the Local Order in Poly(ethylene terephthalate) in the Glassy State by Two-Dimensional Solid State ^{13}C Spin Diffusion Nuclear Magnetic Resonance Spectroscopy, *J. Chem. Phys.*, **109**, No. 11, 4651-4658 (1998).

Kawanishi H, Tsunashima Y, Okada S and Horii F: Change in Chain Stiffness in Viscometric and Ultracentrifugal Fields: Cellulose Diacetate in *N, N*-dimethylacetamide Dilute Solution, *J. Chem. Phys.*, **108**, No. 14, 6014-6025 (1998).

Hirai A, Tsuji M and Horii F: Helical Sense of Ribbon Assemblies and Splayed Microfibrils of Bacterial Cellulose, *Sen-i gakkaiishi*, **54**, No. 10, 506-510 (1998).

Nakaoki T, Ohira Y, Hayashi H and Horii F: Spontaneous Crystallization of the Planar Zigzag Form of Syndiotactic Polypropylene at 0°C, *Macromolecules*, **31**, No. 8, 2705-2706 (1998).

Hirai A, Tsuji M, Yamamoto H and Horii F: *In Situ* Crystallization of Bacterial Cellulose. III. Influences of Different Polymeric Additives on the Formation of Microfibrils as Revealed by Transmission Electron Microscopy, *Cellulose*, **5**, No. 3, 201-213 (1998).

Shen Y, Kaji H and Horii F: An Analytical Expression of Magic Angle Spinning Nuclear Magnetic Resonance Free Induction Decays in Two-Site Exchange Problems, *Chinese Phys. Lett.*, **5**, No.6, 453-454 (1998).

Kawaguchi T, Mamada A, Hosokawa Y and Horii F: ^2H NMR Analysis of the Phenylene Motion in Different Poly(ethylene terephthalate) Samples, *Polymer*, **39**, No.13, 2725-2732 (1998).

Horii F, Kaji H, Ishida H, Kuwabara K, Masuda K and Tai T: Solid-State NMR Analyses of the Structure and Dynamics of Polymers in the Different States, *J. Mol. Struct.*, **441**, 303-311 (1998).

Kaji H, Tai H and Horii F, Solid-State NMR Analyses of the Noncrystalline Structure and Relaxation of Glassy Polymers, *Koubunshi*, **47**, 316-317 (1998) (in Japanese).

Horii F: NMR Relaxations and Dynamics, in "Solid State NMR of Polymers", Ando I and Asakura T, Eds., Elsevier, 1998, pp. 51-81.

Horii F and Masuda K: Hydrogen-Bonded Polymers, in "Solid State NMR of Polymers", Ando I and Asakura T, Eds., Elsevier, 1998, pp. 713-736.

Horii F, Ed., Solid-State NMR and Materials, Special issue of *J. Mol. Struct.*, **441**, No. 2-3, 101-319 (1998).

Horii F, Ed., Collected Papers of the Annual Meeting of the Cellulose Society of Japan, Special issue of *Cellulose*, **5**, No. 2 and 3, 113-229 (1998).

ORGANIC MATERIALS CHEMISTRY

I. Polymeric Materials

Takaragi A, Minoda M, Miyamoto T and Watanabe J: Synthesis and Thermal Properties of Liquid Crystalline Side Chain Polymers with Pendant Cellobiose Residues, *Macromol. Chem. Phys.*, **199**, 1119-1126 (1998).

Takaragi A, Miyamoto T, Minoda M and Watanabe J: Thermotropic Liquid Crystalline Poly(Vinyl Ether)s with Pendant Cellobiose Residues: Synthesis and Mesophase Structure, *Macromol. Chem. Phys.*, **199**, 2071-2077 (1998).

Ide N, Sato T, Miyamoto T and Fukuda T: Thermoreversible Hydrogel of Short-Chain *O*-(2,3-Dihydroxypropyl)cellulose/Borax Aqueous Solution. Microscopic versus Macroscopic Properties, *Macromolecules*, **31**, 8878-8885 (1998).

Kajiwara K and Miyamoto T: Progress in Structural Characterization of Functional Polysaccharides, in "Polysaccharides: Structural Diversity and Functional Versatility", ed. by Dumitriu S, Marcel Dekker, Inc., New York, 1-55 (1998).

Miyamoto T, Tsujii Y and Yamamoto S: Functionalization of Cellulose-based Polysaccharides, *Kasen-Kouenshu*, **55**, 1-7 (1998) (in Japanese).

Ohno K, Ejaz M, Fukuda T, Miyamoto T and Shimizu Y: Nitroxide-Controlled Free Radical Polymerization of *p*-tert-Butoxystyrene. Kinetics and Applications, *Macromol. Chem. Phys.*, **199**, 291-297 (1998).

Ohno K, Tsujii Y, Miyamoto T, Fukuda T, Goto M, Kobayashi K and Akaike T: Synthesis of a Well-Defined Glycopolymer by Nitroxide-Controlled Free Radical Polymerization, *Macromolecules*, **31**, 1064-1069 (1998).

Okamura H, Ide N, Minoda M, Komatsu K and Fukuda T: Solubility and Micellization Behavior of C_{60} Fullerenes with Two Well-Defined Polymer Arms, *Macromolecules*, **31**, 1859-1865 (1998).

Ohno K, Goto A, Fukuda T, Xia J and Matyjaszewski K: Kinetic Study on the Activation Process in an Atom Transfer Radical Polymerization, *Macromolecules*, **31**, 2699-2701 (1998).

Goto A, Ohno K and Fukuda T: Mechanism and Kinetics of Iodide-Mediated Polymerization of Styrene, *Macromolecules*, **31**, 2809-2814 (1998).

Ejaz M, Yamamoto S, Ohno K, Tsujii Y and Fukuda T: Controlled Graft Polymerization of Methyl Methacrylate on Silicon Substrate by the Combined Use of the Langmuir-Blodgett and Atom Transfer Radical Polymerization Techniques, *Macromolecules*, **31**, 5934-5936 (1998).

Ohno K, Tsujii Y and Fukuda T: Synthesis of a Well-Defined Glycopolymer by Atom Transfer Radical Polymerization, *J. Polym. Sci., Polym. Chem.*, **36**, 2473-2481 (1998).

Ohno K, Fukuda T and Kitano H: Free Radical Polymerization of a Sugar Residue-Carrying Styryl Monomer with a Lipophilic Alkoxyamine Initiator: Synthesis of a Well-Defined Novel Glycolipid, *Macromol. Chem. Phys.*, **199**, 2193-2197 (1998).

Fukuda T, Goto A, Ohno K and Tsujii Y: Mechanism and Kinetics of Nitroxide-Controlled Free Radical Polymerization, in "Controlled Radical Polymerization (ACS Symposium Series 685)", ed. by Matyjaszewski K, pp. 180-199 (1998).

Ohno K and Fukuda T: Synthesis of New Types of Polymers by Living Radical Polymerization Technique, *Kobunshi-Kako*, **47**, 419-425 (1998) (in Japanese).

Yamamoto S, Miyamoto T, Kokubo T and Nakamura T: Preparation of Polymer-Silicate Hybrid Materials Bearing Silanol Groups and the Apatite Formation on/in the Hybrid Materials, *Polymer Bulletin*, **40**, 243-250 (1998).

Oyane A, Minoda M, Miyamoto T, Nakanishi K, Kim H-M, Miyaji F, Kokubo T and Nakamura T: Surface Modification of Ethylene-Vinylalcohol Copolymer for Inducing its Apatite-Forming Ability, *Bioceramics*, **11**, 687-690 (1998).

Kondo T and Miyamoto T: The Influence of Intramolecular Hydrogen Bonds on Handedness in Ethylcellulose /CH₂Cl₂ Liquid Crystalline Mesophases, *Polymer*, **39**, 1123-1127 (1998).

Takatsuka T, Oneichi Y, Matsuura A, Joko K, Kimura K, Miyamoto T and Arai M: Isolation of Cuticle-Degrading *Bacillus cereus* NS-11 and Properties of the Enzyme Produced by the Bacterium, *Seibutsu-Kogaku*, **76**, 43-50 (1998) (in Japanese).

Kajiwarra K and Miyamoto T: Application of High-Technology Fibers in Sports, *Descende Sports Science*, **19**, 14-34 (1998) (in Japanese).

Mabuchi M, Ito S, Yamamoto M, Miyamoto T, Schmidt A and Knoll W: Nanostructure and Thermal Stability of the Polyglutamate Langmuir-Blodgett Films Probed by Interlayer Energy Transfer Method, *Macromolecules*, **31**, 8802-8808 (1998).

II. High-Pressure Organic Chemistry

Nishinaga T, Izukawa Y, Komatsu K: The Ring Inversion of Silacycloheptatriene and Cycloheptatriene. Comparison of the "Aromaticity" of Planar and Boat Conformers Estimated by Nucleus-Independent Chemical Shift (NICS), *J. Phys. Org. Chem.*, **11**, 475-477 (1998).

Nishinaga T, Izukawa Y, Komatsu K: Effects of Substituents on Silicon upon the Ring Inversion of Silolepines Annulated with Bicyclo[2.2.2]octene Frameworks, *Chem. Lett.*, **1998**, 269-270.

Fujiwara K, Murata Y, Wan TSM, Komatsu K: Synthesis of a Propargyl Alcohol Having a C₆₀ Cage, Its Transformation into C₆₀ Derivatives with Polar Functional Groups, and the Solubility Measurements, *Tetrahedron*, **54**, 2049-2058 (1998).

Okamura H, Ide N, Minoda M, Komatsu K, Fukuda T: Solubility and Micellization Behavior of C₆₀ Fullerenes with Two Well-Defined Polymer Arms, *Macromolecules*, **31**, 1859-1865 (1998).

Nishinaga T, Nakayama H, Nodera N, Komatsu K: Synthesis and Properties of 1,4-Dimethoxynaphtho[2,3]-annulated Dehydroannulenes, *Tetrahedron Lett.*, **39**, 7139-7142 (1998).

Nishinaga T, Kawamura T, Komatsu K: Synthesis and Structural Characterization of Novel Silver(I) Complexes of Tetradehydro[16]annulene Annulated with Bicyclo[2.2.2]octene Units, *Chem. Commun.*, **1998**, 2263-2264.

Komatsu K, Wang G-W, Murata Y, Tanaka T, Fujiwara K, Yamamoto K, Saunders M: Mechanochemical Synthesis and Characterization of the Fullerene Dimer C₁₂₀^{*}, *J. Org. Chem.*, **63**, 9358-9366 (1998).

Komatsu K: Dumbbell-Shaped Fullerene, *Kagaku*, **53**, 14-16 (1998) (in Japanese).

Komatsu K, Shiro M: Synthesis and X-Ray Structure Determination of the Dumbbell-Shaped Fullerene Dimer C₁₂₀^{*}, *Rigaku-Denki Journal*, **29**, 3-8 (1998) (in Japanese).

Komatsu K, Wang G-W, Shiro M, Murata Y, Tanaka T: Synthesis and Structural Determination of Fullerene Dimer C₁₂₀^{*}: Creation of Bucky Dumbbell, *Kagaku to Kougyou*, **51**, 774-776 (1998) (in Japanese).

SYNTHETIC ORGANIC CHEMISTRY

I. Synthrtic Design

Yamaguchi S, Iimura K, and Tamao K: Silole-Acetylene π -Electronic Systems with Low Bandgaps: Synthesis, Structure, and UV-vis Absorption Spectra of 2,5-Diethynylsilole Derivatives and Their Polymers, *Chem. Lett.*, 89-90 (1998).

Plack V, Sakhaii P, Fischer A, Jones P. G, Schmutzler R, Tamao K, and Sun G.-R: X-ray Analysis and NMR-Studies of E- and Z-1,2-bis(fluorodimethylsilyl)-1,2-diphenylethenes, *J. Organomet. Chem.*, **553**, 111-114 (1998).

Yamaguchi S, Jin R.-Z, and Tamao K: Modification of the Electronic Structure of Silole by the Substituents on the Ring Silicon, *J. Organomet. Chem.*, **559**, 73-80 (1998).

Yamaguchi S, Akiyama S, and Tamao K: Synthesis, Structures, Photophysical Properties, and Dynamic Stereochemistry of Tri(9-anthryl)silane Derivatives, *Organometallics*, **17**, 4347-4352 (1998).

Tanaka Y, Hada M, Kawachi A, Tamao K, and Nakatsuji H: Self-Condensation of Lithium (Methoxy)silylenoid: A Model Study by Ab Initio Calculation, *Organometallics*, **17**, 4573-4577 (1998).

Yamguchi S, Itami Y, and Tamao K: Group 14 Metalloles Having Thienyl Groups on 2,5-Positions: Effects of Group 14 Elements on Their π -Electronic Structures, *Organometallics*, **17**, 4910-4916 (1998).

Yamaguchi S, Jin R.-Z, Ohno S, and Tamao K: Halodesilylation Route to 2,5-Difunctionalized 3,4-Dialkylsiloles and Their Derivatization to 2,2'-Bisilole, *Organometallics*, **17**, 5133-5138 (1998).

Katkevics M, Yamaguchi S, Toshimitsu A, and Tamao K: From Tellurophenes to Siloles. Synthesis, Structures, and

Photophysical Properties of 3,4-Unsubstituted 2,5-Diarylsiloles, *Organometallics*, **17**, 6796-5800 (1998).

Yamaguchi S and Tamao K: Silole-Containing σ - and π -Conjugated Compounds, *J. Chem. Soc., Dalton Trans., Perspective*, 3693-3702 (1998).

Yamaguchi S and Tamao K: Silole-Containing σ - and π -Conjugated Compounds, *J. Synth. Org. Chem., Jpn.*, **56**, 500-510 (1998) (in Japanese).

Tamao K and Toshimitsu A: Synthetic Applications of Hypervalent Compounds, *Kikan Kagaku Sosetsu*, **34**, 127-147 (1998) (in Japanese).

Noyori R, Shibasaki M, Suzuki K, Tamao K, Nakasuji K, and Narasaka K, Eds.: *Organic Chemistry II*, Tokyo Kagaku Doujin, 1998.

II. Fine Organic Synthesis

Ahn M, Tanaka K, and Fuji K: Diastereoselective reaction of 1,1'-binaphthyl ester enolates with carbonyl electrophiles, *J. Chem. Soc. Perkin trans I*, 185-191 (1998).

Fuji K, Oka T, Kawabata T and Kinoshita T: The first Synthesis of an Optically Active Molecular Bevel Gear with Only Two Cogs on Each Wheel, *Tetrahedron Lett.*, **39**, 1373-1376 (1998).

Fuji K, Kawabata T, Ohmori T, Shang M and Node M: Enantioselective Creation of Quaternary Carbon Centers through Addition-Elimination Reaction: Asymmetric Nitroolefination of 3-Substituted 2-Oxindoles, *Heterocycles*, **47**, 951-964 (1998).

Tsubaki K, Tanaka K, Kinoshita T and Fuji K: Complexation of C₆₀ with Hexahomoxacalix[3]arenes and Structures of Complexes in the Solid State, *Chem. Commun.*, 895-896 (1998).

Tsubaki K, Otsubo T, Tanaka K, Fuji K and Kinoshita T: Stepwise Construction of Some Hexahomoxacalix[3]arenes and Their Conformation in Solid State, *J. Org. Chem.*, **63**, 3260-3265 (1998).

Fuji K, Sakurai M, Kinoshita T and Kawabata T: Palladium-Catalyzed Asymmetric Reduction of Allylic Esters with a New Chiral Monodentate Ligand, 8-Diphenylphosphino-8'-methoxy-1,1'-binaphthyl, *Tetrahedron Lett.* **39**, 6323-6326 (1998).

Fuji K and Kawabata T: Memory of Chirality-A New Principle in Enolate Chemistry, *Chemistry. A European J.*, **4**, 373-376 (1998)

Tanaka K and Fuji K: Asymmetric Olefination Using Optically Active Phosphorous Reagents, *J. Synth. Org. Chem. Jpn.*, **56**, 521-531 (1998) (in Japanese).

BIOORGANIC CHEMISTRY

I. Bioorganic Reaction Theory

Dao D H, Kawai Y, Hida K, Hornes S, Nakamura K, Ohno A, Okamura M, Akasaka T: Stereochemical Control in Microbial Reduction. 30. Reduction of Alkyl 2-Oxo-4-phenylbutyrate as Precursors of Angiotensin Converting Enzyme (ACE) Inhibitors. *Bull. Chem. Soc. Jpn.*, **71**, 425-432 (1998).

Dao D H, Okamura M, Akasaka T, Kawai Y, Hida K, Ohno A: Stereochemical Control in Microbial Reduction. Part 31: Reduction of Alkyl 2-Oxo-4-arylbutyrates by Baker's Yeast under

Selected Reaction Conditions. *Tetrahedron: Asymmetry*, **9**, 2725-2737 (1998).

Kawai Y, Kunitomo J, Ohno A: First Determination of the Absolute Configuration of an Atropisomeric Flavin Derivative. *Acta Crystallogr.*, **C54**, 77-79 (1998).

Kawai Y, Matsuo T, Ohno A: Conformational Effect (Induced-Fit) on Catalytic Activity of α -Chymotrypsin. *Bull. Chem. Soc. Jpn.*, **71**, 2187-2196 (1998).

Kawai Y, Hayashi M, Inaba Y, Saitou K, Ohno A: Asymmetric Reduction of α,β -Unsaturated Ketones with a Carbon-Carbon Double-Bond Reductase from Baker's Yeast: *Tetrahedron Lett.*, **39**, 5225-5228 (1998).

Kawai Y, Hida K, Dao D H, Ohno A: Asymmetric Synthesis of β -Hydroxy Esters Having Three Consecutive Chiral Centers with a Reductase from Bakers' Yeast. *Tetrahedron Lett.*, **39**, 9219-9222 (1998).

Nakamura K: Highly Stereoselective Reduction of Ketones by *Geotrichum candidum*. *J. Mol. Catal. B: Enzym.*, **5**, 129-132 (1998).

Nakamura K, Matsuda T, Shimizu M, Fujisawa T: Asymmetric Reduction of Trifluoromethyl Ketones Containing a Sulfur Functionality by the Alcohol Dehydrogenase from *Geotrichum*. *Tetrahedron*, **54**, 8393-8402 (1998).

Nakamura K, Matsuda T: Asymmetric Reduction of Ketones by the Acetone Powder of *Geotrichum candidum*. *J. Org. Chem.*, **63**, 8957-8964 (1998).

Ohno A, Ishikawa Y, Yamazaki N, Okamura M, Kawai Y: NAD(P)⁺-NAD(P)H Models. 88. Stereoselection without Steric Effect but Controlled by Electronic Effect of a Carbonyl Group: Syn/Anti Reactivity Ratio, Kinetic Isotope Effect, and an Electron-Transfer Complex as a Reaction Intermediate. *J. Am. Chem. Soc.*, **120**, 1186-1192 (1998).

Ohno A: Stereoselection without Steric Effect but Controlled by Electronic Effect: Important Contribution of Ground State. *Bull. Chem. Soc. Jpn.*, **71**, 2041-2050 (1998).

Sugiyama T: Organic Synthesis by Means of Lanthanoids. Cerium (IV) Compounds in Organic Synthesis: Past, Present, and Future. *Kikan Kagaku Sosetsu*, **37**, 161-171 (1998) (in Japanese).

Sugiyama T, Mori S, Komatsu K, Ohno A: Cerium ammonium nitrate-formic acid promoted 1,3-dipolar cycloaddition of [60]fullerene with nitrile oxide from nitroalkanes. *Kidorui*, **32**, 56 (1998) (in Japanese).

Uenishi J, Hiraoka T, Hata S, Nishiwaki K, Yonemitsu O, Nakamura K, Tsukube H: Chiral Pyridines: Optical Resolution of 1-(2-Pyridyl)- and 1-[6-(2,2'-Bipyridyl)]ethanols by Lipase-Catalyzed Enantioselective Acetylation. *J. Org. Chem.*, **63**, 2481-2487 (1998).

Yasui S, Tsujimoto M, Okamura M, Ohno A: Stereoelectronic Effects on the One-Electron Donor Reactivity of Trivalent Phosphorus Compounds. Experimental and Theoretical Investigations. *Bull. Chem. Soc. Jpn.*, **71**, 927-932 (1998).

II. Bioactive Chemistry

Kamiuchi T, Abe E, Imanishi M, Kaji T, Nagaoka M, Sugiura Y: Artificial Nine Zinc-Finger peptide with 30 Base Pair Binding

Sites. *Biochemistry*, **37**, 13827-13834 (1998).

Yokono M, Saegusa N, Matsushita K, Sugiura Y: Unique DNA Binding Mode of the N-Terminal Zinc Finger of Transcription Factor Sp1. *Biochemistry*, **37**, 6824-6832 (1998).

Okahata Y, Niikura K, Sugiura Y, Sawada M, Morii T: Kinetic Studies of Sequence-Specific Binding of GCN4-bZIP Peptides to DNA Strands Immobilized on a 27-MHz Quartz-Crystal Microbalance. *Biochemistry* **37**, 5666-5672 (1998).

Matsushita K, Hagihara M, Sugiura Y: Participation of Oligomerization through C-terminal Domain Region of Sp1 in DNA Binding. *Biol. Pharm. Bull.*, **21**, 1094-1097 (1998).

Araki M, Okuno Y, Hara Y, Sugiura Y: Allosteric regulation of a ribozyme activity through ligand-induced conformational change. *Nucleic Acids Res.*, **26**, 3379-3384 (1998).

Araki M, Okuno Y, Sugiura Y: Modulation of a ribozyme activity by introducing aptamer domain: A model for the allosteric interactions. *Nucleic Acids Res. (Sym. Ser.)*, **39**, 227-228 (1998).

Ando T, Ishii M, Kajiura T, Kameyama T, Miwa K, Sugiura Y: A New Non-Protein Enediyne Antibiotic N1999A2: Unique Enediyne Chromophore Similar to Neocarzinostatin and DNA Cleavage Feature. *Tetrahedron Lett.*, **39**, 6495-6498 (1998).

Kato Y, Sugiura Y, Sunamoto J: Complex formation of neocarzinostatin chromophore and hydrophobized polysaccharide as an apoprotein model. *Proc. Japan. Acad.*, **74**, 116-121 (1998).

Imanishi M, Sugiura Y: Design of new zinc-finger proteins. *Chemistry*, **53**, 72-73 (1998) (in Japanese).

Yamada K, Ojika M, Kigoshi H, Sugiura Y: Bracken carcinogen. *Tanpakushitsu-Kakusan-Kouso*, **43**, 28-37 (1998) (in Japanese).

Futaki S: Creation of Ion Channel Function Using Synthetic Peptides. *J. Syn. Org. Chem. Jpn.*, **56**(2), 125-133 (1998).

Futaki S: Peptide Ion Channels: Design and Creation of Function. *Biopolymers (Peptide Science)*, **47**(1), 75-81 (1998).

Futaki S: Peptide Synthesis Aiming at Elucidation and Creation of Protein Functions. *Yakugaku Zasshi*, **118**(11), 493-510 (1998).

Tsutsumishita Y, Onda T, Okada K, Takeda M, Endou H, Futaki S, Niwa M: Involvement of H₂O₂ Production in Cisplatin-Induced Nephrotoxicity. *Biochem. Biophys. Res. Commun.*, **242**(2), 310-312 (1998).

Mori H, Kamada M, Maegawa M, Yamamoto S, Ando T, Futaki S, Yono M, Kido H, Samuel S. Koide: Enzymatic Activation of Immunoglobulin Binding Factor in Female Reproductive Tract. *Biochem. Biophys. Res. Commun.*, **246**(2), 409-413 (1998).

Tachibana R, Harashima H, Shono M, Azumano M, Niwa M, Futaki S, Kiwada H: Intracellular Regulation of Macromolecules using pH-sensitive Liposomes and Nuclear Localization Signal: Qualitative and Quantitative Evaluation of Intracellular Trafficking. *Biochem. Biophys. Res. Commun.*, **25**(2), 538-544 (1998).

Kamada M, Mori H, Maeda N, Yamamoto S, Kunimi K, Takikawa M, Maegawa M, Aono T, Futaki S, Samuel S. Koide: $\tilde{\epsilon}$ -Microseminoprotein/Prostatic Secretory Protein Is a Member of Immunoglobulin Binding Factor Family. *Biochim. Biophys. Acta*, **1388**(1), 101-110 (1998).

III. Molecular Clinical Chemistry

Tanaka S, Kawamata J, Shimohama S, Akaki H, Akiguchi I, Kimura J and Ueda K: Inferior temporal lobe atrophy and APOE genotypes in Alzheimer's disease: X-ray computed tomography, magnetic resonance imaging and Xe-133 SPECT studies. *Dement Geriatr Cogn Disord*, **9**, 90-98 (1998).

Ikemoto M., Tsunekawa S, Tanaka K, Tanaka A, Yamaoka Y, Ozawa K, Fukuda Y, Moriyasu F, Totani M, Kasai Y, Mori T and Ueda K: Liver-type arginase in serum during and after liver transplantation: a novel index in monitoring conditions of the liver graft and its clinical significance. *Clin Chim Acta*, **271**, 11-23 (1998).

Tokime T, Ueda K, Nozaki K and Kikuchi H: Enhanced poly(ADP-ribosyl)ation after focal ischemia in rat brain. *J Cerebral Blood Flow Metab*, **18**, 991-997 (1998).

Tanaka S, Chen X, Xia Y, Kang DE, Matoh N, Sundsmo M, Thomas RG, Katzman R, Thal LJ, Trojanowski JQ, Saitoh T, Ueda K and Masliah E, Association of CYP2D microsatellite polymorphism with Lewy body variant of Alzheimer's disease. *Neurology*, **50**, 1556-1562 (1998)

Masliah E, Mallory M, Alford M, Tanaka S and Hansen LA, Caspase dependent DNA fragmentation might be associated with excitotoxicity in Alzheimer disease. *J Neuropathol Exp Neurol*, **57**, 456-464 (1998).

Ariumi Y, Ueda K, Masutani M, Noda M, Copeland TD, Hatanaka M and Shimotohno K, In vivo phosphorylation of poly(ADP-ribose) polymerase is independent of its activation. *FEBS Lett*, **436**, 288-292 (1998).

MOLECULAR BIOFUNCTION

I. Functional Molecular Conversion

Sawai Y and Sakata K: An NMR Analytical Approach to Clarify the Antioxidative Molecular Mechanism of Catechins Using DPPH. *J. Agric. Food Chem.*, **46**, 111-114 (1998).

Ijima Y, Ogawa K, Watanabe N, Usui T, Ohnishi-Kameyama M, Nagata T, Sakata K: Characterization of β -Primeverosidase, Being Concerned with Alcoholic Aroma Formation in Tea Leaves to be Processed into Black Tea, and Preliminary Observations on Its Substrate Specificity. *J. Agric. Food Chem.*, **46**, 1712-1718 (1998).

Oka N, Ikegami A, Ohki M, Sakata K, Yagi A, Watanabe N: Citronellyl Disaccharide Glycoside as an Aroma Precursor from Rose Flowers. *Phytochemistry*, **47**, 1527-1529 (1998).

Guo W, Sasaki N, Fukuda M, Yagi A, Watanabe N, Sakata K: Isolation of An Aroma Precursor of Benzaldehyde from Tea Leaves (*Camellia sinensis* var. *sinensis* cv. *Yabukita*). *Biosci. Biotechnol. Biochem.*, **62**, 2052-2054 (1998).

Sakata K, Watanabe N, Usui T: Molecular Basis of Alcoholic Aroma Formation During Tea Processing. *Proceedings of the 3rd International Conference on Food Science and Technology*, Davis, California, in press (1998).

Sakata K and Watanabe S: Importance of Sugar Conjugates as Aroma Precursor in Plants—Molecular Mechanism of Alcoholic Aroma Formation in Tea Leaves and Flowers—, *J. Appl. Glycosci.*, **45**, 123-129 (1998) (in Japanese).

Sakata K: Function and Development of Biomaterials from Plants. 2. Chlorophyll Derivatives. in "Recent Development of Food Factors for the Diseases Prevention" (Niki E, Yoshikawa T, Osawa T eds), CMC, 254-262 (1998) (in Japanese).

Sakata K: 6. Antioxidants in Food. 6) Sea Weeds, in "Compilation of Antioxidants" (Yoshikawa T ed), Sentan-Igaku-sha, 157-164 (1998) (in Japanese).

Yamada T, Hiratake J, Aikawa M, Suizu Y, Saito Y, Kawato A, Suginami K, Oda J: Cysteine Protease Inhibitors Produced by the Industrial Koji Mold, *Aspergillus oryzae O-1018*, *Biosci. Biotech. Biochem.*, **62**, 907-914 (1998).

Sawa M, Imaeda Y, Hiratake J, Fujii R, Umeshita R, Watanabe M, Kondo H, Oda J: Toward the Antibody-Catalyzed Chemiluminescence. Design and Synthesis of Hapten, *Bioorg. & Med. Chem. Lett.*, **8**, 647-652 (1998).

Katoh M, Hiratake J, Oda J: ATP-Dependent Inactivation of *E. coli* γ -Glutamylcysteine Synthetase by L-Glutamic Acid γ -Monohydroxamate, *Biosci. Biotech. Biochem.*, **62**, 1455-1457 (1998).

Tokutake N, Hiratake J, Katoh M, Irie T, Kato H, Oda J: Design, Synthesis and Evaluation of Transition-State Analogue Inhibitors of *Escherichia coli* γ -Glutamylcysteine Synthetase, *Bioorg. & Med. Chem.*, **6**, 1935-1953 (1998).

Shibata H, Kato H, Oda J: Calcium Ion-Dependent Reactivation of a *Pseudomonas* Lipase by Its Specific Modulating Protein, Lip B, *J. Biochem. (Tokyo)*, **123**, 136-141 (1998).

Nakatsu T, Kato H, Oda J: Crystal Structure of Asparagine Synthetase Reveals a Close Evolutionary Relationship to Class II Aminoacyl-tRNA Synthetase, *Nature Struct. Biol.*, **5**, 15-19 (1998).

Shibata H, Kato H, Oda J: Molecular Property and Activity of Amino-Terminal Truncated Forms of Lipase Activator Protein, *Biosci. Biotech. Biochem.*, **62**, 354-357 (1998).

Shibata H, Kato H, Oda J: Random Mutagenesis of *Pseudomonas* Lipase Activator Protein, LipB, *Protein Eng.*, **11**, 467-472 (1998).

Nakajima K, Yamashita A, Akama H, Nakatsu T, Kato H, Hashimoto T, Oda J, Yamada Y: Crystal Structures of Two Tropinone Reductases: Different Reaction Stereospecificities in the Same Protein Fold, *Proc. Nat. Acad. Soc. USA*, **95**, 4876-4881 (1998).

II. Molecular Microbial Science

Li Y-F, Hata Y, Fujii T, Kurihara T and Esaki N. Crystal Structures of Reaction Intermediates of L-2-Haloacid Dehalogenase and Implications for the Reaction Mechanism, *J. Biol. Chem.*, **273**(24), 15035-15044 (1998)

Lim Y-H, Yoshimura T, Kurokawa Y, Esaki N and Soda K. Nonstereospecific Transamination Catalyzed by Pyridoxal Phosphate-dependent Amino Acid Racemases of Broad Substrate Specificity, *J. Biol. Chem.*, **273**(7), 4001-4005 (1998)

Liu J-Q, Kurihara T, Ichiyama S, Miyagi M, Tsunasawa S, Kawasaki H, Soda K and Esaki N. Reaction Mechanism of Fluoroacetate Dehalogenase from *Moraxella* sp. B., *J. Biol. Chem.*, **273**(47), 30897-30902 (1998)

Gutierrez A, Yoshimura T, Fuchikami Y, Soda K and Esaki N. A Mutant D-Amino Acid Aminotransferase with Broad Substrate Specificity: Construction by Replacement of the Interdomain

Loop Pro119-Arg120-Pro121 by Gly-Gly-Gly, *Protein Engineering*, **11**(1), 53-58 (1998)

Sugio S, Kashima A, Kishimoto K, Peisach D, Petsko G A, Ringe D, Yoshimura T and Esaki N. Crystal Structures of L201A Mutant of D-Amino Acid Aminotransferase at 2.0Å Resolution: Implication of Structural Role of Leu201 in Transamination, *Protein Engineering*, **11**(8), 613-619 (1998)

Uo T, Yoshimura T, Shimizu S and Esaki N. Occurrence of Pyridoxal 5'-Phosphate-Dependent Serine Racemase in Silkworm, *Bombyx mori*, *Biochem. Biophys. Res. Com.*, **246**(1), 31-34 (1998)

Yoshimune K, Yoshimura T and Esaki N. Hsc62, A New DnaK Homologue of *Escherichia coli*, *Biochem. Biophys. Res. Com.*, **250**(1), 115-118 (1998)

Fuchikami Y, Yoshimura T, Gutierrez A, Soda K and Esaki N. Construction and Properties of a Fragmentary D-Amino Acid Aminotransferase, *J. Biochem.*, **124**(5), 905-910 (1998)

Kurokawa Y, Watanabe A, Yoshimura T, Esaki N and Soda K. Transamination as a Side-Reaction Catalyzed by Alanine Racemase of *Bacillus stearothermophilus*, *J. Biochem.*, **124**(6), 1163-1169 (1998)

Li Y-F, Hata Y, Fujii T, Kurihara T and Esaki N. X-Ray Structure of a Reaction Intermediate of L-2-Haloacid Dehalogenase with L-2-Chloropropionamide, *J. Biochem.*, **124**(1), 20-22 (1998)

Choo D-W, Kurihara T, Suzuki T, Soda K and Esaki N. A Cold-Adapted Lipase of an Alaskan Psychrotroph, *Pseudomonas* sp. B11-1: Gene Cloning, Purification and Characterization, *Appl. Environ. Microbiol.*, **64**(2), 486-491 (1998)

Gorlatova N, Tchorzewski M, Kurihara T, Soda K and Esaki N. Purification, Characterization, and Mechanism of a Flavin Mononucleotide-Dependent 2-Nitropropane Dioxygenase from *Neurospora crassa*, *Appl. Environ. Microbiol.*, **64**(3), 1029-1033 (1998)

Lim Y-H, Yoshimura T, Soda K and Esaki N. Stereospecific Labeling at α -Position of Phenylalanine and Phenylglycine with Amino Acid Racemase, *J. Ferment. Bioeng.*, **86**(4), 400-402 (1998)

Liu L, Yoshimura T, Endo K, Kishimoto K, Fuchikami Y, Manning M J, Esaki N and Soda K. Compensation for D-Glutamate Auxotrophy of *Escherichia coli* WM335 by D-Amino Acid Aminotransferase Gene and Regulation of *murI* Expression. *Biosci. Biotech. Biochem.*, **62**(1), 193-195. (1998)

MOLECULAR BIOLOGY AND INFORMATION

I. Biopolymer Structure

Hata Y, Li Y.-F., Fujii T, Akutagawa T and Esaki N: Crystallographic Analysis of the Catalytic Mechanism of L-2-Haloacid Dehalogenase, *3rd Conference of the Asian Crystallographic Association*, 15P5 (1998).

Hata Y, Li Y.-F., Fujii T, Hisano T, Nishihara M., Kurihara T and Esaki N: X-ray Crystal Structure of Reaction Intermediate of L-2-Haloacid Dehalogenase, *Photon Factory Activity Report*, **15**, 27 (1997).

Ishiguro R, Matsumoto T and Takahashi S: The relationship between the behavior of the α -helical peptide in phospholipid

bilayer and its fusion activity, *Colloids & Surfaces, Ser. B* **11**, 153-165 (1998).

Li Y.-F., Hata Y, Fujii T, Hisano T, Nishihara M, Kurihara T and Esaki N: Crystal Structures of Reaction Intermediates of L-2-Haloacid Dehalogenase and Implications for the Reaction Mechanism, *J. Biol. Chem.*, **273**, 15035-15044 (1998).

Li Y.-F., Hata Y, Fujii T, Kurihara T and Esaki N: X-Ray Structure of a Reaction Intermediate of L-2-Haloacid Dehalogenase with L-2-Chloropropionamide, *J. Biochem.*, **124**, 20-22 (1998).

Miyajima Y, Fukushima J, Kawamoto S, Okuda K, Shibano Y, Hata Y and Morihara K: Site-Directed Mutagenesis of His-176 and Glu-177 in *Pseudomonas aeruginosa* Alkaline Protease: Effect on Catalytic Activity, *J. Ferment. Bioeng.*, **84**, 588-590 (1997).

Miyajima Y, Hata Y, Fukushima J, Kawamoto S, Okuda K, Shibano Y and Morihara K: Long-Range Effect of Mutation of Calcium Binding Asparates on the Catalytic Activity of Alkaline Protease from *Pseudomonas aeruginosa*, *J. Biochem.*, **123**, 24-27 (1998).

Yamamoto Y, Okajima T, Fukazawa Y, Fujii T, Hata Y and Sawada S: Conformational Analysis of a Fluorescent Rotor, 6-(2,2-Dicyanovinyl)-1-(2-hydroxyethyl)-1,2,3,4-tetrahydroquinoline, *J. Chem. Soc. Perkin Trans.*, **2**, 561-564 (1998).

Yoshimura Y, Kameyama K, Aimoto S, Takagi T, Goto Y and Takahashi S: Formation of protein- and peptide-membrane assemblies and membrane fusion, *Progr. Colloid Polymer Sci.* **106**, 219-222 (1997).

II. Molecular Biology

Liang Y, Aoyama T, and Oka A: Structural Characterization of the *virB* Operon on the Hairy-root-inducing Plasmid A4. *DNA Research*, **5**, 87-93 (1998).

Ito M, Kato H, Oka A, and Honda G: Phylogenetic Analysis of Japanese *Perilla* Species by Using DNA Polymorphisms. *Natural Medicines*, **52**, 248-252 (1998).

Yamada T, Imaishi H, Oka A, and Ohkawa H: Molecular Cloning and Expression in *Saccharomyces cerevisiae* of Tobacco NADPH-Cytochrome P450 Oxidoreductase cDNA. *Biosci Biotechnol Biochem*, **62**, 1403-1411 (1998).

Sakai H, Aoyama T, Bono H, and Oka A: Two-Component Response Regulators from *Arabidopsis thaliana* Contain a Putative DNA-binding Motif. *Plant Cell Physiol*, **39**, 1232-1239 (1998).

Aoyama, T: Glucocorticoid-inducible Gene Expression in Plants. In *Inducible Gene Expression in Plants* (P. Reynolds ed.), CAB International (Wallingford), pp 44-59 (1998).

McNellis TW, Mudgett MB, Li K, Aoyama T, Horvath D, Chua N-H, and Staskawicz BJ: Glucocorticoid-inducible Expression of a Bacterial Avirulence Gene in Transgenic *Arabidopsis* Induces Hypersensitive Cell Death. *Plant J*, **14**, 247-257 (1998).

Kato H, Honma T, and Goto K: *CENTRORADIALIS/TERMINAL FLOWER 1* Gene Homolog is Conserved in *N. tabacum*, a Determinate Inflorescence Plant. *J Plant Res*, **111**, 289-294 (1998).

III. Biological Information Science

Bono H and Kanehisa M: From Genome Information to Blueprint for Life. *CICSJ Bulletin*, **16**, 15-19 (1998) (in Japanese).

Bono H, Goto S, Fujibuchi W, Ogata H and Kanehisa M: Systematic Prediction of Orthologous Units of Genes in the Complete Genomes. *Genome Informatics*, **9**, 32-40 (1998).

Bono H, Ogata H, Goto S and Kanehisa M: Reconstruction of Amino Acid Biosynthesis Pathways from the Complete Genome Sequence. *Genome Res.*, **8**, 203-210 (1998).

Fujibuchi W, Ogata H, Matsuda H and Kanehisa M: Automatic Detection of Gene Clusters by P-quasi Complete Linkage Grouping. *Genome Informatics*, **9**, 300-301 (1998).

Fujibuchi W, Sato K, Ogata H, Goto S and Kanehisa M: KEGG and DBGET/LinkDB: Integration of Biological Relationships in Divergent Molecular Biology Data. In *Knowledge Sharing Across Biological and Medical Knowledge Based Systems*, Technical Report WS-98-04, pp. 35-40, AAAI Press (1998).

Goto S: Current Status of Integrated Database. *Kagaku to Seibutsu*, **36**, 319-324 (1998) (in Japanese)

Goto S, Nishioka T and Kanehisa M: LIGAND: Chemical Database for Enzyme Reactions. *Bioinformatics*, **14**, 591-599 (1998).

Goto S, Shiraishi K, Okamoto K, Ishida H, Asanuma S, Bono H, Ogata H, Fujibuchi W and Kanehisa M: Constructing and Annotating GENES Database in KEGG. *Genome Informatics*, **9**, 226-227 (1998).

Igarashi Y and Kanehisa M: The Construction of the Knowledge Base of Immune System. *Genome Informatics*, **9**, 302-303 (1998).

Kanehisa M: Databases of Biological Information. *Trends Guide to Bioinformatics*, pp. 24-26 (1988).

Kanehisa M: Editorial: Grand challenges in Bioinformatics. *Bioinformatics*, **14**, 309 (1998).

Kanehisa M: KEGG - From Genes to Biochemical Pathways. In *Molecular Biology Databases* (Letovsky, S., ed.), in press, Kluwer Academic Press (1998).

Kawashima S, Ogata H and Kanehisa M: Extracting Regulatory Signals from the Upstream Region of Co-expressed Genes Derived from DNA Microarray Experiments. *Genome Informatics*, **9**, 306-307 (1998).

Kihara D and Kanehisa M: The Human Genome Project and Bioinformatics. In *Gendai Igaku no Kiso* (Kajiro T and Muramatsu M eds.), vol. 1, chap. 11, pp.215-235, Iwanami Shoten Publishers (1998) (in Japanese).

Kihara D, Shimizu T, and Kanehisa M: Prediction of Membrane Proteins Based on Classification of Transmembrane Segments. *Protein Eng.*, **11**, 961-970 (1998).

Nakao M, Sato K, Kamiya T, Kimura Y and Kanehisa M: Genome-scale Gene Expression Profiles Mapped onto the Pathway and Genome Maps in KEGG. *Genome Informatics*, **9**, 230-231 (1998).

Ogata H, Fujibuchi W and Kanehisa M: Detection of Co-regulated Genes by Comparative Analysis of Microbial

Genomes. *Genome Informatics*, **9**, 304-305 (1998).

Ogata H, Goto S, Fujibuchi W and Kanehisa M: Computation with the KEGG Pathway Database. *BioSystems*, **47**, 119-128 (1998).

Sakai H, Aoyama T, Bono H and Oka A: Two-component Response Regulators from *Arabidopsis thaliana* Contain a DNA-binding Myb-like Motif. *Plant and Cell Physiology*, **39**, 1232-1239 (1998)

Sato K and Kanehisa M: A Library of Protein-ligand Interaction Sites for de novo Ligand Design. *Genome Informatics*, **9**, 298-299 (1998).

Takagi T, Kanehisa M eds: Introduction to GenomeNet Databases, 2nd ed., Kyoritsu Shuppan, Tokyo (1998) (in Japanese).

Takazawa F, Sasai M Kanehisa M: Protein Folding Simulation and Self-Consistent Potential Functions. *Genome Informatics*, **9**, 308-309 (1998).

Taniguchi T and Kanehisa M: Construction of Ortholog/Paralog Group Table for PTS. *Genome Informatics*, **9**, 296-297 (1998).

Tomii K and Kanehisa M: A Comparative Analysis of ABC Transporters in the Complete Microbial Genomes. *Genome Res.*, **8**, 1048-1059 (1998).

Tomii K and Kanehisa M: Systematic Detection of Protein Structural Motifs. In *Pattern Discovery in Molecular Biology* (Wang, J.T., Shapiro, B.A., and Shasha, D., eds.), in press, Oxford Univ. Press (1998).

NUCLEAR SCIENCE RESEARCH FACILITY

I. Particle and Photon Beams

II. Beams and Fundamental Reaction

Ao H, Iwashita Y, Shirai T, Noda A and Inoue M: Fabrication of Disk-And-Washer, *Proc. of the APAC98, March 1998, Tsukuba, Japan*, 187-189 (1998)

Noda A, Inoue M, Iwashita Y, Morita A, Shirai T, Urakabe E, Hiramoto K, Nishi M, Tadokoro M, Hirota J, Saito K, Umezawa M, Noda K, Kanai T and Fujita Y: Development of Compact Proton Accelerator Facility Dedicated For Cancer Therapy. *Proc. of the APAC98, March 1998, Tsukuba, Japan*, 787-789 (1998)

Hayakawa Y, Seto M, Maeda Y, Shirai T and Noda A: Analysis of the Angular Distribution and the Intensity of Parametric X-ray Radiation in a Bragg Case". *Journal of the Physical Society of Japan*, **67**, 3, 1044-1049. (1998)

Noda A: Colliding or Merging Beam Section, *Proc. of the 6th European Particle Accelerator Conference, EPAC-98, Stockholm, Sweden*, 538-540. (1998)

Kapin V, Inoue M and Noda A: Design Study of A Multiple-Beam RFQ Version of a High-Current Linac Injector for a Neutron Source, *Proc. of the 6th European Particle Accelerator Conference, EPAC-98, Stockholm, Sweden*, 725-727 (1998)

Pisent A, Andreev V, Bassato G, Bezzon G, Bisoffi G, Canella S, Cervellera F, Chiurlotto F, Comunian M, Lombardi A, Moisisio M, Poggi M, Porcellato A, Ziomi L, Shirai T, Scarpa F, Facco A, Favaron P, Fortuna G, Tovo E, Tovo R: The New LNL Injector PIAVE, based on a Superconducting RFQ, *Proc. of the 6th*

European Particle Accelerator Conference, EPAC-98, Stockholm, Sweden, 758-760 (1998)

Bisoffi G, Andreev V, Chiurlotto F, Comunian M, Corradin E, Lombardi A, Meccariello G, Pisent A, Porcellato A, Shirai T, Tovo E, Tovo R: Experimental Results on the Stainless Steel Prototype of a Superconducting RFQ, *Proc. of the 6th European Particle Accelerator Conference, EPAC-98, Stockholm, Sweden*, 1840-1842 (1998)

Kihara T, Okamoto H, Iwashita Y, Oide K, Lamanna G, Wei J: Simulation Study of Three-Dimensional Laser Cooling Schemes for Fast Stored Beams, *Proc. of the 6th European Particle Accelerator Conference, EPAC-98, Stockholm, Sweden*, 1040-1042 (1998)

Morita A, Iwashita Y and Noda A: Tune Value Evaluation for Combined Function Lattice, *Proc. of the 6th European Particle Accelerator Conference, EPAC-98, Stockholm, Sweden*, 1309-1311(1998)

Iwashita Y and Noda A: Massless Septum with Hybrid Magnet. *Proc. of the 6th European Particle Accelerator Conference, EPAC-98, Stockholm, Sweden*, 2109-2110. (1998)

Noda A, Fujita H, Inoue M, Iwashita Y, Morita A, Shirai T, Sugimura T and Tonguu H: Slow Extraction System of Stretcher Ring, KSR, *Proc. of the 6th European Particle Accelerator Conference, EPAC-98, Stockholm, Sweden*, 2120-2122. (1998)

Noda A, Inoue M, Iwashita M, Morita A, Shirai T, Nishi M, Hiramoto K, Tadokoro M and Umezawa M: Combined Function Proton Synchrotron Dedicated for Cancer Therapy, *Proc. of the First Symposium on Accelerator and Related Technology for Application, Tokyo, Japan*, 13-16. (1998)

Urakabe E, Inoue M, Iwashita Y, Kanai T, Kanazawa M, Kitagawa A, Shimbo M, Suda M, Tomitani T, Torikoshi M, Nishio T, Noda A, Noda K, Futami Y, Matsufuji N, Minohara S, Mizota M: Irradiation Field Formation Using the Spot Scanning, *Proc. of the First Symposium on Accelerator and Related Technology for Application, Tokyo, Japan*, 21-24 (1998)

Fujieda M, Mori Y, Nakayama H, Ohmori C, Saito K, Sato Y, Tanabe Y, Uesugi T and Yamamoto M: Magnetic Alloys for High Intensity Proton Synchrotron, *Beam Science and Technology*, **3**, 1-4 (1998)

Awata T, Yajima K, Imai M, Itoh A, Imanishi N, Sugimura T, Shirai T, Noda A: Study of Resonant Transition Radiation X rays, *Beam Science and Technology*, **3**, 10-13 (1998)

Iwashita Y: A Possible Massless Septum Magnet for High Intensity Synchrotron, *Beam Science and Technology*, **3**, 14 (1998)

Tonguu H, Fujita H, Inoue M, Iwashita Y, Noda A, Shirai T, and Sugimura T: Present Status of the Vacuum System for KSR, *Beam Science and Technology*, **3**, 15-17 (1998).

Hill J. E., Inagaki T, Jung C. K., Kobayashi T, Kohama M, Maruyama T, Nishikawa K, Shirai T, Suh E.S. and Taino M: Tests of Beam Monitoring Equipment for a Neutrino Experiment, *Beam Science and Technology*, **3**, 18-22 (1998)

Morita A, Iwashita Y and Noda A: Tune Value Evaluation for Combined Function Lattice, *Beam Science and Technology*, **3**, 23-26 (1998)

Shirai T, Sugimura T, Iwashita Y, Kakigi S, Fujita H, Tonguu H, Noda A and Inoue M: Design of the Injector Linac for KSR, *Beam Science and Technology*, **3**, 27-30, (1998)

Noda A, Fujita H, Inoue M, Iwashita Y, Shirai T, Sugimura T and Tonguu H: Electrostatic Septum for Slow Extraction at KSR, *Beam Science and Technology*, **3**, 31-33 (1998)

Noda A, Fujita H, Inoue M, Iwashita Y, Okamoto H, Shirai T, Sugimura T and Tonguu H: KSR as a Pulse Stretcher, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 339-341 (1997)

Bisoffi G, Andreev V, Bissiato E, Chiurlotto F, Comunian M, Corradini E, Dewa H, Lombardi A, Pisent A, Porcellato A.M., Shirai T, Tovo E, Tovo R: Prototype of a Superconducting RFQ for a Heavy Ion Injector Linac, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 1087-1089 (1997)

Iwashita Y, H. Ao, Noda A, Okamoto H, Shirai T, Inoue M: Fabrication of Biparabolic DAW Cavity, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 1203-1205 (1997)

Sugimura T, Shirai T, Tonguu H, Iwashita Y, Noda A and Inoue M: Present Status of The Electron Linac as The Injector for KSR, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 1206-1208 (1997)

Kihara T, Okamoto H, Iwashita Y, The Coupling-Cavity Scheme for Three-Dimensional Laser Cooling, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 1798-1800 (1997)

Ikegami M and Okamoto H: Halo Formation from Axisymmetric Breathing Beams, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 1911-1913 (1997)

Fujieda M, Mori Y, Nakayama H, Ohmori C, Sawada S, Tanabe Y, Ezura E, Takagi A, Toda M, Yoshii M, Tanabe T and Uesugi T: Studies of Magnetic Cores for JHF Synchrotrons, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 2992-2994 (1997)

Ohmori C, Fujieda M, S. Machida, Mori Y, Nakayama H, K. Saito, Sawada S, Tanabe Y, M. Yamamoto, Ezura E, Takagi A, Toda M, Yoshii M, T. Tanabe and T. Uesugi: A Wideband Cavity for JHF Synchrotrons, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 2995-2997 (1997)

Tadokoro M, Hirota J, K. Hiramoto, Umezawa M, Kakiuchi S, Iwashita Y, Noda A, Shirai T and Inoue M: A Combined Function Magnet for a Compact Synchrotron, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 3294-3296 (1997)

Urakabe E, Inoue M, Iwashita Y, Shirai T, Sugimura T, Noda A, Kanazawa M, Torikoshi M, Noda K, Yamada S, Tadokoro M, Nishi M, Fujita Y: Performance of Parallel Plate Ionization Chamber for Medical Irradiation, *Proc. of the 1997 Particle Accelerator Conference, Vancouver, B.C., Canada*, 3819-3821 (1997)

Iwashita Y: Accuracy of Eigenvalue Obtained with Hybrid Elements on Axisymmetric Domains, *IEEE Trans. MAG-34*, 5 2543-2546 (1998)

Iwashita Y: General Eigenvalue Solver with Zero and Upper Filters for Large Sparse Symmetric Matrix, *Proc. of the IEEE CEFC'98, Tucson, Arizona*, 253 (1998)

Urakabe E, Hiramoto K, Inoue M, Iwashita Y, Kanazawa M, Morita A, Nishi M, Norimine T, Noda A, Noda K, Ogawa H, Shirai T, Torikoshi M, Umezawa M, Yamada S, and Fujita Y: Ribbon Beam Irradiation Formed by Multipole Magnets, *Proc*

of the XXVII PTCOG Meeting, Chiba, The Official Journal of The Japanese Society for Therapeutic Radiology and Oncology, **9 Suppl. 2** 108-111 (1998)

Yamamoto M, Uesugi T, Ohmori C, Saito K, Souda M, Sawada S, Tanabe T, Tanabe Y, Nakayama H, Hashimoto Y, Fujieda M, Machida S, Mori Y, Yan T, Ezura E, Takagi A, Toda M and Yoshii M: Beam Loading in JHF 50-GeV Proton Synchrotron, *Proc. of the 11th Symposium on Accelerator Technology and Science, Nishiharima, Hyogo, Japan*, 227-229 (1997)

Mori Y, Ezura E, Fujieda M, Koba K, Machida S, Ohmori C, Saito K, Sawada S, Takagi A, Tanabe Y, Toda M, Yamamoto M, Yoshii M and Uesugi T: A New Type of RF Cavity for High Intensity Proton Synchrotron, *Proc. of the 11th Symposium on Accelerator Technology and Science, Nishiharima, Hyogo, Japan* 224-226 (1997)

Koba K, Arakawa D, Fujieda M, Ikegami K, Kubota C, Machida S, Mori Y, Ohmori C, Saito K, Shibuya S, Takagi A, Toyama T, Uesugi T, Watanebe M, Yamamoto M and Yoshii M: Longitudinal Impedance Tuner Using High Permeability Material, *Proc. of the 11th Symposium on Accelerator Technology and Science, Nishiharima, Hyogo, Japan* 409-411 (1997)

Afanasev S, Anisimov Y, Fujieda M, Fukui S, Hasegawa T, Horikawa N, Isupov A, Iwata T, Izotov A, Kageya T, Koba K, Kolesnikov V, Litvinenko A, Malakhov A, Matsuda T, Miyachi Y, Nikiforov A, Perelygin V, Reznikov S, Rukoyatkin P, Semenova A, Semenova I, Wakai A and Zolin L: Tensor Analyzing Power T(20) for Cumulative Pion Production from Deuterons in a GeV Energy Region, *Nucl. Phys.* **A625** 817-831 (1997)

Yoshimura T, Okihana A, Warner R.E., Chant N.S., Roos P.G., Samanta C, Kakigi S, Koori N, Fujiwara M, Matsuoka N, Tamura K, Kubo E, Ushiro K: Alpha spectroscopic factors for ${}^6\text{Li}$, ${}^7\text{Li}$, ${}^9\text{Be}$ and ${}^{12}\text{C}$ from the (p, pa) reaction at 296 MeV, *Nuclear Physics* **A641** 3-20 (1998)

Fujieda M, Koba K, Mori Y, Nakayama H, Ohmori C, Saito K, Satoh Y, Tanabe Y, Takagi A, Toda Y, Uesugi T, Yamamoto M, Yan T and Yoshii M: A New Type of RF Cavity for High Intensity Proton Synchrotron Using High Permeability Magnetic Alloy, *Proc. of 6th European Particle Accelerator Conference, Stockholm, Sweden, 22-26 Jun 1998*, 299-301 (1998)

Fujieda M, Machida S, Mori Y, Nakayama H, Ohmori C, Sato Y, Tanabe Y, Uesugi T, Yamamoto M, Takagi A, Toda M, Yoshii M and Iwashita Y: MA Loaded Cavity for Barrier Bucket Experiment, *Proc. of 6th European Particle Accelerator Conference, Stockholm, Sweden, 22-26 Jun 1998*, 1796-1798 (1998)

Tanabe Y, Fujieda M, Mori Y, Nakayama H, Ohmori C, Saito K, Sato Y, Uesugi T, Yamamoto M, Yan T, Ezura E, Takagi A and Yoshii M: Evaluation of Magnetic Alloys for JHF RF Cavity, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 390-392 (1998)

Nakayama H, Ezura E, Fujieda M, Ohmori C, Saito K, Sato Y, Sawada S, Takagi A, Tanabe Y, Toda M, Uesugi T, Yamamoto M and Yoshii M: A Measurement System Using GP-IB for a Magnetic Core Test Cavity, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 393-395 (1998)

Sato Y, Fujieda M, Mori Y, Nakayama H, Ohmori C, Saito K, Tanabe Y, Uesugi T, Yamamoto M, Yan T, Toda M, Takagi A and Yoshii M: Push Pull Amplifier for MA-Loaded Cavity, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 396-398 (1998)

Yamamoto M, Ezura E, Fujieda M, Hashimoto Y, Kobayashi H, Nakayama H, Machida S, Mori Y, Ohmori C, Ohsaka S, Saito K, Sato Y, Souda M, Takagi A, Tanabe Y, Toda M, Uesugi T, Yan T and Yoshii M: Beam Loading Effects in JHF Synchrotron, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 399-401 (1998)

Nakayama H, Ezura E, Fujieda M, Ohmori C, Saito K, Sato Y, Sawada S, Souda M, Takagi A, Tanabe Y, Toda M, Uesugi T, Yamamoto M, Yoshii M and Yan T: Higher Harmonics Beam Loading Compensation for a Broad Band MA-Loaded RF Cavity, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 402-404 (1998)

Fujieda M, Iwashita Y, Mori Y, Nakayama H, Ohmori C, Saito K, Sato Y, Sawada S, Takagi A, Tanabe Y, Toda M, Uesugi T, Yamamoto Y, Yan T and Yoshii M: An RF Cavity for Barrier Bucket Experiment in the AGS, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 408-410 (1998)

Yan T, Fujieda M, Mori Y, Souda M, Ohmori C, Saito K, Sato Y, Tanabe Y, Uesugi T, Yamamoto M: The Characteristics of Different Magnetic Material for RF Cavity under Perpendicular Magnetization, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 417-419 (1998)

Koba K, Arakawa D, Fujieda M, Okegami K, Kuboto C, Machida

S, Mori Y, Ohmori C, Shinto K, Shibuya S, Takagi A, Toyama T, Uesugi T, Watanebe M, Yamamoto M and Yoshii M: Longitudinal Impedance Tuner Using High Permeability Material, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 450-452 (1998)

Ohmori C, Fujieda M, Hashimoto Y, Mori Y, Nakayama H, Saito K, Sato Y, Souda M, Tanabe Y, Uesugi T, Yamamoto M, Ezura E, Takagi A, Toda M, Yan T and Yoshii M: RF Systems for JHF Synchrotrons, *Proc. of 1st Asian Particle Accelerator Conference, Tsukuba, Japan, 23-27 Mar 1998*, 602-604 (1998)

RESEARCH FACILITY OF NUCLEIC

ACIDS

Fujibuchi, W, Sato, K, Ogata, H, Goto, S and Kanehisa, M: KEGG and DBGET/LinkDB: Integration of biological relationships in divergent molecular biology data. In "Knowledge Sharing Across Biological and Medical Knowledge Based Systems", Technical Report WS-98-04, pp. 35-40, AAAI Press (1998).

Fujibuchi, W, Ogata, H, Matsuda, H and Kanehisa, M: Automatic Detection of Gene Clusters by P-Quasi Complete Linkage Grouping. *9th Workshop on Genome Informatics*, 300-301 (1998).