

# PUBLICATIONS

## STATES AND STRUCTURES

### I. Atomic and Molecular Physics

Suzuki C, Kawai J, Tanizawa J, Adachi H, Kawasaki S, Takano M and Mukoyama T: Local spin moment of LaCoO<sub>3</sub> probed by a core hole, *Chemical Physics*, **241**, 17-27 (1999)

Mukoyama T: Introduction to Relativistic Electronic Structure Calculation in "Studies on the Heavy Elements Research using the DV-DFS Method", *JAERI-Review (Japan Atomic Energy Research Institute, Tokai, 1999)*, **99-008**, 1-6 (1999) (in Japanese)

Mukoyama T, Song B and Taniguchi K: Relativistic Calculations of X-Ray Transition Energies and Emission Rates for Titanium Atoms, *X-Ray Spectrometry*, **28**, 99-104 (1999)

Bastug T, Vlaicu A. M, Nakamatsu H and Mukoyama T: Density functional calculation for N<sub>2</sub> adsorption on Ni(100), in *20. Arbeitsbericht, EAS-20 (Arbeitsgruppe Energiereiche Atomare Stosse, Kassel, 1999)*, 166-168 (1999)

Uda M, Yamamoto T, Takenaga T, Mochizuki M and Mukoyama T: Intensity estimation of He<sup>+</sup>-ion-induced F K doubly ionized X-ray satellites emitted from alkali and alkaline-earth fluorides, *Nucl. Instr. and Meth. B*, **150**, 50-54 (1999)

Uda M, Kanno H and Mukoyama T: Preliminary report on porcelain in Meissen (Germany) and Arita (Japan), *Nucl. Instr. and Meth. B*, **150**, 597-600 (1999)

Mukoyama T: Inner-Shell Ionization in Ion-Atom Collisions - Beyond the First-Born Approximation -, *Nucl. Instr. and Meth. B*, **154**, 54-61 (1999)

Mukoyama T and Lin C. D: Saturation Effect of Projectile Excitation in Ion-Atom Collisions, *Physica Scripta T*, **80**, 396-397 (1999)

Mukoyama T and Uda M: A New Approach to Shake Process Accompanying Inner-Shell Vacancy Production, in *Abstracts, 18th Internat. Conf. on X-Ray and Inner-Shell Processes, Chicago (Argonne National Laboratory, Illinois, 1999)*, **August 23 - 27**, 95 (1999)

Tsuji J, Mukoyama T, Kojima K, Ikeda S and Taniguchi K: Studies of X-Ray Absorption Process in Various Sulfur Compounds, in *Abstracts, 18th Internat. Conf. on X-Ray and Inner-Shell Processes, Chicago (Argonne National Laboratory, Illinois, 1999)*, **August 23 - 27**, 201 (1999)

Yasui J, Mukoyama T, Nakamatsu H, Hock G and T. Shibuya: Analytical Expressions of Atomic Wave Functions and Molecular Integrals for the Calculation of the X-Ray Transition Probabilities of Molecules, in *Abstracts, 18th Internat. Conf. on X-Ray and Inner-Shell Processes, Chicago (Argonne National Laboratory, Illinois, 1999)*, **August 23 - 27**, 230 (1999)

Yamaguchi K and Mukoyama T: Higher order calculation of Compton excitation of nucleus, in *Abstracts, 18th Internat. Conf. on X-Ray and Inner-Shell Processes, Chicago (Argonne National Laboratory, Illinois, 1999)*, **August 23 - 27**, 306 (1999)

Suzuki C, Kawai J, Adachi H and Mukoyama T: Electronic structures of 3d transition metal (Ti-Cu) oxides probed by a core hole, *Chem. Phys.*, **247**, 453-470 (1999)

Roller-Lutz Z, Wang Y, Lutz H. O, Bastug T, Mukoyama T and Fricke B: Charge exchange in collisions of C<sub>60</sub><sup>+</sup> ions with laser-excited aligned Na atoms, *Phys. Letters A*, **262**, 66-71 (1999)

Mukoyama T, Ito Y and Taniguchi K: Atomic Excitation and Ionization as the Result of Inner-Shell Vacancy Creation, *X-Ray Spectrometry*, **28**, 491-496 (1999)

Vlaicu A. M, Ito Y and Mukoyama T: On the 74W L2 satellite, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **A20**, August 23-27 (1999)

Ito Y, Tochio T, Ishizuka T, Vlaicu A. M and Mukoyama T: The resonant inelastic L x-ray emission spectra in Cr metal, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **B31**, August 23-27 (1999)

Emura S, Ito Y, Takahashi M and Mukoyama T: A new type of fine structure in the x-ray absorption spectroscopy, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **B32**, August 23-27 (1999)

Ito Y, Tochio T, Ishizuka T, Vlaicu A.M, Hayakawa S, Gohsi Y and Shoji T: K x-ray emission spectra of Ti, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **B33**, August 23-27 (1999)

Ishizuka T, Tochio T, Vlaicu A.M, Ito Y, Mukoyama T, Hayakawa S, Gohsi Y and Shoji T: K x-ray emission spectra of Cu in copper metal, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **B34**, August 23-27 (1999)

Tochio T, Ishizuka T, Vlaicu A.M, Ito Y, Mukoyama T, Hayakawa S, Gohsi Y and Shoji T: K x-ray emission spectra of Cr, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **B35**, August 23-27 (1999)

Ito Y, Mukoyama T, Emura S and Takahashi M: On the multi-electron excitations in XAFS, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **B36**, August 23-27 (1999)

Shigeoka N, Shigemi A, Tochio T, Ishizuka T, Vlaicu A. M, Ito Y, Mukoyama T and Gohsi Y: K X-ray Emission Spectra in The nickel (II) Schiff Base Complexes, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **B54**, August 23-27 (1999)

Yamaguchi K, Ito Y, Mukoyama T, Takahashi M and Emura S: Inverse problem analysis of x-ray absorption fine structure, in *abstract of 18th International Conference on X-ray and Inner-shell Processes*, **C51**, August 23-27 (1999)

Ito Y, Tochio T, Vlaicu A. M, Ohsawa D, Mukoyama T, Muramatsu Y, Perera R.C.C, Grush M.M, Callcott T.A and Sherman E: The contribution of the ligands around Cr to the resonant inelastic L x-ray emission spectra, *J. Electron Spectros. Relat. Phenom.*, **101/103**, 851-858 (1999)

Ishizuka T, Tochio T, Vlaicu A. M, Ohsawa D, Ito Y, Mukoyama T, Hayakawa S and Gohsi Y: K x-ray emission spectra and satellites in copper metal, *Advances in x-ray Chemical Analysis*, **30**, 21-28 (1999) (in Japanese)

Ishizuka T, Vlaicu A. M, Tochio T, Ito Y, Mukoyama T, Hayakawa S, Gohsi Y, Kawai S, Motoyama M and Shoji T: x-ray emission spectra by a simple-quasi-two crystal spectrometer, *Advances*

in *x-ray Chemical Analysis*, **30**, 29-40 (1999) (in Japanese)

Yamaguchi K, Ito Y, Mukoyama T, Takahashi M and Emura S: The regularization of the basic x-ray absorption spectrum fine structure equation via the wavelet-Galerkin method, *J.Phys.B*, **32**, 1393-1408 (1999)

Yamaguchi K, Ito Y, Mukoyama T, Takahashi M and Emura S: Linear inverse problem solution of the basic XAFS equation via the Wavelet-Galerkin method, *J.Synchrotron Rad.*, **6**, 249-250 (1999)

Ichihara J, Takahashi M, Emura S, Tochio T, Ito Y and Mukoyama T: Acceleration of halogen-exchange reaction of lead(II) fluoride in organic, *J.Synchrotron Rad.*, **6**, 602-603 (1999)

Ito Y: The contribution of multielectron transitions to x-ray absorption spectra (invited), in *Proceedings of International Workshop on Atomic and Molecular Physics at High Brilliance Synchrotron Radiation Facilities*, **November 4-6**, 225-237 (1998)

Shigeoka N, Mutaguchi K, Nakanishi Y, Ito Y, Mukoyama T, Shimizu K, Shoji T and Omote K: Development of Gas Scintillation Proportional Counter, *The Third International Symposium on Bio-PIXE*, **November 16-19** (1999)

Shigemi A, Tochio T, Ishizuka T, Shigeoka N, Ito K, Vlaicu A.M, Ito Y, Mukoyama T and Gohshi Y: K x-ray emission spectra of Ni in nikel (II) schiff base complexes, *x-ray spectrum*, **28**, 478-483 (1999)

Kurihara M, Hirata M, Sekine R, Onoe J, Nakamatsu H, Mukoyama T and Adachi H: Discrete-variational Dirac-Slater calculation on valence band XPS for UC, *J. Alloys Compounds*, **283**, 128-132 (1999)

Song B, Nakamatsu H, Shigemi A, Mukoyama T and Taniguchi K: Calculations of X-Ray Emission Spectra for Sulfur Dioxide by the DV-Xa Method, *X-Ray Spectrometry*, **28**, 94-98 (1999)

Ueda K, Muramatsu Y, Shimizu Y, Chiba H, Sato Y, Kitajima M, Tanaka H and Nakamatsu H: Quasi-isotropic fragmentation of PF<sub>5</sub> following P 2p photoabsorption, *Chem. Phys. Lett.*, **308**, 45-50 (1999)

Muramatsu Y, Ueda K, Shimizu Y, Chiba H, Amano K, Sato Y and Nakamatsu H: Anisotropic fragmentation of CF<sub>4</sub> following F 1s photoabsorption, *J. Phys. B*, **32**, L213-217 (1999)

## II. Crystal Information Analysis

Yoshida K, Tsujimoto M, Isoda S, Kobayashi T, Kamata T and Matsuoka M: Selective On-top Crystal Nucleation in Organic Multilayer Formation, *Mol. Cryst. & Liq. Cryst.*, **322**, 161-166 (1998)

Irie S, Isoda S, Kuwamoto K, Miles M J, Kobayashi T and Yamashita Y: Monolayer Epitaxy of a Triangular Molecule on Graphite, *J. Cryst. Growth*, **198/199**, 939-944 (1999)

Ogawa T, Isoda S, Kobayashi T and Karl N: Crystal Structure Analysis of 3, 4, 9, 10-Perylenetetracarboxylic Dianhydride (PTCDA) by Electron Crystallography, *Acta Cryst.*, **B55**, 123-130 (1999)

Suga T, Isoda S and Kobayashi T: Structure and UV-VIS Spectrum of Dithallium Phthalocyanine Thin Film, *Technical Report of IEICE*, **OME99-61**, 55-60 (1999) (in Japanese)

Yaji T, Isoda S, Kobayashi T, Taguchi K, Takada K, Yasui M and Iwasaki F: Color Change Due to Phase Transition in N-(2,4-dinitrophenyl)-o-anisidine, *Mol. Cryst. & Liq. Cryst.*, **327**, 57-60 (1999)

Suga T, Isoda S and Kobayashi T: Characterization and Electric Conductivity of Dithallium Phthalocyanine (Tl<sub>2</sub>Pc), *J. Porphyrins and Phthalocyanines*, **3**, 397-405 (1999)

Hashimoto S, Isoda S, Kurata H, Lieser G and Kobayashi T: Molecular Orientation of Perfluoro-vanadyl-phthalocyanine Examined by Electron Energy-loss Spectroscopy, *J. Porphyrins and Phthalocyanines*, **3**, 585-591 (1999)

Tsujimoto M, Moriguchi S, Isoda S, Kobayashi T and Komatsu T: TEM Analysis of Pt-particles Embedded on TiO<sub>2</sub> Exhibiting High Photocatalytic Activity, *J. Electron Microscopy*, **48**, 361-366 (1999)

Suga T, Isoda S and Kobayashi T: Structure of Vacuum-deposited Tl<sub>2</sub>Pc Film and its Optical and Electrical Properties, *J. Porphyrins and Phthalocyanines*, **3**, 647-653 (1999)

Moriguchi S, Isoda S and Kobayashi T: Measurement of and Compensation for the Difference between Voltage and Current Centers in HRTEM, *J. Electron Microscopy*, **48**, 437-441 (1999)

Ogawa T, Isoda S and Kobayashi T: Crystal Structure Analysis by Electron Microscopy, *Kessho-gakkai-shi*, **41**, 195-201 (1999) (in Japanese)

Tosaka M, Yamakawa M, Tsuji M, Kohjiya S, Ogawa T, Isoda S and Kobayashi T: Structural Studies on Polymer Whiskers by Transmission Electron Microscopy: I. Morphological and High-Resolution Observations, *Microscopy Resea. Tech.*, **46**, 325-333 (1999)

## III. Polymer Condensed States Analysis

Yamanaka S, Yuguchi Y, Urakawa H, Kajiwara K and Kohjiya S: Polysiloxane Networks: Structural Characteristics and Formation Mechanism, *Network Polymer*, **20**, 157-163 (1999) (in Japanese)

Yamada N, Shoji S, Sasaki H, Nagatani A, Yamaguchi K, Kohjiya S and Hashim A S: Developments of High Performance Vibration Absorber from Poly(vinyl chloride)/Chlorinated Polyethylene/Epoxydized Natural Rubber Blend, *J. Appl. Polym. Sci.*, **71**, 855-863 (1999)

Murakami K, Osanai S, Shigekuni M, Iio S, Tanahashi H, Kohjiya S and Ikeda Y: Silica and Silane Coupling Agent for in Situ Reinforcement of Acrylonitrile-Butadiene Rubber, *Rubber Chem. Technol.*, **72**, 119-129 (1999)

Urayama K, Yokoyama K and Kohjiya S: High Elogation of Deswollen Polysiloxane Networks, in *Wiley Polymer Networks Group Review Series Vol. 2*, Stokke B T and Elgsaeter A Ed., p.485-495, Wiley (1999)

Urayama K, Kircher O, Böhmer R and Neher D: Investigations of Ferroelectric-to-Paraelectric Phase Transition of Vinylidene fluoride Trifluoroethylene Copolymer Thin Films by Electromechanical Interferometry, *J. Appl. Phys.*, **86**, 6367-6375 (1999)

Urayama K, Kohjiya S: Ultra-High Extensibility of a Polymer Gel in the Deswollen State, *Ann. Rep. Res. Inst. Chem. Fib., Jpn.*, **56**, 49-56 (1999) (in Japanese)

Murakami S, Kohjiya S, Uchida T, Shimamura K: Structure of Extruded-Blown Film of High Density Polyethylene, *Kobunshi Ronbunshu*, **56**, 828-832 (1999) (in Japanese)

Tsujimoto J, Murakami S, Tsuji M and Kohjiya S: Structural Change during Uniaxial Drawing of Unoriented Poly (tetramethylene succinate) Films, *Sen'i Gakkaishi*, **55**, 361-368 (1999) (in Japanese)

Tsuji M, Tsujimoto J, Murakami S and Kohjiya S: Crystalline Phase Transition in Uniaxially Oriented Films of Poly (tetramethylene succinate) Induced by Tensile Extension, *Sen'i Gakkaishi*, **55**, 511-521 (1999) (in Japanese)

Tsuji M, Novillo L F A, Fujita M, Murakami S and Kohjiya S: Morphology of Melt-crystallized Poly(ethylene 2, 6-naphthalate) Thin Films Studied by Transmission Electron Microscopy, *J. Mater. Res.*, **14**, 251-258 (1999)

Shimizu T, Tsuji M and Kohjiya S: Crystalline Morphologies of Polychloroprene Thin Films as Revealed by Transmission Electron Microscopy Observation, *J. Mater. Res.*, **14**, 1645-1652 (1999)

Fujita M, Tsuji M and Kohjiya S: A TEM Study on Polyoxymethylene Edge-on Lamellae Crystallized Epitaxially on Alkali Halides, *Polymer*, **40**, 2829-2836 (1999)

Fujita M, Tsuji M, Kohjiya S, Wittmann J C: Perfectly Alternating Ethylene-Carbon Monoxide Copolymer Crystallized Epitaxially on Alkali Halides. 1. Morphological Observation by TEM, *Macromolecules*, **32**, 4383-4389 (1999)

Ito H, Sasaki H, Tsuji M and Kohjiya S: Penetration of Multifunctional Epoxide into Wool and Its Effect on Shrink Resistance, *Textile Res. J.*, **69**, 473-476 (1999)

Tsuji M, Shimizu T and Kohjiya S: TEM Studies on Thin Films of Natural Rubber and Polychloroprene Crystallized under Molecular Orientation, *Polym. J.*, **31**, 784-789 (1999)

Sakai Y, Imai M, Kaji K and Tsuji M: Tip-splitting Crystal Growth Observed in Crystallization from Thin Films of Poly(ethylene terephthalate), *J. Cryst. Growth*, **203**, 244-254 (1999)

Ikeda T, Yamada B, Tsuji M and Sakurai S: In situ Copolymerization Behaviour of Zinc Dimethacrylate and 2-(N-Ethylperfluoro-octanesulphonamido)ethyl Acrylate in Hydrogenated Nitrile-Butadiene Rubber During Peroxide Crosslinking, *Polym. Int.*, **48**, 446-454 (1999)

Kawahara Y, Kikutani T and Tsuji M: Structural Analysis for Commercial Poly(ethylene terephthalate) Fiber with Longitudinal Thickness Fluctuation, *Sen'i Gakkaishi*, **55**, 336-340 (1999)

Yamaguchi S and Tsuji M: Fine Structure in the Poly(vinylidene fluoride) Thin Film Cast from N,N-Dimethylacetamide Solution, *Sen'i Gakkaishi*, **55**, 552-554 (1999) (in Japanese)

Fujita M, Tsuji M, Ihn K.J and Kohjiya S: Morphology of Polymer Crystals Grown from Solutions Epitaxially on Alkali Halides, *Kobunshi Ronbunshu*, **56**, 786-796 (1999) (in Japanese)

Tosaka M, Tsuji M, Kohjiya S, Cartier L and Lotz B: Crystallization of Syndiotactic Polystyrene in  $\beta$ -form. 4. Crystal Structure of Melt-Grown Modification, *Macromolecules*, **32**, 4905-4911 (1999)

Tosaka M, Yamakawa M, Tsuji M, Kohjiya S, Ogawa T, Isoda S and Kobayashi T: Structural Studies on Polymer Whiskers by

Transmission Electron Microscopy. I. Morphological and High-Resolution Observations, *Microsc. Res. Tech.*, **46**, 325-333 (1999)

Tosaka M, Yamakawa M, Tsuji M, Murakami S, Kohjiya S: Structural Studies on Polymer Whiskers by Transmission Electron Microscopy. II. Unit Cell of Poly(*p*-hydroxybenzoic acid) Whisker Crystal at Room Temperature, *J. Polym. Sci.: Part B: Polym. Phys.*, **37**, 2456-2462 (1999)

Tosaka M: Studies on Structure Formation of Polymer Crystals by High-resolution Transmission Electron Microscopy, *Sen'i Gakkaishi*, **55**, P-141 (1999) (in Japanese)

Tosaka M: High-resolution Transmission Electron Microscopy of Crystalline Polymers, *Recent Res. Devel. Macromol. Res.*, **4**, 45-56 (1999)

## INTERFACE SCIENCE

### I. Solutions and Interfaces

Yamasaki Y, Enomoto H, Yamasaki N, and Nakahara M: Methanol Formation from Dichloromethane under Hydrothermal Conditions, *Chem. Lett.* **1999**, 83-84 (1999)

Nakahara M: Fundamental Knowledge of Supercritical Water and its Application to Polymer Chemistry, *Cellulose Comm.*, **6**, 60-66 (1999) (in Japanese)

Nakahara M *et al.* : Handbook of Sciences, **73**, National Observatory, Maruzen (1999) (in Japanese)

Nakahara M *et al.* : Handbook of the Properties of Water and Steam, 1-201, Japan Society of Mechanical Engineering, Maruzen (1999) (in Japanese)

Nakahara M and Matubayasi M: Properties and Structure of Supercritical Water, *Denki Kagaku oyobi Kougyou Butsuri Kagaku*, **67**, 988-993 (1999) (in Japanese)

Matsumoto M: Electrocapillarity and Double Layer Structure (Chapter 4), in "Electrical Phenomena at Interfaces," Ohshima H and Furusawa K, Eds., Marcel Dekker, New York, pp. 87-100 (1998)

Matubayasi M and Nakahara M: Reversible molecular dynamics for rigid bodies and hybrid Monte Carlo, *J. Chem. Phys.*, **110**, 3291-3301 (1999)

Matubayasi N, Wakai C, and M. Nakahara M: Structural Study of Supercritical Water. II. Computer simulations, *J. Chem. Phys.*, **110**, 8000-8011 (1999)

Tsujino Y, Wakai C, Matubayasi N, and Nakahara M: Noncatalytic Cannizzaro-type Reaction of Formaldehyde in Hot Water, *Chem. Lett.* **1999**, 287-288 (1999)

Miura Y, Kimura S, Imanishi Y, and Umemura J: Formation of Oriented Helical Peptide Layers on a Gold Surface Due to the Self-Assembling Properties of Peptides, *Langmuir*, **14**, 6935-6940 (1998)

Miura Y, Kimura S, Imanishi Y, and Umemura J: Oriented Helical Peptide Layer on the Carboxylate-Terminated Alkanethiol Immobilized on a Gold Surface, *Langmuir*, **15**, 1155-1160 (1999)

Umemura J, Murata Y, Tsunashima K, and Koizumi N: Polarized Infrared Spectra of Poled Aromatic Polyamide Films, *J. Polymer Sci. Part B: Polymer Physics*, **37**, 531-538 (1999)

Hasegawa T, Kobayashi Y, Nishijo J, and Umemura J: The Effect of Surface Roughness on Infrared External Reflection Spectroscopy, *Vibr. Spectrosc.*, **19**, 199-203 (1999)

Hasegawa T, Lebranc R M, Nishijo J, and Umemura J: Hydrogen Bonding Network Formed Between Accumulated Langmuir-Blodgett Films of Barbituric Acid and Triminotriazine Derivatives, *J. Phys. Chem. B*, **103**, 7505-7513 (1999)

Okamura E and Nakahara M: NMR Study Directly Determining Drug Delivery Sites in Phospholipid Bilayer Membranes, *J. Phys. Chem. B*, **103**, 3505-3509 (1999)

Wakai C, Matubayasi N, and Nakahara M: Pressure Effect on Rotational Dynamics of Hydrophobic Hydration. Rotational Dynamics of Benzene, *J. Phys. Chem. A*, **103**, 6685-6690 (1999)

Bossev D P, Matsumoto M, and Nakahara M: <sup>1</sup>H and <sup>19</sup>F NMR Study of the Counterion Effect on the Micellar Structures Formed by Tetraethylammonium and Lithiu Perfluorooctylsulfonates. 1. Neat Systems, *J. Phys. Chem. B*, **103**, 8251-8258 (1999)

Murphy L R, Matubayasi N, Payne V A, and Levy R M: Protein Hydration and Unfolding - Insights from Experimental Partial Specific Volumes and Unfolded Protein Models, *Folding & Design*, **3**, 105-118 (1998)

Bossev D P, Matsumoto M, Sato T, Watanabe H, and Nakahara M: <sup>1</sup>H and <sup>19</sup>F NMR Study of the Counterion Effect on the Micellar Structures Formed by Tetraethylammonium and Lithiu Perfluorooctylsulfonates. 2. Mixed Systems, *J. Phys. Chem. B*, **103**, 8259-8266 (1999)

Okamura E, Kakitsubo R, and Nakahara M: NMR Determination of the Delivery Site of Bisphenol A in Phospholipid Bilayer Membranes, *Langmuir*, **15**, 8332-8335 (1999)

Okamura E, Fukushima N and Hayashi S: Molecular Dynamics Simulation of the Vibrational Spectra of Stearic Acid Monolayers at the Air/Water Interface, *Langmuir*, **15**, 3589-3594 (1999)

## II. Molecular Aggregates

Mitsuya M and Sato N: Energy Shift for Core Electron Levels of Chemisorbed Molecules Observed by X-ray Photoelectron Spectroscopy in the Course of Monolayer Growth on a Si(111) Surface, *Langmuir*, **15**, 2099-2102 (1999)

Shirovani I, Inagaki Y, Sato N and Nishi H: Anomalous Absorption Spectra of Highly Oriented Thin Films of Triphenothiaselenazine, TPTS, *Chem. Phys. Lett.*, **304**, 299-302 (1999)

Sato N, Kawamoto I, Sakuma T, Silinsh E A and Jurgis A J: A Molecular Design towards a Highly Amphoteric and Polar Molecule (HAPM) to Assemble Novel Organic Solid-State Structures, *Mol. Cryst. Liq. Cryst.*, **333**, 243-258 (1999)

Asami K and Yamaguchi T: Electrical and Morphological Changes of Human Erythrocytes under High Hydrostatic Pressure Followed by Dielectric Spectroscopy, *Ann. Biomed. Eng.*, **27**, 427-435 (1999)

Asami K, Gheorghiu E and Yonezawa T: Real-Time Monitoring of Yeast Cell Division by Dielectric Spectroscopy, *Biophys. J.*, **76**, 3345-3348 (1999)

Higashiyama K, Sugimoto T, Yonezawa T, Fujikawa S, and Asami K: Dielectric Analysis for Estimation of Oil Content in the Mycelia of *Mortierella Alpina*, *Biotechnol. Bioeng.*, **65**, 537-

541 (1999)

Asami K: Effect of Cell Shape on Dielectric Behavior of Fission Yeast, *Biochim. Biophys. Acta*, **1472**, 137-141 (1999)

Gheorghiu E, Balut C M, Asami K: Monitoring Cell Cycle Progression by Impedance Spectroscopy, *Med. Biol. Eng. Comput.*, **37**, 146-147 (1999)

## III. Separation Chemistry

Yoshida Y, Matsui M, Shirai O, Maeda K and Kihara S: Evaluation of Distribution Ratio in Ion Pair Extraction Using Fundamental Thermodynamic Quantities, *Anal. Chim. Acta*, **373**, 213-225 (1998)

Yoshida Y, Matsui M, Maeda K and Kihara S: Physicochemical Understanding of the Selectivity at an Ion Selective Electrode of the Liquid Membrane Type and Relation between the Selectivity and Distribution Ratios in the Ion-pair Extraction, *Anal. Chim. Acta*, **374**, 269-281 (1998)

Hasegawa H, Matsui M, Okamura S, Hojo M, Iwasaki N and Sohrin Y: Arsenic Speciation Including "Hidden" Arsenic in Natural Water, *Appl. Organometal. Chem.*, **13**, 113-119 (1999)

Sasaki Y: Numeric Study on the Response of a Minimal Chemical Oscillator to an External Perturbation, *Bull. Chem. Soc. Japan*, **72**, 1465-1474 (1999).

Sasaki Y: Numeric Study on the Chaotic Response of Minimal Chemical Oscillator to a Sinusoidal Perturbation, *Bull. Chem. Soc. Japan*, **72**, 2607-2615 (1999).

Yamazaki S, Hanada M, Yanase Y, Fukumori C, Ogura K, Saeki T and Umetani S: A Simple Synthesis of Novel Extraction Reagents. 4-Acyl-5-pyrazolone-substituted Crown Ethers, *J. Chem. Soc., Perkin Trans. 1*, 693-696 (1999)

Tsurubou S, Umetani S and Komatsu Y: Quantitative Extraction Separation Systems of Alkali and Alkaline Earth Metal Ions Using Cryptands as Ion-size Selective Masking Reagents, *Anal. Chim. Acta*, **394**, 317-324 (1999)

Gao X, Cao H, Huang C, Umetani S, Chen G and Jiang P: Photoluminescence and Electroluminescence of a Series of Terbium Complexes, *Synthetic Metals*, **99**, 127-132 (1999)

Hojo M, Ueda T, Nishimura M, Hamada H, Matsui M and Umetani S: Higher Ion Aggregation in Higher Permittivity Solvents, *J. Phys. Chem. B*, **103**, 8965-8972 (1999)

## SOLID STATE CHEMISTRY

### I. Artificial Lattice Alloys

Ono T, Miyajima H, Shigeto K, Mibu K, Hosoi N and Shinjo T: Propagation of the Magnetic Domain Wall in Submicron Magnetic Wire Investigated by Using Giant Magnetoresistance Effect, *J. Appl. Phys.*, **85**, 6181-6183 (1999)

Shigeto K, Ono T, Miyajima H and Shinjo T: GMR Effect in a Single Trilayer Wire with Submicron Width, *J. Magn. Magn. Mater.* **198-199**, 58-60 (1999)

Ono T, Miyajima H, Shigeto K and Shinjo T: Dot-Arrays of Co/Pt Multilayers with Perpendicular Magnetic Anisotropy, *J. Magn. Magn. Mater.* **198-199**, 225-227 (1999)

Hamada S, Hosoi N, Ono T and Shinjo T: Spin Reorientation of the Micromagnetic Structure in Co/Au Multilayer Films with Moderate Perpendicular Anisotropy, *J. Magn. Magn. Mater.*, **198-199**, 496-499 (1999)

Sakurai J, Kuwai T, Miyake K, Ono T and Shinjo T: A Highly Sensitive Observation of Magneto-thermal Heat Production in Magnetization Process of Wires of Thin Magnetic Mono-layer, *J. Magn. Magn. Mater.*, **198-199**, 578-580 (1999)

Mibu K, Tanaka S, Kobayashi T, Nakanishi A, Shinjo T: Magnetic Properties of Thin Cr Layers in Multilayer Systems Studied through  $^{119}\text{Sn}$  Mössbauer Probes, *J. Magn. Magn. Mater.*, **198-199**, 689-691 (1999)

Shinjo T and Keune W: Mössbauer-effect Studies of Multilayers and Interfaces, *J. Magn. Magn. Mater.*, **200**, 598-615 (1999)

Hamada S, Hosoi N and Shinjo T: Use of the Mössbauer Effect to Probe Micromagnetic Structures in Co/Au Multilayers with  $^{57}\text{Fe}$ , *J. Phys. Soc. Jpn.*, **68**, 1345-1352 (1999)

Hashizume H, Hosoi N and Ishimatsu N, Structure Study of Magnetic Multilayers by Resonant X-ray Magnetic Scattering, *Nippon Kesshou Gakkaishi*, **41**, 298-303 (1999) (in Japanese)

Kaneko K, Ono T, Miyajima H, Mibu K, Hosoi N and Shinjo T: Magnetism of Fe/Cr Multilayers Considered as Finite-Size Ferrimagnets, *Nippon Ouyou Jiki Gakkaishi*, **23**, 1353-1356 (1999) (in Japanese)

Ishimatsu N, Hashizume H, Hamada S, Hosoi N, Nelson C S, Venkataraman C T, Srajer G and Lang J C: Magnetic Structure of Fe/Gd Multilayers Determined by Resonant X-ray Magnetic Scattering, *Phys. Rev. B*, **60**, 9596-9606 (1999)

Ono T, Miyajima H, Shigeto K, Mibu K, Hosoi N and Shinjo T: Propagation of a Magnetic Domain Wall in a Submicrometer Magnetic Wire, *Science*, **284**, 468-470 (1999)

Shinjo T: Magnetic Properties of Multilayers and Interfaces by Mössbauer Spectroscopy, *Surf. Sci.*, **438**, 329-335 (1999)

Ono T and Shinjo T: Anisotropic Structure and Giant Magnetoresistance in Fe/Cr Multilayers on  $\text{SrTiO}_3(100)$  Substrates with Step Terraces, *Surf. Sci.*, **438**, 341-346 (1999)

## II. Quantum Spin Fluids

Kimura H, Hirota K, Matsushita H, Yamada K, Endoh Y, Lee S-H, Majkrzak C F, Erwin R, Shirane G, Greven M, Lee Y S, Kastner M A and Birgeneau R J: Neutron-Scattering Study of Static Antiferromagnetic Correlations in  $\text{La}_{2-x}\text{Sr}_x\text{Cu}_{1-y}\text{Zn}_y\text{O}_4$ , *Phys. Rev. B*, **59**, 6517-6523 (1999)

Birgeneau R J, Greven M, Kastner M A, Lee Y S, Wells B O, Endoh Y, Yamada K and Shirane G: Instantaneous Spin Correlations in  $\text{La}_2\text{CuO}_4$ , *Phys. Rev. B*, **59**, 13788-13794 (1999)

Wakimoto S, Shirane G, Endoh Y, Hirota K, Ueki S, Yamada, Birgeneau R J, Kastner M A, Lee Y S, Gehring P M and Lee S H: Observation of Incommensurate Magnetic Correlations at the Lower Critical Concentration for Superconductivity in  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$  ( $x=0.05$ ), *Phys. Rev. B*, **60**, R769-772 (1999)

Kim Y J, Birgeneau R J, Kastner M A, Lee Y S, Endoh Y, Shirane G and Yamada K: Quantum Monte Carlo Study of Weakly Coupled Spin Ladders, *Phys. Rev. B*, **60**, 3294-3304 (1999)

Lee Y S, Birgeneau R J, Kastner M A, Endoh Y, Wakimoto S,

Yamada K, Erwin R W, Lee S-H and Shirane G: Neutron-scattering Study of Spin-density Wave Order in the Superconducting State of Excess-oxygen-doped  $\text{La}_2\text{CuO}_{4+y}$ , *Phys. Rev. B*, **60**, 3643-3654 (1999)

Lee S-H, Majkrzak C F, Sinha S K, Stassis C, Kawano H, Lander G H, Brown P J, Fong H F, Cheong S-W, Matsushita H, Yamada K and Endoh Y: Search for Orbital Moments in Underdoped Cuprate Metals, *Phys. Rev. B*, **60**, 10405-10417 (1999)

Suzuki T, Oshima Y, Chiba K, Fukase T, Goto T, Kimiura H and Yamada K: Conventional Superconductorlike Behavior of the Superconducting Transition of  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$  ( $x\sim 0.12$ ) in Magnetic Fields, *Phys. Rev. B*, **60**, 10500-10503 (1999)

Kaneko N, Hidaka Y, Hosoya S, Yamada K, Endoh Y, Takekawa S and Kitamura K: Optimum Crucible Material for Growth of  $\text{Pr}_{2-x}\text{Ce}_x\text{CuO}_4$  Crystal, *J. Cryst. Growth*, **197**, 818-824 (1999)

Sato T, Yokoya T, Naitoh Y, Takahashi T, Yamada K and Endoh Y: Pseudogap of Optimally Doped  $\text{La}_{1.85}\text{Sr}_{0.15}\text{CuO}_4$  Observed by Ultrahigh-Resolution Photoemission Spectroscopy, *Phys. Rev. Lett.*, **83**, 2254-2257 (1999)

Yamada K, Birgeneau R J, Endoh Y, Fukase T, Greven M, Fujita M, Hirota K, Hosoya S, Kastner M A, Kim Y M, Kimura H, Kurahashi K, Lee C H, Lee S H, Lee Y S, Matsushita H, Shirane G, Suzuki T, Ueki S and Wakimoto S: Static and Dynamical Incommensurate Spin Correlations in High- $T_c$  Cuprates of  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_{4+y}$ , *Physics and Chemistry of Transition-Metal Oxides (Springer-Verlag, Edits Fukuyama H and Nagaosa N)*, 182-191 (1999)

Yamada K, Kurahashi K, Endoh Y, Birgeneau R J and Shirane G: Neutron Scattering Study on Electron-hole Doping Symmetry of High- $T_c$  Superconductivity, *J. Phys. & Chem. Solids*, **60**, 1025-1030 (1999)

Kimura H, Matsushita H, Hirota K, Endoh Y, Yamada K, Shirane G, Lee Y S, Kastner M A and Birgeneau R J: Neutron Scattering Study of Incommensurate Elastic Magnetic Peaks in  $\text{La}_{1.88}\text{Sr}_{0.12}\text{CuO}_4$ , *J. Phys. & Chem. Solids*, **60**, 1067-1070 (1999)

Matsushita H, Kimura H, Fujita M, Yamada K, Hirota K and Endoh Y: Sr Concentration Dependence of Incommensurate Elastic Magnetic Peaks in  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ , *J. Phys. & Chem. Solids*, **60**, 1071-1074 (1999)

Wakimoto S, Yamada K, Ueki S, Shirane G, Lee Y S, Lee S H, Kastner M A, Hirota K, Gehring P M, Endoh Y and Birgeneau R J: Neutron Scattering Study of Elastic Magnetic Signals in Superconducting  $\text{La}_{1.94}\text{Sr}_{0.06}\text{CuO}_4$ , *J. Phys. & Chem. Solids*, **60**, 1079-1081 (1999)

Kusano Y, Kikuchi T, Takada J, Fukuhara M, Ikeda Y and Hiroi Z: Phase Diagram of the  $\text{BaO}(\text{BaCO}_3)\text{-CaO-CuO}$  System, *J. Am. Ceram. Soc.*, **82**, 1329-1332 (1999)

Nakanishi M, Yokoyama K, Kikuchi T, Fujiwara M, Fujii T, Takada J, Kusano Y, Ikeda Y and Takeda Y: Electrochemical Li Intercalation into the Li-Doped Bi-2212 Phase Prepared by Solid State Reaction, *Funtai oyobi Funmatsu Yakin*, **46**, 990-993 (1999) (in Japanese)

Niinae T, Ikeda Y, Bando Y, Takano M, Kusano Y and Takada J: Synthesis, Thermal Stability, Structural Features, and Electromagnetic Properties of  $\text{Bi}_{2+x}\text{Sr}_{2-x}\text{CuO}_{6+}$  ( $0 < x < 0.4$ ), *Physica C*, **313**, 29-36 (1999)

Kusano Y, Kikuchi T, Takada J, Fukuhara M, Ikeda Y and Takano M: Phase Diagram of  $\text{BaO}(\text{BaCO}_3)\text{-CaO-CuO}$  System, *9th Cimtec-World Forum on New Materials, Symposium VI - Science*

and Engineering of HTC Superconductivity, *Advances in Science and Technology* (ed. Vincenzini P), *Techna*, **23**, 241-244 (1999)

Ikeda Y, Niinae T, Takeda Y, Kusano Y and Takada J: Reversible Crystal Transformation between Sheared Bi-2201 Phase and Layered Bi-2201 Phase, *9th Cimtec-World Forum on New Materials, Symposium VI - Science and Engineering of HTC Superconductivity, Advances in Science and Technology* (ed. Vincenzini P), *Techna*, **23**, 261-266 (1999)

Fujiwara M, Nakanishi M, Uwazumi Y, Fujii T, Takada J, Kusano Y, Takeda Y and Ikeda Y: Li Intercalation into Bi-2212 Phase by Electrochemical Method, *9th Cimtec-World Forum on New Materials, Symposium VI - Science and Engineering of HTC Superconductivity, Advances in Science and Technology* (ed. Vincenzini P), *Techna*, **23**, 301-304 (1999)

Kusano Y, Takada J, Fukuhara M, Ikeda Y and Takano M: Morphological Changes of Bi-Based Superconductors by Small Mechanical Force, *9th Cimtec-World Forum on New Materials, Symposium VI - Science and Engineering of HTC Superconductivity, Advances in Science and Technology* (ed. Vincenzini P), *Techna*, **23**, 329-332 (1999)

Nojiri H, Takahashi K, Fukuda T, Fujita M, Arai, M and Motokawa M: 25 T Repeating Pulsed Magnetic Fields System for Neutron Diffraction Experiments, *Physica B*, **241-243**, 210-212 (1998)

Fujita M, Frost C D, Arai M, Motokawa M, Fujita O, Akimitsu J and Bennington S M: Spin Dynamics of the Spin-Peierls System  $\text{CuGeO}_3$  at Various Temperatures, *Physica B*, **241-243**, 528-530 (1998)

Welz D, Nishi M, Fujita M, Kakurai K, Arai M, Akimitsu J and Fujii Y: Magnetic Excitations of Dimerized  $\text{CuGeO}_3$ : Continuum Scattering and Interchain Modulation, *Physica B*, **241-243**, 540-542 (1998)

### III. Multicomponent Materials

Yamada T, Hiroi Z, Takano M, Nohara M and Takagi H: Synthesis and Magnetic Property of  $\text{Cu}_2\text{GeO}_4$  Containing Edge-Sharing  $\text{CuO}_2$  Chains, *Funtai oyobi Funmatsu Yakin*, **45**, 1136-1141 (1998) (in Japanese)

Suzuki C, Kawai J, Tanizawa J, Adachi H, Kawasaki S, Takano M and Mukoyama T: Local Spin Moment of  $\text{LaCoO}_3$  Probed by a Core Hole, *Chemical Physics*, **241**, 17-27 (1999)

Terashima T and Bando Y: Growth of Films by MBE I- YBCO, *Koencyodendotai to Ekizotikku Chodendotai, Kyoritsu Syuppan*, **3**, 174-181 (1999) (in Japanese)

Ohsugi S, Kitaoka Y, Tokunaga Y, Ishida K, Azuma M, Fujishiro Y and Takano M: Impurity Effect of the Spin-Ladder System  $\text{SrCu}_2\text{O}_3$ , *Physica B*, **259-261**, 1040-1041 (1999)

Niinae T, Ikeda Y, Bando Y, Takano M, Kusano Y and Takada J: Synthesis, Thermal Stability, Structural Features, and Electromagnetic Properties of  $\text{Bi}_{2-x}\text{Sr}_{2-x}\text{CuO}_{6+\delta}$  ( $0 \leq x \leq 0.4$ ), *Physica C*, **313**, 29-36 (1999)

Shirakami T, Takematsu M, Hirano A, Kanno R, Yamaura K, Takano M and Atake T: Spin Glass-Like Magnetic Properties of  $\text{LiNiO}_2$ , *Materials Science and Engineering B*, **54**, 70-72 (1998)

Takeda T, Nagata M, Kobayashi H, Kanno R, Kawamoto Y, Takano M, Kamiyama T, Izumi F and Sleight A W: High-Pressure Synthesis, Crystal Structure, and Metal-Semiconductor

Transitions in the  $\text{Ti}_2\text{Ru}_2\text{O}_{7.5}$  Pyrochlore, *J. Solid State Chem.*, **140**, 182-193 (1998)

Takeda T, Kanno R, Kawamoto Y, Takano M, Izumi F, Sleight A W and Hewat A W: Structure-Property Relationships in Pyrochlores: Low-Temperature Structures of  $\text{Ti}_2\text{Ru}_2\text{O}_{7.5}$  ( $\delta=0.00$  and 0.05), *J. Mater. Chem.*, **9**, 215-222 (1999)

Takano M, Hiroi Z, Azuma M, Kawasaki S, Kanno R and Takeda T: Novel Transition Metal Oxides Prepared at High Pressure and Their Electronic Properties, *Physics and Chemistry of Transition-Metal Oxides, Solid-State Sciences* (ed. Fukuyama H and Nagaosa N), Springer-Verlag, Germany, **125**, 279-288 (1999)

Koide T, Shidara T, Miyauchi H, Nakajima N, Fukutani H, Fujimori A, Kawasaki S, Takano M and Takeda Y: Soft X-Ray Magnetic Circular Dichroism in  $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$  and  $\text{SrFe}_{1-x}\text{Co}_x\text{O}_3$ , *J. Magn. Soc. Japan*, **23**, 341-345 (1999)

Takano M: Superconductors Prepared under High Pressure, *Science of High Temperature Superconductivity* (ed. Tachiki M and Fujita T), *Shokabo*, 395-401 (1999) (in Japanese)

Terashima: T: Growth and Characterization of Thin Films, *Science of High Temperature Superconductivity* (ed. Tachiki M and Fujita T), *Shokabo*, 407-415 (1999) (in Japanese)

Hiroi Z and Takano M:  $\text{La}_{1-x}\text{Sr}_x\text{CuO}_{2.5}$  Representing a Hole-Doped Spin Ladder System, *Physica B*, **259-261**, 1034-1035 (1999)

Kusano Y, Kikuchi T, Takada J, Fukuhara M, Ikeda Y and Takano M: Phase Diagram of  $\text{BaO}(\text{BaCO}_3)$ - $\text{CaO}$ - $\text{CuO}$  System, *9th Cimtec-World Forum on New Materials, Symposium VI - Science and Engineering of HTC Superconductivity, Advances in Science and Technology* (ed. Vincenzini P), *Techna*, **23**, 241-244 (1999)

Kusano Y, Takada J, Fukuhara M, Ikeda Y and Takano M: Morphological Changes of Bi-Based Superconductors by Small Mechanical Force, *9th Cimtec-World Forum on New Materials, Symposium VI - Science and Engineering of HTC Superconductivity, Advances in Science and Technology* (ed. Vincenzini P), *Techna*, **23**, 329-332 (1999)

Nishiyama M, Ogawa K, Chong I, Hiroi Z and Takano M: Scanning Tunneling Microscope Studies on the Atomic Structures in  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$  Highly Doped with Pb, *Physica C*, **314**, 299-307 (1999)

Takano M, Kanno R and Takeda T: A Chemical Contribution to the Search for Novel Electronic Properties in Transition Metal Oxides:  $\text{LiNiO}_2$ , *Mater. Sci. & Eng. B*, **63**, 6-10 (1999)

Kawasaki S, Takano M and Inami T: Synthesis, Structure, and Magnetic Properties of  $\text{Ca}_3\text{BMnO}_6$  (B=Ni, Zn) and  $\text{Ca}_3\text{ZnCoO}_6$  Crystallizing in the  $\text{K}_4\text{CdCl}_6$  Structure, *J. Solid State Chem.*, **145**, 302-308 (1999)

Griend D A V, Boudin S, Caignaert V, Poepelmeier K R, Wang Y, Dravid V P, Azuma M, Takano M, Hu Z and Jorgensen J D:  $\text{La}_4\text{Cu}_3\text{MoO}_{12}$ : A Novel Cuprate with Unusual Magnetism, *J. Am. Chem. Soc.*, **121**, 4787-4792 (1999)

Okamoto J, Mizokawa T, Fujimori A, Hase I, Nohara M, Takagi H, Takeda Y and Takano M: Correlation Effects in the Electronic Structure of  $\text{SrRuO}_3$ , *Phys. Rev. B*, **60**, 2281-2285 (1999)

Ishida T, Inoue K, Okuda K, Hiroi Z, Izumi M, Chong I and Takano M: Anisotropy of  $\text{Bi}_{1.5}\text{Pb}_{0.7}\text{Sr}_{1.8}\text{CaCu}_2\text{O}_{8+\delta}$  Single Crystal, *Advances in Superconductivity XI: Proceedings of the 11th International Symposium on Superconductivity (ISS'98), Nov.*

16-19, 1998, Fukuoka (ed. Koshizuka N and Tajima S), Springer-Verlag Tokyo, 407-410 (1999)

Matsuno J, Mizokawa T, Fujimori A, Mamiya K, Takeda Y, Kawasaki S and Takano M: Photoemission and Hartree-Fock Studies of Oxygen-Hole Ordering in Charge-Disproportionated  $\text{La}_{1-x}\text{Sr}_x\text{FeO}_3$ , *Phys. Rev. B*, **60**, 4605-4608 (1999)

Kitaoka Y, Ishida K, Mukuda H, Mao Z Q, Ikeda S, Nishizaki S, Maeno Y, Kanno R and Takano M: NMR Prove of Magnetism and Superconductivity in Ruthenate Oxides, *Mater. Sci. & Eng. B*, **63**, 83-87 (1999)

Ohsugi S, Tokunaga Y, Ishida K, Kitaoka Y, Azuma M, Fujishiro Y and Takano M: Impurity-Induced Staggered Polarization and Antiferromagnetic Order in Spin-1/2 Heisenberg Two-Leg Ladder Compound  $\text{SrCu}_2\text{O}_3$ : Extensive Cu NMR and NQR Studies, *Phys. Rev. B*, **60**, 4181-4190 (1999)

Hiroi Z, Azuma M, Fujishiro Y, Saito T, Takano M, Izumi F, Kamiyama T and Ikeda T: Structural Study of the Quantum-Spin Chain Compound  $(\text{VO})_2\text{P}_2\text{O}_7$ , *J. Solid State Chem.*, **146**, 369-379 (1999)

Saito T, Azuma M, Takano M, Hiroi Z, Narumi Y, Kindo K and Utsumi W: Magnetic Properties and Single Crystal Growth of a Spin Gapped Compound, High Pressure Phase of  $(\text{VO})_2\text{P}_2\text{O}_7$ , *Funtai oyobi Funmatsu Yakin*, **46**, 1014-1019 (1999) (in Japanese)

Azuma M, Saito T, Fujishiro Y, Hiroi Z, Takano M, Izumi F, Kamiyama T, Ikeda T, Narumi Y and Kindo K: High-Pressure Form of  $(\text{VO})_2\text{P}_2\text{O}_7$ : A Spin-1/2 Antiferromagnetic Alternating-Chain Compound with One Kind of Chain and a Single Spin Gap, *Phys. Rev. B*, **60**, 10145-10149 (1999)

Mukuda H, Ishida K, Kitaoka Y, Asayama K, Kanno R and Takano M: Spin Fluctuations in the Ruthenium Oxides  $\text{RuO}_2$ ,  $\text{SrRuO}_3$ ,  $\text{CaRuO}_3$ , and  $\text{Sr}_2\text{RuO}_4$  Probed by Ru NMR, *Phys. Rev. B*, **60**, 12279-12285 (1999)

#### IV. Amorphous Materials

Sakida S, Hayakawa S and Yoko T: Part 1.  $^{125}\text{Te}$  NMR Study of Tellurite Crystals, *J. Non-Cryst. Solids*, **243**, 1-12 (1999)

Sakida S, Hayakawa S and Yoko T: Part 2.  $^{125}\text{Te}$  NMR Study of  $\text{M}_2\text{O}-\text{TeO}_2$  (M=Li, Na, K, Rb and Cs) glasses, *J. Non-Cryst. Solids*, **243**, 13-25 (1999)

Sakida S, Hayakawa S and Yoko T:  $^{125}\text{Te}$  NMR Study of  $\text{MO}-\text{TeO}_2$  (M=Mg, Zn, Ba and Pb) glasses, *J. Ceram. Soc. Jap.*, **107**, 395-402 (1999)

Zhao G, Kozuka H, Kin H and Yoko T: Sol-Gel Preparation of  $\text{Ti}_{1-x}\text{V}_x\text{O}_2$  Solid Solution Film Electrodes with Conspicuous Photoresponse in Visible Region, *Thin Solid Films*, **339**, 123-128 (1999)

Zhao G, Kozuka H, Lin H, Takahashi M and Yoko T: Preparation and Photo-Electrochemical Properties of  $\text{Ti}_{1-x}\text{V}_x\text{O}_2$  Solid Solution Thin Film Photoelectrodes with Gradient Bandgap, *Thin Solid Films*, **340**, 125-131 (1999)

Uchino T and Yoko T: Sodium and Lithium Environments in Single- and Mixed-Alkali Silicate Glasses. An ab Initio Molecular Orbital Study, *J. Phys. Chem. B*, **103**, 1854-1858 (1999)

Uchino T and Yoko T: Structure and Low-Frequency Vibrational

Properties of  $(\text{H}_2\text{O})_{10}$  Composed of a Ring Form of  $(\text{H}_2\text{O})_4$  and a Cage Form of  $(\text{H}_2\text{O})_6$ , *Phys. Chem. Chem. Phys.*, **1**, 3473-3479 (1999)

Uchino T: Effect of Order on the Structure and Vibrational Properties of Glasses, *Chemistry and Chemical Industry*, **2**, 128-132 (1999) (in Japanese)

Takahashi M and Yoko T: Optical Nonlinearity in Homogenous Glasses, *New Glass*, **14**, 29 (1999) (in Japanese)

Takahashi M, Shigemura H, Kawamoto Y, Nishii J and Yoko T: Photochemical Reactions of Ge-related Defects in  $10\text{GeO}_2 \times 90\text{SiO}_2$  Glass Prepared by Sol-Gel Process, *J. Non-Cryst. Solids*, **259**, 149-155 (1999)

Takahashi M, Izuki M, Shojiya M, Qiu J, Kawamoto Y, and Kadono K: Preparation and Upconversion Properties of  $\text{Er}^{3+}$ -Doped Lead Fluorosilicate Glass-Ceramics, *J. Ceram. Soc. Japan*, **107**, 1175-1179 (1999) (in Japanese)

Kadono K, Shojiya M, Takahashi M, Higuchi H and Kawamoto Y: Radiative and Non-Radiative Relaxation of Rare-Earth Ions in  $\text{Ga}_2\text{S}_3 \times \text{GeS}_2 \times \text{La}_2\text{S}_3$  Glasses, *J. Non-Cryst. Solids*, **259**, 39-44 (1999)

Higuchi H, Kanno R, Kawamoto Y, Takahashi M and Kadono K: EXAFS Study of the  $\text{Er}^{3+}$ -Containing  $\text{Ga}_2\text{S}_3\text{-GeS}_2\text{-La}_2\text{S}_3$  Glass, *Phys. Chem. Glasses*, **40**, 122-125 (1999)

Shojiya M, Kadono K, Takahashi M, Kanno R and Kawamoto Y: Optical Transition Properties of Rare-Earth Ions in Nonfluoride-Halide Glasses, *Proc. SPIE - Int. Soc. Opt. Eng.*, **3280**, 23-30 (1999)

Fujiwara T, Takahashi M, Ohama M, Ikushima A J, Furukawa Y and Kitamura K: Comparison of Electro-Optic Effect between Stoichiometric and Congruent  $\text{LiNbO}_3$ , *Electron. Lett.*, **35**, 499-501 (1999)

Shigemura H, Kawamoto Y, Nishii J and Takahashi M: UV-Photosensitive Effect of Sol-Gel Derived  $\text{GeO}_2\text{-SiO}_2$  Glasses, *J. Appl. Phys.*, **85**, 3413-3418 (1999)

Kawamoto Y, Ogura K, Shojiya M, Takahashi M and Kadono K: F1s XPS of Fluoride Glasses and Related Fluoride Crystals, *J. Fluorine Chem.*, **96**, 135-139, (1999)

Higuchi H, Kanno R, Kawamoto Y, Takahashi M and Kadono K: Physicochemical Properties and Structure of  $\text{Ga}_2\text{S}_3\text{-GeS}_2\text{-La}_2\text{S}_3\text{-La}_2\text{S}_3$  Glasses (Ln=yttrium or lanthanoids), *Phys. Chem. Glasses*, **40**, 49-53 (1999)

## FUNDAMENTAL MATERIAL

### PROPERTIES

#### I. Molecular Rheology

Inoue T, Onogi T and Osaki K: Viscoelasticity of Low Molecular Weight Polystyrene. Separation of Rubbery and Glassy Components., *J Polym Sci Polym Phys Ed*, **37**, 389-97 (1999)

Inoue T, Ryu D S, Osaki K and Takebe T: Viscoelasticity and birefringence of Syndiotactic polystyrene I. Dynamic measurement in supercooled state, *J Polym Sci Part B Polym Phys*, **37**, 399-404 (1999)

Inoue T and Osaki K: Comment on "Birefringence in the softening zone", *Macromolecules*, **32**, 4725-7 (1999)

- Inoue T: Birefringence of Polymers. *kobunshi*, **48**, 280-1 (1999)
- Osaki K and Inoue T: A heuristic study on normal stress difference in oscillatory shear for permanent and temporary networks of polymer chains, *Nihon Reoroji Gakkaishi*, **27**, 117-9 (1999)
- Watanabe H, Sato T, Hirose M, Osaki K, and Yao ML: Rheo-Dielectric Behavior of Low Molecular Weight Liquid Crystals. 1. Behavior of Nematic 5CB and 7CB, *Rheol. Acta*, **37**, 519-27 (1998)
- Watanabe H: Nonlinear Rheology of Diblock Copolymer Micellar Dispersion. A Review of Recent Findings, *J. Non-Newtonian Fluid Mech.*, **82**, 315-29 (1999)
- Watanabe H, Yao ML, Osaki K, Shikata T, Niwa H, and Morishima Y: Nonlinear Rheology of Concentrated Spherical Silica Suspensions. 3. Concentration Dependence, *Rheol. Acta*, **38**, 2-13 (1999)
- Watanabe H, Sato T, Hirose M, Osaki K, and Yao ML: Rheo-Dielectric Behavior of Low Molecular Weight Liquid Crystal. 2. Behavior of 8CB in Nematic and Smectic States, *Rheol. Acta*, **38**, 100-07 (1999)
- Kanaya T, Watanabe H, Matsushita Y, Takeda T, Seto H, Nagao M, Fujii Y, and Kaji K: Neutron Spin Echo Studies on Dynamics of Polymeric Micelles, *J. Phys. Chem. Solids*, **60**, 1367-69 (1999)
- Cho YK, Watanabe H, and Granick S: Dielectric Response of Polymer Films Confined Between Mica Surfaces, *J. Chem. Phys.*, **110**, 9688-96 (1999)
- Newstein MC, Wang H, Balsara NP, Lefebvre AA, Shnidman Y, Watanabe H, Osaki K, Shikata T, Niwa H, and Morishima Y: Microstructural Changes in a Colloidal Liquid in the Shear Thinning and Shear Tickening Regimes, *J. Chem. Phys.*, **111**, 4827-38 (1999)
- Osaki K, Watanabe H, Inoue T: Stress Overshoot in Shear Flow of an Entangled Polymer with Bimodal Molecular Weight Distribution, *J. Soc. Rheol. Jpn*, **27**, 63-4 (1999)
- Watanabe H, Sato T, Matsumiya Y, Inoue T, and Osaki K: Rheo-Dielectrics. Its Applicability, *J. Soc. Rheol. Jpn*, **27**, 121-25 (1999)
- Matsumiya Y, Watanabe H, Sato T, and Osaki K: Synthesis and Linear Viscoelasticity of Model Comb Polymers, *J. Soc. Rheol. Jpn*, **27**, 127-28 (1999)
- Watanabe H, Sato T, Osaki K, Matsumiya Y, and Anastasiadis SH: Effects of Spatial Confinement on Dielectric Relaxation of Block Copolymers Having Tail, Loop, and Bridge Conformations, *J. Soc. Rheol. Jpn*, **27**, 173-82 (1999)
- Bossev DP, Matsumoto M, Sato T, Watanabe H, and Nakahara M: <sup>1</sup>H and <sup>19</sup>F NMR study of the Counterion Effect on the Micellar Structures Formed by Tetraethylammonium and Lithium Perfluorooctylsulfonates. 2. Mixed Systems, *J. Phys. Chem. B*, **103**, 8259-66 (1999)
- Okamoto K, Takahashi M, Yamane H, Kashihara H, Watanabe H, and Masuda T: Shape Recovery of a Dispersed Droplet Phase and Stress Relaxation after Application of Step Shear Strains in a Polystyrene/Polycarbonate Blend Melt, *J. Rheol.*, **43**, 951-65 (1999)
- Matsuba G, Kaji K, Nishida K, Kanaya T and Imai M: Conformational Change and Orientation Fluctuations Prior to Crystallization of Syndiotactic Polystyrene, *Macromolecules*, **32**, 8932-8937 (1999)
- Matsuba G, Kaji K, Nishida K, Kanaya T and Imai M: Conformational Change and Orientational Fluctuations of Isotactic Polystyrene Prior to Crystallization, *Polym. J.*, **31**, 722-727 (1999)
- Kaji K, Matsuba G, Nishida K, Kanaya T and Imai M: Structural Formation of syndiotactic Polystyrene during the Induction Period before Crystallization, *Kasen-Kouenshu*, **56**, 67-70 (1999) (in Japanese)
- Nishida K, Kaji K, Kiriyama K and Kanaya T: Upper Concentration Limit of the Semidilute Region in Polyelectrolyte Solutions, Proceedings of Yamada Conference L, Polyelectrolytes, ed. Noda I and Kokufuda E, Yamada Science Foundation, 137-140 (1999)
- Takeshita H, Kanaya T, Nishida K and Kaji K: Gelation Process and Phase Separation of PVA Solutions As Studied by a Light Scattering Technique, *Macromolecules*, **32**, 7815-7819 (1999)
- Kanaya T, Kawaguchi T and Kaji K: Local Dynamics of Some Bulk Polymers above T<sub>g</sub> As seen by Quasielastic Neutron Scattering, *Macromolecules*, **32**, 1672-1678 (1999)
- Kanaya T, Hansen J, Tsukushi I, Nishida K, Kaji K, Yamamuro O, Tanaka K and Yamaguchi A: Fast Process in Glass-forming Polymers and Its Relation to Mechanical Properties, *J. Phys. Chem. Solids*, **60**, 1321-1323 (1999)
- Kanaya T, Tsukushi I, Kaji K, Bartos J and Kristiak J: Microscopic basis of free volume concept as studied by quasielastic neutron scattering (QENS) and positron annihilation lifetime spectroscopy (PALS), *Phys. Rev.*, **E60**, 1906-1912 (1999)
- Kanaya T, Watanabe H, Matsushita Y, Takeda T, Seto H, Nagao M, Fujii Y and Kaji K: Neutron Spin Echo Studies on Dynamics of Polymeric Micelles, *J. Phys. Chem. Solids*, **60**, 1367-1369 (1999)
- Kanaya T, Tetaguchi M, Masuda T and Kaji K: Local Mobility of Substituted Polyacetylenes Measured by Quasielastic Neutron Scattering and its Relationship with Gas Permeability, *Polymer*, **40**, 7157-7161 (1999)
- Tsukushi I, Yamamuro O, Yamamoto K, Takeda K, Kanaya T and Matsuo T: Neutron Scattering Study of Glassy Toluene: Dynamics of a Quasi-rigid Molecular Glass, *J. Phys. Chem. Solids*, **60**, 1541-1543 (1999)
- Tsukushi I, Kanaya T and Kaji K: Dynamical Heterogeneity of Glass-forming Polymers: Non-Gaussian Behavior. A Study on Distribution of Mean Square Displacement, Proceedings of The 8th Tohwa University International Symposium on Slow Dynamics in Complex Systems, ed. Tokuyama M., *AIP Conference Series*, **469**, 350-357 (1999)
- Tsukushi I, Kanaya T, Yamamuro O, Matsuo T and Kaji K: Neutron Scattering Study of Amorphous Tri-O-methyl- $\beta$ -cyclodextrin, *J. Phys. Chem. Solids*, **60**, (1999)
- Tsukushi I and Kanaya T: Neutron Scattering Study of Dynamics in Glassy State, *High Pressure Science and Technology*, **9**, 126-133 (1999) (in Japanese)
- Yamamuro O, Tsukushi I, Kanaya T and Matsuo T: Neutron Scattering Study of Boson Peak in Glassy 3-Methylpentane, *J.*

## II. Polymer Materials Science



*Phys. Chem. Solids*, **60**, 1537-1539 (1999)

Nemoto N, K. Nakamura and Kanaya T: Structure and Dynamics of Ovalbumin Gels, Proceedings of Yamada Conference L, Polyelectrolytes, ed. Noda I. and Kokufuda E., Yamada Science Foundation, 319-322 (1999)

Kataoka M, Kamikubo H, Yunoki J, Tokunaga F, Kanaya T, Izumi Y, Shibata K: Low Energy Dynamics of Globular Proteins Studied by Inelastic Scattering, *J. Phys. Chem. Solids*, **60**, 1285-1289 (1999)

Ebisawa T, Yamazaki D, Tasaki S, Hino M, Kawai T, Iwata Y, Achiwa N, Kanaya T and Soyama K: A Modified Neutron Spin Echo Method Using Novel Spin Precession by Multilayer Spin Splitters Arranged in ++ Configuration, *Phys. Lett.*, **A259**, 20-24 (1999)

Ebisawa T, Tasaki S, Hino M, Kawai T, Iwata Y, Yamazaki D, Achiwa N, Otake Y, Kanaya T and Soyama K: Cold Neutron Spin Interferometry and its Application to Modified Spin Echo Methods, *J. Phys. Chem. Solids*, **60**, 1569-1572 (1999)

### III. Molecular Motion Analysis

Schacht J, Buivydas M, Gouda F, Komitov L, Stebler B, Lagerwall S T, Zugenmaier P and Horii F: Broad Band Dielectric Relaxation Spectroscopy of Molecular Reorientation in Smectic Liquid Crystalline Phases (SmA, SmB, and CrE), *Liquid Crystals*, **26**, No.6, 835-847 (1999)

Imai T, Sugiyama J, Itoh T and Horii F: Almost Pure I<sub>α</sub> Cellulose in the Cell Wall of *Glaucocystis*, *J. Struct. Biol.*, **127**, 248-257 (1999)

Ishida M, Oshima J, Yoshinaga K and Horii F: Structural Analysis of Core-Shell Type Polymer Particles Composed of Poly(butyl acrylate) and Poly(methyl methacrylate) by High-Resolution Solid-State <sup>13</sup>C NMR Spectroscopy, *Polymer*, **40**, 3323-3329 (1999)

Kuwabara K and Horii F: Solid-State <sup>13</sup>C NMR Analyses of the Orthorhombic-to-Hexagonal Phase Transition for Constrained Ultradrawn Polyethylene Fibers, *Macromolecules*, **32**, No.17, 5600-5605 (1999)

Tsunashima Y, Kawanishi H, Nomura R and Horii F: Influence of Long-Range Interactions on Diffusion Behavior in Semidilute Solution: Dynamics of Cellulose Diacetate in Quiescent State, *Macromolecules*, **32**, No.16, 5330-5336 (1999)

Tsunashima Y and Kawanishi H: Shear Induced Fluctuations and Fluctuation-Length Transition in the Quasiflexible Polymer in a Solution of a Hydrogen-Bond Enhancing Solvent, *J. Chem. Phys.*, **111**, No.7, 3294-3301 (1999)

Tsunashima Y, Polymer Chain Dynamics in Dilute Solution under Couette Flow: Behavior of poly(*α*-methylstyrene) in Good Solvent, *J. Chem. Phys.*, **110**, No.24, 12211-12217 (1999)

Masuda K, Kaji H and Horii F: <sup>1</sup>H CRAMPS Measurements of Different Types of OH Groups in Poly(vinyl alcohol) Films, *Polymer J.*, **31**, No.1, 105-107 (1999)

Ishida H and Horii F: Solid-State <sup>13</sup>C NMR Analyses of the Structure and Chain Conformation of Thermotropic Liquid Crystalline Polyether Crystallized from the Melt through the Liquid Crystalline State, *Polymer*, **40**, No.13, 3781-3786 (1999)

Schacht J, Buivydas M, Gouda F, Komitov L, Stebler B,

Lagerwall S T, Horii F and Zugenmaier P: Slow Molecular Reorientation in Higher-Ordered Liquid Crystalline Phases of a Homologous Series of Stilbenes, Slow Dynamics in Complex Systems: Eighth Tohwa University International Symposium, Tokuyama M and Oppenheim I, Eds., Am. Inst. Phys., 1999, pp. 128-133.

## ORGANIC MATERIALS CHEMISTRY

### I. Polymeric Materials

Takaragi A, Minoda M, Miyamoto T, Liu H-Q and Zhang L-N: Reaction Characteristics of Cellulose in the LiCl/1,3-Dimethyl-2-Imidazolidinone Solvent System, *Cellulose*, **6**, 93-102 (1999)

Minoda M, Zhou Q and Miyamoto T: Development of Cellulose-Based Functional Materials: *Kobunshi-Kako*, **48**, 355-360 (1999) (in Japanese)

Goto A and Fukuda T: Kinetic Study on Nitroxide-Mediated Free Radical Polymerization of tert-Butyl Acrylate, *Macromolecules*, **32**, 618-623 (1999)

Goto A and Fukuda T: Determination of the Activation Rate Constants of Alkyl Halide Initiators for Atom Transfer Radical Polymerization, *Macromol. Rapid Commun.*, **20**, 633-636 (1999)

Fukuda T: Kinetic Characterization of Living Radical Polymerization: *Kobunshi*, **48**, 498-501 (1999) (in Japanese)

Fukuda T: Stable-Radical-Mediated Living Radical Polymerization, in *Rajikaru-Jugo Handbook*, NTS, 107-114 (1999) (in Japanese)

Ohno K, Izu Y, Yamamoto S, Miyamoto T and Fukuda T: Nitroxide-Controlled Free Radical Polymerization of a Sugar-Carrying Acryloyl Monomer, *Macromol. Chem. Phys.*, **200**, 1619-1625 (1999)

Yamada K, Minoda M and Miyamoto T: Controlled Synthesis of Amphiphilic Block Polymers with Pendant N-Acetyl-D-Glucosamine Residues and Their Interaction with WGA Lectin, *Macromolecules*, **32**, 3553-3558 (1999)

Wataoka I, Urakawa H, Kobayashi K, Ohno K, Fukuda T, Akaike T and Kajiwarara K: Molecular Specification of Homopolymer of Vinylbenzyl-Lactose-Amide in Aqueous Solution, *Polymer J.*, **31**, 590-594 (1999)

Wataoka I, Urakawa H, Kobayashi K, Akaike T, Manfred S and Kajiwarara K: Structural Characterization of Glycoconjugate Polystyrene in Aqueous Solution, *Macromolecules*, **32**, 1816-1821 (1999)

Ohno K and Fukuda T: Sugar-Carrying Polymers, *Rajikaru-Jugo Handbook*, NTS, 567-583 (1999) (in Japanese)

Ide N and Fukuda T: Nitroxide-Controlled Free-Radical Copolymerization of Vinyl and Divinyl Monomers. 2. Gelation, *Macromolecules*, **32**, 95-99 (1999)

Yamada K, Miyazaki M, Ohno K, Fukuda T and Minoda M: Atom Transfer Radical Polymerization of Poly(vinyl ether) Macromonomers, *Macromolecules*, **32**, 290-293 (1999)

Okamura H, Minoda M, Fukuda T, Miyamoto T and Komatsu K: Solubility Characteristics of C<sub>60</sub> Fullerenes with Two Well-Defined Polystyrene Arms in a Polystyrene Matrix, *Macromol. Rapid. Commun.*, **20**, 37-40 (1999)

Okamura H, Miyazono K, Minoda M and Miyamoto T: Preparation of Water-Soluble Pullulans Bearing Pendant C<sub>60</sub> and Their Aqueous Solubility, *Macromol. Rapid Commun.*, **20**, 41-45 (1999)

Ohno K, Fujimoto K, Tsujii Y and Fukuda T: Synthesis of a Well-Defined Anthracene-Labeled Polystyrene by Atom Transfer Radical Polymerization, *Polymer*, **40**, 759-763 (1999)

Horinaka J, Ito S, Yamamoto M, Tsujii Y and Matsuda T: Influence of a Fluorescent Probe on the Local Relaxation Times for a Polystyrene Chain in the Fluorescence Depolarization Method, *Macromolecules*, **32**, 2270-2274 (1999)

Miyamoto T, Minoda M and Tsujii Y: Controlled Synthesis of Amphiphilic Block Polymers Having Glucose Residues and Their Structure Formation, *Chinese J. Polym. Sci.*, **17**, 21-26 (1999)

Oyane A, Minoda M, Miyamoto T, Takahashi R, Nakanishi K, Kim H. -M, Kokubo T and Nakamura T: Apatite Formation on Ethylene-Vinyl Alcohol Copolymer Modified with Silanol Groups, *J. Biomed. Mater. Res.*, **47**, 367-373 (1999)

Tsujii Y, Ejaz M, Yamamoto S, Fukuda T and Miyamoto T: Precise Control of Surface Graft Polymerization, *Kasen-Kouenshu*, **56**, 9-14 (1999) (in Japanese)

Fukuda T and Goto A: Kinetics of Controlled Radical Polymerization: *Polym. Prepr. (Div. Polym. Chem., Am. Chem. Soc.)*, **40** (2), 311-312 (1999)

Goto A, Sato K, Fukuda T, Moad G, Rizzardo E and Thang S H: Mechanism and Kinetics of Reversible Addition-Fragmentation Chain Transfer-Based Controlled Radical Polymerization of Styrene, *Polym. Prepr. (Div. Polym. Chem., Am. Chem. Soc.)*, **40** (2), 397-398 (1999)

Minoda M, Yamada K, Miyazaki M, Endo M, Ohno K and Fukuda T: Atom Transfer Radical Polymerization of Poly(vinyl ether) Macromonomers: *Polym. Prepr. (Div. Polym. Chem., Am. Chem. Soc.)*, **40** (2), 399-400 (1999)

Yamamoto S, Ejaz M, Ohno K, Tsujii Y, Matsumoto M and Fukuda T: Preparation of Well-Defined Polymer Brushes on Silicon Substrate by the Surface-Initiated ATRP Technique and their Characterization, *Polym. Prepr. (Div. Polym. Chem., Am. Chem. Soc.)*, **40** (2), 401-402 (1999)

## II. High-Pressure Organic Chemistry

Davydov VA, Kashevarova LS, Rakhmanina AV, Agafonov V, Allouchi H, Ceolin R, Dzyabchenko AV, Senyavin VM, Szwarc T, Tanaka T, Komatsu K: Polymerization of C<sub>60</sub> at 1.5 GPa, *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, **5**, 731-742 (1998)

Nagel P, Pasler V, Lebedkin S, Meingast C, Sundqvist B, Tanaka T, Komatsu K: Intermolecular Bond Stability of C<sub>60</sub> Dimers and 2D Pressure-Polymerized C<sub>60</sub>, *Electronic Properties of Novel Materials - Progress in Molecular Nanostructures*, **442**, 194-197 (1998)

Burger B, Kuzmany H, Komatsu K: Catalytic C<sub>120</sub> - Vibrational Spectra and Stability, *Electronic Properties of Novel Materials - Progress in Molecular Nanostructures*, **442**, 211-214 (1998)

Matsuura A, Nishinaga T, Komatsu K: Synthesis, Structure and Properties of Naphthalene Fully Annelated with Bicyclo[2.2.2]octene Frameworks, *Tetrahedron Lett*, **40**, 123-

126 (1999)

Ohtsuki T, Masumoto K, Tanaka T, Komatsu K: Formation of Dimer, Trimer, and Tetramer of C<sub>60</sub> and C<sub>70</sub> by  $\gamma$ -Ray, Charged-Particle Irradiation, and Their HPLC Separation, *Chem. Phys. Lett.*, **300**, 661-666 (1999)

Davydov VA, Kashevarova LS, Rakhmanina AV, Agafonov V, Allouchi H, Ceolin R, Dzyabchenko AV, Senyavin VM, Szwarc T, Tanaka T, Komatsu: Particularities of C<sub>60</sub> Transformation at 1.5 GPa, *J. Phys. Chem. B*, **103**, 1800-1804 (1999)

Murata Y, Kato N, Fujiwara K, Komatsu K: Solid-State [4+2] Cycloaddition of Fullerene C<sub>60</sub> with Condensed Aromatics Using a High-Speed Vibration Milling Technique, *J. Org. Chem.*, **64**, 3483-3488 (1999)

Nishinaga T, Wakamiya A, Komatsu K: 1,4-Dithiin Annelated with Bicyclo[2.2.2]octene Units: Experimental and Theoretical Evidence for the Aromaticity in 1,4-Dithiin Dication, *Chem. Commun.*, **1999**, 777-778.

Nishinaga T, Wakamiya A, Komatsu K: The First Isolation of the Hexafluoroantimonate Salt of a 1,4-Dithiin Radical Cation Stabilized by Bicyclo[2.2.2]octene Annelation, *Tetrahedron Lett.*, **40**, 4375-4378 (1999)

Komatsu K, Murata Y, Wang G-W, Tanaka T, Kato N, Fujiwara K: The Solid-State Mechanochemical Reaction of Fullerene C<sub>60</sub>, *Fullerene Sci. Tech.*, **7**, 609-620 (1999)

Tanaka T, Komatsu K: Synthesis of the Singly Bonded Fullerene Dimer C<sub>120</sub>H<sub>2</sub> and the Difullerenylacetylene C<sub>122</sub>H<sub>2</sub>, and Generation of the All-Carbon Dianion C<sub>122</sub><sup>2-</sup>, *J. Chem. Soc., Perkin 1*, **1999**, 1671-1676

Okamura H, Minoda M, Fukuda T, Miyamoto T, Komatsu K: Solubility Characteristics of C<sub>60</sub> Fullerenes with Two Well-Defined Polystyrene Arms in a Polystyrene Matrix, *Macromol. Rapid Commun.*, **20**, 37-40 (1999)

Komatsu K, Fujiwara K, Murata Y, Braun T: Aqueous Solubilization of Crystalline Fullerenes by Supramolecular Complexation with  $\gamma$ -Cyclodextrin and Sulfocalix[8]arene under Mechanochemical High-Speed Vibration Milling, *J. Chem. Soc., Perkin 1*, **1999**, 2963-2966.

Kudo K, Komatsu K: Reduction of Alkali Metal Carbonate to Methane with Water in the Presence of Raney Alloy, *J. Mol. Cat. A*, **415**, 159-167 (1999)

Kudo K, Komatsu K: Selective Formation of Methane in Reduction of CO<sub>2</sub> with Water by Raney Alloy Catalyst, *J. Mol. Cat. A*, **415**, 257-264 (1999)

Kudo K, Komatsu K: Methanation of Alkali Metal Carbonate and CO<sub>2</sub> with Water in the Presence of Raney Fe-Ru/C Mixed Catalyst, *Sekiyu Gakkaishi*, **42**, 157-164 (1999)

Fujitsuka M, Luo C, Ito O, Murata Y, Komatsu K: Triplet Properties and Photoinduced Electron-Transfer Reactions of C<sub>120</sub>, the [2+2] Dimer of Fullerene C<sub>60</sub>, *J. Chem. Phys.*, **103**, 7155-7160 (1999)

Tsubaki K, Murata Y, Komatsu K, Kinoshita T, Fuji K: The Supramolecular Structure of 1, 4-Bis(9-fluorenyl)-1, 4-dihydro[60]fullerene with Hexahomotrioxacalix[3]arene in the Solid State, *Heterocycles*, **51**, 2553-2556 (1999)

Komatsu K: Cyclic  $\pi$ -Conjugated Systems Annelated with Bicycloalkene Frameworks, *Eur. J. Org. Chem.*, **1999**, 1495-1502

Wan TSM, Leung GNW, Tso TSC, Komatsu K, Murata Y: Separation of Fullerenes with Non-aqueous Capillary Electrophoresis, *Separation of Fullerenes by Liquid Chromatography*, **1999**, 161-176

Komatsu K: Fullerene Dimer; Nucleophilic Addition to Fullerene; Chemistry of Fullerenes, the Third Allotrope of Carbon, *Kikan Kagaku-Sosetsu*, **43**, 42-47, 85-93 (1999)

## SYNTHETIC ORGANIC CHEMISTRY

### I. Synthetic Design

Yamaguchi S, Jin R-Z, Itami Y, Goto T, Tamao K: The First Synthesis of Well-Defined Poly (2,5-silole), *J. Am. Chem. Soc.* **121**, 10420-21 (1999)

Kawachi, A, Tanaka Y, Tamao K: Synthesis and Structures of a Series of Ge-M (M = C, Si, and Sn) Compounds Derived from Germyllithium Containing Three 2-(Dimethylamino)phenyl Groups on Germanium, *J. Organomet. Chem.*, **590**, 15-24 (1999)

Tamao K, Asahara M, Saeki T, Toshimitsu A: Reaction of Hypercoordinate Dichlorosilanes Bearing 8-(Dimethylamino)-1-naphthyl Group(s) with Magnesium: Formation of 1,2-Disilaacenaphthene Skeleton Accompanied by Amino Group Migration from Carbon to Silicon, *Angew. Chem., Int. Ed.*, **38**, 3316-18 (1999)

Kawachi A, Maeda H, Mitsudo K, Tamao K: Optical Resolution and Epimerization of Fluorosilane Having an Optically Active Amino Group: A New Convenient Access to Optically Active Organosilicon Compounds, *Organometallics*, **18**, 4530-33 (1999)

Yamaguchi S, Jin R-Z, Tamao K: Silole Polymer and Cyclic Hexamer Catenating through the Ring Silicons, *J. Am. Chem. Soc.* **121**, 2937-38 (1999)

Tamao K, Asahara M, Saeki T, Toshimitsu A: Wurtz-type Coupling Reaction of Pseudo-penacoordinate Halosilanes Using Magnesium: Enhanced Reactivity of the Silicon-Halogen Bond by Intramolecular Amine-coordination to Silicon, *Chem. Lett.* **1999**, 335-36

Yamaguchi S, Ishii H, Tamao K: A New Chiral Molecular Square with *D*<sub>4</sub> Symmetry Composed of Enantiomerically Pure Spirosilane, *Chem. Lett.*, **1999**, 309-10

Yamaguchi S, Akiyama S, Tamao K: Effect of Counteranion Inclusion by [2.2.2] Cryptand upon Stabilization of Potassium Organofluorosilicates, *Organometallics*, **18**, 2851-54 (1999)

Kawachi A, Tanaka Y, Tamao K: Reaction of {Tris[2-(dimethylamino)phenyl]germyl}lithium with Elemental Selenium: Formation of 2,2,4,4-Tetrakis[2-(dimethylamino)phenyl]-1,3,2,4-diselenadigermetane, *Chem. Lett.*, **1999**, 21-22.

Kawachi, A, Tanaka Y, Tamao K, Distorted Germyllithium Induced by Intramolecular Coordination of an Amino Group: Synthesis and Structures of {Tris[2-(dimethylamino)phenyl]germyl}lithium, *Eur. J. Inorg. Chem.* **1999**, 461-64

Tamao K, Asahara M, Sun G-R, Kawachi A, Synthesis, Structure, and Reactivity of 1,  $\omega$ -Bis(pseudo-pentacoordinated) 1, -difluoro-oligosilanes Bearing 8-(Dimethylamino)-1-naphthyl Groups, *J. Organomet. Chem.* (Okawara issue) **574**, 193-205 (1999)

Tamao K, Kawachi A, Asahara M, Toshimitsu A: Recent

Developments in the Silicon Interelement Linkage: The Case of Functionalized Silyllithium, Silylenoid, and Sila-ylide, *Pure Appl. Chem.*, **71**, 393-400 (1999)

Tamao K: Invitation to the Chemistry of the Inter-Element Linkage, *Gendai-Kagaku*, No.10, 24-31 (1999) (in Japanese)

Noyori R, Shibasaki M, Suzuki K, Tamao K, Nakasuji K, and Narasaka K, Eds.: *Organic Chemistry I*, Tokyo Kagaku Doujin, 1999 (in Japanese)

### II. Fine Organic Synthesis

Lakshmaiah G, Kawabata T, Shang M and Fuji K: Total Synthesis of (-)-Horsfiline via Asymmetric Nitroolefination, *J. Org. Chem.*, **64**, 1699-1704 (1999)

Chen J, Kawabata T, Ohnishi H, Shang M and Fuji K: Lewis Acid-Promoted Nitroolefination of Enol Silyl Ethers via an Addition Elimination Process, *Chem. Pharm. Bull.*, **47**, 394-397 (1999)

Fuji K, Furuta T, Otsubo T and Tanaka K: Hydrogen-bonded Network with a Unique Structural Unit Having Zeolite-like Properties, *Tetrahedron Lett.*, **40**, 3001-3004 (1999)

Fuji K, Tsubaki, K, Tanaka K, Hayashi N, Otsubo T and Kinoshita T: Visualization of Molecular Length of  $\omega$ -Diamines and Temperature by a Receptor Based on Phenolphthalein and Crown Ether, *J. Am. Chem. Soc.*, **121**, 3807-3808 (1999)

Tanaka K, Nuruzzaman M, Yoshida M, Asakawa N, Yang X, Tsubaki K and Fuji K: Use of 1,1'-Binaphthalene-8,8'-diol as a Chiral Auxiliary for Asymmetric Michael Addition. Application to the Synthesis of Turmeronol A and B, *Chem. Pharm. Bull.*, **47**, 1053-1055 (1999)

Tanaka K, Watanabe T, Shimamoto K, Sahakitpichan P and Fuji K: Asymmetric Olefination of Metallic arene or Diene Complexes to form Planar Chiral Complexes, *Tetrahedron Lett.*, **40**, 6599-6602 (1999)

Fuji K, Watanabe Y, Otsubo T, Nuruzzaman M, Hamajima Y and Kohno M: Synthesis of Extremely Simplified Compounds Possessing the Key Pharmacophore Units of Taxol, Phenylisoserine and Oxetane Moieties, *Chem. Pharm. Bull.*, **47**, 1334-1337 (1999)

Fuji K, Yang X-S, Ohnishi H, Hao X-J, Obata Y and Tanaka K: A Highly Efficient Method for the Resolution of 8,8'-Dihydroxy-1,1'-biphenyl, *Tetrahedron: Asymmetry*, **10**, 3243-3248 (1999)

Fuji K, Kinoshita N and Tanaka K: Et<sub>2</sub>Zn as a base: zinc enolate free from other metals significantly enhances the enantiomeric excess in palladium-catalyzed allylic alkylation, *Chem. Commun.*, 1895-1896 (1999)

Ikeda H, Fuji K, Tanaka K, Iso Y and Yoneda F: DNA Oligomers Having a Diazapyrenium Dication (DAP<sup>2+</sup>); Synthesis and DNA Cleavage Activities, *Chem. Pharm. Bull.*, **47**, 1455-1463 (1999)

Tsubaki K, Murata Y, Komatsu K, Kinoshita T and Fuji K: The Supramolecular Structure of 1,4-Bis(9-fluorenyl)-1,4-dihydro [60]fullerene with Hexahomotrioxacalix[3]arene in the Solid State, *Heterocycles*, **51**, 2553-2556 (1999)

Fuji K, Kinoshita N, Tanaka K and Kawabata T: Enantioselective Allylic Substitution Catalyzed by an Iridium Complex: Remarkable Effects of Cation, *Chem. Commun.*, 2289-2290 (1999)

Fuji K: Development of New Asymmetric Reactions Utilizing Carbanions, *Yakugakuzasshi*, **119**, 114-125 (1999) (in Japanese)

Fuji K: Artificial Catalysts That Differentiate Enantiomers, *Farumashia*, **35**, 1211-1213 (1999) (in Japanese)

## BIOORGANIC CHEMISTRY

### I. Bioorganic Reaction Theory

Fujii M, Yasui S, and Nakamura K: Silica gel catalyzed selective reductions by NAD(P)H models, *Rev. Heteroat. Chem.*, **20**, 167-205 (1999)

Kawai Y, Hida K, and Ohno A: Reduction of  $\beta$ -Keto Esters with a Reductase: Construction of Plural Stereocenters Remote from the Reaction Center, *Bioorganic Chemistry*, **27**, 3-19 (1999)

Kawai Y, Hida K, Tsujimoto M, Kondo S, Kitano K, Nakamura K, and Ohno A: Asymmetric Reduction of  $\alpha$ -Keto Esters and  $\alpha$ -Diketones with a Bakers' Yeast Keto Ester Reductase, *Bull. Chem. Soc. Jpn.*, **72** (1), 99-102 (1999)

Kawai Y and Ohno A, Highly efficient asymmetric reduction with a novel enzyme, *Yuki Gosei Kagaku Kyokaishi*, **57**, 798-804 (1999) (in Japanese)

Kawasaki M, Nakamura K, and Kawabata S: Lipase-catalyzed enantioselective deacetylation of *ortho*-substituted phenyl acetates with 1-butanol in organic solvents, *J. Mol. Catal. B: Enzym.*, **6**, 447-451 (1999)

Kimura T, Kawai Y, Ogawa S, and Sato R: First Preparation and Structural Determination of Optically Pure Cyclic Polysulfides, 6,10-Diethyl Trithiolo[h]benzopentathiepin Monooxides, *Chem. Lett.*, 1305-1306 (1999)

Kitayama T, Okamoto T, Hill R K, Kawai Y, Takahashi S, Yonemori S, Yamamoto Y, Ohe K, Uemura S, and Sawada S: Chemistry of Zerumbone I. Simple Isolation, Conjugate Addition Reactions, and a Unique Ring Contracting Transannular Reaction of Its Dibromide, *J. Org. Chem.*, **64**, 2667-2672 (1999)

Nakajima N, Ishihara K, Hamada H, Yamane S, Nakamura K, and Furuya T: Multi-enzymatic Glucosylation Using Eucalyptus UDP-Glucosyltransferase Coupled UDPglucose-Fermentation by Bakers' Yeast, *Biosci., Biotechnol., Biochem.*, **63**, 934-936 (1999)

Nakajima N, Sugimoto M, Ishihara K, Nakamura K, Hamada H: Further Characterization of Earthworm Serine Proteases: Cleavage Specificity Against Peptide Substrates and on Autolysis, *Biosci., Biotechnol., Biochem.*, **63**, 2031-2033 (1999)

Nakamura K, Inoue Y, Matsuda T, and Misawa I: Stereoselective Oxidation and Reduction by Immobilized *Geotrichum candidum* in an Organic Solvent, *J. Chem. Soc., Perkin Trans. 1*, 2397-2402 (1999)

Ogawa S, Kikuchi M, Kawai Y, Niizuma S, and Sato R: Synthesis, Structure, and Redox Reactions of New Crowded Benzodithiolium Salt: First Isolation and Characterization of Stable Dithioly Radical with 7  $\pi$ -Electron Framework, *Chem. Commun.*, 1891-1892 (1999)

Ogawa S, Sugawara M, Kawai Y, Niizuma S, Kimura T, and Sato R: Novel Photochemical Ring Contraction of 1,4,7,10-Tetraisopropylidibenzoc[*c,g*][1,2,5,6] tetrachalcogenocins: Efficient Synthesis, Structure, and Redox Reactions of 1,4,6,9 Tetraisopropylchalcogenanthrenes, *Tetrahedron Lett.*, **40**, 9101-

9106 (1999)

Ohno A: Designed syntheses of chiral compounds mediated by biocatalysts: production of a desired stereoisomer, *Rev. Heteroat. Chem.*, **20**, 29-68 (1999)

Ohno A, Oda S, and Yamazaki N: NAD(P)<sup>+</sup>-NAD(P)H models. 89. Effect of magnesium ion on the stereochemistry in oxidation of NAD(P)H analog, *Tetrahedron Lett.*, **40**, 4577-4580 (1999)

Ohta M, Nakamura K, Tsuchiya H, Takama K, and Suzuki T: Effect of Several Solutions Including Mineral-encaging Zeolites on the Restoration of Cell Motility of Tributyltin-intoxicated *Euglena gracilis* Z, *Biosci. Biotechnol. Biochem.*, **63**, 1691-1696 (1999)

Oki M, Hirose T, Kataoka Y, Ogata T, Toyota S, Matsuo T, Kawai Y, and Ohno A: Reactivities of Stable Rotamers. XLI. Reactions of 1-(9-Fluorenyl)-2-(1 methylethenyl)naphthalene Rotamers with Chalcogenyl Halides and Observation of Coloration During the Reaction of Methanesulfonyl Chloride and the *ap*-Rotamer, *Bull. Chem. Soc. Jpn.*, **72**, 63-72 (1999)

Yasui S, Shioji K, Tsujimoto M, and Ohno A: Kinetic study on the reaction of tributylphosphine with methylviologen. Reactivity of the phosphine radical cation intermediate towards nucleophiles, *J. Chem. Soc., Perkin Trans. 2*, 855-862 (1999)

### II. Bioactive Chemistry

Takahashi T, Tanaka H, Matsuda A, Doi T, Yamada H, Matsumoto T, Sasaki D and Sugiura Y: DNA Cleaving Activities of 9-Membered Masked Eneidyne Analogues Possessing DNA Intercalator and Sugar Mieties. *Bioorg. Med. Chem.Lett.*, **8**, 3303-3306 (1998)

Aizawa Y and Sugiura Y, Morii T: Comparison of the Sequence-Selective DNA Binding by Peptide Dimers with Covalent and Noncovalent Dimerization Domains. *Biochemistry*, **38**, 1626-1632 (1999)

Aizawa Y, Sugiura Y, Ueno M, Mori Y, Imoto K, Makino K and Morii T: Stability of the Dimerization Damain Effects the Cooperative DNA Binding of Short Peptides. *Biochemistry*, **38**, 4008-4017 (1999)

Inoue T, Sugiura Y, Saitoh J, Ishiguro T and Otsuka M: Fluorescence Property of Oxazole Yellow-linked Oligonucleotide. Triple Helix Formation and Photocleavage of Double-stranded DNA in the Presence of Spermine. *Bioorg. Med. Chem.*, **7**, 1207-1211 (1999)

Sugiura Y: Chemistry in Biological and Medical Sciences. *Chemistry*, **54**, 20-21 (1999) (in Japanese)

Futaki S, Aoki M, Ishimawa T, Kondo F, Asahara T, Niwa M, Nakaya Y, Yagami T and Kitagawa K: Chemical Ligation to Obtain Proteins Comprising Helices with Individual Amino Acid Sequences. *Bioorg. Med. Chem.*, **7**(1), 187-192 (1999)

Kamada M, Yamamoto S, Takikawa M, Kunimi K, Maegawa M, Futaki S, Ohmoto Y, Aono T, Samuel S. Koide: Identification of the Human Sperm Protein that Interacts with Sperm-Immobilizing Antibodies in the Sera of infertile Women. *Fertil. Steril.*, **72**(4), 691-695 (1999)

Futaki S, Omote M, Sugiura Y, Fukuda M and Niwa M: Modulation of Alamethicin Assembly by Hybridization. *Peptide Science 1998 Ed by M. Kondo, Protein Research Foundation* (405-408) 1999

### III. Molecular Clinical Chemistry

Banasik M and Ueda K: Dual Inhibitory Effects of Dimethyl Sulfoxide on Poly(ADP-ribose) Synthetase, *J. Enz. Inhib.*, **14**, 239-250 (1999)

Okamoto H, Takano E, Sugao T, Kage K, Okamoto E, Nishimura N and Ueda K: Direct Amplification of *Escherichia coli* O157 Vero Toxin Genes from Human Feces by the Polymerase Chain Reaction, *Ann. Clin. Biochem.*, **36**, 642-648 (1999)

Ueda K, Tanaka S, Matoh N, Takehashi M and Masliah E: Molecular Diagnosis of Alzheimer Disease in Relation to Parkinson Disease, *Clin. Chem. Lab. Med.*, **37**, S156 (1999)

Takano E, Okamoto H, Sugao T, Okamoto E, Nishimura N and Ueda K: Direct Amplification of *Escherichia coli* O157 Vero Toxin Genes from Human Feces by Polymerase Chain Reaction, *Clin. Chem. Lab. Med.*, **37**, S156 (1999)

Ikemoto M, Tsunekawa S, Murayama H, Kasai Y, Totani M and Ueda K: Development of an Excellent ELISA for Human Liver-type Arginase using Monoclonal Antibodies and its Clinical Usefulness, *Clin. Chem. Lab. Med.*, **37**, S468 (1999)

Ariumi Y, Masutani M, Copeland T D, Mimori T, Sugimura T, Noda M, Shimotohno K, Ueda K and Hatanaka M: Suppression of Poly(ADP-ribose) Polymerase Activity by DNA-dependent Protein Kinase, *Oncogene*, **18**, 4616-4625 (1999)

Takehashi M, Tanaka S and Ueda K: NACP/ $\alpha$ -synuclein is a Synaptic Protein Phosphorylated by Serine/threonine Kinase(s), *6th IUBMB Conference*, Abstracts, 104 (1999)

Tanaka S, Takehashi M, Matoh N and Ueda K: NAC Interacts with A $\beta$  Protein in Amyloid Formation and Induces Neuronal Cell Injury, *International Symposium on Dementia: From Molecular Biology to Therapeutics*, Program & Abstracts, 22 (1999)

Takehashi M, Tanaka S and Ueda K:  $\alpha$ -Synuclein is a Synaptic Protein Phosphorylated by Serine/threonine Kinase(s), *International Symposium on Dementia: From Molecular Biology to Therapeutics*, Program & Abstracts, 29 (1999)

Adachi, Y: HIV-1 Infection and Nucleocytoplasmic Transport, In "Dynamism of Intracellular Traffic" (Yoneda Y and Nakano A, eds), Springer-Verlag Tokyo, 32-39 (1999)

## MOLECULAR BIOFUNCTION

### I. Functional Molecular Conversion

Wada S, He P, Watanabe N, Sakata K and Sugimoto K: Suppression of d-Galactosamine-Induced Rat Liver Injury by Glycosidic Flavonoids-Rich Fraction from Green Tea, *Biosci. Biotechnol. Biochem.*, **63**, 570-572 (1999)

Sakata K, Watanabe N, Usui T: Molecular Basis of Alcoholic Aroma Formation During Tea Processing, In *Food for Health in the Pacific Rim*, Proceedings of 3<sup>rd</sup> International Conference of Food Science and Technology, Ed. By Whitaker JR, Norman FH, Shoemaker CF, Singh P, Food & Nutrition Press, Trumbull, Connecticut, 1999, pp 93-105.

Sakata K, Guo W and Moon J-H: Tea Chemistry Part II. With Special Reference to Tea Aroma Precursors, in *Global Advances in Tea Science*, Ed. by Jain NK et al., Aravali Books International, Delhi, 1999, pp. 691-704.

Sakata K: Molecular Basis of Floral Aroma Formation during Oolong Tea Manufacturing, *Kagaku to Seibutsu* (in Japanese), **37**, 20-27 (1999)

Tokutake N, Hiratake J, Irie T, Yamano A and Oda J: The Absolute Configuration of an Intermediate Cyclic Sulfoximine in the Asymmetric Synthesis of Transition-State Analogue Inhibitors of  $\gamma$ -Glutamylcysteine Synthetase, *Acta Crystallogr.*, **C55**, 1598-1599 (1999)

Koizumi M, Hiratake J, Nakatsu T, Kato H and Oda J: A Potent Transition-State Analogue Inhibitor of *Escherichia coli* Asparagine Synthetase A, *J. Am. Chem. Soc.*, **121**, 5799-5800 (1999)

Inoue M, Hiratake J and Sakata K: Synthesis and Characterization of Intermediate and Transition-state Analogue Inhibitors of  $\gamma$ -Glutamyl Peptide Ligases, *Biosci. Biotechnol. Biochem.*, **63**, 2248-2251 (1999)

Hiratake J: Probing the Function of Biocatalysts and Their Applications by Organic Synthetic Methods, *Nippon Nōgei Kagaku Kaishi* (in Japanese), **73**, 1261-1272 (1999)

Koiwa H, Kato H, Nakatsu T, Oda J, Yamada Y and Sato F: Crystal Structure of Tobacco PR-5d Protein at 1.8 Å Resolution Reveals a Conserved Acidic Cleft Structure in Antifungal Thaumatin-like Proteins, *J. Mol. Biol.*, **286**, 1137-1145 (1999)

Yamashita A, Kato H, Wakatsuki S, Tomizaki T, Nakatsu T, Nakajima K, Hashimoto T, Yamada Y and Oda J: Structure of Tropinone Reductase-II Complexed with NADP<sup>+</sup> and Pseudotropine at 1.9 Å Resolution: Implication for Stereospecific Substrate Binding and Catalysis, *Biochemistry*, **38**, 7630-7637 (1999)

Nakajima K, Kato H, Oda J, Yamada Y and Hashimoto T: Site-directed Mutagenesis of Putative Substrate-binding Residues Reveals a Mechanism Controlling the Different Stereospecificities of Two Tropinone Reductases, *J. Biol. Chem.*, **274**, 16563 - 16568 (1999)

Kato H: Four-dimensional Structural Analysis of Enzymes, *Farumasia* (in Japanese), **35**, 29-32 (1999)

Fukuchi-Mizutani M, Mizutani M, Tanaka Y, Kusumi T and Ohta D: Microsomal Electron Transfer in Higher Plants: Cloning and Heterologous Expression of NADH-Cytochrome b<sub>5</sub> Reductase from Arabidopsis, *Plant Physiol.*, **119**, 353-361 (1999)

Ohta D, Mizutani M: Cytochrome P450 in Higher Plants: Molecular Diversity and Gene Expression, *Kagaku to Seibutsu* (in Japanese), **37**, 128-134 (1999)

Nakatsu, T: Crystal Structure of Asparagine Synthetase—Evolutional Relationship to Class II Aminoacyl-tRNA Synthetase, *Journal of the Crystallographic Society of Japan* (in Japanese), **41**, 129-135 (1999)

Nakatsu, T: Similarity in Structure and Function vs. Non-homology in Amino Acid Sequence, *Kagaku to Seibutsu* (in Japanese), **37**, 487-491 (1999)

### II. Molecular Microbial Science

Watanabe A, Kurokawa Y, Yoshimura T, Kurihara T, Soda K and Esaki N: Role of Lysine39 of Alanine Racemase from *Bacillus stearothermophilus* That Binds Pyridoxal 5'-Phosphate: Chemical Rescue Studies of Lys39→Ala Mutant, *J. Biol. Chem.*, **274** (7), 4189-4194 (1999)

Mihara H, Maeda M, Fujii T, Kurihara T, Hata Y, Esaki, N: A

*nifS*-like Gene, *csdB*, Encodes an *Escherichia coli* Counterpart of Mammalian Selenocysteine Lyase. *J. Biol. Chem.*, **274** (21), 14768-14772 (1999)

Nardi-Dei V, Kurihara T, Park C, Miyagi M, Tsunasawa S, Soda K and Esaki N: DL-2-Haloacid Dehalogenase from *Pseudomonas* sp. 113 Is a New Class of Dehalogenase Catalyzing Hydrolytic Dehalogenation Not Involving Enzyme-Substrate Ester Intermediate. *J. Biol. Chem.*, **274** (30), 20977-20981 (1999)

Kulalova L, Galkin A, Kurihara T, Yoshimura T and Esaki N: Cold-Active Serine Alkaline Protease from the Psychrotrophic Bacterium *Shewanella* Strain Ac10: Gene Cloning and Enzyme Purification and Characterization. *Appl. Environ. Microbiol.*, **65** (2), 611-617 (1999)

Galkin A, Kulakova L, Ashida H, Sawa Y and Esaki N: Cold-Adapted Alanine Dehydrogenases from Two Antarctic Bacterial Strains: Gene Cloning, Protein Characterization, and Comparison with Mesophilic and Thermophilic Counterparts. *Appl. Environ. Microbiol.*, **65** (9), 4014-4020 (1999)

Okubo Y, Yokoigawa K, Esaki N, Soda K and Kawai H: Characterization of Psychrophilic Alanine Racemase from *Bacillus psychrosaccharolyticus*. *Biochem. Biophys. Res. Com.*, **256** (2), 333-340 (1999)

Bae H-S, Lee S-G, Hong S-P, Kwak M-S, Esaki N, Soda K and Sung M-H: Production of Aromatic D-Amino Acids from  $\alpha$ -Keto Acids and Ammonia by Coupling of Four Enzyme Reactions. *J. Mol. Catal. B: Enzymatic* **6**, 241-247 (1999)

Kawata Y, Tamura K, Yano S, Mizobata T, Nagai J, Esaki N, Soda K, Tokushige M and Yumoto N: Purification and Characterization of Thermostable Aspartase from *Bacillus* sp. YM55-1. *Arch. Biochem. Biophys.*, **366** (1), 40-46 (1999)

Watanabe A, Kurokawa Y, Yoshimura T and Esaki N: Role of Tyrosine 265 of Alanine Racemase from *Bacillus stearothermophilus*. *J. Biochem.*, **125** (6), 987-990 (1999)

Watanabe A, Yoshimura T, Mikami B and Esaki N: Tyrosine 265 of Alanine Racemase Serves as a Base Abstracting  $\alpha$ -Hydrogen from L-Alanine: The Counterpart Residue to Lysine 39 Specific to D-Alanine. *J. Biochem.*, **126** (4), 781-786 (1999)

## MOLECULAR BIOLOGY AND INFORMATION

### I. Biopolymer Structure

Fujii T and Hata Y: Analysis of a Reaction Mechanism for the Dehalogenase by its Quasi-four-dimensional Structure. *Baioisaiensu To Indasutori*, **57**, 37-38 (1999) (in Japanese)

Fujii T, Maeda M, Mihara H, Kurihara T, Esaki N and Hata Y: Crystal Structure of a NifS-like Protein from *Escherichia coli*. *Acta Cryst.*, **A55 Supplement**, Abstract P06.04.036 (1999)

Fujii T, Kurihara T, Esaki N and Hata Y: X-ray Crystal Structure Analysis of Each Reaction Step of Dehalogenase Enzyme. *Spring-8 User Experiment Report*, **3**, 207 (1999)

Hata Y, Li Y.-F., Fujii T, Kurihara T and Esaki N: Crystal Structure of an Ester Intermediate Formed between L-2-Haloacid Dehalogenase and L-2-Chlorobutyrate. *Photon Factory Activity Report*, **16**, 275 (1998)

Hata Y, Li Y.-F., Fujii T, Kurihara T and Esaki N: X-ray

Crystallographic Analysis of the Catalytic Mechanism of L-2-Haloacid Dehalogenase. *Acta Cryst.*, **A55 Supplement**, Abstract P06.04.037 (1999)

Hiragi Y, Ichimura K, Higurashi T and Kawata Y: SAXS Observation of Denaturation and Renaturation of *Escherichia coli* Chaperonin Proteins GroEL and GroES. *Photon Factory News*, **17**, 15-20 (1999) (in Japanese)

Matsumoto T: Membrane destabilizing activity of influenza virus hemagglutinin-based synthetic peptide: implications of critical glycine residue in fusion peptide. *Biophys. Chem.*, **79**, 153-162 (1999)

Mihara H, Maeda M, Fujii T, Kurihara T, Hata Y and Nobuyoshi E: A *nifS*-like Gene, *csdB*, Encodes an *Escherichia coli* Counterpart of Mammalian Selenocysteine Lyase. Gene Cloning, Purification, Characterization and Preliminary X-ray Crystallographic Studies. *J. Biol. Chem.*, **274**, 14768-14772 (1999)

Sakai H, Fujii T, Kawata Y and Hata Y: Crystallographic Studies of Thermostable Aspartase from *Bacillus* YM55. *Photon Factory Activity Report*, **16**, 259 (1998)

## II. Molecular Biology

Aoyama T, Ohgishi M, Muramoto T, Tukuda M, and Oka A: Artificial Regulation of Transcription Factors in Transgenic Plants. *Proceedings of the second BRAIN Seminar: Cytochrome P450 and Plant Genetic Engineering* pp. 20-23 (1999)

Steindler C, Matteucci A, Sessa G, Weimar T, Ohgishi M, Aoyama T, Morelli G, and Ruberti I: Shade Avoidance Responses are Mediated by the ATHB-2 HD-Zip Protein, a Negative Regulator of Gene Expression. *Development*, **126**, 4235-4245 (1999)

Kobayashi Y, Kaya H, Goto K, Iwabuchi M, and Araki T: A Pair of Related Genes with Antagonistic Roles in Mediating Flowering Signals. *Science*, **286**, 1960-1962 (1999)

Sawa S, Watanabe K, Goto K, Kanaya E, Morita EH, and Okada K: *FILAMENTOUS FLOWER*, a Meristem and Organ Identity Gene of *Arabidopsis*, Encodes a Protein with a Zinc Finger and HMG-Related Domains. *Genes & Dev.*, **13**, 1079-1088 (1999)

## III. Biological Information Science

Ogata H, Goto S, Sato K, Fujibuchi W, Bono H and Kanehisa M: KEGG: Kyoto Encyclopedia of Genes and Genomes. *Nucleic Acids Res.*, **27**, 29-34 (1999)

Kawashima S, Ogata H and Kanehisa M: AAindex: amino acid index database. *Nucleic Acids Res.*, **27**, 368-389 (1999)

Goto S, Nishioka T and Kanehisa M: LIGAND database for enzymes, compounds, and reactions. *Nucleic Acids Res.*, **27**, 377-379 (1999)

Wackett L P, Ellis L B M, Speedie S M, Hershberger C D, Knackmuss H-J, Spormann A M, Walsh C T, Forney L J, Punch W F, Kazic T, Kanehisa M and Berndt D J: Predicting microbial biodegradation pathways. *ASM News*, **65**, 87-93 (1999)

Kanehisa M: KEGG: From genes to biochemical pathways. In "Bioinformatics: Databases and Systems" (Letovsky S, ed.), pp. 63-76, Kluwer Academic Publishers (1999)

Tomii K and Kanehisa M: Systematic detection of protein structural motifs, In "Pattern Discovery in Biomolecular Data" (Wang J T L, Shapiro B A and Shasha D, eds.), pp.97-110, Oxford Univ. Press (1999)

Bono H, Nakao M and Kanehisa M: Cluster analysis of genome-wide expression profiles to predict gene functions with KEGG, *Nature Genetics*, **23** (3s), 33-34 (1999)

Fujibuchi W and Kanehisa M: Gene cluster analysis, *Suuri Kagaku*, **432**, 12-18 (1999) (in Japanese)

Goto S: Simulation of metabolic network, *bit*, **31** (6), 18-23 (1999) (in Japanese)

Kawashima S and Kanehisa M: Knowledge base of biological function based on genome information, *Iden*, **53**(8), 28-31 (1999) (in Japanese)

Kanehisa M: GenomeNet, *bit*, **31**(8), 28-33 (1999) (in Japanese)

Kawashima S and Kanehisa M: Pathway database - Making a database of biological activities in a cell, *bit*, **31**(9), 63-70 (1999) (in Japanese)

Goto S: Bioinformatics, *Chemistry Today*, **344**, 50-55 (1999) (in Japanese)

Nakao M, Bono H, Kawashima S, Kamiya T, Sato K, Goto S and Kanehisa M: Genome-scale gene expression analysis and pathway reconstruction in KEGG, *Genome Informatics*, **10**, 94-103 (1999)

Goto S, Shiraishi K, Okamoto K, Ishida H, Nakatani T, Deno T and Kanehisa M: Ortholog identifiers for integration of genomic and pathway information in KEGG, *Genome Informatics*, **10**, 204-205 (1999)

Park K-J and Kanehisa M: Prediction of nuclear localization signals by HMM, *Genome Informatics*, **10**, 261-262 (1999)

Hattori M and Kanehisa M: Detection of apoptotic domains against KEGG database by the HMM search, *Genome Informatics*, **10**, 267-268 (1999)

Kawashima S, Kawashima T, Nishida H, Makabe K W and Kanehisa M: MAGEST: ESTs and gene expression pattern database for *Halocynthia roretzi* maternal cDNA, *Genome Informatics*, **10**, 274-275 (1999)

Sato K X, Goto S and Kanehisa M: Unit-based de novo drug design using a library of protein-ligand interaction sites, *Genome Informatics*, **10**, 320-321 (1999)

## NUCLEAR SCIENCE RESEARCH FACILITY

### I. Particle and Photon Beams

### II. Beams and Fundamental Reaction

Ao H, Iwashita Y, Shirai T and Noda A: High power model fabrication of Disk-and-Washer cavity, Proc. 24th Linear Accelerator Meeting in Japan, Sapporo, 254-256 (1999) (in Japanese)

Ao H, Iwashita Y, Shirai T, Noda A, Inoue M: Biperiodic Disk-and-Washer Cavity for Electron Acceleration, Proc. of the 1998 Linear Accelerator Conference, Chicago 1998, 255-257 (1998).

Inoue M: Status of Accelerators in Japan, Proc. of the first Asian Particle Accelerator Conference APAC98, 23-27 (1999)

Kawase Y, Shiroya S, Inoue M: An Accelerator-Assisted Nuclear Fuel Assembly for a Future Project at KURRI, Proc. of the 1998 Linear Accelerator Conference, Chicago 1998, 300-302 (1998).

Iwashita Y, Noda A, Shirai T, Morita A, Tadokoro M, Hirota J.I., Umezawa M and Hiramoto K: Novel Design for Electromagnet with Wide Excitation Range, *Jpn. J. Appl. Phys.*, **38**, 895-897 (1999)

Iwashita Y: Beam Tracking in Inflector Septum Magnet of KSR, *Beam Science and Technology*, **4**, 20 (1998)

Iwashita Y: Oscillating Gaussian Distribution, *Beam Science and Technology*, **4**, 21-22 (1998)

Iwashita Y: Multi-Harmonic Impulse Cavity, Proc. of the 1999 Particle Accelerator Conference, New York, March 29- April 2, 3645-3647 (1999)

Iwashita Y, Morita A: MULTI-HARMONIC IMPULSE CAVITY, Proc of the 24th Linear Accelerator Meeting in Japan, July 7-9 Sapporo, Japan 262-264 (1999) (in Japanese)

Iwashita Y, Morita A: High Gradient Field Generation by Multi-Harmonic Superposition, Proc. of the 12th Symposium on Accelerator Science and Technology, Oct. 27-29, Wako, Japan, 215-217 (1999)

Iwashita Y: RF Cavity Design, Text for OHO'99 High Energy Accelerator Seminar, Aug. 31-Sep. 3, KEK, Japan, IIB-1-13 (1999) (in Japanese)

Iwashita Y: 2.5D Cavity Code with High Accuracy, Proc. of the 1998 Linear Accelerator Conference, Chicago 1998, 136-138 (1998).

Urakabe E, Hiramoto K, Inoue M, Iwashita Y, Kanazawa M, Morita A, Nishi M, Norimine T, Noda A, Noda K, Ogawa H, Shirai T, Torikoshi M, Umezawa M, Yamada S, Fujita Y: Beam Profile Control with Use of the Octupole Magnet, *Jpn. J. Appl. Phys.*, **38**, 6145-6149 (1999)

Urakabe E, Kanai T, Kanazawa M, Kitagawa A, Suda M, Iseki Y, Tomitani T, Shimbo M, Torikoshi M, Noda K, Futami Y, Mizota M, Noda A: The Spot Scanning Irradiation with 11C Beams, Proceedings of the Second JAPAN-KOREA Joint Meeting on Medical Physics, 188-191 (1999)

Kapin V, Inoue M, Iwashita Y, Noda A: Design Considerations for Multiple-Beam RFQ Structures, Proc. of the 1998 Linear Accelerator Conference, Chicago 1998, 591-593 (1998).

Kihara T, Okamoto H, Iwashita Y, Oide K, Lamanna G, and Wei J: Three-dimensional laser cooling method based on resonant linear coupling, *Phys. Rev. E*, **59**, 3594-3604 (1999)

Kishimoto Y, Tada M, Shibata M, Kominato K, Ooishi C, Funahashi H, Yamamoto K, Masaie A, and Matsuki S: The CARRACK-2 axion experiment, Proceedings of the second international workshop on the identification of dark matter eds. N. J. C. Spooner and V. Kudryavtsev, 636 - 641 (1999)

Shirai T, Sugimura T, Iwashita Y, Fujita H, Tonguu H, Noda A: Commissioning of an Electron Ring, KSR at Kyoto University, *Science and Technology*, Wako, Japan, 180-182 (1999)

Shirai T, Sugimura T: Control System for the Electron Linac, *Beam Science and Technology*, **4**, 23-25 (1999)

- Shirai T, Sugimura T, Iwashita Y, Fujita H, Tonguu H, Noda A: First Beam Circulation Test of an Electron Storage/Stretcher Ring, KSR, Proc. of the 1999 Particle Accelerator Conference, New York, 1999, 3110-3112 (1999).
- Andreev V, Bissofi G, Comunian M, Lombardi A, Pisent A, Porcellato A.M, Shirai T: Scale Room Temperature Model of the Superconducting RFQ1 for the PIAVE Linac Proc. of the 1998 Linear Accelerator Conference, Chicago 1998, 965-967 (1998).
- Sugimura T, Morita A, Shirai T, Iwashita Y, Fujita H, Tonguu H, Noda A: Extraction system of the electron storage and stretcher ring, KSR, Science and Technology, Wako, Japan, 165-167 (1999)
- Tada M, Kishimoto Y, Kominato K, Shibata M, Funahashi H, Yamamoto K, Masaike A, Matsuki S: CARRACKII - a new large-scale experiment to search for axions with Rydberg-atom cavity detector, Nuclear Physics 72B (1999) 164 -168.
- Tongu H, Shirai T, Fujita H, Sugimura T, Iwashita Y, Noda A: Present status of the Vacuum System of KSR, Proc. of the 12th symposium on Accelerator Science and Technology, Wako, Japan, 290-292 (1999)
- Tongu H, Noda A, Fujita H, Inoue M, Sugimura T, Shirai T, Iwashita Y: Vacuum System of beam transport section for KSR, Beam Science and Technology, 4, 31-32 (1999)
- Noda A: Accelerator Complex of Ion and Electron Storage Rings with their Booster Synchrotron, Beam Science and Technology, 4, 26-30 (1999)
- Noda A, Shirai T, Tonguu H, Sugimura T, Iwashita Y, Morita A and Inoue M: Slow Beam Extraction at KSR with Combination of Third Order Resonance and RFKO, Proc. of the 1999 Particle Accelerator Conference, New York, 1999, 1294-1296 (1999).
- Noda A, Ao H, Iwashita Y, Urakabe E, Kihara T, Sugimura T, Shirai T, Tonguu H, Fujieda M, Fujita H, and Morita A : Activities of Accelerator and Beam Physics Research at Nuclear Science Research Facility, ICR, Kyoto University, Proc. of the 12th Symposium on Accelerator Science and Technology, Wako, Japan, 1999, 51-53 (1999).
- Matsui J, Ishi Y, Itano A, Tsunematsu T, Sako K, Kanazawa M, Torikoshi M, Noda K, Yamada S, Hosono K, Noda A, and Sato K : Magnet System of the Synchrotron for Hyogo Hadron Therapy Center, Proc. of the 12th Symposium on Accelerator Science and Technology, Wako, Japan, 1999, 302-304 (1999).
- Sawada K, Sakata T, Okanishi K, Miyazaki H, Uno K, Akiyama M, Harada H, Itano A, Higashi A, Akagi T, Kitagawa A, Noda K, Yamada S, Torikoshi M, Noda A, and Hosono K : Design Manufacture and Performance Test of the Injector for Hyogo Hadrontherapy Center, Proc. of the 12th Symposium on Accelerator Science and Technology, Wako, Japan, 1999, 367-369 (1999).
- Kokubo T, Ueda S, Itano A, Yamada S, Torikoshi M, Noda K, Noda A, and Sato K: The Accelerator Control System for the Hyogo Hadrontherapy Center, Proc. of the 12th Symposium on Accelerator Science and Technology, Wako, Japan, 1999, 447-449 (1999).
- Noda A, Morita A, Noda K, Kumada M, Hiramoto K and Kubo K : Effect of phase relation between ripples of ring dipole and quadrupole magnets on time structure of the slow extracted beam, Proc. of the 12th Symposium on Accelerator Science and Technology, Wako, Japan, 1999, 456-458 (1999).
- Yanamoto U, Itano A, Arakawa M, Sakai A, Hosono K, Kanazawa M, Noda A, Noda K, Sato K, Torikoshi M, and Yamada S: Beam Position Monitor of the Synchrotron at Hyogo Hadron Therapy Center, Proc. of the 12th Symposium on Accelerator Science and Technology, Wako, Japan, 1999, 507-509 (1999).
- Fujieda M, Iwashita Y, Noda A, Mori Y, Ohmori C, Sato Y, Yoshii M, Blaskiewicz M, Brennan J M, Roser T, Smith K S, Spitz R and Zaltsmann A: Barrier bucket experiment at the AGS, Phys. Rev. ST Accel. Beams 2, 122001 (1999)
- Fujieda M, Iwashita Y, Noda A, Mori Y, Ohmori C, Sato Y, Yoshii M, Blaskiewicz M, Brennan J M, Roser T, Smith K S, Spitz R and Zaltsmann A: MAGNETIC ALLOY LOADED RF CAVITY FOR BARRIER BUCKET EXPERIMENT AT THE AGS, Proc. of the 1999 PAC, 857-859 (1999)
- Ohmori C, Ezura E, Fujieda M, Mori Y, Muramatsu R, Nakayama H, Sato Y, Takagi A, Toda M, Uesugi T, Yamamoto M, Yoshii M, Kanazawa M and Noda K: HIGH FIELD-GRADIENT CAVITIES LOADED WITH MAGNETIC ALLOYS SYNCHROTRONS, Proc. of the 1999 PAC, 413-417 (1999)
- Muramatsu R, Fujieda M, Mori Y, Nakayama H, Ohmori C, Sato Y, Takagi A, Uesugi T, Yamamoto M, Yoshii M, Kanazawa M and Noda K: THE FIRST BEAM ACCELERATION TEST USING HIGH GRADIENT CAVITY AT HIMAC, Proc. of the 1999 PAC, 798-799 (1999)
- Yamamoto M, Fujieda M, Hashimoto Y, Mori Y, Muramatsu R, Ohmori C, Sato Y, Takagi A, Uesugi T and Yoshii M: BEAM LOADING EFFECTS ON HIGH GRADIENT MA-LOADED CAVITY, Proc. of the 1999 PAC, 860-862 (1999)
- Yamamoto M, Fujieda M, Mori Y, Muramatsu R, Ohmori C, Sato Y, Takagi A, Uesugi T, Yoshii M, Kanazawa M and Noda K: MULTI-HARMONIC ACCELERATION WITH HIGH GRADIENT MA CAVITY AT HIMAC, Proc. of the 1999 PAC, 863-865 (1999)
- Sato Y, Fujieda M, Mori Y, Nakayama H, Ohmori C, Muramatsu R, Uesugi T, Yamamoto M, Toda M, Takagi A, Yoshii M, Taniguchi Y and Ohta K: WIDE-BAND PUSH-PULL AMPLIFIER FOR HIGH GRADIENT CAVITY, Proc. of the 1999 PAC, 1007-1009 (1999)
- Koba K, Arakawa D, Fujieda M, Ikegami K, Ishi Y, Kanai Y, Kubota C, Machida S, Mori Y, Ohmori C, Shinto K, Shibuya S, Takagi A, Toyama T, Uesugi T, Watanabe T, Yamamoto M, Yokoi T and Yoshii M : LONGITUDINAL IMPEDANCE TUNER USING HIGH PERMEABILITY MATERIAL, Proc. of the 1999 PAC, 1653-1655 (1999)
- Ueno R, Matoba M, Adachi T, Fujieda M, Ishi S, Koba K, Machida S, Mori Y, Muramatsu R, Ohmori C, Sakai I, Sato Y, Uesugi T, Umezawa K, Yamamoto Y, Yoshii M, Noda K, Kanazawa M and Yamada S : MULTI-ORBIT SYNCHROTRON WITH FFAG FOCUSING FOR ACCELERATION OF HIGH INTENSITY HADRON BEAMS, Proc. of the 1999 PAC, 2271-2273 (1999)
- Blaskiewicz M, Brennan J M, Roser T, Smith K, Spitz R, Zaltsman A, Fujieda M, Iwashita Y, Noda A, Yoshii M, Mori Y, Ohmori C and Sato Y: BARRIER CAVITIES IN THE BROOKHAVEN AGS, Proc. of the 1999 PAC, 2280-2282 (1999)
- Muramatsu R, Fujieda M, Mori Y, Ohmori C, Sato Y, Yamamoto M, Kanazawa M, Noda K: Bunch Rotation using Sawtooth RF, Proc. of the 12th Symposium on Accelerator Science and Technology, 102-103 (1999)



Fujieda M, Iwashita Y, Noda A, Mori Y, Muramatsu R, Ohmori C, Sato Y, Yamamoto M, Yoshii M: Study of Adiabatic Condition on Beam Compression with Barrier Bucket, Proc. of the 12th Symposium on Accelerator Science and Technology, 251-253 (1999)

Koba K, Arakawa D, Fujieda M, Ikegami K, Ishi Y, Kanai Y, Kubota C, Machida S, Mori Y, Ohmori C, Shinto K, Shibuya S, Takagi A, Toyama T, Uesugi T, Watanabe T, Yamamoto M, Yokoi T, Yoshii M : Longitudinal impedance tuner using new material FINEMET, Rev. Sci. Inst., Vol.70, No.7, 2988-2992 (1999)

Matsuki S, Tada M, Kishimoto Y, Shibata M, Kominato K, Ooishi C, Funahashi H, Yamamoto K, and Masaike A: Progress in Kyoto axion search experiment, Proceedings of the second international workshop on the identification of dark matter eds. N. J. C. Spooner and V. Kudryavtsev, 441 - 446 (1999)

Yamamoto K, and Matsuki S: Quantum analysis of the Rydberg atom cavity detector of dark matter axions, Nuclear Physics 72B 132 -136 (1999)

Yamamoto K and Matsuki S: Quantum analysis of Rydberg atom cavity detector for dark matter axion search, Proceedings of the second international workshop on the identification of dark matter eds. N. J. C. Spooner and V. Kudryavtsev, 474 - 479 (1999)

Morita A, Noda A, Inoue M, Shirai T, Iwashita Y, Hiramoto K, Katane M, Tadokoro M, Nishi M and Umezawa M: A Compact Proton Synchrotron With Combined-Function Lattice Dedicated For Cancer Therapy, Proc of the 1999 Particle Accelerator

Conference, 2528-2530 (1999)

Morita A, Noda A, Iwashita Y, Tadokoro M and Umezawa M: Combined Function Magnet for Compact Proton Synchrotron, Proc. of the 12th Symposium on Accelerator Science and Technology, 305-306 (1999)

## RESEARCH FACILITY OF NUCLEIC ACIDS

Kawashima S, Ogata H and Kanehisa M: AAindex: amino acid index database, Nucleic Acids Res., 27, 368-9 (1999)

Kawashima S and Kanehisa M: Knowledge base of biological function based on genome information, Iden, 53(8), 28-31 (1999) (in Japanese)

Kawashima S and Kanehisa M: Pathway database: Making a database of biological activities in a cell, bit, 31(9), 63-70 (1999) (in Japanese)

Nakao M, Bono H, Kawashima S, Kamiya T, Sato K, Goto S and Kanehisa M: Genome-scale gene expression analysis and pathway reconstruction in KEGG, Genome Informatics, 10, 94-103 (1999)

Kawashima S, Kawashima T, Nishida H, Makabe K W and Kanehisa M: MAGEST: ESTs and gene expression pattern database for *Halocynthia roretzi* maternal cDNA, Genome Informatics, 10, 274-5 (1999)