

# PUBLICATIONS

## STATES AND STRUCTURES

### I. Atomic and Molecular Physics

Ito Y, Tochio T, Vlaicu A. M, Mutaguchi K, OoHASHI H, Shigeoka N, Nakata Y, Akahama Y, Uruga T and Emura S: DOUBLE-ELECTRON EXCITATION ABOVE Xe K-EDGE, In the *Abst. of 8<sup>th</sup> International Symposium on Radiation Physics*, 146, June 5-9 (2000)

Vlaicu A. M, Ito Y, Mukoyama T and Bastug: M-SHELL SATELLITE STRUCTURE OF  $^{74}\text{W}$  X-RAY EMISSION LINES, In the *Abst. of 8th International Symposium on Radiation Physics*, 326, June 5-9 (2000)

Ito Y: High Resolution X-ray Emission Spectroscopy, In the *Abst. of 16th International Conference on the Application of Accelerators in Research and Industry CAARI 2000*, FC2, November 1-4 (2000) (invited)

Ito Y, Vlaicu A. M, Tochio T, Mutaguchi K, OoHASHI H, Shigeoka N, Shoji T, Harada J, Emura S and Uruga T: High Energy Tunable X-ray Spectroscopy in Spring-8, In the *Abst. of International Workshop on Physical Properties of Matter by X-ray Absorption and Emission Spectroscopy*, 32-37, July 24-26 (2000)

Vlaicu A. M, Tochio T, Shigeoka N, OoHASHI H, Mutaguchi K, Ito Y, Emura S, Uruga T, Shoji T and Taniguchi K: Resonant Excitation of  $^{74}\text{W}$  L 2 visible satellite in SPRING-8, In the *Abst. of International Workshop on Physical Properties of Matter by X-ray Absorption and Emission Spectroscopy*, 49-51, July 24-26 (2000)

Yamaguchi K, Forray R, Ito Y and Emura S: Linear inverse problem solution of spherical wave XAFS equation, In the *Abst. of The 11<sup>th</sup> International Conference on X-ray Absorption Fine Structure*, P1-013, July 26-31 (2000)

Ito Y, Tochio T, Vlaicu A. M, Mutaguchi K, OoHASHI H, Shigeoka N, Nakata Y, Akayama Y, Uruga T and Emura S: Multielectron transitions in x-ray absorption spectra of Xe, In the *Abst. of The 11<sup>th</sup> International Conference on X-ray Absorption Fine Structure*, P1-030, July 26-31 (2000)

Vlaicu A. M, Ito Y, Shigeoka N, OoHASHI H, Mutaguchi K, Mukoyama T, Melissa G, Wayne S and Fred S: [MO] double electron transitions above  $^{74}\text{W}$  M edge, In the *Abst. of The 11<sup>th</sup> International Conference on X-ray Absorption Fine Structure*, P1-032, July 26-31(2000)

Tochio T, Vlaicu A. M, Shigeoka N, OoHASHI H, Mutaguchi K, Ito Y, Mukoyama T, Nishihata Y, Uruga T and Emura S: The copper  $\text{K}_{1,2}$  emission spectra measurement by monochromatic x-ray excitation, In the *Abst. of The 11<sup>th</sup> International Conference on X-ray Absorption Fine Structure*, P3-007, July 26-31 (2000)

Ito Y, Tochio T, Vlaicu A. M, Mutaguchi K, OoHASHI H, Shigeoka N, Nakata Y, Akahama Y, Uruga T and Emura S: Double-electron excitation in Xe, In the *Abst. of Spring-8 User Experiment Report*, No.4, 8 (2000)

Nishihata Y, Ito Y, Vlaicu A, Emura S, Mizuki J, Inami T, Uruga T, Yoshikado S, Shoji T, OoHASHI H, Nakanishi Y and Mutaguchi K: EXAFS study on the Debye-Waller factor of perovskite crystals, In the *Abst. of Spring-8 User Experiment*

*Report*, No.4, 19 (2000)

Iwazumi T, Nakamura T, Shoji H, Kobayashi K, Kishimoto S, Katano R, Isozumi Y and Nanao S: Magnetic circular Dichroism of Gd 3d-2p and 4d-2p X-ray emission in ferromagnetic Gd-Co amorphous, *J. Phys. Chem. Solids*, **61**, 453-456 (2000)

Ohsawa D, Masaoka S, Katano R and Isozumi Y: Resolution of position-sensitive proportional-counter with a resistive anode wire of carbon fiber, *Applied Radiation and Isotopes*, **52**, 943-954 (2000)

Masaoka S, Katano R and Isozumi Y: Electric discharge of helium-filled proportional counter at liquid helium temperature, *Nucl. Instrum. Methods Phys. Res. B*, **160**, 172-181 (2000)

Nakamura T, Shoji H, Nanao S, Iwazumi T, Kishimoto S, Katano R and Isozumi Y: Magnetic circular Dichroism of the x-ray-emission spectra for the  $2p \rightarrow 1s$  decay in Co metal, *Phys. Rev. B*, **62**, 5301-5304 (2000)

Isozumi Y, Masaoka S, Katano Y, Shimizu H: Helium-filled Proportional Counter and its new Application, *Housyasen*, **26**, 3-13 (2000) (in Japanese)

Nakamatsu H and Mukoyama M: Assignment of Ce XANES spectra for  $\text{CeO}_2$  and  $\text{CeO}_{1.75}$  and effect of oxygen vacancy, *Adv. Quantum Chem.*, **37**, 111-125 (2000)

Sekine R, Tanaka K, Onoe J, Takeuchi K, Nakamatsu H: Analysis of chemical bond in metal clusters: I. Alkali metal and alkaline earth metals, *Adv. Quantum Chem.*, **37**, 237-254 (2000)

Varga S, Fricke B, Nakamatsu H, Mukoyama M, Anton J, Geschke D, Heitmann A, Engel E and Bastug T: Four-component relativistic density functional calculations of heavy diatomic molecules, *J. Chem. Phys.*, **112**, 3499-3506 (2000)

Tanaka K, Sekine R, Onoe J, Nakamatsu H: On Role of the 3d Atomic Orbital in Chemical Bonding for Sulfur Fluorides, *Adv. Quantum Chem.*, **37**, 375-383 (2000)

Nakamatsu H: Description of Molecular Orbital Method Suitable for Theoretical NEXAFS Spectra, *J. Jpn. Soc. Synchro. Rad. Res.*, **13**, 128-136 (2000) (in Japanese)

Tsuji J, Kojima K, Ikeda S, Nakamatsu H, Mukoyama T and Taniguchi K: Li K Absorption Spectra of Various Li Compounds, *Advances in X-Ray Chemical Analysis, Japan*, **31**, 149-158 (2000) (in Japanese)

Kondo R, Sekine R, Onoe J, Nakamatsu H: Geometric and Electronic Structures of V and Cr Clusters, *J. Surf. Sci. Soc. Jpn.*, **21**, 462-467 (2000)

Hirata M, Bastug T, Tachimori S, Sekine R, Onoe J and Nakamatsu H: Relativistic Density Functional Calculations for Potential Energy Curves of Uranyl Nitrate hydrate, *Adv. Quantum Chem.*, **37**, 325-333 (2000)

Hirata M, Tachimori S, Sekine R, Jun Onoe J, Nakamatsu H: Electronic structures and chemical bonding of actinyl nitrates dihydrates, *Adv. Quantum Chem.*, **37**, 335-351 (2000)

### II. Crystal Information Analysis

Hashimoto S, Ogawa T, Isoda S and Kobayashi T: Electron Diffraction Analysis of Polymorph Structure in Ultra Thin Film of Vanadyl Phthalocyanine on KBr (001), *J. Electron Microscopy*, **48**, 731-738 (1999)

Yoshida K, Isoda S, Tsujimoto M, Yaji T, Nemoto T and Kobayashi T: Combined Microscopic Analyses of Organic Hetero-interface, *J. Electron Microscopy*, **48**, 739-745 (1999)

Suga T, Isoda S, Kobayashi T, Isogai M and Engel M: Structure and UV-VIS Spectra of Nitrido (phthalocyanato) Rhenium (V) (ReNPc) Thin Film, *Mol. Cryst. & Liq. Cryst.*, **337**, 377-380 (1999)

Yoshida K, Isoda S, Kobayashi T, Sato N and Shirofumi I: Dependence of Optical Absorption Spectra on Structures of Bis (1,2-benzoquinonedioximate) Pt (II) Thin Films, *Mol. Cryst. & Liq. Cryst.*, **342**, 121-126 (2000)

Koshino M, Kurata H, Isoda S and Kobayashi T: Branching Ratio and  $L_2+L_3$  Intensities of 3d-Transition Metals in Phthalocyanines and the Amine Complexes, *Micron*, **31**, 373-380 (2000)

Fujiwara E, Irie S, Nemoto T, Isoda S and Kobayashi T: A Scanning Tunneling Microscopy Study on the Monolayer Epitaxy of [Cyano (ethoxycarbonyl) methylene]-4,5-dimethyl-2-ylidene-1,3-dithiole on the (0001) Graphite Surface and its dynamic feature, *Surface Science*, **459**, 390-400 (2000)

Fujiwara E, Isoda S, Hoshino A, Kobayashi T and Yamashita Y: Substituent Effect on Epitaxy of Mono-molecular Layer on HOPG, *Mol. Cryst. & Liq. Cryst.*, **349**, 215-218 (2000)

Yaji T, Isoda S, Kawase N, Kobayashi T and Takeda K: Relaxation of the Stress Produced by Photopolymerization of a Diacetylene Crystal, *Mol. Cryst. & Liq. Cryst.*, **349**, 107-110 (2000)

Kobayashi T: Structure Analysis, 2. Organic Materials, *Dennshi-Kenbikyo*, **35**, 167-168 (2000) (in Japanese)

### III. Polymer Condensed States

Kohjiya S, Horiuchi T, Miura K, Kitagawa M, Sakashita T, Matoba Y and Ikeda Y: Polymer Solid Electrolyte from Amorphous Poly[epichlorohydrin-co-(ethylene oxide)]/Lithium Perchlorate Complex, *Polym. Int.*, **49**, 197-202 (2000)

Kohjiya S and Ikeda Y: Reinforcement of General-Purpose Grade Rubbers by Silica Generated *in situ*, *Rubber Chem. Technol.*, **73**, 534 - 550 (2000)

Kohjiya S and Ikeda Y: Reinforcement of Natural Rubber by Silica Generated *in situ*, *Proc. Japan Acad.*, **76B**, 29-34 (2000)

Nishimoto Y, Takagi S, Kohjiya S and Kuroda S: Properties of Sealing Materials Used for the Compressed Air Energy Storage Gas Turbine (CASE-G/T), *Nippon Gomu Kyokaishi*, **73**, 225-232 (2000) (in Japanese)

Ikeda Y, Wada Y, Matoba Y, Murakami S and Kohjiya S: Elastomeric Comb-Shaped High Molecular Mass Poly(oxyethylene) for Polymer Electrolyte: Morphology and Ionic Conductivity, *Rubber Chem. Technol.*, **73**, 720-730 (2000)

Kohjiya S *et al.*: Encyclopedia of Rubber, Asakurasyoten (2000) (in Japanese)

Murakami S, Elinor L B and Kohjiya S: Structural Development of PEN/PET Blend Film during Drawing at High Temperature,

*J. Soc. Mat. Sci., Japan*, **49**, 1263-1269 (2000) (in Japanese)

Ohta M, Hyon S H, Kang Y B, Oka M, Tsutsumi S, Murakami S and Kohjiya S: Wear Properties and Mechanical Properties of Slightly Cross-Linked Ultra-High Molecular Weight Polyethylene Crystallized Under Uniaxial Compression, *J. Soc. Mat. Sci., Japan*, **49**, 1301-1305 (2000) (in Japanese)

Kawamura T, Urayama K, Fukahori Y and Kohjiya S: Analysis of Strain Energy Density Function of Elastomers, *J. Soc. Rubber Ind., Jpn.*, **73**, 6-13 (2000) (in Japanese)

Urayama K, Yokoyama K and Kohjiya S: Low-temperature Behavior of Deswollen Poly(dimethylsiloxane) Networks, *Polymer*, **41**, 3273-3278 (2000)

Pralle M, Urayama K, Tew G, Neher D, Wegner G and Stupp S: Piezoelectricity in Polar Supramolecular Materials, *Angew. Chem. Int. Ed.*, **39**, 1486-1489 (2000)

De Sarkar M, Urayama K, Kawamura T and Kohjiya S: Swelling Behavior of Poly(butadiene) Gels in Liquid Crystal Solvents, *Liquid Crystals*, **27**, 795-800 (2000)

Kohjiya S, Urayama K and Takigawa T: Recent Progress in Polymeric Materials. Polymer Network Systems, *J. Soc. Mat. Sci. Jpn.*, **49**, 692-698 (2000) (in Japanese)

Kawamura T, Urayama K and Kohjiya S: Small Angle X-ray Scattering Study on Role of Trapped Entanglements in Structure of Swollen End-linked Poly(dimethylsiloxane) Networks, *J. Chem. Phys.*, **112**, 9105-9111 (2000)

Urayama K, Tsuji M and Neher D: Layer-Thinning Effects on Ferroelectricity and the Ferroelectric-to-paraelectric Phase Transition of Vinylidene fluoride Trifluoroethylene Copolymer Layers, *Macromolecules*, **33**, 8269-8279 (2000)

Ikeda Y, Wada Y, Matoba Y, Murakami S and Kohjiya S: Characterization of Comb-shaped High Molecular Weight Poly(oxyethylene) with Tri(oxyethylene) Side Chains for a Polymer Solid Electrolyte, *Electrochimica Acta*, **45**, 1167-1174 (2000)

Murakami S: Development of Heating / Drawing Device for in site X-Ray Diffraction Measurement of Polymer Films during Uniaxial Drawing, *NIPPON KAGAKU KAISHI*, 141-146 (2000) (in Japanese)

Kawaguchi A, Murakami S, Fujiwara M and Nishikawa Y: Dynamical Observation of Structure Transition of Polymers Using an X-ray Diffraction System with Imaging Plates. II. Crystalline Transition of Poly(butylene terephthalate), *J. Polym. Sci., Part B: Polym. Phys.*, **38**, 838-845 (2000)

Toasaka M, Hamada N, Yamakawa M, Tsuji M and Kohjiya S: Molecular Packing in the New Unit Cell of Poly (*p*-hydroxybenzoic acid) Whisker Crystal, *Comput. Theor. Polym. Sci.*, **10**, issue 3, 355-364 (2000)

Yamaguchi S, Tatemoto M and Tsuji M: Fine Structure in the Emulsion Particles of Fluoro Rubbers and Fluoro Resins, *Kobunshi Ronbunshu*, **57**, 59-66 (2000) (in Japanese)

Shimizu T, Tosaka M, Tsuji M and Kohjiya S: In situ TEM Observation of Natural Rubber Thin Films Crystallized under Molecular Orientation, *Nippon Gomu Kyokaishi*, **73**, 274-276 (2000) (in Japanese)

Tsuji M, Shimizu T and Kohjiya S: TEM Studies on Thin Films of Natural Rubber and Polychloroprene Crystallized under Molecular Orientation. II. Highly Prestretched Thin Films,

*Polym. J.*, **32**, 505-512 (2000)

Kawahara Y, Ohara M, Tsuji M and Kikutani T: Surface Morphology of High-speed Spun Poly(ethylene terephthalate) Fibers, *J. Text. Mach. Soc. Jpn. (English Ed.)*, **46**, 5-6 (2000)

Tsuji M and Fujita M: Analysis of Higher-Order Structures in Molded Plastics (3) - Morphological Observations: Electron Microscopy (SEM, TEM) -, *Seikei-Kakou*, **12**, 313-317 (2000) (in Japanese)

Kawahara Y, Tsuji M, Hananouchi T, Tamura H, Kimura T and Kohjiya S: Fibrillation Behavior of Silk Fibers from Japanese-oak-silkworm (*Antheraea yamamai*), *Sen'i Gakkaishi*, **56**, 462-465 (2000)

Kuwabara K, Kaji H, Tsuji M and Horii F: Crystalline-Noncrystalline Structure and Chain Diffusion Associated with the 180° Flip Motion for Polyethylene Single Crystals As Revealed by Solid-State <sup>13</sup>C NMR Analyses, *Macromolecules*, **33**, 7093-7100 (2000)

Senoo K, Endo K, Murakami S and Tosaka M: Crystallization of Newly Synthesized Syndiotactic Graft Copolymers, *Chem. Lett.*, **No. 3**, 278-279 (2000)

Tosaka M, Kamijo T, Tsuji M, Kohjiya S, Ogawa T, Isoda S and Kobayashi T: High-Resolution Transmission Electron Microscopy of Crystal Transformation in Solution-Grown Lamellae of Isotactic Polybutene-1, *Macromolecules*, **33**, 9666-9672 (2000)

## INTERFACE SCIENCE

### I. Solutions and Interfaces

Wakai C, Saito H, Matubayasi N, and Nakahara M: Tumbling and Spinning Diffusions of Acetonitrile in Water and Organic Solvents, *J. Chem. Phys.*, **112**, 1462-1473 (2000).

Matubayasi N and Nakahara M: Super- and Subcritical Hydration of Nonpolar Solutes. I. Thermodynamics of hydration, *J. Chem. Phys.*, **112**, 8089-8109 (2000).

Sato H, Matubayasi N, Nakahara M, and Hirata F: Which Carbon Oxide is More Soluble? Ab Initio Study on Carbon Monoxide and Carbon Dioxide in Aqueous Solution, *Chem. Phys. Lett.*, **323**, 257-262 (2000).

Matubayasi N, Tsujino Y, and Nakahara M: Structure and Thermodynamics of Aqueous Solution of Nonpolar Solutes in Supercritical Conditions, *Proc. 13th International Conference of Water and Steam.*, **13**, 426-432 (2000).

Nakahara M, Wakai C, Tsujino Y, and Matubayasi N: *In-situ* NMR Study of Hydrothermal Reactions of Hazardous Chlorinated Organic Compounds: CH<sub>2</sub>Cl<sub>2</sub>, *Proc. 13th International Conference of Water and Steam.*, **13**, 456-463 (2000).

Matubayasi N and Nakahara M: Theory of Solutions in the Energetic Representation. I. Formulation, *J. Chem. Phys.*, **113**, 6070-6081 (2000).

Matubayasi N and Nakahara M: Association and Dissociation of Nonpolar Solutes in Super- and Subcritical Water, *J. Phys. Chem. B*, **104**, 10352-10358 (2000).

Matubayasi N, Nakao N, and Nakahara M: Dynamic Structural Analysis of Supercritical Water, *Koatsu-ryoku no Kagaku to*

*Gijutsu (Rev. High Pressure Sci. Tech.)*, **10**, 283-289 (2000) (in Japanese).

Tatsumi K, Conard J, Nakahara M, Menu S, Lauginie P, Sawada Y, and Ogumi Z: Low temperature <sup>7</sup>Li NMR investigations on Lithium inserted into carbon anodes for rechargeable Lithium-ion cells, *J. Power Sources*, **81-82**, 397-400 (1999).

Bossev DP, Matsumoto M, and Nakahara M: <sup>19</sup>F NMR Study of Molecular Aggregation of Lithium Perfluorooctylsulfonate in Water at Temperatures from 30 to 250 °C, *J. Phys. Chem. B*, **104**, 155-158 (2000).

Ibuki K, Ueno M, and Nakahara M: Analysis of Concentration Dependences of Electrical Conductances for 1:1 Electrolytes in Sub- and Supercritical Water, *J. Phys. Chem. B*, **104**, 5139-5150 (2000).

Yonezawa T, Toshima N, Wakai C, Nakahara M, Nishinaka M, Tominaga T, Nomura H: Structure of monoalkyl-monocationic surfactants on the microscopic three-dimensional platinum surface in water, *Colloids and Surfaces A*, **169**, 35-45 (2000).

Shibata T, Matsuoka T, Koda S, Nomura H, Wakai C, and Nakahara M: Effects of the addition of a diluent on the translational and reorientational molecular motions in 4-cyano-4'-penthylbiphenyl, *J. Mol. Liquids*, **85**, 219-227 (2000).

Watanabe H, Sato T, Osaki K, Matsumoto M, Bossev DP, McNamee CE, and Nakahara M: Linear Viscoelastic Behavior for Perfluorooctyl Sulfonate Micelles: Effects of Counterion, *Rheologica Acta*, **39**, 110-121 (2000).

Matsumoto M, McNamee CE, Bossev DP, Nakahara M, and Ogawa T: Structure of salted-out, solubilized micelles and microemulsions on the perfluorinated anionic surfactant tetraethylammonium perfluorooctyl sulfonate studied by cryogenic transmission electron microscopy, *Colloid. Polym. Sci.*, **278**, 619-628 (2000).

Yamasaki Y, Enomoto H, Yamasaki N, and Nakahara M: NMR Study of Hydrothermal Reactions of Dichloromethane with and without Alkali, *Bull. Chem. Soc. Jpn.*, **73**, 2687-2693 (2000).

Nakahara M: Twenty-sixth International Conference on Solution and Chemistry: Preface, *Pure Appl. Chem.*, **71**(9), vi (1999).

Nakahara M: In-situ NMR Observation of Supercritical Water as a Novel Reaction Medium, *Jasco Report, New Technology in Supercritical Conditions*, **4**, 57-62 (2000) (in Japanese).

Nakahara M: Solution Chemistry of the Twenty-first Century, *Denki Kagaku oyobi Kougyou Butsuri Kagaku*, **68**, 1028-1029 (2000) (in Japanese).

Yamamoto S, Ejaz M, Tsujii Y, Matsumoto M, and Fukuda T: Surface Interaction Forces of Well-Defined, High-Density polymer Brushes Studied by Atomic Force Microscopy. 1. Effect of Chain Length, *Macromolecules*, **33**, 5602-5607 (2000).

Imanishi Y, Miura, Y, Iwamoto, M, Kimura S and Umemura J: Surface Potential Generation by Helical Peptide Monolayers and Multilayers on Gold Surface, *Proc. Japan Acad.*, **75B**, 287-290 (1999).

Miura, Y, Kimura S, Kobayashi S, Iwamoto, M, Imanishi Y and Umemura J: Negative Surface Potential Produced by Self-assembled Monolayers of Helix Peptides Oriented Vertically to a Surface, *Chem. Phys. Lett.*, **315**, 1-6 (1999).

Umemura J and Sakai H: Hurdles in FT-IR External Reflection Measurements of Langmuir Monolayers on the Water Surface,

*Fourier Transform Spectroscopy: Twelfth International Conference*, Itoh K and Tasumi M, Eds., Waseda University Press, Tokyo, pp. 127-128 (1999).

Tano T and Umemura J: FT-IR Study of the Interaction of Cholesterol with Dimyristoyl-phosphatidylcholine in Black Films, *Fourier Transform Spectroscopy: Twelfth International Conference*, Itoh K and Tasumi M, Eds., Waseda University Press, Tokyo, pp. 391-392 (1999).

Hasegawa T, Hatada Y, Nishijo, J, Umemura J, Huo Q and Leblanc R M: Unique Hydrogen Bonding Network Structure Formed Between Two Langmuir-Blodgett Films Studied by Infrared Reflection-Absorption Spectrometry, *Fourier Transform Spectroscopy: Twelfth International Conference*, Itoh K and Tasumi M, Eds., Waseda University Press, Tokyo, pp. 401-402 (1999).

Hasegawa T, Nishijo, J and Umemura J: Separation of Raman Spectra from Fluorescence Emission Background by Principal Component Analysis, *Chem. Phys. Lett.*, **317**, 642-646 (2000).

Huo Q, Russev S, Hasegawa T, Nishijo, J, Umemura J, Pucetti G, Russell K C and Leblanc R M: A Langmuir Monolayer with a Nontraditional Molecular Architecture, *J. Am. Chem. Soc.* **122**, 7890 - 7897 (2000).

Hasegawa T, Nishijo, J and Umemura J: Analysis of Monolayer Formation of  $\alpha$ -Mycolic Acid Derived from Mycobacterium bovis BCG Pasteur Strain by Infrared Reflection-Absorption Spectrometry with Two-dimensional Correlation Analysis, *Two-dimensional Correlation Spectroscopy (AIP CP503)*, Ozaki Y and Noda I, Eds., American Institute of Physics, College Park, pp.265-268 (2000).

Okamura E, Kakitsubo R, and Nakahara M: NMR Determination of the Delivery Site of Local Anesthetics in Phospholipid Bilayer Membranes, *Prog. Anesth. Mech.*, **6**, 542-547 (2000).

Okamura E: NMR Study of Drug Deliveries from Water to Lipid Bilayer Membranes - Anesthetics and Endocrine Disruptors, *Maku (Membrane)*, **25**, 174-176 (2000) (in Japanese).

Okamura E and Nakahara M: NMR Study on Delivery of Endocrine Disruptors from Water to Model Biomembranes, *Hyomen (Reviews and Topics on Surface Science & Technology Avant-garde)*, **38**, 538-547 (2000) (in Japanese).

Kimura Y, Yamaguchi T and Hirota N: Photo-excitation dynamics of phenol blue, *Phys. Chem. Chem. Phys.*, **2**, 1415-1420 (2000).

Yamaguchi T: Vibrational overtone dephasing in liquids under the influence of non-Gaussian noise, *J. Chem. Phys.*, **112**, 8530-8533 (2000).

Yamaguchi T, Kimura Y and Hirota N: Vibrational energy relaxation of azulene in the S<sub>2</sub> state I: Solvent species dependence, *J. Chem. Phys.*, **113**, 2772-2783 (2000).

Yamaguchi T, Kimura Y and Hirota N: Vibrational energy relaxation of azulene in the S<sub>2</sub> state II: Solvent density dependence" *J. Chem. Phys.*, **113**, 4340-4348 (2000).

Yamaguchi T and Kimura Y: Effects of the solute-solvent and solvent-solvent attractive interactions on solute Diffusion, *Mol. Phys.*, **98**, 1553-1563 (2000).

## II. Molecular Aggregates

Sato N, Yoshida H. and Tsutsumi K: Unoccupied Electronic Structure in Organic Thin Films Studied by Inverse Photoemission Spectroscopy, *J. Mater. Chem.*, **10**, 85-89 (2000).

Yoshida K, Isoda S, Nemoto T, Kobayashi T, Sato N and Shirovani I: Dependence of Optical Absorption Spectra on Structures of Bis (1,2-benzoquinonedioximate) Pt (II) Thin Films, *Mol. Cryst. Liq. Cryst.*, **342**, 121-126 (2000).

Ashwell G J, N. Dyer A N, Green A, Sato N and Sakuma T: Monolayer Films of U-shaped Molecules: Suppression of the Aggregation-Induced Second-Harmonic Generation of Squaraine Dyes by Guest-Host Interactions, *J. Mater. Chem.*, **10**, 2473-2476 (2000).

Asami K and Irimajiri A: Dielectrospectroscopic Monitoring of Early Embryogenesis in Single Frog Embryos, *Phys. Med. Biol.*, **45**, 3285-3297 (2000).

Asami K, Takahashi K and Shirahige K: Progression of Cell Cycle Monitored by Dielectric Spectroscopy and Flow-Cytometric Analysis of DNA Content, *Yeast* **16**, 1359-1363 (2000).

Asami K: Perspective of Dielectric Spectroscopy in Biotechnology, *Seibutsu Kougaku Kaishi*, **78**, 1051 (2000) (in Japanese).

Asami K: Monitoring of Cell Division Cycle of Yeast by Dielectric Spectroscopy, *Seibutsu Kougaku Kaishi*, **78**, 1058-1062 (2000) (in Japanese).

Asami K, Okazaki T, Nagai Y and Nagaoka Y: Alamethicin Ion Channels Formed in Lipid Bilayers, *Maku*, **25**, 166-167 (2000) (in Japanese).

## III. Hydrospheric Environment Analysis

Sohrin Y, Iwamoto S, Matsui M, Obata H, Nakayama E, Suzuki K, Handa N and Ishii M: The Distribution of Fe in the Australian Sector of the Southern Ocean, *Deep-Sea Res. I*, **47**, 55-84 (2000)

Umetani S, Kawase Y, Quyen L T H and Matsui M: Acylpyrazolone Derivatives of High Selectivity for Lanthanide Metal Ions: Effect of the Distance between the Two Donating Oxygens, *J. Chem. Soc., Dalton Trans.*, 2787-91 (2000)

Fujino O, Umetani S, Ueno E, Shigeta K and Matsuda T: Determination of Uranium and Thorium in Apatite Minerals by Inductively Coupled Plasma Atomic Emission Spectrometry with Solvent Extraction Separation into Diisobutyl Ketone, *Anal. Chim. Acta*, **420**, 65-71 (2000)

Fukuda R, Sohrin Y, Saotome N, Fukuda H, Nagata T and Koike I: East-West Gradient in Ecto-enzyme Activities in the Subarctic Pacific: Possible Regulation by Zinc, *Limnol. Oceanogr.*, **45**, 930-39 (2000)

## SOLID STATE CHEMISTRY

### I. Artificial Lattice Alloys

Baczewski L T, Mibu K, Nagahama T and Shinjo T: Magnetic Anisotropy in Co/Nd Multilayers with Depth-Selectively Inserted <sup>57</sup>Fe Probe Layer, *Acta Physica Polonica A*, **97**, 439-442 (2000).

Shigeto K, Shinjo T and Ono T: Injection of a Magnetic Domain

Wall into a Submicron Magnetic Wire, *Appl. Phys. Lett.*, **75**, 2815-2817 (1999).

Mibu K, Tanaka S, Almokhtar M, Nakanishi A, Kobayashi T and Shinjo T: Magnetism of Ultrathin Cr Layers and Fe/Cr Multilayers Studied by  $^{119}\text{Sn}$  Probes, *Hyper. Int.*, **126**, 367-370 (2000).

Yokoyama Y, Suzuki Y, Yuasa S, Ando K, Shigeto K, Shinjo T, Gogol P, Miltat J, Thiaville A, Ono T and Kawagoe T: Kerr Microscopy Observations of Magnetization Process in Microfabricated Ferromagnetic Wires, *J. Appl. Phys.*, **87**, 5618-5620 (2000).

Nagahama T, Mibu K and Shinjo T: Electric Resistance of Magnetic Domain Wall in NiFe Wires with CoSm Pinning Pads, *J. Appl. Phys.*, **87**, 5648-5650 (2000).

Shigeto K, Okuno T, Shinjo T, Suzuki Y and Ono T: Magnetization Switching of a Magnetic Wire with Trilayer Structure Using Giant Magnetoresistance Effect, *J. Appl. Phys.*, **88**, 6636-6644 (2000).

Almokhtar M, Mibu K, Nakanishi A, Kobayashi T and Shinjo T: Magnetism of Cr in V/Cr Multilayers Studied by  $^{119}\text{Sn}$  Mössbauer Spectroscopy, *J. Phys. Condensed Matter*, **12**, 9247-9257 (2000).

Takeda M, Mibu K, Takanashi K, Himi K, Endoh Y, Shinjo T and Fujimori H: Spin Density Wave in Epitaxial Cr (001)/Sn and Cr (001)/Au Multilayers with Nonmagnetic Spacer Layers, *J. Phys. Soc. Jpn.*, **69**, 1590-1593 (2000).

Shinjo T, Shigeto K, Nagahama T, Mibu K and Ono T: Studies on Magnetization Reversal in Submicron Wires and Domain Wall Behaviors, *J. Phys. Soc. Jpn.*, **69**, Suppl. A, 91-98 (2000).

Yokoyama Y, Shigeto K, Gogol P, Miltat J, Thiaville A, Kawagoe T, Suzuki Y, Ono T, Shinjo T, Yuasa S and Ando K: Kerr Microscope Observation of Microfabricated NiFe Wires, *Nippon Oyo Jiki Gakkaishi*, **24**, 555-558 (2000) (in Japanese).

Ono T, Miyajima H, Shigeto K and Shinjo T: Study of Magnetic Domain Formation and Domain Wall Propagation Using the Giant Magnetoresistance Effect, *Nippon Oyo Jiki Gakkaishi*, **24**, 1136-1141 (2000) (in Japanese).

Mibu K, Almokhtar M, Tanaka S, Nakanishi A, Kobayashi T and Shinjo T: Reduction of Magnetic Moments in Very Thin Cr Layers of Fe/Cr Multilayers: Evidence from  $^{119}\text{Sn}$  Mössbauer Spectroscopy, *Phys. Rev. Lett.*, **84**, 2243-2246 (2000).

Shinjo T and Mibu K: Magnetism in Thin Cr Layers Studied Using  $^{119}\text{Sn}$  Mössbauer Probes, *Riken Review*, **27**, 3-6 (2000).

Shinjo T, Okuno T, Hassdorf R, Shigeto K and Ono T: Magnetic Vortex Core Observation in Circular Dots of Permalloy, *Science*, **289**, 930-932 (2000).

## II. Quantum Spin Fluids

Wakimoto S, Ueki S, Endoh Y, Yamada K: Systematic study of short range antiferromagnetic order and the spin-glass state in lightly doped  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ , *Phys. Rev. B*, **62**, 3547-53 (2000)

Kimura H, Lee C H, Hirota K, Yamada K, Shirane G: Structural Instability Associated with the Tilting of  $\text{CuO}_6$  Octahedron in  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ , *J. Phys. Soc. Jpn.*, **69**, 851-57 (2000)

Lee C H, Yamada K, Endoh Y, Shirane G, Birgeneau R J, Kastner

M A, Greven M, Greven, Kim Y J: Energy Spectrum of Spin Fluctuations in the Superconducting  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$  ( $x=0.10, 0.15, 0.18$  and  $0.25$ ), *J. Phys. Soc. Jpn.* **69**, 1170-76 (2000)

Matsuda M, Lee Y S, Greven M, Kastner M A, Birgeneau R J, Yamada K, Endoh Y, Bonni P, Lee S-H, Wakimoto S, Shirane G: Freezing of anisotropic spin clusters in  $\text{La}_{1.98}\text{Sr}_{0.02}\text{CuO}_4$ , *Phys. Rev. B*, **61**, 4326-33 (2000)

Hamada K, Takagi S, Murata D, Matsuura M, Hiraka H, Yamada K., Endoh Y: Development of itinerant-electron antiferromagnetism in the approach to metal-insulator transition in metallic  $\text{NiS}_{2-x}\text{Se}_x$ , as studied by  $^{77}\text{Se}$  NMR, *Physica B*, **281&282**, 641-643 (2000)

Matsuura M, Hiraka H, Yamada K, Endoh Y: Magnetic phase diagram and metal-insulator transition of  $\text{NiS}_{2-x}\text{Se}_x$ , *J. Phys. Soc. Jpn.* **69**, 1503-08 (2000)

Kimura H, Matsushita H, Hirota K, Endoh Y, Yamada K, Shirane G, Lee Y S, Kastner M A, Birgeneau R J: Incommensurate geometry of the elastic peaks in superconducting  $\text{La}_{1.88}\text{Sr}_{0.12}\text{CuO}_4$ , *Phys. Rev. B*, **61**, 14366-69 (2000)

Matsuda M, Fujita M, Yamada K, Birgeneau R J, Kastner M A, Hiraka H, Endoh Y, Wakimoto S, Shirane G: Static and dynamical spin correlations in the spin-glass phase of slightly doped  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ , *Phys. Rev. B*, **62**, 9148-54 (2000)

Katano S, Sato M, Yamada K, Suzuki T, Fukase T: Enhancement of static antiferromagnetic correlations by magnetic field in a superconductor  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$  with  $x=0.12$ , *Phys. Rev. B*, **62**, R14677-R147680 (2000)

Suzuki T, Fukase T, Wakimoto S, Yamada K: Anomalous change of the sound velocity in  $\text{La}_2\text{CuO}_{4+d}$ , *Physica B*, **479-480**, 284-88 (2000)

Fukase T, Shinoda T, Oshima Y, Suzuki T, Chiba K, Goto T, Yamada K.: Elastic anomalies induced by spin-flop in  $\text{La}_{1.88}\text{Sr}_{0.12}\text{CuO}_4$ , *Physica B*, **483-484**, 284-88 (2000)

Endoh Y, Fukuda T, Wakimoto S, Arai M, Yamada K, Bennington S M: Dynamical magnetic susceptibility in the optimum doped LSCO with  $T_c=37\text{K}$ , *J. Phys. Soc. Jpn.*, **69**, Suppl. B. 16-21 (2000)

Fujita M: Spin dynamics of the spin-Peierls system  $\text{CuGeO}_3$  using pulsed neutron scattering, *J. Phys. Soc. Jpn.*, **69**, Suppl. B. 59-64 (2000)

## III. Multicomponent Materials

Okamoto J, Miyauchi H, Sekine T, Shidara T, Koide T, Amemiya K, Fujimori A, Saitoh T, Tanaka A, Takeda Y and Takano M: Magnetic Circular X-Ray Dichroism Study of  $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$ , *Phys. Rev. B*, **62**, 4455-4458 (2000).

Furubayashi Y, Terashima T, Takano M, Yagi K, Shima S and Terauchi H: Epitaxial Growth of Single-Crystalline Thin Film of Two-Legged Spin Ladder Compound  $\text{Ca}_{14}\text{Cu}_{24}\text{O}_{41}$ , *Advances in Superconductivity XII: Proceedings of the 12th International Symposium on Superconductivity (ISS'99), Oct. 17-19, 1999, Morioka, Japan (ed. Yamashita T and Tanabe K), Springer-Verlag, Tokyo*, 104-106 (2000).

Kojima K M, Someya M, Motoyama N, Eisaki H, Uchida S, Furubayashi Y, Terashima T and Takano M: Charge Dynamics of  $\text{A}_{14}\text{Cu}_{24}\text{O}_{41}$  Ladder Compounds in Two Ends:  $\text{Sr}_{14}$  and  $\text{Ca}_{14}$ ,

*Advances in Superconductivity XII: Proceedings of the 12th International Symposium on Superconductivity (ISS'99), Oct. 17-19, 1999, Morioka, Japan (ed. Yamashita T and Tanabe K), Springer-Verlag, Tokyo, 179-181 (2000).*

Saito T, Terashima T, Azuma M, Takano M, Goto T, Ohta H, Utsumi W, Bordet P and Johnston D C: Single Crystal Growth of the High Pressure Phase of  $(VO)_2P_2O_7$  at 3 GPa, *J. Solid State Chem.*, **153**, 124-131 (2000).

Larkin M I, Fudamoto Y, Gat I M, Kinkhabwala A, Kojima K M, Luke G M, Merrin M, Nachumi B, Uemura Y J, Azuma M, Saito T and Takano M: Crossover from Dilute to Majority Spin Freezing in Two Leg Ladder System  $Sr(Cu, Zn)_2O_3$ , *Phys. Rev. Lett.*, **85**, 1982-1985 (2000).

Fujiwara N, Azuma M and Takano M: NMR Study of Zn-Doped  $SrCu_2O_3$  near the Ordering Point, *Physica B*, **284-288**, 1392-1393 (2000).

Ishii K, Yamashita A, Ohishi K, Akimitsu J, Kadono R, Kobayashi N, Takano M and Hiroi Z: Appearance of Magnetic Long-Range Order in the Spin Ladder Compound  $La_{1-x}Sr_xCuO_{2.5}$ , *Physica B*, **289-290**, 165-167 (2000).

Fujiwara N, Saito T, Azuma M and Takano M: NMR Study of the Critical Behavior near the Ordering Point in a Zn-Doped Spin Ladder  $SrCu_2O_3$ , *Phys. Rev. B*, **61**, 12196-12199 (2000).

Thurber K R, Imai T, Saitoh T, Azuma M, Takano M and Chou F C:  $63Cu$  NQR Evidence of Dimensional Crossover to Anisotropic 2D Regime in  $S=1/2$  Three-Leg Ladder  $Sr_2Cu_3O_5$ , *Phys. Rev. Lett.*, **84**, 558-561 (2000).

Azuma M, Saito T, Hiroi Z, Takano M, Narumi Y and Kindo K: New  $S=1/2$  Alternating Chain Compound - High Pressure Form of  $(VO)_2P_2O_7$ , *ACTA Physica Polonica A*, **97**, 205-208 (2000).

Utsumi W, Katayama Y, Mizutani T, Shimomura O, Yamakata M, Azuma M and Saito T: In situ X-Ray Diffraction Experiments under High Pressures and High Temperatures at BL14B1 Beamline, *Nihon Kessyo Gakkaishi*, **42**, 59-67 (2000) (in Japanese).

Hiroi Z, Okumura M, Yamada T and Takano M: Coexistence of  $S=1/2$  Antiferromagnetic Chains and Dimers on Hole-Doped  $CuO_2$  Chains in  $Ca_{1-x}CuO_2$ , *J. Phys. Soc. Jpn.*, **69**, 1824-1833 (2000).

Ohsugi S, Kitaoka Y, Azuma M, Fujishiro Y and Takano M: Antiferromagnetic Long-Range Order in Ni-Doped Spin-Ladder Compound  $SrCu_2O_3$ , *Physica B*, **281&282**, 665-666 (2000).

Ohtani T, Kawasaki S, Takano M, Harima Y, Chika T and Kirino S: Magnetic Susceptibility of Deintercalated Tunnel Compound of  $K_xCr_5Se_8$  and Mossbauer Spectra of  $K_x(Cr_{0.9557}Fe_{0.05})_5Se_8$ , *Mol. Cryst. and Liq. Cryst.*, **341**, 39-44 (2000).

Azuma M, Saito T and Takano M: Two New Quantum Spin Compounds:  $S=1/2$  Alternating Chain System, High Pressure Form of  $(VO)_2P_2O_7$  and 2D Spin Trimer Compound  $La_4Cu_3MoO_{12}$ , *J. Phys. Soc. Jpn.*, **69**, 108-113 (2000).

Azuma M, Odaka T, Takano M, Griend D A V, Poepplmeier K R, Narumi Y, Kindo K, Mizuno Y and Maekawa S: Antiferromagnetic Ordering of  $S=1/2$  Triangles in  $La_4Cu_3MoO_{12}$ , *Phys. Rev. B*, **62**, R3588-R3591 (2000).

Yamada T, Hiroi Z, Takano M, Nohara M and Takagi H: Spin-1/2 Heisenberg Antiferromagnetic Chains in the Frustrated Spinell Lattice of  $GeCu_2O_4$ , *J. Phys. Soc. Jpn.*, **69**, 1477-1483 (2000).

## IV. Amorphous Materials

Takaishi D, Jin J, Uchino T and Yoko T: Structural Study of  $PbO-B_2O_3$  Glasses by X-ray Diffraction and  $^{11}B$  MAS NMR Techniques, *J. Am. Ceram. Soc.*, **83**, 2543-48 (2000)

Jin J, Sakida S, Yoko T and Nogami M: The local structure of Sm-doped aluminosilicate glasses prepared by sol-gel method, *J. Non-Cryst. Solids*, **262**, 183-190 (2000)

Uchino T, Kitagawa Y and Yoko T: Structure, Energies, and Vibrational Properties of Silica Rings in  $SiO_2$  Glass, *Phys. Rev. B*, **61**(1), 234-240 (2000).

Uchino T, Nakaguchi K, Nagashima Y and Kondo T: Prediction of Optical Properties of Commercial Soda-Lime-Silicate Glasses Containing Iron, *J. Non-Cryst. Solids*, **261**, 72-78 (2000).

Uchino T and Yoko T, Structure and Vibrational Properties of Alkali Phosphate Glasses from ab Initio Molecular Orbital Calculations, *J. Non-Cryst. Solids*, **263&264**, 180-188 (2000).

Uchino T, Takahashi M and Yoko T: Structure and Formation Mechanism of  $Ge E'$  Center from Divalent Defects in Ge-doped  $SiO_2$  Glass, *Phys. Rev. Lett.*, **84**(7), 1475-1478 (2000).

Uchino T, Takahashi M and Yoko T: Model of Oxygen-Deficiency-Related Defects in  $SiO_2$  Glass, *Phys. Rev. B*, **62**(5), 2983-2986 (2000).

Uchino T, Clary D C and Elliott S R: Mechanism of Photo-induced Changes in the Structure and Optical Properties of Amorphous  $As_2S_3$ , *Phys. Rev. Lett.*, **85**(15), 3305-3308 (2000).

Uchino T, Takahashi M and Yoko T: Structure and Paramagnetic Properties of Defect Centers in Ge-doped  $SiO_2$  glass: Localized and Delocalized  $Ge E'$  centers *Phys. Rev. B*, **62**(23), 15303-15306 (2000).

Takahashi M and Yoko T: The films prepared by Sol-Gel Method, *J. Cryst. Grow.*, **29**, 2000, 29 (In Japanese)

Monde T, Fukube H, Nemoto F, Yoko T and Konakahara T: Preparation and Surface Properties of Silica-Gel Coating Films Containing Branched-Polyfluoroalkylsilane, *J. Non-Cryst. Solids*, **246**, 54-64 (1999)

Kamiusuki T, Monde T, K. Yano, Yoko T and Konakahara T: Preparation of Branched-Polyfluoroalkylsilane-Coated Silica-Gel Columns and their HPLC Separation Characteristics, *Chromatographia*, **49**, 649-656 (1999)

Kamiusuki T, Monde T, K. Yano, Yoko T and Konakahara T: Interaction between a Solute Molecule and a Fluorocarbon Bonded Layer in Reversed-Phase High-Performance Liquid Chromatography, *J. Colloid and Interface Science*, **220**, 123-127 (1999)

Kamiusuki T, Monde T, Nakayama N, Yano K, Yoko T and Konakahara T: Separation Behavior of Various Organic Compounds on Branched-Polyfluoroalkylsilane Coated Silica Gel Columns, *J. Chromat. Sci.*, **37**, 388-394 (1999)

Kozuka H, Takahashi Y, Zhao G and Yoko T: Preparation and Photoelectrochemical Properties of Porous Thin Films Composed of Submicron  $TiO_2$  Particles, *Thin Solid Films.*, **358**, 172-79 (2000)

Kondo Y, Kuroiwa Y, Sugimoto N, Manabe T, Ito S, Yoko T and Nakamura A: Ultraviolet Irradiation Effect on the Third-Order Optical Nonlinearity of  $CuCl$  microcrystallite-Doped Glass, *J.*

*Opt. Soc. Am. B*, **17**, 548-554 (2000)

Narushima S, H. Hosono, Jin J, Yoko T and Shimakawa K: Electronic Transport and Optical Properties of Proton-Implanted Amorphous  $2\text{CdO} \cdot \text{GeO}_2$  Films, *J. Non-Cryst. Solids*, **274**, 313-8 (2000)

Sakida S, Jin J and Yoko T: X-Ray Diffraction Study of  $\text{MO-TeO}_2$  (M= Zn and Ba) Glasses”, *Phys. Chem. Glasses*, **41**, 65-70 (2000)

Sakida S, Hayakawa S and Yoko T:  $^{125}\text{Te}$  and  $^{51}\text{V}$  Static NMR Study of  $\text{V}_2\text{O}_5\text{-TeO}_2$  Glasses, *J. Phys. Condensed Matter*, **12**, 2579-95 (2000)

## FUNDAMENTAL MATERIAL

### PROPERTIES

#### I. Molecular Rheology

Watanabe H: Viscoelasticity and Dynamics of Entangled Polymers, *Prog. Polym. Sci.*, **24**, 1253-1403 (1999).

Matsumiya Y, Watanabe H, and Osaki K: Comparison of Dielectric and Viscoelastic Relaxation Functions of cis-Polyisoprenes: Test of Tube Dilution Molecular Picture, *Macromolecules*, **33**, 499-506 (2000).

Karatasos K, Anastasiadis SH, Pakula T, and Watanabe H: On the Loops to Bridges Ratio in Ordered Triblock Copolymers: An Investigation by Dielectric Relaxation Spectroscopy and Computer Simulations”, *Macromolecules*, **33**, 523-541 (2000).

Sato T, Watanabe H, and Osaki K: Thermoreversible Physical Gelation of Block Copolymers in a Selective Solvent”, *Macromolecules*, **33**, 1686-1691 (2000).

Watanabe H, Sato T, and Osaki K: Concentration Dependence of Loop Fraction in Styrene-Isoprene-Styrene Triblock Copolymer Solutions and Corresponding Changes in Equilibrium Elasticity, *Macromolecules*, **33**, 2545-2550 (2000).

Watanabe H, Kilbey SM, and Tirrell M.: A Scaling Model for Osmotic Energy of Polymer Brushes, *Macromolecules*, **33**, 9146-9151 (2000).

Watanabe H, Sato T, Osaki K, Matsumoto M, Bossev DP, McNamee CE, and Nakahara M: Linear Viscoelastic Behavior of Perfluorooctyl Sulfonate Micelles: Effects of Counter-Ion”, *Rheol. Acta*, **39**, 110-121 (2000).

Watanabe H, Matsumiya Y, and Osaki K: Tube Dilution Process in Star-Branched cis-Polyisoprenes, *J. Polym. Sci. Part B: Polym. Phys.*, **38**, 1024-1036 (2000).

Matsumiya Y. and Watanabe H: Entanglement Relaxation of Branched Polymers: Constraint Release and Dynamic Tube Dilation.”, *Kobunshi Ronbunshu*, **57**, 618-628 (2000) (in Japanese)

Kakiuchi M, Aoki Y, Watanabe H, and Osaki K: Dielectric Behavior of PVC Gels and Sols in Dioctyl Phthalate.”, *J. Soc. Rheol. Japan*, **28**, 197-198 (2000).

Y. Takahashi, M. Noda, M. Naruse, T. Kanaya, H. Watanabe, T. Kato, M. Imai, and Y. Matsushita: Apparatus for Small-Angle Neutron Scattering and Rheological Measurements under Sheared Conditions, *J. Soc. Rheol. Japan*, **28**, 187-191 (2000).

Osaki K, Inoue T and Isomura T: Stress Overshoot of Polymer Solutions at High Rates of Shear, *Journal of Polymer Science: Part B: Polymer Physics*, **38**, 1917-1925 (2000).

Osaki K, Inoue T and Isomura T: Stress Overshoot of Polymer Solutions at High Rates of Shear; Polystyrene with Bimodal Molecular Weight Distribution, *Journal of Polymer Science: Part B: Polymer Physics*, **38**, 2043-2050 (2000).

Osaki K, Inoue T and Isomura T: Stress Overshoot of Polymer Solutions at High Rates of Shear: Semidilute Polystyrene Solutions with and without Chain Entanglement, *Journal of Polymer Science: Part B: Polymer Physics*, **38**, 3271-3276 (2000).

Inoue T: Viscoelasticity and Birefringence of Amorphous Polymers in the Glass Transition Zone, *J. Soc. Rheol. Japan*, **28**, 167-175 (2000).

Inoue T, Fujiwara K, Ryu D-S, Osaki K, Fuji M and Sakurai K: Viscoelasticity and Birefringence of Low Birefringent Polyesters, *Polymer J.*, **32**, 411-414 (2000).

Inoue T, Onogi T and Osaki K: Dynamic Birefringence of Oligostyrene Polystyrene, *Journal of Polymer Science: Part B: Polymer Physics*, **38**, 954-964 (2000).

Inoue T, Osaki K, Morishita H, Tamura H and Sakamoto S: Viscoelasticity and Morphology of Soft Polycarbonate as a Substitute for Poly (vinyl Chloride), *Zairyo*, **49**, 1291-1297 (2000).

Inoue T, Nomura S, Ogawa T and Osaki K: Sub-Relaxation of Bisphenol A Polycarbonate Studied with Dynamic Birefringence, *Zairyo*, **49**, 1298-1301 (2000).

#### II. Polymer Materials Science

Matsuba G, Kaji K, Nishida K, Kanaya T and Imai M: Conformational Change and Orientational Fluctuations Prior to the Crystallization of Syndiotactic Polystyrene, *Macromolecules*, **32**, 8932-8937 (1999).

Nishida K, Shibata M, Kanaya T and K. Kaji: Incompatibility of Polyelectrolyte Solutions - Mixed Solutions of PSSNa and PVSNa, *Polymer*, **42**, 1501-1505 (2000).

Kanaya T, Buchenau U, Koizumi S, Tsukushi I and K. Kaji: Non-Gaussian Behavior of Crystalline and Amorphous Phases of Polyethylene, *Phys. Rev.*, **B61**, R6451-R6454 (2000).

Kanaya T, Tsukushi I, Kaji K, Bartos J and Kristiac J: Heterogeneity of Amorphous Polymers as Studied by Quasielastic Neutron Scattering and Positron Annihilation Spectroscopy, *J. Phys. IV France*, **10**, 317-320 (2000).

Yamamuro O, Harabe K, Matsuo T, Takeda K, Tsukushi I and Kanaya T: Boson Peaks of Glassy Mono- and Polyalcohols Studied by Inelastic Neutron Scattering, *J. Phys.: Condens. Matter*, **12**, 5143-5154 (2000).

Takeshita H, Kanaya T, Nishida K and Kaji K: Ultra-small-angle Neutron Scattering Studies on Phase Separation of Poly(vinyl alcohol) Gels, *Phys. Rev.*, **E61**, 2125-2128 (2000).

Matsuba G, Kanaya T, Saito M, Kaji K and Nishida K: Further Evidence of Spinodal Decomposition during the Induction Period of Polymer Crystallization: Time-resolved Small-angle X-ray Scattering Prior to Crystallization of Poly (ethylene naphthalate), *Phys. Rev.*, **E62**, R1496-R1500 (2000).

Kaji K: Crystalline and Amorphous Polymers, Applications of Neutron Scattering to Soft Condensed Matter, ed by B. J. Gabrys, Gordon and Breach Science Publishers, Australia, Chapter 5, 107-161 (2000).

### III. Molecular Dynamic Characteristics

Kuwabara K, Kaji H, Tsuji M, Horii F: Crystalline-Noncrystalline Structure and Chain Diffusion Associated with the 180° Flip Motion for Polyethylene Single Crystals As Revealed by Solid-State <sup>13</sup>C NMR Analyses, *Macromolecules*, **33**, 7093-7100 (2000)

Ohira Y, Horii F, Nakaoki T: Crystal Transformation Behavior and Structural Changes of the Planar Zigzag Form for Syndiotactic Polypropylene, *Macromolecules*, **33**, 5566-5573 (2000)

Kuwabara K, Kaji H, Horii F: Solid-State <sup>13</sup>C NMR Analyses for the Structure and Molecular Motion in the Relaxation Temperature Region for Metallocene-Catalyzed Linear Low-Density Polyethylene, *Macromolecules*, **33**, 4453-4462 (2000)

Nakaoki T, Yamanaka T, Ohira Y, Horii F: Dynamic FT-IR Analysis of the Crystallization to the Planar Zigzag Form for Syndiotactic polypropylene, *Macromolecules*, **33**, 2718-2721 (2000).

Ohira Y, Horii F, Nakaoki T: Spontaneous Crystallization Process of the Planar Zigzag Form at 0 °C from the Melt for Syndiotactic Polypropylene, *Macromolecules*, **33**, 1801-1806 (2000)

Schacht J, Zugenmaier P, Buivydas M, Komitov L, Stebler B, Langerwall S T, Gouda F, Horii F: Intermolecular and Intramolecular Reorientations in Nonchiral Smectic Liquid-Crystalline Phases Studied by Broadband Dielectric Spectroscopy, *Phys. Rev. E*, **61**, 3926-3935 (2000)

Kuwabara K, Horii F, Ogawa Y: Solid-State NMR Analyses of the Crystalline Phase Transitions for 1, 20-eicosanediol Crystals, *J. Mol. Struct.*, **525**, 163-171 (2000)

Masuda K, Kaji H, Horii F: CP/MAS <sup>13</sup>C NMR Analyses of Hydrogen Bonding and the Chain Conformation in the Crystalline and Noncrystalline Regions for Poly (vinyl alcohol) Films. *J. Polym. Sci. Polym. Phys. Ed.*, **38**, No.1, 1-10 (2000)

Horii F: Analyses by Spectroscopic Methods, *Encyclopedia of Cellulose*, Asakura, Tokyo, 2000, p.87-92 (in Japanese)

Horii, F: New Cellulosic Materials, *Comverttech*, **28**, No.2, 54-56 (2000) (in Japanese)

Kawanishi H, Tsunashima T, Horii F: Dynamic Light Scattering Study of Structural Changes of Cellulose Diacetate in Solution under Couette Flow, *Macromolecules*, **33**, No.6, 2092-2097 (2000)

Tsunashima Y: Polymer Chain Dynamics in Solution in Couette Flow, *Statistical Physics*, Tokuyama M and Stanley H E, Eds., Amer. Inst. Phys. New York, 2000, pp.326-328

Tsunashima, Y: Dilute Solution Properties of Cellulose Derivatives, *Encyclopedia of Cellulose*, Asakura, Tokyo, 2000, p.253-257 (in Japanese)

Kaji H, Schmidt-Rohr K: Conformation and Dynamics of Atactic Poly(acrylonitrile). 1. Trans/Gauche Ratio from Double-Quantum Solid-State <sup>13</sup>C NMR of the Methylene Groups, *Macromolecules*, **33**, 5169-5180 (2000).

Tsunashima Y, Suzuki S: Dynamics of a High-Molecular-Weight PS-PMMA Diblock Copolymer in Mixed Selective Solvents: 1. Unimer-Micelle Coexistence, *J. Phys. Chem., B*, **103**, No.41, 8675-8685 (1999)

Kurata M and Tsunashima Y: *Viscosity-Molecular Weight Relationships and Unperturbed Dimensions of Linear Chain Molecules*, *Polymer Handbook*, 4th ed.; Brandrup J and Immergut E H, Eds., John Wiley & Sons, New York, 1999, **Chapter VII**, pp. 1-83

## ORGANIC MATERIALS CHEMISTRY

### I. Polymeric Materials

Fukuda T, Goto A and Ohno K: (Feature Article) Mechanisms and Kinetics of Controlled Radical Polymerizations, *Macromol. Rapid Commun.*, **21**, 151-165 (2000).

Fukuda T and Goto A: Kinetics of Living Radical Polymerization, *ACS Symp. Ser.*, **768**, 27-38 (2000).

Goto A and Fukuda T: Comparative Study on Activation Rate Constants for Some Styrene/Nitroxide Systems, *Macromol. Chem. Phys.*, **201**, 2138-2142 (2000).

Goto A, Tsujii Y and Fukuda T: Effects of Acetic Anhydride on the Activation and Polymerization Rates in Nitroxide-Mediated Polymerization of Styrene, *Chem. Lett.*, 788-789 (2000).

Ejaz M, Ohno K, Tsujii Y and Fukuda T: Controlled Grafting of a Well-Defined Glycopolymers on a Solid Surface by Surface-Initiated Atom Transfer Radical Polymerization, *Macromolecules*, **33**, 2870-2874 (2000).

Yamamoto S, Ejaz M, Tsujii Y, Matsumoto M and Fukuda T: Surface Interaction Forces of Well-Defined, High-Density Polymer Brushes Studied by Atomic Force Microscopy. 1. Effect of Chain Length, *Macromolecules*, **33**, 5602-5607 (2000).

Yamamoto S, Ejaz M, Tsujii Y and Fukuda T: Surface Interaction Forces of Well-Defined, High-Density Polymer Brushes Studied by Atomic Force Microscopy. 2. Effect of Graft Density, *Macromolecules*, **33**, 5608-5612 (2000).

Yamamoto S, Tsujii Y and Fukuda T: Atomic Force Microscopic Study of Stretching Single Polymer Chain in Polymer Brush, *Macromolecules*, **33**, 5995-5998 (2000).

Okamura H, Miyazono K, Minoda M, Komatsu K, Fukuda T and Miyamoto T: Synthesis of Highly Water-Soluble C<sub>60</sub> End-Capped Vinyl Ether Oligomers with Well-Defined Structure, *J. Polym. Sci., Polym. Chem. Ed.*, **38**, 3578-3585 (2000).

Minoda M, Wataoka I, Fukuda T and Miyamoto T: Controlled Synthesis of Poly(macromonomer)s and their Properties, *Kasen-Kouenshu*, **57**, 81-88 (2000) (in Japanese).

Fukuda T: Comments on 'Living Polymerization: Rationale for Uniform Terminology' by Darling et al., *J. Polym. Sci., Polym. Chem. Ed.*, **38**, 1719-1720 (2000).

### II. High-Pressure Organic Chemistry

Ohtsuki T, Masumoto K, Shikano K, Sueki K, Tanaka T, Komatsu K: Direct Preparation of Radioactive Fullerenes as a Tracer for Applications, *Biological Trace Element Research*, **71-72**, 489-498 (1999).



Nagel P, Pasler V, Lebedkin S, Soldatov A, Meingast C, Sundqvist B, Persson P-A, Tanaka T, Komatsu K, Buga S, Inaba A: C<sub>60</sub> One- and Two-dimensional Polymers, Dimers, and Hard Fullerite: Thermal Expansion, Anharmonicity, and Kinetics of Depolymerization, *Chem. Rev. B.*, **60**, 16920-16927 (1999).

Komatsu K, Fujiwara K, Tanaka T, Murata Y: The Fullerene Dimer C<sub>120</sub> and Related Carbon Allotropes, *Carbon*, **38**, 1529-1534 (2000).

Komatsu K, Fujiwara K, Murata Y: The Fullerene Cross-Dimer C<sub>130</sub>: Synthesis and Properties, *Chem. Commun.*, **2000**, 1583-1584.

Komatsu K, Fujiwara K, Murata Y: The Mechanochemical Synthesis and Properties of the Fullerene Trimer C<sub>180</sub>, *Chem. Lett.*, **2000**, 1016-1017.

Nishinaga T, Izukawa Y, Komatsu K: The First Cyclic  $\pi$ -Conjugated Silylium Ion: The Silatropylium Ion Annelated with Rigid  $\sigma$ -Frameworks, *J. Am. Chem. Soc.*, **122**, 9312-9313 (2000).

Matsuura A, Nishinaga T, Komatsu K: The Structural Studies on the Radical Cations of Benzene, Naphthalene, Biphenylene, and Anthracene Fully Annelated with Bicyclo[2.2.2]octene Frameworks, *J. Am. Chem. Soc.*, **122**, 10007-10016 (2000).

Komatsu K, Murata Y, Kato N: Solid-State Reaction of C<sub>60</sub> with N-Containing Aromatics to Give Novel Addition Products, *Fullerenes 2000: Functionalized Fullerenes*, **9**, 20-27 (2000).

Cho HS, Kim SK, Kim D, Fujiwara K, Komatsu K: Ultrafast Energy Relaxation Dynamics of C<sub>120</sub>, a [2+2]-bridged C<sub>60</sub> Dimer, *J. Phys. Chem. A*, **104**, 9666-9669 (2000).

Murata Y, Komatsu K: Mechanochemistry: Application to the Chemistry of Fullerenes, *Kikan Fullerene*, **8** (No.2), 137-151 (2000) (in Japanese).

Komatsu K, Murata Y: Organic Chemistry of Fullerenes: A Fascinating Molecule, C<sub>60</sub>, *Gendai-Kagaku*, **2000**, No. 351, 46-53 (in Japanese).

Komatsu K: Organic Reactions without Solvent, New Trends in Organic Synthesis, *Kikan Kagaku Sosetsu*, **2000**, 163-175 (in Japanese).

## SYNTHETIC ORGANIC CHEMISTRY

### I. Synthetic Design

Yamaguchi S, Jin R-Z, Itami Y, Goto T and Tamao K: The First Synthesis of Well-Defined Poly(2,5-silole), *J. Am. Chem. Soc.*, **121**, 10420-10421 (1999).

Kawachi A and Tamao K: Structures of [(Amino)phenylsilyl]lithiums and Related Compounds in Solution and in the Solid State, *J. Am. Chem. Soc.*, **122**, 1919-1926 (2000).

Yamaguchi S, Akiyama S and Tamao K: Tri-9-anthrylborane and Its Derivatives: New Boron-Containing-Electron Systems with Divergently Extended-Conjugation through Boron, *J. Am. Chem. Soc.*, **122**, 6335-6336 (2000).

Yamaguchi S, Akiyama S and Tamao K: Photophysical Properties Changes Caused by Hypercoordination of Organosilicon Compounds: From Trianthrylfluorosilane to Trianthryldifluorosilicate, *J. Am. Chem. Soc.*, **122**, 6793-6794 (2000).

Tamao K, Asahara M, Saeki T and Toshimitsu A: Enhanced Nucleophilicity of Ambiphilic Silylene and Silylenoid Bearing 8-(Dimethylamino)-1-naphthyl Group, *J. Organomet. Chem.*, **600**, 118-123 (2000).

Kawachi A and Tamao K: Mixed Reagent (Aminosilyl)lithium/i-PrMgBr for the Synthesis of Functionalized Oligosilanes, *J. Organomet. Chem.*, **601**, 259-266 (2000).

Tamao K and Yamaguchi S: Introduction to the Chemistry of Interelement Linkage, *J. Organomet. Chem.*, **611**, 3-4 (2000).

Tamao K and Yamaguchi S: New Type of Polysilanes: Poly(1,1-silole)s, *J. Organomet. Chem.*, **611**, 5-11 (2000).

Tamao K, Asahara M and Toshimitsu A: Trimerization of a Divalent Silicon Species Bearing the 8-Dimethylamino-1-naphthyl Group Accompanied by the Migration of Methyl and Dimethylamino Groups, *Chem. Lett.*, 658-659 (2000).

Tamao K, Asahara M, Saeki T, Feng S-G, Kawachi A and Toshimitsu A: Nucleophilic Addition of a Divalent Silicon Species Bearing the 8-Dimethylamino-1-naphthyl Group to Diphenylacetylenes to Form the 1-Amino-1-silaphenylene Skeleton, *Chem. Lett.*, 660-661 (2000).

Kawachi A, Maeda H and Tamao K: Stereoselective Formation of Cyclopropylsilane through Intramolecular Rearrangement of [(Allyloxy)dimesitylsilyl]lithiums, *Chem. Lett.*, 1216-1217 (2000).

Yamaguchi S, Endo T, Uchida M, Izumizawa T, Furukawa K and Tamao K: Toward New Materials for Organic Electroluminescent Devices: Synthesis, Structures, and Properties of a Series of 2,5-Diaryl-3,4-diphenylsiloles, *Chem. Eur. J.*, **6**, 1683-1692 (2000).

Tamao K, Tsuji H, Terada M, Asahara M, Yamaguchi S and Toshimitsu A: Conformation Control of Oligosilanes Based on Configurationally Constrained Bicyclic Disilane Units, *Angew. Chem. Int. Ed.*, **39**, 3287-3290 (2000).

Yamaguchi S, Goto T and Tamao K: Silole-Thiophene Alternating Copolymers with Narrow Band Gaps, *Angew. Chem. Int. Ed.*, **39**, 1695-1697 (2000).

Tamao K: New Aspects of Pentacoordinate Organosilicon Compounds Based on the X-ray Structure Determination, *The Rigaku-Denki Journal*, **31**, 32-37 (2000) (in Japanese).

Tamao K: New Discoveries Impossible with a Sole Chemist, *Journal of Synthetic Organic Chemistry, Japan*, **58**, 450-452 (2000) (in Japanese).

### II. Fine Organic Synthesis

Kawabata T, Suzuki H, Nagae Y, Fuji K: A Chiral Nonracemic Enolate with Dynamic Axial Chirality: Direct Asymmetric  $\alpha$ -Methylation of  $\alpha$ -Amino Acid Derivatives, *Angew. Chem. Int. Ed.*, **39**, 2155-2157 (2000)

Kawabata T, Fuji K: Memory of Chirality: Alkylation of Amino Acid Derivatives, *J. Syn. Org. Chem. Jpn.*, **58**, 1095-1099 (2000)

Kawabata T, Chen J, Suzuki H, Nagae Y, Kinoshita T, Chancharunee S, Fuji K: Memory of Chirality in Diastereoselective Alkylation of Isoleucine and *allo*-Isoleucine Derivatives, *Org. Lett.*, **2**, 3883-3885 (2000)

Tsubaki K, Tanaka H, Furuta T, Kinoshita T, Fuji K: Recognition

of the Chain Length of Diamines by a *meso*-Ternaphthalene Derivative with Two Crown Ethers, *Tetrahedron Lett.*, **41**, 6089-6093 (2000)

Tsubaki K, Mukoyoshi K, Ohtsubo T, Fuji K: The '2+1' Construction of Homooxalix[3]arenes Possessing Different Substituents on Their Upper Rims, *Chem. Pharm. Bull.*, **48**, 882-884 (2000)

Fuji K, Ohnishi H, Moriyama S, Tanaka K, Kawabata T, Tsubaki K: Palladium-Catalyzed Asymmetric Allylic Alkylation with a Chiral Monodentate Phosphine Ligand: 8-Diphenylphosphino-8'-methoxy-1,1'-binaphthyl, *Synlett*, **2000**, 351-352

Takasu, K, Miyamoto H, Tanaka K, Taga T, Bando M, Fuji K: Conformational Difference between Mono- and Diprotonated cis-2,5-Diphenylpiperazinium Salts in the Solid State, *Chem. Pharm. Bull.*, **48**, 2014-2016 (2000)

Fuji K: Asymmetric Synthesis beyond Common Knowledge of Chemistry, *Kagaku to Kogyo*, **74**, 515-519 (2000) (in Japanese)

## BIOORGANIC CHEMISTRY

### I. Organoelement Chemistry

Tokitoh N, Ito M and Okazaki R: New Aspects of Boron-containing Low-Coordinate Compounds, *Main Group Chemistry News*, **7**, 27-36 (2000).

Wakita K, Tokitoh N, Okazaki R and Nagase S: Synthesis and Properties of an Overcrowded Silabenzene Stable at Ambient Temperature, *Angew. Chem. Int. Ed.*, **39**, 636-638 (2000).

Takeda N, Tokitoh N and Okazaki R: Reaction of a Stable Silylene-Isocyanide Complex with Nitrile Oxides: A New Approach to the Generation of a Silanone, *Chem. Lett.*, 244-245 (2000).

Takeda N, Tokitoh N and Okazaki R: A Novel Reaction Mode in the Cycloaddition of Thermally Generated Silylenes with Conjugated Dienes, *Chem. Lett.*, 622-623 (2000).

Hatano K, Tokitoh N, Takagi N and Nagase S: The First Stable Heteracyclopropabenzene: Synthesis and Crystal Structure of a Silacyclopropabenzene, *J. Am. Chem. Soc.*, **122**, 4829-4830 (2000).

Wakita K, Tokitoh N, Okazaki R, Takagi N and Nagase S: Crystal Structure of a Stable Silabenzene and Its Photochemical Valence Isomerization into the Corresponding Silabenzvalene, *J. Am. Chem. Soc.*, **122**, 5648-5649 (2000).

Sasamori T, Takeda N and Tokitoh N: Synthesis of a Stable Stibabismuthene; The First Compound with an Antimony-Bismuth Double Bond, *Chem. Commun.*, 1353-1354 (2000).

Saiki T, Akine S, Goto K, Tokitoh N, Kawashima T and Okazaki R: Structural Elucidation of *m*-Xylylene-Bridged Calix[6]arenes with Four Uncapped Hydroxy Groups, *Bull. Chem. Soc. Jpn.*, **73**, 1893-1902 (2000).

Wakita K, Tokitoh N and Okazaki R: Separation of Orientational Disorder in the X-Ray Analysis of the Kinetically Stabilized 2-Silanaphthalene, *Bull. Chem. Soc. Jpn.*, **73**, 2157-2158 (2000).

Okazaki R and Tokitoh N: Heavy Ketones, the Heavier Element Congeners of a Ketone, *Acc. Chem. Res.*, **33**, 625-630 (2000).

Saiki T, Goto K, Tokitoh N, Goto M and Okazaki R: Syntheses

and Structures of Novel *m*-Xylylene-Bridged Calix[6]arenes: Stabilization of a Sulfenic Acid in the Cavity of Calix[6]arene, *J. Organomet. Chem.*, **611**, 146-157 (2000).

Tokitoh N: New Aspects in the Chemistry of Low-coordinated Interelement Compounds of Heavier Group 15 Elements, *J. Organomet. Chem.*, **611**, 217-227 (2000).

Tokitoh N and Okazaki R: Recent Topics in the Chemistry of Heavier Congeners of Carbenes, *Coord. Chem. Rev.*, **210**, 251-277 (2000).

Tokitoh N and Ando W: Thiirenes and Their Derivatives, Selenirenes, and Tellurirenes., In *Science of Synthesis*, Vol. 9, Eds. Bellus D, Ley S V, Noyori R, Regitz M, Reider P J, Schaumann E, Shinkai I, Thomas E J and Trost B M, Vol. Ed. Maas G, George Thieme Verlag, Stuttgart, New York, 43-65 (2000)

Matsuda T, Harada T, Nakajima N, Itoh T, and Nakamura K: Two Classes of Enzymes of Opposite Stereochemistry in an Organism: One for Fluorinated and Another for Non-fluorinated Substrate, *J. Org. Chem.*, **65**, 157-163 (2000).

Matsuda T, Harada T, Nakajima N, and Nakamura K: Mechanism for Improving Stereoselectivity for Asymmetric Reduction Using Acetone Powder of Microorganism, *Tetrahedron Lett.*, **41**, 4135-4138 (2000).

Matsuda T, Harada T, and Nakamura K: Alcohol Dehydrogenase is Active in Supercritical Carbon Dioxide, *J. Chem. Soc. Chem. Commun.*, 1367-1368 (2000).

Nakamura K, Yamanaka R, Tohi K, and Hamada H: Cyanobacterium-Catalyzed Asymmetric Reduction of Ketones, *Tetrahedron Lett.*, **41**, 6799-6802 (2000).

Nakamura K, Fujii M, and Ida Y: Asymmetric Reduction of Ketones by *Geotrichum candidum* in the Presence of Amberlite XAD, a Solid Organic Solvent, *J. Chem. Soc. Perkin I*, 3205-3211 (2000).

Ishihara K, Yamaguchi H, Hamada H, Nakamura K, Nakajima N: Asymmetric Reduction of  $\alpha$ -Keto Esters with Thermophilic Actinomycete: Purification and Characterization of  $\alpha$ -Keto Ester Reductase from *Streptomyces Thermocyanoeviolaceus* IFO 14271, *J. Mol. Cat. B: Enzymatic*, **10**, 419-428 (2000).

Ishihara K, Yamaguchi H, Hamada H, Nakajima N, Nakamura K: Stereocontrolled Reduction of  $\alpha$ -Keto Esters with Thermophilic Actinomycete, *Streptomyces Thermocyanoeviolaceus* IFO 14271, *J. Mol. Cat. B: Enzymatic*, **10**, 429-434 (2000).

Shioji K, Matsuo A, Okuma K, Nakamura K, Ohno A: Lipase-catalyzed Kinetic Resolution of Racemic Seven-membered Substituted Lactones, *Tetrahedron Lett.*, **41**, 8799-8802 (2000).

Kawai Y, Matsuo T and Ohno A: Kinetic Study on Conformational Effect in Hydrolysis of *p*-Nitroanilides Catalyzed by  $\alpha$ -Chymotrypsin, *J. Chem. Soc., Perkin Trans. 2*, 887-891 (2000).

Kimura T, Tsujimura K, Mizusawa S, Ito S, Kawai Y, Ogawa S and Sato R: Photolytic Preparation, Structure, and Electrochemical Properties of Thianthrene Derivatives Bearing Trithiole and Dithian Rings, *Tetrahedron Lett.*, **41**, 1801-1805 (2000).

Ohno A, Oda S, Ishikawa Y and Yamazaki N: NAD(P)<sup>+</sup>-NAD(P)H Models. 90. Stereoselection Controlled by Electronic Effect of a Carbonyl Group in Oxidation of NAD(P)H Analog, *J. Org. Chem.*, **65**, 6381-6387 (2000).

## II. Bioactive Chemistry

Imanishi M, Hori Y, Nagaoka M and Sugiura Y: DNA-Bending Finger. Artificial Design of 6-Zinc Finger Peptides with Polyglycine Linker and Induction of DNA Bending. *Biochemistry*, **39**, 4383-4390 (2000).

Okuno Y, Iwashita T and Sugiura Y: Structural Basis for Reaction Mechanism and Drug Delivery System of Chromoprotein Antitumor Antibiotic C-1027. *J.Am.Chem.Soc.*, **122**, 6848-6854 (2000).

Hori Y, Suzuki K, Okuno Y, Nagaoka M, Futaki S and Sugiura Y: Artificial Zinc Finger Peptide Containing a Novel His<sub>4</sub> Domain. *J.Am.Chem.Soc.*, **122**, 7648-7653 (2000).

Araki M, Okuno Y and Sugiura Y: Expression Mechanism of the Allosteric Interactions in a Ribozyme Catalysis. *Nucleic Acids Sym.Ser.*, **44**, 205-206 (2000).

Hori Y, Suzuki K, Okuno Y, Nagaoka M, Futaki S and Sugiura Y: The Engineering, Structure, and DNA Binding Properties of a Novel His<sub>4</sub>-Type Zinc Finger Peptide. *Nucleic Acids Sym.Ser.*, **44**, 295-296 (2000).

Sugiura Y: Molecular Mechanisms of DNA Recognition and Function by Bioactive Compounds. *Yakugaku Zasshi*, **120**, 1409-1418 (2000) (in Japanese).

Nagaoka M and Sugiura Y: Artificial Zinc Finger Peptides: Creation, DNA Recognition, and Gene Regulation. *J. Inorg. Biochem.*, **82**, 57-63 (2000).

Futaki S, Suzuki T, Ohashi W, Yagami T, Tanaka S, Ueda K and Sugiura Y: Intracellular Delivery of Synthetic Peptides Mediated by Tat-Related Peptides. Peptide Science 1999, ed by N Fujii, Protein Research Foundation, 241-244 (2000).

Monoï H, Futaki S, Kugimiya S, Minakata H and Yoshihara K: Poly-L-Glutamine Forms Cation Channels. Relevance to the Pathogenesis of the Polyglutamine Diseases. *Biophysical J.*, **78**, 2892-2899 (2000).

Yagami T, Kitagawa K, Aida C, Fujiwara H and Futaki S: Stabilization of a Tyrosine O-Sulfate Residue by a Cationic Functional Group. Formation of a Conjugate Acid-Base Pair. *J.Peptide Res.*, **56**, 239-249 (2000).

Sugiura Y and Nagaoka M: Design and Development of New Reaction Systems Based on Nucleic Acid Recognition. *Kikan Kagaku Sosetsu*, **47**, 231-240 (2000) (in Japanese).

## III. Molecular Clinical Chemistry

Tanaka S, Takehashi M, Matoh N and Ueda K:  $\alpha$ -Synuclein / NACP and neurodegeneration. In "Neuroscientific Basis of Dementia" (C. Tanaka, P. L. McGeer, and Y. Ihara, eds.), Birkhäuser Verlag, Basel, 137-141 (2000)

Tanaka S, Takehashi M, Matoh N, Masliah E and Ueda K: Interaction of NAC with A $\beta$  protein in neuronal cell injury in Alzheimer's disease, *Neurobiol Aging*, **21**, S111 (2000)

Ueda K: Advanced technology in gene diagnosis, *46th Scientific Congress "International Meeting", Egyptian Society of Clinical Chemistry Program & Abstracts*, 8 (2000)

Ueda K: Expanding molecular technology, *2nd IFCC-Roche Conference "Human Genomics; The Basis of the Medicine of*

*Tomorrow"* Abstracts 70 (2000)

Tanaka S, Matoh N, Masliah E and Ueda K: Microsatellite polymorphisms in the *CYP2D* locus in Lewy body diseases, *2nd IFCC-Roche Conference "Human Genomics; The Basis of the Medicine of Tomorrow"*, Abstracts 110 (2000)

Ueda K: Diagnosis of hereditary diseases and bioethics, In "Basics of modern medicine" (Kagawa Y and K Sasazuki, eds), Iwanamishoten, 179-199 (2000) (in Japanese)

Takehashi M, Tanaka S and Ueda K: A pathological role of  $\alpha$ -synuclein in neurodegenerative diseases, *Saishin Igaku*, **55**, 2240-2249 (2000) (in Japanese)

Tanaka S: Gene diagnosis of Alzheimer's disease and related disorders, *Rinsho Byouri*, **48**, 621-624 (2000) (in Japanese)

## MOLECULAR BIOFUNCTION

### I. Chemistry of Molecular Biocatalysts

Sakata K:  $\beta$ -Primeverosidase relationship with floral tea aroma formation during processing of oolong tea and black tea. In "Caffeinated Beverages. Health Benefits, Physiological Effects, and Chemistry, ACS Symposium Series 754," ed. by Parliament, T. H., Ho, C. and Schieberie, P., American Chemical Society, Washington, DC, 2000, pp. 327-335.

Lu Y, Umeda T, Yagi A, Sakata K, Chaudhuri T, Ganguly D K and Sarma S: Triterpenoid saponins from the roots of tea plant (*Camellia sinensis* var. *assamica*). *Phytochemistry*, **53** (8), 941-946 (2000).

Moon J-H, Ma S-J., Lee H-H, Watanabe N, Yagi A, Sakata K and Park K-H: Isolation and structural determination of a novel antimicrobial compound from the root of *Pulsatilla koreana*. *Natural Product Letters*, **14** (4), 311-317 (2000).

Inoue M, Hiratake J, Suzuki H, Kumagai H and Sakata K: Identification of Catalytic Nucleophile of E. coli  $\gamma$ -Glutamyltranspeptidase by  $\gamma$ -Monofluorophosphono Derivative of Glutamic Acid: N-Terminal Thr-391 in Small Subunit is the Nucleophile, *Biochemistry*, **39**, 7764-7771 (2000).

Mano J, Babychuk E, Belles-Boix E, Hiratake J, Kimura A, Inze D, Kushnir S and Asada K: A Novel NADH:diamide Oxidoreductase Activity in Arabidopsis thaliana P1  $\zeta$ -crystallin, *Eur. J. Biochem.* **267**, 3661-3671 (2000).

Fujii R, Hiratake J: Evolution of Enzymes -Artificial Alteration of Enzymes by Directed Evolution, *Chemistry Today*, **354**, 36-43 (2000) (in Japanese).

Hiratake J: Catalytic Antibodies and Enzymes: How do they look alike?, *BIOclinica*, **15**, 1162-1167 (2000) (in Japanese)

Ohta D, Fujimori K, Mizutani M, Nakayama Y, Kunpaisal-Hashimoto R, Munzer S, Kozaki A: Molecular cloning and characterization of ATP-phosphoribosyl transferase from Arabidopsis, a key enzyme in the histidine biosynthetic pathway, *Plant Physiol.*, **122**, 907-14 (2000)

Shimizu B, Fujimori A, Miyagawa H, Ueno T, Watanabe K, Ogawa K: Resistance against fusarium wilt induced by non-pathogenic Fusarium in *Ipomoea tricolor*, *J. Pestic. Sci.*, **25**, 365-372 (2000)

## II. Molecular Microbial Science

Ichiyama S, Kurihara T, Li Y-F, Kogure Y, Tsunasawa S, Esaki N: Novel Catalytic Mechanism of Nucleophilic Substitution by Asparagine Residue Involving Cyanoalanine Intermediate Revealed by Mass Spectrometric Monitoring of an Enzyme Reaction, *J. Biol. Chem.*, **275**, 40804-40809 (2000).

Gutierrez A, Yoshimura T, Fuchikami Y, Esaki N: Modulation of Activity and Substrate Specificity by Modifying the Backbone Length of the Distant Interdomain Loop of D-amino Acid Aminotransferase, *Eur. J. Biochem.*, **267**, 7218-7223 (2000).

Kato S, Mihara H, Kurihara T, Yoshimura T, Esaki N: Gene Cloning, Purification, and Characterization of Two Cyanobacterial NifS Homologs Driving Iron-Sulfur Cluster Formation, *Biosci. Biotechnol. Biochem.*, **64**, 2412-2419 (2000).

Okubo Y, Yokoigawa K, Esaki N, Soda K, Misono H: High Catalytic Activity of Alanine Racemase from Psychrophilic *Bacillus Psychrosaccharolyticus* at High temperatures in the Presence of Pyridoxal 5'-phosphate, *FEMS Microbiol. Lett.*, **192**, 169-173 (2000).

Inoue H, Inagaki K, Adachi N, Tamura T, Esaki N, Soda K: Role of Tyrosine 114 of L-Methionine  $\gamma$ -lyase from *Pseudomonas putida*, *Biosci. Biotechnol. Biochem.*, **64**, 2336-2343 (2000).

Kurihara T, Esaki N: Biogenesis of Iron-sulfur Clusters, *Seikagaku* (in Japanese), **72**, 1266-1269 (2000).

Jhee K-H, Yoshimura T, Miles EW, Takeda S, Miyahara I, Hirotsu K, Soda K, Kawata Y, Esaki N: Stereochemistry of the Transamination Reaction Catalyzed by Aminodeoxychorismate Lyase from *Escherichia coli*: Close Relationship between Fold Type and Stereochemistry, *J. Biochem.*, **128**, 679-686 (2000).

Motoshima H, Inagaki K, Kumasaka T, Furuchi M, Inoue H, Tamura T, Esaki N, Soda K, Tanaka N, Yamamoto M, Tanaka H: Crystal Structure of the Pyridoxal 5'-phosphate Dependent L-Methionine  $\gamma$ -Lyase from *Pseudomonas putida*, *J. Biochem.*, **128**, 349-354 (2000).

Kurihara T, Esaki N, Soda K: Bacterial 2-haloacid Dehalogenases: Structures and Reaction Mechanisms, *J. Mol. Catal. B: Enzymatic.*, **10**, 57-65 (2000).

Nakai T, Mizutani H, Miyahara I, Hirotsu K, Takeda S, Jhee K-H, Yoshimura T, Esaki N: Three-Dimensional Structure of 4-Amino-4-Deoxychorismate Lyase from *Escherichia coli.*, *J. Biochem.*, **128**, 29-38 (2000).

Lacourciere GM, Mihara H, Kurihara T, Esaki N, Stadtman TC: *Escherichia coli* Nifs-like proteins provide selenium in the pathway for the biosynthesis of selenophosphate, *J. Biol. Chem.*, **275**, 23769-23773 (2000).

Mihara H, Kurihara T, Yoshimura T, Esaki N: Kinetic and mutational studies of three NifS homologs from *Escherichia coli*: mechanistic difference between L-cysteine desulfurase and L-selenocysteine lyase reactions, *J. Biochem.*, **127**, 559-567 (2000).

Takita T, Shimizu N, Sukata T, Hashimoto S, Akita E, Yokota T, Esaki N, Soda K, Inoue K, Tonomura B: Lysyl-tRNA Synthetase of *Bacillus stearothermophilus* Molecular Cloning and Expression of the Gene, *Biosci. Biotechnol. Biochem.*, **64**, 432-437 (2000).

Mihara H, Kurihara T, Watanabe T, Yoshimura T, Esaki N: cDNA

Cloning, Purification, and Characterization of Mouse Liver Selenocysteine Lyase. Candidate for selenium delivery protein in selenoprotein synthesis, *J. Biol. Chem.*, **275**, 6195-200 (2000)

Fujii T, Maeda M, Mihara H, Kurihara T, Esaki N, Hata Y: Structure of a NifS Homologue: X-ray Structure Analysis of CsdB, an *Escherichia coli* Counterpart of Mammalian Selenocysteine Lyase. *Biochemistry*, **39**, 1263-1273 (2000).

Shimoni Y, Kurihara T, Ravazzola M, Amherdt M, Orci L, Schekman R: Lst1p and Sec24p cooperate in sorting of the plasma membrane ATPase into COPII vesicles in *Saccharomyces cerevisiae*, *J. Cell Biol.*, **151**, 973-984 (2000).

Kurihara T, Hamamoto S, Gimeno RE, Kaiser CA, Schekman R, and Yoshihisa T: Sec24p and Isp1p function interchangeably in transport vesicle formation from the endoplasmic reticulum in *Saccharomyces cerevisiae*, *Mol. Biol. Cell*, **11**, 983-998 (2000).

## MOLECULAR BIOLOGY AND INFORMATION

### I. Biopolymer Structure

Fujii T, Maeda M, Mihara H, Kurihara T, Esaki N and Hata Y: Structure of a NifS Homologue: X-ray Structure Analysis of CsdB, an *Escherichia coli* Counterpart of Mammalian Selenocysteine Lyase, *Biochemistry*, **39**, 1263-1273 (2000).

Hata Y: Three-dimensional structures of cellulases and xylanases, *Serurosu no Jiten*, Asakura-shoten, 350-359 (2000) (in Japanese).

Hata Y: Crystallographic Analysis of the Catalytic Mechanism of L-2-Haloacid Dehalogenase, *4th ICRS International Symposium*, Abstracts, 5 (2000).

Hata Y, Fujii T, Mihara H, Kurihara T and Esaki N: Crystal structure of a NifS homologue *E. coli* CsdB and implications for catalytic mechanism, *2000 International Chemical Congress of Pacific Basin Societies*, Abstracts, 387 (2000).

Hata Y, Fujii T, Maeda M, Mihara H, Kurihara T and Esaki N: Crystal structure of a NifS homolog CsdB from *Escherichia coli*, *Third East Asian Biophysics Symposium*, Abstracts, 55 (2000).

Higurashi T, Hiragi Y, Ichiyama K, Mizobata T, Nagai J and Kawata Y: Unfolding and refolding of chaperonin GroES studies by small-angle X-ray scattering, *Third East Asian Biophysics Symposium*, Abstracts, 111 (2000).

Ichimura K, Hiragi Y and Matsuzaki S: Solution X-ray Scattering Study on Structural Stability of GroEL Coordinated with Nucleotides and Magnesium Ion, *Third East Asian Biophysics Symposium*, Abstracts, 60 (2000).

Moriyama K, Hata Y and Okuda K: Serralyisin Zn-metalloproteases -Structure, function, secretion pathway, and pathogenicity-, *Seikagaku*, **72**, 16-25 (2000) (in Japanese).

Muroga Y, Sano Y, Inoue H, Suzuki K, Miyata T, Hiyoshi T, Yokota K, Watanabe Y, Liu X, Ichikawa S, Tagsawa H and Hiragi Y: Small-Angle X-ray Scattering Studies on Local structure of Tobacco Mosaic Virus RNA in Solution, *Biophysical Chem.* **83**, 197-209 (1999).

Sano Y, Inoue H and Hiragi Y: Differences of Reconstitution

Process between Tobacco Mosaic Virus and Cucumber Green Mottle Mosaic Virus by Synchrotron Small Angle X-ray Scattering Using Low-Temperature Quenching, *J. Protein Chem.* **18**, 801-805 (1999).

Seki Y, Hiragi Y, Ichimura K and Soda K: Analysis of the solution X-ray scattering profile of chaperonin GroEL, *Third East Asian Biophysics Symposium*, Abstracts, 127 (2000).

## II. Molecular Biology

Kojima S, Banno H, Yoshioka Y, Oka A, Machida C and Machida Y: A binary vector plasmid for gene expression in plant cells that is stably maintained in *Agrobacterium* cells, *DNA Research*, **6**, 407-410 (1999).

Sakai H, Aoyama T, and Oka A: *Arabidopsis* ARR1 and ARR2 response regulators operate as transcriptional activators, *Plant J.*, **24**, 715-723 (2000).

Honma T and Goto K: The *Arabidopsis* floral homeotic gene *PISTILLATA* is regulated by discrete *cis*-elements responsive to induction and maintenance signals, *Development*, **127**, 2021-2030 (2000).

Muramoto T and Aoyama T: Application of reporter genes, In, *A laboratory manual of model plants* (M. Iwabuchi, K. Okada and K. Shimamoto, eds. Springer-Verlag Tokyo) , pp 194-203 (2000) (in Japanese).

Aoyama T: Procedures for use of DNA-processing enzymes in recombinant DNA experiments, In, *Experimental procedures for basic biochemistry* (The Japanese Biochemical Society, ed. Tokyo Kagakudoujin), vol. 4, pp 133-147 (2000) (in Japanese).

## III. Biological Information Science

Kanehisa M.: Post-genome Informatics, Oxford University Press (2000)

Kihara D. and Kanehisa M.: Tandem clusters of membrane proteins in complete genome sequences., *Genome Res.* **10**, 731-743 (2000).

Kanehisa M.: Pathway databases and higher order function. *Adv. Protein Chem.*, **54**, 381-408 (2000).

Kawashima S. and Kanehisa M.: AAindex: amino acid index database. *Nucleic Acids Res.*, **27**, 368-369 (2000).

Goto S., Nishioka T., and Kanehisa M.: LIGAND: chemical database of enzyme reactions. *Nucleic Acids Res.*, **28**, 380-382 (2000).

Kanehisa M., and Goto S.: KEGG: Kyoto Encyclopedia of Genes and Genomes. *Nucleic Acids Res.*, **28**, 29-34 (2000).

Ogata H., Fujibuchi W., Goto S., and Kanehisa M.: A heuristic graph comparison algorithm and its application to detect functionally related enzyme clusters. *Nucleic Acids Res.*, **28**, 4021-4028 (2000).

Fujibuchi W., Ogata H., Matsuda H., and Kanehisa M.: Automatic detection of conserved gene clusters in multiple genomes by graph comparison and P-quasi grouping. *Nucleic Acids Res.*, **28**, 4029-4036 (2000).

Goto S., Kawashima S., Okuji Y., Kamiya T., Miyazaki S.,

Numata Y., Kanehisa M.: KEGG/EXPRESSION: A Database for Browsing and Analysing Microarray Expression Data. *Genome Informatics*, **11**, 222-223 (2000).

Nakao M., Okuji K. Y., Kanehisa M.: Quantitative Estimation of Cross-Hybridization in DNA Microarrays Based on a Linear Model. *Genome Informatics*, **11**, 231-232 (2000).

Okuji K. Y. Hihara Y., Kamei A., Ikeuchi M., Suzuki I., Murata N., Kanehisa M.: Gene Expression Analysis of Orthologs in *Synechocystis* sp. with Operons in *Escherichia coli*. *Genome Informatics*, **11**, 233-234 (2000).

Katayama T., Kanehisa M.: The Role of Gene Expression Regulation in Yeast Cell Cycle Pathway. *Genome Informatics*, **11**, 268-269 (2000).

Nakaya A., Goto S., Kanehisa M.: Extraction of Correlated Gene Clusters from Multiple Graph Structures: Theory. *Genome Informatics*, **11**, 270-271 (2000).

Kawashima S., Nakaya A., Okuji Y., Goto S., Kanehisa M.: Extraction of Correlated Gene Clusters from Multiple Graph Structures: Application. *Genome Informatics*, **11**, 272-273 (2000).

Igarashi Y., Kihara D., Kanehisa M.: Classification and Analysis of Eukaryotic ABC Transporters in Complete Eukarya Genomes. *Genome Informatics*, **11**, 274-275 (2000).

Yoshizawa C. A., Kawashima S., Kanehisa M.: The Construction of a Database on the Intracellular Vesicular Transport. *Genome Informatics*, **11**, 276-277 (2000).

Itoh M., Katayama T., Okuji K. Y., Kanehisa M.: Sequence Analysis of Redundant Usage of DNA fragments in Complete Genomes. *Genome Informatics*, **11**, 321-322 (2000).

Kawashima T, Kawashima S, Kanehisa M, Nishida H and Makabe WK: MAGEST: Maboaya Gene expression patterns and Expression Sequence Tags, *Nucleic Acids Res.*, **28**, 133-135 (2000)

Kawashima S and Kanehisa M: DNA chips and bioinformatics, *idenshiigaku*, **4** (1), 129-133 (2000) (in Japanese)

Kawashima S and Kanehisa M: From genomes to molecular interaction networks, *seibutsubutsuri*, **40** (5), 315-316 (2000) (in Japanese)

Nakaya A and Kanehisa M: Homology search, *Bulletin of the Japan Society for Industrial and Applied Mathematics*, **10**, 61-70 (2000) (in Japanese)

Nakaya A: Data mining for QTL analysis, *Gene and Medicine*, **4**, 415-420 (2000) (in Japanese)

Katayama T, Kanehisa M: Reconstruction of life systems in silico, *Kagaku*, **55**, 19-22 (2000) (in Japanese)

Katayama T, Kanehisa M: Analysis of life systems by genome informatics, *Kagaku Kougyou*, **51**, 25-30 (2000) (in Japanese)

## NUCLEAR SCIENCE RESEARCH

### FACILITY

#### I. Particle and Photon Beams

#### II. Beams and Fundamental Reaction

- Ao H, Inoue M, Iwashita Y, Shirai T and Noda A: Model Test of Biparabolic L-support Disk-and-Washer Linac Structure, *Jpn. J. Appl. Phys.* **39**, 651-6 (2000)
- Noda A: Accelerator complex of ion and electron storage rings, *Nucl. Instr. and Meth.* **A441**, 154-8 (2000)
- Iwashita Y: PARMSOL - PARTICle Motion in SOLEnoid field, *Beam Science and Technology, NSRF ICR Kyoto Univ.*, **5**, 6-8 (2000)
- Noda A: Accelerator Complex based on Combination of TARN II with KSR, *Beam Science and Technology, NSRF ICR Kyoto Univ.*, **5**, 13-16 (2000)
- Ao H: Fast Tuner Design of Superconducting RFQ for the New LNL Injector Piave, *Beam Science and Technology, NSRF ICR Kyoto Univ.*, **5**, 20-24 (2000)
- Morita A and Iwashita Y: Kilpatrick's Sparking Limit for General RF Wave Forms, *Beam Science and Technology, NSRF ICR Kyoto Univ.*, **5**, 25-27 (2000)
- Kapin V: A PIC Code Development for Space-Charge Dominated Beams, *Beam Science and Technology, NSRF ICR Kyoto Univ.*, **5**, 28-34 (2000)
- Bisoffi G, Andreev V, Bezzon G.P, Chiurlotto F, Comunian M, Lombardi A, Palmieri V, Pisent A, Porcellato A.M, Stark S, Shirai T, Singer W, Chiaveri E: First Results with the Full Niobium Superconducting RFQ Resonator at INFN-LNL, *Proc. of the 2000 European Particle Accelerator Conference, Vienna, Austria*, 324-326 (2000)
- Shirai T, Iwashita Y, Tonguu H, Sugimura T, Fujita H, Noda A and Lee T-Y: Beam Commissioning of the Electron Storage/Stretcher Ring (KSR), *Proc. of the Seventh European Accelerator Conference, Vienna, Jun. 26-30, 2000*, 442-4 (2000)
- Noda A, Iwashita Y, Kihara T, Morita A, Shirai T, Sugimura T, Tonguu H, Imai K, Nakamura M, Okamoto H., Tanabe T and Noda K: Beam Science Facility with Combination of Ion and Electron Storage Rings, *Proc. of the 7th European Particle Accelerator Conference, Wien* 563-565 (2000)
- Iwashita Y and Morita A: Superposition of Multiple Higher Order Modes in a Cavity, *Proc. of the Seventh European Accelerator Conference, Vienna, Jun. 26-30, 2000*, 818-820 (2000)
- Sugimura T, Morita A, Tonguu H, Shirai T, Iwashita Y and Noda A: Stretcher Mode Operation of KSR, *Proc. EPAC2000*, 1002-4 (2000)
- Tonguu H, Shirai T, Fujita H, Sugimura T, Iwashita Y and Noda A: Development of Evacuation System for Electron Storage Ring, KSR, *Proc. EPAC2000*, 2307-9 (2000)
- Morita A, Noda A, Tonguu H, Shirai T and Iwashita Y: Field Measurement of Combined Function Magnet for Medical Proton Synchrotron, *Proc. of the 7th European Particle Accelerator Conference, EPAC-2000, Vienna, Austria*, 2110-2112 (2000)
- Morita A and Iwashita Y: Analysis of Herical Quadrupole Focusing Channel, *Proc of the 25th Linear Accelerator Meeting in Japan, July 12-14 Himeji, Japan*, 270-2 (2000) (in Japanese)
- Ao H, Iwashita Y, Shirai T, Noda A, Inoue M, Kawakita T and Nakanishi K: High Power Model Fabrication of Disk-and-Washer Cavity, *Proc of the 25th Linear Accelerator Meeting in Japan, July 12-14 Himeji, Japan*, 285-7 (2000) (in Japanese)
- Iwashita Y and Morita A: High Gradient Air Core Cavity for Energy Compression of Long Bunch, *Proc of the 25th Linear Accelerator Meeting in Japan, July 12-14 Himeji, Japan*, 288-90 (2000) (in Japanese)
- Nakanishi K, Ao H, Iwashita Y, Kawakita T, Okubo K and Matsuoka M: Fabrication of a Disk-and-Washer Linac, *Proc of the 25th Linear Accelerator Meeting in Japan, July 12-14 Himeji, Japan*, 303-5 (2000) (in Japanese)
- Morita A, Noda A, Tonguu H, Shirai T and Iwashita Y: Magnetic Field Measurement of Combined Function Magnet, *Proc. of the 6th Symposium on Power Supply Technology for Accelerators, Nov 21-22 Spring-8, Japan*, 137-148 (2000) (in Japanese)
- Shirai T, Iwashita Y, Tonguu H, Sugimura T, Fujita H, Noda A: Commissioning of the Electron Ring, KSR, *Proc. of the First Symposium on Advanced Photon Research*, 234-237 (1999) (in Japanese)