

## PUBLICATIONS

### STATES AND STRUCTURE

#### I. Atomic and Molecular Physics

Yasumi S, Maezawa H, Kishimoto S, K. Shima, Mizogawa T, Mukoyama T, Sera K, Fujioka M, Ishii K, Omori T, Inagaki Y and Izawa G: Measurement of the Mass of Electron Neutrino using Electron Capture in  $^{163}\text{Ho}$ , Photon Factory Activity Report 1992 (National Laboratory for High Energy Physics, Tsukuba, 1993), 28.

Emura S, Takahashi M, Omote K, Yoshikado S, Ito Y, Takahashi N and Mukoyama T: X-Ray Absorption Structure on Multielectron Excitation in Br, in Abst. X'93 16th Intern. Conf. on X-Ray and Inner-Shell Processes, July 12–16, 1993, Debrecen, Hungary, ed. by L. Sarkadi and D. Berenyi (ATOMKI, Debrecen, 1993), 77–78.

Nakamatsu H, Taniguchi K, Adachi H and Mukoyama T: Chemical Effect on  $L\beta/L\alpha$  X-Ray Intensity Ratios—Relativistic Electronic Structure Calculations of Fe Compounds, in Abst. X'93 16th Intern. Conf. on X-Ray and Inner-Shell Processes, July 12–16, 1993, Debrecen, Hungary, ed. by L. Sarkadi and D. Berenyi (ATOMKI, Debrecen, 1993), 205–206.

Ohmura Y, Nakamatsu H and Mukoyama T: Electronic States in the Presence of the Inner-Shell Hole Studied by the Method of DV-X $\alpha$ , in Abst. X'93 16th Intern. Conf. on X-Ray and Inner-Shell Processes, July 12–16, 1993, Debrecen, Hungary, ed. by L. Sarkadi and D. Berenyi (ATOMKI, Debrecen, 1993), 210–211.

Mukoyama T, Nakamatsu H and Adachi H: Relativistic Molecular Orbital Calculations of Photoelectron and Conversion Electron Spectra, in Abst. X'93 16th Intern. Conf. on X-Ray and Inner-Shell Processes, July 12–16, 1993, Debrecen, Hungary, ed. by L. Sarkadi and D. Berenyi (ATOMKI, Debrecen, 1993), 338–339.

Kumar A and Mukoyama T: Radiative Transition Probabilities, *Physics Education (India)*, **10**, 109–115 (1993).

Onoe J, Nakamatsu H, Sekine R, Mukoyama T, Adachi H and Takeuchi K: Quantum Chemical Study of the UV Photo-Excited States of  $\text{UF}_6$ , *Laser Kagaku Kenkyuu*, **15**, 88–91 (1993) (in Japanese).

Onoe J, Takeuchi K, Nakamatsu H, Mukoyama T, Sekine R, Kim, B-I and Adachi H: Relativistic Effects on the Electronic Structure and Chemical Bonding of  $\text{UF}_6$ , *J. Chem. Phys.*, **99**, 6810–6817 (1993).

Mukoyama T, Nakamatsu H and Adachi H: Relativistic Calculations of Photoelectron and Conversion-electron Spectra for  $\text{UF}_4$ , *J. Electron Spectrosc. Relat. Phenom.*, **63**, 409–417 (1993).

Mukoyama T and Adachi H: Electronic Structures of d<sup>0</sup> Complexes by the DV-X $\alpha$  Method, *Chem. Phys. Lett.*, **215**, 93–96 (1993).

Yasumi S, Maezawa H, Shima K, Inagaki Y, Mukoyama T, Mizogawa T, Sera K, Kishimoto S, Fujioka M, Ishii K, Omori T, Izawa G and Kawakami O: Measurement of the Mass of the Electron Neutrino Using Electron Capture in  $^{163}\text{Ho}$ , *KEK Preprint*, 93–173 (KEK, Tsukuba) (1993).

Mukoyama T, Ito Y, Takahashi M and Emura S: Energy Dependence of Multielectron Transitions in X-Ray Absorption of Atoms, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 94–103 (1993).

Ito Y, Mukoyama T, Omote K, Shimizu K, Nisawa A, Shoji T, Terauchi H and Kuehner S: Characterization of Mo/Si Multilayer by X-Rays, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 104–110 (1993).

Tókési K and Mukoyama T: Theoretical Investigation of the ECC Peak for Charged Particle with the CTMC Method, *ATOMKI Annual Report 1992* (Institute of Nuclear Research of the Hungarian Academy of Sciences, Debrecen, Hungary,) 71–72 (1993).

Mukoyama T and Ito Y: Relativistic Calculations of Shakeup and Shakeoff Probabilities as the Result of 1s-Shell Vacancy Production, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 398–405 (1994).

Mukoyama T, Ito Y, Takahashi M and Emura S: Analytical Expression of Photoionization Cross Sections for Rare Gases, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 406–410 (1994).

Onoe J, Sekine R, Takeuchi K, Nakamatsu H, Mukoyama T and Adachi H: Atomic-number Dependence of Relativistic Effects on Chemical Bonding Using the Non-relativistic and Relativistic Discrete-variational X $\alpha$  Methods, *Chem. Phys. Lett.*, **217**, 61–64 (1994).

Ito Y, Mukoyama T, Funatomi H, Yoshikado S and Tanaka T: The Crystal Structure of Tetragonal form  $\text{PbSnF}_4$ , *Solid State Ions. Diffus. React.*, **67**, 301–305 (1994).

Ito Y, Mukoyama T, Yoshikado S and Koto K: On Anharmonicity of  $\beta\text{-PbF}_2$ , *Solid State Ions. Diffus. React.*, **67**, 307–309 (1994).

Mukoyama T and Hock G: Analytical Expressions of Potentials and Wave Functions for Atoms and Ions, *Nucl. Instr. and Meth.*, **B86**, 155–157 (1994).

Mukoyama T and Ito Y: Multielectron Transitions in X-ray Absorption and Inner-shell Ionization Phenomena, *Nucl. Instr. and Meth.*, **B87**, 26–33 (1994).

Ohmura Y, Ikeda T, Nakamatsu H and Mukoyama T: Electronic States in the Presence of the Inner-shell Hole Studied by the Method of DV-X $\alpha$ , *Nucl. Instr. and Meth.*, **B87**, 237–240 (1994).

Nakamatsu H, Adachi H and Mukoyama T: Molecular Orbital Calculations of Continuum Wavefunctions for  $\text{H}_2^+$  with Basis Functions of Atoms, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 45–50 (1994).

Tókési K and Mukoyama T: Theoretical Investigation of the ECC Peak for Charged Particles with the CTMC Method, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 63–68 (1994).

Tókési K, Sarkadi L and Mukoyama T: Model Calculation for the ECC Peak at Neutral Projectile Impact, *ATOMKI Annual Report 1993* (Institute of Nuclear Research of the Hungarian Academy of Sciences, Debrecen, Hungary), 71–72 (1994).

- Mukoyama T and Tókési K: Monte Carlo Simulation of Electron Spectrum of Al near the Elastic Peak, *ATOMKI Annual Report 1993* (Institute of Nuclear Research of the Hungarian Academy of Sciences, Debrecen, Hungary), 90–91 (1994).
- Tókési K and Mukoyama T: Monte Carlo Code for the Study of Charged Particle-solid Interaction, *ATOMKI Annual Report 1993* (Institute of Nuclear Research of the Hungarian Academy of Sciences, Debrecen, Hungary), 92–93 (1994).
- Yasumi S, Maezawa H, Shima K, Inagaki Y, Mukoyama T, Mizogawa T, Sera K, Kishimoto, M. Fujioka S, Ishii K, Omori T, Izawa G and Kawakami O: The Mass of the Electron Neutrino from Electron Capture in  $^{163}\text{Ho}$ , *Phys. Lett.*, **B334**, 229–233 (1994).
- Mukoyama T and Yamaguchi K: Solving Schrödinger Equation with Wavelets, in Abst. of Contributed Papers, ICAP-14 Fourteenth Internat. Conf. on Atomic Physics, July 31–August 5, 1994, Boulder, Colorado (University of Colorado, Boulder), 2N-12 (1994).
- Yasumi S, Maezawa H, Shima K, Inagaki Y, Mukoyama T, Mizogawa T, Sera K, Kishimoto S, Fujioka M, Ishii K, Omori T, Izawa G and Kawakami O: Measurement of the Mass of Electron Neutrino Using Electron Capture in  $^{163}\text{Ho}$ , *Photon Factory Activity Report 1993* (National Laboratory for High Energy Physics, Tsukuba), 16 (1994).
- Emura S, Takahashi M, Omote K, Yoshikado S, Ito Y, Takahashi N and Mukoyama T: X-ray Absorption Structure on Multielectron Excitation in Br, *Photon Factory Activity Report 1993* (National Laboratory for High Energy Physics, Tsukuba), 121 (1994).
- Ito Y, Takahashi N, Mukoyama T, Omote K, Yoshikado S, Takahashi M and Emura S: Multielectron Excitation of Ni and Zn Metals in x-ray Absorption Spectroscopy, *Photon Factory Activity Report 1993* (National Laboratory for High Energy Physics, Tsukuba), 124 (1994).
- Onoe J, Nakamatsu H, Sekine R, Mukoyama T, Adachi H and Takeuchi K: Note on the Contribution of Relativity to  $\text{Cu}_2$  Bonding, *J. Phys. Soc. Japan*, **63**, 3992–3995 (1994).
- Ito Y, Mukoyama T, Kanamaru F and Yoshikado S: Crystal Structure of Beta-lead Fluoride Doped Potassium Fluoride and Ionic Conduction, *Solid State Ionics*, **73**, 283–287 (1994).
- Ito S, Tosaki M, Maeda N, Katano R and Isozumi Y: Behavior of the SQS Mode Observed as Function of the Radial Distance of the Position of Primary Ionization, *Nucl. Instrum. Methods A*, **A239**, 564–566 (1993).
- Ito S, Tosaki M, Maeda N, Katano R and Isozumi Y: Application of a Pressurized Position-sensitive Proportional Counter to X-ray Measurement, *Nucl. Instrum. Methods B*, **75**, 112–115 (1993).
- Fujii T, Hosoi N, Katano R and Isozumi Y: Operation of a Cryogenic Conversion Electron Proportional Counter under Strong Magnetic Fields, *Nucl. Instrum. Methods B*, **76**, 207–209 (1993).
- Fujii T, Takano M, Katano R, Isozumi Y and Banbo Y: Spin-flip Anomalies in Epitaxial  $\alpha\text{-Fe}_2\text{O}_3$  Films by Mössbauer Spectroscopy, *J. Magn. Magn. Mat.*, **135**, 231–236 (1994).
- Ito Y, Nakamatsu H, Mukoyama T, Omote K, Yoshikado S, Takahashi M and Emura S: Multielectron Excitations of Ni and Zn in X-ray Absorption, *Jpn. J. Appl. Phys.*, **32**, Suppl. 32–2, 58–60 (1993).
- Takahashi M, Emura S, Omote K, Yoshikado S, Ito Y, Takahashi N and Mukoyama T: Contribution of multielectron transitions to XAFS, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 37–41 (1993).
- Kövér L, Némethy A, Cserny I, Nisawa A and Ito Y: Local Electronic structures in phosphorus oxyanions. in Proc. European Conference on Application of Surface and Interface Analysis (ECASIA), October, 1993, Catania, Italy.
- Ishida A, Emura S, Takahashi M, Ito Y, Kanamaru H and Takamuku S: EXAFS Studies on the Interaction between Eu and Crown Ethers in Organic Solvents, *Photon Factory Activity Reports*, **11**, 445 (1993).
- Takahashi M, Emura S, Ito Y, Mukoyama T, Yoshikado S and Omote K: The Contribution of the Shakeup and Shakeoff Effects to XAFS, in *Proc. of 8th Intern. Conf. on X-ray Absorption Fine Structure MoTu-15* (1994).
- Emura S, Takahashi M, Ito Y, Mukoyama T, Yoshikado S and Omote K: Multiexcitations on Br in Organic Solvents in XAFS, in *Proc. of 8th Intern. Conf. on X-ray Absorption Fine Structure MoTu-75* (1994).
- Ishida A, Emura S, Takahashi M, Kanamaru H, Takamuku S and Ito Y: EXAFS Studies on the Interaction between Eu and Crown Ethers in Organic Solvents, in *Proc. of 8th Intern. Conf. on X-ray Absorption Fine Structure ThFr-174* (1994).
- Suga Y, Asio K, Mukai S, Kitagaki R, Yamamoto K, Yoshikado S, Ito Y, Tanaka T, Mukoyama T and Taniguchi I: F Ion Conduction and Crystal Structure in Fluorite-type  $\text{PbF}_2\text{-SnF}_2$  Solid Solution System, *The Science and Engineering Review of Doshisha Univ.*, **35**, 128–143 (1994).
- Nakamatsu H, Mukoyama T and Adachi H: DV-X $\alpha$  Molecular Orbital Method for X-ray Absorption Near-Edge Structure—Application to  $\text{N}_2$  and  $\text{CrO}_4^{2-}$ , *Jpn. J. Appl. Phys.*, **32**, suppl. 32–2, 23–25 (1993).
- Nakamatsu H: DV-X $\alpha$  Method, *Oyo-Butsuri*, **62**, 1138–1139 (1993) (in Japanese).
- Nakamatsu H and Mukoyama T: XANES and Molecular Orbital Method, *Nippon Hoshaku Gakkai-shi*, **7**, 1–14 (1994) (in Japanese).
- ## II. Crystal Information Analysis
- Kurata H and Colliex C: Electron-energy-loss Core-edge Structures in Manganese Oxides, *Phys. Rev.*, **B48**, 2102–2108 (1993).
- Kurata H, Lefevre E, Colliex C and Brydson R: Electron-energy-loss Near-edge Structures in the Oxygen K-edge Spectra of Transition-metal Oxides, *Phys. Rev.*, **B47**, 13763–13768 (1993).
- Nagai K, Kurata H, Isoda S and Kobayashi T: Structural Transitions in the Graphite-AlCl<sub>3</sub>-FeCl<sub>3</sub> System, *J. Phys. Chem. Solids*, **54**, 533–542 (1993).

Kobayashi T, Isoda S and Kurata H: Reaction Process in Solid States Studied by High Resolution Electron Spectro-Microscopy in Reactivity in Molecular Crystals ed. by Y. Ohashi, 44–57, *Kodansha* (1993).

Kobayashi T, Moriguchi S, Kurata H, Ogawa T and Isoda S: High Resolution Electron Spectromicroscope (HRESM), *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 451–461 (1993).

Moriguchi S, Hoshino A, Hashimoto S, Kubono K, Nagai K, Asaka N, Ogawa T, Kurata H, Isoda S and Kobayashi T: High Resolution Electron Spectromicroscope (HRESM), Applications, *Bull. Inst. Chem. Res., Kyoto Univ.*, **70**, 462–481 (1993).

Kubono K, Kurata H, Isoda S and Kobayashi T: Formation of Cyclophosphazene Clathrate Compounds by Vapour-Solid Reaction: Four Crystalline Forms Depending on Guest Molecules, *J. Mater. Chem.*, **3**, 615–621 (1993).

Kubono K, Asaka N, Isoda S and Kobayashi T: Structures of 1:1 Clathrate between Tris(2,3-naphthalenedioxy) Cyclotriphosphazene and p-Xylene, *Acta Cryst.*, **C49**, 404–406 (1993).

Kawase N, Kurata H, Kubono K, Isoda S and Kobayashi T: Study of Structure and Polymerization Process of Epitaxially Grown SiPc(OH)<sub>2</sub> Thin Films by High-Resolution Electron Microscopy, *J. Polym. Sci., Polymer Phys.*, **31**, 1713–1723 (1993).

Kobayashi T and Isoda S: Lattice Images and Molecular Images of Organic Materials, *J. Mater. Chem.*, **3**, 1–14 (1993).

Kurata H, Isoda S and Kobayashi T: Electron Energy-Loss Spectroscopy for Organic Compounds, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 212–225 (1993).

Isoda S, Hoshino A and Kobayashi T: Interface Structures of Phthalocyanines Double-layers by High Resolution Electron Microscopy, *Chemistry of Functional Dyes*, **2**, 252–257 (1993).

Ogawa T, Moriguchi S, Isoda S and Kobayashi T: Application of an Imaging Plate to Electron Crystallography at Atomic Resolution, *Polymer*, **35**, 1132–1136 (1994).

Kubono K, Asaka N, Taga T, Isoda S and Kobayashi T: Selective Clathration in a Cage-type Host Lattice of Cyclophosphazene, *J. Mater. Chem.*, **4**, 291–297 (1994).

Kubono K, Asaka N, Isoda S, Kobayashi T and Taga T: 2,2,4,4,6,6-Tris(2,3-naphthalenedioxy)cyclotri-phosphazene, *Acta Cryst.*, **C50**, 324–326 (1994).

Isoda S, Hashimoto S, Ogawa T, Kurata H, Moriguchi S and Kobayashi T: Pseudomorphic Structure of Vacuum-deposited Fluorinated Vanadylphthalocyanine (VOPcFx) and Its Optical Absorption Spectra, *Mol. Cryst. Liq. Cryst.*, **247**, 191–201 (1994).

Hoshino A, Isoda S, Kurata H and Kobayashi T: Scanning Tunneling Microscope Contrast of Perylene-3,4,9,10-tetracarboxylic-dianhydride on Graphite and its Application to the Study of Epitaxy, *J. Appl. Phys.*, **76**, 4113–4120 (1994).

Kurata H, Isoda S and Kobayashi T: Study on Organic Crystals with Electron Spectromicroscope, *Kessho-gakkaishi*, **36**, 199–203 (1994) (in Japanese).

Hoshino A, Isoda S, Kurata H and Kobayashi T: Initial Stage of Crystallization of Organic Materials, *Technical Report on IEICE*, **94–16**, 41–46 (1994) (in Japanese).

Ogawa T, Moriguchi S, Isoda S and Kobayashi T: Electron Structure Analysis of  $\beta$ -PTCDA with Imaging Plate, in *Proc. of Intern. Conf. on Electron Microscopy*, **1**, 965–966 (1994).

Hashimoto S, Ogawa T, Hoshino A, Asaka N, Isoda S and Kobayashi T: Pseudomorph of Vanadyl-Phthalocyanines and their Stable Orientation on Substrates, in *Proc. of Intern. Conf. on Electron Microscopy*, **1**, 969–970 (1994).

Kurata H, Moriguchi S, Isoda S and Kobayashi T: Energy-Filtering in 1MeV Electron Microscope, in *Proc. of Intern. Conf. on Electron Microscopy*, **1**, 717–718 (1994).

### III. Polymer Condensed States Analysis

Kohjiya S, Yamato T, Miyake Y and Shibayama M: Analysis of the Experimental Results of the Effect of Solvent Evaporation Rate by Random Phase Approximation, *J. Soc. Rubber Ind. Japan*, **66**, 483–487 (1993) (in Japanese).

Yoon J R, Tsukahara Y and Kohjiya S: Characterization and Properties of Natural Rubber/Brominated EPDM Blends, *J. Soc. Rubber Ind. Japan*, **66**, 495–503 (1993) (in Japanese).

Kohjiya S and Ikeda Y: Preparation of Organic/Inorganic Hybrid Materials Using the Sol-Gel Process, in *New Functional Materials*, Vol.C ed. by Tsuruta T, Elsevier Pub., 443–448 (1993).

Bualek S, Ikeda Y, Kohjiya S, Phaoibul O, Phinyocheep P, Suchiva K, Utani K and Yamashita S: Natural Rubber and Butadiene Rubber Blend Using Diblock Copolymer of Isoprene-Butadiene as Compatibilizer, *J. Appl. Polym. Sci.*, **49**, 807–814 (1993).

Yamashita S, Kodama K, Ikeda Y and Kohjiya S: Chemical Modification of Butyl Rubber. I. Synthesis and Properties of Poly(ethylene oxide)-Grafted Butyl Rubber, *J. Polym. Sci.: Part A: Polym. Chem.*, **31**, 2437–2444 (1993).

Ikeda Y, Yonezawa T, Kimura H, Kohjiya S and Okada M: Synthesis of Dextran Derivatives by Ring-opening Polymerization, *Macromol. Chem. Rapid Commun.*, **14**, 551–555 (1993).

Kohjiya S: Preparation and Properties of Organic/inorganic Hybrid Gels via Sol-Gel Processes, *Prepr. SPGN, Tsukuba*, **20** (1993).

Ahmad S, Abudullah I, Sulaiman C S, Kohjiya S and Yoon J R: Natural Rubber-HDPE Blends with Liquid Natural Rubber as a Compatibilizer. I. Thermal and Mechanical Properties, *J. Appl. Polym. Sci.*, **51**, 1357–1363 (1994).

Wintermantel M, Schimidt M, Tsukahara Y, Kajiwara K and Kohjiya S: Rodlike Combs, *Macromol. Chem. Rapid Commun.*, **15**, 279–284 (1994).

Sando K, Yamashita S and Kohjiya S: Reinforcement of 1-chlorobutadiene-butadiene and 1-chlorobutadiene-styrene-butadiene rubbers with Glass Short Fiber, *J. Soc. Rubber Ind. Japan*, **67**, 207–218 (1994) (in Japanese).

- Hashim, A S and Kohjiya S: Curing of Epoxidized Natural Rubber with p-Phenylenediamine. *J. Polym. Sci.: Part A: Polym. Chem.*, **32**, 1149–1157 (1994).
- Tsukahara Y, Kohjiya S, Tsutsumi K, and Okamoto Y: On the Intrinsic Viscosity of Poly(macromonomer)s, *Macromolecules*, **27**, 1662–1664 (1994).
- Hashimoto T, Sakurai S, Morimoto M, Nomura S, Kohjiya S and Kodaira T: Structure and Properties of Poly(tetrahydrofuran) Viologen Inonen: Effects of Halide Counter-Anions, *Polymer*, **35**, 2672–2678 (1994).
- Tsukahara Y, Inoue J, Ohta Y, Kohjiya S and Okamoto Y: Preparation and Characterization of  $\alpha$ -Benzyl- $\omega$ -vinylbezyl Polystyrene Macromonomer, *Polym. J.*, **26**, 1013–1018 (1994).
- Kohjiya S: Synthesis, Structure, and Properties of Novel Thermoplastic Functionality Elastomers, *Proc. 5th SFCFP, Jinan China*, **22** (1994).
- Krakovsky I, Urakawa H, Ikeda Y, Kohjiya S and Kajiwara K: Structural Characteristics of Organic/Inorganic Hybrid Gels, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 211–221 (1994).
- Ikeda Y, Tabuchi M, Sekiguchi Y, Miyake Y and Kohjiya S: Effect of Solvent Evaporation Rate on Microphase-separated Structure of Segmented Poly(urethane-urea) Prepared by Solution Casting, *Macromol. Chem. Phys.*, **195**, 3615–3628 (1994).
- Yamaguchi S and Tsuji M: Morphological Changes of Poly(tetrafluoroethylene) by Heat Treatment on NaCl, *J. Mater. Res.*, **8**, 2942–2947 (1993).
- Tsuji M: Direct Observation of Atoms and Molecules—Transmission Electron Microscopy—, *Sci. Univ. Tokyo Bull.*, No. **2**, 9–15 (1994) (in Japanese).
- Kawaguchi A, Ohara M and Tsuji M: Environment-induced Morphological Changes of Polyethylene Lamellae During Crystallization in Solution, *J. Polym. Sci.: Part B: Polym. Phys.*, **32**, 421–436 (1994).
- Hirai A, Yamamoto H, Tsuji M and Horii F: Electron Microscopic Observation of the Formation Processes of the Microfibrils and the Composite Crystals for Bacterial Cellulose, in *Proc. '94 Cellulose R & D, Tokyo*, **41** (1994).
- Hu S, Tsuji M and Horii F: Phase Structure of Poly(vinyl alcohol) Single Crystals as Revealed by High-Resolution Solid-State  $^{13}\text{C}$  n.m.r. Spectroscopy, *Polymer*, **35**, 2516–2522 (1994).
- Tsuji M: Ultra-fine Structures Observed by Microscopical Methods, *Kaigai Kobunshi Kenkyu*, **40**, 150–154 (1994) (in Japanese).
- Hirai A, Tsuji M, Horii F and Yamamoto H: Formation Process of Composite Crystals (Cellulose I $\alpha$ /I $\beta$ ) for Bacterial Cellulose, in *Rep. Poval Committee* **104**, 122–131 (1994) (in Japanese).
- Hirai A, Yamamoto H, Tsuji M and Horii F: Electron Microscopic Observation of the Formation Process of the Composite Crystals for Bacterial Cellulose, in *Prepr. Kyoto Conf. Cellulosics*, **61** (1994).
- Nishikawa Y, Kawaguchi A, Murakami S and Kohjiya S: Stress Induced Helix/Helix Transition in Polyvinylcyclohexane Crystals, in *Proc. ISF '94, Yokohama*, **39** (1994).
- Murakami S, Yamakawa M, Tsuji M, Kawaguchi A and Kohjiya S: Structural Formation in the Drawing Process of PEN [Poly(ethylene naphthalene-2,6-dicarboxylate)], in *Proc. ISF '94, Yokohama*, **40** (1994).
- Katayama K and Tsuji M: Fundamental of Spinning, in *Advanced fiber spinning technology*, ed. by Nakajima T, Woodhead Pub. Ltd., Cambridge, Chapt. 1, 1–24 (1994).
- Tsuji M and Murakami S: Imaging Plate as a Recording Medium for Transmission Electron Microscopy and X-ray diffraction, *SEN-I GAKKAISHI*, **50**, P 607–P 613 (1994) (in Japanese).
- Yamakawa M, Hamada N, Tsuji M, Murakami S and Kohjiya S: Ultra-fine Structures Observed in Crystalline Polymer Solids by High-Resolution Electron Microscopy, in *Prepr. 5th SPSJ Int. Polym. Conf., Osaka*, **309** (1994).
- Yamaguchi S, Tsuji M and Kohjiya S: Morphological Changes of Poly(tetrafluoroethylene) by Heat Treatment on Alkali Halides, in *Prepr. 5th SPSJ Int. Polym. Conf., Osaka*, **311** (1994).
- Takigawa T, Urayama K and Masuda T: Time Dependent Poisson's Ratio of Polymer Gels in Solvent, *Polym. J.*, **26**, 225–227 (1994).
- Takigawa T, Urayama K and Masuda T: Theoretical Studies on the Stress Relaxation of Polymer Gels under Uniaxial Elongation, *Polym. Gels & Networks* **2**, 59–64 (1994).
- Urayama K, Takigawa T and Masuda T: Stress Relaxation and Creep of Polymer Gels in Solvent under Uniaxial and Biaxial Deformations, *Rheologica Acta*, **33**, 89–98 (1994).
- Urayama K, Morino Y, Takigawa T and Masuda T: Poisson's Ratio of Poly(vinyl alcohol) and Polyacrylamide Gels, in *Prepr. PCR'94, Kyoto*, **302** (1994).
- Urayama K, Takigawa T, Masuda T and Kohjiya S: Stress Relaxation and Creep of Polymer Gels in Solvent under Various Deformation Modes, in *Prepr. SSIPG'94, Sapporo*, **80** (1994).
- ## INTERFACE SCIENCE
- ### I. Solutions and Interfaces
- Umemura J, Takeda S, Hasegawa T and Takenaka T: Thickness and Temperature Dependence of Molecular Structure in Stearic Acid LB Films Studied by FTIR Reflection-Absorption Spectroscopy, *J. Mol. Struct.*, **297**, 57–62 (1993).
- Takenaka T and Umemura J: FT-IR Study of Structure-Pyroelectricity Relationship in Noncentrosymmetric Langmuir-Blodgett Films, *New Functionality Materials: Design, Preparation and Control* (T. Tsuruta, M. Seno and M. Doyama, Eds.), Vol. C, 565–570, Elsevier Science Pub., Amsterdam (1993).
- Hasegawa T, Umemura J and Takenaka T: Infrared External Reflection Study of Molecular Orientation in Thin Langmuir-Blodgett Films, *J. Phys. Chem.*, **97**, 9009–9012 (1993).
- Miyama T, Yonezawa Y, Sato T, Umemura J and Takenaka T: Surface-Enhanced Raman Scattering from Silver Salt of

- Carboxymethyl-cellulose Photolyzed with UV-Light, *Chem. Lett.*, 1537–1540 (1993).
- Okamura E, Umemura J, Iriyama K and Araki T: Microstructure of Thin Langmuir-Blodgett Films of Dipalmitoyl-phosphatidylcholine-Electron Microscopic Images Replicated with Plasma Polymerized Film by Glow Discharge, *Chem. Phys. Lipids*, **66**, 219–223 (1993).
- Umemura J, Kamata T, Takenaka T, Takehara K, Isomura K and Taniguti H: Raman Spectroscopic Study of Alternate Langmuir-Blodgett Films with Pyroelectric Efficiency, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 120–126 (1993).
- Hasegawa T, Park S R, Kim D W, Lee H and Umemura J: FT-IR Reflection-Absorption Spectra of Langmuir-Blodgett Films of Stearic Acid-d<sub>35</sub> on Silver, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 127–132 (1993).
- Okamura E, Matsumura Y and Takenaka T: Effect of Wax Addition on Gel-to-Liquid-Crystalline Phase Transition of Palm-Oil as Studied by FT-IR Spectroscopy, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 188–192 (1993).
- Park S R, Kim D W, Lee H and Umemura J: FT-IR/ATR Spectra of Octadecyl-trichlorosilane Adsorbed on Germanium Surface, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 193–197 (1993).
- Sakai H and Umemura J: Infrared External Reflection Spectra of Langmuir Films of Stearic Acid and Cadmium Stearate, *Chem. Lett.*, 2167–2170 (1993).
- Ishiguro R, Kimura N, Takahashi S: Orientation of Fusion-Active Synthetic Peptides in Phospholipid Bilayers: Determination by Fourier Transform Infrared Spectroscopy, *Biochemistry*, **32**, 9792–9797 (1993).
- Wakai C and Nakahara M: Pressure Dependencies of Rotational, Translational, and Viscous Friction Coefficients in Water-d<sub>2</sub>, Acetonitrile-d<sub>3</sub>, Acetonitrile, Chloroform, and Benzene, *J. Chem. Phys.*, **100**, 8347–8358 (1994).
- Kamata T, Umemura J, Takenaka T, Koizumi N, Takehara K, Isomura K and Taniguti H: Pyroelectricity of Noncentrosymmetric Langmuir-Blodgett Films of Phenylpyrazine Derivatives, *Jpn. J. Appl. Phys. I*, **33**, 1074–1078 (1994).
- Umemura J, Takeda S, Hasegawa T, Kamata T and Takenaka T: Effect of Thickness and Monolayer Location on Thermostability of Metal Stearate LB Films Studied by FTIR Reflection-Absorption Spectroscopy, *Spectrochim. Acta*, **50A**, 1563–1571 (1994).
- Miwa Y, Miura N, Machida K, Nakagawa T, Umemura J and Hayashi S: Simulation of Vibrational Spectra of Isotopic Benzenes by an Extended Molecular Mechanics Method, *Spectrochim. Acta*, **50A**, 1629–1646 (1994).
- Kimura N, Hayashi S, Umemura J, Taga T, Machida K and Takenaka T: Polarized FT-IR Spectra of Water in Dodecylbutyldimethylammonium Bromide Monohydrate, *J. Mol. Struct.*, **324**, 11–18 (1994).
- Murata Y, Tsunashima K, Umemura J and Koizumi N: Ferroelectric Properties in Aromatic Polyamides, *CEIDP Annual Report IEEE94CH3456-1*, 779–784 (1994).
- Nakahara M: New Developments of Nonaqueous Solution Chemistry. 1. A High Resolution NMR Spectroscopic Approach, *Denki Kagaku (J. Electrochem. Soc. Jpn.)*, **63**, 108–113 (1994) (in Japanese).
- Nakahara M: Molecular Approaches to Nonequilibrium Processes in Solution. Dynamics of Diffusion Processes, *Gakujyutsu Gempo (Japanese Scientific Monthly)*, **47**, 383–388 (1994) (in Japanese).
- Nakahara M: Roles Played by NMR in Determining Solution Structure, *Kagaku (Chemistry)*, **49**, 188–192 (1994). (in Japanese).
- Takenaka T and Umemura J: Spread Monolayers and LB Films, *Membrane Experiment Series, Vol. II. Biomimetic-Functional Membranes* (Japan Membrane Society Ed.), 2–30, Kyoritsu Shuppan, Tokyo (1994) (in Japanese).
- ## II. Molecular Aggregates
- Sato N, Sugawara T and Izuoka A: Structure and Properties of Overcrowded Condensed Polycyclic Aromatic Hydrocarbons—Tetrabenzopentacene—, *Rep. Toyota Phys. Chem. Res. Inst.*, **46**, 33–39 (1993) (in Japanese).
- Mochida T, Izuoka A, Sato N and Sugawara T: Decarboxylation of Crystalline 2-Carboxy-3-hydroxydibenzo[a,c]tropone Followed by Solid-state Crystallization, *Chem. Phys. Lett.*, **210**, 389–392 (1993).
- Awaga K, Yokoyama T, Fukuda T, Masuda S, Harada Y, Maruyama Y and Sato N: Photoelectron Spectroscopic Studies of an  $\alpha$ -Nitronyl Nitroxide Radical: Mechanism of Ferromagnetic Intermolecular Interaction, *Mol. Cryst. Liq. Cryst.*, **232**, 27–34 (1993).
- Seki K, Sato N and Inokuchi H: Valence Electronic Structure of a Long-chain Alkane in Random-coil Forms. Gas-phase UPS of n-C<sub>36</sub>H<sub>74</sub> and MO Calculations, *Chem. Phys.*, **178**, 207–214 (1993).
- Hanai T, Zhao K S, Asaka K and Asami K: Theoretical Approach and the Practice to the Evaluation of Structural Parameters Characterizing Concentration Polarization alongside Ion-exchange Membranes by Means of Dielectric Measurements, *Colloid Polym. Sci.*, **271**, 766–773 (1993).
- Asami K and Hanai T: Observations and the Phenomenological Interpretation of Dielectric Relaxation due to Electrode Polarization, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 111–119 (1993).
- Sato N: Characteristic Electronic Structures of Organic Solids Classified in Terms of Molecular Electronic Relaxation, *Synth. Metals*, **64**, 133–139 (1994).
- Yoshida S, Kozawa K, Sato N and Uchida T: Photoelectric Behavior of Sublimed Films of Phenothiazine Derivatives, *Bull. Chem. Soc. Jpn.*, **67**, 2017–2023 (1994).
- Asami K and Zhao K S: Dielectric Measurement of a Single Sub-millimeter Size Microcapsule, *Colloid Polym. Sci.*, **272**, 64–71 (1994).
- Asami K: The Scanning Dielectric Microscope, *Meas. Sci. Technol.*, **5**, 589–592 (1994).

Asami K and Takashima S: Membrane Admittance of Cloned Muscle Cells in Culture, *Biochim. Biophys. Acta*, **1190**, 129–136 (1994).

Nagaoka Y, Iida A, Kanbara T, Lian Pin N, Fujita T, Asami K, Asaka K, Tachikawa E and Kashimoto T: Structure and Function of Channel Forming Peptides, Trichosporin-B-VIIa and Aib14-trichosporin-B-VIIa, in Lipid Bilayer and Biomembranes, *Peptide Chem.*, **1993**, 361–364 (1994).

Irimajiri A and Asami K: Measurement of Membrane Impedance and Capacitance, in *Method in Membrane Science*, Vol. 1, ed. Membrane Soc. Jpn., 393–399 (1994) (in Japanese).

### III. Separation Chemistry

Sohrin Y, Kokusen H, Kihara S, Matsui M, Kushi Y and Shiro M: New Mode of Ion Size Discrimination for Group 2 Metals Using Poly(pyrazolyl)borate Ligands. Control of Stability and Structure of Chelate Complexes by Intraligand Contact, *J. Am. Chem. Soc.*, **115**, 4128–4136 (1993).

Umetani S, Matsui M and Tsurubou S: Improvement of Separation in the Solvent Extraction of Alkaline Earths by the Use of 18-Crown-6 as a Masking Reagent, *J. C. S., Chem. Commun.*, 914–916 (1993).

Umetani S, Le THQ, Takahara H and Matsui M: Solvent Extraction of Metals with Strongly Acidic Extractants Derived from Heterocyclic Compounds in Solvent Extraction in the Process Industries, *Elsevier*, 643–650 (1993).

Sasaki T, Sohrin Y, Hasegawa H, Kokusen H, Kihara S and Matsui M: Separation of Methylated and Inorganic Germanium by Liquid-Liquid Extraction with Organic Ligands Containing a Negatively Charged Oxygen Donor, *Anal. Chem.*, **66**, 271–275 (1994).

Sasaki T, Umetani S, Matsui M and Tsurubou S: Quantitative Extraction-Separation of Calcium and Strontium Using Cryptand [2.2.2] as a Masking Reagent, *Chem. Letters*, 1195–1198 (1994).

Sohrin Y, Matsui M, Hata Y, Hasegawa H and Kokusen H: New Mode of Ion Size Discrimination for Group 2 Metals Using Poly(pyrazolyl)borate Ligands. 2. Control of Stability and Structure of Chelate Complexes by Intra- and Interligand Contact and Shielding Effect, *Inorg. Chem.*, **33**, 4376–4383 (1994).

Kihara S, Maeda K, Shirai O, Yoshida Y and Matsui M: Voltammetric Study on the Oscillation of Potential Difference or Current at an Aqueous/Organic (Membrane) Interface Accompanied by Ion Transfer, in *Proceedings of 2nd Bioelectroanalytical Symposium*, 331–342.

Ogura K, Kihara S, Umetani S and Matsui M: Voltammetric Study on the Transfer of Alkali and Alkaline Earth Metal Ions at the Aqueous/Organic Interface Facilitated by Phosphine Oxides, *Bull. Chem. Soc. Japan*, **66**, 1971–1978 (1993).

Ogura K, Kihara S, Suzuki M and Matsui M: Ion Transfer at the Interface between an Aqueous Solution in the Presence of Concentrated Salts and an Organic Solution Studied by Polarography at the Electrolyte Solution Dropping Electrode, *J. Electroanal. Chem.*, **352**, 131–151 (1993).

Kihara S and Maeda K: Novel Oscillations of Membrane Potential or Current Accompanied by Ion Transfer and Voltammetric Elucidation of Their Mechanisms, *Seventh Newsletter of MEBC*, 25–30 (1993).

Suzuki M, Ion Transfer from Water to Formamide or 1,2-Ethanediol Studied by Polarography at the Electrolyte Solution Dropping Electrode, *J. Electroanal. Chem.*, **372**, 39–48 (1994).

Kihara S and Maeda K: Membrane Oscillations and Ion Transport, *Progress in Surface Science*, **47**, 1–54 (1994).

Yoshida Z, Aoyagi H, Meguro Y, Kitatsuji Y and Kihara S: Voltammetric Study on the Transfer of U, Np and Pu Ions at the Aqueous-Organic Interface Facilitated by Phosphine Oxides, *J. Alloys and Compounds*, **213/214**, 324–327 (1994).

Yoshida Z and Kihara S: Nuclear Fuel and Electroanalytical Chemistry, *Denki Kagaku*, **62**, 8–14 (1994) (in Japanese).

Fujino O, Umetani S and Matsui M: Determination of Uranium in Apatite Minerals by Inductively Coupled Plasma Atomic Emission Spectrometry after Solvent Extraction and Separation with 3-Phenyl-4-benzoyl-5-isoxazolone into Diisobutyl Ketone, *Anal. Chim. Acta*, **296**, 63–68 (1994).

Hasegawa H, Sohrin Y, Matsui M, Hojo M and Kawashima M: Speciation of Arsenic in Natural Waters by Solvent Extraction and Hydride Generation Atomic Absorption Spectrometry, *Anal. Chem.*, **66**, 3247–3252 (1994).

Kihara S, Ishio N, Sanada M, Kuwada S, Shirai O, Yoshida Y, Suzuki M and Matsui M: Abiotic Synthesis of Substances Relative to the Origin of Life under the Oxidizing Atmosphere, *Transactions of The Research Institute of Oceanochimistry*, **7**, 4–15 (1994) (in Japanese).

## SOLID STATE CHEMISTRY

### I. Artificial Lattice Alloys

Sato H, Aoki Y, Kobayashi Y, Yamamoto H and Shinjo T: Huge Magnetic Field-dependent Thermal Conductivity in Magnetic Multilayer Films, *J. Magn. & Magn. Mater.*, **126**, 410–412 (1993).

Nakayama N, Wu L, Dohnomae H, Shinjo T, Kim J and Falco C M: X-ray Diffraction Analysis of Lattice Strain in Metallic Superlattice Films, *J. Magn. & Magn. Mater.*, **126**, 71–75 (1993).

Nasu S, Kobayashi Y, Shibatani T, Dohnomae H, Mima N and Shinjo T:  $^{197}\text{Au}$  Mössbauer Study of Au/Ni Multilayers, *J. Magn. & Magn. Mater.*, **126**, 221–224 (1993).

Sakurai M and Shinjo T: Magnetic and Magneto-optical Properties of Pd/Au/Pd/Co and Pd/Cu/Pd/Co Multilayers, *J. Magn. & Magn. Mater.*, **128**, 237–246 (1993).

Fujii Y, Ohishi Y, Konishi H, Nakayama N and Shinjo T: High-pressure SRX-ray Diffraction Studies of Structural and Elastic aspects of Superlattices, *J. Magn. & Magn. Mater.*, **126**, 192–196 (1993).

Sakurai J, Nishimura K, Taniguchi H, Haségawa K, Okuyama T and Shinjo T: Thermopower and Resistivity of Au/Co/Au/Ni(Fe) Multilayers, *J. Magn. & Magn. Mater.*, **126**, 510–512 (1993).

- Mibu K, Hosoi N and Shinjo T: Iron Spin Directions in Fe/Rare Earth Multilayers by Mössbauer Spectroscopy, *J. Magn. & Magn. Mater.*, **126**, 343–345 (1993).
- Nakamura H, Suzuki T, Shiga M, Yamamoto H and Shinjo T: NMR Study of  $^{59}\text{Co}$  in [Cu/Co/Cu/NiFe] Superlattices, *J. Magn. & Magn. Mater.*, **126**, 364–366 (1993).
- Dohnomae H, Shintaku K, Nakayama N and Shinjo T: Magnetic Structure of CrSb/Sb Superlattices, *J. Magn. & Magn. Mater.*, **126**, 346–348 (1993).
- Mibu K, Hosoi N and Shinjo T: Mössbauer Study of Spin Reorientation in Fe/Rare-Earth Multilayers. *Nucl. Instrum. Methods*, **B76**, 31–32 (1993).
- Mekata M, Yaguchi N, Takagi T, Sugino T, Mitsuda S, Yoshizawa H, Hosoi N and Shinjo T: Successive Magnetic Ordering in CuFeO<sub>2</sub>—A New Type of Partially Disordered Phase in a Triangular Lattice Antiferromagnet—, *J. Phys. Soc. Jpn.*, **62**, 4474–4487 (1993).
- Shinjo T: Magneto-Transport Phenomena of Multilayers with Two Magnetic Components. in Magnetism and Structure in Systems of Reduced Dimension ed R.F.C. Farrow et al., Plenum Press, New York, 323–333 (1993).
- Sakurai M and Shinjo T: Magneto-Optical Properties and Magnetic Anisotropies for Au/Cu/Au/Co and Cu/Au/Cu/Co Multilayers, *J. Appl. Phys.*, **74**, 6840–6846 (1993).
- Wu L, Nakayama N, Engel BN, Shinjo T and Falco CM: X-Ray Diffraction Measurements of Lattice Strains in Co/Pd (001) Superlattice Films, *Jpn. J. Appl. Phys.*, **32**, 4726–4731 (1993).
- Wu L, Shintaku K, Shinjo T and Nakayama N: Preparation and Structural Characterization of Co/Au (001) Superlattices, *J. Phys. Condens. Matter*, **5**, 6515–6524 (1993).
- Wu L, Hosoi N, Nakayama N and Shinjo T: Coherent Interface Structures Observed in Co/Au (001) Epitaxial Superlattices, *J. Phys. Soc. Jpn.*, **62**, 4171–4173 (1993).
- Yamamoto H, Motomura Y, Anno T and Shinjo T: Magneto-resistance of non-coupled [NiFe/Cu/Co/Cu] Multilayers, *J. Magn. & Magn. Mater.*, **126**, 437–439 (1993).
- Kawakake Y, Mibu K and Shinjo T: Mössbauer Study of Co/Cu Multilayers Using  $^{119}\text{Sn}$  Probes, *J. Phys. Soc. Jpn.*, **63**, 2700–2705 (1994).
- Emoto T, Mibu K, Hosoi N and Shinjo T: Magnetic Polarization of Au Layers in Co/Au Multilayers Observed by  $^{119}\text{Sn}$  Mössbauer Effect, *J. Phys. Soc. Jpn.*, **63**, 3226–3229 (1994).
- Shinjo T: Recent Development of Metallic Multilayer Studies, *Gakujutsu Gepou*, **47**, 1085–1089 (1994) (in Japanese).
- Ono T, Hosoi N and Shinjo T: Magnetization Process of Granular Fe-Ag GMR System Studied by Mössbauer Spectroscopy, *J. Phys. Soc. Jpn.*, **63**, 2874–2877 (1994).
- Nishimura K, Sakurai J, Hasegawa K, Saito Y, Inomata K and Shinjo T: Thermoelectric Power of Co/Cu Multilayer, *J. Phys. Soc. Jpn.*, **63**, 2685–2690 (1994).
- Yamamoto A, Honmyo T, Kiyama M and Shinjo T: Surface Magnetism of  $\alpha\text{-FeO(OH)}$  and  $\beta\text{-FeO(OH)}$  by Mössbauer Spectroscopy, *J. Phys. Soc. Jpn.*, **63**, 176–183 (1994).
- Asano T, Ajiro T, Mekata M, Yamazaki H, Hosoi N, Shinjo T and Kikuchi H: Single Crystal Susceptibility of The S=1 One-Dimensional Heisenberg Antiferromagnet AgVP<sub>2</sub>S<sub>6</sub>, *Solid State Communications*, **90**, 125–128 (1994).
- Shinjo T: in *Giant Magnetoresistance—New Branch of Physics on Metallic Multilayers*, 39–52 (1994) (in Japanese).
- ## II. Artificial Lattice Compounds
- ## III. Multicomponent Materials
- Terashima T, Shimura K, Daitoh Y, Bando Y, Matsuda Y and Komiyama S: Microstructure and Superconductivity of Oxide Superconductors Ultrathin Films, in 1993 International Workshop on Superconductivity, June 28–July 1, 1993, Hakodate, Japan, International Superconductivity Technology Center (ISTEC), 9–12 (1993).
- Kiyama M, Honmyo T, Nakamura T, Takano M and Takada T: The Formation of  $a\text{-Fe}_2\text{O}_3$  and BaFe<sub>12</sub>O<sub>19</sub> in the Presence of Iron (II) Hydroxide and Nitrates with or without Ba (II), *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 81–85 (1993).
- Bando Y, Terashima T, Shimura K, Daitoh Y, Matsuda Y and Komiyama S: Microstructure and Transport Properties of One-Unit-Cell YBCO layer, *Chinese Journal of Physics*, **31**, 903–911 (1993).
- Saitoh T, Bocquet A E, Mizokawa T, Namatame H, Fujimori A, Abbe M, Takeda Y and Takano M: Photoemission and X-Ray Absorption Study of La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, *Jpn. J. Appl. Phys.*, **32**, 258–260 (1993).
- Nakanishi M, Hashizume H, Terashima T, Bando Y, Michikami O, Maeyama S and Oshima M: Structure of the Growth Interface of Y-Ba-Cu-O Analogs on SrTiO<sub>3</sub> (001) Substrates, *Phys. Rev. B*, **48**, 10524–10529 (1993).
- Matsuda Y, Komiyama S, Onogi T, Terashima T, Shimura K and Bando Y: Thickness Dependence of the Kosterlitz-Thouless Transition in Ultrathin YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> Films, *Phys. Rev. B*, **48**, 10498–10503 (1993).
- Takeda Y, Mukai Y, Imanishi N, Yamamoto O, Takano M, Azuma M, Hiroi Z and Bando Y: Synthesis of Copper Oxide Superconductors under High Oxygen Pressure—Comparision with Electrochemical Oxidation Method—, in Proceedings of 1993 Powder Metallurgy World Congress, July 12–15, 1993, Kyoto, Japan (ed. Bando Y and Kosuge K), Japan Society of Powder and Powder Metallurgy, 1291–1294 (1993).
- Kusano Y, Nanba T, Takada J, Ikeda Y, Hiroi Z, Takano M and Mazaki H: Chemical and Mechanical Stability of the High- $T_c$  Phase in the Bi-Pb-Sr-Ca-Cu-O System. in Proceedings of 1993 Powder Metallurgy World Congress, July 12–15, 1993, Kyoto, Japan (ed. Bando Y and Kosuge K), Japan Society of Powder and Powder Metallurgy, 1298–1301 (1993).
- Takada J, Niinae T, Endo K, Kusano Y, Nanba T, Ikeda Y, Hiroi Z, Takano M and Mazaki H: Effect of Li Addition of the Low- $T_c$  Phase in the Bi-Sr-Ca-Cu-O System. in Proceedings of 1993 Powder Metallurgy World Congress, July 12–15, 1993, Kyoto, Japan (ed. Bando Y and Kosuge K), Japan Society of Powder and Powder Metallurgy, 1302–1305 (1993).

- Kusano Y, Nanba T, Takada J, Ikeda Y and Takano M: Thermal Stability of the Bi-2223 Phase, in Proceedings of the 10th Japan-Korea Seminar on Ceramics, Oct. 27-29, 1993, Nagasaki, Japan, 427-430 (1993).
- Kusano Y, Nanba T, Takada J, Ikeda Y, Takano M and Takeda Y: Phases and their Relations in the  $\text{BiO}_{1.5}\text{-SrO}(\text{SrCO}_3)\text{-CuO}$  System at 720°C, *Funtai oyobi Funmatsu Yakin*, **40**, 1049-1052 (1993) (in Japanese).
- Kobayashi N, Fukuura M, Doi A, Takada T, Kusano Y, Takada J, Ikeda Y and Takano M: Formation of the High- $T_c$  Phase in Bi-2223 System in Various Atmospheres—Effect of O<sub>2</sub>-Partial Pressure—, *Funtai oyobi Funmatsu Yakin*, **40**, 1053-1056 (1993) (in Japanese).
- Kusano Y, Tanba T, Takada J, Ikeda Y, Takano M and Egi T: Chemical Stability of the Bi-2223 Phase, *Funtai oyobi Funmatsu Yakin*, **40**, 1057-1060 (1993) (in Japanese).
- Niinae T, Takada J, Ikeda Y and Bando Y: Mechanical Grinding and Reforming Process of the Bi-2201 Phase (II)—Comparing the Various Bi-2201 Solid Solutions—, *Funtai oyobi Funmatsu Yakin*, **40**, 1065-1068 (1993) (in Japanese).
- Terashima T and Bando Y: Growth of Ferroelectric Ultrathin Films, *Electronic Ceramics*, **24**, 37-41 (1993) (in Japanese).
- Takano M, Fujii T and Bando Y: Characterization of Epitaxial Iron Oxide Films by Conversion Electron Mössbauer Spectroscopy, in New Functionality Materials, Synthetic Process and Control of Functionality Materials (ed. Tsuruta T, Doyma M and Seno M), Elsevier Science Pub. B.V., Amsterdam, C 745-750 (1993).
- Hiroi Z, Azuma M, Takeda Y and Takano M: Curric Oxide Superconductors in the Sr-Cu-O System. in *Advances in Superconductivity VI*: Proceedings of the 6th International Symposium on Superconductivity (ISS '93), Oct. 26-29, 1993, Hiroshima, Japan (ed. Fujita T and Shiohara Y), Springer-Verlag, Tokyo, **1**, 285-290 (1994).
- Kiyama M, Honmyo T, Nakamura T, Takano M and Takada T: The Formation of SrFe<sub>12</sub>O<sub>19</sub> in the Presence of Fe(OH)<sub>2</sub>, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 393-397 (1994).
- Nishijima M, Takeda Y, Imanishi N, Yamamoto O and Takano M: Li Deintercalation in Lithium Transition Metal Nitride,  $\text{Li}_3\text{FeN}_2$ , *Ceramic Transactions*, **41**, 253-261 (1994).
- Terauchi H, Yoneda Y, Watanabe Y, Kasatani H, Sakae K, Kamigaki K, Iijima K, Yano Y, Terashima T and Bando Y: Epitaxial BaTiO<sub>3</sub> Crystals, *Ferroelectrics*, **151**, 21-26 (1994).
- Fujii T, Takano M, Katano R, Isozumi Y and Bando Y: Surface and Interface Properties of Epitaxial Fe<sub>3</sub>O<sub>4</sub> Films Studied by Mössbauer Spectroscopy, *J. Mag. Mag. Mat.*, **130**, 267-274 (1994).
- Fujii T, Takano M, Katano R, Isozumi Y and Bando Y: Spin-Flip Anomalies in Epitaxial  $a\text{-Fe}_2\text{O}_3$  Films by Mössbauer Spectroscopy, *J. Mag. Mag. Mat.*, **135**, 231-236 (1994).
- Takeda Y, Imayoshi K, Imanishi N, Yamamoto O and Takano M: Preparation and Characterization of  $\text{Sr}_{2-x}\text{La}_x\text{FeO}_4$  ( $0 \leq x \leq 1$ ), *J. Mater. Chem.*, **4**, 19-22 (1994).
- Fujii T, Sakata N, Takada J, Miura Y, Daitoh Y and Takano M: Characteristics of Titanium Oxide Films Deposited by an Activated Reactive Evaporation Method, *J. Mater. Res.*, **9**, 1468-1473 (1994).
- Ishida K, Kitaoka Y, Asayama K, Azuma M, Hiroi Z and Takano M: Spin Gap Behavior in Ladder-Type of Quasi-One-Dimensional Spin ( $S=1/2$ ) System  $\text{SrCu}_2\text{O}_3$ , *J. Phys. Soc. Jpn.*, **63**, 3222-3225 (1994).
- Kanno R, Kubo H, Kawamoto Y, Kamiyama T, Izumi F, Takeda Y and Takano M: Phase Relationship and Lithium Deintercalation in Lithium Nickel Oxides, *J. Solid State Chem.*, **110**, 216-225 (1994).
- Yamamoto T, Kanno R, Takeda Y, Yamamoto O, Kawamoto K and Takano M: Crystal Structure and Metal-Semiconductor Transition of the  $\text{Bi}_{2-x}\text{Ln}_x\text{Ru}_2\text{O}_7$  Pyrochlores ( $\text{Ln}=\text{Pr-Lu}$ ), *J. Solid State Chem.*, **109**, 372-383 (1994).
- Nishijima M, Takeda Y, Imanishi N, Yamamoto O and Takano M: Li Deintercalation and Structural Change in the Lithium Transition Metal Nitride  $\text{Li}_3\text{FeN}_2$ , *J. Solid State Chem.*, **113**, 205-210 (1994).
- Takano M: SrCuO<sub>2</sub> and Related High-Pressure Phases, *Journal of Superconductivity*, **7**, 49-54 (1994).
- Takeda Y, Nakahara K, Nishijima M, Imanishi N, Yamamoto O, Takano M and Kanno R: Sodium Deintercalation from Sodium Iron Oxide, *Mater. Res. Bull.*, **29**, 659-666 (1994).
- Hiroi Z, Kobayashi N and Takano M: Probable Hole-Doped Superconductivity without Apical Oxygens in  $(\text{Ca}, \text{Na})_2\text{CuO}_2\text{Cl}_2$ , *Nature*, **371**, 139-141 (1994).
- Nakamura M, Sekiyama A, Namatame H, Fujimori A, Yoshihara H, Ohtani T, Misu A and Takano M: Metal-Semiconductor Transition and Luttinger-Liquid Behavior in Quasi-One-Dimensional BaVS<sub>3</sub> Studied by Photoemission Spectroscopy, *Phys. Rev. B*, **49**, 16191-16201 (1994).
- Aomine T, Nishizaki T, Ichikawa F, Fukami T, Terashima T and Bando Y: Temperature and Magnetic Field-Direction Dependence of Transport Critical Currents in Single-Crystalline Thin Films of  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ , *Physica B*, **194-196**, 1613-1614 (1994).
- Kusano Y, Nanba T, Takada J, Egi T, Ikeda Y and Takano M: Segregation and Dissolution Reactions of the 2223 Phase in the Bi, Pb-Sr-Ca-Cu-O System on Annealing in Air, *Physica C*, **219**, 366-370 (1994).
- Shimura K, Daitoh Y, Yano Y, Terashima T, Bando Y, Matsuda Y and Komiyama S: Superconductivity in the Surface of  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$  Films. Role of the Charge Reservoir Block on the Occurrence of the Superconductivity in One-Unit-Cell Thick  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ , *Physica C*, **228**, 91-102 (1994).
- Yamaura K, Hiroi Z and Takano M: High-Pressure Synthesis of an Oxide Carbonate Superconductor with a  $T_c$  of 92 K in the Ca-Sr-Cu-C-O System, *Physica C*, **229**, 183-187 (1994).
- Takahashi H, Mori N, Azuma M, Hiroi Z and Takano M: Effect of Pressure on  $T_c$  of Hole- and Electron-Doped Infinite-Layer Compounds up to 8 GPa, *Physica C*, **227**, 395-398 (1994).

- Shimakawa Y, Jorgensen JD, Mitchell JF, Hunter BA, Shaked H, Hinks DG, Hitterman RL, Hiroi Z and Takano M: Structural Study of  $\text{Sr}_2\text{CuO}_{3+\delta}$  by Neutron Powder Diffraction, *Physica, C*, **228**, 73–80 (1994).
- Hiroi Z: High-Pressure Synthesis and HRTEM Characterization of Oxide Superconductors. in Proceedings of the NIRIM International Symposium on Advanced Materials '94, March 13–17, 1994, Tsukuba, Japan (ed. Kamo M, Kanda H, Matsui Y and Sekine T), National Institute for Research in Inorganic Materials, 46–51 (1994).
- Shimura K, Terashima T and Bando Y: Microstructures and Superconductivity of Ultrathin  $\text{YBa}_2\text{Cu}_3\text{O}_7$  Films, *Funtai oyobi Funmatsu Yakin*, **41**, 365–369 (1994) (in Japanese).
- Ikeda Y, Sano Y, Bando Y, Niinae T and Takada J: Consideration of  $\text{Bi}_2\text{CuO}_4$  in the  $\text{Bi}_2\text{O}_3$ -CuO System, *Funtai oyobi Funmatsu Yakin*, **41**, 384–387 (1994) (in Japanese).
- Kusano Y, Nanba T, Takada J, Ikeda Y and Takano M: Effect of Heating Atmosphere on Segregation and Dissolution of the Pb-Compound in the Bi-2223 Phase, *Funtai oyobi Funmatsu Yakin*, **41**, 388–391 (1994) (in Japanese).
- Niinae T, Kusano Y, Takada J, Ikeda Y and Bando Y: The Precipitation of the Pb-Compounds from Pb-Substituted Bi-2201 Phase—Comparison of Precipitation Behavior in the 2201 and the 2223 Phases—, *Funtai oyobi Funmatsu Yakin*, **41**, 392–395 (1994) (in Japanese).
- Takada J, Nagae M, Kusano Y, Nanba T, Ikeda Y and Takano M: Mechanical Grinding and Reforming Process of the Pb-Substituted 2223 Phase, *Funtai oyobi Funmatsu Yakin*, **41**, 396–399 (1994) (in Japanese).
- Kobayashi N, Fukuoka M, Doi A, Takada T, Takada J and Ikeda Y: Formation of the Pb-Rich 2212 Phase, *Funtai oyobi Funmatsu Yakin*, **41**, 400–403 (1994) (in Japanese).
- Masada K, Kobayashi N, Doi A, Takada T, Takada J and Ikeda Y: Change of the Bi-2223 Phase by Repeat of Mechanical Grinding and Heat Treatment, *Funtai oyobi Funmatsu Yakin*, **41**, 404–407 (1994) (in Japanese).
- Bando Y: Epitaxy in Oxides and their Interface, *Hyomen Kagaku*, **15**, 79–84 (1994) (in Japanese).
- Ikeda Y: Phase Diagram of Superconducting Oxides, *Funtai oyobi Funmatsu Yakin*, **41**, 377–383 (1994) (in Japanese).
- Takano M: Cupric Oxide Superconductors: Where are Rare Earth Elements, *Kidorui*, 29–40 (1994) (in Japanese).
- Bando Y: High- $T_c$  Superconducting Ultrathin Films, *Odoroki no Materiaru, Dainippon Toshō*, **19**, 101–122 (1994) (in Japanese).
- Takano M, Takeda Y and Ohtaka O: in High Pressure Synthesis of Solids. Encyclopedia of Inorganic Chemistry (ed. King RB), John Wiley & Sons Ltd., England, **3**, 1372–1386 (1994).
- #### IV. Amorphous Materials
- Kim SH, Yoko T and Sakka S: Linear and Nonlinear Optical Properties of  $\text{TeO}_2$  Glasses, *J. Am. Ceram. Soc.*, **76**, 2486–2490 (1993).
- Hayakawa S, Yoko T and Sakka S:  $^{51}\text{V}$  NMR Studies of Crystalline Divalent Metal Vanadates and Divanadates, *Bull. Chem. Soc. Jpn.*, **66**, 3393–3400 (1993).
- Sakka S, Aoki K, Kozuka H and Yamaguchi J: Sol-Gel Synthesis of Silica Gel Disc as Applied to Supports of Organic Molecules with Optical Functions, *J. Mater. Sci.*, **28**, 4607–4614 (1993).
- Sakka S, Kozuka H and Adachi T: Preparation of Porous Materials by the Sol-Gel Method, *Ceram. Trans.*, **31**, 27–40 (1993).
- Fujihara S, Kozuka H, Yoko T and Sakka S: Superconductivity of  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$  with High Strontium Concentration by Sulfur Doping, *J. Mater. Sci.*, **28**, 3874–3878 (1993).
- Hashimoto T, Yoko T and Sakka S: Third-Order Nonlinear Optical Properties of Sol-Gel Derived  $\text{FeTiO}_3$  Thin Films, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 420–429 (1994).
- Hashimoto T, Yoko T and Sakka S: Sol-Gel Preparation and Third-Order Nonlinear Optical Properties of  $\text{TiO}_2$  Thin Films, *Bull. Chem. Soc. Jpn.*, **67**, 653–660 (1994).
- Miyaji F, Yoko T and Sakka S: Structure of Sodium Gallotitanate Glass in Relation to Glass Formation, *J. Ceram. Soc. Jpn.*, **102**, 247–251 (1994).
- Miyaji F, Yoko T, Jin J, Sakka S, Fukunaga T and Misawa M: Neutron and X-Ray Diffraction Studies of  $\text{PbO}-\text{Ga}_2\text{O}_3$  and  $\text{Bi}_2\text{O}_3-\text{Ga}_2\text{O}_3$  Glasses, *J. Non-Cryst. Solids*, **175**, 211–223 (1994).
- Hayakawa S, Yoko T and Sakka S: Glass Transition and Crystallization Behavior of Binary Divalent Metal Vanadate Glasses, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 411–419 (1994).
- Hayakawa S, Yoko T and Sakka S: Structural Studies on Alkaline Earth Vanadate Glasses (Part 1)— $^{51}\text{V}$  NMR Spectroscopic Study—, *J. Ceram. Soc. Jpn.*, **102**, 530–536 (1994).
- Hayakawa S, Yoko T and Sakka S: Structural Studies on Alkaline Earth Vanadate Glasses (Part 2)—IR Spectroscopic Study—, *J. Ceram. Soc. Jpn.*, **102**, 522–529 (1994).
- Hayakawa S, Yoko T and Sakka S:  $^{51}\text{V}$  NMR Studies of Crystalline Monovalent and Divalent Metal Metavanadates, *J. Solid State Chem.*, **112**, 329–339 (1994).
- Jin J, Yoko T, Miyaji F, Sakka S, Fukunaga T and Misawa M: Neutron Diffraction and Solid-State MAS-NMR Studies of the Structure of  $\text{Y-Al-Si-O-N}$  Oxynitride Glasses, *Phil. Mag.*, **B70**, 191–203 (1994).
- Jin J, Yoko T, Miyaji F and Sakka S: Incorporation of Nitrogen in Alkaline Earth Aluminate Glasses, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 430–436 (1994).
- Kozuka H and Sakka S: Formation of Silica Gels Composed of Micrometer-Sized Particles by the Sol-Gel Method, in *Advances in Chemistry Series*, No. 234, Colloid Chemistry of Silica ed. by H.E. Bargina, American Chemical Society, Washington D.C., 1994, 129–141.
- Innocenzi P, Kozuka H and Sakka S: Preparation of Coating Films Doped with Gold Metal Particles from Methyl-

- triethoxysilane-Tetraethoxysilane Solutions, *J. Sol-Gel Sci. Techn.*, **1**, 305–318 (1994).
- Kozuka H, Zhao G and Sakka S: Control of Optical Properties of Gel-Derived Oxide Coating Films Containing Fine Metal Particles, *J. Sol-Gel Sci. Techn.*, **2**, 741–744 (1994).
- Sakka S, Kozuka H and Zhao G: Sol-Gel Preparation of Metal Particle/Oxide Nanocomposites, *SPIE*, **2288**, 108–119 (1994).
- Fujihara S, Kozuka H, Yoko T and Sakka S: Mechanism of Formation of  $\text{YBa}_2\text{Cu}_4\text{O}_8$  Superconductor in the Sol-Gel Synthesis, *J. Sol-Gel Sci. Tech.*, **1**, 133–139 (1994).
- Fujihara S, Kozuka H and Yoko T: Structure, Oxygen Deficiency and Electrical Properties of  $\text{Nd}_{1-x}\text{Y}_x\text{NiO}_{3-y}$  ( $x=0, 0.1$ ) Prepared by Sol-Gel Method, *J. Ceram. Soc. Jpn.*, **102**, 1005–1009 (1994).
- ## FUNDAMENTAL MATERIAL PROPERTIES
- ### I. Molecular Rheology
- Hwang E-J, Inoue T and Osaki K: Viscoelasticity and Birefringence of Amorphous Polyarylates I, *Polymer (Korea)*, **17**, 249–259 (1994) (in Korean).
- Hwang E-J, Inoue T and Osaki K: Viscoelasticity of Some Engineering Plastics Analyzed with the Modified Stress-Optical Rule, *Polym. Eng. Sci.*, **34**, 135–140 (1994).
- Hwang E-J, Inoue T, Osaki K and Takano A: Viscoelasticity and Birefringence of Poly(2-vinylnaphthalene), *Nihon Reoroji Gakkaishi*, **22**, 192–134 (1994) (in Japanese).
- Inoue T, Takiguchi O, Osaki K, Kohara T and Natsume T: Dynamic Birefringence of Amorphous Polyolefins I. Measurements on Poly[1-ethyl-5-methyl-octahydro-4, 7-metano-<sup>1</sup>H-indene-12, 3-diy], *Polym. J.*, **26**, 133–139 (1994).
- Osaki K, Inoue T, Hwang E-J, Okamoto H and Takiguchi O: Dynamic Birefringence of Amorphous Polymers, *J. Non-Crystalline Solids*, **172–174**, 838–849 (1994).
- Osaki K: On the Damping Function of Shear Relaxation Modulus for Entangled Polymers, *Rheol. Acta*, **32**, 429–437 (1993).
- Inoue T and Osaki K: Rheological Properties of Poly(vinyl alcohol)/Sodium Borate Aqueous Solutions, *Rheol. Acta*, **32**, 550–555 (1993).
- Osaki K, Inoue T and Ahn K H: Shear and Normal Stresses of a Poly(vinyl alcohol)/Sodium Borate Aqueous Solution at the Start of Shear Flow, *J. Non-Newtonian Fluid Mech.*, **54**, 109–120 (1994).
- Ahn K H and Osaki K: A Network Model for Predicting the Shear Thickening Behavior of a Poly(vinyl alcohol)/Sodium Borate Aqueous Solution, *J. Non-Newtonian Fluid Mech.*, **55**, 215–227 (1994).
- Nemoto N, Watanabe Y, Koike A and Osaki K: Dynamic Viscoelasticity of End-Linking  $\alpha, \omega$ -Dihydroxyl Polybutadiene Solutions near the Gel Point, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 437–444 (1993).
- Koike A, Yamamura T and Nemoto N: Dynamic Light Scattering of CTAB: NaSal Threadlike Micelles in the Semidilute Regime. II. Effect of Surfactant Concentration, *Colloid Polym. Sci.*, **272**, 955–961 (1994).
- Koike A, Nemoto N, Takahashi M and Osaki K: Dynamic Viscoelasticity of End-Linking  $\alpha, \omega$ -Dimethyl Silyl Poly(Propylene Oxide) Solutions near the Gel Point, *Polymer*, **35**, 3005–3010 (1994).
- Kuwahara M, Nemoto N, Hirayama T and Osaki K: Viscoelasticity of CTAB: NaSal/W Detergent Micelles. Salt and Temperature Effects, *Nihon Reoroji Gakkaishi*, **22**, 57–62 (1994) (in Japanese).
- ### II. Polymer Materials Science
- Imai M, Kaji K and Kanaya T: Orientational Fluctuations of Poly(ethylene terephthalate) during the Induction Period of Crystallization, *Phys. Rev. Lett.*, **71**, 4163–4165 (1993).
- Kanaya T, Kawaguchi T and Kaji K: Low-energy Excitation and Fast Motion near  $T_g$  in Amorphous cis-1,4-Polybutadiene, *J. Chem. Phys.*, **98**, 8262–8270 (1993).
- Kanaya T, Nishida K and Kaji K: Structure of Polyelectrolyte Solutions, *Kobunshi Kako*, **42**, 432–443 (1993) (in Japanese).
- Kawakatsu T, Kawasaki K, Furusaka M, Okabayashi H and Kanaya T: Late Stage Dynamics of Phase Separation Processes of Binary Mixtures Containing Surfactants, *J. Chem. Phys.*, **99**, 8200–8217 (1993).
- Kanaya T: Light Scattering from Non-Ergodic Polymer Systems, *Kobunshi*, **42**, 982–983 (1993) (in Japanese).
- Kanaya T, Patkowski A, Fischer E W, Seils J, Glaeser H and Kaji K: Light Scattering Studies on Long-range Density Fluctuations in a Glass-forming Polymer, *Acta Polym.*, **45**, 137–142 (1994).
- Kanaya T and Kaji K: Dynamics of Glass Transition in Polymers, *Solid State Physics (Kotai Butsuri)*, **29**, 303–313 (1994) (in Japanese).
- Imai M and Kaji K: Crystallization of Polymers—When entangled one-dimensional chain molecules are incorporated into crystal lattices, *Hyomen (Surface)*, **32**, 436–445 (1994) (in Japanese).
- Kanaya T: Long-range Fluctuations in Glass-forming Polymers, *Kaigai Kobunshi Kenkyu*, **40**, 132–135 (1994) (in Japanese).
- Kanaya T, Kawaguchi T and Kaji K: Low Energy-excitation and Fast Motion near  $T_g$  in Amorphous Polymers, *J. Non-Cryst. Solids*, **172/174**, 327–335 (1994).
- Buchenau U, Schönfeld C, Richter D, Kanaya T, Kaji K and Wehrmann R: Neutron Scattering Study of the Vibration-Relaxation Crossover in Amorphous Polycarbonates, *Phys. Rev. Lett.*, **73**, 2344–2347 (1994).
- Kanaya T, Ohkura T, Kaji K, Furusaka M and Misawa M: Structure of Poly(vinyl alcohol) Gels Studied by Wide- and Small-Angle Neutron Scattering, *Macromolecules*, **27**, 5609–5615 (1994).

- Kawakatsu T, Kawasaki K, Furusaka M, Okabayashi H and Kanaya T: Theories and Computer Simulations of Self-assembling Surfactant Solutions, *J. Phys.: Condens. Matter*, **6**, 6385–6408 (1994).
- Kojima Y, Usuki A, Kawasumi M, Okada A, Kurauchi T, Kamigaito O and Kaji K: Fine Structure of Nylon-6-Clay Hybrid, *J. Polym. Sci., Part B: Polym. Phys.*, **32**, 625–630 (1994).
- Imai M, Kaji K and Kanaya T: Structural Formation of Poly(ethylene terephthalate) during the Induction Period of Crystallization. 3. Evolution of Density Fluctuations to Lamellar Crystal, *Macromolecules*, **27**, 7103–7108 (1994).
- ### III. Molecular Motion Analysis
- Yamamoto H and Horii F: In Situ Crystallization of Bacterial Cellulose 1. Influences of Polymeric Additives, Stirring and Temperature on the Formation Celluloses I <sub>$\alpha$</sub>  and I <sub>$\beta$</sub>  as Revealed by Cross Polarization/Magic Angle Spinning (CP/MAS)<sup>13</sup>C NMR Spectroscopy, *Cellulose*, **1**, 57–66 (1994).
- Horii F: Collections of Practical Technologies for Analyses of Polymer Materials, *Gijutsuho-Kyokai*, 352–371 (1994) (in Japanese).
- Kai A, Xu P, Horii F and Hu S: CP/MAS<sup>13</sup>C NMR Study on Microbial Cellulose-Fluorescent Brightener Complexes, *Polymer*, **35**, 75–79 (1994).
- Kitamaru R, Horii F, Zhu Q, Bassett D C and Olley R H: The Phase Structure of High-Pressure-Crystallized Polyethylene, *Polymer*, **35**, 1171–1181 (1994).
- Hu S, Tsuji M and Horii F: Phase Structure of Poly(vinyl alcohol) Single Crystals as Revealed by High-Resolution Solid-State<sup>13</sup>C NMR Spectroscopy, *Polymer*, **35**, 2516–2522 (1994).
- Horii F: Solid NMR Analyses of the Crystal Structure of Native Cellulose, *Kagaku-to-Seibutsu*, **32**, 361–366 (1994) (in Japanese).
- Tsunashima Y and Kawamata Y: Dynamics of Polystyrene Subchains of a Styrene-Methyl Methacrylate Diblock Copolymer in Solution Measured by Dynamic Light Scattering. 2. Semidilute Solution Region, *Macromolecules*, **27**, 1799–1807 (1994).
- Tsunashima Y: Polymer Solutions. Polymer Science One Point-3, *The Society of Polymer Science (Japan)*, Ed., Kyoritsu (1993) (in Japanese).
- Nakanishi K, Yamasaki Y, Kaji H, Soga N, Inoue T and Nemoto N: Phase Separation Kinetics in Silica Sol-Gel System Containing Polyethylene Oxide. I. Intial Stage, *J. Sol-Gel Sci. Technol.*, **2**, 227–231 (1994).
- Kaji H, Nakanishi K, Soga N, Inoue T and Nemoto N: In Situ Observation of Phase Separation Processes in Gelling Alkoxy-Derived Silica System by Light Scattering Method, *J. Sol-Gel Sci. Technol.*, **3**, 169–188 (1994).
- Jia L, Fu H, Xu J, Hirai A and Odani H: Studies on the Sulfonation of Poly(phenylene oxide) (PPO) and Permeation Behavior of Gases and Water Vapor through Sulfonated PPO Membranes. V. Sorption Behavior of Water Vapor in PPO and Sulfonated PPO Membranes, *J. Appl. Polym. Sci.*, **52**, 29–37 (1994).
- Hirai A and Odani H: Sorption and Transport of Water Vapor in Alginic Acid, Sodium Alginate, and Alginate-Cobalt Complex Films. *J. Polym. Sci. Part B: Polym. Phys.*, **32**, 2329–2337 (1994).
- Hirai A, Yamamoto H, Tsuji M and Horii F: Electron Microscopic Observation of the Formation Processes of the Microfibrils and the Composite Crystals for Bacterial Cellulose, in *Proceedings of '94 Cellulose R & D*, pp. 41–42 (1994).
- Yamamoto H, Hirai A and Horii F: *In Situ* Crystallization of Bacterial Cellulose, Effects of Polymer Additives on the Mass Fractions of Cellulose I <sub>$\alpha$</sub>  and I <sub>$\beta$</sub> , in *Proceedings of '94 Cellulose R & D*, pp. 43–44 (1994).
- ## ORGANIC MATERIALS CHEMISTRY
- ### I. Polymeric Materials
- Kawabata K, Fukuda T, Tsuji Y and Miyamoto T: Orientation-Dependent Interactions in Polymer Systems. 3. Segmental Orientation in Poly(2,6-dimethyl-1,4-phenylene oxide)/Polystyrene Miscible Blends, *Macromolecules*, **26**, 3980–3985 (1993).
- Ma Y-D, Won Y-C, Kubo K and Fukuda T: Propagation and Termination Processes in the Free-Radical Copolymerization of Methyl Methacrylate and Vinyl Acetate, *Macromolecules*, **26**, 6766–6770 (1993).
- Kokubo T, Tanahashi M, Yao T, Minoda M, Miyamoto T, Nakamura T and Yamamuro T: Apatite-Polymer Composites Prepared by Biomimetic Process: Improvement of Adhesion of Apatite to Polymer by Glow-Discharge Treatment, *Bioceramics*, **6**, 327–332 (1993).
- Minoda M, Sawamoto M and Higashimura T: Sequence-Regulated Oligomers and Polymers by Living Cationic Polymerization. III. Synthesis and Reactions of Sequence-Regulated Oligomers with a Polymerizable Group, *J. Polym. Sci., Part A: Polym. Chem.*, **31**, 2789–2797 (1993).
- Sato T, Minoda M and Miyamoto T: High-Performance Dielectric Polymer from Cellulose Derivatives, *Cellulosics: Chemical, Biochemical and Materials Aspects*, Kennedy J F et al. Ed., Ellis Horwood, 1993, 403–408.
- Tsuji Y, Itoh T, Ito S and Miyamoto T: Langmuir-Blodgett Films from Cellulose Ester Derivatives, *Cellulosics: Chemical, Biochemical and Materials Aspects*, Kennedy J F et al. Ed., Ellis Horwood, 1993, 483–488.
- Mizutani C, Onogi Y, Inagaki H and Miyamoto T: Chemical Modifications of Cotton Fibers for Improved Water Absorbency, *Cellulosics: Pulp, Fiber and Environmental Aspects*, Kennedy J F et al. Ed., Ellis Horwood, 1993, 236–241.
- Miyamoto T, Sato T, Tsuji Y and Fukuda T: Reversible Gelation of Short-Chain O-(2,3-Dihydroxypropyl)cellulose Borax Solutions, *Kasan-Kouenshu*, **50**, 9–16 (1993) (in Japanese).
- Donkai N, Schmidt M and Miyamoto T: Lyotropic Mesophase of Imogolite: Molecular Weight Fractionation and Polydispersity Effect, *Makromol. Chem., Rapid Commun.*, **14**, 611–617 (1993).

- Miyamoto T and Minoda M: Structural Characteristics of Cellulosic Fibers and Their New Developments, *Senshoku-Kougyou*, **41**, 534–542 (1993) (in Japanese).
- Fukuda T: Kinetics of Free Radical Copolymerization, *Koubunshi*, **42**, 992–995 (1993) (in Japanese).
- Miyamoto T and Tsujii Y: Recent Progress of Cellulosic Materials, *Hyomen*, **31**, 818–825 (1993) (in Japanese).
- Minoda M and Miyamoto T: Chemical Modification of Oligosaccharides and Their Application, *Kagaku-Kougyou*, **45**, 489–497 (1994) (in Japanese).
- Tsujii Y, Miyamoto T and Sato T: Preparation and Electric Properties of Highly Dielectric Cellulose Derivatives, *Senryu-to-Yakuhan*, **39**, 193–204 (1994) (in Japanese).
- Ma Y-D, Takada A, Sugiura M, Fukuda T, Miyamoto T and Watanabe J: Thermotropic Liquid Crystals Based on Oligosaccharides. *n*-Alkyl 1-O- $\beta$ -D-Cellobiosides, *Bull. Chem. Soc. Jpn.*, **67**, 346–351 (1994).
- Ito H, Muraoka Y, Umehara R, Shibata Y and Miyamoto T: Shrink-Resistant Properties and Surface Characteristics of Wool Fibers Treated with Multifunctional Epoxides, *Text. Res. J.*, **64**, 440–444 (1994).
- Muraoka Y, Ito H, Umehara R, Shibata Y and Miyamoto T: Physical Properties of Wool Treated with Multifunctional Epoxides, *Text. Res. J.*, **64**, 514–518 (1994).
- Fukuda T: Molecular Shape and Conformation. *Shinkoubunshi-Jikkengaku*, **1**, SPSJ Ed., Kyoritsu, 1994, 240–302.
- Fukuda T, Takada A and Miyamoto T: Thermotropic Cellulose Derivatives, *Cellulosic Polymers, Blends and Composites*, Gilbert R D Ed., Hanser, Munich, 1994, 47–70.
- Takada A, Fujii K, Watanabe J, Fukuda T and Miyamoto T: Chain-Length Dependence of the Mesomorphic Properties of Fully Decanoated Cellulose and Cellooligosaccharides, *Macromolecules*, **27**, 1651–1653 (1994).
- Ma Y-D, Kim P-S, Kubo K and Fukuda T: Propagation and Termination Processes in Free Radical Copolymerization of Styrene and Ethyl Acrylate, *Polymer*, **35**, 1375–1381 (1994).
- Miyamoto T: Recent Developments in Cellulose Chemistry and Technology, *Cell. Commun.*, **1**, 2–5 (1994) (in Japanese).
- Tanahashi M, Yao T, Kokubo T, Minoda M, Miyamoto T, Nakamura T and Yamamuro T: Apatite Formation on Organic Polymers by Biomimetic Process Using Na<sub>2</sub>O-SiO<sub>2</sub> Glasses as Nucleating Agent, *J. Ceram. Soc. Jpn. Int. Ed.*, **102**, 822–829 (1994).
- Miyamoto T, Fukuda T and Watanabe J: Origins of Thermotropicity of Cellulose Derivatives, *Kasen-Kouenshu*, **51**, 1–8 (1994) (in Japanese).
- Tanahashi M, Yao T, Kokubo T, Minoda M, Miyamoto T, Nakamura T and Yamamuro T: Apatite Coating on Organic Polymers by a Biomimetic Process, *J. Am. Ceram. Soc.*, **77**, 2805–2808 (1994).
- Sugiura M, Minoda M, Watanabe J and Miyamoto T: Thermotropic Liquid Crystals Based on Chito-Oligosaccharides. 3. Effects of the Molecular Shape of N, O-Acylated Chito-Oligosaccharides on Discotic Mesomorphism, *Polym. J.*, **26**, 1236–1243 (1994).
- Hayashi T, Ito S, Yamamoto M, Tsujii Y, Matsumoto M and Miyamoto T: Thermal Relaxation Process of Stearate LB Films Sandwiched by Chromophoric Polymer LB Layers Studied by the Energy Transfer Method and Transmission Electron Microscopy, *Langmuir*, **10**, 4142–4147 (1994).
- ## II. High-Pressure Organic Chemistry
- Kudo K, Mitsuhashi K, Mori S, Komatsu K and Sugita N: Palladium (II)-Catalyzed Cyclocarbonylation of Enol Ester of Acetone. A Novel Synthesis of 1, 3-Dioxolan-4-one, *Chem. Lett.*, 1615–1618 (1993).
- Tsuji R, Komatsu K, Takeuchi K, Shiro M, Cohen S and Rabinovitz M: Structural Study on 1-Phenyl- and 1-(2-Naphthyl)-8-tropylionaphthalene Hexafluoroantimonates, *J. Phys. Org. Chem.*, **6**, 435–444 (1993).
- Komatsu K, Murata Y, Miyabu A, Takeuchi K and Wan T S M: Chemical Transformation of C<sub>60</sub>. Addition of Carbenes and Cycloaddition of Anthracene, *Fullerene Science and Technology*, **1**, 231–238 (1993).
- Takeuchi K, Kitagawa T, Miyabu A, Hori H and Komatsu K: Precise Control of the Formation of a Covalent and an Ionic Bond in Carbocation-Carbonanion Combination Reactions, *J. Org. Chem.*, **58**, 5802–5810 (1993).
- Nishinaga T, Komatsu K, Sugita N, Lindner H J and Richter J: First X-Ray Structure of a Cyclooctatetraene Cation Radical: Hexachloroantimonate of the Tetrakis(bicyclo[2.2.2]octeno)-cyclooctatetraene Cation Radical, *J. Am. Chem. Soc.*, **115**, 11642–11643 (1993).
- Komatsu K, Kagayama A, Murata Y, Sugita N, Kobayashi K, Nagase S and Wan T S M: Reaction of C<sub>60</sub> with Chlorophenyliazirine. Spectral and Electronic Properties of the C<sub>60</sub>-Chlorophenylcarbene 1:1 Adduct, *Chem. Lett.*, 2163–2166 (1993).
- Komatsu K, Murata Y, Sugita N, Takeuchi K and Wan T S M: Use of Naphthalene as a Solvent for Selective Formation of the 1:1 Diels-Alder Adduct of C<sub>60</sub> with Anthracene, *Tetrahedron Lett.*, **34**, 8473–8476 (1993).
- Kitagawa K, Okazaki T, Komatsu K and Takeuchi K: Solvolysis of [3-<sup>13</sup>C]-4-Homoadamantyl Tosylate. Limited Degeneracy of 4-Homoadamantyl Cation via Multiple Wagner-Meerwein Rearrangement and Vicinal Hydride Shifts under Solvolytic Conditions, *J. Org. Chem.*, **58**, 7891–7898 (1993).
- Komatsu K, Murata Y, Sugita N, Wan T S M: Ene Reaction as a New Method for Functionalization of Fullerene C<sub>60</sub>, *Chem. Lett.*, 635–636 (1994).
- Komatsu K, Murata Y, Takimoto N, Mori S, Sugita N and Wan T S M: Synthesis and Properties of the First Acetylene Derivatives of C<sub>60</sub>, *J. Org. Chem.*, **59**, 6101–6102 (1994).
- Kagayama A, Komatsu K, Nishinaga T, Takeuchi K and Kabuto C: A Novel Carbodication Composed of Two Tris(bicyclo[2.2.2]octeno) tropylum Units Connected by a Triple Bond: Synthesis, Structure, and Properties, *J. Org. Chem.*, **59**, 4999–5004 (1994).

Komatsu K, Nishinaga T, Maekawa N, Kagayama A and Takeuchi K: Syntheses, Properties, and Redox Behaviors of 7-Phenyl-1,2:3,4:5,6-tris(bicyclo[2.2.2]octeno)tropylium Ion and the Dications Composed of Two 1,2:3,4:5,6-Tris(bicyclo[2.2.2]octeno)tropylium Units Connected by para- and meta-Phenylene Spacer, *J. Org. Chem.*, **59**, 7316–7321 (1994).

Komatsu K, Nishinaga T, Takeuchi K, Lindner H J and Richter J: A Polycyclic Pentamer of Bicyclo[2.2.2]octene. A Hydrocarbon Molecule with a Long C-C Single Bond Connecting Two Cofacially Disposed Cyclopentadiene Rings, *J. Org. Chem.*, **59**, 7322–7328 (1994).

Nishinaga T, Komatsu K and Sugita N: Tetrakis(bicyclo[2.2.2]octeno)cyclooctatetraene Dication: A Stable COT Dication with a Tub Structure, *J. Chem. Soc., Chem. Commun.*, 2319–2320 (1994).

Komatsu K: Organochemical Application of Fullerenes, *Nikkei Science*, **24**, 6–9 (1994) (in Japanese).

## SYNTHETIC ORGANIC CHEMISTRY

### I. Synthetic Design

Toshimitsu A, Abe H, Hirosawa C and Tamao K: Conversion of Chiral Oxiranes to Chiral Aziridines with Retention of Configuration by Way of "Chiral Episulfonium Ions" and Reactions of the Aziridines with Grignard Reagents, *J. Chem. Soc., Perkin Trans. I*, 3465 (1994).

Tamao K, Yamaguchi S and Shiro M: Oligosiloles: First Synthesis Based on a Novel Endo-Endo Mode Intramolecular Reductive Cyclization of Diethynylsilanes, *J. Am. Chem. Soc.*, **116**, 11715 (1994).

Toshimitsu A, Hirosawa C and Tamao K: Retention of Configuration in the Ritter-type Substitution Reaction of Chiral  $\beta$ -Arylthio Alcohols through the Anchimeric Assistance of the Arylthio Group, *Tetrahedron*, **50**, 8997 (1994).

Tamao K, Nagata K, Ito Y, Maeda K and Shiro M: (Dichloromethyl) dimethylsilyl Group as a Hydroxymethylidene Diradical Equivalent: Radical Annulation of Dienols and Its Application to the Stereoselective Synthesis of cis- and trans-Hydrindan Ring Systems, *Synlett*, 257 (1994).

Tamao K, Kawachi A, Nakagawa Y and Ito Y: Electronic Spectra of (Amino) (phenyl) disilanes, *J. Organomet. Chem.*, **473**, 29 (1994).

Tamao K, Yamaguchi S and Ito Y: Synthesis and Properties of Thiophene-Cyclopentadiene Cooligomers, *J. Chem. Soc., Chem. Commun.*, 229 (1994).

Tamao K, Nakagawa Y and Ito Y: Deuterium-Labeling Studies on the Regio- and Stereoselective Intramolecular Hydrosilation of Allyl Alcohols and Allylamines Catalyzed by Platinum and Rhodium Complexes, *Organometallics*, **12**, 2297 (1993).

Tamao K, Tarao Y, Nakagawa Y, Nagata K and Ito Y: Synthesis, Structure and Reactivity of Trisilanes Containing the 8-Dimethylamino-1-naphthyl Group at the Central Silicon Atom. A Novel Nickel- or Palladium-Catalyzed Degradation of Trisilane to Disilane and Silylene Species, *Organometallics*, **12**, 1113 (1993).

### II. Fine Organic Synthesis

Kawabata T, Kiryu Y, Sugiura Y and Fuji K: An Enantiodivergent Synthesis of threo  $\beta$ -Amino Alcohols: Preparation of Key Intermediates for Bestatin and the Related Peptides, *Tetrahedron Lett.*, **34**, 5127–5130 (1993).

Mátyus P, Fuji K and Tanaka K: The Diels-Alder Reaction of Pyridazinones as Dienophiles, *Heterocycles*, **36**, 1975–1978 (1993).

Fuji K, Tanaka K and Miyamoto H: Chiral Piperazines as Catalysts for the Enantioselective Addition of Diethylzinc to Aldehydes, *Chem. Pharm. Bull.*, **41**, 1557–1561 (1993).

Li B, Tanaka K, Fuji K, Sun H and Taga T: Three New Diterpenoids from *Tuxus Chinensis*, *Chem. Pharm. Bull.*, **41**, 1672–1673 (1993).

Fuji K: Asymmetric Creation of Quaternary Carbon Centers, *Chem. Rev.*, **93**, 2037–2066 (1993).

Fuji K, Tanaka K, Li B, Shingu T, Sun H and Taga T: Novel Diterpenoids from *Taxus Chinensis*, *J. Nat. Products*, **56**, 1520–1531 (1993).

Miyajima K, Komatsu H, Sun H, Aoki H, Handa H, Xu H, Fuji K and Okada S: Effects of Cholesterol on the Miscibility of Synthetic Glucosamine Esters in Lipid Bilayers and the Entrapment of Superoxide Dismutase into the Positively Charged Liposomes, *Chem. Pharm. Bull.*, **41**, 1889–1894 (1993).

Kawabata T and Fuji K: Recent Studies on the Asymmetric Synthesis. 4. Asymmetric Formation of Carbon-Carbon Bonds, *Chem. and Biol.*, **31**, 817–825 (1993) (in Japanese).

Mátyus P, Fuji K and Tanaka K: Efficient and Facile Syntheses of [4,5]-Annelated Pyridazines from 4-Pyridinecarboxaldehydes, *Heterocycles*, **37**, 171–174 (1994).

Fuji K: Chiral Construction of Quaternary Carbons through Addition-Elimination Process: in Application to the Natural Product Syntheses. Atta-ur-Rahman, Ed., in *Studies in Natural Product Chemistry*; Elsevier: Amsterdam, 631–644 (1994).

Mátyus P, Fuji K and Tanaka K: Density Functional Calculations on Heterocyclic Compounds. Part I. Studies of Protonations of 5- and 6-membered Nitrogen Heterocycles, *Tetrahedron*, **50**, 2405–2414 (1994).

Fuji K, Tanaka K, Ahn M and Mizuchi M: Diastereoselectivity in Addition of Methylmagnesium Halide to Benzoylformate of Chiral 1,1'-Binaphthalene-2,2'-diol Chem., *Pharm. Bull.*, **42**, 957–959 (1994).

Fuji K, Kawabata T, Naniwa Y, Ohmori T and Node M: Enhanced Reactivity of Zinc Enolates Over Lithium Enolates in Asymmetric Nitroolefination Chem., *Pharm. Bull.*, **42**, 999–1001 (1994).

Fuji K, Tanaka K, Abe H, Matsumoto K, Harayama T, Ikeda A, Taga T, Miwa Y and Node M: Diastereoselective Diels-Alder Cycloadditions with Chiral 1-(Alkylsulfinyl)2-nitroalkenes, *J. Org. Chem.*, **59**, 2211–2218 (1994).

Tanaka K, Fuji K, Yokoi T, Shingu T, Li B and Sun H: On the Structures of Six New Diterpenoids, Taxchinins E, H, I, J, K, and Taxchin B, *Chem. Pharm. Bull.*, **42**, 1539–1541 (1994).

Kawabata T and Fuji K: Memory of Chirality Jpn, *J. Synth. Org. Chem.*, **52**, 589–595 (1994) (in Japanese).

Mátyus P, Fuji K, Tanaka K, Rohonczy J, Hargitai R and Sohár P: Density Functional Calculations on Heterocyclic Compounds. Part 2. On the Protonation of 4, 5-Dichloro-2-methyl-3(2H)-pyridazinone, *Heterocycles*, **38**, 1957–1960 (1994).

Kawabata T, Wirth T, Yahiro K, Suzuki H and Fuji K: Direct Asymmetric  $\alpha$ -Alkylation of Phenylalanine Derivatives Using No External Chiral Sources, *J. Am. Chem. Soc.*, **116**, 10809–10810 (1994).

## BIOORGANIC CHEMISTRY

### I. Bioorganic Reaction Theory

Ohno A, Tsutsumi A, Kawai Y, Yamazaki N, Mikata Y and Okamura M: NAD(P)<sup>+</sup>/NAD(P)H Models. 83. Molecular Asymmetry with a Carbonyl Group: Electronically Controlled Stereochemistry in the Reaction of NAD(P)<sup>+</sup>/NAD(P)H Analogs, *J. Am. Chem. Soc.*, **116**, 8133–8137 (1994).

Ohno A and Kawai Y: Reaction Intermediate of Enzymatic Reaction, *Kagaku*, **49**, 298–299 (1994) (in Japanese).

Kawai Y, Takanobe K, Tsujimoto M and Ohno A: Stereoselective Synthesis of Ethyl (2S, 3S)-Anti-2-Methyl-3-Hydroxybutanoate Mediated by an Oxidoreductase from *Geotrichum candidum*, *Tetrahedron Lett.*, **35**, 147–148 (1994).

Kawai Y, Tsujimoto M, Kondo S, Takanobe K, Nakamura K and Ohno A: Asymmetric Reduction of  $\beta$ -Keto Esters with an Enzyme from Bakers' Yeast, *Bull. Chem. Soc. Jpn.*, **67**, 524–528 (1994).

Kawai Y, Kondo S, Tsujimoto M, Nakamura K and Ohno A: Stereochemical Control in Microbial Reduction. XXIII. Thermal Treatment of Bakers' Yeast for Controlling the Stereoselectivity of Reductions, *Bull. Chem. Soc. Jpn.*, **67**, 2244–2247 (1994).

Ogawa S, Ohara S, Kawai Y and Sato R: Synthesis and Molecular Structure of 3, 4, 13, 14-Tetraselenatricyclo[14.4.0.0.6, 11] Icosa-1 (16), 6, 8, 10, 17, 19-Hexaene, *Heterocycles*, **38**, 491 (1994).

Yasui S, Shioji K and Ohno A: Reaction of a Cation Radical Generated From Trivalent Phosphorus Compound Through Single-Electron Transfer to Arenediazonium Salt, *Tetrahedron Lett.*, **35**, 2695–2698 (1994).

Yasui S, Shioji K, Ohno A and Yoshihara M: The Catalytic Role of Iodide Ion/Iodine Couple in the Photo-Reduction of 10-Methylacridinium Ion with Diphenylphosphine Oxide, *Chem Lett.*, 1393–1396 (1993).

Yasui S, Shioji K, Yoshihara M, Maeshima T and Ohno A: The Arbuzov Reaction of Alkyl Diphenylphosphinites with 10-Methylacridinium Ion. Kinetic Study on the Formation and the Decomposition of Phosphonium Intermediates, *Bull. Chem. Soc. Jpn.*, **66**, 2077–2083 (1993).

Yasui S, Shioji K and Ohno A: Reactivity of a Phosphoranyl Radical Generated by Photoreaction of Phenyl Diphenylphosphinite with 10-Methylacridinium Iodide.  $\alpha$ -Scission VS. Single Electron Transfer, *Heteroatom Chem.*, **5**, 85–90 (1994).

Yasui S, Fujii M, Kawano C, Nishimura Y, Shioji K and Ohno A: Mechanism of Dediazoniation of Arenediazonium Salts with Triphenylphosphine and Trialkyl Phosphites. Generation of Cation Radicals from Trivalent Phosphorus Compounds and Their Reactions, *J. Chem. Soc. Perkin Trans.*, **2**, 177–183 (1994).

Kimura T, Maruyama T, Okamura M, Sugiyama T, Ando T and Ohno A: Structural Effect on Chelation Selectivity of Alkaline Earth Metal Ions with Aminopolycarboxylate-Type Chelators, *Bull. Chem. Soc. Jpn.*, **67**, 1615–1621 (1994).

Nakamura K, Takano S and Ohno A: Diastereoselective Reduction of Ethyl  $\alpha$ -Methyl- $\beta$ -Oxobutanoate by Immobilized *Geotrichum candidum* in an Organic Solvent, *Tetrahedron Lett.*, **34**, 6087–6090 (1993).

Uemura M, Nishimura H, Yamada S, Nakamura K and Hayashi Y: Kinetic Resolution of Hydroxymethyl Substituted (Diene) Fe(CO)<sub>3</sub> Complexes by Lipase, *Tetrahedron Lett.*, **34**, 6581–6582 (1993).

Nakamura K, Kondo S, Kawai Y and Ohno A: Stereochemical Control in Microbial Reduction. XXI. Effect of Organic Solvents on Reduction of  $\alpha$ -Keto Esters Mediated by Bakers' Yeast, *Bull. Chem. Soc. Jpn.*, **66**, 2738–2743 (1993).

Nakamura K, Inoue Y and Ohno A: Enantioselective Microbial Oxidation of 1-Arylethanol in an Organic Solvent, *Tetrahedron Lett.*, **35**, 4375–4376 (1994).

Uenishi J, Nishiwaki K, Hata S and Nakamura K: An Optical Resolution of Pyridyl and Bipyridylethanol and A Facile Preparation of Optically Pure Oligopyridines, *Tetrahedron Lett.*, **35**, 7973–7976 (1994).

Hamada H, Nakajima N, Shisa Y, Funahashi M and Nakamura K: Enantioselective Reduction of Ethyl 3-Methyl-2-Oxobutanoate by an Enzymatic System from Callus of *Catharanthus roseus*, *Bioorg. Med. Chem. Lett.*, **4**, 907–910 (1994).

Uemura M, Nishimura H, Yamada S, Hayashi Y, Nakamura K, Ishihara K and Ohno A: Kinetic Resolution of Hydroxymethyl-Substituted (Arene) Cr(CO)<sub>3</sub> and (Diene)Fe(CO)<sub>3</sub> by Lipase, *Tetrahedron: Asymmetry*, **5**, 1673–1682 (1994).

Nakamura K, Kinoshita M and Ohno A: Effect of Solvent on Lipase-Catalyzed Transesterification in Organic Media, *Tetrahedron*, **50**, 4681–4690 (1994).

Nakamura K, Kondo S, Kawai Y, Nakajima N and Ohno A: Purification and Characterization of  $\alpha$ -Keto Ester Reductases from Bakers' Yeast, *Biosci. Biotech. Biochem.*, **58**(12), 2236–2240 (1994).

Nakamura K, Kondo S and Ohno A: Effect of Cyclodextrin on Improvement of Enantioselectivity in the Reductions of Ketopantolactone with Bakers' Yeast, *Bioorg. Med. Chem.*, **2**, 433–437 (1994).

Nakamura K, Kawasaki M and Ohno A: Effect of Substrate Structure on Lipase-Catalyzed Transesterification of  $\omega$ -Substituted 1-Alkanols in Organic Solvents, *Bull. Chem. Soc. Jpn.*, **67**, 3053–3056 (1994).

Nakajima N, Ishihara K, Tsuboi S, Utaka M, and Nakamura K: Differences in Protein Structure and Similarities in Catalytic Function of Two L-Selective Carbonyl Reductases from Bakers' Yeast, *Biosci. Biotech. Biochem.*, **58**(11), 2080–2081 (1994).

## II. Bioactive Chemistry

Nagaoka M, Kuwahara J and Sugiura Y: Alteration of DNA Binding Specificity by Nickel (II) Substitution in Three Zinc (II) Fingers of Transcription Factor Sp1, *Biochem. Biophys. Res. Commun.*, **194**, 1515–1520 (1993).

Tokuyama H, Yamago S, Nakamura E, Shiraki T and Sugiura Y: Photoinduced Biochemical Activity of Fullerene Carboxylic Acid, *J. Am. Chem. Soc.*, **115**, 7918–7919 (1993).

Kawabata T, Kiryu Y, Sugiura Y and Fuji K: An Enantio-divergent Synthesis of three  $\beta$ -Amino Alcohols. Preparation of Key Intermediates for Bestatin and the Related Peptides, *Tetrahedron Lett.*, **34**, 5127–5130 (1993).

Matsumoto T, Okuno Y and Sugiura Y: Specific Interaction between a Novel Enediyne Chromophore and Apoprotein in Macromolecular Antitumor Antibiotic C-1027, *Biochem. Biophys. Res. Commun.*, **195**, 659–666 (1993).

Uesugi M, Kusakabe T and Sugiura Y: Induced-fit Association between DNA and Esperamicin. Importance of Structural Flexibility in Host DNA Duplex, *Nucleic Acids Res. (Sym. Ser.)*, **29**, 89–90 (1993).

Kusakabe T, Maekawa K, Ichikawa A, Uesugi M and Sugiura Y: Conformation-Selective DNA Strand Breaks by Dynemicin. A Molecular Wedge into Flexible Regions of DNA, *Biochemistry*, **32**, 11669–11675 (1993).

Takahashi T, Tanaka H, Hirai Y, Doi T, Yamada H, Shiraki T and Sugiura Y: Syntheses and DNA Cleavage of New Neocarzinostatin-Chromophore Analogues, *Angew. Chem.*, **105**, 1719–1722 (1993).

Yonezawa A and Sugiura Y: Tachyplesin I-induced Inhibition of Sequence-Specific Protein Binding to DNA, *Bull. Inst. Chem. Res. Kyoto Univ.*, **71**, 245–251 (1993).

Otsuka M, Satake H, Sugiura Y, Murakami S, Shibasaki M and Kobayashi S: Restructuring of the Bleomycin Metal Core. Novel Oxygen-Activating Ligands with Symmetrized Structure, *Tetrahedron Lett.*, **34**, 8497–8500 (1993).

Sugiyama T, Ohno M, Shibasaki M, Otsuka M, Sugiura Y, Kobayashi S and Maeda K: Transition Metal Binding Site of Bleomycin. Significance of the  $\beta$ -Aminoalaninamide Appendage in Regulating Oxygen Activation, *Heterocycles*, **37**, 275–282 (1994).

Kushida T, Uesugi M, Sugiura Y, Kigoshi H, Tanaka H, Hirokawa J, Ojika M and Yamada K: DNA Damage by Ptaquiloside, a Potent Bracken Carcinogen. Detection of Selective Strand Breaks and Identification of DNA Cleavage Products, *J. Am. Chem. Soc.*, **116**, 479–486 (1994).

Sugiyama T, Ohno M, Shibasaki M, Otsuka M, Sugiura Y, Kobayashi S and Maeda K: On the Mechanism of Enzymatic Inactivation of Bleomycin. The  $\beta$ -Aminoalaninamide Moiety as an Enzyme-Dependent Molecular Switch, *Bioorg. Med. Chem. Lett.*, **4**, 705–710 (1994).

Nagaoka M, Hagihara M, Kuwahara J and Sugiura Y: A Novel Zinc Finger-Based DNA Cutter: Biosynthetic Design and Highly Selective DNA Cleavage, *J. Am. Chem. Soc.*, **116**, 4085–4086 (1994).

Okuno Y, Otsuka M and Sugiura Y: Computer Modeling Analysis for Enediyne Chromophore-Apoprotein Complex of Macromolecular Antitumor Antibiotic C-1027, *J. Med. Chem.*, **37**, 2266–2273 (1994).

## III. Molecular Clinical Chemistry

Miyahara T, Ueda K, Akaboshi M, Shimada Y, Imamura M and Utsumi H: Hyperthermic Enhancement of Cytotoxicity and Increased Uptake of cis-Diaminedichloro-platinum (II) in Cultured Human Esophageal Cancer Cells, *Jap. J. Cancer Res.*, **84**, 336–340 (1993).

Ikemoto M, Ishida A, Tsunekawa S, Ozawa K, Kasai Y, Totani, M and Ueda, K: Enzyme Immunoassay of Liver-type Arginase and Its Potential Clinical Applications, *Clin. Chem.*, **39**, 794–799 (1993).

Tanaka S, Nakamura S, Kimura J and Ueda K: Age-related Change in the Proportion of Amyloid Precursor Protein mRNAs in the Gray Matter of Cerebral Cortex, *Neurosci. Lett.*, **163**, 16–21 (1993).

Urakami K, Takahashi K, Okada A, Oshima T, Adachi Y, Nakamura S, Kitaguchi N, Tokushima Y, Yamamoto S and Tanaka S: Clinical Course and CSF Amyloid  $\beta$ -Protein Precursor Having the Site of Application of the Protease Inhibitor (APPI) Levels in Patients with Dementia of the Alzheimer Type, *Dementia*, **4**, 59–60 (1993).

Ueda K and Kido T: Ligand Western Blotting for Specific Detection of Active Forms of Protease, *Clin. Biochem. Revs.*, **14**, S30 (1993).

Ikemoto M, Totani M, Mori T and Ueda K: Arginase as a New Marker of Hepatic Lesions, *Clin. Biochem. Revs.*, **14**, S38 (1993).

Ueda K, Yamaoka Y and Ikemoto M: Biochemical Monitoring of Partial Liver Transplantation from Living Donors, *Clin. Biochem. Revs.*, **14**, 200 (1993).

Totani M, Ikemoto M, Mori T and Ueda K: Autoantibody against Human Liver-type Arginase and Its Clinical Significance, *Clin. Biochem. Revs.*, **14**, 240 (1993).

Masliah E, Ueda K and Mucke L: Pathophysiological Basis of Alzheimer's Disease, in *Volumetto Estratto da 17th World Congress of Anatomic and Clinical Pathology* (G.S. Santocoy, ed.), Monduzzi Editore, Bologna 315–320 (1994).

Kawamata J, Hasegawa H, Shimohama S, Kimura J, Tanaka S, and Ueda K: Leu<sup>106</sup>→Val (CTC→GTC) Mutation of Superoxide Dismutase-1 Gene in Patient with Familial Amyotrophic Lateral Sclerosis in Japan, *Lancet*, **343**, 1501 (1994).

Kawamata J, Tanaka S, Shimohama S, Ueda K and Kimura J: Apolipoprotein E Polymorphism in Japanese Patients with Alzheimer's Disease or Vascular Dementia, *J. Neurol. Neurosurg. Psychiat.*, **57**, 1414–1416 (1994).

Banasik M and Ueda K: Inhibitors and Activators of ADP-Ribosylation Reactions, *Mol. Cell. Biochem.*, **138**, 185–197 (1994).

Ueda K: PCR in Laboratory Tests (1), *Igakukensa*, **42**, 892–895 (1993) (in Japanese).

- Ueda K: PCR in Laboratory Tests (2), *Igakukensa*, **42**, 1008–1010 (1993) (in Japanese).
- Ueda K: Glossary of Genomic Biology, *Clinical Endocrinology*, **41** (Supplement), 177–203 (1993) (in Japanese).
- Ueda K: Methods of Gene Analysis, *Popular Medicine*, **173**, 72–75 (in Japanese).
- Tanaka S and Ueda K: Dementia and Inheritance, in *Basic Research of Dementia—How Far the Dementia Has Been Resolved?* (M. Matsushita, ed.), Chuo-Hohki-Shuppan, Tokyo (1993), 201–217 (in Japanese).
- Ueda K: DNA Diagnosis of Genes, in *Manual of Laboratory Tests of Children* (M. Ohkuni and K. Kawano, eds.), Bunkoudou, Tokyo (1993), 269–273 (in Japanese).
- Miyahara T, Akaboshi M, Kawai K, Utsumi H and Ueda K: Mechanism of Thermal Potentiation of Cytocidal Effect of Cisplatin on Cultured Oesophageal Cancer Cells, *Rad. Biol. Res. Commun.*, **29**, 338–341 (1994) (in Japanese).
- Ueda K: Certified Clinical Pathologists and the Program of Postgraduate Training in Clinical Chemistry, *Clin. Pathol.*, **42**, 504–507 (1994) (in Japanese).
- Ueda K: Principle of DNA Diagnosis. Nippon Rinsho, Special Issue ("Clinical Molecular Biology"), 496–501 (1994) (in Japanese).
- ## MOLECULAR BIOFUNCTION
- ### I. Functional Molecular Conversion
- Hibi T, Kato H, Nishioka T, Oda J, Yamaguchi H, Katsume Y, Tanizawa K and Fukui H: Use of Adenosine(5')polyphospho(5')pyridoxals to Study the Substrate-Binding Region of Glutathione Synthetase from Escherichia coli B, *Biochemistry*, **32**, 1548–1554 (1993).
- Inagaki M, Hiratake J, Nishioka T and Oda J: One-Pot Conversion of Aldehydes to (S)-2-Acetoxy Nitriles via Reversible Cyanohydrin Formation, *Preparative Biotransformations*, **2nd** Supplement (1993).
- Nakatani T, Hiratake J, Shinzaki A, Umehita R, Suzuki T, Nishioka T, Nakajima H and Oda J: A Mode of Product Inhibition of an Esterolytic Antibody, *Tetrahedron Letters*, **34**, 4945–4948 (1993).
- Oshima-Hirayama N, Yoshikawa K, Nishioka T and Oda J: Lipase from Pseudomonas aeruginosa—Production in Escherichia coli and Activation in vitro with a protein from the Downstream Gene, *Eur. J. Biochem.*, **215**, 239–246 (1993).
- Suyama M, Nishioka T and Oda J: Extraction of the Ligand-Related Motifs in Enzymes, Takagi, T., Imai, H., ed. Miyano, S., Mitaku, S. and Kanehisa, M. *Proceedings of Genome Informatics Workshop IV*, Universal Academy Press, Tokyo, 245–254 (1993).
- Suyama M, Ogiwara A, Nishioka T and Oda J: Searching for Amino Acid Sequence Motifs among Enzymes: the Enzyme-Reaction Database, *Comput. Applic. Biosci.*, **9**, 9–15 (1993).
- Tanaka T, Sakai T, Chihara-Shiomori M, Takeshima K, Kato H, Misawa T, Hashimoto T, Nishioka T and Oda J: Construction, Expression, and Characterization of Glutathione Synthetase Chimeras: Substitution of a Loop with a Homologous Peptide Region of Dihydrofolate Reductase, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 274–287 (1993).
- Tanaka T, Yamaguchi H, Kato H, Nishioka T, Katsume Y and Oda J: Flexibility Impaired by Mutations Revealed the Multifunctional Roles of the Loop in Glutathione Synthetase, *Biochemistry*, **32**, 12398–12404 (1993).
- Yamaguchi H, Kato H, Hata Y, Nishioka T, Kimura A, Oda J and Katsume Y: Three-dimensional Structure of the Glutathione Synthetase from Escherichia coli B at 2.0 Å Resolution, *J. Mol. Biol.*, **229**, 1083–1100 (1993).
- Oda J, Nakatani T and Hiratake J: Catalytic Antibodies and Multiple Turnovers—a "Substrate Tuning" for Relieving Catalytic Antibodies of Product Inhibition, *New Functionality Materials, Vol. C, Synthetic Process and Control of Functionality Materials* (T. Tsuruta, M. Doyama, M. Seno), 561–564, Elsevier, Amsterdam, (1993).
- Kato H, Tanaka T, Yamaguchi H, Hara T, Nishioka T, Katsume Y and Oda J: Flexible Loop That is Novel Catalytic Machinery in a Ligase. Atomic Structure and Function of the Loopless Glutathione Synthetase, *Biochemistry*, **33**, 4995–4999 (1994).
- Suyama M, Nishioka T and Oda J: Detecting Common Amino Acid Sequence Patterns with a Gap, *Proceedings Genome Informatics Workshop*, 1994, S. Miyano, T. Akutsu, H. Imai, O. Goto, T. Takagi, 180–181, Universal Academy Press, Tokyo (1994).
- Yamaguchi H, Kato H, Nishioka T, Oda J and Katsume Y: Data Collection of Glutathione Synthetase—Substrates Complex Crystal Obtained from PEG Solution, *Photon Activity Report 1993*, **11**, 111 (1994).
- Hara H, Kato H, Nishioka T, Yamaguchi H, Katsume Y and Oda J: Structure Analysis of Binary Complex of Glutathione Synthetase from Escherichia coli B with ATP, *Photon Activity Report 1993*, **11**, 115 (1994).
- Nakatani T, Umehita R, Hiratake J, Shinzaki A, Suzuki T, Nakajima H and Oda J: Characterization of a Catalytic Residue and Mode of Product Inhibition, *Bioorg. Med. Chem.*, **2**, 457–468 (1994).
- ### II. Molecular Microbial Science
- Yoshimura T, Nishimura K, Ito J, Esaki N, Kagamiyama H, Manning J M and Soda K: Unique Stereospecificity of D-Amino Acid Aminotransferase and Branched-Chain L-Amino Acid Aminotransferase for C-4' Hydrogen Transfer of the Coenzyme, *J. Am. Chem. Soc.*, **115**, 3897–3900 (1993).
- Ohshima T and Soda K: Valine Dehydrogenase from a Non-spore-forming Bacterium, *Alcaligenes faecalis*: Purification and Characterization, *Biochim. Biophys. Acta*, **1162**, 221–226 (1993).
- Lim Y, Yokoigawa K, Esaki N and Soda K: A New Amino Acid Racemase with Threonine  $\alpha$ -Epimerase Activity from *Pseudomonas putida*: Purification and Characterization, *J. Bacteriol.*, **175**, 4213–4217 (1993).
- Bhatia M B, Pozo A M, Ringe D, Yoshimura T, Soda K and Manning J M: Role Reversal for Substrates and Inhibitors Slow

- Inactivation of D-Amino Acid Transaminase by Its Normal Substrates and Protection by Inhibitors, *J. Biol. Chem.*, **268**, 17687–17694 (1993).
- Ashiuchi M, Yoshimura T, Esaki N, Ueno H and Soda K: Inactivation of Glutamate Racemase of *Pediococcus pentosaceus* with L-Serine O-Sulfate, *Biosci. Biotech. Biochem.*, **57**, 1978–1979 (1993).
- Yoshimura T, Ashiuchi M, Esaki N, Kobatake C, Choi S and Soda K: Expression of *glr(murI, dga)* Gene Encoding Glutamate Racemase in *Escherichia coli*, *J. Biol. Chem.*, **268**, 24242–24246 (1993).
- Yoshimura T, Jhee K, Esaki N and Soda K: Stereochemistry and Evolution of Aminotransferases, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 368–375 (1993).
- Bhatia M B, Futaki S, Ueno H, Manning JM, Ringe D, Yoshimura T and Soda K: Kinetic and Stereochemical Comparison of Wild-type and Active-Site K145Q Mutant Enzyme of Bacterial D-Amino Acid Transaminase, *J. Biol. Chem.*, **268**, 6932–6938 (1993).
- Soda K, Kurihara T, Tchorzewski M, Esaki N and Ohishi N: Nitroalkane-Oxidizing Flavoenzymes (K. Yagi), *Flavins and Flavoproteins 1993, Berlin New York, Walter de Gruyter & Co.*, 185–193 (1994).
- Kurihara T, Esaki N, Soda K and Ohishi N: A 340-nm Chromophore of Nitroalkane Oxidase from *Fusarium oxysporum* (K. Yagi), *Flavins and Flavoproteins 1993, Berlin New York, Walter de Gruyter & Co.*, 195–198 (1994).
- Tchorzewski M, Kurihara T, Esaki N and Soda K: Genomic DNA Structure of a Unique Flavoprotein, 2-Nitropropane Dioxygenase from *Hansenula mirakii* (K. Yagi), *Flavins and Flavoproteins 1993, Berlin New York, Walter de Gruyter & Co.*, 267–270 (1994).
- Kim D W, Yoshimura T, Esaki N, Satoh E and Soda K: Studies of the Active-Site Lysyl Residue of Thermostable Aspartate Aminotransferase: Combination of Site-Directed Mutagenesis and Chemical Modification, *J. Biochem.*, **115**, 93–97 (1994).
- Matsushima Y, Kim DW, Yoshimura T, Kuramitsu S, Kagamiyama H, Esaki N and Soda K: Replacement of Active-Site Lysine-239 of Thermostable Aspartate Aminotransferase by S-(2-Aminoethyl)Cysteine: Properties of the Mutant Enzyme, *J. Biochem.*, **115**, 108–112 (1994).
- Esaki N, Itoh S, Blank W and Soda K: Biotransformation of Oleic Acid by *Alcaligenes* sp. 5–18, a Bacterium Tolerant to High Concentrations of Oleic Acid, *J. Ferment. Bioeng.*, **77**, 148–151 (1994).
- Yoshimura T, Wakayama M, Kim DW, Esaki N and Soda K: Effects of Pyridoxal 5'-Phosphate on the Refolding of Aspartate Aminotransferase, *Biosci. Biotech. Biochem.*, **58**, 363–365 (1994).
- Esaki N, Ito S, Blank W and Soda K: Biotransformation of Oleic Acid by *Micrococcus luteus* Cells, *Biosci. Biotech. Biochem.*, **58**, 319–321 (1994).
- Esaki N, Watanabe M, Kurihara T and Soda K: Fungal Thermostable  $\alpha$ -Dialkylamino Acid Aminotransferase: Occurrence, Purification and Characterization, *Arch. Microbiol.*, **161**, 110–115 (1994).
- Jones WM, Ringe D, Soda K and Manning JM: Determination of Free D-Amino Acids with a Bacterial Transaminase; Their Depletion Leads to Inhibition of Bacterial Growth, *Anal. Biochem.*, **218**, 204–209 (1994).
- Sawada S, Tanaka Y, Hayashi S, Ryu M, Hasegawa T, Yamamoto Y, Esaki N, Soda K and Takahashi S: Kinetics of Thermostable Alanine Racemase of *Bacillus stearothermophilus*, *Biosci. Biotech. Biochem.*, **58**, 807–811 (1994).
- Soda K and Esaki N: Pyridoxal Enzymes Acting on D-Amino Acids, *Pure & Appl. Chem.*, **66**, 709–714 (1994).
- Itoh S, Esaki N, Masaki K, Blank W and Soda K: Production of New Tricarboxylic Acid Anhydrides from Stearic Acid by *Pseudomonas cepacia* A-1419, *J. Ferment. Bioeng.*, **77**, 513–516 (1994).
- Liu J Q, Kurihara T, Hasan A K M Q, Nardi-Dei V, Koshikawa H, Esaki N and Soda K: Purification and Characterization of Thermostable and Nonthermostable 2-Haloacid Dehalogenases with Different Stereospecificities from *Pseudomonas* sp. Strain YL, *Appl. Environ. Microbiol.*, **60**, 2389–2393 (1994).
- Liu J-Q, Kurihara T, Esaki N and Soda K: Reconsideration of the Essential Role of a Histidine Residue of L-2-Halo Acid Dehalogenase, *J. Biochem.*, **116**, 248–249 (1994).
- Nardi-dei V, Kurihara T, Okamura T, Liu J, Koshikawa H, Ozaki H, Terashima Y, Esaki N and Soda K: Comparative Studies of Genes Encoding Thermostable L-2-Halo Acid Dehalogenase from *Pseudomonas* sp. Strain YL, Other Dehalogenases, and Two Related Hypothetical Proteins from *Escherichia coli*, *Appl. Environ. Microbiol.*, **60**, 3375–3380 (1994).
- Ohshima T, Nishida N, Bakthavatsalam S, Kataoka K, Takada H, Yoshimura T, Esaki N and Soda K: The purification, characterization, cloning and sequencing of the gene for a halostable and thermostable leucine dehydrogenase from *Thermoactinomyces intermedium*, *Eur. J. Biochem.*, **222**, 305–312 (1994).
- Hasan A K M Q, Takada H, Koshikawa H, Liu J Q, Kurihara T, Esaki N and Soda K: Two Kinds of 2-Halo Acid Dehalogenases from *Pseudomonas* sp. YL Induced by 2-Chloroacrylate and 2-Chloropropionate, *Biosci. Biotech. Biochem.*, **58**, 1599–1602 (1994).
- Sakamoto Y, Kondo H and Soda K: Spectrophotometric Assay of Aminopeptidase with Thermostable Alanine Dehydrogenase from *Bacillus stearothermophilus*, *Biosci. Biotech. Biochem.*, **58**, 1675–1678 (1994).
- Sakamoto Y, Nakajima H, Nagata K, Esaki N and Soda K: Large-Scale Production of Thermostable Alanine Dehydrogenase from Recombinant Cells, *J. Ferment. Bioeng.*, **78**, 84–87 (1994).
- Kataoka K, Takada H, Tanizawa K, Yoshimura T, Esaki N, Ohshima T and Soda K: Construction and Characterization of Chimeric Enzyme Consisting of an Amino-Terminal Domain of Phenylalanine Dehydrogenase and a Carboxy-Terminal Domain of Leucine Dehydrogenase, *J. Biochem.*, **116**, 931–936 (1994).

Nishimura K, Ito J, Yoshimura T, Esaki N and Soda K: A Simple Method for Determination of Stereospecificity of Aminotransferases for C-4' Hydrogen Transfer of the Coenzyme, *Bioorganic & Medicinal Chemistry*, **2**, 605–607 (1994).

Furuyoshi S, Soda K: Important Role of Phospholipids in Visible Cycle, *Kagaku*, **49**, 222–223 (1994) (in Japanese)

Esaki N, Soda, K: Gene and Trace Elements, *Clinical Neuroscience*, **12** (1994) (in Japanese)

Esaki N, Soda, K: Trace Element and Genes, *Geka to Taisha Eiyo*, **28**, 251–258 (1994) (in Japanese)

## MOLECULAR BIOLOGY AND INFORMATION

### I. Biopolymer Structure

Ishiguro R, Kimura N and Takahashi S: Orientation of Fusion-active Synthetic Peptides in Phospholipid Bilayers: Determination by Fourier Transform Infrared Spectroscopy, *Biochemistry*, **32**, 9792–9797 (1993).

Murata M, Shirai Y, Ishiguro R, Kagiwada S, Tahara Y, Ohnishi S and Takahashi S: Fusion of Dioleoylphosphatidylcholine Vesicles Induced by an Amphiphilic Cationic Peptide and Oligophosphates at Neutral pH, *Biochim. Biophys. Acta*, **1152**, 99–108 (1993).

Kamata H, Yagisawa H, Takahashi S and Hirata H: Amphiphilic Peptides Enhance the Efficiency of Liposome-mediated DNA Transfection, *Nucleic Acids Res.*, **22**, 536–537 (1994).

Sawada S, Tanaka Y, Hayashi S, Ryu M, Hasegawa T, Yamamoto Y, Esaki N, Soda K and Takahashi S: Kinetics of Thermostable Alanine Racemase of *Bacillus stearothermophilus*, *Biosci. Biotech. Biochem.*, **58**, 807–811 (1994).

Kizaki K, Hata Y, Watanabe K, Katsume Y and Suzuki Y: Polypeptide Folding of *Bacillus cereus* ATCC7064 Oligo-1,6-glucosidase Revealed by 3 Å Resolution X-ray Analysis, *J. Biochem.*, **113**, 646–649 (1993).

Fujii T, Oozeki M, Moriyama H, Tanaka N, Wakagi T and Oshima T: Crystallographic Studies on *Sulfolobus acidocaldarius* Ferredoxin, *Acta Cryst.*, **A49**, Suppl. 73–74 (1993).

Hata Y, Kizaki K, Watanabe K, Suzuki Y and Katsume Y: Structure of Oligo-1,6-glucosidase Refined at 2.0 Å, *Acta Cryst.*, **A49**, Suppl. 101 (1993).

Hamada K, Hiramatsu H, Fujiwara T, Katsuya Y, Hata Y, Matsuura Y and Katsume Y: Structural Analysis of *Serratia* Protease, *Acta Cryst.*, **A49**, Suppl. 102 (1993).

Hamada K, Hiramatsu H, Fujiwara T, Katsuya Y, Hata Y and Katsume Y: X-ray Crystallographic Study of *Serratia* Protease, *Photon Factory Activity Report*, #11, 86 (1993).

Watanabe K, Hata Y, Kizaki H, Katsume Y and Suzuki Y: X-ray Crystal Structure Analysis of Oligo-1,6-glucosidase, *Photon Factory Activity Report*, #11, 87 (1993).

Miyatake H, Hata Y, Fujii T, Morihara K and Katsume Y: Crystal Structure Determination of Alkaline Protease from

*Pseudomonas aeruginosa* Strain PAO1, *Photon Factory Activity Report*, #11, 108 (1993).

Hata Y, Natori K, Ooi T, Arai M, Okada H and Katsume Y: Crystallization and Preliminary X-ray Diffraction Studies of an Endoglucanase from *Aspergillus aculeatus*, *J. Mol. Biol.*, **241**, 278–280 (1994).

Sato T, Ozaki H, Hata Y, Kitagawa Y, Katsume Y and Shimonishi Y: Structural Characteristics for Biological Activity of Heat-Stable Enterotoxin Produced by Enterotoxigenic *Escherichia coli*: X-ray Crystallography of Weakly Toxic and Nontoxic Analogs, *Biochemistry*, **33**, 8641–8650 (1994).

Sohrin Y, Matsui M, Hata Y, Hasegawa H and Kokusen H: New Mode of Ion Size Discrimination for Group 2 Metals Using Poly(pyrazolyl)borate Ligands. 2. Control of Stability and Structure of Chelate Complexes by Intra- and Interligand Contact and Shielding Effect, *Inorg. Chem.*, **33**, 4376–4383 (1994).

### II. Molecular Biology

Oka A, Aoyama T and Endoh H: Transcriptional Control of the *Agrobacterium* Virulence Genes by Two Proteins VirA and VirG, *Bull. Institute Chemical Research Kyoto University*, **71**, 355–367 (1993).

Aoyama T, Endoh H, Takanami M and Oka A: DNA Signal Architecture for Transcriptional Activation by the Regulatory Protein VirG, *Bull. Institute Chemical Research Kyoto University*, **71**, 288–294 (1993).

Aoki M and Oka A: Phosphoprotein Phosphatase Genes of *Arabidopsis thaliana*, *Bull. Institute Chemical Research Kyoto University*, **71**, 295–307 (1993).

Tanaka N and Oka A: Identification of *rol* Genes on pRi1724 in *Agrobacterium rhizogenes* Strain MAFF03-01724 Isolated in Japan, *Ann. Phytopath. Soc. Japan*, **60**, 45–52 (1994).

Endoh H, Aoyama T and Oka A: Transcription in Vitro Promoted by the *Agrobacterium* VirG Protein, *FEBS Lett.*, **334**, 277–280 (1993).

Tanaka N and Oka A: Restriction Endonuclease Map of the Root-inducing Plasmid (pRi1724) of *Agrobacterium rhizogenes* strain MAFF03-01724, *Biosci. Biotech. Biochem.*, **58**, 297–299 (1994).

Tanaka N, Ikeda T and Oka A: Nucleotide Sequence of the *rol* Region of the Mikimopine-Type Root-inducing Plasmid pRi1724, *Biosci. Biotech. Biochem.*, **58**, 548–551 (1994).

Goto K and Meyerowitz E M: Function and Regulation of the *Arabidopsis* Floral Homeotic Gene *PISTILLATA*, *Genes Dev.*, **8**, 1548–1560 (1994).

Hirai M Y, Fujiwara T, Goto K, Komeda Y, Chino M and Naito S: Differential Regulation of Soybean Seed Storage Protein Gene Promoter-GUS Fusions by Exogenously Applied Methionine in Transgenic *Arabidopsis thaliana*, *Plant Cell Physiol.*, **35**, 927–934 (1994).

Takahashi Y, Hanaoka K, Goto K and Kondoh H: Lens-specific Activity of the Chicken  $\delta 1$ -crystallin Enhancer in the Mouse, *Inter. J. Dev. Biol.*, **38**, 365–368 (1994).

Goto K: Genetic Interactions Among Homeotic Genes in *Arabidopsis* Flower Development, *Shokubutu-Saibou-Kougaku*, **6**, 199–208 (1994) (In Japanese).

### III. Biological Information Science

Waizumi K, Masuda H, Einaga H and Fukushima N: Intrinsic Structures of  $[CuCl_4]^{2-}$  and  $[CuBr_4]^{2-}$  Anions by Ab Initio Density Functional Calculations, *Chem. Lett.*, 1145–1148 (1993).

Waizumi K, Masuda H and Fukushima N: Structural Rigidity of First Hydration Spheres of  $Na^+$  and  $Ca^{2+}$  in Cluster Models. Full Geometry Optimizations of  $[M(H_2O)_6]^{n+}$ ,  $[M(H_2O)_6 \cdots H_2O]^{n+}$  and  $[M(H_2O)_6 \cdots Cl]^{(n-1)+}$  ( $M=Na$  and  $Ca$ ,  $n=1$  for  $Na$  and 2 for  $Ca$ ) by Density Functional Calculations, *Inorg. Chim. Acta*, **209**, 207–211 (1993).

Goto S, Sakamoto N, Takagi T and Ushijima K: A Deductive Language in Object-Oriented Database for Genome Analysis, in *Proc. the Int. Symp. on Next Generation Database Systems and Their Applications*, 123–129, (1993).

Fujibuchi W and Kanehisa M: A Method to Extract Functional Motifs for Transcriptional Regulation in Eukaryotic Sequences, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 3, 317–326 (1993).

Ohkubo Z and Kanehisa M: Characterization of Spatially Close Peptide Segments in Proteins, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 3, 327–337 (1993).

Masuda H, Fukushima N and Einaga H: Ab Initio Density Functional Calculations on Copper(I)-CO<sub>2</sub> Coordinations, *Bull. Chem. Soc. Jpn.*, **66**, 3643–3647 (1993).

Waizumi K, Masuda H, Einaga H and Fukushima N: Application of Density Functional Calculations to the Structures and Formation Energies of  $[MCl_4]^{2-}$  Complexes ( $M=Cr, Mn, Fe, Co, Ni, Zn$ ), *Bull. Chem. Soc. Jpn.*, **66**, 3648–3651 (1993).

Araki S, Goshima M, Mori S, Nakashima H, Tomita S, Akiyama Y and Kanehisa M: Application of Parallelized DP and A\* Algorithm to Multiple Sequence Alignment, in *Proc. Genome Informatics Workshop IV*, 94–102 (1993).

Ohkubo Z and Kanehisa M: A Method for Extracting Spatially Close Peptide Segments in Proteins, in *Proc. Genome Informatics Workshop IV*, 167–174 (1993).

Uchiyama I, Ogiwara A, Ohkubo Z and Kanehisa M: Automatic Procedure to Extract Signature Pentapeptides from the Protein Sequence Database, in *Proc. Genome Informatics Workshop IV*, 255–263 (1993).

Ogata H, Akiyama Y and Kanehisa M: A Computer Modeling Method for the Three-dimensional Structure of RNA, in *Proc. Genome Informatics Workshop IV*, 270–274 (1993).

Fujibuchi W, Kanehisa M: Construction of a Functional Word Dictionary for Primate Promoter Sequences, in *Proc. Genome Informatics Workshop IV*, 275–282 (1993).

Goto S, Sakamoto N and Takagi T: Integration of Genome Databases Using a Deductive Object-Oriented Database, in *Proc. Genome Informatics Workshop IV*, 352–361 (1993).

Suzuki T, Nakashima S, Takagi T, Kuhara S and Kanehisa M: Enhancement of the Integrated Database “HyperGenome” for

Genome Maps and Sequence Information, in *Proc. Genome Informatics Workshop IV*, 362–369 (1993).

Niiyama T, Tokimori T, Ogiwara A, Uchiyama I and Nakai K: GNOME: A Sequence Data Management Tool to Access Homology, Motif, and Other Data Analysis Servers, in *Proc. Genome Informatics Workshop IV*, 385–393 (1993).

Akiyama Y, Mori H, Kuhara S, Ogasawara N, Miyajima N, Furukawa T, Satou K and Murakami Y: Genomatica: An Integrated Data Management and Analysis Tool for Genome Sequencing Projects, in *Proc. Genome Informatics Workshop IV*, 394–401 (1993).

Ogiwara A, Uchiyama I and Kanehisa M: Sequence Motif Analysis and Retrieval Tool, in *Proc. Genome Informatics Workshop IV*, 402–410 (1993).

Suzuki T, Takagi T, Kuhara S and Kanehisa M: Development of an Integrated Database for Genome Mapping and Nucleotide Sequences, in *Proc. 27th Hawaii Int. Conf. on System Sciences*, **5**, 68–76 (1994).

Goto S, Sakamoto N and Takagi T: A Deductive Object-Oriented Language for Integrated Genome Databases (Extended Abstract), in *Proc. 27th Hawaii Int. Conf. on System Sciences*, **5**, 108–109 (1994).

Uchiyama I, Ogiwara A and Kanehisa M: A Library of Signature Pentapeptides for the Protein Data Bank. In *Protein Structure by Distance Analysis* (Bohr H and Brunak S, eds.), 237–246, IOS Press (1994).

Sakamoto N, Goto S and Takagi T: A Deductive Database System for Analyzing Human Nucleotide Sequence Data, *Int. J. Bio-Medical Computing*, **36**, 171–179 (1994).

Nakai K, Tokimori T, Ogiwara A, Uchiyama I and Niiyama T: Gnome—an Internet-based Sequence Analysis Tool, *Comput. Appl. in Biosci.*, **10**, 5, 547–550 (1994).

Mizuno M and Kanehisa M: Distribution Profiles of GC Content around the Translation Initiation Site in Different Species, *FEBS Lett.*, **352**, 7–10 (1994).

Kanehisa M: Information processing for analysis of genes and genomes, *Jouhoushori*, **35**, 983–990 (1994) (In Japanese).

Mizuno M and Kanehisa M: Distribution of Base Composition around the Splice Sites in Different Species, in *Proc. Genome Informatics Workshop 1994*, 130–137 (1994).

Itoh T, Yano M, Takemoto K, Akiyama Y and Mori H: Construction and Analysis of *Escherichia coli* Genome Database, in *Proc. Genome Informatics Workshop 1994*, 138–139 (1994).

Suzuki K, Goto S, Akiyama Y and Kanehisa M: A Signal Transduction Database, in *Proc. Genome Informatics Workshop 1994*, 144–145 (1994).

Niiyama T, Takeuchi A, Kotani K, Uchiyama I, Ogiwara A and Nakai K: Gnome: Recent Development, in *Proc. Genome Informatics Workshop 1994*, 200–201 (1994).

Akiyama Y, Yakoh T, Mori H and Ogasawara N: A Server-Client Version of “Genomatica” for Genome Maps and

- Sequence Information, in *Proc. Genome Informatics Workshop 1994*, 202–203 (1994).
- Goto S, Kuhara S, Takagi T and Kanehisa M: Extension of the Integrated Database "HyperGenome" for Genome Maps and Sequence Information, in *Proc. Genome Informatics Workshop 1994*, 204–205 (1994).
- Ogiwara A, Uchiyama I, Takagi T and Kanehisa M: Further Improvements on SMART: Sequence Motif Analysis and Retrieval Tool, in *Proc. Genome Informatics Workshop 1994*, 206–207 (1994).
- Oda A, Yano J and Kanehisa M: A DNA/Protein Sequence Retrieval System: an Xtpanel Application, in *Proc. Genome Informatics Workshop 1994*, 220–221 (1994).
- Goto S and Kanehisa M: A Knowledge Base for Searching and Browsing Metabolic Pathways, in *Proc. Genome Informatics Workshop 1994*, 234–235 (1994).

## NUCLEAR SCIENCE RESEARCH FACILITY

### Particle and Photon Beams Beams and Fundamental Reaction

Cheng W-H, Gluckstern R L and Okamoto H: Synchrobetatron Resonance Effects in Alternating Phase Focusing, in *Proc. 1993 Particle Accelerator Conf.*, 221–223 (1993).

Gluckstern R L, Krinsky S and Okamoto H: Saturation of a High Gain FEL, in *Proc. 1993 Particle Accelerator Conf.*, 1545–1547 (1993).

Jiang S, Okamoto H and Gluckstern R L: Transverse Impedance of an Iris in a Beam Pipe, in *Proc. 1993 Particle Accelerator Conf.*, 3390–3392 (1993).

Okamoto H: One-dimensional Beam Stability Analysis Based on the Waterbag Model, *Nucl. Instr. Meth.*, **A332**, 1–22 (1993).

Gluckstern R L, Krinsky S and Okamoto H: Analysis of the Saturation of a High Gain FEL, *Phys. Rev.*, **E47**, 4412–4429 (1993).

Cheng W-H, Gluckstern R L and Okamoto H: Synchrobetatron-Coupling Effects in Alternating-Phase-Focusing Linacs, *Phys. Rev.*, **E48**, 4689–4698 (1993).

Okamoto H, Jiang S and Gluckstern R L: Longitudinal and Transverse Impedance of an Iris in a Beam Pipe, *Phys. Rev.*, **E50**, 1501–1515 (1994).

Okamoto H, Sessler A M and Möhl D: Three Dimensional Laser Cooling of Stored and Circulating Ion Beams by Means of a Coupling Cavity, *Phys. Rev. Lett.*, **72**, 3977–3980 (1994).

Okamoto H: Beam Breakup in Bunch Trains, *CERN Report*, SL/94–75.

Okamoto H: Transverse Laser Cooling induced through Dispersion at an rf Cavity, *Phys. Rev.*, **E50**, 4982–4995 (1994).

Warner R E, Fetter J M, Swartz R A, Okihana A, Konishi T, Yoshimura T, Kuntz P D, Fujiwara M, Fukunaga K, Kakigi S, Hayashi T, Kasagi J and Koori N:  ${}^4\text{He}({}^4\text{He}, {}^3\text{He}){}^5\text{He}$  (g.s.)

Reaction at 118 MeV, and its Distorted Wave Born Approximation Interpretation, *Phys. Rev.*, **C49**, 1534–1539 (1994).

Kakigi S, Yoshimura T and Okihana A: Energy Dependences of Cross Sections for  $(p, 2p)$  Quasifree Scattering on  ${}^2\text{H}$ ,  ${}^3\text{He}$  and  ${}^4\text{He}$ , *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 27–35 (1994).

Yoshimura T, Okihana A, Kakigi S, Warner R E, Fujiwara M, Matsuoka N, Fukunaga K, Hayashi T, Kasagi J, Tosaki M and Greenfield M B: Quasi-free Process in the  ${}^6\text{Li}(a, {}^3\text{He}, {}^3\text{He}){}^2\text{H}$  Reaction at  $E_\alpha = 119$  MeV, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 51–61 (1994).

Yamagata T, Utsunomiya H, Nakayama S, Koori H, Tanaka M, Tamii A, Fujita Y, Katori K, Inoue M, Fujiwara M, Ogata H and Hirabayashi Y: Successful Description of Elastic Scattering of  ${}^3\text{He}$  Particles at 150 MeV/nucleon with the Single Folding Potential Model, *Phys. Rev.*, **C50**, 2606–2607 (1994).

Inoue M, Dewa H, Fujisawa H, Fujita H, Ikegami M, Iwashita Y, Kakigi S, Noda A, Okamoto H and Shirai T: Beam Acceleration of the Compact Proton Linac and the Light Ion Linac at ICR Kyoto University, in *Proc. of the fifth Japan-China Joint Symp. on Accelerators for Nuclear Science and Their Applications*, 192–194 (1993).

Fujisawa H: A CW 4-Rod RFQ Linac, *Nucl. Instr. Meth.*, **A345**, 23–42 (1994).

Iwashita Y: Disk-and Washer Structure with Biperiodic Support, *Nucl. Instr. Meth.*, **A348**, 15–33 (1994).

Fujisawa H, Tamada M, Matsumoto M, Iwashita Y, Noda A, Inoue M: Beam Tests of a CW 4-Rod RFQ, in *Proc. of the 9th Symp. on Accelerator Science and Technology*, 146–148 (1993).

Inoue M, Dewa H, Fujita H, Ikegami M, Iwashita Y, Kakigi S, Noda A, Okamoto H and Shirai T: Present Status of the 7 MeV Proton Linac at ICR Kyoto University, in *Proc. of the 9th Symp. on Accelerator Science and Technology*, 196–198 (1993).

Shirai T, Dewa H, Fujita H, Ikegami M, Iwashita Y, Kakigi S, Okamoto H, Noda A and Inoue M: Performance of the ICR 433 MHz RFQ Linac, in *Proc. of the 9th Symp. on Accelerator Science and Technology*, 223–225 (1993).

Iwashita Y: Compact Strong Permanent Magnet Symmetric Lens, in *Proc. of the 9th Symp. on Accelerator Science and Technology*, 267–269 (1993).

Hiramoto K, Tadokoro M, Hirota J, Nishi M, Noda A and Inoue M: A Compact Proton Synchrotron based on a Low Emittance Beam Extraction Scheme using Transverse RF Noise, in *Proc. of the 9th Symp. on Accelerator Science and Technology*, 309–311 (1993).

Noda A, Iwashita Y, Shirai T, Ikegami M, Dewa H and Inoue M: Possibility of High Brightness Micro-Beam by a Combination of a Linac and an Ion Stretcher and Cooler Ring, in *Proc. of the 9th Symp. on Accelerator Science and Technology*, 330–332 (1993).

Ikeda K, Kan T, Yoshizawa K, Hirota J, Iwashita Y, Noda A and Inoue M: Cold Model Test of Slot Coupling between RFQ and DTL Cavities, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 1–11 (1994).

