

PUBLICATIONS

STATES AND STRUCTURES

I. Atomic and Molecular Physics

Nakamatsu H and Mukoyama T: Calculations of Electrostatic Potential in Ionic Crystals with Direct Summation of the Coulomb Potentials of Point Charges, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 345-351 (1994).

Voinov V. G, Petrachenko N. E, Dorofeyev V. E, Nakamatsu H and Mukoyama T: Molecular Orbital Study of Resonance Electron Capture by 3-substituted Aliphatic Acids and Their Methyl Esters, *Int. J. Mass Spectr. Ion Proc.*, **137**, 31-42 (1994).

Onoe J, Nakamatsu H, Sekine R, Mukoyama T, Adachi H and Takeuchi K: Theoretical Study of the Valence Photoelectron Spectrum of UF₆, *J. Electron Spectrosc.*, **70**, 89-93 (1994).

Shirai K and Nakamatsu H: Cluster Calculation of the Electronic Structure of Icosahedral Boron, *Jpn. J. Appl. Phys., Series 10*, 70-71 (1994).

Nakamatsu H: Relation between X-ray absorption near-edge spectra and interatomic distances, *Chem. Phys.*, **200**, 49-62 (1995),

Nakamatsu H : Participation of 4f orbitals in Chemical bonds, *Kagaku to Kogyo*, **48**, 1347-1348 (1995) (in Japanese).

Ikeda T, Ohmura Y, Nakamatsu H and Mukoyama T, The Inner-Shell Hole of Alkali Metals Studied by the DV-X α method, *J. Phys. Soc. Jpn.*, **64**, 2669-2676 (1995).

Nakamatsu H, Mukoyama T and Adachi H, Ionic and Covalent Bonds in CeO₂ Crystal, *Chem. Phys. Lett.*, **247**, 168-172 (1995).

Watanabe T and Isozumi Y: An Analysis of Recent Pace-maker Patients with an Emphasis of Power Sources & Therapeutic Efficacy. *6th European Symposium on Cardiac Pacing* (edited by A.E.Aubert, H. Ector and R. Stroobandt, Ostend, Belgium, June 6-9, 1993) p.507-511.

Isozumi Y and Fujii T: Resonance-electron Mössbauer spectroscopy at low and high temperatures, in "Current Topics in Crystal growth research" (Council of Scientific Information, India, 1994) p. 187-228

Kashiyama K, Okimura T, Kawatani T, Aoki T and Isozumi Y: Surface Erosional Environment and Pond Sediment Information, in "Steepland Geomorphology" (Edited by O.Slaymaker, John Wiley & Sons Ltd. 1995) p. 219-231.

Mukoyama T: Saturation Effects of Projectile Excitation in Ion-Atom Collisions, in "Reports on US-Japan Cooperative Research Program", ed. by J. H. McGuire and M. Matsuzawa, pp. 14-22 (Dec. 1994).

Mukoyama T and Hock G: L² Approximation of Atomic Continuum Wave Functions, *Bull. Inst. Chem.*

Res., Kyoto Univ., **72**, 195-201 (1994).

Tökési K and Mukoyama T: Monte Carlo Code for the Study of Electron-Solid Interactions, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 352-360 (1994).

Yamaguchi K and Mukoyama T, Solving Radial Schrodinger Equation with Wavelet Basis-Set, *Bull. Soc. for Discrete Variational X α* , **7**, 200-201 (1994).

Yasui J, Mukoyama T, and Shibuya T, Analytical Expression of the Hartree-Fock Atomic Wave Functions and Symbolic Calculations of Two-Center One-Electron Integrals, *Bull. Soc. for Discrete Variational X α* , **7**, 202-205 (1994).

Yoshiaki Ito, Takeshi Mukoyama, Shuichi Emura, Masao Takahashi, Sinzo Yoshikado, and Kazuhiko Omote: X-ray Absorption Structures of Multielectron Excitation, *Br. Phys. Rev.* **A51**, 303-308 (1995).

M. Takahashi, S.Emura, Y. Ito, T. Mukoyama, S. Yoshikado, and K. Omote: The Contribution of the Shakeup and Shakeoff Effects to XAFS. *Physica B208/209*, 75-76(1995).

Y.Ito, T.Mukoyama, S. Emura, M.Takahashi,S. Yoshikado, and K. Omote: Multielectron excitation in XAFS on Br in organic solvents. *Physica B208/209*,180-182(1995).

A. Ishida, S.Emura, M. Takahashi, Y. Ito, H. Kanamaru, and S. Takamuku: EXAFS studies on the interaction between Eu³⁺ and crown ethers in organic solvents. *Physica B208/209*, 711-713 (1995).

Yoshiaki Ito, Takeshi Mukoyama, Haruki Moro, and Kichiro Koto: The Structure of Gd₂O₃ doped Bi₂O₃ at a low temperature. *Solid State Ionics* **79**, 81-83(1995).

Yoshiaki Ito, Scott Kuehner, and Subrata Ghose: The Structure of a High Temperature Phase in a Cationic Conductor, KAlSi₂O₆. *Solid State Ionics* **79**, 120-123(1995).

Sinzo Yoshikado, Hidemi Goto, Tetsuo Murata, Yuji Azuma, Ichiro Taniguchi, Yoshiaki Ito, and B.E.Mellander: Ion Conduction in β -AgI Single Crystal at Low Temperatures. *Solid State Ionics* **79**, 124-128(1995).

Yoshiaki Ito, Takeshi Mukoyama, and Sinzo Yoshikado: On Ionic Conduction in the α -Phase of PbSnF₄. *Solid State Ionics* **80**, 317-320(1995).

Yoshiaki Ito and Takeshi Mukoyama, in "Introductory Book on Free Electron Laser", pp.211-212(1995). (in Japanese)

II. Crystal Information Analysis

Isoda S, Itoh T, Kurata H and Kobayashi T: Structural Transition of C₆₀ on Iodine Doping by Solid-Vapor Reaction. *Fullerene Science and Technology*, **3**(5), 587-601 (1995).

Isoda S, Hashimoto S, Itoh T, Hoshino A and

- Kobayashi T: Structure Formation of Organic Multi-Layers. *Micromol. Symp.* **87**, 45-53 (1995).
- Hoshino A, Yamamoto K, Hashimoto S, Isoda S and Kobayashi T: STM, SEM and TEM Observations of Lead-phthalocyanine Vacuum-deposited on Graphite. *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 387-393 (1995).
- Hoshino A, Isoda S, Kurata H and Kobayashi T: Precise Determination of the Epitaxial Orientation of a Monomolecular Layer Organic Film by Scanning Tunneling Microscopy. *J. Cryst. Growth*, **146**, 636-640 (1995).
- Hashimoto S, Ogawa T, Asaka N, Isoda S and Kobayashi T: Pseudomorphic Vanadyl-Phthalocyanine and its Stable Orientation on KBr. *J. Cryst. Growth*, **146**, 649-654 (1995).
- Hoshino A, Isoda S, Kurata H, Kobayashi T and Yamashita Y: Prediction of the Epitaxial Orientation of Ultrathin Organic Films on Graphite. *Jpn. J. Appl. Phys.* **34**, 3858-3863 (1995).
- Kurata H, Isoda S and Kobayashi T: EELS and Energy-Selecting Image on High-Voltage Electron Microscope, *Proc. 2-nd NIRIM Inter. Symp. on Advanced Materials* **95**, 85-90 (1995).
- Kurata H, Isoda S and Kobayashi T: Quantitative Elemental Distribution Image of a Carbon Nanotube. *Microsc. Microanal. Microstruct.* **6**, 405-413 (1995).
- Kobayashi T: The Rules Governing a Micro-World; For Discriminating Each Atom Species. *Kagaku*, **50**(11), 654-655 (1995) (in Japanese).
- Kurata H and Kobayashi T: Fundamentals and Applications of EELS (I). *Electron Microscopy*, **30**(1), 53-59 (1995) (in Japanese).
- Kurata H and Kobayashi T: Fundamentals and Applications of EELS (II). *Electron Microscopy*, **30**(2), 175-180 (1995) (in Japanese).
- Hoshino A, Isoda S and Kobayashi T: Lattice Matching at the Interface between Organic Epitaxial Films and Graphite Substrate. *Hyomen Kagaku*. **16**(11), 26-31 (1995) (in Japanese).
- ### III. Polymer Condensed States Analysis
- Murakami S, Nishikawa Y, Tsuji M, Kawaguchi A, Kohjiya S, and Cakmak M: A Study on the Structural Changes during Uniaxial Drawing and/or Heating of Poly(ethylene naphthalene-2,6-dicarboxylate) Films, *Polymer*, **36**, 291-297 (1995).
- Yoon J R, Tanaka A and Kohjiya S: Preparation and Properties of Styrene-Butadiene Rubber/Brominated EPDM Blends, *J. Soc. Rubber Ind. Jpn.*, **68**, 34-38 (1995) (in Japanese).
- Ikeda Y, Hashim A S and Kohjiya S: Development in Organic-Inorganic Hybrid Elastomers Prepared by the Sol-Gel and Related Processes, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 406-417 (1995).
- Murakami S, Tanno K, Tsuji M and Kohjiya S: A High-Temperature Furnace and a Heating/Drawing Device Designed for Time-Resolved X-Ray Diffraction Measurements of Polymer Solids Using Imaging Plates, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 418-428 (1995).
- Ikeda Y, Kodama K, Kajiwara K and Kohjiya S: Chemical Modification of Butyl Rubber II. Structure and Properties of Poly(ethylene oxide)-Grafted Butyl Rubber, *J. Polym. Sci.: Polym. Phys.*, **33**, 387-394 (1995).
- Sando K, Hashim A S, Ikeda Y, Kohjiya S, Yamashita S, and Kawabata N: Vulcanization of 1-Chlorobutadiene-Butadiene Rubber with Diepoxy Compound, *J. Appl. Polym. Sci.*, **55**, 1137-1143 (1995).
- Tsuji M and Kohjiya S: Structural Studies on Crystalline Polymer Solids by High-Resolution Electron Microscopy, *Prog. Polym. Sci.*, **20**, 259-308 (1995).
- Kajiwara K, Krakovsky I, Urakawa H and Kohjiya S: Network Structure of Inorganic/Organic Hybrid Gels, *Macromol. Symp.*, **93**, 11-16 (1995).
- Kohjiya S: Characterization of Network Structure in Elastomeric Materials, *Macromol. Symp.*, **93**, 27-34 (1995).
- Yoon J R, Tsukahara Y and Kohjiya S, Effect of Bromination on EPDM Curing Behavior and its Tensile Properties, *Polym.-Plast. Technol. Eng.*, **34**, 581-598 (1995).
- Ikeda Y, Okuno T and Kohjiya S: Elastomeric Hybrid Networks from Rubbers and Bifunctional Polyurethanes, *Kautsch. Gummi Kunstst.*, **48**, 503-508 (1995).
- Urayama K, Kohjiya S, Takigawa T and Masuda T: Swelling and Mechanical Properties of Polymer Gels from Viewpoint of Poisson's Ratio", *J. Soc. Rubber Ind. Jpn.*, **68**, 444-452 (1995) (in Japanese).
- Ikeda Y, Nakamura Y, Kajiwara K and Kohjiya S: Chemical Modification of Butyl Rubber III. Butyl Rubber with D-Maltose Derivatives as Pendant Groups, *J. Polym. Sci.: Polym. Chem.*, **33**, 2657-2665 (1995).
- Ikeda Y and Kohjiya S: Polymeric Ionic Conductor of 10^{-3} S cm^{-1} , *Kohbunshi*, **44**, 633 (1995) (in Japanese).
- Ikeda Y, Tanaka A and Kohjiya S: Studies on in situ Silica Reinforcement of Rubber by Sol-Gel Method (Part 2), in situ Silica Reinforcement of Styrene-Butadiene Rubber by Sol-Gel Method, *J. Soc. Rubber Ind. Jpn.*, **68**, 742-749 (1995) (in Japanese).
- Yamato T, Miyake Y and Kohjiya S: Effect of Solvent Evaporation Rate on Solution Casting Films from Styrenic Thermoplastic Elastomer/Selective Solvent System, *J. Soc. Rubber Ind. Jpn.*, **68**, 750-757 (1995) (in Japanese).
- Urayama K, Ikeda Y and Kohjiya S: Ultra-high Extensibility of Deswollen Polysiloxane Networks, *J. Soc. Rubber Ind. Jpn.*, **68**, 814-817 (1995) (in Japanese).
- Urayama K: Poisson's Ratio of Polymer Gels, *Kaigai Kohbunshi Kenkyu*, **41**, 12-13 (1995) (in Japanese).

Tsuji M and Ihn KJ: Comparative Studies on the Folded-Chain Structures of Polyethylene and Cycloparaffin Crystals Grown from Solutions, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 429-442 (1995).

Tsuji M: Ultra-Fine Structures in Crystalline Polymer Solids Observed by High-Resolution Electron Microscopy, *Abst. 11th Annual Meeting, PPS (Seoul)*, 335-336 (1995).

Ohta T, Takada A, Yamamura T, Kawaguchi A and Murakami S: Comparison of Ultra-Drawing Behavior of Ultra-High-Molecular-Weight Polyethylene Between the Gel-like Spherulites Press Method and the Gel-Casting Method, *Abst. 11th Annual Meeting, PPS (Seoul)*, 405-406 (1995).

Murakami S, Yamakawa M, Tsuji M and Kohjiya S: Structural Development in the Drawing/Heating Process of Poly(ethylene naphthalate) [PEN], *Abst. 11th Annual Meeting, PPS (Seoul)*, 409-410 (1995).

Zhu Q, Hong KI, Lu F, Horii F, Tsuji M and Kitamaru R: Structure Investigation of UHMWPE Gel-Films by High-Resolution Solid State C-13 NMR Spectroscopy and the Relations with Their Properties, *Abst. 11th Annual Meeting, PPS (Seoul)*, 413-414 (1995).

Ohta T, Takada A, Yamamura T, Kawaguchi A and Murakami S: The Ultra-Drawing Behaviour of Ultra-High-Molecular-Weight Polyethylene: Comparison of the Gel-like Spherulite Pressing Method and the Gel-Casting Method, *Polymer*, **36**, 2181-2187 (1995).

Tsuji M: Ultrafine Structures in Polymers Observable by Microscopical Methods, *J. Soc. Rubber Ind., Japan*, **68**, 530-538 (1995) (in Japanese).

INTERFACE SCIENCE

I. Solutions and Interfaces

Umemura J, Hasegawa T, Sakai H and Takenaka T: FT-IR External Reflection Spectra of L and LB Films, *Trans. Mat. Res. Soc. Jpn.*, **15A**, 583-586 (1994).

Matsumoto M: Spread Monolayers of a Water-Soluble Protein (Ferritin) and Its Two- and Three-Dimensional Arrays, *Langmuir*, **10**, 3922-3925 (1994)

Hayashi T, Itoh S, Yamamoto M, Tsujii Y, Matsumoto M and Miyamoto T: Thermal Relaxation Process of Stearate LB Films Sandwiched by Chromophoric Polymer LB Layers Studied by the Energy Transfer Method and Transmission Electron Microscopy, *Langmuir*, **10**, 4142-4147 (1994).

Kato T, Hayashi S, Oobatake M and Machida K: Molecular Dynamics of Thermal Dissociation Relaxation in Liquid N₂O₄, *J. Chem. Phys.*, **100**, 2777-2788 (1994).

Nakahara M, Wakai C and Matubayasi N: Jump in the Rotational Mobility of Benzene Induced by the Clathrate Hydrate Formation, *J. Phys. Chem.*, **99**, 1377-1379 (1995).

Nakahara M and Yoshimoto Y: Hydrophobic Slowdown and Hydrophilic Speedup of Water Rotation

in Supercooled Aqueous Solutions of Benzene and Phenol, *J. Phys. Chem.*, **99**, 10698-10700 (1995).

Nakahara M and Wakai C: Effect of Solvent, Temperature, and Pressure on Hydrogen Bonding and Reorientation of Water Molecules, *J. Mol. Liquids*, **65/66**, 149-155 (1995).

Wakai C and Nakahara M: Pressure- and Temperature-variable Viscosity Dependencies of Rotational Correlation Times for Solitary Water Molecules in Organic Solvents, *J. Chem. Phys.*, **103**, 2025-2032, (1995).

Nakahara M: NMR Studies on the Effect of Temperature and Pressure on the Structure and Dynamics of Aqueous Systems, Physical Chemistry of Aqueous systems: Meeting the Needs of Industry: Proc. 12th Int. Conf. Properties of Water and Steam (White H J, Sengers J V, Neumann, D B and Bellows J C Ed.), New York, 1995, pp. 449-459.

Nakahara M: The Structure and Dynamics of Water at High Temperature and Pressure, *Koatsuryoku No Kagaku To Gijutu (Rev. High Pressure Sci. Technol.)*, **4**, 186-192 (1995) (in Japanese).

Nakahara M: Structure, Fluctuation, and Relaxation in Solutions (Yamada Conference 42), *Kagaku (Chemistry)*, **50**, 184-185 (1995) (in Japanese).

Nakahara M: Solvation, *Kagaku (Chemistry)*, **50**, 617-620 (1995) (in Japanese).

Kimura S, Chou J, Imanishi Y, Okamura E and Umemura J: Orientation and Association of Helical Peptides in Phospholipid Bilayer Membrane, *Peptide Chemistry 1994* (M. Ohno Ed.), Protein Research Foundation, Osaka, 1995, pp. 133-136.

Hasegawa T, Takeda S, Kawaguchi A and Umemura J: Quantitative Analysis of Uniaxial Molecular Orientation in Langmuir-Blodgett Films by Infrared Reflection Spectroscopy, *Langmuir*, **11**, 1236-1243 (1995).

Okamura E, Hasegawa T and Umemura J: Quantitative Analysis of Molecular Orientation in Chlorophyll a Langmuir Monolayers: A Polarized Visible Reflection Spectroscopic Study, *Biophys. J.*, **69**, 1142-1147 (1995).

Fujita K, Kimura S, Imanishi Y, Okamura E and Umemura J: Monolayer Formation and Molecular Orientation of Various Helical Peptides at the Air/Water Interface, *Langmuir*, **11**, 1675-1679 (1995).

Umemura J: Thin Film Materials - Ultrathin Organic Films, in "Shinpan Kobunshi Bunseki Handbook" (Anal. Chem. Soc. Jpn., Ed.), Kinokuniya, Tokyo, 1995, Chap. II-9 (in Japanese).

Murata Y, Tsunashima K, Umemura J and Koizumi N: Ferroelectric Behavior and Hydrogen Bonding in Polyamides, *CEIDP Annual Report IEEE95CH35842*, 544-547 (1995).

Ishigami Y, Osman M, Nakahara H, Sano Y, Ishiguro R and Matsumoto M: Significance of b-Sheet

Formation for Micellization and Surface Adsorption of Surfactin, *Colloids and Surfaces B, Biointerfaces*, **4**, 341-348 (1995).

Knoblich A, Matsumoto M, Murata K and Fujiyoshi Y : Cryogenic Transmission Electron Microscopic Studies of Micellar Structure Correlated with Solution Viscosity on Perfluorooctyl Sulfonates and Their Mixtures with a Nonionic Surfactant, *Langmuir*, **11**, 2361-2366 (1995).

Matsumoto M, Gotoh K, Nobushima I, Sasaki F, Uchida T and Tagawa M : Monolayer Properties and Structure of Langmuir-Blodgett (LB) Films in Mixtures of Arachidic Acid and Cellulose Derivatives, *Yukagaku*, **44**, 573-578 (1995) (in Japanese).

Matsumoto M and Knoblich A : Cryo-Transmission Electron Microscope Studies of Micellar Structure on Tetraethylammonium, Lithium Perfluorooctyl Sulfonates, and Surfactin, *Kohbunshi Ronbunshu*, **52**, 746-752 (1995) (in Japanese).

Matsumura Y, Okamura E, Hidaka H, Miyabe M and Mori T : Effects of Carnauba Wax Addition on Physical States of Palm Kernel Oil-in-Water Emulsions, *Biosci. Biotech. Biochem.*, **59**, 1688-1693 (1995).

Ishioka T, Murotani S, Kanesaka I and Hayashi S : Molecular Dynamics Simulation of Infrared Spectra for Potassium Palmitate B-form Crystal, *J. Chem. Phys.*, **103**, 1999-2005 (1995).

Nakagawa T : Is Viscosity B Coefficients Characteristic for Solute-Solvent Interaction?, *J. Mol. Liquids*, **63**, 303-316 (1995).

II. Molecular Aggregates

Shirotani I, Kudo T, Sato N, Yamochi H and Saito G: Electronic Properties of Evaporated Thin Films of Bis(1,2-benzoquinonedioximate)metal(II), $M(\text{bqd})_2$ ($M = \text{Ni, Pd and Pt}$), *J. Mater. Chem.*, **5**, 1357-1362 (1995).

Asaka K, Zhao KS and Asami K: Dielectric Analysis of Concentration Polarization Structure at Ion-Exchange Membrane/Solution Interface under DC Bias Voltage Application, *Membrane*, **19**, 411-419 (1994).

Iida A, Sanekata M, Wada S, Fujita T, Tanaka H, Enoki A, Fuse G, Kanai M and Asami K: Fungal Metabolites. XVIII. New Membrane-Modifying Peptides, Trichorozins I-IV, from the Fungus *trichoderma harzianum*, *Chem. Pharm. Bull.*, **43**, 392-397 (1995).

Nagaoka Y, Iida A, Kambara T, Tachikawa E, Asami K and Fujita T: Effect of Lipophilicity of Trichosporin-Bs on Ion-Channel Formation and Catecholamine-Releasing Activity, *Biol. Pharm. Bull.*, **18**, 640-642 (1995).

Asami K and Yonezawa T: Dielectric Analysis of Yeast Cell Growth, *Biochim. Biophys. Acta*, **1245**, 99-105 (1995).

Nagaoka Y, Kambara T, Iida A, Asami K and Fujita T: Ion Channel Forming Properties of Antibiotic Peptides, Trichosporin-B-VIa and its Derivatives, in

Planar Lipid Bilayers, *Peptide Chem.*, **1994**, 97-100 (1995).

III. Separation Chemistry

Gan L, Xu L, Luo C, Huang C, Umetani S and Matsui M: Synthesis and Characterization of Tris(3-phenyl-4-benzoyl-5-isoxazolone) (1,10-Phenanthroline)europium, *Polyhedron*, **13**, 3167-3169 (1994).

Umetani S, Sasaki T, Le Q T H, Matsui M, Mizutani M, Yamamoto T and Tsurubou S: Improved Extraction-Separation Utilizing Macrocylic Ionophores, *Proceedings of Int. Trace Analysis Symp.* **94**, 147-150 (1994).

Le T H Q, Kawase Y, Sasaki T, Umetani S and Matsui M: β -diketones with a Controlled Distance of the Two Donating Oxygens, *Proceedings of Int. Trace Analysis Symp.* **94**, 157-160 (1994).

Le T H Q, Umetani S and Matsui M: Synthesis of β -diketones Having Substituents at the α -Position and Their Basic Study as Extraction Reagent, *Proceedings of Symp. Solvent Extr.* **1994**, 39-40 (1994).

Sasaki T, Umetani S and Matsui M: Design of Extraction Systems of High Selectivity Utilizing Macrocylic Ionophores, *Proceedings of Symp. Solvent Extr.* **1994**, 41-42 (1994).

Kokusen H, Sohrin Y, Hasegawa H, Kihara S and Matsui M: Steric Control of Selectivity for Lanthanoids in Liquid-liquid Extraction with Tris- and Tetrakis(pyrazol-1-yl)borate- β -diketon Mixed-ligand Systems, *Bull. Chem. Soc. Jpn.*, **68**, 172-177 (1995).

Wei Z J, Li B G, Huang C H, Umetani S and Matsui M: Synthesis, Characterization and Crystal Structure Studies on a Mixed Ligand Complex of Aquatris(3-phenyl-4-benzoyl-5-isoxazolone) (Ethanol)Europium Monohydrate $[\text{Eu}(\text{PBl})_3(\text{C}_2\text{H}_5\text{OH})(\text{H}_2\text{O})] \cdot \text{H}_2\text{O}$, *Chem. J. Chinese Univ.*, **16**, 172-175 (1995).

Suzuki M: Ion Transfer from Water to Mixtures of Formamide and Water Studied by Polarography at the Electrolyte Solution Dropping Electrode, *J. Electroanal. Chem.*, **384**, 77-84 (1995).

Tsurubou S, Mizutani M, Kadota Y, Yamamoto T, Umetani S, Sasaki T, Le Q T H and Matsui M, Improved Extraction - Separation of Alkaline Earths and Lanthanides Using Crown Ethers as Ion Size Selective Masking Reagents : A Novel Macrocycle Application, *Anal. Chem.*, **67**, 1465-1469 (1995).

Fujino O and Matsui M: Determination of Various Ions such as Alkali Metals in Leaves, Stems, Roots and Seeds of the Radish and Their Distribution, *Bunseki Kagaku*, **44**, 369-376 (1995)(in Japanese).

Fujino O, Matsui M, Uno M and Kihara S: Concentration Change of Hydrogen Ions and Potassium Ions in a Culture Solution during the Germination and Growing Period of Radish—Effect of Alkali Metal Elements—, *Jpn. J. Soil Sci. Plant Nutr.*, **66**, 133-139 (1995)(in Japanese).

Shirai O, Kihara S, Yoshida Y and Matsui M: Ion Transfer through a Liquid Membrane or a Bilayer

Lipid Membrane in the Presence of Sufficient Electrolytes, *J. Electroanal. Chem.*, **389**, 61-70 (1995).

Sohrin Y, Kokusen H and Matsui M: Control of Ligand Field Strength through Intra- and Interligand Contact. Octahedral Iron(II) Poly(pyrazolyl)borate Complexes, *Inorg. Chem.*, **34**, 3928-3934 (1995).

Le T H Q, Umetani S, Sasaki T, Tomita T and Matsui M: Highly Acidic Extractant, 4-Benzoyl-3-phenyl-5-isoxazolone : The Synergistic Extraction of Alkaline Earth and Alkali Metals Combined with Trioctylphosphine Oxide or Bis(diphenylphosphinyl)methane, *Bull. Chem. Soc. Jpn.*, **68**, 2867-2873 (1995).

Hasegawa H, Sohrin Y, Matsui M, Hojo M and Kawashima M: Seasonal Cycle of Arsenic and the Behavior of Trivalent Methylarsenicals in Lake Biwa, *Proceedings of 6th International Conference on the Conservation and Management of Lakes — Kasumigaura '95*, 1144-1147 (1995).

Sohrin Y, Tateishi T, Matsui M, Kawashima M and Hasegawa H: Influence of the Summer Climate on Water of Lake Biwa; 1993-1994, *Proceedings of 6th International Conference on the Conservation and Management of Lakes — Kasumigaura '95*, 868-871 (1995).

Sohrin Y, Hasegawa H and Matsui M: Speciation of Organoarsenical Compounds in the Hydrosphere, In Biogeochemical Processes and Ocean Flux in the Western Pacific; H. Sakai and Y. Nozaki, Eds.; *Terra Scientific: Tokyo*, pp 129-138 (1995).

Le T H Q, Umetani S, Suzuki M and Matsui M: Decisive Role of a Phenyl Group at the α -Position of Benzoylacetone in the Solvent Extraction of Al^{3+} and In^{3+} , *J. Chem. Soc. Chem. Commun.*, 2271-2272 (1995).

SOLID STATE CHEMISTRY

I. Artificial Lattice Allolys

Sugimoto T, Tsujii M, Matsuura H and Hosoi N: Weak Ferromagnetism below 12 K in a Lithium Tetrafluorotetracyanoquinodimethanide Salt, *Chem. Phys. Lett.*, **235**, 183-186 (1995).

Ono T and Shinjo T: Magnetic Properties of Multilayers Prepared on Microstructured Substrates, *Funtai oyobi Funmatsu Yakin*, **42**, 1162-1167 (1995) (in Japanese).

Shinjo T: Microscopic Studies of Metallic Multilayers Using Mössbauer Probes, *Hyper. Int.*, **90**, 159-170 (1994)

Kawawake Y, Mibu K and Shinjo T: Co/Cu Multilayers Studied by Using the ^{119}Sn Probe, *Hyper. Int.*, **92**, 1291-1295 (1994).

Yamamoto A, Kiyama M and Shinjo T: Surface Magnetism of $\beta\text{-FeO}(\text{OH})$ by Mössbauer Spectroscopy, *Hyper. Int.*, **92**, 1311-1315 (1994).

Shinjo T, Emoto T, Kawawake Y, Mibu K and Hosoi N: Mössbauer Study of Cu/Co and Au/Co Multilayers Using ^{119}Sn , *J. Magn. Magn. Mater.*, **140-144**, 619-620 (1995).

Mibu K, Passamani E C, Elmassalami M, Shinjo T and Baggio-Saitovitch E: Mössbauer and Magnetization Studies of Fe/Eu and V/Eu Multilayers, *J. Magn. Magn. Mater.*, **140-144**, 623-624 (1995).

Fujiwara N, Jeitler J R, Navas C, Turnbull M M, Goto T and Hosoi N: Doping Effect on Nonmagnetic Impurities in Haldane System, *J. Magn. Magn. Mater.*, **140-144**, 1663-1664 (1995).

Sakurai M, Imamura N, Hirano K and Shinjo T: Pt Layer Thickness Dependence of Magnetic and Structural Properties of Epitaxial Fe/Pt(001) Multilayers, *J. Magn. Magn. Mater.*, **147**, 16-23 (1995).

Wu L, Nakayama N and Shinjo T: Structural and Magnetic Properties of Co/Au(001) Superlattices, *J. Appl. Phys. D*, **28**, 825-830 (1995).

Ono T and Shinjo T: Magnetoresistance of Multilayers Prepared on Microstructured Substrates, *J. Phys. Soc. Jpn.*, **64**, 363-366 (1995).

Hosoi N, Ono T, Yamamoto H, Shinjo T and Endoh Y: Neutron Diffraction Studies on a Non-Coupled Giant Magnetoresistance System, Co/Cu/NiFe/Cu Multilayer, *J. Phys. Soc. Jpn.*, **64**, 581-587 (1995).

Kobayashi Y, Nasu S and Shinjo T: Recoil-Free Fraction of ^{197}Au Mössbauer Resonance in Au(1 nm)/Ni(1 nm) Multilayer, *J. Phys. Soc. Jpn.*, **64**, 1076-1080 (1995).

Sakurai J, Hasegawa K, Shintaku K and Shinjo T: On the Sign of Thermoelectric Power of GMR Multilayers, *J. Phys. Soc. Jpn.*, **64**, 3897-3902 (1995).

Endoh Y, Takeda M, Kamijo A, Mizuki J, Hosoi N and Shinjo T: Neutron Study on the Subject of Giant Magnetoresistance Effect, *Mater. Sci. Eng. B*, **31**, 57-63 (1995).

Shinjo T: Magnetic Structure of Multilayers Studied by Mössbauer Spectroscopy, *Mater. Sci. Eng. B*, **31**, 93-99 (1995).

Sugimoto T, Tsujii M, Suga T, Hosoi N, Ishikawa M, Takeda N and Shiro M: New Charge-Transfer Complex-Based Organic Ferromagnets: Pyridinium-Substituted Imidazolin-1-Oxyl/Tetrafluorotetracyanoquinodimethanide or Hexacyanobutadienide Salts, *Mol. Cryst. Liq. Cryst.*, **272**, 183-194 (1995).

II. Artificial Lattice Compounds

Terashima T, Komai E, Bando Y, Kawahara T and Suzuki T: Electric Field Effects on Ultrathin YBCO Films. *Funtai oyobi Funmatsu Yakin* **42**, 781-785 (1995) (in Japanese).

Yoneda Y, Kasatani H, Terauchi H, Yano Y, Terashima T and Bando Y: Ferroelectric Phase Transition in BaTiO_3 Films. *J. Cryst. Growth* **150**, 1090-1093 (1995).

Takeda Y, Mukai Y, Imanishi N, Yamamoto O and Ikeda Y: Oxidation of $\text{La}_{2-x}\text{Ba}_x\text{CuO}_4$ by Electrochemical Method. *Funtai oyobi Funmatsu Yakin* **42**, 804-807 (1995) (in Japanese).

Oyanagi H, Kimura H, Terashima T and Bando Y: Local Lattice Anomalies in Epitaxial $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Thin Film Studied by X-Ray Absorption Fine Structure. *Phys. Soc. Jpn.* **64**, 2563-2571 (1995).

Bando Y, Terashima T, Shimura K, Daitoh Y and Yano Y: Effect of Adjacent Insulating Oxide Layers on Superconductivity of One Unit Cell Thick $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Layers in $\text{PrBa}_2\text{Cu}_3\text{O}_{7-\delta}$ / $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ / Insulating Oxide Trilayers. *J. Cryst. Growth* **150**, 1074-1079 (1995).

III. Multicomponent Materials

Kojima K, Keren A, Luke G M, Nachumi B, Wu W D, Uemura Y J, Azuma M and Takano M: Magnetic Behavior of the 2-Leg and 3-Leg Spin Ladder Cuprates $\text{Sr}_{n-1}\text{Cu}_{n+1}\text{O}_{2n}$. *Phys. Rev. Lett.* **74**, 2812-2815 (1995).

Argyriou D N, Jorgensen J D, Hitterman R L, Hiroi Z, Kobayashi N and Takano M: Structure and Superconductivity without Apical Oxygens in $(\text{Ca}, \text{Na})_2\text{CuO}_2\text{Cl}_2$. *Phys. Rev. B* **51** 8434-8437 (1995).

Hiroi Z and Takano M: Absence of Superconductivity in the Doped Antiferromagnetic Spin-Ladder Compound $(\text{La}, \text{Sr})\text{CuO}_{2.5}$. *Nature*, **377**, 41-43 (1995).

Hirano A, Kanno R, Kawamoto Y, Takeda Y, Yamaura K, Takano M, Ohyama K, Ohaski M and Yamaguchi Y: Relationship between non-stoichiometry and physical properties in LiNiO_2 . *Solid State Ionics* **78**, 123-131 (1995).

High-pressure synthesis and superconductivity of a Ba free mercury-based superconductor $(\text{Hg}_{0.75}\text{Re}_{0.25})\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_y$: Yamaura K, Shimoyama J, Hahakura S, Hiroi Z, Takano M and Kishio K, *Physica C* **246** 351-356 (1995).

Yamaura K, Hiroi Z, Takano M, Hahakura S, Shimoyama J, Kishio K: Ba-Free Mercury-based Superconductors $(\text{Hg}, \text{M})\text{Sr}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_y$ ($\text{M}=\text{Re}, \text{Cr}, \text{Mo}$; $n=2, 3$) Synthesized Under High-Pressure *Funtai oyobi Funmatsu Yakin*, **42**, 798-803 (1995) (in Japanese).

Ishida T, Mikayama T, Okuda K, Azuma M, Hiroi Z and Takano M, Complex Susceptibility of Infinite-Layer Superconductor $(\text{Sr}_{0.7}\text{Ca}_{0.3})_{0.95}\text{CuO}_{2-x}$, in Advances in Superconductivity VII: Proceedings of the 7th International Symposium on Superconductivity (ISS'94), Nov. 8-11, 1994, Kitakushu, Japan (ed. K. Yamafuji and T. Morishita), *Springer-Verlag, Tokyo*, 523-526 (1995).

Azuma M, Hiroi Z, Takano M, Ishida K and Kitaoka Y: High Pressure Synthesis and Magnetic Studies of Quasi One Dimensional Systems $\text{Sr}_{n-1}\text{Cu}_{n+1}\text{O}_{2n}$ ($n=3, 5$), in Proceedings of the Fourth International Conference and Exhibition: World Congress on Superconductivity, June 27-July 1, 1994, Orlando, Florida, *NASA Conference Publication*, II 529-536 (1995).

Kishio K, Shimoyama J, Hahakura S, Kitazawa K, Yamaura K, Hiroi Z and Takano M: Chemical Stabilization and High Pressure Synthesis of Ba-free Hg-based Superconductors, $(\text{Hg}, \text{M})\text{Sr}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_y$ ($n=1-3$),

in *Proceedings of the Fourth International Conference and Exhibition: World Congress on Superconductivity, June 27-July 1, 1994, Orlando, Florida, NASA Conference Publication*, II 510-518 (1995).

Takano M: High-Pressure Effects on the Formation of Complex Cupric Oxides, in Perspectives in Solid State Chemistry (ed. C.N.R. Rao), *Narosa Publishing House, New Delhi*, 97-111 (1995).

Takano M: Structure and physical properties of oxide superconductors, in Kagaku Binran 5th edition (ed The Chemical Society of Japan) *Maruzen, Tokyo* 461-468 (1995) (in Japanese).

IV. Amorphous Materials

Yoko T, Hashimoto T, and Ishibasi K: Preparation and Properties of Pb-Complex Perovskite Films by the Sol-Gel Method, *NEW GLASS*, **9**, 16-22 (1994) (in Japanese).

Kim SH, Yoko T, and Sakka S: Nonlinear Optical Properties of TeO_2 -Based Glasses: RO ($\text{R} = \text{Mg}, \text{Sr}, \text{Ba}$)- TeO_2 Binary Glasses, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 178-186 (1994).

Miyaji S, Fujimine S, Yoko T, and Sakka S: Some Physical Properties of $\text{BiO}_{1.5}\text{-BaO-CuO}$ Glasses, *Bull. Inst. Chem. Res., Kyoto Univ.*, **71**, 134-145 (1994).

Hayakawa S, Yoko T, and Sakka S: IR and NMR Structural Studies on Lead Vanadate Glasses, *J. Non-Cryst. Solids*, **183**, 73-84 (1995).

Fujihara S, Nakata T, Kozuka H, and Yoko T: Effect of Substitution of Alkaline Earths or Y for La on Structure and Electrical Properties of LaSrFeO_4 , *J. Solid State Chem.*, **115**, 456-463 (1995).

Kim SH, and Yoko T: Nonlinear Optical Properties of TeO_2 -Based Glasses: MOx-TeO_2 ($\text{M} = \text{Sc}, \text{Ti}, \text{V}, \text{Nb}, \text{Ta}, \text{Mo}, \text{W}$) Binary Glasses, *J. Am. Ceram. Soc.*, **78**, 1061-65 (1995).

Hashimoto T, and Yoko T: Third-Order Nonlinear Optical Properties of Sol-Gel Derived V_2O_5 , Nb_2O_5 and Ta_2O_5 Thin Films, *Appl. Opt.* **34**, 2941-48 (1995).

Terashima K, Kim SH, Yoko T: Nonlinear Optical Properties of B_2O_3 -Based Glasses: $\text{M}_2\text{O-B}_2\text{O}_3$ ($\text{M} = \text{Li}, \text{Na}, \text{K}, \text{Rb}, \text{Cs}$ and Ag) Binary Borate Glasses, *J. Am. Ceram. Soc.*, **78**, 1601-05 (1995).

Zhao G, Kozuka H and Sakka S: Preparation of TiO_2 Coating Films Containing Pd Fine Particles by Sol-Gel Method, *J. Sol-Gel Sci. Techn.*, **4**, 37-47 (1995).

Sakka S, Aoki K and Kozuka H: Temporary Opacification of Gel Body during Drying in the Sol-Gel Fabrication of Transparent Silica Gels, *Ceram. Trans.*, **55**, 117-127 (1995).

Kozuka H: Research Activities on Microwave Heating Found in the Symposium Proceedings in U.S.A, *New Ceramics*, **8**, 31-37 (1995) (In Japanese).

Kozuka H, Okuno M and Yoko T: Dispersion of Elongated Gold Nanoparticles Aligned in a Pseudoboehmite Matrix by Sol-gel Method, *J. Ceram.*

Soc. Jpn., **103**, 1305-08 (1995).

Uchino T: Models for Ionic Transport in Oxide Glasses, *Defect and Diffusion Forum*, **117-118**, 111-128 (1995).

Uchino T, and Ogata Y: Ab initio Molecular Orbital Calculations on the Electronic Structure of Phosphate Glasses. Sodium Phosphate Glasses, *J. Non-Cryst. Solids*, **181**, 175-188 (1995).

Uchino T, and Ogata Y: Ab initio Molecular Orbital Calculations on the Electronic Structure of Phosphate Glasses. Binary Alkali Metaphosphate Glasses, *J. Non-Cryst. Solids*, **191**, 56-70 (1995).

FUNDAMENTAL MATERIAL PROPERTIES

I. Molecular Rheology

Hwang EJ, Inoue T, and Osaki K: Viscoelasticity and Birefringence of PS/PC Blend and Graft Copolymer, *J. Soc. Material Sci. Japan*, **43**, 1546-1552(1994).

Okamoto H, Inoue T, and Osaki K: Viscoelasticity and Birefringence of Polyisoprene, *J. Polym. Sci. Polym. Phys. Ed.*, **33**, 417-424(1995).

Okamoto H, Inoue T, and Osaki K: Viscoelasticity and Birefringence of Polyisobutylene, *J. Polym. Sci. Polym. Phys. Ed.*, **33**, 1409-1416(1995).

Osaki K, Okamoto H, Inoue T, and Hwang EJ: Molecular Interpretation of Dynamic Birefringence and Viscoelasticity of Amorphous Polymers, *Macromolecules*, **28**, 3625-3630(1995).

Inoue T, Okamoto H, Osaki K, Kohara T and Natsuume T: Dynamic Birefringence of Amorphous Polyolefins II. Measurements on Polymers Containing Five-Membered Ring in Main Chain, *Polym. J.* **27**, 943-950 (1995).

Takiguchi O, Inoue T, and Osaki K: Studies on Sub-Relaxation of a Series of Methacrylate Polymers by Dynamic Birefringence Measurements, *Nihon Reoroji Gakkaishi*, **23**, 13-19(1995) (in Japanese).

Inoue T, Cicerone MT, and Ediger MD: Molecular Motions and Viscoelasticity of Amorphous Polymers near T_g, *Macromolecules*, **28**, 3425-3433(1995).

Koike A, Nemoto N, Inoue T, and Osaki K: Dynamic Light Scattering and Dynamic Viscoelasticity of Poly(vinyl alcohol) in Aqueous Borax Solutions. 1. Concentration Effect, *Macromolecules*, **28**, 2339-2344(1995).

Ahn KH and Osaki K: Mechanism of Shear Thickening Investigated by a Network Model. *J. Non-Newtonian Fluid Mech.* **56**, 267-288 (1995).

Watanabe H: Rheology of Block Copolymers and Related Entangled Systems, *Nihon Reoroji Gakkaishi*, **22**, 193-203 (1994) (in Japanese).

Watanabe H: Effects of Thermodynamic Confinements on Block Copolymer Dynamics, *Bull. Inst. Chem. Res. Kyoto Univ.*, **72**, 394-405 (1995)

Patel S S, Larson R G, Winey K I, and Watanabe H: Shear Orientation and Rheology of a Lamellar Polystyrene-Polyisoprene Diblock Copolymer, *Macromolecules*, **28**, 4313-4318 (1995).

Watanabe H: Polymer Brush, *Koubunshi-Kakou*, **44**, 2-7 (1995) (in Japanese).

Chen C, Dan N, Dhoot S, Tirrell M, Mays J, and Watanabe H: Effect of Solvent Quality on Pure and Mixed Brushes, *Israel J. Chem.*, **35**, 41-47 (1995).

Watanabe H: Slow Dielectric Relaxation of A Styrene-Isoprene-Styrene Triblock Copolymer with Dipole-Inversion in the Middle Block: A Challenge to A Loop/Bridge Problem, *Macromolecules*, **28**, 5006-5011 (1995).

Watanabe H, Yamada H, and Urakawa O: Dielectric Relaxation of Dipole-Inverted cis-Polyisoprene Solutions, *Macromolecules*, **28**, 6443-6453 (1995).

Watanabe H, Matsuyama S., Mizutani Y, and Kotaka T: Adhesion of Thin, Dry Block Copolymer Layers Adsorbed on Mica, *Macromolecules*, **28**, 6454-6461 (1995).

II. Polymer Materials Science

Imai M, Kaji K, Kanaya T, Sakai Y: Ordering Process in the Induction Period of Crystallization of Poly(ethylene terephthalate), *Phys. Rev.*, **B52**, 12696-12704 (1995).

Imai M and Kaji K: When Polymers Crystallize, *Kobunshi-Kako*, **44**, 146-154 (1995) (in Japanese).

Imai M and Kaji K: What Happens during the Induction Period of Polymer Crystallization?, *Kasen-Koenshu* **52**, 1-13 (1995) (in Japanese).

Kojima Y, Usuki A, Kawasumi M, Okada A, Kurauchi T, Kamigaito O and Kaji K, Novel Preferred Orientation in Injection-Molded Nylon 6-Clay Hybrid, *J. Polym. Sci.: Part B: Polym. Phys.*, **33**, 1039-1045 (1995).

Kanaya T: Dynamics of Amorphous Polymers below and above Glass Transition Temperature by Neutron Scattering, *Trends in Macromol. Res.*, **1**, 227-244 (1994).

Kawakatsu T, Kawasaki K, Furusaka M, Okabayashi H, Kanaya T: Phase Separation Dynamics in the Presence of Surfactant Molecules with an Asymmetric Shape, *J. Chem. Phys.*, **102**, 2247-2253 (1995).

Nishida K, Kaji K, Kanaya T: Charge Density Dependence of Correlation Length Due to Electrostatic Repulsion in Polyelectrolyte Solutions, *Macromolecules*, **28**, 2472-2475 (1995).

Kanaya T, Ohkura T, Takeshita H, Kaji K, Furusaka M, Yamaoka H, Wignall G D: Gelation Process of Poly(vinyl alcohol) As Studied by Small-Angle Neutron Scattering, *Macromolecules*, **28**, 3168-3174 (1995).

Imai M, Kaji K, Kanaya T, Sakai Y: Chain

Conformation in the Induction Period of Crystallization of Poly(ethylene terephthalate), *Physica*, **B213/214**, 718-720 (1995).

Kanaya T, Kawabata K, Shibata K, Kawaguchi T, Kaji K: A Collimator with NiC/Ti Supermirror in the High-Resolution Neutron Spectrometer LAM-80ET, *Physica*, **B213/214**, 948-950 (1995).

Kawaguchi T, Kanaya T, Kaji K: Fast Relaxations of Amorphous Polystyrene, *Physica*, **B213/214**, 510-512 (1995).

Kanaya T, Ishida T, Kawaguchi T, Kaji K: Dynamical Coupling between Side and Main Chains of Amorphous Polystyrene near T_g , *Physica*, **B213/214**, 502-505 (1995).

Izumi Y, Kobayashi M, Kawaguchi T, Kanaya T, Kaji K: Quasielastic Neutron Scattering on the Sol-Gel Transition of atactic Polystyrene in Carbon Disulfide, *Physica*, **B213/214**, 731-733 (1995).

Kanaya T: Inhomogeneity and Complexity of Polymer Systems, *Kobunshi (High Polymer, Japan)*, **44**, 732-736 (1995) (in Japanese).

Kanaya T, Patkowski A, Fischer E W, Jeiles J, Glaeser H, Kaji K: Light Scattering Studies of Short- and Long-Range Density Anisotropy Fluctuations in a Bulk Polysiloxane, *Macromolecules*, **28**, 7831-7836 (1995).

III. Molecular Motion Analysis

Horii F, Beppu T, Takaesu N and Ishida H, : Selective Excitation SASS ^{13}C NMR Study of the Phenylene Motion of Glassy Polymers, *Magn. Reson. Chem.*, **32**, S30-S35 (1994).

Kitamaru R, Horii F, Nakagawa M, Takamizawa K, Urabe Y and Ogawa H : Solid-Solid Phase Transformation of Uniaxially Oriented n-alkane Crystals of High Purity, *J. Mol. Struct.*, **355**, 95-104 (1995).

Hatada K, Kitayama T, Terawaki Y, Sato H, Chujo R, Tanaka Y, Kitamaru R, Ando I, Hikichi K and Horii F: NMR Measurement of Identical Polymer Samples by Round Robin Method IV. Analysis of Composition and Monomer Sequence Distribution in Poly(methyl methacrylate-co-acrylonitrile) Leading to Determinations of Monomer Reactivity Ratios, *Polym. J.*, **27**, 1104-1112 (1995).

Horii F : Molecular Motions of Polymers. New Developments of Precise Analyses by Solid NMR, *Koubunshi-kako*, **44**, 544-551 (1995) (in Japanese).

Horii F : "Structure of Polymers (1) Magnetic Resonance Methods", Ed. Soc. Polym. Sci., Japan, 1995, pp. 270-287 (in Japanese).

Tsunashima Y : Polymer Chain Dynamics in Dilute Solutions under Couette Flow : Dynamic Light Scattering from of Polystyrenes in a Good Solvent, *J. Chem Phys.*, **102**, 4673-4682 (1995).

Kaji H, Nakanishi K and Soga N : Formation of Porous Gel Morphology by Phase Separation in

Gelling Alkoxy-Derived Silica. Phenomenological Study, *J. Non-Crystalline Solids*, **185**, 18-30 (1995).

Kaji H, Nakanishi K and Soga N : Formation of Porous Gel Morphology by Phase Separation in Gelling Alkoxy-Derived Silica. Affinity between Silica Polymers and Solvent, *J. Non-Crystalline Solids*, **181**, 16-26 (1995).

ORGANIC MATERIALS CHEMISTRY

I. Polymeric Materials

Tanahashi M, Yao T, Kokubo T, Minoda M, Miyamoto T, Nakamura T and Yamamuro T : Apatite Coating on Organic Polymers by Biomimetic Process: Improvement in Its Adhesion to Substrate by NaOH Treatment, *J. Appl. Biomater.*, **5**, 339-347 (1994).

Fukuda T, Takada A, Tsujii Y and Miyamoto T : Orientation-Dependent Interactions in Polymer Systems. 4. Chain-Length Dependence of the Nematic-Isotropic Transition Behavior of Thermotropic Semiflexible Polymers, *Macromolecules*, **28**, 3387-3393 (1995).

Takada A, Fukuda T, Watanabe J and Miyamoto T : Orientation-Dependent Interactions in Polymer Systems. 5. Thermotropic Liquid Crystalline Transition of Tri-O-heptylcellulose, *Macromolecules*, **28**, 3394-3400 (1995).

Fukuda T and Miyamoto T : Thermotropic Cellulose Derivatives, *J. Federation Asia Prof. Text. Assoc.*, **2**, 2-17 (1995).

Miyamoto T, Long M and Donkai N : Preparation of New Types of Temperature-Responsive Cellulose Derivatives, *Macromol. Symp.*, **99**, 141-147 (1995).

Minoda M, Yamaoka K, Yamada K, Takaragi A and Miyamoto T : Synthesis of Functional Polymers Bearing Pendant Mono- and Oligo-saccharide Residues, *Macromol. Symp.*, **99**, 169-177 (1995).

Fukuda T, Tsujii Y and Miyamoto T : Structural Characteristics of Polysaccharide-Based Thermotropic Liquid Crystals, *Macromol. Symp.*, **99**, 257-267 (1995).

Tanahashi M, Yao T, Kokubo T, Minoda M, Miyamoto T, Nakamura T and Yamamuro T : Apatite Coated on Organic Polymers by Biomimetic Process: Improvement in Adhesion to Substrate by HCl Treatment, *J. Mater. Sci.: Mater. Med.*, **6**, 319-326 (1995).

Tanahashi M, Yao T, Kokubo T, Minoda M, Miyamoto T, Nakamura T and Yamamuro T : Apatite Coated on Organic Polymers by Biomimetic Process: Improvement in Its Adhesion to Substrate by Glow-Discharge Treatment, *J. Biomed. Mater. Res.*, **29**, 349-357 (1995).

Takada A, Ide N, Fukuda T, Miyamoto T, Yamagata K and Watanabe J : Discotic Columnar Liquid Crystals in Oligosaccharide Derivatives III. Anomeric Effects on the Thermo-mesomorphic Properties of Cellobiose Octaalkanoates, *Liquid Cryst.*, **19**, 441-448 (1995).

Nagai A, Murase Y, Kuroda T, Matsui M, Mitsuishi Y and Miyamoto T : Fiber Properties of Poly(Ethylene 2, 6-Naphthalenedicarboxylate) Obtained by High Speed Spinning, *Sen-i Gakkaishi*, **51**, 470-477 (1995) (in Japanese).

Nagai A, Murase Y, Kuroda T, Matsui M, Mitsuishi Y and Miyamoto T : Structural Change of Crystal Modifications of Poly(Ethylene 2, 6-Naphthalenedicarboxylate) Fiber Obtained by High Speed Spinning, *Sen-i Gakkaishi*, **51**, 478-483 (1995) (in Japanese).

Miyamoto T, Yamada K, Yamaoka K and Minoda M : Controlled Synthesis of Amphiphilic Block Polymers with Pendant Carbohydrate Residues, *Kasen-Kouenshu*, **52**, 67-75 (1995) (in Japanese).

II. High-Pressure Organic Chemistry

Nishinaga T, Komatsu K and Sugita N: 1,1-Dimethylsila-, -germa-, and -stannacycloheptatrienes Fully Annulated with Bicyclo[2.2.2]octene: Syntheses, Structures, and Properties, *J. Org. Chem.*, **60**, 1309-1314 (1995).

Kitagawa T, Tanaka T, Takata Y, Takeuchi K and Komatsu K: Regiospecific Coordination of *tert*-Butylfulleride Ion and 1,4-Dicyclopropyltropylium Ion. Synthesis of a Dialkyldihydrofullerene Having a Heterolytically Dissociative Carbon-Carbon σ -Bond, *J. Org. Chem.*, **60**, 1490-1491 (1995).

Wan T S M, Leung G N W, Tso T S C, Komatsu K and Murata Y: Non-Aqueous Capillary Electrophoresis as a New Method for the Separation of Fullerenes, *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, 1474-1487 (1995).

Kudo K, Ikoma F, Mori S, Komatsu K and Sugita N: Novel Synthesis of Oxalate from Carbon Dioxide and Carbon Monoxide in the Presence of Cesium Carbonate, *J. Chem. Soc., Chem. Commun.*, 633-634 (1995).

Mori S, Emura K, Kano M, Kudo K, Komatsu K and Sugita N: Carbonylation of Trichloroacetaldehyde (Chloral) in Concentrated Sulfuric Acid: Stereocontrolled Synthesis of *cis*- and *trans*-2,5-Bis(trichloromethyl)-1,3-dioxolan-4-one, *Tetrahedron*, **51**, 8977-8982 (1995).

Ohga Y, Netsu F, Mori S, Kudo K, Komatsu K and Sugita N: Chain Carbonylation of Methoxymethyl Chloride by Using AgSbF_6 Catalyst under High Pressure of CO, *Tetrahedron*, **51**, 11119-11124 (1995).

SYNTHETIC ORGANIC CHEMISTRY

I. Synthetic Design

Tamao K, Yamaguchi S, Ito Y, Matsuzaki Y, Yamabe T, Fukushima M, Mori S: Silole-Containing π -Conjugated Systems. 3. A Series of Silole-Thiophene Cooligomers and Copolymers: Synthesis, Properties, and Electronic Structures, *Macromolecules*, **28**, 8668-8675 (1995).

Tamao K, Sun G-R, Kawachi A: Generation and Trapping of 1,3-Dilithio-1,3-Disila-isoidolines, the First Example of Di-Anions of Functionalized Silanes, *J. Chem. Soc., Chem. Commun.*, 2079-2080 (1995).

Tamao K, Nagata K, Asahara M, Kawachi A, Ito Y, Shiro M: Remarkably Facile Thermal Generation of Silylene from a Pentacoordinated Alkoxydisilane and Its Trapping as a Pentacoordinate 1,2-Disilacyclobut-3-ene, *J. Am. Chem. Soc.*, **117**, 11592-11593 (1995).

Tamao K, Hayashi T, Ito Y: Silicon-Carbon Bond Cleavage of Pentacoordinate Anionic Silicates by N-Bromosuccinimide, *Bull. Soc. Chim. Fr.*, **132**, 556-558 (1995).

Tamao K, Sun G-R, Kawachi A: Palladium-Catalyzed Skeletal Rearrangement of (Alkoxy)oligosilanes via Silylene Transfer, *J. Am. Chem. Soc.*, **117**, 8043-8044 (1995).

Tamao K, Kawachi A: Reduction of Phenylchlorosilanes with Lithium 1-Dimethylaminonaphthalenide: A New Access to Functionalized Silyllithiums, *Organometallics*, **14**, 3108-3111 (1995).

Tamao K, Kawachi A: The Chemistry of Silylenoids: Preparation and Reactivity of (Alkoxy)silyllithium Compounds, *Angew. Chem., Int. Ed. Engl.*, **34**, 818-820 (1995).

Tamao K, Nakagawa Y, Ito Y: Regio- and Stereoselective Intramolecular Hydrosilation of α -Hydroxy Enol Ethers: 2,3-syn-2-Methoxymethoxy-1,3-nonanediol, *Org. Synth.*, **73**, 94 (1995).

Tamao K, Kawachi A: Silyl Anions, In *Adv. Organomet. Chem.*, **38**, 1-58 (1995).

Tamao K: Introduction to Organosilicon Chemistry; What Are Differences between Silicon and Carbon?, *Kagaku to Seibutu*, **33**, 591 and 675 (1995) (in Japanese).

Tamao K, Yamaguchi S, Kawachi A: Recent Remarkable Developments in the Chemistry of Silole, *Kagaku*, **50**, 316-317 (1995) (in Japanese).

Tamao K.: Organonickel Compounds in Organic Synthesis, In *Yukikinzoku Kagaku Jiten* (Translation of Comprehensive Organometallic Chemistry), Asakura Shoten, 2375-2472 (1995) (in Japanese).

II. Fine Organic Synthesis

M. Node, R. Kurosaki, K. Hosomi, T. Inoue, K. Nishide, T. Ohmori, and K. Fuji: An Improved Asymmetric Nitroolefination of α -Alkyl-g- and d-Lactones with Modified Nitroenamines, *Tetrahedron Lett.*, **36**, 99-102 (1995).

H. Aoki, C. Sun, K. Fuji, and K. Miyajima: Disposition Kinetics of Liposomes Modified with Synthetic Aminoglycolipids in Rats, *Int. J. Pharm.*, **115**, 183-191 (1995).

K. Fuji, T. Kawabata, and A. Kuroda: Enantioselective Protonation of Enolates: Novel Chiral Proton Sources and Remarkable Effects of the Counteranion, *J. Org.*

Chem., **60**, 1914-1915 (1995).

K. Fuji, T. Kawabata, T. Ohmori, and M. Node: An Enantioselective Synthesis of (-)-Pseudophrynaminol through Asymmetric Nitroolefination, *Synlett*, 367-368 (1995).

T. Kawabata and K. Fuji: Memory of Chirality: A New Concept for Enolate Chemistry, *Chem. & Chem. Industry*, **48**, 1039-1042 (1995) (in Japanese).

K. Fuji, K. Tanaka, B. Li, T. Shingu, T. Yokoi, H. Sun, and T. Taga: Structures of Nine New Diterpenoids from *Taxus Chinensis*, *Tetrahedron*, **51**, 10175-10188 (1995)

K. Nishide, R. Kurosaki, K. Hosomi, H. Imazato, T. Inoue, M. Node, T. Ohmori, and K. Fuji: An Asymmetric Nitroolefination of α -Alkyl-g- and d-Lactones with Modified Nitroenamines, *Tetrahedron*, **51**, 10857-10866 (1995).

K. Tanaka, K. Otsubo, and K. Fuji: One-Pot Procedure for Producing Allene Carboxylic Esters from BHT Esters, *Synlett*, 933-934 (1995).

A. V. Bedekar, T. Watanabe, K. Tanaka, and K. Fuji: A Convenient Method for Selective C-Alkylation of 2-Methyl-1,3-diketones, *Synthesis*, 1069-1070 (1995).

K. Tanaka, Y. Ohta, and K. Fuji: Asymmetric Michael Addition Reactions of Chiral Prop-2-enyl- and But-2-enylphosphonate Anions with Cyclic Enones, *J. Org. Chem.* **60**, 8036-8043 (1995).

BIOORGANIC CHEMISTRY

I. Bioorganic Reaction Theory

Ohno A, Yamazaki N, Tsutsumi A, Mikata Y, and Okamura M: NAD(P)⁺-NAD(P)H Models. 84. Stereochemistry Controlled by Electronic Effect from a Sulfinyl Group. *Heteroatom Chem.*, **6**, 51-56 (1995).

Mikata Y, Mizukami K, Ikehara K, and Ohno A: The Enzyme/Coenzyme/Metal/Substrate Quaternary Complex Generated in the Transition State of the Reduction of Benzoylformate with NAD(P)H Models. *Tetrahedron Lett.*, **36**, 6491-6494 (1995).

Sugiyama T: Cerium in Organic Reactions: Construction of 2-Isioxazoline Ring Mediated by Ammonium Cerium Nitrate. *Appl. Organometal. Chem.*, **9**, 399-411 (1995).

Kawai Y, Takanobe K, and Ohno A: Stereochemical Control in Microbial Reduction. XXV. Additives Controlling Diastereoselectivity in a Microbial Reduction of Ethyl 2-Methyl-3-oxobutanoate. *Bull. Chem. Soc. Jpn.*, **68**, 285-288 (1995).

Kawai Y, Hida K, Nakamura K, and Ohno A: Introduction of Plural Asymmetric Centers by a β -Keto Ester Reductase from Bakers' Yeast. *Tetrahedron Lett.*, **36**, 591-592 (1995).

Kawai Y, Saitou K, Hida K, and Ohno A: Asymmetric Reduction of α,β -Unsaturated Ketones with Bakers' Yeast. *Tetrahedron: Asymm.*, **6**, 2143-2144 (1995).

Ogawa S, Sasaki M, Ogasawara T, Sato R, and Kawai Y: Synthesis, Structure, and Oxidation of 3,4-Dihydro-1,2,5-benzotrithiepins. *Heteroatom Chem.*, **6**, 81-88 (1995).

Ogawa S, Saitou S, Kikuchi T, Kawai Y, Niizuma, and Sato R: Synthesis, Structure, and Oxidation of Novel 4,7-Disubstituted Benzotrithioles. Formation and Characterization of Radical Cations with 11 π Electron Framework. *Chem. Lett.*, 321-322 (1995).

Kimura T, Ando T, Maruyama T, Sugiyama T, Ohno A, and Okamura M: 1,2-Bis(o-aminophenoxy)ethane-N,N,N',N'-tetra-acetic Acid Derivatives on Complexation with Lanthanoid Metal Ions. Correlation between Size of Trapping Hole and Metal Ion. *Heteroatom Chem.*, **6**, 57-62 (1995).

Yasui S, Shioji K, Tsujimoto M, and Ohno A: Reactivity of Cation Radicals Generated from Trivalent-Phosphorus Compounds in the Reaction with Methylviologen: Kinetic Analysis. *Chem. Lett.*, 783-784 (1995).

Yasui S, Shioji K, Ohno A, and Yoshihara M: Reactivity of Phosphorus-Centered Radicals Generated during the Photoreaction of Diphenylphosphinous Acid with 10-Methylacridinium Salt. *J. Org. Chem.*, **60**, 2099-2105 (1995).

Nakamura K, Inoue Y, and Ohno A: Improvement of Enantioselectivity of Microbial Reduction by Using Organic Solvent Redox Coupler System. *Tetrahedron Lett.*, **36**, 265-266 (1995).

Nakamura K, Kondo S, Nakajima N, and Ohno A: Mechanistic Study for Stereochemical Control of Microbial Reduction of α -Keto Esters in an Organic Solvent. *Tetrahedron*, **51**, 687-694 (1995).

Tanaka K, Shougase H, Osuga H, Suzuki H, and Nakamura K: Lipase-Catalyzed Resolution of Bis(hydroxymethyl)[7]thiaheterohelicene. *Tetrahedron Lett.*, **36**, 1675-1678 (1995).

Nakamura K, Kinoshita M, and Ohno A: Structure of Solvent Affects Enantioselectivity of Lipase-catalyzed Transesterification. *Tetrahedron*, **51**, 8799-8808 (1995)

Nakamura K, Miyoshi H, Sugiyama T, and Hamada H: Diastereo- and Enantioselective Reduction of Ethyl 2-Methyl-3-oxobutanoate by Plant Cell Culture. *Phytochemistry*, **40**, 1419-1420 (1995).

Nakamura K, Inoue Y, Matsuda T, and Ohno A: Microbial Deracemization of 1-Arylethanol. *Tetrahedron Lett.*, **36**, 6263-6266 (1995).

Tanaka K, Shougase Y, Osuga H, Suzuki H, Nakanishi W, Nakamura K, and Kawai Y: Complexation with Helical Molecules: Helical Crystal Structure of Bis(hydroxymethyl)[7]thiaheterohelicene-Ethanol Clathrate. *J. Chem. Soc., Chem. Commun.*, 1873-1874 (1995).

II. Bioactive Chemistry

Uesugi M, Kusakabe T and Sugiura Y: Hydrophobic DNA binding of esperamicin requires conformational distortion of the host DNA, *Biochim.Biophys.Acta*,

1261, 99-106 (1995).

Totsuka R, Aizawa Y, Uesugi M, Okuno Y, Matsumoto T and Sugiura Y: RNA cleavage by C-1027 chromophore, an enediyne antitumor antibiotic. High selectivity to an anticodon arm, *Biochem.Biophys.Res.Commun.*, **208**, 168-173 (1995).

Sugiura Y and Matsumoto T: Nucleotide-selective cleavage of duplex DNA by nitric oxide, *Biochem.Biophys.Res.Commun.*, **211**, 748-753 (1995).

Kusakabe T, Uesugi M and Sugiura Y: Sequence preference for strand cleavage of gapped duplexes by dynemicin A. A possible mechanism of sequence-dependent double-stranded breaks, *Biochemistry*, **34**, 9944-9950 (1995).

Kusakabe T and Sugiura Y: Molecular cutter breaking double-strand of DNA, *Chemistry*, **50**, 456-457 (1995) (in Japanese).

Nagaoka M and Sugiura Y: Conversion of zinc finger protein to artificial site-specific nuclease, Japanese *J. Clin.Med.*, **53**, 2589-2596 (1995) (in Japanese).

Kuwahara J and Sugiura Y: Design of a novel zinc finger-based DNA cutter, *Protein, Nucleic Acid and Enzyme*, **40**, 1457-1464 (1995) (in Japanese).

Otsuka M, Fujita M, Aoki T, Ishii S, Sugiura Y, Yamamoto T and Inoue J: Novel zinc chelators with dual activity in the inhibition of the kappa B site binding proteins, HIV-Ep1 and NF-kB, *J.Med.Chem.*, **38**, 3264-3270 (1995).

Okagami M, Ueno M, Makino K, Shimomura M, Saito I, Morii T and Sugiura Y: Sequence-specific DNA binding by covalently constrained peptide dimers of the basic leucine zipper protein GCN4, *Bioorg.Med.Chem.*, **3**, 777-784 (1995).

III. Molecular Clinical Chemistry

Ueda K: Gene Diagnosis of Alzheimer's Disease. *J. Dent. Res.*, **73**, 915 (1994).

Kido T, Yook H-Y, and Ueda K: Ligand Western Blotting for Specific Detection of Active Form of Protease. *Clin. Chim. Acta*, **237**, 31-41 (1995).

Ueda K, Banasik M, Nakajima S, Yook H-Y, and Kido T: Cell Differentiation Induced by Poly(ADP-ribose) Synthetase Inhibitors. *Biochimie*, **77**, 368-373 (1995).

Kido T, Hashimoto S, Endo, Y, Maeda, S, Mori, T, Ishiguro, T, and Ueda K: DNA Quantification by a Novel Method, Intercalation-Monitoring Polymerase Chain Reaction in "Quality Control in the Clinical Laboratory '95: Toward a New QC-QA-QM Paradigm" (Y. Ohba, et al., Eds), *Excerpta Medica*, 323-328 (1995).

Ueda K, and Kido T: Quality Control in DNA Diagnosis, in "Quality Control in the Clinical Laboratory '95: Toward a New QC-QA-QM Paradigm" (Y. Ohba, et al., eds), *Excerpta Medica*, 484-490 (1995).

Ohyama K, Yamano Y, Sano T, Nakagomi Y, Hamakubo T, Morishima I, and Inagami T: Disulfide bridges in extracellular domains of angiotensin II

receptor type IA. *Regul. Pept.*, **57**, 141-147 (1995).

Yamano Y, Ohyama K, Kikyo M, Sano T, Nakagomi Y, Inoue Y, Nakamura N, Morishima I, Guo D-F, Hamakubo T, and Inagami T: Mutagenesis and the modeling of the rat angiotensin II receptor (AT1). *J. Biol. Chem.*, **270**, 14024-14030 (1995).

Ueda K: Gene diagnosis. PCR technique; Other methods of DNA diagnosis, in "Saishin Naikagaku Taikei" (H. Imura, et al., eds), Nakayama-shoten, **4**, 261-264 (1994) (in Japanese).

Ueda K: New techniques in laboratory testing (2). Laboratory tests using genes, *Clin. Pathol.*, **43**, 3-7 (1995) (in Japanese).

Ueda K: Gene diagnosis and therapy: Their future from a clinical pathologist's viewpoint, in "Gene Diagnosis and Therapy '95" (T. Kawai, ed), Igaku-shoin, 59-69 (1995) (in Japanese).

Ueda K: Gene-related laboratory tests. 2. DNA diagnosis practicable at the level of clinical laboratories, *Nippon Rinsho*, **53** (Suppl. II) ("Wide-Range Blood, Urine-Chemical, and Immunological Laboratory Tests"), 890-893 (1995) (in Japanese).

Ueda K: Gene diagnosis in clinical chemistry, in "The Manual of Gene Manipulation Techniques", Igaku-shoin, 7-13 (1995) (in Japanese).

Ueda K: Problems in practice of gene diagnosis, *Pharma Medica*, **13**, 25-29 (1995) (in Japanese).

Ueda K: Gene diagnosis of Alzheimer's disease. *Jap. Sci. Monthly*, **47**, 1226 (1995) (in Japanese).

Hamakubo T: Joining peptide and central control of blood pressure, *Igaku-no-ayumi*, **175**, 538-539 (1995) (in Japanese).

Molecular Biofunction

I. Functional Molecular Conversion

Hara T, Tanaka T, Kato H, Nishioka T and Oda J: Site-Directed Mutagenesis of Glutathione Synthetase from *Escherichia coli* B: mapping of the γ -L-glutamyl-L-cystein-binding site. *Protein Eng.*, **8**, 711-716 (1995).

Nishioka T, Suyama M, Goto S, Akiyama A, Kanehisa M: LIGAND Chemical Database for Enzymatic Reactions: A link between enzyme structures and chemical reactions. *Proceedings Genome Informatics Workshop*, 138-139 (1995).

Nishioka T and Oda J: Drug Design based on the Amino Acid Sequence Similarity of Target Proteins, in "QSAR and Drug Design. New Developments and Applications" (ed by Fujita T), Pharmacology Library Seris, Vol 23, pp.215-233, Elsevier, New York (1995).

Nishioka T and Oda J: Gene Product of *Pseudomonas aeruginosa* TE3285 Lipase Activation Factor Gene (LipB), *Yukagaku*, **44**, 777-786 (1995) (in Japanese).

Kato H: X-Ray Crystallography of Cytochrome C Oxidase, *Protein Nucleic Acid and Enzyme*, **40**, 2340-

2341 (1995) (in Japanese).

Hiratake J and Oda J: Catalytic Antibodies - What Should Be Learned from Enzymes, *Igaku no Ayumi*, **175**, 182-186 (1995) (in Japanese).

II. Molecular Microbial Science

Toyama H, Esaki N, Lim Y-H, Yoshimura T and Soda K : Reconstitution of Fragmentary Form of Thermostable Alanine Racemase, *Biosci. Biotech. Biochem.*, **59**, 1118-1120 (1995).

Kurihara T, Liu J-Q, Nardi-Dei V, Koshikawa H, Esaki N and Soda K : Comprehensive Site-Directed Mutagenesis of L-2-Halo Acid Dehalogenase to Probe Catalytic Amino Acid Residues, *J. Biochem.*, **117**, 1317-1322 (1995).

Kishimoto K, Yoshimura T, Esaki N, Sugio S, Manning J M and Soda K : Role of Leucine 201 of Thermostable D-Amino Acid Aminotransferase from a Thermophile, *Bacillus* sp. YM-1¹, *J. Biochem.*, **117**, 691-696 (1995).

Soda K , Birth of Life, Amino Acid and Taste : *FOODS & FOOD INGREDIENTS JOURNAL OF JAPAN* . 1-3(1995). (In Japanese)

Ashiuchi M, Yoshimura T, Kitamura T, Kawata Y, Nagai J, Gorlatov S, Esaki N and Soda K : In Vivo Effect of GroESL on the Folding of Glutamate Racemase of *Escherichia coli*, *J. Biochem*, **117**, 495-498 (1995).

Tamura T, Wada M, Esaki N and Soda K : Synthesis of Fluoroacetate from Fluoride, Glycerol, and β - Hydroxypyruvate by *Streptomyces cattleya*, *J. Bacteriol.*, **177**, 2265-2269 (1995).

Inoue H, Inagaki K, Sugimoto M, Esaki N, Soda K and Tanaka H : Structural Analysis of the L-Methionine γ -Lyase Gene from *Pseudomonas putida*. *J. Biochem.*, **117**, 1120-1125 (1995).

Jhee K H, Yoshimura T, Esaki N, Yonaha K and Soda K : Thermostable Ornithine Aminotransferase from *Bacillus* sp. YM-2: Purification and Characterization. *J. Biochem.* **118**, 101-108 (1995).

Nagai A, Nishiyama H, Ohta D, Scheidegger A, Esaki N and Soda K : Determination by ¹H-NMR of the Stereospecificity of NAD-dependent Plant L-Histidinol Dehydrogenase for Nicotinamide C-4 Hydrogen Transfer , *Biosci. Biotech. Biochem.*, **59**, 1370-1371 (1995).

Liu J-Q, Kurihara T, Miyagi M, Esaki N and Soda K : Reaction Mechanism of L-2-Haloacid Dehalogenase of *Pseudomonas* sp. YL, *J. Biol. Chem.*, **270**, 18309-18312 (1995).

Sugio S, Petsko G A, Manning J M, Soda K and Ringe D : Crystal Structure of a D-Amino Acid Aminotransferase: How the Protein Controls Stereoselectivity, *Biochem*, **34**, 9661-9669 (1995).

Liu J, Kurihara T, Nardi-Dei V, Okamura T, Esaki N and Soda K : Overexpression and Feasible Purification of Thermostable L-2-Halo Acid Dehalogenase of

Pseudomonas sp. YL, *Biodegradation*, **6**, 223-227 (1995).

Kurihara T, Liu J, Esaki N, Soda K and Miyagi M : Analysis of Enzyme Reaction Mechanism by Ionspray Mass Spectrometry, *BIO VIEW* **16**, 15-17 (1995). (In Japanese)

Soda K : The First Life on the Earth and Function of Enzymes, *EAJ Information*, 1-13 (1995). (In Japanese)

Esaki N, Kurihara T and Soda K : Isomerizations *Enzyme Catalysis in Organic Synthesis* [VCH] **2**, 809-845 (1995)

MOLECULAR BIOLOGY AND INFORMATION

I. Biopolymer Structure

Miyatake H, Hata Y, Fujii T, Hamada K, Morihara K and Katsube Y: Crystal Structure of the Unliganded Alkaline Protease from *Pseudomonas aeruginosa* IFO3080 and Its Conformational Changes on Ligand Binding, *J. Biochem.*, **118**, 474-479 (1995)

Miyatake H, Hata Y, Fujii T, Akutagawa T, Morihara K and Katsube Y: Crystal Structure of Alkaline Protease from *Pseudomonas aeruginosa* IFO3455, *Bull. Inst. Chem. Res., Kyoto Univ.*, **72**, 373-386 (1994)

Hoshino J, Hiraoka J, Hata Y, Sawada S and Yamamoto Y: Synthesis of optically active azetidine-2,4-dicarboxylic acid and related chiral auxiliaries for asymmetric synthesis, *J. Chem. Soc. Perkin Trans.*, **1**, 693-697 (1995)

Sano Y, Inoue H, Kajiwara K, Urakawa H and Hiragi Y: Self-Assembling Process of Cylindrical Virus Coat Proteins as Observed by Synchrotron Small-Angle X-Ray Scattering, *J. Biochem.*, **115**, 1058-1063 (1995)

Sano Y, Inoue H, Hiragi Y, Urakawa H and Kajiwara K: Solution X-ray scattering study of reconstitution process of tobacco mosaic virus particle using low-temperature quenching, *Biophys. Chem.*, **55**, 239-245 (1995)

Iwasaki T, Fujii T, Wakagi T and Oshima T: Alternative Form of the Dicluster Ferredoxin from the Thermoacidophilic Archaeon, *Sulfolobus* sp. strain 7, *Biochem. Biophys. Res. Comm.*, **206**, 563-569 (1995)

II. Molecular Biology

Nakashima T, Inoue T, Oka A, Nishino T, Osumi T and Hata S: Cloning, Expression and Characterization of cDNAs Encoding *Arabidopsis thaliana* Squalene Synthase, *Proc. Natl. Acad. Sci. USA*, **92**, 2328-2332 (1995) .

Oka A: Plant Genes Controlling the Cell Cycle, In *Gene Expression in Plant Cells* (Eds. Nagata T and Uchimiyama H), *Koudansha-Scientific* pp. 114-123 (1995) (in Japanese).

Oka A: Transcriptional Control of the Agrobacterium Virulence Genes, *Tanpakushitsu-Kakusan-Kouso*, **40**, 1010-1021 (1995) (in Japanese).

Aoyama T, Dong C-H, Wu Y, Carabelli M, Sessa G,

Ruberti I, Morelli G and Chua N-H: Ectopic Expression of the Arabidopsis Transcriptional Activator Athb-1 Alters Leaf Cell Fate in Tobacco. *Plant Cell*, **7**, 1773-1785 (1995).

Goto K: The ABCs of Flower Development: Genetic and Molecular Analysis of Floral Homeotic Genes. *Saibou-Kougaku (Supplement 1)*, 52-61 (1995) (in Japanese).

Goto K: MADS Box Genes that Affect Floral Organ Identity. *Saibou-Kougaku*, **14**, 789-794 (1995) (in Japanese).

III. Biological Information Science

Akiyama Y, Kanehisa M: Introduction to the Database Services on the GenomeNet, *Experimental Medicine*, **13**, 1201-1205 (1995). (in Japanese)

Akiyama Y: Recent Progress on the GenomeNet Services, *CBI NEWS*, **15**, 2-4 (1995). (in Japanese)

Fujibuchi W, Kanehisa M: Prediction of Promoter Expression Specificity by Conserved Sequence Patterns, *Proc. Genome Informatics Workshop 1995*, 106-107 (1995).

Fukushima N, Kanehisa M: A Study of Molecular Recognition between DNA and Metal Ions, *Proc. Genome Informatics Workshop 1995*, 136-137 (1995).

Fukushima N, Masuda H, Einaga H: Ab Initio Density Functional Calculations on Copper-O2 Bonding., *J. Inorg. Biochem.*, **59**, 670 (1995).

Goto S, Akiyama A, Kanehisa M: LinkDB: A Database of Cross Links between Molecular Biology Databases, in Abstracts of the Second Meeting on the Interconnection of Molecular Biology Databases, <http://www.ai.sri.com/people/pkarp/mimbd/95/abstracts/goto.html> (1995).

Goto S, Kanehisa M: Genome Databases and Genome Information Analysis, *Bio Industry*, **12**, 56-64 (1995). (in Japanese)

Mitaku S, Kanehisa M: Human Genome Project and Knowledge Information Processing, Baifukan, Tokyo (1995). (in Japanese)

Nishioka T, Suyama M, Goto S, Akiyama Y, Kanehisa M: LIGAND Chemical Database for Enzymatic Reactions: A Link Between Enzyme Structures and Chemical Reactions, *Proc. Genome Informatics Workshop 1995*, 138-139 (1995).

Ogata H, Kanehisa M: Homology Search, *Inflammation & Immunology*, **3**, 423-429 (1995). (in Japanese)

Ogata H, Fujibuchi W, Kanehisa M: Statistical Features Identified from Comparison of Homologous Introns, *Proc. Genome Informatics Workshop 1995*, 96-97 (1995).

Ogata H, Akiyama Y, Kanehisa M: A Genetic Algorithm Based Molecular Modeling Technique for RNA Stem-loop Structures, *Nucl. Acids Res.*, **23**, 419-426 (1995).

Ogiwara A, Takagi T, Kanehisa M: Sequence information analysis using databases and networks I, *Cell Technology*, **14**, 577-588 (1995). (in Japanese)

Ogiwara A, Takagi T, Kanehisa M: Sequence information analysis using databases and networks II, *Cell Technology*, **14**, 709-721 (1995). (in Japanese)

Sato K, Iisaka G, Fukushima N, Waizumi K: Computer Simulations of Ion Adsorption Processes on NaCl Crystal Surfaces. *Journal of the Japanese Association for Crystal Growth*, **22**, 270 (1995). (in Japanese)

Suzuki K, Akiyama Y, Kanehisa M: Multiple Sequence Alignment by Combining Incomplete Blocks of Similar Segments, *Proc. Genome Informatics Workshop 1995*, 120-121 (1995).

Tateishi N, Shiotari H, Kuhara S, Takagi T, Kanehisa M: An Integrated Database SPAD (Signaling Pathway Database) for Signal Transduction and Genetic Information., *Proc. Genome Informatics Workshop 1995*, 160-161 (1995).

Tomii K, Kanehisa M: AAindex: A Database of Amino Acid Indices and Mutation Matrices., *Proc. Genome Informatics Workshop 1995*, 142-143 (1995).

Tsukamoto N, Kanehisa M: A WWW Tool for Organizing Knowledge of Biomolecular Reaction Pathways., *Proc. Genome Informatics Workshop 1995*, 158-159 (1995).

Uchiyama I, Ogiwara A, Takagi T, Kanehisa M: Protein Sequence Grouping by Peptide Word Motifs., *Proc. Genome Informatics Workshop 1995*, 116-117 (1995).

Waizumi K, Fukushima N: X-ray Diffraction Studies on Aqueous Solutions Saturated with Transition Dichloride Hydrates - With Reference to the Growth Units -, *Journal of the Japanese Association for Crystal Growth*, **22**, 201 (1995). (in Japanese)

Waizumi K, Masuda H, Fukushima N: Structural and Energetic Studies on Double Salts of $M(II)Mg_2Cl_6 \cdot 12H_2O$ ($M = Ca, Mn, Cd$) by X-ray Diffraction and Density Functional Methods., *Inorg. Chim. Acta*, **238**, 121-127 (1995).

NUCLEAR SCIENCE RESEARCH FACILITY

I. Particle and Photon Beams

II. Beams and Fundamental Reaction

Ikeda K, Kan T, Yokobori H, Hirota J, Iwashita Y, Noda A and Inoue M: Optimum Combination of Low- β Cavities for a Proton Linac, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 116-118 (1994)

Kando M, Ikegami M, Iwashita Y, Kakigi S, Shirai T, Dewa H, Fujita H, Noda A and Inoue M: Improvement of the Low Energy Beam Transport System at the ICR 7 MeV Proton Linac, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 122-124 (1994)

Shirai T, Dewa H, Fujita H, Kando M, Ikegami M, Iwashita Y, Kakigi S, Noda A and Inoue M: Design and Experiments of the RFQ Linac at Kyoto University, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 155-157 (1994)

Iwashita Y: PISCES II: 2.5-D Cavity Code, an Extension of Superfish, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 239-241 (1994)

Iwashita Y: Biperiodic 4-T Support DAW for Electron Acceleration, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 242-244 (1994)

Iwashita Y and Fujisawa H: Frequency Tunable 4-rod RFQ, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 245-247 (1994)

Kapin V, Inoue M, Iwashita Y and Noda A: Normal Mode Analysis of the Four Rod RFQ as a System of TEM Transmission Lines, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 254-256 (1994)

Iwashita Y: Axial Magnetic Field Produced by Radially Magnetized Permanent Magnet Ring, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 369-371 (1994)

Fujisawa H, Nakao K, Tamada M, Matsumoto T, Iwashita Y, Noda A and Inoue M: Beam Tests of the "Modified" 34 MHz CW 4-rod RFQ, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 695-697 (1994)

Dewa H, Iwashita Y, Fujita H, Ikegami M, Inoue M, Kakigi S, Kando M, Noda A, Okamoto H and Shirai T: Pulsed Beam Current Monitor with a Toroidal Coil, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 854-856 (1994)

Ikegami M, Kando M, Dewa H, Fujita H, Shirai T, Iwashita Y, Kakigi S, Noda A and Inoue M: Emittance Measurement at the ICR 7 MeV Proton Linac, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 857-859 (1994)

Shirai T, Dewa H, Fujita H, Kando M, Ikegami M, Iwashita Y, Kakigi S, Noda A and Inoue M: Emittance Monitor with View Screen and Slits, *Proc. of the 1994 International Linac Conference, Tsukuba, Japan*, 908-910 (1994)

Kapin V: Study of the Four-Rod RFQ Using the Normal Mode Theory of Transmission Lines, *Proc. of the 4th European Particle Accelerator Conference, London*, 2191-2193 (1994)

Itano A, Hidaka S, Hishikawa Y, Ishida K, Karashima H, Kato M, Fukumoto S, Mizobuchi A, Noda A, Hirao Y, Kawachi K and Yamada S: Heavy Ion Medical Accelerator Project by Hyogo Prefectural Government, *Proc. of the International Seminar on the Application of Heavy Ion Accelerator to Radiation Therapy of Cancer in connection with the 21st PTCOG Meeting, Chiba Japan*, 88-89 (1994)

Hiramoto K, Hirota J, Nishi M, Katane M, Sakurabata H, Noda A, Iwashita Y and Inoue M: A Compact Proton Synchrotron with a Combined Function Lattice for Medical Use, *Proc. of the*

International Seminar on the Application of Heavy Ion Accelerator to Radiation Therapy of Cancer in connection with the 21st PTCOG Meeting, Chiba Japan, 96-99 (1994)

Noda A, Iwashita Y, Inoue M, Abe M, Konishi J and Ono K: Dedicated Accelerator Project for Proton Therapy at Kyoto University, *Proc. of the International Seminar on the Application of Heavy Ion Accelerator to Radiation Therapy of Cancer in connection with the 21st PTCOG Meeting, Chiba Japan*, 292-294 (1994)

Iwashita Y, Kando M, Ikegami M, Dewa H, Shirai T, Kakigi S, Fujita H, Noda A and Inoue M: The monitor system of the 7MeV proton linac at ICR, *Proc of Beam Instrumentation Workshop, Vancouver, B. C., CANADA* 426-432 (1994)

Ikegami M, Kando M, Dewa H, Fujita H, Shirai T, Iwashita Y, Kakigi S, Noda A and Inoue M: Double-slit Emittance Monitor for Pulsed Proton Beams, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 1-10 (1995)

Hiramoto K, Hirota J, Norimine T, Nishi M, Katane M, Sakurabata H, Noda A, Iwashita Y and Inoue M: A Compact Proton Synchrotron with a Combined Function Lattice Dedicated for Medical Use, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 11-18 (1995)

Noda A, Dewa H, Fujita H, Ikegami M, Iwashita Y, Kakigi S, Kando M, Mashiko K, Shirai T and Inoue M: Outline of the Compact Electron Storage Ring, KSR, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 27-32 (1995)

Fujisawa H, Nakao K, Tamada M and Matsumoto T: B⁺ Beam Tests of the "Modified" cw 4-rod RFQ, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 33-40 (1995)

Hirota J, Hiramoto K, Katane M, Iwashita Y, Noda A and Inoue M: A Ferrite-Loaded, Untuned Cavity with Multiple Power Feeding, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 41-49 (1995)

Kapin V, Inoue M, Iwashita Y and Noda A: Quantitative Analysis of 4-rod RFQ Resonators, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 50-77 (1995)

Shirai T, Dewa H, Fujita H, Kando M, Ikegami M, Iwashita Y, Kakigi S, Noda A, Mashiko K and Inoue M: System of the 100 MeV Electron Injector for the KSR, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 78-89 (1995).

Dewa H, Kando M, Ikegami M, Shirai T, Okamoto H, Iwashita Y, Fujita H, Kakigi S, Noda A and Inoue M: A New Longitudinal Emittance Monitor for Proton Beams Using Elastic Scattering by a Gold Target, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 90-96 (1995)

Iwashita Y: Biperiodic L-Support DAW for Electron Acceleration, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 97-105 (1995)

Inoue M, Noda A, Iwashita Y and Shirai T: A Pulsed Reactor with a Proton Linear Accelerator, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 106-110 (1995)

Kakigi S, Fukunaga K, Okihana A, and Sekioka T: Quasifree Scattering in the ³He(\bar{p} , 2p)²H and

$^3\text{He}(\bar{p},\text{pd})^1\text{H}$ reactions at 64.9 MeV, *Bull. Inst. Chem. Res., Kyoto Univ.*, **73**, 19-26 (1995)

Sekioka T, Fukunaga K, Kakigi S, Hayashi T and Okihana A: Breakup of ^3He with 59.6 MeV Vector-Polarized Deuterons at dp Quasifree-Scattering Conditions, *Nucl. Phys.*, **A 588**, 510-520 (1995).

Matuoka N, Noro T, Tamura K, Yoshimura M, Yosoi M, Okihana A and Yoshimura T: Search for Deeply-Bound Pionic States Using (p, ^2He) Reactions at 390.6 MeV, *Phys. Lett.*, **B359**, 39-42 (1995).

Shirai, T, Sugimura T, Kando M, Ikegami M, Iwashita M, Okamoto H, Kakigi S, Dewa H, Tonguu H, Fujita H, Noda A, Inoue M and Mashiko K, :Construction of 100 MeV Electron Linac in Kyoto University, *Proc. of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan*, 82-84 (1995)

Iwashita Y, Noda A, Okamoto H, Shirai T and Inoue M: Cold Model Measurement of Biperiodic L-support DAW, *Proc. of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan*, 67-69 (1995)

Hirota J, Katane M, Saitou K, Tadokoro M, Noda F, Iwashita Y, Noda A and Inoue M: An Untuned Type RF Cavity using Multiple Power Feeding, *Proc. of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan*, 79-81 (1995)

Ikegami M and Iwashita Y: Development of a Compact Steering Magnet with Eight-pole Structure, *Proc. of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan*, 100-102 (1995)

Inoue M, Noda A, Iwashita Y, Okamoto H, Shirai T, Kakigi S, Tonguu H, Fujita H, Dewa H, Ikegami M, Kapin V, Kando M, Sugimura T and Fujisawa H: Present Status of the Accelerator Development at the ICR Kyoto University, *Proc. of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan*, 185-187 (1995)

Dewa H, Sugimura T, Kando M, Ikegami M, Kapin V, Tonguu H, Shirai T, Okamoto H, Iwashita Y, Fujita H, Kakigi S, Noda A and Inoue M: Longitudinal Emittance Measurement for 433 MHz Proton Linac, *Proc. of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan*, 248-250 (1995)

Itano A, Hidaka S, Higashi A, Hirao Y, Hishikawa Y, Fukumoto S, Ishida K, Kanai T, Karashima H, Kato M, Kawachi K, Mizobuchi A, Noda A and Yamada S: Heavy Ion Medical Accelerator Project by Hyogo Prefectural Government, *Proc. of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan*, 398-400 (1995)

Noda A, Inoue M, Iwashita Y, Shirai T, Nishi M, Hiramoto K and Hirota J: Design of a Compact Proton Accelerator Facility Dedicated for Cancer Therapy, *Proc. of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan*, 413-415 (1995)

Noda K, Minohara S, Torikoshi M, Kanazawa M, Takada E, Araki N, Noda A, Itano A, Sato K, Ogawa H and Yamada S: A Treatment Beam Control System for Irradiation Gated by Respiration of a Patient, *Proc.*

of the 10th Symposium on Accelerator Science and Technology, Hitachinaka, Japan, 439-441 (1995)

Shirai T, Sugimura T, Kando M, Ikegami M, Iwashita Y, Okamoto H, Kakigi S, Dewa H, Tonguu H, Fujita H, Noda A, Mashiko K and Inoue M: 100 MeV Electron Linac in Kyoto University, *Proc. of the 20th Linear Accelerator Meeting, Osaka, Japan*, 13-15 (1995)

Noda A, Ikegami M, Inoue M, Iwashita Y, Okamoto H, Kakigi S, Kando M, Shirai S, Sugimura T, Dewa H, Tonguu H, Fujita H and Mashiko K: Electron Storage and Stretcher Ring, KSR, *Proc. of the 20th Linear Accelerator Meeting, Osaka, Japan*, 137-139 (1995)

Gluckstern R L, Okamoto H and Zotter B: Transverse Stability of Bunch Trains, *Phys. Rev.* **E52**, 1026-1038 (1995).

Matsuki S, Ogawa I, Nakamura S, Takimoto T and Okano K: DYNASP: A New Method to Measure Electromagnetic Moments of Unstable Nuclei by Polarizing after Implantation into a Semiconductor InP, in *Proceedings of the International Conference on Nuclear Shapes and Nuclear Structure at Low Excitation Energies, Antibes (France)*, 247-252 (1995)

Yamagata T, Utsunomiya H, Tanaka M, Nakayama S, Koori N, Tamii A, Fujita Y, Katori K, Inoue M, Fujiwara M, Ogata H: Elastic Scattering of ^3He Particles at 450 MeV, *Nucl. Phys.*, **A589**, 425-434 (1995)

RESEARCH FACILITY OF NUCLEIC ACIDS

Kubota S, Adachi Y, Copeland TD and Oroszlan S: Binding of Human Prothymosin a to the Leucine-motif/Activation Domains of HTLV-I Rex and HIV-1 Rev, *Eur. J. Biochem.*, **233**, 48-54 (1995)

Dr. Yuri Konstantinovich Batygin
Moscow Engineering Physics Institute, Russia
"Numerical Study of Low Energy Beam Transport and Acceleration"
Thursday 26 January 1995