

TSUJI LABORATORY (May 1958~)

Head: Dr. Waichiro Tsuji

This laboratory was established in May 23 th, 1958, separating from Sakurada Laboratory. Research has been carried out chiefly on the fiber chemistry and the related subjects. Many works have been done in close connection with Sakurada Laboratory. The chief research projects are classified as follows.

I. Synthetic Fiber and Fiber Property

Improvement of properties of vinylon (polyvinyl alcohol fiber) has been one of our important reserach objects. The thermoplasticity (heat settability) and elasticity of vinylon were improved by the mix-spinning of water dispersion (latex) of various synthetic polymers such as polyacrylonitrile, polyvinyl chloride, polyvinyl acetate, polystyrene, polyethylene, etc.¹⁾ These properties were also improved by the graft copolymerization of vinyl monomers such as styrene or methyl methacrylate.^{2)~4)} Heat treated polyvinyl alcohol fiber was treated with titanium lactate and found to resist to hot water.⁵⁾ Various properties of acrylic⁶⁾ and other fibers⁷⁾ were also investigated.

II. Chemical Modification of Fiber

Chemical modification of fibers, especcally of cotton, was studied. On the fibrous acetylation of cotton, the method of acetylation and various properties of acetylated cotton were investigated in detail.^{8)~15)} It was also found that cotton fiber was remarkably decrystallized by the treatment with alkali and acrylonitrile.^{16),17)} Textile properties of various chemically treated cottons have been examined.¹⁸⁾ Cotton fibers were graft copolymerized with styrene¹⁹⁾, butadiene²⁰⁾ or reactive monomers²¹⁾ such as acrylamide or glycidyl methacrylate. By these ways some properties of cotton, such as thermoplasticity and elasticity, were improved. Some researches were carried out on the stiffness and softening of silk and other fibers.^{22~24)}

III. Structure and Property of High Polymer

The relation between molecular structure and physical properties was investigated with the object to obtain the fundamental information on fiber and plastics. Spontaneous extension of high polymer films and fibers was one of our intrest.²⁵⁾ Effects of γ -ray irradiation on mechanical properties of polyethylene^{26~28)} and polyvinyl alcohol⁴⁾ have been shown. Molecular weight and its heterogeneity had important effects on the physical properties of polymer solid²⁹⁾ and melt.³⁰⁾ Static and dynamic mechanical porperties of the films of polypropylene fractions which had wide variety in molecular weight and crystallinity were studied.^{31~33)} The structure and physical properties of crystalline homo- and copolymers of various olefins, such

as styrene, butene-1, 3-methyl-butene-1, 4-methyl-pentene-1, etc., were also the objects of our interest.^{34,35)} The isothermal crystallization of slightly crosslinked polyethylene in the stretched state was being studied in detail.^{36,37)}

IV. Miscellaneous

As an application of the science of fiber and adhesive, the study on nonwoven fabrics was intended.^{38,39)} New adhesives consisting of copolymers of acrylic acid esters and vinyl acetate are now being developed as binders for nonwoven fabrics.

Publications

(* indicates an article published in Japanese)

1. W. Tsuji, R. Kitamaru, M. Ochi, E. Ko and N. Mori: Emulsion Mix Spinning of Polyvinyl Alcohol Fiber. (I), (II), *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **16**, 23 (1959); **17**, 39 (1960).*
2. W. Tsuji, R. Kitamaru, T. Ichiba and E. Ko: Graft Copolymerization of Vinyl Monomers onto Polyvinyl Alcohol Fiber, *J. Chem. Soc. Japan, Ind. Chem. Section*, **63**, 1527 (1960).*
3. W. Tsuji, R. Kitamaru and I. Ichiba: Properties and Structure of Polyvinyl Alcohol Film Grafted with Styrene by γ -Ray Irradiation, *Chem. High Polymers, Japan*, **19**, 389 (1962).*
4. I. Sakurada, W. Tsuji and F. Kimura: Effect of γ -Ray Irradiation on the Tensile Properties of PVA and Acetalized PVA Films, *Chem. High Polymers, Japan*, **18**, 396 (1961).*
5. W. Tsuji, R. Kitamaru and T. Ichiba: Treatment of Polyvinyl Alcohol Fiber with Titanium Lactate, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **19**, 35 (1962).*
6. W. Tsuji, K. Hirabayashi and Y. Nukushina: Property of Various Acrylic Fibers, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **15**, 45 (1958).*
7. W. Tsuji and T. Okada: Frictional Electricity of Textile Fibers (III), Electrical Resistance of Some Textile Fibers, *Chem. High Polymers, Japan*, **15**, 397 (1958).*
8. W. Tsuji, R. Kitamaru and Y. Sakaguchi: Acetylation of Cotton Fabric by the Liquid Phase Method, *J. Soc. Fiber Sci. Tech. Japan*, **16**, 1020 (1960).*
9. W. Tsuji, R. Kitamaru, Y. Sakaguchi and F. Kimura: Acetylation of Cotton Fabric by the Semi-liquid Phase Method (so-called Padding Method), *J. Soc. Fiber Sci. Tech. Japan*, **16**, 1026 (1960).*
10. W. Tsuji, R. Kitamaru and M. Imai: Some Properties of Acetylated Cotton, *J. Soc. Fiber Sci. Tech. Japan*, **17**, 235 (1961).*
11. W. Tsuji, R. Kitamaru and M. Imai: The Influence of the Difference in the Sort of Catalyzer on the Properties of Acetylated Cotton Fabrics, *J. Soc. Fiber Sci. Tech. Japan*, **17**, 778 (1961).*
12. W. Tsuji, R. Kitamaru and M. Imai: Influence of the Rate of Acetylation on the Properties of Acetylated Cotton Fabrics, *J. Soc. Fiber Sci. Tech. Japan*, **17**, 910 (1961).*
13. W. Tsuji and R. Kitamaru: The Effect of Alkali Pretreatment on the Properties of Acetylated Cotton Fabrics, *J. Soc. Fiber Sci. Tech. Japan*, **17**, 912 (1961).*
14. W. Tsuji and R. Kitamaru: Liquid Phase Acetylation of Cotton, *Bull. Inst. Chem. Res., Kyoto Univ.*, **42**, 167 (1964).
15. W. Tsuji, R. Kitamaru and M. Imai: Properties of the Acetylated Cotton Prepared by the Liquid Phase Method, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 167 (1965).
16. W. Tsuji and M. Imai: On the Decrystallization of Cotton, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **20**, 9 (1963).*
17. W. Tsuji and M. Imai: Studies on the Decrystallization of Cotton, *Bull. Inst. Chem. Res., Kyoto Univ.*, **44**, 183 (1966).
18. W. Tsuji, R. Kitamaru and M. Imai: Various Properties of Chemically Treated Cottons, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **16**, 121 (1959).*

19. W. Tsuji, M. Imai and Y. Kadono: Properties of Graft Copolymerized Cellulose Fiber (I). Styrene Grafted Cotton, *Bull. Inst. Chem. Res., Kyoto Univ.*, **42**, 68 (1964).
20. W. Tsuji, M. Imai, Y. Kadono and K. Ichikawa: Properties of Graft Copolymerized Cellulose Fiber (II). Butadiene Grafted Cotton and Rayon, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 94 (1965).
21. W. Tsuji and T. Ikeda: Chemical Treatment of Cotton by Graft Copolymerization with Reactive Monomers and After-crosslinking, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **22**, 11 (1965).*
22. H. Takagi and W. Tsuji: On the Stiffness of Raw Silk Fiber, *J. Soc. Fiber Sci. Tech. Japan*, **16**, 115 (1960).*
23. W. Tsuji, M. Imai, K. Matsuzaki and A. Matsumoto: On the Softening Effect of Textile Oiling Agent, *J. Soc. Fiber Sci. Tech. Japan*, **16**, 617 (1960).*
24. W. Tsuji and M. Imai: The Softening of Raw Silk by the Treating with Chemical Compounds, *J. Soc. Fiber Sci. Tech. Japan*, **16**, 879 (1960).*
25. W. Tsuji, R. Kitamaru and R. Yosomiya: Spontaneous Extension of High Molecular Substances, *High Polymer Chem., Japan*, **18**, 205 (1961).*
26. I. Sakurada, W. Tsuji and F. Kimura: Effects of γ -ray Irradiation on Polymers (I): Effects of γ -Ray Irradiation on Elongated Filaments of Low and High Density Polyethylene, *Bull. Inst. Chem. Res., Kyoto Univ.*, **37**, 353 (1959).
27. I. Sakurada, W. Tsuji and F. Kimura: Effects of γ -Ray Irradiation on Polymers (II). Effects of γ -Ray Irradiation on Mechanical Properties of Filaments of Low Density Polyethylene, *Bull. Inst. Chem. Res., Kyoto Univ.*, **37**, 361 (1959).
28. I. Sakurada, W. Tsuji and F. Kimura: Effects of γ -Ray Irradiation on Polymers (III) Effects of γ -Ray Irradiation on Mechanical Properties of Filaments of High Density Polyethylene, *Bull. Inst. Chem. Res., Kyoto Univ.*, **37**, 368 (1959).
29. W. Tsuji, R. Kitamaru and T. Ikeda: Effects of Some Molecular Structural Factors on the Mechanical Properties of Polyvinyl Alcohol, *Bull. Inst. Chem. Res., Kyoto Univ.*, **42**, 93 (1964).
30. H. Kobayashi, R. Kitamaru and W. Tsuji: The Viscous Flow of Molten Polypropylene, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 179 (1965).
31. H. Chu, R. Kitamaru and W. Tsuji: Mechanical Properties and Fine Structure of Polypropylene Films, *Chem. High Polymers, Japan*, **22**, 488 (1965).*
32. H. Chu, R. Kitamaru and W. Tsuji: Dynamic Mechanical Properties of Drawn Polypropylene Films, *Chem. High Polymers, Japan*, **22**, 498 (1965).*
33. H. Chu, R. Kitamaru and W. Tsuji: Dynamic Mechanical Properties of Polypropylene Films, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 193 (1965).
34. F. Sakaguchi, R. Kitamaru and W. Tsuji: Physical Properties of Copolymers of Styrene and α -Olefins, *Bull. Inst. Chem. Res., Kyoto Univ.*, **43**, 455 (1965).
35. F. Sakaguchi, R. Kitamaru and W. Tsuji: Cocrystallization and Crystalline Transformations in Copolymers of Butene-1 and Olefins, *Bull. Inst. Chem. Res., Kyoto Univ.*, **44**, 155 (1966).
36. W. Tsuji, R. Kitamaru and H. Chu: The Structure and Some Properties of the Oriented Polyethylene, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **23**, 1 (1966).*
37. H. Chu, R. Kitamaru and W. Tsuji: The Molecular Structure and Some Related Properties of Polyethylene Stretched at the Amorphous and Crystalline States, *J. Appl. Polymer Sci.*, **10**, 1377 (1966).
38. W. Tsuji, M. Imai, K. Sugita, Y. Kanayama and T. Hirata: Studies on the Nonwoven Fabric (I). On the Laboratory Equipment for Making the Dry Process Nonwoven Fabric, *J. Adhesion Soc., Japan*, **1**, 34 (1965).*
39. W. Tsuji, M. Imai, K. Sugita, Y. Kanayama and T. Hirata: Studies on the Nonwoven Fabric (II). Properties of Nonwoven Fabrics Using Various Binders, *J. Adhesion Soc., Japan*, **2**, 8 (1966).*