

LABORATORY OF POLYMER PHYSICAL CHEMISTRY

Head: Dr. Michio Kurata

A list of scientific papers published from this laboratory was given in 1966 in the Commemoration Volume for the Fortieth Anniversary of the Institute for Chemical Research. The following list covers the papers published in the subsequent period 1966-1976.

The first nine papers (1-9) treat of theoretical problems in the field of polymer chain statistics and dynamics. Kurata has developed a new theory of the excluded volume effect of linear polymer chains which corresponds to the Bethe approximation of the lattice statistics, and presented an equation of a hybrid form between Flory's and Fixman's equations. This equation was derived independently by Alexandrowicz also and it has gained support from the recent Monte Carlo data. Iwata and Kurata presented a theory of polymer chain dynamics based on the irreversible statistical mechanics and were able to clarify the relation between the classical spring-beads model of Rouse and the local-jump model of Stockmayer and Verdier. This theory was then extended by Iwata to the analysis of chain motions in the high frequency region. Osaki has found a revised solution of the Zimm integrodifferential equation for polymer chain dynamics, and presented a numerical table which is useful for analysis of the viscoelastic properties of dilute solutions of linear and branched polymers.

Odani studied the sorption and desorption kinetics of some organic vapors by polymer films and presented an ingenious method for eliminating the film thickness effect in determination of true diffusion coefficient (10). His group has continued the study of permeation, diffusion, and solution of inert gases in block copolymer films in hope of elucidating the mechanism of permselectivity (11-13).

The viscoelastic properties of polymer systems has been major subjects of our study in this decade as will be seen from an abundance of papers in the following list. Based on the normal stress measurements in dilute polymer solutions, we were able to verify that polymer chains behave like non-draining coils at infinite dilution (14-16). This had been assumed in the treatment of intrinsic viscosity for many years without direct experimental evidence. The viscoelastic properties of dilute polymer solutions provide a fine information on the conformational properties of polymer chains such as branching and chain flexibility. Osaki and Nemoto made contributions in this field when they joined the group of Prof. Ferry in the University of Wisconsin (17-25, 32).

It was found in the middle of 1950's that the viscosity of polymer concentrates became proportional to a high power, *e.g.* the 3.5-th, of the molecular weight reflecting the formation of chain entanglements when the molecular weight exceeded a critical value M_c . The molecular weight dependence of the steady-state compliance, however, had remained unclear till recently due to various experimental difficulties, and it had long impeded our understanding of the nature of entanglement. To solve this

problem, Osaki and Einaga developed under guidance of Prof. Tamura of this university a new apparatus for creep and creep recovery measurements, and measured the steady-shear compliance of concentrated polystyrene solutions as functions of molecular weight and concentration (26–29, 34, 40). Odani and Nemoto, on the other hand, prepared two series of narrow-distribution polymer samples, poly(*cis*-isoprene) and poly(α -methylstyrene), by anionic polymerization, and carried out precise creep measurements over wide range of molecular weight (35, 55–59). From the results obtained by these two groups, they were able to find that the steady-state compliance became independent of the molecular weight as the molecular weight increased beyond a value M_e , and that the critical molecular weight M_e for the compliance was higher by a factor of two or three than the corresponding M_e for the viscosity.

Our most recent effort in this area was devoted to discriminate a proper type of constitutive equation for nonlinear viscoelasticity from numerous equations so far proposed. We have noticed that the stress relaxation under large deformation provides the most powerful information for the purpose, and have reached after systematic measurements in various types of steady and transient flow at the conclusion that the constitutive equation proposed by Bernstein-Keasley-Zapas (BKZ) is of the most wide applicability (30–31, 37–39, 41–44, 46–54).

The fourth group of the following list includes experimental studies of structure and conformation of various synthetic polymers by means of light scattering, osmotic pressure, viscosity, sedimentation velocity and equilibrium, gel permeation and fluorescence measurements. The polymers studied were poly(methyl ethacrylate) (60), poly(methyl *n*-butacrylate) (60), poly(1-methoxycarbonyl-1-phenylethylene) (95), poly[oxy(ethylene)] (62), poly(α -methylstyrene) (63–65, 72, 76), and poly(styrene) (68, 70, 71, 73, 74). In the first three polymers, it was found that the steric factor in the polymer chain statistics increased monotonously with increasing the size of the substituted groups at the α -carbon of acrylic acid.

The light scattering photometer developed by Utiyama was of quite high precision, by which we were able to reach at 9 degrees of scattering angle without disturbance from stray light (66, 67, 69). This was notable, because the limit of measurements in those days was as high as 20–30 degrees of the scattering angle. Using this apparatus, Utiyama and Tsunashima have shown that in good solvents, the spatial distribution of segments within a molecule really obeys a non-Gaussian statistics due to the excluded volume effect (71), and that poly(α -methylstyrene) consists of large helical sections and displays a thermal transition of highly cooperative nature (72). They carried out light scattering measurements on diblock copolymers of styrene and methyl methacrylate in various solvents including isoreflexive solvents for one block, and revealed the effect of solvent nature on the radius of gyration of the visible block and on the size and shape of copolymer aggregates (77, 78). Kurata and coworkers demonstrated that long chain branches in randomly branched polymers can be quantitatively determined only from the intrinsic viscosity and gel permeation data of unfractionated sample (73, 74). Utiyama, Tagata, and Kurata have developed a method for the analysis of sedimentation equilibrium data of polydisperse nonideal systems on the basis of the Fujita theory, which is now accepted as the standard method in ultracentrifugation (68).

Utiyama and Ikehara studied the structure of filamentous bacteriophage fd in various solvents and found that this phage was in a stable intermediate form in 2-chloroethanol (79, 81, 82). Sakato and Utiyama have determined the persistence length of ratskin and earthworm collagens to be 1300 Å (80).

Senior research members worked in this laboratory in the decade are:

- Dr. Hisashi Odani (November 1966–)
- Dr. Hiroyasu Utiyama (September 1962–)
- Dr. Mitsuo Abe (May 1966–April 1967)
- Dr. Kunihiro Osaki (April 1967–)
- Dr. Nobuo Tagata (July 1967–January 1969)
- Dr. Norio Nemoto (April 1968–)
- Dr. Kazuyoshi Iwata (April 1969–July 1971)
- Dr. Yoshisuke Tsunashima (April 1969–)
- Dr. Kuniaki Sakato (April 1970–March 1971)
- Dr. Yoshiyuki Einaga (April 1972–March 1973)

Other members consist of two technical assistants, four doctoral thesis students (one from Korea), three master thesis students and two undergraduate students in this academic year (April 1976–March 1977).

Finally Prof. Andrew J. Matheson of University of Essex, England (August–September, 1968), Prof. Stig Claesson of Uppsala University, Sweden (October 1972–January 1973), and Dr. Bengt Finnström of Uppsala University, Sweden (February–March, 1976) were guests of this laboratory for the indicated period, to whom we are grateful for many stimulating discussions on our works.

Publications

(* indicates an article published in Japanese)

I. Polymer Chain Statistics and Hydrodynamics

1. M. Kurata: Ellipsoid Model for Polyelectrolytes, *J. Polymer Sci., Part C, No. 15*, 341 (1967).
2. H. Inagaki, H. Suzuki, and M. Kurata: A Semi-Empirical Method for Estimating Unperturbed Dimensions of Chain Polymers from the Intrinsic Viscosity-Molecular Weight Relationship, *ibid., Part C, No. 15*, 409 (1967).
3. M. Kurata: Excluded Volume Effect of Linear Polymer Molecules, *J. Polymer Sci., Part A-2, 6*, 1607 (1968).
4. K. Iwata and M. Kurata: Brownian Motion of Lattice-Model Polymer Chains, *J. Chem. Phys.*, **50**, 4008 (1969).
5. K. Iwata: Irreversible Statistical Mechanics of Polymer Chains. I. Fokker-Planck Diffusion Equation, *ibid.*, **54**, 12 (1971).
6. K. Iwata: Irreversible Statistical Mechanics of Polymer Chains. II. Viscosity, *ibid.*, **54**, 1570 (1971).
7. K. Osaki: A Revised Version of the Integrodifferential Equation in the Zimm Theory for Polymer Solution Dynamics, *Macromolecules*, **5**, 141 (1972).
8. K. Osaki and J. L. Schrag: Numerical Calculations of the Viscoelastic Properties of Solutions of Branched Polymers Based on the Zimm-Kilb Theory, *J. Polymer Sci., Part A-2*, **11**, 549 (1973).
9. M. Kurata: Thermodynamic Analysis of Mixed Solvent Systems. Part I. Osmotic Pressure and Theta Composition of Solvent, *Bull. Inst. Chem. Res., Kyoto Univ.*, **54**, 112 (1976).

II. Diffusion and Sorption

10. H. Odani: Diffusion of Ethyl Methyl Ketone in Atactic Polystyrene Above the Critical Concentration, *J. Polymer Sci., Part A-2*, **5**, 1189 (1967).
11. H. Odani, K. Taira, N. Nemoto, and M. Kurata: Permeation and Diffusion of Gases in Styrene-Butadiene-Styrene Block Copolymers, *Bull. Inst. Chem. Res., Kyoto Univ.*, **53**, 216 (1975).
12. H. Odani, K. Taira, T. Yamaguchi, N. Nemoto, and M. Kurata: Solubilities of Inert Gases in Styrene-Butadiene-Styrene Block Copolymers, *ibid.*, **53**, 409 (1975).
13. H. Odani, K. Taira, N. Nemoto, and M. Kurata: Permeation, Diffusion, and Solution of Gases in SBS Block Copolymer Films, *Denki Kagaku (J. Electrochem. and Ind. Phys. Chem.)* **44**, 311 (1976).*

III. Viscoelastic Properties of Polymers

(a) Dilute Solutions

14. K. Osaki, K. Sakato, M. Fukatsu, M. Kurata, K. Matsushita, and M. Tamura: Normal Stress Effect in Dilute Polymer Solutions. III. Monodisperse Poly(*a*-methylstyrene) in Chlorinated Biphenyl, *J. Phys. Chem.*, **74**, 1752 (1970).
15. M. Tamura, M. Kurata, K. Osaki, and K. Kajiwara: Normal Stress Effect of Dilute Solutions of Poly(*n*-butyl methacrylate) in Chlorinated Diphenyl, *Japan. J. Appl. Phys.*, **7**, 447 (1968).
16. M. Tamura, M. Kurata, K. Osaki, and K. Matsushita: Normal Stress Effect of Dilute Poly(*a*-methylstyrene) Solutions, *Nihon Kagaku Zasshi*, **89**, 469 (1968).*
17. K. Osaki and J. L. Schrag: Viscoelastic Properties of Polymer Solutions in High-Viscosity Solvents and Limiting High-Frequency Behavior. I. Polystyrene and Poly(*a*-methylstyrene), *Polymer J.*, **2**, 541 (1971).
18. K. Osaki, Y. Mitsuda, R. M. Johnson, J. L. Schrag, and J. D. Ferry: Infinite-Dilution Viscoelastic Properties of Linear and Star-Shaped Polybutadienes, *Macromolecules*, **5**, 17 (1972).
19. K. Osaki, J. L. Schrag, and J. D. Ferry: Infinite-Dilution Viscoelastic Properties of Poly (*a*-methylstyrene). Application of Zimm Theory with Exact Eigenvalues, *ibid.*, **5**, 144 (1972).
20. Y. Mitsuda, K. Osaki, J. L. Schrag, and J. D. Ferry: Infinite-Dilution Viscoelastic Properties of Star Polystyrene with Nine Arms, *Polymer J.*, **4**, 24 (1973).
21. N. Nemoto, Y. Mitsuda, J. L. Schrag, and J. D. Ferry: Infinite-Dilution Viscoelastic Properties of Randomly Branched Polystyrenes, *Macromolecules*, **7**, 253 (1974).
22. K. Osaki, Y. Mitsuda, J. L. Schrag, and J. D. Ferry: Numerical Calculations of the Viscoelastic Properties of Dilute Solutions of Comb-Shaped Branched Polymers, *Trans. Soc. Rheology*, **18**, 395 (1974).
23. N. Nemoto, J. L. Schrag, J. D. Ferry, and R. W. Fulton: Infinite-Dilution Viscoelastic Properties of Tobacco Mosaic Virus, *Biopolymers*, **14**, 409 (1975).
24. N. Nemoto, J. L. Schrag, and J. D. Ferry: Infinite-Dilution Viscoelastic Properties of Poly(*n*-hexyl isocyanate), *Polymer J.*, **7**, 195 (1975).
25. J. W. M. Noordermeer, J. D. Ferry, and N. Nemoto: Viscoelastic Properties of Polymer Solutions in High Viscosity Solvents and Limiting High-Frequency Behavior. III. Poly (2-substituted methyl acrylate), *Macromolecules*, **8**, 672 (1975).

(b) Concentrated Solutions

26. M. Kurata, K. Osaki, and M. Tamura: Steady Shear Compliance of Concentrated Polystyrene Solutions, *Bull. Inst. Chem. Res., Kyoto Univ.*, **46**, 87 (1968).
27. K. Osaki, M. Kurata, and M. Tamura: Flow Properties of Moderately Concentrated Solutions of Polystyrene in Chlorinated Diphenyl, *Polymer J.*, **1**, 334 (1970).
28. K. Osaki, Y. Einaga, M. Kurata, and M. Tamura: Creep Behavior of Polymer Solutions. I. A New Type of Apparatus for Creep and Creep Recovery, *Macromolecules*, **4**, 82 (1971).
29. Y. Einaga, K. Osaki, M. Kurata, and M. Tamura: Creep Behavior of Polymer Solutions. II. Steady-Shear Compliance of Concentrated Polystyrene Solutions, *ibid.*, **4**, 87 (1971).
30. M. Tamura, M. Kurata, K. Osaki, Y. Einaga, and S. Kimura: A New Type of Apparatus for Stress Relaxation Measurements under Large Deformation, *Bull. Inst. Chem. Res., Kyoto Univ.*, **49**, 43 (1971).

31. Y. Einaga, K. Osaki, M. Kurata, S. Kimura, and M. Tamura: Stress Relaxation of Polymer Solutions under Large Strain, *Polymer J.*, **2**, 550 (1971).
32. L. A. Holmes, S. Kusamizu, K. Osaki, and J. D. Ferry: Dynamic Mechanical Properties of Moderately Concentrated Polystyrene Solutions, *J. Polymer Sci., Part A-2*, **9**, 2009 (1971).
33. Y. Einaga, M. Kurata, T. Sugie, and M. Tamura: The Concentration Dependence of Steady-State Compliance for Polymer Solutions, *J. Soc. Material Sci. Japan*, **21**, 453 (1972).*
34. Y. Einaga, K. Osaki, M. Kurata, and M. Tamura: Creep Behavior of Polymer Solutions. III. Creep Compliance of Concentrated Polystyrene Solutions, *Macromolecules*, **5**, 635 (1972).
35. N. Nemoto, T. Ogawa, H. Odani, and M. Kurata: Shear Creep Studies of Narrow-Distribution Poly(*cis*-isoprene). III. Concentrated Solutions, *ibid.*, **5**, 641 (1972).
36. N. Nemoto, K. Okawa, and H. Odani: Flow Properties of Copolymer Solutions. Measurements with a Cone and Plate Viscometer, *Bull. Inst. Chem. Res., Kyoto Univ.*, **51**, 118 (1973).
37. S. Ohta, Y. Einaga, K. Osaki, and M. Kurata: Stress Relaxation of Polymer Solutions under Large Strain: Elastic Recovery after Partial Stress Relaxation, *ibid.*, **51**, 220 (1973).
38. Y. Einaga, K. Osaki, M. Kurata, S. Kimura, N. Yamada, and M. Tamura: Stress Relaxation of Polymer Solutions under Large Strain, *Polymer J.*, **5**, 91 (1973).
39. K. Osaki, Y. Einaga, M. Kurata, N. Yamada, and M. Tamura: Stress Relaxation of Polymer Solutions under Large Strain: Application of Double-Step Strain, *ibid.*, **5**, 283 (1973).
40. Y. Einaga, K. Osaki, M. Kurata, T. Sugie, and M. Tamura: Creep Behavior of Polymer Solutions. IV. Polystyrene in Chlorinated Diphenyl below M_c , *Macromolecules*, **6**, 598 (1973).
41. M. Kurata, K. Osaki, Y. Einaga, and T. Sugie: Effect of Molecular Weight Distribution on Viscoelastic Properties of Polymers, *J. Polymer Sci., Polymer Phys. Ed.*, **12**, 849 (1974).
42. K. Osaki, Y. Einaga, N. Yamada, and M. Kurata: Flow Properties of Polymer Solutions. I. Temperature Dependence of Stresses Following Sudden Start and Cessation of Steady Shear Flow, *Polymer J.*, **6**, 72 (1974).
43. K. Osaki, Y. Einaga, N. Yamada, S. Ohta, and M. Kurata: Flow Properties of Polymer Solutions. II. Phenomenological Relation for the Stress Following Sudden Start of Steady Shear Flow, *ibid.*, **6**, 165 (1974).
44. K. Osaki, Y. Einaga, N. Yamada, and M. Kurata: Flow Properties of Polymer Solutions. III. Non-Newtonian Viscosity and Relaxation Mechanisms with Long Relaxation Times, *ibid.*, **6**, 179 (1974).
45. M. Kurata, Y. Einaga, K. Osaki, and H. Odani: A Note on the Chain Entanglement in Concentrated Polymer Solutions, *Bull. Inst. Chem. Res., Kyoto Univ.*, **52**, 464 (1974).
46. K. Osaki, M. Fukuda, S. Ohta, and M. Kurata: Applicability of a Strain-Dependent Constitutive Equation on Flow Properties of Polymer Solutions, *Nippon Reoraji Gakkaishi (J. Soc. Rheology, Japan)*, **2**, 106 (1974).*
47. M. Fukuda, K. Osaki, and M. Kurata: A Study on Constitutive Equations of Polymer Solutions: Application of Double-Step Stress Relaxation, *ibid.*, **2**, 110 (1974).*
48. K. Osaki, M. Fukuda, and M. Kurata: Relaxation Spectra of Concentrated Polystyrene Solutions, *J. Polymer Sci., Polymer Phys. Ed.*, **13**, 775 (1975).
49. M. Fukuda, K. Osaki, and M. Kurata: Nonlinear Viscoelasticity of Polystyrene Solutions. I. Strain-Dependent Relaxation Modulus, *ibid.*, **13**, 1563 (1975).
50. K. Osaki, M. Fukuda, S. Ohta, B. S. Kim, and M. Kurata: Nonlinear Viscoelasticity of Polystyrene Solutions. II. Non-Newtonian Viscosity, *J. Polymer Sci., Polymer Phys. Ed.*, **13**, 1577 (1975).
51. K. Osaki: On the Pao Theory for Non-Newtonian Viscosity, *Nippon Reoraji Gakkaishi (J. Soc. Rheology, Japan)*, **3**, 42 (1975).*
52. M. Fukuda, K. Osaki, and M. Kurata: Concentration Dependences of Nonlinear Viscoelastic Functions for Polystyrene Solutions, *ibid.*, **3**, 114 (1975).*
53. B. S. Kim, K. Osaki, and M. Kurata: Rheology of Copolymer Solutions. I. The Viscosity and the Transient Stresses at the Start and Cessation of Steady Shear Flow for a Solution of SBS Block Copolymer, *ibid.*, **4**, 16 (1976).*
54. K. Osaki, B. S. Kim, N. Bessho, and M. Kurata: Rheology of Copolymer Solutions. II. The Strain-Dependent Relaxation Modulus and the Constitutive Equation, *ibid.*, **4**, 21 (1976).*

(c) **Solids and Melts**

55. H. Odani, S. Kitamura, N. Nemoto, and M. Kurata: Tensile Creep Behavior of Monodisperse Poly(α -methylstyrene), *Bull. Inst. Chem. Res., Kyoto Univ.*, **45**, 122 (1967).
56. H. Odani, N. Nemoto, S. Kitamura, M. Kurata, and M. Tamura: Viscoelastic Properties of Monodisperse Polymers. I. Tensile Creep Studies of Poly(α -methylstyrene), *Polymer J.*, **1**, 356 (1970).
57. N. Nemoto: Viscoelastic Properties of Narrow-Distribution Polymers. I. Tensile Creep Studies of Polystyrene, *ibid.*, **1**, 485 (1970).
58. N. Nemoto, M. Moriwaki, H. Odani, and M. Kurata: Shear Creep Studies of Narrow-Distribution Poly(*cis*-isoprene), *Macromolecules*, **4**, 215 (1971).
59. N. Nemoto, H. Odani, and M. Kurata: Shear Creep Studies of Narrow-Distribution Poly(*cis*-isoprene). II. Extension to Low Molecular Weights, *ibid.*, **5**, 531 (1972).

IV. Structure and Conformation of Macromolecules

60. M. Iwama, H. Utiyama, and M. Kurata: Dilute Solution Properties of Poly(α -substituted methyl acrylate). Part I. Poly(methyl ethacrylate) and Poly(methyl n-butacrylate), *J. Macromol. Chem.*, **1**, 701 (1967).
61. T. Inoue, T. Soen, H. Kawai, M. Fukatsu, and M. Kurata: Electron Microscopic Texture of A-B Type Block Copolymers of Isoprene with Styrene, *J. Polymer Sci., Part B*, **6**, 75 (1967).
62. M. Matsushima, M. Fukatsu, and M. Kurata: Unperturbed Dimension of Poly(butylene oxide), *Bull. Chem. Soc. Japan*, **41**, 2570 (1968).
63. Y. Tsunashima, K. Sakato, M. Fukatsu, and M. Kurata: On the Anionic Preparation of Poly(α -methylstyrene), *Bull. Inst. Chem. Res., Kyoto Univ.*, **46**, 37 (1968).
64. M. Abe, K. Sakato, T. Kageyama, M. Fukatsu, and M. Kurata: Dilute Solution Properties of Monodisperse Poly(α -methylstyrene). I. Sedimentation Coefficient in Theta Solvent, *Bull. Chem. Soc. Japan*, **41**, 2330 (1968).
65. K. Sakato and M. Kurata: Dilute Solution Properties of Monodisperse Poly(α -methylstyrene). II. Hydrodynamic Properties in Good Solvents, *Polymer J.*, **1**, 260 (1970).
66. H. Utiyama, N. Sugi, M. Kurata, and M. Tamura: Precise Light-Scattering Studies on Dilute Polymer Solutions. I. Discussion on the Light-Scattering Photometers, *Bull. Inst. Chem. Res., Kyoto Univ.*, **46**, 77 (1968).
67. H. Utiyama, N. Sugi, M. Kurata, and M. Tamura: Precise Light-Scattering Studies on Dilute Polymer Solutions. II. Low-Angle Light-Scattering Photometer Model LS-1, *ibid.*, **46**, 198 (1968).
68. H. Utiyama, N. Tagata, and M. Kurata: Determination of Molecular Weight and Second Virial Coefficient of Polydisperse Nonideal Polymer Solutions by the Sedimentation Equilibrium Method, *J. Phys. Chem.*, **73**, 1448 (1969).
69. H. Utiyama and Y. Tsunashima: Low Angle Light Scattering Photometer Model LS-2, *Appl. Optics*, **9**, 1330 (1970).
70. S. Claesson and H. Odani: Fluorescence Depolarization in Sheared Solutions of Dye-Tagged Polymers, *Disc. Faraday Soc.*, **49**, 268 (1970).
71. H. Utiyama, Y. Tsunashima, and M. Kurata: Rayleigh Scattering by Linear Flexible Macromolecules, *J. Chem. Phys.*, **55**, 3133 (1971).
72. H. Utiyama and Y. Tsunashima: Measurements of Anisotropic Light Scattering and Thermal Transition in Optical Anisotropy of Poly(α -methylstyrene), *ibid.*, **56**, 1626 (1972).
73. M. Kurata, M. Abe, M. Iwama, and M. Matsushima: Randomly Branched Polymers. I. Hydrodynamic Properties, *Polymer J.*, **3**, 729 (1972).
74. M. Kurata, H. Okamoto, M. Iwama, M. Abe, and T. Homma: Randomly Branched Polymers. II. Computer Analysis of Gel-Permeation Chromatogram, *ibid.*, **3**, 739 (1972).
75. N. Sugi, Y. Tsunashima, K. Ikehara, and H. Utiyama: Construction and Use of Rotating Cylinder Viscometers, *Japan. J. Appl. Phys.*, **11**, 1547 (1972).
76. H. Odani: Excimer Formation in Solutions of Vinylaromatic Polymers, *Bull. Inst. Chem. Res., Kyoto Univ.*, **51**, 351 (1973).
77. H. Utiyama, K. Takenaka, M. Mizumori, and M. Fukuda: Light-Scattering Studies of a Polystyrene-Poly(methyl methacrylate) Two-Block Copolymer in Dilute Solutions, *Macromolecules*, **7**, 28 (1974).

78. H. Utiyama: K. Takenaka, M. Mizumori, M. Fukuda, Y. Tsunashima, and M. Kurata, Light-Scattering Studies of a Polystyrene-Poly(methyl methacrylate) Two-Block Copolymer in Mixed Solvents, *ibid.*, **7**, 515 (1974).

V. Biological Polymers

79. K. Ikehara, Y. Obata, H. Utiyama, and M. Kurata: Studies on the Structure of Filamentous Bacteriophage fd. I. Physico-Chemical Properties of Phage fd and Its Component. *Bull. Inst. Chem. Res., Kyoto Univ.*, **51**, 140 (1973).
80. H. Utiyama, K. Sakato, K. Ikehara, T. Setsuiye, and M. Kurata: Flexibility of Tropocollagen from Sedimentation and Viscosity, *Biopolymers*, **12**, 53 (1973).
81. K. Ikehara, H. Utiyama, and M. Kurata: Studies on the Structure of Filamentous Bacteriophage fd. II. All-or-None Disassembly in Guanidine-HCl and Sodium Dodecyl Sulfate, *Virology*, **66**, 306 (1975).
82. K. Ikehara and H. Utiyama: Studies on the Structure of Filamentous Bacteriophage fd. III. A Stable Intermediate of the 2-Chloroethanol-Induced Disassembly, *ibid.*, **66**, 316 (1975).

VI. Reviews and Books

(a) Reviews

83. K. Osaki and Y. Einaga: Viscoelastic Properties of Concentrated Polymer Solutions, *Progr. Polymer Sci., Japan*, **1**, 321 (1971).
84. M. Kurata: Recent Experimental Aspects of Nonlinear Viscoelasticity, *Zairyo (J. Soc. Material Sci. Japan)*, **21**, 360 (1972).*
85. M. Kurata: Characterization of Branched Polymers, *Nippon Gomu Kyokaishi (J. Soc. Rubber Ind. Japan)*, **45**, 105 (1972).*
86. H. Odani, N. Nemoto, and M. Kurata: The Viscoelastic Properties of Undiluted Linear Polymers of Narrow Molecular Weight Distribution in the Terminal Zone, *Bull. Inst. Chem. Res., Kyoto Univ.*, **50**, 117 (1972).
87. K. Osaki: Rheology-Polymer Solutions, *Kobunshi-Kagaku no Tenbo (Annual Review of Polymer Science)*, **3**, 184 (1973).*
88. M. Kurata: Polymer Solutions, *ibid.*, **3**, 193 (1973).*
89. K. Osaki: Viscoelastic Properties of Dilute Polymer Solutions, *Advances in Polymer Science*, **12**, 1 (1974).

(b) Books

90. H. Odani: Measurements of Sorption Rates of Gases and Vapors in Polymers, Chapter A3 in "Handbook for Polymer Material Science," ed. by the Society of Polymer Science, Japan, Kyoritsu Shuppan, Tokyo, (1968).*
91. H. Odani: Sorption Isotherm for Gases and Vapors in Polymers, Chapter B3 in "Handbook for Polymer Material Science," ed. by the Society of Polymer Science, Japan, Kyoritsu Shuppan, Tokyo, (1968).*
92. H. Utiyama: Light Scattering Instruments, Chapter 3 in a Monograph, "Light Scattering from Polymer Solutions," ed. by M. B. Huglin, Academic Press, London (1972).
93. H. Utiyama: Calibration and Correction Factors in Light Scattering from Polymer Solutions, Chapter 4 in a Monograph, "Light Scattering from Polymer Solutions," ed. by M. B. Huglin, Academic Press, London, (1972).
94. M. Kurata: Structure and Properties of Branched Polymer Molecules, Chapter 4 in a Monograph, "Molecular Design of Polymers, vol. I," ed. by the Society of Polymer Science, Japan, Baifukan, Tokyo (1972).*
95. M. Kurata, Y. Tsunashima, M. Iwama, and K. Kamada: Viscosity-Molecular Weight Relationships and Unperturbed Dimensions of Linear Chain Molecules, "Polymer Handbook, 2nd edition," ed. by J. Brandrup and E. H. Immergut, Wiley Interscience Pub., John Wiley & Sons, **IV**, 1 (1975).
96. M. Kurata: Theory of Polymer Solutions, vol. 18 in a Series, "Modern Industrial Chemistry (Kindai Kogyo Kagaku)," Asakura Shoten, Tokyo (1975).*