Bull. Inst. Chem. Res., Kyoto Univ., Vol. 54, No. 6, 1976

LABORATORY OF PETROLEUM CHEMISTRY

Head: Dr. Masaya Okano

This laboratory was established in 1958 to promote the basic researches in the field of petroleum chemistry. In 1967, Dr. Okano succeeded Dr. Ichikawa as the head of the Laboratory. The present research subjects are organic synthesis using inorganic metal salts and organometallic compounds, the chemistry of reactive species having *a*-hetero atoms, and organic reactions in specific solvents. The synthesis of new monomers and polymers has also been undertaken. The researches have been developed by the present laboratory staffs (Drs. M. Okano, S. Tanimoto, S. Uemura, and T. Sugimoto) and their coworkers. In the following, the main results of these works are summarized.

I. Selective Halogenation and Other Reactions Using Inorganic Metal Salts

In contrast to the well-known *trans*-addition of halogens to olefins, SbCl₅ and MoCl₅ were found to be good *cis*-chlorinating reagents for simple olefins. Alkylphenylacetylenes similarly reacted with SbCl₅ to afford *cis*-dichloroolefins predominantly, while with CuCl₂ the *trans*-isomers were formed with a high selectivity. The mixed halogenations of olefins and acetylenes by equimolar mixtures of SbCl₅ and halogens (Br₂ or I₂) or metal halides (LiBr or LiI) occurred with ease in the *trans* manner. Highly selective *p*-halogenations of halobenzenes were also achieved by the use of these mixtures. A mixture of SbCl₅ and Pb(SCN)₂ was found to be a good reagent for aromatic thiocyanation. Several new aspects in the chlorinations of cyclic dienes and norbornene with various metal chlorides were elucidated. Some oxidation reactions by Fe(III) and Tl(III) salts were also studied.

II. Synthesis via Organothallium(III) Compounds

The earlier project planned by Dr. Ichikawa, the former head of this Laboratory, was partly succeeded and has been developed by one of the staffs (S.U.) in the field of the chemistry of organothallium(III) compounds.

In collaboration with Dr. Ichikawa's group, it was found that arylthallium(III) compounds react with copper(I or II) halides or pseudohalides to give halo- or pseudohaloarenes, the substitution occurring at the *ipso* position. Since the thallation of arenes occurs with a high selectivity, this reaction may provide a new route for the introduction of a halogen or pseudohalogen into the selective position of the aromatic nucleus. The reaction was found to be also applicable to the oxythallates of olefins and acetylenes.

The acetoxythallation of alkylphenylacetylenes and the proto- and halodethalla-

tions of the products were studied, emphasis being placed on their stereochemistry. A new type of oxythallation adduct was obtained from terminal acetylenes.

The reactions of arylthallium (III) compounds with $NaNO_2$ and $PdCl_2$, and those of oxythallates with $PdCl_2$ and $NaBH_4$ were also studied.

III. Chemistry of Some Reactive Species Having a-Hetero Atoms

The behavior of some unfamiliar carboxylic acid derivatives has been examined. N,N-dialkylformamide dichlorides showed a high reactivity toward various unsaturated bonds, such as C=N, N=S, and activated C=C, the 1 : 1 adducts being formed. N,N-dialkylformamide dialkylacetals reacted more readily with Grignard reagents than orthoformates. The reaction of isocyanide dichlorides, an analog of phosgene, with Grignard reagents yielded *a*-elimination products rather than substitution ones. The Cl atom in β -chloro- or β , β -dichlorovinylsulfones was less effective than that in β -chlorovinylketones.

The chemistry of $>N-CH_2-S-$ and $>N-CH_2-S<$ types of compounds has also been studied. The SO₃Na group in (N-sulfomethyl)anilide and -benzamide was readily replaced by amide groups. In (sulfonio)methylammonium salts, the displacement of the sulfide moiety by an amine or phosphine molecule occurred smoothly. The H-D exchange in the dionium salts was observed near pH 5.

IV. Reactions in Specific Solvents and Reactions Involving Solvent Incorporation

By the use of polar aprotic solvents, the one-stage preparation of polysubstituted (chloro)ethylenes from polychloroalkanes and phenolate or thiophenolate anion was achieved. The reaction of secondary and tertiary alkyl halides with $Hg(SCN)_2$ in less-polar solvents afforded N-alkylation products predominantly, in contrast to the reaction with KSCN in polar aprotic solvents. A similar reaction in tetrahydrofuran produced the solvent-incorporated products. Based on this foundation, a convenient method to prepare 4-alkoxybutyl acetates and chlorides was developed. Similarly, the Lewis acid-catalyzed reaction of isocyanides and chlorine in tetrahydrofuran yielded 4-chlorobutyl carbamates. An example of the incorporation of another solvent was found when alkylbenzenes were treated with $TlCl_3 \cdot 4H_2O$ in carbon tetrachloride; the products were the corresponding benzoic acids, formed *via* benzo-trichlorides, along with chlorinated aromatic compounds.

V. Synthesis of Monomers and Polymers, and Polymer Reactions

One of the staffs (S. T.) has been interested in studies of polymer synthesis as well as of organic synthesis.

A method for the preparation of p-chloromethylstyrene was offered. Several p-substituted styrenes, having a reactive functional group as the substituent, and some acrylic acid derivatives were prepared and the behaviors of their polymers were ex-

amined. A few representative results were given below. A cross-linked sulfonium salt type polymer, prepared from p-vinylphenyl methyl sulfide, was found to convert benzaldehyde into styrene oxide in the presence of a strong base, indicating the intermediate formation of a S-ylide polymer. The recovered polymer could be changed to the original one. A new type of epoxy resin was prepared by polymerization of p-vinylphenyl glycidyl ether. Polymerization of polychloroalkyl acrylates afforded flame-resistant films. By polycondensation reactions, new heat-resistant polymers, such as poly(amide-benzimidazoles), poly(amide-benzoxazoles) and poly(quinacridonequinone), were also prepared.

In addition, the Laboratory of Synthetic Rubber Chemistry (alias Oda Laboratory) was incorporated into this Laboratory after Dr. Okano became the head of the latter laboratory. In this field, studies on copolymerization reactions were actively carried out by Drs. Furukawa and Kobayashi. By the proper choice of catalysts, they succeeded in preparing commercially attractive copolymers, such as a butadieneacrylonitrile alternating copolymer (a new synthetic rubber) and a butadiene-acetylene copolymer (a synthetic drying oil). Published papers on these studies are also included in the last part of the following publication list. Drs. Oda and Furukawa were retired from Kyoto University in 1970 and 1976, respectively.

Publications

(* indicates an article published in Japanse)

I. Selective Halogenation and Other Reactions Using Inorganic Metal Salts

(a) Halogenation with Metal Halides

- 1. S. Uemura, O. Sasaki, and M. Okano: Selective *cis*-Chlorination of Olefins by Antimony(V) Chloride, *Chem. Comm.*, 1971, 1064.
- S. Uemura, O. Sasaki, and M. Okano: Chlorination of Olefins with Thallium(III) Chloride Tetrahydrate, Bull. Chem. Soc. Japan, 45, 1482 (1972).
- 3. S. Uemura, A. Onoe, and M. Okano: The Chlorination of Olefins with Antimony(V) Chloride, *ibid.*, 47, 692 (1974).
- 4. S. Uemura, A. Onoe, and M. Okano: Molybdenum(V) Chloride as a Reagent for *cis*-Chlorination of Olefins, *ibid.*, 47, 3121 (1974).
- 5. S. Uemura, A. Onoe, and M. Okano: The Chlorination of Norbornene by Metal Chlorides and the Product Isomerization, *ibid.*, **48**, 3702 (1975).
- 6. S. Uemura, A. Onoe, and M. Okano: Transannular Interactions in the Chlorination of *cis, cis*-Cyclo-octa-1,5-diene and *cis*-Cyclo-octene with SbCl₅, J. Chem. Soc., Chem. Comm. 1975, 210.
- 7. S. Uemura, A. Onoe, and M. Okano: Z-Chlorination of Alkylphenylacetylenes with Antimony Pentachloride, *ibid.*, **1976**, 145.
- 8. A. Onoe, S. Uemura, and M. Okano: The Chlorination of Norbornadiene by Various Chlorinating Agents, Bull. Chem. Soc. Japan, 49, 345 (1976).
- S. Uemura, A. Onoe, H. Okazaki, M. Okano, and K. Ichikawa: The Chlorination of 1,3- and 1,5-Cyclooctadienes with Various Chlorinating Agents, *ibid.*, 49, 1437 (1976).

(b) Halogenation with Mixtures of Halogen Donors and Metal Halides

- 10. S. Uemura, A. Onoe, and M. Okano: The Chlorobromination of Olefins with Antimony (III and V) Chlorides, *ibid.*, 47, 143 (1974).
- 11. S. Uemura, A. Onoe, and M. Okano: Aromatic Bromination and Iodination with Mixtures of Antimony(V) Chloride and Halogens, *ibid.*, 47, 147 (1974).

- 12. A. Onoe, S. Uemura, and M. Okano: Alkoxythiocyanation and Alkoxyiodination of Olefins with Copper(II) Salts, *ibid.*, **47**, 2818 (1974).
- 13. S. Uemura, A. Onoe, H. Okazaki, and M. Okano: Aromatic Thiocyanation by a Mixture of Antimony(V) Chloride and Lead(II) Thiocyanate, *ibid.*, 48, 619 (1975).
- S. Uemura, A. Onoe, and M. Okano: Stereochemistry of Chlorination and Chloroiodination of Alkylphenylacetylenes by CuCl₂, J. Chem. Soc. Chem. Comm., 1975, 925.

(c) Metal Salts-Catalyzed Reactions

- 15. S. Uemura, F. Tanaka, O. Sasaki, and M. Okano: Thallium(III) Chloride Catalyzed Hydrolysis of Trichloromethyl Compounds, Bull. Inst. Chem. Res., Kyoto Univ., 49, 97 (1971).
- 16. S. Uemura, K. Sohma, M. Okano, and K. Ichikawa: Aromatic Bromination by the Use of Organic and Inorganic Thallium Salts, *Bull. Chem. Soc. Japan*, **44**, 2490 (1971).
- 17. S. Uemura, K. Sohma, and M. Okano: Thallium(III) Chloride Tetrahydrate as a Lewis Acid Catalyst for Aromatic Alkylation and Acylation, *ibid.*, **45**, 860 (1972).

(d) Oxidation with Metal Salts

- S. Tanaka, H. Kido, S. Uemura, and M. Okano: Oxidation of Isocyanides by Hg(II), Tl(III), and Pb(IV) Acetates, *ibid.*, 48, 3415 (1975).
- S. Uemura, S. Tanaka, and M. Okano: Selective Diarylmethane Formation in the Reaction of Iron(III) Perchlorate with Alkylbenzenes, J. Chem. Soc. Perkin I, 1976, 1966.
- 20. S. Uemura, S. Tanaka, and M. Okano: Efficient Oxidation of Thiols to Disulfides with Thallium (III) Acetate, Bull. Chem. Soc. Japan, 50, 220 (1977).

II. Synthesis via Organothallium (III)Compounds

(a) Reactions of Arylthallium (III) Compounds

- 1. K. Ichikawa, Y. Ikeda, and S. Uemura: Formation of Chlorobenzene by the Reaction of Phenyl-thallium(III) Compounds with Copper Chloride, *Chem. Comm.*, **1971**, 169.
- 2. S. Uemura, Y. Ikeda, and K. Ichikawa: Aromatic Coupling of Arylthallium(III) Compounds by Palladium(II) Chloride, *ibid.*, **1971**, 390.
- 3. S. Uemura, Y. Ikeda, and K. Ichikawa: Reaction of Arylthallium(III) Compounds with Copper (II) and (I) Cyanides. Synthesis of Aryl Cyanide, *Tetrahedron*, **28**, 3025 (1972).
- 4. S. Uemura, Y. Ikeda, and K. Ichikawa: Substitution of Thallium with Halogen in the Reaction of Arylthallium(III) Compounds with Copper Halides, *ibid.*, 28, 5499 (1972).
- 5. S. Uemura, S. Uchida, M. Okano, and K. Ichikawa: The Reaction of Arylthallium(III) Compounds with Copper(II) and (I) Thiocyanates, *Bull. Chem. Soc. Japan*, **46**, 3254 (1973).
- 6. S. Uemura, A. Toshimitsu, M. Okano, and K. Ichikawa: Selenocyanatodethallation in Organothallium(III) Compounds, *ibid.*, 48, 1925 (1975).
- 7. S. Uemura, A. Toshimitsu, and M. Okano: The Reaction of Arylthallium(III) Compounds with Metal Nitrite. Synthesis of Nitroarenes, *ibid.*, **49**, 2582 (1976).

(b) Synthesis and Reactions of Oxymetallated Compounds

- 8. S. Uemura, A. Tabata, and M. Okano: 1,2- and 1,4-Diacetoxylation of Conjugated Dienes with Thallium(III) and Lead(IV) Acetates, *Chem. Comm.*, 1970, 1630.
- S. Uemura, K. Zushi, M. Okano, and K. Ichikawa: Reaction of Alkoxythallium(III) Compounds of Olefins with Palladium(II) Chloride. Evidence of Tl-Pd Exchange in Oxymetallates, J. Chem. Soc. Chem. Comm., 1972, 234.
- S. Uemura, A. Tabata, and M. Okano: Sodium Borohydride Reduction of Alkoxythallated Compounds of Olefins, *ibid.*, 1972, 517.
- 11. S. Uemura, K. Sohma, H. Tara, and M. Okano: Reaction of Alkylphenylacetylenes with Thallium (III) Acetate, *Chem. Letters*, **1973**, 545.
- S. Uemura, K. Zushi, A. Tabata, A. Toshimitsu, and M. Okano: Synthesis of Alkoxythallium(III) Compounds of Olefins and Their Reaction with Copper Halides and Pseudohalides, *Bull. Chem.* Soc. Japan, 47, 920 (1974).
- 13. S. Uemura, H. Tara, M. Okano, and K. Ichikawa: Acetoxythallation of Acetylenes and the Protoand Halogenodethallation of the Products, *ibid.*, 47, 2663 (1974).
- 14. S. Uemura, H. Miyoshi, K. Sohma, and M. Okano: Acetoxymercuration of Alkylphenylacetylenes,

J. Chem. Soc. Chem. Comm., 1975, 548.

- 15. S. Uemura, H. Miyoshi, H. Tara, M. Okano, and K. Ichikawa: Acetoxythallation of Terminal Acetylenes, *ibid.*, **1976**, 218.
- 16. S. Uemura, H. Miyoshi, A. Toshimitsu, and M. Okano: Oxidation of Olefins with Thallium(III) Acetate in Diols, *Bull. Chem. Soc. Japan*, 49, 3285 (1976).
- 17. S. Uemura, A. Toshimitsu, and M. Okano: Preparation of Some Alkylthallium(III) Dichlorides and Their Reactions with Potassium and Copper Halides, *ibid.*, **49**, 2762 (1976).

III. Chemistry of Some Reactive Compounds Having a-Hetero Atoms

- 1. Y. Ito, M. Okano, and R. Oda: Reactions of P-Ylides with Sulphenes, Tetrahedron, 23, 2137 (1967).
- 2. Y. Ito, S. Katsuragawa, M. Okano, and R. Oda: The α,β -Addition of Amide Chlorides to Various Unsaturated Bonds and the Chemistry of the Adducts, *ibid.*, 23, 2159 (1967).
- S. Tanimoto, M. Kurosaki, and R. Oda: Synthesis and Reactions of β-Chlorovinyl Sulfones, Yûki Gôsei Kagaku Kyôkai-shi (J. Soc. Org. Synth. Chem., Japan), 26, 361 (1968).*
- 4. S. Tanimoto, J. Horikawa, and R. Oda: Reactions of N-(Sulfomethyl)benzamide Derivatives with Benzamide Derivatives, Phthalimide, Carbazole and Indole, *ibid.*, 27, 59 (1969).*
- 5. M. Nishi, S. Tanimoto, M. Okano, and R. Oda: Some Reactions of N,N-Dimethylformamide Dimethylacetal, *ibid.*, 27, 754 (1969).*
- S. Tanimoto, S. Yasuda, and M. Okano: Synthesis and Some Reactions of β,β-Dichlorovinyl Sulfones, *ibid.*, 28, 1041 (1970).*
- 7. S. Yasuda, S. Tanimoto, and M. Okano: Transjointing Reaction of N-(Sulfomethyl)anilide and the Analogous Compounds, *ibid.*, 28, 1137 (1970).*
- S. Tanaka, M. Okano, and S. Tanimoto: The Reaction of N-Substituted Carbonimidic Dihalides with Grignard Reagents. The Generation of Alkyl or Aryl Halides from Grignard Reagents, *Bull. Chem. Soc. Japan*, 48, 1862 (1975).

IV. Reactions in Specific Solvents and Reactions Involving Solvent Incorporation

- 1. S. Uemura, O. Sasaki, and M. Okano: Carboxylation of Some Aromatic Hydrocarbons with Thallium(III) Chloride Tetrahydrate in Carbon Tetrachloride, *Chem. Comm.*, **1970**, 1139.
- S. Tanimoto, R. Taniyasu, and M. Okano: Some Substitution Reactions in Dimethyl Sulfoxide and Dimethylformamide, Yûki Gôsei Kagaku Kyőkai-shi (J. Soc. Org. Synth. Chem., Japan), 29, 166 (1971).*
- S. Uemura, O. Sasaki, and M. Okano: Concurrent Chlorination and Carboxylation of Aromatic Hydrocarbons with Thallium(III) Chloride Tetrahydrate in Carbon Tetrachloride, J. Chem. Soc. Perkin I, 1972, 2268.
- 4. N. Watanabe, M. Okano, and S. Uemura: The Reaction of Alkyl Halides with Mercuric Thiocyanate, Bull. Chem. Soc. Japan, 47, 2745 (1974).
- 5. N. Watanabe, S. Uemura, and M. Okano: The Reaction of Alkyl Halides with Mercuric Thiocyanate in Tetrahydrofuran. The Solvent Incorporation and the Intermediacy of O-Alkyltetrahydrofuranium Ions, *ibid.*, **48**, 3205 (1975).
- S. Tanimoto, R. Taniyasu, T. Takahashi, T. Miyake, and M. Okano: The Reactions of Polychloroethanes with Phenolate and Benzenethiolate Ions in Dipolar Aprotic Solvents, *ibid.*, 49, 1931 (1976).
- N. Watanabe, S. Uemura, and M. Okano: The Reaction of Alkyl Halides with Mercury(II) Salts in Tetrahydrofuran. A Facile Preparation of 4-Alkokybutyl Acetates and Chlorides, *ibid.*, 49, 2500 (1976).

V. Synthesis of Monomers and Polymers, and Polymer Reactions

(a) Monomer Synthesis

- S. Shimojo, S. Tanimoto, M. Okano, and R. Oda: Syntheses of Some Bifunctional Compounds from Dimethyl Terephthalate, Yûki Gôsei Kagaku Kyôkai-shi (J. Soc. Org. Synth. Chem., Japan), 26, 490 (1968).*
- S. Tanimoto, M. Nishi, M. Okano, and R. Oda: Syntheses of p-Vinylbenzyl Ethers and p-Vinylbenzyl Sulfides and Their Polymerizations, *ibid.* 27, 858 (1969).*

- S. Tanimoto, M. Kimura, and M. Okano: Synthesis of Acrylamide Derivatives by Ritter Reaction, *ibid.*, 28, 1035 (1970).*
- S. Tanimoto, Z. Mouri, and M. Okano: Reactions of the Grignard Reagents Prepared from 4-Chloro-2,5-dimethylstyrene and 4-Chloro-2,5-dimethyl-α-methylstyrene, *ibid.*, 29, 313 (1971).*
- 5. S. Tanimoto, T. Miyake, and M. Okano: A Convenient Preparation of *p*-Chloromethylstyrene and Its Reactions, *Synth. Comm.*, **4**, 193 (1974).
- 6. S. Tanimoto, R. Taniyasu, and M. Okano: The Synthesis of Several N,N'-Bis(hydroxymethyl) Parabanic Acid Derivatives, *Bull. Chem. Soc. Japan*, 48, 357 (1975).

(b) Polymer Synthesis and Polymer Reactions

- S. Tanimoto, J. Horikawa, and R. Oda: Formation of S-Ylide Polymer from Poly(p-vinylbenzyl methyl sulfide), Kógyo Kagaku Zasshi (J. Chem. Soc. Japan, Ind. Chem. Sec.), 70, 1269 (1967).*
- 8. J. Horikawa, S. Tanimoto, and R. Oda: Synthesis of Poly (amide-benzimidazoles), Kobunshi Kagaku (Chemistry of High Polymer), 24, 501 (1967).*
- 9. S. Shimojo, S. Tanimoto, M. Okano, and R. Oda: Synthesis of Polyquinacridonequinone, *ibid.*, 25, 16 (1968).*
- 10. M. Nishi, S. Tanimoto, R. Oda, and M. Okano: Synthesis and Polymerization of Some β -Oxyalkyl Acrylates, *ibid.*, 25, 850 (1968).*
- S. Tanimoto, J. Horikawa, M. Okano, and R. Oda: Syntheses and Applications of Polymer Having Mannich Base Group in the Side Chain, Yûki Gôsei Kagaku Kyôkai-shi (J. Soc. Org. Synth. Chem. Japan), 26, 680 (1968).*
- 12. S. Tanimoto, J. Horikawa, M. Okano, and R. Oda: Syntheses of Some Polymers from *p*-Vinylphenol, *ibid.*, 26, 1102 (1968).*
- M. Nishi, S. Tanimoto, R. Oda, and M. Okano: Condensation Polymers from Some Bifunctional Compounds Having a,a'-Dimethyl Groups, Kögyo Kagaku Zasshi (J. Chem. Soc. Japan, Ind. Chem. Sec.), 72, 1941 (1969).*
- S. Tanimoto, J. Horikawa, and R. Oda: Formation and Application of S-Ylide Polymer, Yûki Gôsei Kagaku Kyôkai-shi (J. Soc. Org. Synth. Chem., Japan), 27, 989 (1969).*
- 15. M. Nishi, S. Tanimoto, R. Oda, and M. Okano: Syntheses and Polymerizations of Acrylates from Keto Alcohols and Chlorinated Alcohols, *ibid.*, 27, 1235 (1969).*
- 16. S. Yasuda, S. Tanimoto, and M. Okano: Synthesis of Polymers Having 1,2-Diphenoxyethane Structure, *ibid.*, 28, 1141 (1970).*
- 17. Y. Imazu, S. Tanimoto, and M. Okano: Synthesis of Poly(amide-benzoxazoles), *ibid.*, 29, 717 (1971).*

VI. Miscellaneous

- S. Tanimoto, S. Shimojo, and R. Oda: Syntheses of 2-Aryl-3H-quinazolin-4-ones and 3-Aryl-2H-1,2,4-benzothiadiazine 1,1-Dioxides, Yûki Gôsei Kagaku Kyôkai-shi (J. Soc. Org. Synth. Chem., Japan), 26, 151 (1968).*
- S. Tanimoto, S. Shimojo, and R. Oda: Reaction of 2-Methoxy-1,3-dioxolane with Grignard Reagents, *ibid.*, 26, 435 (1968).*
- 3. S. Tanimoto, A. Kita, M. Okano, and R. Oda: Syntheses of Some Derivatives of Dicyclopropyl Ketone, *.bid.*, 27, 444 (1969).*
- 4. T. Ishibashi, S. Tanimoto, and M. Okano: Synthesis and Reactions of Amidines Having Azo Group, *ibid.*, 29, 420 (1971).*
- 5. S. Tanimoto and S. Yasuda: Synthesis of Some Chloroepoxides from *a*,β-Dichloropropionaldehyde, *ibid.*, **29**, 530 (1971).*
- 6. S. Tanimoto, Y. Imazu, M. Imuta, and M. Okano: Syntheses of Some Derivatives of 1,4-Dioxane and 1,3-Dioxolane, *Bull. Inst. Chem. Res., Kyoto Univ.*, **50**, 368 (1972).

VII. Reviews

- S. Tanimoto: Syntheses of Polystyrene-Type Reactive Polymers, Yûki Gôsei Kagaku Kyôkai-shi (J. Soc. Org. Synth. Chem., Japan, 26, 849 (1968).*
- 2. S. Tanimoto: Syntheses of Heterocyclic Compounds Using Amidines, ibid., 27, 551 (1969).*

- 3. S. Tanimoto: Organic Syntheses Using Acrylamide, ibid., 28, 1266 (1970).*
- 4. K. Ichikawa and S. Uemura: Organic Reactions by Thallium Salts, ibid., 29, 400 (1971).*
- 5. S. Uemura and K. Ichikawa: Synthesis and Reactions of Oxymethallated Compounds, in "Reactive Intermediates", Kagaku-dôzin, Kyoto (1971), p. 159.*
- 6. K. Ichikawa and S. Uemura: Oxidation Involved in Organometallic Reactions, Bull. Inst. Chem. Res. Kyoto Univ., 50, 225 (1972).
- 7. S. Uemura and M. Okano: Liquid Phase Halogenation with Metal Halides, ibid., 50, 423 (1972).

VIII. Copolymerization Reactions (Studied by Dr. Furukawa et al.)

- 1. J. Furukawa, Y. Iseda, K. Haga, and N. Kataoka: New Information on the Alternating Copolymerization of Butadiene-1,3 with Acrylonitrile, J. Polymer Sci., A-1, 8, 1147 (1970).
- 2. J. Furukawa, E. Kobayashi, and Y. Iseda: Kinetic Studies of the Alternating Copolymerization of Butadiene with Acrylonitrile Catalyzed by the Ethylaluminum Dichloride-Vanadyl Chloride System, *Polymer J.*, 1, 155 (1970).
- 3. J. Furukawa, E. Kobayashi, Y. Iseda, and Y. Arai: Alternating Copolymerization of Butadiene and Acrylic Compounds, *ibid.*, 1, 442 (1970).
- 4. J. Furukawa, Y. Iseda, and E. Kobayashi: Alternating Copolymerization of Butadiene with Acrylic Compounds: Monomer-Catalyst Complexes, *ibid.*, **2**, 337 (1971).
- J. Furukawa, E. Kobayashi, and J. Yamauchi: Copolymerization of Acrylonitrile with Vinyl Chloride Catalyzed by Ethylaluminum Chloride with or without Transition Metal Compounds, *ibid.*, 2, 407 (1971).
- 6. J. Furukawa, E. Kobayashi K. Haga, and Y. Iseda: The Relation between the Alternating Copolymerization and the Diels-Alder Reaction, *ibid.*, **2**, 475 (1971).
- 7. J. Furukawa and A. Nishioka: Mechanical Properties of Alternating Copolymers of Acrylonitrile and Butadiene, J. Appl. Polymer Sci., 15, 1407 (1971).
- 8. J. Furukawa, E. Kobayashi, K. Uratani, Y. Iseda, J. Umemura, and T. Takenaka: Infrared Absorption Spectra of Alternating Copolymers of Butadiene with Acrylonitrile and Deuterated Analogues, *Polymer J.*, 4, 358 (1973).
- 9. J. Furukawa, E. Kobayashi, and T. Kawagoe: Random Copolymerization of Acetylene and Butadiene, *Polymer Letters*, 11, 573 (1973).
- 10. J. Furukawa, E. Kobayashi, and Y. Arai: Infrared Spectra of Alternating Copolymer of Butadiene and Methyl Methacrylate, *Polymer J.*, 6, 489 (1974).
- 11. T. Suzuki, K. Mitani, Y. Takegami, J. Furukawa, E. Kobayashi, and Y. Arai: 220-MHz NMR Spectra of Methyl Methacrylate-1,3-Diolefin Alternating and Radom Copolymers, *ibid.*, **6**, 496 (1974).
- 12. J. Furukawa, E. Kobayashi, and M. Nakamura: Effect of Ultraviolet Irradiation on Terpolymerization of Sulfur Dioxide with Two Unsaturated Compounds, J. Polymer Sci., Polym. Chem., 12, 1851 (1974).
- 13. J. Furukawa, E. Kobayashi, and M. Nakamura: Terpolymerization of Sulfur Dioxide or Maleic Anhydride with Unsaturated Compounds under Ultraviolet Irradiation, *ibid.*, **12**, 2789 (1974).
- 14. J. Furukawa: Mechanism of Donor-Acceptor Alternating Copolymerization, J. Macromol. Sci.--Chem., A 9(6), 867 (1975).