

The Papers Published by the Staff Members of the Institute from July 1984 to June 1985

Nuclear Chemistry

Relaxation of Laser-Induced Signals from a Superconducting Tunnel Junction, M. Kubota, K. Kanoda, H. Mazaki, and R. Katano, *Bull. Inst. Chem. Res., Kyoto Univ.*, **63**, 1 (1985).

Superconducting Transition of Bulk Granular Systems (Ta), K. Kanoda and H. Mazaki *Bull. Inst. Chem. Res., Kyoto Univ.*, **63** 33 (1985).

Measurement of the Mass of the Electron Neutrino using Electron Capture in ^{169}Ho , S. Yasumi, F. Ochiai, M. Ando, H. Maezawa, H. Kitamura, M. Maruyama, M. Fuzioka, K. Ishii, T. Shinozuka, K. Sera, T. Omori, G. Izawa, M. Yagi, K. Masumoto, K. Shima, T. Mukoyama, Y. Inagaki, H. Taketani, I. Sugai, and M. Masuda, *KEK Preprint*, 84-9, (1984).

Relativistic Calculations of N-Shell X-Ray Emission Rates, T. Mukoyama and H. Adachi, *J. Phys. Soc. Japan*, **53**, 3782 (1984).

Electronic Relativistic Effect in Inner-Shell Ionization Cross Section and Electron Momentum Distribution, T. Mukoyama, *J. Phys. Soc. Japan*, **53** 2219 (1984).

Higher Order Processes in L-Shell Ionization, L. Sarkadi and T. Mukoyama, *Nucl. Instr. Meth.*, **B 4** 296 (1984).

Relativistic Calculations of Collision-Induced Intrashell Transition, T. Mukoyama, *Abst. Intern. Conf. on X-Ray and Inner-Shell Processes in Atoms, Molecules and Solids, August 20-24, 1984, Leipzig*, ed. by A. Meisel, 313 (1984).

Electronic Relativistic Effects in Ion-Atom Collisions, T. Mukoyama, "High-Energy Ion-Atom Collisions 2" ed. by D. Berényi and G. Hock (Akadémiai Kiado, Budapest, 1985), 31 (1985).

Measurement of the Mass of the Electron Neutrino using Electron Capture in ^{169}Ho , S. Yasumi, F. Ochiai, M. Ando, H. Maezawa, H. Kitamura, M. Maruyama, M. Fuzioka, K. Ishii, T. Shinozuka, K. Sera, T. Omori, G. Izawa, M. Yagi, K. Masumoto, K. Shima, T. Mukoyama, Y. Inagaki, H. Taketani, I. Sugai, M. Masuda, and O. Kawakami, *KEK Preprint*, 84-19 (1985).

Dead-Time Effect in Multi-Channel Pulse-Height Analyzer, T. Mukoyama, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 287 (1984).

Relativistic Calculations of the 1s-2s Excitation Cross Sections of Hydrogen-Like Ions by Heavy-Charged Particle Impact, T. Mukoyama, *Bull. Inst. Chem. Res., Kyoto Univ.*, **63**, 16 (1985).

M-Shell Internal Ionization Accompanying Electron Capture, T. Mukoyama, *Bull. Inst. Chem. Res., Kyoto Univ.*, **63**, 24 (1985).

Least-Squares Fit for Precise Determination of Decay Constants, R. Katano and Y. Isozumi, *Nucl. Instr. Meth.* **222**, 557 (1984).

Density and Temperature Dependences of Ortho-Positronium Annihilation Rate in Low Temperature Gaseous N₂, T. Kawaratani, Y. Nakayama, and T. Mizogawa, *Phys. Lett.*, **108 A**, 75 (1985).

Precise Measurements of Positron-Helium Total Cross Sections from 0.6 to 22 eV, T. Mizogawa, Y. Nakayama, T. Kawaratani, and M. Tosaki, *Phys. Rev. A*, **31**, 2171 (1985).

A High Energy Version of RCNP Ring Cyclotron, I. Miura, T. Yamazaki, S. Shimizu, M. Inoue, K. Hosono, T. Itahashi, T. Saito, I. Katayama, M. Fujiwara, Y. Kadota, M. Fuki and M. Kondo, *Proceedings of the Tenth International Conference on Cyclotrons and Their Applications*, 1984, 579 (1984).

Beam Dynamics for a Proposed RCNP Ring Cyclotron, T. Yamazaki, K. Hosono, M. Inoue, M. Fuki, Y. Kadota and I. Miura, *Proceedings of the Tenth International Conference on Cyclotrons and Their Applications*, 1984, 24 (1984).

Aluminium RF Cavity for the RCNP Ring Cyclotron, T. Saito, M. Inoue, A. Shimizu, H. Tamura and I. Miura, *Proceedings of the Tenth International Conference on Cyclotrons and Their Applications*, 1984, 381 (1984).

Excitation of 0⁻ states by $^{16}\text{O}(\vec{p}, p')$ ^{16}O inelastic scattering, K. Hosono, M. Fujiwara, K. Hatanaka, H. Ikegami, M. Kondo, N. Matsuoka, T. Saito, S. Matsuki, K. Ogino and S. Kato, *Phys. Rev. C*, **30**, 746 (1984).

Inelastic Scattering of 65 MeV Protons from ^{12}C , ^{24}Mg , ^{28}Si and ^{32}S , S. Kato, K. Okada, M. Kondo, K. Hosono, T. Saito, N. Matsuoka, K. Hatanaka, T. Noro, S. Natamachi, H. Shimizu, K. Ogino, Y. Kadota, S. Matsuki and M. Wakai, *Phys. Rev. C*, **31**, 1616 (1985).

Beam-Cavity Interaction Measurements in a DAW Structure, T. Iwashita, S. O. Schriber, J. M. Potter, D. A. Swenson and G. S. Mavrogenes, *Proceedings of 1985 Particle Accelerator Conference, Accelerator Engineering and Technology Vancouver, British Columbia May 13-16*, (1985).

A Gas Target System for Nuclear Scattering Experiments with Broad Range Magnetic Spectrograph, S. Matsuki, K. Ogino and N. Sakamoto, *Bull. Inst. Chem. Res., Kyoto Univ.*, **63**, 40 (1985).

Superconducting Cyclotron, H. Takekoshi, *Teion Kogaku* **20**, 81-90 (1985), in Japanese.

Field Stabilization of the Alvarez Linac by Post Coupler, M. Sawamura and H. Takekoshi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **63**, 9-15 (1985).

Analytical Chemistry

Determination of Samarium in Apatite Minerals by Solvent Extraction-inductively Coupled Plasma Atomic Emission Spectrometry, O. Fujino, Y. Kometani, M. Sugiyama, and M. Matui, *Bunseki Kagaku (Analytical Chemistry)*, **33**, 465-471 (1984), in Japanese.

Direct Determination of Barium in Sea Water by Inductively Coupled Plasma Emission Spectrometry, M. Sugiyama, M. Matui and E. Nakayama, *J. Oceanog. Soc. Japan*, **40**, 295-302 (1984).

Voltammetric Interpretation of the Potential at an Ion-Selective Electrode, based on Current-Scan Polarograms observed at the Aqueous/Organic Solution Interface, S. Kihara, Z. Yoshida, *Talanta*, **31**, 789-797 (1984).

Determination of Europium in Phosphate Minerals by Solvent Extraction-atomic Absorption Spectrometry with a Pyrolytic-graphite-coated carbon Tube Atomizer, O. Fujino, T. Atano, M. Sugiyama, and M. Matsui, *Bunseki Kagaku (Analytical Chemistry)*, **33**, 604-608 (1984), in Japanese.

A New Approach for Ion-Transferring Electrode Reaction, T. Fujinaga and S. Kihara, *Kagaku (Chemistry)*, **39**, 761-765 (1984), Review in Japanese.

A New Approach for Ion-Transferring Electrode Reaction, T. Fujinaga and S. Kihara, *Kagaku (Chemistry)*, **39**, 840-845 (1984), Review in Japanese.

Substitution of the Axial Ligand in Bis (3, 4-Dimethylpyridine) Bis (2, 2'-Difurylglyoximato) Iron (II) by Cyanide in Chloroform, Y. Sasaki, *Chem. Lett.*, 171-174 (1985).

Nonaqueous Liquid-Liquid Extraction of Zinc, Cadmium and Cobaltous Ions from Ethylene Glycol and Propylene Glycol Solutions of Chloride by Long Chain Alkyl Amine and Alkyl Ammonium Compound, Y. Wada, T. Aoki, T. Kumagai, and M. Matsui, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 348-355 (1984).

The Distribution Behavior of Zinc Chloride and Perchlorate Complexes in Acetone-Water Solution by the Cation Exchange Method, T. Kumagai, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 325-332 (1984).

Extractive Spectrophotometric Determination of Iron (II) with 2, 6-[1-(2-Methoxyethylimino)ethyl] pyridine and Sodium Picrate, Y. Sasaki, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 298-302 (1984).

Solvent Extraction of Zinc and Cadmium with 4-Benzyl-3-methyl-1-phenyl-5-pyrazolone and Quaternary Ammonium Salt, S. Umetani, M. Matsui, H. Kawano and T. Nagai, *Analy. Sci. Japan Soc. Analy. Chem.*, **1**, 55-58.

Hydroxides of Plutonium (III), (IV), and (VI), H. Aoyagi, Z. Yoshida, T. Adachi and S. Kihara, *Nippon Kagaku Kaishi (J. Chem. Soc. Japan, Chem. and Indus. Chem.)*, 1249-1256 (1984),

Physical Chemistry

Curie Transition in Copolymers of Vinylidene Fluoride and Tetrafluoroethylene, Y. Murata and N. Koizumi, *Polymer Journal*, 17, 1071 (1985).

Polarization Reversal and Double Hysteresis Loop in Copolymers of Vinylidene Fluoride and Trifluoroethylene, N. Koizumi, Y. Murata and H. Tsunashima, *Proceedings of 5th International Symposium on Electrets*, edited by G. M. Sessler and R. Gerhard-Multhaup, IEEE Electrical Insulation Society, 936 (1985).

Dielectric Analysis of Mitochondria Isolated from Rat Liver, I. Swollen Mitoplasts as Simulated by a Single-Shell Model, K. Asami, A. Irimagiri, T. Hanai, N. Shiraishi and K. Utsumi, *Biochim. Biophys. Acta*, 778, 559 (1984).

Dielectric Approach to Polystyrene Microcapsule Analysis and the Application to the Capsule Permeability to Potassium Chloride, H. Z. Zhang, K. Sekine, T. Hanai and N. Koizumi, *Colloid and Polymer Sci.*, 262, 513 (1984).

Dielectric Behavior of Underwater Poly(methyl methacrylate) Films, T. Hanai, K. Sekine and N. Koizumi, *Report Prog. Polym. Phys. Jpn.* 27, 421 (1984).

Dielectric Properties of Underwater Poly(methyl methacrylate) Films, K. Sekine, T. Hanai and N. Koizumi, *Membrane*, 9, 351 (1984).

Dielectric Study of Some Ion-Exchange Resins, A. Ishikawa, T. Hanai and N. Koizumi, *Bull. Inst. Chem. Res., Kyoto Univ.*, 62, 251 (1984).

Dielectric Properties of Quaternary Ammonium Ion-Exchange Beads Dispersed in Aqueous Phases, A. Ishikawa, T. Hanai and N. Koizumi, *Colloid and Polymer Sci.*, 262, 477 (1984).

Dielectric Properties of Ion-Exchange Beads of Sulfonic Acid Type Dispersed in Aqueous Solutions — Effect of Fixed Charge Density, A. Ishikawa, T. Hanai and N. Koizumi, *Colloid and Polymer Sci.*, 263, 428 (1985).

Five Minutes to Make Chemistry Enjoyable — Handy and Experimental Demonstration, T. Hanai, *Kagaku-Doujin*, (1984), in Japanese.

Permeation Phenomena in Charged Membranes, T. Hanai, *Chemistry Monograph Series* no. 45, Functional Organic Thin Membranes, Ed. by the Chemical Society of Japan, Gakkai Shuppan Centre, Tokyo, (1984), Review in Japanese.

Morphology of Small Hollow Beads — Photographs of Polystyrene and Ethylcellulose Microcapsules —, T. Hanai and K. Asami, *Polymer Applications (Koubunshi Kakou)*, in Japanese, 34, 57 (1985).

Crystal Structure of Fe_2TiO_5 , M. Shiojiri, S. Sekimoto, T. Maeda, Y. Ikeda and K. Iwauchi, *Phys. Stat. Sol. (a)*, 84, 55 (1984).

Structure Analysis of Fe_2TiO_5 Crystal by HRTEM, M. Shiojiri, S. Sekimoto, T. Maeda, Y. Ikeda and K. Iwauchi *Proceedings of 3rd Asia Pacific Conference*

on Electron Microscopy, Singapore, Sept. 1984. Published by Applied Research Corporation, Singapore 1024, 142,

Magnetic and Dielectric Relaxations of Fe_3O_4 and Some Ferrites, K. Iwauchi and N. Koizumi, *Phys. Stat. Sol. (a)*, **87**, 617 (1985).

Dielectric Relaxation in Fe_3O_4 , K. Iwauchi, *Phys. Stat. Sol. (a)*, **92**, 925 (1985).

Pyroelectricity in Oriented Polytrifluoroethylene, Y. Oka and N. Koizumi, *Jpn. J. Appl. Phys.*, **24**, 669 (1985).

Dynamic Mechanical Dispersion in Copolymers of Vinylidene Fluoride and Trifluoroethylene, Y. Murata and N. Koizumi, *Polym. J.* **17**, 385 (1985).

Observations of Cellulose Microfibrils in Valonia Macrophysa by High Resolution Electron Microscopy, J. Sugiyama, H. Harada, Y. Fujiyoshi and N. Uyeda, *Mokuzai Gakkaishi*, **31**, 61 (1985).

High Resolution Imaging and Interpretation of Regular and Irregular Structures in n-Niobium Pentoxide Crystal, N. Uyeda, Y. Fujiyoshi and K. Ishizuka, *Ultramicroscopy*, **15**, 139 (1984).

Direct Imaging of Organic Molecules in Crystals by High Resolution Electron Microscopy at Atomic Level, N. Uyeda, *Dyes and Pigments*, **6**, 115-134 (1985).

Direct Molecular Imaging of Low Dimensional Solids by High Resolution Electron Microscopy, N. Uyeda, T. Kobayashi, K. Ishizuka, Y. Fujiyoshi, H. Inokuchi and G. Saito, *Mol. Cryst. Liq. Cryst.*, **125**, 103-112 (1985).

Epitaxial Growth of a Highly Conductive Charge Transfer Complex from Vapor Phase-TTF-TCNQ-, K. Yase, O. Okumura, T. Kobayashi and N. Uyeda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 242-250 (1984).

Direct Observation of Structure Change in Ni-Phthalocyanine Caused by Iodine Doping, T. Kobayashi, K. Yase and N. Uyeda, *Acta Cryst.*, **B 40**, 263-271 (1984).

Crystal Behavior of Zinc Phthalocyanine Films in Alcohols, F. Iwatsu, *J. Crystal Growth*, **71**, 629-638 (1985).

Comments on the Computation of Electron Wave-Propagation in the Slice Methods, K. Ishizuka, *J. of Microscopy*, **137**, 233-239 (1985).

Fourier Transform Infrared Study on the Phase Transitions of a Water-Dioctadecylmethylammonium Chloride System, J. Umemura, T. Kawai, T. Takenaka, M. Kodama, Y. Ogawa and S. Seki, *Mol. Cryst. Liq. Cryst.*, **112**, 293 (1984).

Fourier Transform Infrared Study on the Phase Transitions of an Octadecyltrimethylammonium Chloride-Water System, T. Kawai, J. Umemura, T. Takenaka, M. Kodama and S. Seki, *J. Colloid Interface Sci.*, **103**, 56 (1985).

Fourier Transform Infrared-Attenuated Total Reflection Spectra of Dipalmitoyl Phosphatidylcholine Monomolecular Films, E. Okamura, J. Umemura and T. Take-

naka, *Biochim. Biophys. Acta*, **812**, 139 (1985).

Fourier Transform Infrared Study on Black Soap Films, J. Umemura, M. Matsumoto, T. Kawai and T. Takenaka, *Can. J. Chem.*, **63**, 1713 (1985).

Organic Thin Films for Information Conversion — Interfacial Membranes, T. Takenaka, *Kagaku Sosetsu*, Ed. by Chemical Society of Japan, Gakkai Shuppan Center, Tokyo, 1984, Chapter 2-D, Review in Japanese.

Surface Enhanced Raman Scattering by Isomeric Monobromopyridines Adsorbed on Gold and Silver Sol Particles, T. Takenaka, K. Eda, M. Mabuchi, Y. Fujiyoshi and N. Uyeda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 219 (1984).

Surface Enhanced Raman Scattering by 4-Bromopyridine Adsorbed on Colloidal Au-Pt Alloy Particles, T. Takenaka and K. Eda, *J. Colloid Interface Sci.*, **105**, 342 (1985).

Raman Study of Rotational Motion and Vibrational Dephasing Dynamics of NO_3^- in Molten Nitrates, T. Kato and T. Takenaka, *Molecular Phys.*, **54**, 1393 (1985).

Spin-State Equilibrium in the Model Complexes of Azide Hemoprotein, S. Neya, S. Hada, N. Funasaki, J. Umemura and T. Takenaka, *Biochim. Biophys. Acta*, **827**, 157 (1985).

Interaction of the Surface of BeO with Water: In Connection with the Two-Dimensional Condensation of Water, T. Miyazaki, Y. Kuroda, K. Morishige, S. Kittaka, J. Umemura, T. Takenaka and T. Morimoto, *J. Colloid Interface Sci.*, **106**, 154 (1985).

FT-IR Study of Synthetic Bilayer Membranes, N. Yamada, N. Nakashima, T. Kunitake, J. Umemura and T. Takenaka, *Reports of the Analysis Center, Kyushu Univ.*, **43** (1984), in Japanese.

Raman and Infrared Spectra of the 7-cis and Di-cis Isomers of Retinal, Y. Kobayashi, Y. Murai, J. Umemura, M. Ito and K. Tsukida, *J. Raman Spectrosc.*, **15**, 300 (1984).

Molecular Dynamics Using Internal Coordinates, I. Infrared Spectra of Sulfur Dioxide S. Hayashi, M. Oobatake, T. Ooi and K. Machida, *Bull. Chem. Soc. Jpn.*, **58**, 1105 (1985).

Entropy Difference between Cis and Trans Configurations in Crystalline Fatty Acids, R. Nakamura, J. Umemura and S. Hayashi, *J. Molecular Structure*, **127**, 167 (1985).

Proton Transfer in Solid Benzoic Acid. Reply to the Comment by K. Furić, S. Nagaoka, T. Terao, F. Imashiro, N. Hirota and S. Hayashi, *Chem. Phys. Lett.*, **108**, 524 (1984).

Adsorption of Dodecylhexaoxyethylene Glycol Monoether at a Stationary Mercury Electrode, M. Kaisheva, V. Kaishev and M. Matsumoto, *J. Electroanal. Chem.*, **171**, 111 (1984).

The Adsorption Structure of Nonionic Surfactant on the Sessile Mercury Electrode in a Thin Liquid Film, M. Matsumoto and M. Kaisheva, *Colloid and Polymer Sci.*, **263**, 512 (1985).

Calorimetric Studies of the Interaction between the Lecithin and Copolymers of L-Lysine and L-Leucine, M. Nakagaki and E. Okamura, *Bull. Chem. Soc. Jpn.*, **58**, 546 (1985).

The EUV Photoexcitation of a H₂S Molecule, T. Ibuki, *J. Chem. Phys.*, **81**, 2915 (1984).

Selectivity in Selenoxide and Telluroxide Eliminations as Double Bond Forming Reactions, S. Uemura and A. Toshimitsu, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 105 (1984).

Pyridylseleno Group in Organic Synthesis. Preparation and Oxidation of α -(2-Pyridylseleno) carbonyl Compounds Leading to α,β -Unsaturated Ketones and Aldehydes, A. Toshimitsu, H. Owada, K. Terao, S. Uemura and M. Okano, *J. Org. Chem.*, **49**, 3796 (1984).

Intramolecular Amidoselenation Leading to Lactams by the Reaction of N-Alkylalkenamides with Benzeneselenenyl Chloride, A. Toshimitsu, K. Terao, and S. Uemura, *Tetrahedron Lett.*, **25**, 5917 (1984).

Pyridylseleno Group in Organic Synthesis. Part 4. Oxseleniation of Olefins Using Pyridine-2-selenenyl Bromide as a Selenium Reagent and Its Utilization in the Synthesis of 2-Pyridyl Vinylic Selenides, A. Toshimitsu, H. Owada, K. Terao, S. Uemura, and M. Okano, *J. Chem. Soc., Perkin I*, 373 (1985).

Liquid-phase 1,4-Diacetoxylation of Conjugated Dienes with Tellurium (IV) Oxide and Alkali Metal Halides, S. Uemura, S. Fukuzawa, and S. R. Patil, *J. Chem. Soc., Perkin I*, 499 (1985).

Oxidation of Alkyl Phenyl Selenides, Tellurides, and Telluroxides with *Meta*-Chloroperbenzoic Acid for a Facile and Novel Transformation of C-Se and C-Te Bonds to C-O Bonds, S. Uemura and S. Fukuzawa, *J. Chem. Soc., Perkin I*, 471 (1985).

Telluroxide Elimination by Direct Oxidation of Alkyl Phenyl Telluride, S. Uemura, K. Ohe, and S. Fukuzawa, *Tetrahedron Lett.*, **26**, 895 (1985).

Allylic Alcohols Formation by Oxidation of Allylic Phenyl Tellurides. A Possible [2,3] Sigmatropic Rearrangement of Allylic Telluroxides, S. Uemura, S. Fukuzawa, and K. Ohe, *Tetrahedron Lett.*, **26**, 921 (1985).

A Facile Insertion of Carbon Monoxide into C-Te Bonds of Organotellurium (II) and (IV) Compounds Leading to Carboxylic Acids, S. Uemura, K. Ohe, J.-R. Kim, K. Kudo, and N. Sugita, *J. Chem. Soc., Chem. Commun.*, 271 (1985).

Direct Synthesis of Ethylidene Diacetate from Methyl Acetate and Synthesis Gas

by Mixed Rhodium-Palladium Catalyst, K. Kudo, S. Mori, and N. Sugita, *Chemistry Lett.*, 265 (1985).

Inorganic Chemistry

Formation of Glass and Amorphous Oxide Fibers from Solution, S. Sakka, *Mat. Res. Soc. Symp. Proc.* **32**, 91 (1984).

Hydration of Silicate, Phosphate and Borate Glasses in an Autoclave, T. Yoko, K. Kamiya, S. Sakka and Z. J. Huang, *Rivista Della Staz. Sper. Vetro*, **5**, 99 (1984).

Hydration of Phosphate and Borate Glasses at High Temperatures and Pressures, Z. J. Huang, S. Sakka, T. Yoko and K. Kamiya, *J. Mat. Sci.*, **19**, 2705 (1984).

Coordination of Ti^{4+} and Ge^{4+} Ions in $Na_2O \cdot TiO_2 \cdot GeO_2$ Glasses — An Approach Based on Crystallization Behaviour, X-Ray Absorption and IR Spectroscopy, K. Kamiya, T. Yoko and S. Sakka, *J. Mat. Sci.*, **20**, 906 (1985).

Electronic Spectra of Transition Metal Ions in Gel-Derived and Melt-Derived Glasses, S. Sakka, S. Ito and K. Kamiya, *J. Non-Crystal. Solids*, **71**, 311 (1985).

Oxidation State of Copper Ions in Silicate Glasses Prepared by Different Methods, T. Yoko, K. Kamiya and S. Sakka, *J. Non-Crystal. Solids*, **71**, 245 (1985).

Coatings by Sol-Gel Method, S. Sakka, *Kagaku-Kogyo (Chemical Industry)*, **35**, 581 (1984), Review in Japanese.

Glass Science and Technology in Japan, S. Sakka, *Ceramic Bulletin*, **63**, 1136 (1984).

Topics in Recent Ceramics — New Ceramics and Low Temperature Synthesis, S. Sakka, *Kobunshi-Kako (Forming of Polymers)*, **34**, 9 (1985), Review in Japanese.

New Process for Preparing Glasses Amorphous Materials, S. Sakka, *Kagaku-Sochi (Chemical Apparatus)*, **3**, 98 (1985), Review in Japanese.

Low Temperature Synthesis of Glasses by Sol-Gel Method, S. Sakka, *Saiensu (Science)*, **6**, 30 (1985), Review in Japanese.

Mechanical Properties of a New Type of Apatite-Containing Glass-Ceramic for Prosthetic Application, T. Kokubo, S. Ito, M. Shigematsu, S. Sakka and T. Yamamoto, *J. Mater. Sci.*, **20**, 2001 (1985).

Glasses for Biomedical Applications, T. Kokubo, *New Glasses and their Properties*, Keieishisutemu-Kenkyusho, 813 (1984), Review in Japanese.

An Experimental Study of Three Kinds of Glass-Ceramics Containing Apatite, Wollastonite and Whitlockite, T. Kitsugi, T. Yamamoto, S. Higashi, Y. Kakutani, T. Nakamura, S. Ito, T. Kokubo and M. Shigematsu, *Chubunihon-Seikeigeka-Saigai-geka-Gakkaizasshi*, **27**, 2136 (1984), in Japanese.

Experimental Study on Reaction Between Bone and Glass-Ceramic (A-W-GC) Containing Apatite and Wollastonite in Load-Bearing Conditions, T. Kitsugi, T. Yamamuro, S. Higashi, Y. Kakutani, K. Hyakuna, T. Nakamura, S. Ito, T. Kokubo and T. Shibuya, *Seikeigeka-Kisokagaku*, **12**, 266 (1985), in Japanese.

Effect of Alkaline Earth Ions on Alkaline Durability of High TiO₂ Content Glasses, H. Takagi and T. Kokubo, *Yogyo-Kyokai-Shi*, **92**, 444 (1984), in Japanese.

Artificial Bone for Use as a Bone Prosthesis, T. Yamamuro, T. Nakamura, S. Higashi, R. Kasai, Y. Kakutani, T. Kitsugi and T. Kokubo, *Progress in Artificial Organs-1983*, Vol. 2, ISAO Press No. 204, Cleveland, 810 (1984).

Ceramics for Medical Applications-4. Glasses for Biomedical Applications, T. Kokubo, *Jinko-Zoki (Artificial Organs)*, **13**, 1383 (1984), Review in Japanese.

Bioceramics, T. Kokubo, *Kagaku (Chemistry)*, **39**, 821 (1984), Review in Japanese.

Artificial Superlattices, Y. Bando and T. Terashima, *Kagaku (Chemistry)*, **40**, 1 (1985), in Japanese.

Crystal Structure of Fe₂TiO₅, M. Shiojiri, S. Sekimoto, T. Maeda, Y. Ikeda and K. Iwauchi, *Physica Status Solidi (a)*, **84**, 55 (1984).

Artificial Superlattice of Oxides and Material Design, Y. Bando, *Gakuzyutu Geppo (Japanese Scientific Monthly)*, **87**, 368 (1984), in Japanese.

Hysteresis Loop and Magnetic Material Design, Y. Bando, *Kagaku to Kogyo (Chemistry and Chemical Industry)*, **37**, 813 (1984), in Japanese.

Formation of Artificial Superlattice Composed of Ultrathin Layers of CoO and NiO by Reactive Evaporation, T. Terashima and Y. Bando, *J. Appl. Phys.*, **56**, 3445 (1984).

Perovskite Oxides Containing Fe⁴⁺, M. Takano, *Kagaku (Chemistry)*, **39**, 723 (1984), in Japanese.

Microscopic Magnetic Properties of Fe-V Metallic Superlattice Investigated from ⁵¹V NMR, K. Takanashi, H. Yasuoka, K. Kawaguchi, N. Hosoi and T. Shinjo, *J. Phys. Soc. Jpn.*, **53**, 4315 (1984).

Magnetic Properties of Fe-V Multilayered Films with Artificial Superstructures, N. Hosoi, K. Kawaguchi, T. Shinjo, T. Takada and Y. Endoh, *J. Phys. Soc. Jpn.*, **53**, 2659 (1984).

⁵⁹Co NMR Observation for Compound Formation at Interface of Co-Sb Multilayered Film, K. Takanashi, H. Yasuoka, K. Takahashi, N. Hosoi, T. Shinjo, and T. Takada, *J. Phys. Soc. Jpn.*, **53**, 2445 (1984).

Structure Modulation of Fe-V Artificial Superstructure Films, Y. Endoh, K. Kawaguchi, N. Hosoi, T. Takada, Y. Fujii and T. Ohnishi, *J. Phys. Soc. Jpn.*, **53**,

348 (1984).

Mössbauer Study of Fe-Mg Multilayered Films with Artificial Superstructures, T. Shinjo, K. Kawaguchi, R. Yamamoto, N. Hosoi and T. Takada, *Solid State Commun.*, **52**, 257 (1984).

Preparation and Characterization of Fe/Mg Superlattice Films, T. Shinjo, K. Kawaguchi, R. Yamamoto, N. Hosoi and T. Takada, *Thin Solid Films*, **125**, 273 (1985).

Polymer Chemistry

An Asymmetric Synthesis of 2,4-Dimethylvalerolactone and Mevalonolactone using Chiral Binaphthylamine Derivatives, Y. Kawakami, J. Hiratake, Y. Yamamoto, and J. Oda, *J. Chem. Soc., Chem. Commun.*, 779-781 (1984).

Optical Resolution and Asymmetric Synthesis of Optically Active Compounds by Enzymatic and Non-enzymatic Methods, Y. Yamamoto and J. Oda, *Kagaku to Seibutsu*, **23**, 446-454 (1985), Review in Japanese.

Asymmetric Reduction with Chiral NADH Model Compounds: A Dynamic Aspect of Product Stereochemistry, N. Baba M. Amano, J. Oda and Y. Inouye, *J. Amer. Chem. Soc.*, **106**, 1481-1486 (1984).

Asymmetric Reduction with Bis(NADH) Model Compounds Bridged by Tartaric Acid Derivatives, S. Ohi, F. Hoshida, N. Baba, J. Oda and Y. Inouye, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 39-49 (1984).

Asymmetric Reduction of Ethyl Benzoylformate with Chiral NADH Model Systems: Mechanistic and Stereochemical Consideration of the Reactions Based on the Complexation Properties of the Model Compounds, M. Amano, N. Baba, J. Oda and Y. Inouye, *Bioorganic Chemistry*, **12**, 299-311 (1984).

Effect of Insect Growth Regulators on the *in vitro* Ecdysis of Cultured Integument of *Chilo Suppressalis*, T. Nishioka, *Nippon Nōgeikagaku Kaishi*, **59**, 39-47 (1985), Review in Japanese.

Formation of Alkoxyphenyl Derivatives of Carbofuran by Acid-Catalyzed Alcoholysis of Carbosulfan, N. Umetsu, T. Nishioka and T. R. Fukuto, *J. Agr. Food Chem.*, **32**, 765-768 (1984).

¹³C NMR Spectra of *p*- and *m*-Substituted Phenyl N-Methyl- and Phenyl *N*, *N*-Dimethylcarbamates, C. Yamagami, N. Takao, T. Nishioka, T. Fujita and Y. Takeuchi, *Organic Magnetic Resonance*, **22**, 439-445 (1984).

Antitumor Diterpenoids from *Rabdocia Trichocarpa*: Trichorabdal E. F. and H and G Acetate, M. Node, M. Sai, E. Fujita, and K. Fuji, *Heterocycles*, **22** (No. 8), 1701 (1984).

Hard Acid and Soft Nucleophile Systems. 9. Cleavage of Activated Carbon-Carbon

Double Bonds with a Hard Lewis Acid and Ethanethiol, K. Fuji, T. Kawabata, M. Node, and E. Fujita, *J. Org. Chem.*, **49** (No. 17), 3214 (1984).

Hard Acid and Soft Nucleophile Systems. 8. Reductive Dehalogenation of o- and p-Halopheuds and Their Derivatives, M. Node, T. Kawabata, M. Fujimoto, E. Fujita, and K. Fuji, *J. Org. Chem.*, **49**, 3641 (1984).

Lewis Acid Mediated Thienium Cation Diels-Alder Reaction: A New Method for Regio- and Stereoselective Functionalization of 1,3-Dienes, K. Fuji, S. P. Khana-pure, M. Node, T. Kawabata, and A. Ito, *Tetrahedron Lett.*, **26** (6), 779 (1985).

Terpenoids. XLVIII. New Diterpenoids from *Rabdossia shikokiana* var. *occidentalis*, M. Node, N. Ito, I. Uchida, E. Fujita, and K. Fuji, *Chem. Pharm. Bull.*, **33** (No. 3), 1029 (1985).

Terpenoids. XLIX. Reactions of Shikoccin: Oxidation, Catalytic Reduction, and Conversion into Abietane Skeleton, K. Fuji, N. Ito, I. Uchida, and E. Fujita, *Chem. Pharm. Bull.*, **33** (No. 3), 1034 (1985).

Terpenoids. L. Antitumor Activity of Diterpenoids from *Rabdossia shikokiana* var. *occidentalis*, K. Fuji, N. Node, N. Ito, E. Fujita, S. Takeda, and N. Unemi, *Chem. Pharm. Bull.*, **33** (No. 3), 1038 (1985).

Development of New Antitumor Agents, K. Fuji, *Chemistry*, **40**, 142 (1985).

Chemistry of 1,3-Oxathianes. Synthesis and Conformation of 2-Substituted 1,3-Oxathianes, K. Fuji, M. Ueda, K. Sumi, K. Kajiwara, E. Fujita, T. Iwashita, and I. Miura, *J. Org. Chem.*, **50** (No. 5), 657 (1985).

Chemistry of 1,3-Oxathianes. Reactivity of 2-Heterosubstituted 1,3-Oxathianes toward *sec*-Butyllithium and the Reaction of 2-(Trimethylsilyl)-1,3-Oxathianyl Anion with Electrophiles, K. Fuji, M. Ueda, K. Sumi, and E. Fujita, *J. Org. Chem.*, **50** (No. 5), 662 (1985).

Enantioselective Lactonization of Sodium 4-Hydroxypimelate under Abiological Conditions, K. Fuji, M. Node, S. Terada, M. Murata, H. Nagasawa, T. Taga, and K. Machida, *J. Amer. Chem.*, **107** (No. 22) 6404 (1985).

Regiospecific Synthesis of Mono- and Bicyclic 6-Alkoxy-2-pyrones and Their Use in the Preparation of Substituted Aromatics, Anthraquinones, and Tetracyclic Intermediates for II-Deoxyanthracycline Synthesis, M. E. Jung, J. A. Lowe, III, M. A. Lyster, M. Node, R. W. Pfluger, and R. W. Brown, *Tetrahedron*, **40** (No. 22), 4751 (1984).

Diterpenoids of *Rabdossia* Species, E. Fujita and M. Node, *Progress in the Chemistry of Organic Natural Products*, Ed. W. Herz, Springer-Verlag, **46**, 77-157 (1984).

The Chemistry on Diterpenoids in 1981, E. Fujita, K. Fuji, Y. Nagao, M. Node, and M. Ochiai, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 124 (1984).

Syntheses of Optically Active Substances from the Meso Compounds and the Compounds Having a Prochiral Carbon Atom, Y. Nagao and E. Fujita, *J. Synth. Org. Chem. Jpn.*, **42**, 622 (1984), Review in Japanese.

A Convenient Method for the Synthesis of $\alpha\beta$ -Unsaturated Carboxylic Acid Amides Utilizing a New Hetero-Bifunctional Reagent, DMPATT, Y. Nagao, Y. Hagiwara, S. Yamada, M. Ochiai, and E. Fujita, *Chem. Pharm. Bull.*, **32**, 4686 (1984).

Design for Asymmetric Synthesis and Determination of the Optical Yield, Y. Nagao, *Farumashia*, **19**, 179 (1983), Review in Japanese.

Development of New Method for Chiral Synthesis and High Performance Liquid Chromatography, Y. Nagao, *LC Family*, **19**, 1 (1984), Review in Japanese.

Monitored Aminolysis of 3-Acyl-1,3-thiazolidine-2-thiones: Synthesis of Amides and Amide Alkaloids, Y. Nagao, K. Seno, K. Kawabata, T. Miyasaka, S. Takao, and E. Fujita, *Chem. Pharm. Bull.*, **32**, 2687 (1984).

Peptide-bond Formation, Chemoselective Acylation of Amino Acids, and Crosslinking Reaction between Amino Acids Utilizing a Functional Five-membered Heterocycle, 1,3-Thiazolidine-2-thione, Y. Nagao, T. Miyasaka, K. Seno, D. Shibata, and E. Doi, *J. Chem. Soc., Perkin Trans. I*, 2439 (1984).

A New Nonezymatic Chiral Induction into Prochiral Meso Compounds, Y. Nagao, T. Inoue, E. Fujita, S. Terada, and M. Shiro, *Tetrahedron, Symposia-in-print*, **40**, 1215 (1984).

Total Synthesis of Parabactin, a Spermidine Siderophore, Y. Nagao, T. Miyasaka, Y. Hagiwara, and E. Fujita, *J. Chem. Soc., Perkin Trans. I*, 183 (1984).

Synthesis of New Aldose Reductase Inhibitors Having the Thiazolidine Skeleton, Y. Nagao, E. Fujita, K. Inoue, M. Yamaki, S. Takagi, N. Sakamoto, and N. Hotta, *J. Pharmacobio-Dyn.*, **8**, s-176 (1985).

Facile 1,4-Silyl Rearrangement with Concomitant Loss of a Benzenesulfonyl Group: One-Pot Synthesis of Allyloxysilanes, M. Ochiai, K. Sumi, and E. Fujita, *Chem. Pharm. Bull.*, **32**, 3686 (1984).

Thallium (III)-Mediated Allylation of Alcohols and Carboxylic Acids: Umpolung of Reactivity of Allylmetal (Group IVb) Compounds, M. Ochiai, E. Fujita, M. Arimoto, and H. Yamaguchi, *Chem. Pharm. Bull.*, **32**, 5027 (1984).

1,4-Fragmentation of γ -Tributylstannylyl Alcohols by a Hypervalent Organiodine Compound: a New Synthesis of Unsaturated Carbonyl Compounds, M. Ochiai, T. Ukita, Y. Nagao, and E. Fujita, *J. Chem. Soc., Chem. Commun.*, 1007 (1984).

Iodine (III)-Mediated Intramolecular Cyclization of Hydroxy Allylsilanes: Synthesis of 5- or 6-Membered β -Methylene Cyclic Ethers, M. Ochiai, E. Fujita, M. Arimoto, and H. Yamaguchi, *Chem. Pharm. Bull.*, **33**, 989 (1985).

Desulfonation of Vinyl Sulfones Utilizing β -Elimination of β -Stannylyl Organosulfur

Compounds, M. Ochiai, T. Ukita, Y. Nagao, and E. Fujita, *Nippon Kagaku Kaishi*, 339 (1985), in Japanese.

Stereochemistry of an Oxidative 1,4-Fragmentation of γ -Stannyli Alcohols with a Hypervalent Organoiodine Compound and Synthesis of *erythro*-6-Acetoxyhexadecan-5-olide, M. Ochiai, T. Ukita, Y. Nagao, and E. Fujita, *J. Chem. Soc., Chem. Commun.*, 637 (1985).

Vinyliodonium Salts : Their Stereospecific Synthesis and Reactions as the Activated Vinyl Halides, M. Ochiai, K. Sumi, Y. Nagao, and E. Fujita, *Tetrahedron Lett.*, **26**, 2351 (1985).

Iodine (III)-Mediated Allylation of Aromatic Compounds and Alcohols Using Allylmetal (Group IVb) Compounds, M. Ochiai, E. Fujita, M. Arimoto, and H. Yamaguchi, *Chem. Pharm. Bull.*, **33**, 41 (1985).

Asymmetric Intercoenzyme Hydrogen Transfer between NADH Model Compounds and Flavins, S. Shinkai, H. Nakao, T. Tsuno, O. Manabe, and A. Ohno, *J. Chem. Soc., Chem. Commun.*, 849-850 (1984).

NAD(P)⁺-NAD(P)H Model. 53. Proximity Effect of Intramolecular Heteroatom on Reaction Rate, A. Ohno, T. Goto, H. Kobayashi, and S. Oka, *Bull. Chem. Soc. Jpn.*, **58**, 698-704 (1985).

NAD(P)⁺-NAD(P)H Model. 54. Free Radical Mechanism for the Reductive Debromination of *vic*-Dibromides to Alkenes, S. Yasui, K. Nakamura, and A. Ohno, *Bull. Chem. Soc. Jpn.*, **58**, 1847-1848 (1985).

Reduction of Nitro Alkenes by a Model of NAD(P)H (NAD(P)⁺-NAD(P)H Model part 56), K. Nakamura, M. Fujii, S. Oka, and A. Ohno, *Chemistry Letters*, 523-526 (1985).

NAD(P)⁺-NAD(P)H Model. 52. Reduction of Olefins by Hantzsch Ester on Silica Gel, K. Nakamura, M. Fujii, A. Ohno, and S. Oka, *Tetrahedron Letters*, **25**, 3983-3986 (1984).

Stereochemical Control in Yeast Reduction, K. Nakamura, K. Ushio, S. Oka, and A. Ohno, *Tetrahedron Letters*, **25**, 3979-3982 (1985).

Aerobic Degradation of Polypropylene Glycol by *Corynebacterium* Sp., F. Kawai, T. Okamoto, and T. Suzuki, *J. Fermentation Technology*, **63**, 239 (1985).

Kinetics of the Migratory Insertion of Olefins into Rhodium-Hydrogen Bonds. Influence of Electronic Factors, J. Halpern and T. Okamoto, *Inorganica Chimica Acta*, **89**, L53 (1984).

The C-C Bond Cleavage of a Lignin Model Compound, 1,2-Diarylpropane-1,3-diol, with a Heme-Enzyme Model Catalyst Tetraphenylporphirinatoiron (III) Chloride in the Presence of t-Butylhydroperoxide, M. Shimada, T. Habe, T. Umezawa, T. Higuchi, and T. Okamoto, *Biochem. Biophys. Res. Commun.*, **122**, 1247 (1984).

Catalysis of Aerobic C-C Bond Cleavage of 1,2-Bis(4-methoxyphenyl)-ethane-1,2-diol by meso-Tetraphenylporphyrinatoiron (III). A Model System for Cytochrome P-450_{cc}-dependent Glycol Cleavage, T. Okamoto, K. Sasaki, M. Shimada, and S. Oka, *J. Chem. Soc., Chem. Commun.*, 381 (1985).

Organic Chemistry

¹³C Nuclear Magnetic Resonance Studies of Cellulose Acetate, T. Miyamoto, Y. Sato, T. Shibata, H. Inagaki and M. Tanahashi, *J. Polym. Sci.: Polym. Chem. Ed.*, **22**, 2363 (1984).

¹³C-NMR Spectral Studies on the Distribution of Substituents in Water-Soluble Cellulose Acetate, T. Miyamoto, Y. Sato, T. Shibata, M. Tanahashi and H. Inagaki, *J. Polym. Sci.: Polym. Chem. Ed.*, **23**, 1373 (1985),

The Measurement of High Quality Heat Capacity by Differential Scanning Calorimetry, H. Suzuki and B. Wunderlich, *J. Thermal Anal.*, **29**, 1369 (1984).

Glass Transition of Poly(oxymethylene), H. Suzuki, J. Grebowicz and B. Wunderlich, *Brit. Polym. J.*, **17**, 1 (1985).

Heat Capacities of Polyethylene and Linear Aliphatic Polyoxides, J. Grebowicz, H. Suzuki and B. Wunderlich, *Polymer*, **26**, 561 (1985).

Heat Capacity of Semicrystalline, Linear Poly(oxymethylene) and Poly(oxymethylene), H. Suzuki, J. Grebowicz and B. Wunderlich, *Makromol. Chem.*, **186**, 1109 (1985),

Molecular Characterization of Hydroxyl-Terminated Polybutadienes, H. Inagaki and N. Donkai, *J. Appl. Polym. Sci.*, **29**, 3741 (1984).

Re-Examination of Free-Radical Copolymerization Kinetics, T. Fukuda, Yung-Dae Ma and H. Inagaki, *Makromol. Chem., Suppl.*, **12**, 125 (1985).

Free-Radical Copolymerization. 3. Determination of Rate Constants of Propagation and Termination for the Styrene/Methyl Methacrylate System. A Critical Test of Terminal-Model Kinetics, T. Fukuda, Yung-Dae Ma and H. Inagaki, *Macromolecules*, **18**, 17 (1985).

Free-Radical Copolymerization. 4. Rate Constants of Propagation and Termination for the *p*-Chlorostyrene/Methyl Acrylate System, Yung-Dae Ma, T. Fukuda and H. Inagaki, *Macromolecules*, **18**, 26 (1985).

Recent Progress in Wool Chemistry, T. Miyamoto and H. Sakabe, *Senshoku Kogyo*, **32**, 523 (1984).

Wool as Heavy Metal Adsorbent, T. Miyamoto, *Zairyō Kagaku*, **21**, 235 (1984).

A Study on the Interactions between Unlike Polymers in Solution, T. Fukuda, M. Nagata and H. Inagaki, *Rep. Asahi Glass Found. Ind. Technol.*, **45**, 235 (1984).

Some Properties of Water-Soluble Cellulose Acetate, T. Miyamoto and H. Inagaki, *Ann. Report Res. Inst. Chem. Fiber, Jpn.*, **41**, 11 (1984).

Molecular Motion of Polymers in Concentrated Solutions, M. Kurata, *Polymer Journal*, **17**, 217 (1985).

Stress Relaxation of a Polymer Solution in Double-Step Shear Deformations. Application of the Tube Model to Short-Time Behavior, K. Osaki, S. Kimura, and M. Kurata, *Nihon Reoroji Gakkaishi*, **13**, 101 (1985).

Viscoelastic Properties of Semidilute Polystyrene Solutions, K. Osaki, Y. Nishimura, and M. Kurata, *Macromolecules*, **18**, 1153 (1985).

Coherent Elastic Scattering of a Reptating Chain in a Melt during Transient Relaxation, F. Boue, K. Osaki, and R. C. Ball, *J. Polym. Sci.: Polym. Phys. Ed.*, **23**, 833 (1985).

Diffusion of Vapors in Poly(2-vinylpyridine), H. Odani, M. Uchikura, and M. Kurata, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 188 (1984).

Theories of Permeation in Polymeric Membranes: Basic Equations of Diffusion and Permeation (in Japanese), H. Odani, *Kinsei-Yukihakumaku (Kagaku Sosetsu No. 45)*, Ed. by the Chemical Society of Japan, Gakkai Shuppan Senta, 1984, Chap. 1C, 20 (1984).

Dynamic Light Scattering of Polymer Solutions. 4. Semidilute Solutions of Polystyrenes and Their Binary Blends in Benzene, N. Nemoto, Y. Makita, Y. Tsunashima, and M. Kurata, *Macromolecules*, **17**, 2629 (1984).

Concentration Dependence of Self-Diffusion Coefficient by Forced Rayleigh Scattering: Polystyrene in Tetrahydrofuran, N. Nemoto, M. R. Landry, I. Noh, T. Kitano, J. A. Wesson, and Hyuk Yu, *Macromolecules*, **18**, 308 (1985).

Dynamic Light Scattering of Poly(L-lysine) Hydrobromide in Aqueous Solutions, N. Nemoto, H. Matsuda, Y. Tsunashima, and M. Kurata, *Macromolecules*, **17**, 1731 (1984).

Dynamics of Polymer-Polymer-Solvent Ternary Systems I. Characterization of Polystyrene and Poly(methylmethacrylate) in Thiophenol, N. Nemoto, T. Inoue, Y. Tsunashima, and M. Kurata, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 177 (1984).

Dynamic Light Scattering Studies of Polymer Solutions. 3. Translational Diffusion and Internal Motion of High Molecular Weight Polystyrenes in Benzene at Infinite Dilution, N. Nemoto, Y. Makita, Y. Tsunashima, and M. Kurata, *Macromolecules*, **17**, 425 (1984).

Temperature Dependence of the Self Diffusion Coefficient of Polyisoprene in the Bulk State, N. Nemoto, M. R. Landry, I. Noh and Hyuk Yu, *Polymer Communications*, **25**, 141 (1984).

Concentration Dependence of the Mutual Translational Diffusion Coefficient of

Polystyrene in Good Solvents, Y. Tsunashima and N. Nemoto, *Macromolecules*, **17**, 2931 (1984).

Dynamic Light Scattering of Polymer Solutions, Y. Tsunashima, *Koubunshi*, **34**, 436 (1985), Review in Japanese.

High Resolution Electron Microscopy of Polymers with Fiber Structure, K. Katayama, S. Isoda, M. Tsuji, M. Ohara, and A. Kawaguchi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 198-207 (1984).

Direct Lattice Imaging in Single Crystals of Isotactic Polystyrene, M. Tsuji, S. K. Roy and R. St. J. Manley, *Polymer*, **25**, 1573-1576 (1984).

High Resolution Electron Microscopy of (SN)x, A. Kawaguchi, S. Isoda, J. Petermann and K. Katayama, *Colloid Polymer Sci.*, **262**, 429-434 (1984).

Thickening Process of Polyethylene Single Crystals at an Early Stage of Annealing II. Computer Simulation of Lamellar Thickening, T. Ichida, M. Tsuji, S. Murakami, A. Kawaguchi, and K. Katayama, *Colloid Polymer Sci.*, **263**, 293-300 (1985).

Lattice Imaging of Radiation-Sensitive Polymer Crystals, M. Tsuji, S. K. Roy and R. St. J. Manley, *J. Polym. Sci., Polym. Phys. Ed.*, **23**, 1127-1137 (1985).

Computer Interfaced Electron Microscope., Y. Kokubo, S. Moriguchi, J. Hosoi, E. Watanabe, and J. Nash, *Materials Res. Symp. Proc.*, **31**, 23 (1984).

Thickening Process of Polyethylene Single Crystals at Early Stage of Annealing, T. Ichida, S. Murakami, M. Tsuji, K. Katayama and A. Kawaguchi, *Kasen Koenshu (Ann. Rep. Res. Inst. Chem. Fibers, Japan)*, **42**, 11 (1985), in Japanese.

Thickening Process of Polyethylene Single Crystals at Early Stage of Annealing, A. Kawaguchi, T. Ichida, S. Murakami and K. Katayama, *Colloid Polymer Sci.*, **262**, 597-604 (1984).

Iodine Atoms Structured in (SN)x, S. Isoda, A. Kawaguchi, A. Uemura and K. Katayama, *Japanese J. Appl. Phys.*, **24**, L341-L343 (1985).

Quasielastic Scattering Studies of Rubber Polymers, K. Inoue, K. Kaji, T. Kanaya, and R. Kitamaru, *KENS Report*, **5** 146 (1984).

Molecular Spectroscopy of Native and Regenerated Celluloses by Neutron Inelastic Scattering, K. Kaji, T. Kanaya, R. Kitamaru, and K. Inoue, *KENS Report*, **5**, 157 (1984).

Torsional Frequencies of Methyl Groups in Hydrogenated and Deuterated Poly(methyl methacrylate), T. Kanaya, K. Nishida, K. Kaji, R. Kitamaru, and K. Inoue, *KENS Report*, **5**, 160 (1984).

Effect of Cross-Linking on the Phonon Density in Rubbers, K. Inoue, T. Kanaya, K. Kaji, and R. Kitamaru, *KENS Report*, **5**, 162 (1984).

Quasielastic Scattering Studies on Molecular Motions of Rubberlike Polymers,

K. Kaji, T. Kanaya, H. Urakawa, and R. Kitamaru, *Nippon Kagakusen-i Kenkyusho Koenshu (Ann. Reprt. Res. Inst. Chem. Fib., Japan)*, **41**, 41 (1984), in Japanese.

X-Ray Diffraction from Polycrystals Consisting of Very Small Crystallites, K. Kaji, and K. Katayama, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 208 (1984).

Carbon-13 NMR Studies of Solid Structure of Cellulose, F. Horii, *Kaigai Kou-bunshi Kenkyu*, **30**, 107 (1984), Review in Japanese.

Chapter 9 Molecular Motion and Solid Properties, R. Kitamaru, *Introduction to Properties of Polymers*, Kyoritsu Shuppan Ltd., 128-146 (1985), in Japanese.

Effect of Number of Coherent Lamellae on Small-Angle Scattering, K. Kaji, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 215 (1984).

Neutron Scattering, K. Kaji, T. Akiyoshi, and T. Fukuda, *Kobunshi Zikken-gaku (Experimentation of Polymers)*, Vol. 16 (Solid Structure of Polymers I), Kyoritsu, Tokyo, **16**, 257 (1984), in Japanese.

Degree of Crystallinity, R. Kitamaru, and K. Kaji, *Kobunshi Zikkengaku (Experimentation of Polymers)*, Vol. 17 (Solid Structure of Polymers II), Kyoritsu, Tokyo, **17**, 303 (1984), in Japanese.

Distance Distribution Analysis of Small-Angle X-Ray Scattering for Semidilute Polyelectrolyte Solutions without Salts, K. Kaji, H. Urakawa, T. Kanaya, and R. Kitamaru, *Macromolecules*, **17**, 1835 (1984).

Neutron Small Angle Scattering from Polyelectrolyte Solution, R. Kitamaru, K. Kaji, T. Kanaya, K. Nishida, M. Ono, T. Akiyoshi, F. Yoshida, *KURRI-TR*, **259**, 52 (1985).

Crystal Analyser Type Quasielastic Spectrometers Using the Pulsed Cold Neutron Source, K. Inoue, Y. Ishikawa, N. Watanabe, K. Kaji, Y. Kiyanagi, H. Iwasa and M. Kohgi, *Nucl. Instr. Meth. Phys. Res.*, **A238**, 401 (1985).

Dipolar-Decoupled Carbon-13 NMR Study of Highly Oriented Polyethylene Films, F. Horii, R. Kitamaru, S. Maeda, A. Saika, and T. Terao, *Polymer Bulletin*, **13**, 179 (1985),

Cross-Polarization/Magic Angle Spinning ^{13}C NMR Study — Molecular Chain Conformations of Native and Regenerated Cellulose —, F. Horii, A. Hirai, and R. Kitamaru, *ACS Symposium Series*, **260**, 27 (1984).

CP/MAS Carbon-13 NMR Study of Spin Relaxation Phenomena of Cellulose Containing Crystalline and Noncrystalline Components, F. Horii, A. Hirai, and R. Kitamaru, *J. of Carbohydrate Chemistry*, **3**, 641 (1984).

Radiation Crosslinking of Polyethylene. New Development by Carbon-13 NMR Spectroscopy, F. Horii, *Koubunshi Kako*, **33**, 408 (1984), Review in Japanese.

Biochemistry

Enzymatic Preparation of D- and L-Lactic Acid from Racemic 2-Chloropropionic Acid, K. Motosugi, N. Esaki and K. Soda, *Biotechnol. and Bioeng.*, **26**, 805 (1984).

L- α -Amino- β -Thio- ϵ -Caprolactam, a New Sulfur-Containing Substrate for α -Amino- ϵ -Caprolactam Racemase, S. A. Ahmed, N. Esaki, H. Tanaka and K. Soda, *FEBS Letters*, **174-1**, 76 (1984).

Reactions of O-Substituted L-Homoserines Catalyzed by L-Methionine γ -Lyase and Their Mechanism, N. Esaki, T. Nakayama, S. Sewada, H. Tanaka and K. Soda, *Agric. Biol. Chem.*, **48-8**, 1991 (1984).

Effect of a Selenium Analogue of L-Lysine on Lysine Transport, E. Shimizu, R. Yamana, H. Tanaka and K. Soda, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 50 (1984).

Purification and Properties of L-Methionine γ -Lyase from *Aeromonas* sp., T. Nakayama, N. Esaki, W. J. Lee, I. Tanaka, H. Tanaka and K. Soda, *Agric. Biol. Chem.*, **48-9**, 2367 (1984).

2-Nitropropane Dioxygenase from *Hansenula mrakii*: Re-characterization of the Enzyme and Oxidation of Anionic Nitrialkanes, T. Kido, K. Tanizawa, K. Inagaki, T. Yoshimura, M. Ishida, K. Hashizume, K. Soda, *Agric. Biol. Chem.*, **48-10**, 2549 (1984).

Selenocysteine Synthesis in Mammals, K. Soda, T. Nakayama, N. Esaki and H. Tanaka, *Biryo-Eiyoso Kenkyu*, **1**, 105 (1984), in Japanese.

An Enzyme Participating in Bacterial Selenocysteine Metabolism, P. Chocat T. Nakamura, N. Esaki, H. Tanaka and K. Soda, *Biryo-Eiyoso Kenkyu*, **1**, 111 (1984), in Japanese.

Effects of a Selenium Analogue of L-Lysine on Growth of *Candida Pelliculosa*, E. Shimizu, R. Yamana, H. Tanaka and K. Soda, *Agric. Biol. Biochem.*, **48-11**, 2871 (1984).

Oxidation of Anionic Nitrialkanes by Flavoenzymes, and Participation of Superoxide Anion in the Catalysis, T. Kido and K. Soda, *Arch. Biochem. Biophys.*, **234-2**, 468 (1984).

Stereochemistry of L-Lysine ϵ -Transaminase Reaction, K. Soda and T. Yoshimura, *Radioisotopes*, **33-11**, 103 (1984), Review in Japanese.

Action of S-Carbamoyl and S-Thiocarbamoyl Derivatives of L-Cysteine on L-Amino Acid Oxidase, T. Kimura, N. Esaki, H. Tanaka and K. Soda, *Agric. Biol. Chem.*, **48-12**, 3157 (1984).

Synthesis of Optically-Active Selenoaminoacids, H. Tanaka and K. Soda, *Ganryu Aminosan (Sulfur Amino Acids)*, **7**, 221 (1984), Review in Japanese.

Racemization of Cysteine and Selenocysteine with Amino Acid Racemase with Low Substrate Specificity, T. Nakamura, K. Inagaki, H. Tanaka, and K. Soda, *Ganryu Aminosan (Sulfur Amino Acids)*, 7, 443 (1984), in Japanese.

Salmonella Typhimurium, N. Esaki, *Bitamin (Vitamin)*, 59, 179 (1985), Review in Japanese.

Microbial α -Transaminases K. Soda, *Transaminases*, 421 (1985).

Other Microbial Transaminases, K. Soda, N. Esaki, *Transaminases*, 463 (1985).

Synthesis of Optically Active Sulfur and Selenium Amino Acid with Microbial Enzymes, H. Tanaka, N. Esaki, K. Soda, *Appl. Biochem. Biotech.* 11, 71 (1985).

Development of Enzyme Functions and Applications for Organic Synthesis, T. Kido and K. Soda, *Seiyaku Kozyo*, 5 (3), 196 (1985), Review in Japanese.

Cloning and Expression of the *Pseudomonas* Genes for Utilization of D-Leucine on *Escherichia Coli*, S. Nagata, N. Esaki, K. Tanizawa, H. Tanaka, K. Soda, *Agric. Biol. Chem.*, 49-4, 1137 (1985).

Synthesis of Selenocystine and Selenohomocysteine with O-Acetylhomoserine Sulphydrylase, P. Chocat, N. Esaki, H. Tanaka, K. Soda, *Agric. Biol. Chem.*, 49-4, 1143 (1985).

Stereochemistry of Kynureninase Reaction, M. M. Palcic, M. Antoun, K. Tanizawa, K. Soda, H. G. Floss, *J. Biol. Chem.*, 260 (9), 5248 (1985).

Mechanism of Reactions Catalyzed by Selenocysteine β -lyase, N. Esaki, N. Karai, T. Nakayama, H. Tanaka and K. Soda, *Arch. Biochem. Biophys.*, 238 (2), 418 (1985).

Assay of L-Methionine γ -lyase with N-(9-Acridinyl)maleimide, H. Tanno, T. Suzuki, H. Meguro, N. Esaki, H. Tanaka and K. Soda, *Agric. Biol. Chem.*, 49 (5), 1517 (1985).

Purification and Characterization of Thermostable Leucine Dehydrogenase from *Bacillus Stearothermophilus*, T. Ohshima, S. Nagata, and K. Soda, *Arch. Microbiol.*, 141, 407 (1985).

Metabolism of Selenium, N. Esaki, H. Tanaka and K. Soda, *Tokisikoroji Forum (Toxicology Forum)*, 8-5, 539 (1985), Review in Japanese.

Synthesis of D- α -Aminobutyrate with Methionine γ -lyase and D-Amino Acid Aminotransferase, H. Tanaka, N. Yamada, N. Esaki and K. Soda, *Agric. Biol. Chem.* 49 (8), 2525 (1985).

Synthesis of L-Selenodjenkolate and its Degradation with Methionine γ -lyase, P. Chocat, N. Esaki, H. Tanaka, and K. Soda, *Anal. Biochem.*, 148, 485 (1985).

$^1\text{H-NMR}$ Studies of Substrate Hydrogen Exchange Reactions Catalyzed by L-Methionine γ -lyase, N. Esaki, T. Nakayama, S. Sawada, H. Tanaka, and K. Soda, *Biochemistry*, 24, 3857 (1985).

Discovery of Novel Pyridoxal Enzymes and Their Reaction Mechanism, K. Soda, *Bitamin (Vitamin)*, **59**-10, 497 (1985), Review in Japanese.

Cloning of the Contiguous 165-Kilobase-Pair Region Around the Terminus of *Escherichia Coli* K-12 DNA Replication, K. Asada, S. Nakatani, and M. Takanami, *J. of Bacteriology*, **163**, 398-400 (1985).

Essential Structure of *E. Coli* Promoter II. Effect of the Sequences Around the RNA Start Point on Promoter Function, T. Aoyama and M. Takanami, *Nucleic Acids Research*, **13**, 4085-4096 (1985).

Nucleotide Sequence Coding for the Insecticidal Fragment of the *Bacillus Thuringiensis* Crystal Protein, Y. Shibano, A. Yamagata, N. Nakamura, T. Iizuka, H. Sugisaki and M. Takanami, *Gene*, **34**, 243-251 (1985).

Sites of *dnaA* Protein-binding in the Replication Origin of the *Escherichia Coli* K-12 Chromosome, M. Matsui, A. Oka, M. Takanami, S. Yasuda and Y. Hirota, *J. of Molecular Biology*, **184**, 529-533 (1985).

Cross-linking Study on Skeletal Muscle Actin: Assignment of the Lysyl Residue Intermolecularly Cross-linked with Cys 373 on the Neighboring Molecule in F-actin, S. Takahashi, O. Ohara, and T. Ooi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 303-318 (1984).

Cross-linking Study on Skeletal Muscle Actin: Separation of CNBr Peptides of Suberimidate-treated Actin, O. Ohara, S. Takahashi, and T. Ooi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 319-324 (1984).

Structure of Actin Molecule, T. Ooi and S. Takahashi, *Bull. Inst. Chem. Res., Kyoto Univ.*, **62**, 333-347 (1984).

The Complete Nucleotide Sequence of the Adenylate Cyclase Gene of *Escherichia Coli*, H. Aiba, K. Mori, M. Tanaka, T. Ooi, A. Roy and A. Danchin, *Nucleic Acids Research*, **12**, 9427-9440 (1984).

Multiple Pathways for Regenerating Ribonuclease A, H. A. Scheraga, Y. Konishi, and T. Ooi, *Advance in Biophysics*, **18**, 21-41 (1984).

Examination of Protein Sequence Homologies: I. Eleven *Escherichia Coli* L7/L12-Type Ribosomal "A" Protein Sequences from Eubacteria and Chloroplast, E. Otaka, T. Ooi, T. Kumazaki, and T. Itoh, *J. of Molecular Evolution*, **21**, 339-345 (1985).

Energy Difference Associated with Proline Isomerization of Ribonuclease A, S. Ihara and T. Ooi, *Biochim. Biophys. Acta.*, **830**, 109-112 (1985).

Molecular Dynamics Using Internal Coordinates I. Infrared Spectra of Sulfur Dioxide, S. Hayashi, M. Oobatake, T. Ooi, and K. Machida, *Bull. Chem. Soc. Jpn.*, **58**, 1105-1108 (1985).

Statistical Procedure for Deconvoluting Experimental Data, Y. Hiragi, H. Ura-kawa and K. Tanabe, *J. Appl. Phys.*, **58**, 5-11 (1985).

The Prediction of a Protein and Nucleic Acid Structure; Problems and Prospects, M. Kanehisa and C. DeLisi, *Acta Applicandae Mathematicae*, **4**, 115-137 (1985).

The Detection and Classification of Membrane-Spanning Proteins, P. Klein, M. Kanehisa and C. DeLisi, *Biochim. Biophys. Acta.*, **815**, 468-476 (1985).

Some Comments on Protein Taxonomy: Procedures for Functional and Structural Classification, C. DeLisi, P. Klein and M. Kanehisa, *Molecular Basis of Cancer, Part A: Macromolecular Structure, Carcinogens, and Oncogenes*, 431-441 (1985).

Sequence Homologies of Oncogene Proteins; a Critical Review, M. Kanehisa and C. DeLisi, *Molecular Basis of Cancer, Part A: Macromolecular Structure, Carcinogens, and Oncogenes*, 443-452 (1985).

The Predicted Structure of the Ia Domain: A Hypothesis for the Structural Basis of Major Histocompatibility Complex-Restricted T-Cell Recognition of Antigens, M. A. Norcross and M. Kanehisa, *Scand. J. Immunol.*, **21**, 511-523 (1985).

Prediction of Splice Junctions in mRNA Sequences, K. Nakata, M. Kanehisa and C. DeLisi, *Nucleic Acids Research*, **13**(14), 5327-5340 (1985).

Chemistry of 1,3-Oxathianes Synthesis and Conformation of 2-Substituted 1,3-Oxathianes, K. Fuji, M. Ueda, K. Sumi, K. Kajiwara, E. Fujita, T. Iwashita, I. Miura, *J. Org. Chem.*, **50**, 657 (1984).

Light Scattering from Randomly Crosslinked Polystyrene, K. Kajiwara, W. Burchard, *ACS Symp. Series*, "Characterization of Highly Cross-linked Polymers", ed. by S. S. Labana, R. A. Dickie, **243**, 55 (1984).

Dynamic and Static Light Scattering from Critically Branched Polymer Solutions, K. Kajiwara, W. Burchard, M. Kowalski, D. Nerger, K. Dusek, L. Matejka, Z. Tuzar, *Macromol. Chem.*, **185**, 2543 (1984).

Rotational Isomeric State Calculations of the Dynamic Structure Factor and Related Properties of Some Linear Chains. 1. The $\rho = \langle S^2 \rangle^{1/2} / \langle R_H^{-1} \rangle$ Parameter, K. Kajiwara, W. Burchard, *Macromolecules*, **17**, 2669 (1984).

Rotational Isomeric State Calculations of the Dynamic Structure Factor and Related Properties of Some Linear Chains. 2. First Cumulant of the Dynamic Structure Factor, K. Kajiwara, W. Burchard, *Macromolecules*, **17**, 2674 (1984).

Molecular Dynamics Using Internal Coordinates. I. Infrared Spectra of Sulfur Dioxide, S. Hayashi, M. Oobatake, T. Ooi, and K. Machida, *Bull. Chem. Soc. Japan.*, **58**, 1105-1108 (1985).

Rous Sarcoma Virus Variants that carry the Cellular *src* Gene instead of the Viral *src* Gene cannot Transform Chicken Embryo Fibroblasts, H. Iba, T. Takeya, F. Cross, T. Hanafusa, and H. Hanafusa, *Proc. Nat. Acad. Sci. USA*, **81**, 4424-4428 (1984).

Structure of Viral DNA in a Rat Cell Line transformed by the Cloned *Eco*RI-C Fragment of Adenovirus 12, Y. Kawarabayashi and H. Sugisaki, *Nucleic Acids Research*, 13, 6591-6604, (1985).