

Complex Plasma Systems Research Section

S. Inagaki, Professor
 S. Kado, Associate Professor
 F. Kin, Assistant Professor

1. Introduction

Nuclear fusion energy has some attractive features as a future option for the base-load electrical power source and thus magnetic field confinement fusion research is thus being conducted all over the world. To realize fusion reactor, there are however several urgent issues that need to be resolved. We are thus performing the Heliotron J experiment to solve these issues: for example, (1) improvement of plasma energy confinement, (2) enhancement of fueling ability. To solve these problems through experiments, excellent diagnostic tools are needed.

Results in FY2024 featured in this report are about the development of advanced diagnostics and discovery of improved confinement state.

2. Development frequency comb reflectometry

Two types of frequency comb reflectometer have been developed to observe particle avalanche, turbulence spreading, and staircase formation at the periphery of Heliotron J. One is for frequency comb Doppler backscattering measurements. One is for frequency comb Doppler backscatter measurements with a comb frequency bandwidth of 12-26 GHz and a comb spacing of 0.5 GHz. The corresponding O-mode cutoff density is $0.2\text{--}0.9 \times 10^{19} \text{ m}^{-3}$, and 24 spatial points in the peripheral region of a typical discharge with average density $> 0.5 \times 10^{19} \text{ m}^{-3}$ are measured simultaneously. From these measurements, we aim to identify turbulence spreading by observing the spatio-temporal structure of the plasma flow velocity in the poloidal direction and micro density fluctuations. The other is for FM frequency comb reflectometer, in which the base frequency of the comb is swept at 0.5 GHz for 0.5 ms while maintaining the comb spacing. This allows us to observe the time-varying structure of the staircase by surveying a wide plasma region in a short period of time. In addition, by modulating the frequency in a triangular wave shape, the Doppler shift in the radial direction can be obtained from the difference in the beat frequencies of the incident and reflected waves in the phases where the frequency of the incident microwave is increasing (up) and decreasing (down). This Doppler shift can be used to identify convective ballistic propagation of density perturbations such as particle avalanche. Both systems use an ultra-fast digital storage oscilloscope to directly digitize the incident and reflected waves, and digital signal processing instead of conventional analog mixers and

fixed filters to enable very flexible and fast detection. Both systems have completed bench tests.

The backscattering system was applied to the Heliotron J experiment to observe the flow velocity, which can be estimated from Doppler frequency. Figure 1 shows the time evolution of the flow velocity. While the plasma is in steady state, the flow velocity has large fluctuations, but the average value is negative. It is necessary to confirm whether these large fluctuations are due to plasma or noise. When obtaining the Doppler frequency using the center-of-gravity method, there is a trade-off between frequency resolution and time resolution. If the time resolution is increased, the frequency resolution decreases, and the influence of noise increases in the region where the Doppler shift is small. Therefore, it is necessary to set the optimal resolution for both.




Fig. 1 Typical temporal evolution of flow velocity. Comb frequency component of 20 GHz was used.

The spatial structure of the time-averaged velocities is shown in Figure 2. Error bars indicate the standard deviation of the time variation. The horizontal axis is the injected Comb frequency, but the corresponding cutoff density is greater at higher frequencies, so the cutoff layer is located more in the center of the plasma. At lower frequencies, on the other hand, the cutoff layer is located at the periphery of the plasma, thus the velocity profile with respect to the injection frequency corresponds to the radial profile of the flow velocity. Figure 2 shows that the flow velocity, which is almost zero at the center, increases negatively toward the periphery of the plasma. If a flow is formed in the periphery, it is expected to suppress the edge turbulence.




Fig. 2 Radial profile of time-averaged flow velocity.

3. Noble Island Identification Method

The stochastic structure in the peripheral region is a common feature in helical fusion devices due to the intrinsic resonant perturbation even in the vacuum magnetic field. A region with stochastic field lines and remanent islands is formed outside the last closed flux surface (LCFS). A numerical method to distinguish the closed magnetic surface from stochastic field lines is regarded as a useful tool to characterize helical confinement.

In this study, we implemented an algorithm that extracts a field line's dominant resonant poloidal/toroidal mode number m/n from the rotational transform. The magnetic islands or closed flux surfaces enclosed by the field line can be identified based on the shape of the m/n resonant periodic structure of the field line trajectory in the Poincaré plot. The method was applied to the vacuum field of a Heliotron J device as an example, as shown in Fig. 3.




Fig. 3 Several identified magnetic islands with their mode number in Heliotron J.

As increasing the current in the inner vertical coils, large islands with a mode number of $8/4$ emerged outside the LCFS and then were enveloped by the LCFS. We observed an increase in the volume of the confined region corresponding to the expansion of LCFS and its enveloping of external magnetic islands,

which is a preferable feature for better confinement of a helical fusion device. In principle, the volume of each island and stochastic region can be assessed quantitatively for various configurations using this method.

4. Fluctuation and turbulence study in High-confinement mode (H-mode)

The high-confinement mode (H-mode) is essential for improving the energy confinement time and is crucial for achieving fusion energy. However, compared to tokamaks, the achievable energy confinement improvement in stellarators/heliotrons is limited ($\sim 30\%$). Therefore, we investigate fluctuations and edge cross-field transport during the H-mode transition in Heliotron J. The experiment is conducted in the so-called $n/m = 4/9$ configuration, which is a favorable magnetic configuration for the H-mode transition. During the H-mode transition, we observe a characteristic low-frequency (LF) fluctuation with a frequency of approximately 14 kHz in several fluctuation diagnostics. As shown in Fig. 4, the LF fluctuation extends over a long radial range and correlates with the edge cross-field transport. The LF fluctuation also modulates the micro-scale density turbulence in the edge region, which is measured by Doppler reflectometry. At the H-mode transition, the edge density turbulence is reduced in association with the enhancement of the radial electric field. Additionally, the modulation of the turbulence amplitude by the LF fluctuation is suppressed, and the edge cross-field transport induced by the LF fluctuation is reduced, which is confirmed by the Da emission and divertor probes. On the other hand, the LF fluctuation itself persists after the H-mode transition, as detected by the electron cyclotron emissions, magnetic probes, and edge poloidal rotations. This indicates that the coupling between the LF fluctuation and turbulence plays a significant role in the edge transport driven by the LF fluctuation. Although the precise identification of the LF fluctuation remains unresolved and is left for future work, one possible candidate is pressure-driven MHD instability.




Fig. 4 Spatio-temporal evolution of low-frequency fluctuation. (a) Da emission indicating the edge transport, and (b) radially elongated temperature fluctuation.

Collaboration Works

長崎百伸, 小林進二, 稲垣滋, 門信一郎, 金史良, Univ. Wisconsin (アメリカ), Oak Ridge National Laboratory (アメリカ), Max Plank Institute (ドイツ), Stuttgart Univ (ドイツ), CIEMAT (スペイン), Australian National Univ., (オーストラリア), Kharkov Institute (ウクライナ), Southwest Institute of Physics (中華人民共和国), 先進ヘリカルシステムにおける周辺プラズマ・ダイバータ研究

長崎百伸, 小林進二, 稲垣滋, 門信一郎, 金史良, Wisconsin University (米国), CIEMAT (スペイン), Max-Planck Institute (ドイツ), 先進ヘリカルシステムにおける周辺揺動解析

長崎百伸, 大島慎介, 小林進二, 稲垣滋, 門信一郎, 金史良, Stuttgart Univ., CIEMAT, 先進ヘリカル磁場配位の最適化に向けたネットワーク拠点形成

小林進二, 長崎百伸, 稲垣滋, 門信一郎, 金史良, CIEMAT (スペイン), Kurchatov Institute (ロシア), ORNL (アメリカ), 先進ヘリカル磁場配位の最適化に向けたネットワーク拠点形成

稲垣滋, 核融合科学研究所・双方向型共同研究, 高分解共焦点マイクロ波反射計の開発

稲垣滋, 核融合科学研究所・双方向型共同研究, 2次元画像計測を使った MHD 不安定性研究

稲垣滋, 核融合科学研究所・双方向型共同研究, 電磁的な突発揺動発生に関するモデリング

稲垣滋, 核融合科学研究所・双方向型共同研究, ヘリオトロン J における壁コンディショニング研究

門信一郎, 核融合科学研究所・双方向型共同研究, ダイバータを模擬した定常プラズマへのガス入射に対する発光過程の応答

門信一郎, 核融合科学研究所・双方向型共同研究, 磁場分布制御を活用したプラズマ構造形成制御とプラズマ輸送改善

門信一郎, 核融合科学研究所・双方向型共同研究, ドレスト重水素原子輝線スペクトルを用いたプラズマ中のマイクロ波電場計測

門信一郎, 核融合科学研究所・双方向型共同研究, ヘリオトロン J における EUV 分光を用いた不純物発光線強度比データの蓄積

門信一郎, 核融合科学研究所・双方向型共同研究, 高速カメラによるペレット溶発雲の 2 次元分光

門信一郎, 核融合科学研究所・双方向型共同研究, 実用炉用熱流束計測システムの精度向上のための基礎研究

門信一郎, 核融合科学研究所・双方向型共同研究, Heliotron J の磁場構造が不純物輸送に及ぼす影響に関する数値モデル研究

門信一郎, 京都大学 × 堀場製作所包括連携協定「HONMAMON (ほんまもん) 共創研究」, フェージョンエネルギー確立を目指したプラズマ発光の可視化に関する研究

金史良, 核融合科学研究所・双方向型共同研究, 電子内部輸送障壁に対する磁場の三次元効果の解明

金史良, 核融合科学研究所・双方向型共同研究, 高エネルギー粒子駆動モードと背景乱流の相互作用

金史良, 核融合科学研究所・一般共同研究, 核燃焼プラズマに向けたトーラスプラズマの閉じ込め・輸送に関する研究

Financial Support

1. Grant-in-Aid for Scientific Research

金史良, 若手研究, 磁場閉じ込めプラズマにおける雪崩輸送の計測法の開発

2. Others

門信一郎, (株) 堀場製作所 (成長戦略本部), HONMAMON 共創研究 2024 年度採択テーマ 3 多波長高速分光カメラの開発と輝線/連続帯混合イメージングへの適用

Publications

Y. Kawachi, M. Sasaki, ta. Nishizawa, Y. Kosuga, K. Terasaka, S. Inagaki, T. Yamada, N. Kasuya, C. Moon, Y. Nagashima, A. Fujisawa, Mass dependency of high-wavenumber turbulence in a linear partially magnetized plasma, Physics of Plasmas, 31, 4, 044502, 2024

F. Cai, S. Kado, G. Kawamura, C. Feng, R. Matoike, A. Miyashita, S. Ohshima, T. Minami, S. Inagaki, F. Kin, S. Kobayashi, A. Ishizawa, Y. Nakamura, H. Okada, S. Konoshima, T. Mizuuchi, Y. Feng, H. Frerichs, K. Nagasaki, Impact of multifold magnetic structure on spectroscopy analysis in Heliotron J based on EMC3-EIRENE simulation, Contributions to Plasma Physics, 64, e202300145, 2024

- A. Iwata, S. Kado, G. Motojima, T. Shikama, M. Murakumo, A. Mori, H. Okada, T. Minami, S. Ohshima, S. Inagaki, F. Kin, S. Kobayashi, A. Ishizawa, Y. Nakamura, S. Konoshima, T. Mizuuchi, K. Nagasaki, Evaluation of the Electron Temperature of the Ablation Cloud for the Small-Size Hydrogen Pellet Using Paschen Series in Heliotron J, *Plasma and Fusion Research*, 19, 1402017, 2024
- Y. Zhong, K. Nagasaki, Z. Wang, S. Kobayashi, S. Inagaki, T. Minami, S. Kado, S. Ohshima, F. Kin, C. Wang, Y. Nakamura, S. Konoshima, T. Mizuuchi, H. Okada, N. Marushchenko, J. Chen, Response of Energetic-Particle-Driven Magnetohydrodynamics (MHD) Instability to Modulated ECH in Heliotron J, *Plasma and Fusion Research*, 19, 1202008, 2024
- A. Miyashita, S. Ohshima, r. Matoike, F. Kin, S. Kobayashi, S. Kado, T. Minami, T. Mizuuchi, H. Okada, S. Inagaki, K. Nagasaki, Non-uniformity of fluctuation characteristics inside an edge magnetic island in Heliotron J, *Plasma Physics and Controlled Fusion*, 66, 075008, 2024
- F. Kin, S. Inagaki, K. Nagasaki, M. Luo, K. Itoh, K. Shinohara, A. Terakado, T. Minami, S. Kado, S. Kobayashi, S. Ohshima, T. Bando, N. Oyama, M. Yoshida, Observation of avalanche-like transport in Heliotron J and JT-60U plasmas, *Nuclear Fusion*, 64, 6, 066023, 2024
- T. Kobayashi, A. Fujisawa, Y. Nagashima, C. Moon, K. Yamasaki, D. Nishimura, S. Inagaki, A. Shimizu, T. Tokuzawa, T. Ido, Identification of nonlinear effects of background asymmetry on solitary oscillations in a cylindrical plasma, *Scientific Reports*, 14, 12175, 2024
- T. Nasu, T. Tokuzawa, M. Nakata, K. Ida, S. Inagaki, M. Nishiura, Y. Yoshimura, R. Yanai, K. Tanaka, M. Yoshinuma, T. Kobayashi, A. Ejiri, K.Y. Watanabe, I. Yamada, LHD Experiment Group, Electron-scale turbulence characteristics with varying electron temperature gradient in LHD, *Nuclear Fusion*, 64, 9, 096008, 2024
- T. Tokuzawa, M. Yoshida, R. Imazawa, S. Nakagawa, S. Inagaki, F. Kin, S. Chiba, N. Suzuki, T. Nasu, A. Fujisawa, K. Ida, Preparatory study of feasibility for a vertical viewing electron cyclotron emission diagnostic for the JT-60SA tokamak, *Review of Scientific Instruments*, 95, 8, 083531, 2024
- K. Ida, M. Yoshinuma, M. Kobayashi, T. Kobayashi, N. Kenmochi, F. Nespoli, R.M. Magee, F. Warmer, A. Dinklage, A. Matsuyama, S. Inagaki, S. Kobayashi, K. Nagasaki, LHD Experiment Group1 and the W7-X Team, Overview of Large Helical Device experiments of basic plasma physics for solving crucial issues in reaching burning plasma conditions, *Nuclear Fusion*, 64, 11, 112009, 2024
- W. Lee, Q. Zou, N. Wu, G.J. Choi, J.Q. Xu, K.N. Geng, F. Kin, A summary of the 10th Asia-Pacific Transport Working Group (APTWG) meeting, *Nuclear Fusion*, 64, 127001, 2024
- Y. Kawachi, M. Sasaki, T. Nishizawa, Y. Kosuga, K. Terasaka, S. Inagaki, T. Yamada, N. Kasuya, C. Moon, Y. Nagashima, A. Fujisawa, On the Nonlinear Coupling of the High Wavenumber Fluctuations Exhibiting the Discrete Spectra Observed in PANTA, *Plasma and Fusion Research*, 19, 1201031, 2024
- M. Xu, T. Shikama, M. Murakumo, S. Kado, M. Hasuo, Development of a spatial heterodyne spectrometer for time-resolved measurement of Zeeman effect on H α emission line spectra, *Nuclear Materials and Energy*, 42, 101850, 2024
- A. Miyashita, S. Ohshima, Z. Xu, F. Kin, S. Kobayashi, S. Kado, T. Minami, T. Mizuuchi, S. Konoshima, H. Okada, S. Inagaki, K. Nagasaki, Transition from divertor to limiter configuration and associated transient plasma oscillation in Heliotron J, *Plasma Physics and Controlled Fusion*, 67, 4, 045003, 2025
- T. Nishizawa, P. Manz, S. Tokuda, G. Grenfell, M. Sasaki, S. Inagaki, Y. Kawachi, A. Fujisawa, Inference of flow shear from reciprocating plasma potential measurements by means of Gaussian process regression, *Physics of Plasmas*, 32, 032507, 2025
- R. Yamato, S. Kobayashi, T. Fujita, K. Nagaoka, K. Nagasaki, S. Inagaki, T. Kawate, H. Ohgaki, T. Kii, H. Zen, S. Kado, T. Minami, H. Okada, S. Ohshima, S. Konoshima, T. Mizuuchi, Y. Mototake, Measurement of x-ray bremsstrahlung radiation from high energy electrons by stochastic acceleration in Heliotron J, *Review of Scientific Instruments*, 67, 4, 033512, 2025
- M. Murakumo, T. Shikama, S. Kado, A. Iwata, T. Morita, S. Ohshima, T. Suzuki, A. Mori, G. Motojima, T. Minami, S. Kobayashi, F. Kin, A. Ishizawa, Y. Nakamura, S. Konoshima, T. Mizuuchi, Shigeru Inagaki, K. Nagasaki, M. Hasuo, High-sensitivity measurement of Zeeman effect using hydrogen Paschen- α emission line in fusion-divertor-relevant plasma, *Review of Scientific Instruments*, 96, 043501, 2025

F. Cai, S. Kado, G. Kawamura, R. Matoike, S. Ohshima, T. Minami, S. Inagaki, F. Kin, S. Kobayashi, A. Ishizawa, Y. Nakamura, H. Okada, S. Konoshima, T. Mizuuchi, Y. Feng, H. Frerichs, K. Nagasaki, EMC3-EIRENE Simulation of the Magnetic Field Ripple Effect on Edge Impurity Flows in Heliotron J, 49th EPS Conference on Contr. Fusion and Plasma Phys, 2024

S. Kado, A. Mori, G. Motojima, A. Iwata, K. Takeuchi, T. Shikama, M. Murakumo, C. Feng, F. Cai, R. Matsutani, S. Ohshima, T. Minami, S. Inagaki, F. Kin, S. Kobayashi, Y. Nakamura, A. Ishizawa, H. Okada, T. Mizuuchi, S. Konoshima, K. Nagasaki, 2D Imaging of Small Pellet Ablation Cloud Density in Heliotron J Based on High-speed Spectroscopy for Balmer- β Line Broadening, 49th EPS Conference on Contr. Fusion and Plasma Phys, 2024

R. Matsutani, T. Minami, N. Kenmochi, D. Qiu, G. Motojima, S. Kado, S. Kobayashi, S. Ohshima, F. Kin, S. Konoshima, H. Okada, F. Cai, K. Takeuchi, Y. Kondo, A. Miyashita, S. Inagaki, K. Nagasaki, Particle Transport Study for Solid-hydrogen Pellet Injected Plasma Using Event-triggered Thomson Scattering Measurement System on Heliotron J, 49th EPS Conference on Contr. Fusion and Plasma Phys, 2024

S. Kobayashi, R. Yamato, Y. Mototake, S. Inagaki, K. Nagasaki, K. Nagaoka, T. Kawate, A. Matsuyama, S. Kado, F. Kin, H. Ohgaki, T. Kii, H. Zen, Y. Nakamura, T. Mizuuchi, S. Konoshima, Stochastic Acceleration using Non-Resonant Microwave Launch in Heliotron-Type Magnetic Configuration Device Heliotron J, 66th Annual Meeting of the APS Division of Plasma Physics, JP12.00034, 2024

Y. Kondo, S. Ohshima, D. Kuwahara, K. Inoshita, T. Kuida, T. Minami, S. Kado, S. Kobayashi, S. Inagaki, F. Kin, S. Konoshima, T. Mizuuchi, H. Okada, K. Nagasaki, Measurement of Poloidal Flow Structure at Peripheral Magnetic Island Region Using Doppler Reflectometer in Heliotron J, 50th EPS Conference on Contr. Fusion and Plasma Phys, P5.079, 2024

金史良, 地上に太陽を一核融合エネルギーの実現へー, 京都大学ビジュアルブック 2024, 6, 2024

Presentations

Y. Zhong, K. Nagasaki, Z. Wang, S. Kobayashi, S. Inagaki, T. Minami, S. Kado, S. Ohshima, F. Kin, C. Wang, Y. Nakamura, A. Matsuyama, S. Konoshima, T. Mizuuchi, H. Okada, N. Marushchenko, J. Varela, J. Chen, Influence of ECH on Magnetohydrodynamic (MHD) Instabilities Driven by Energetic Particles in Heliotron J, 22nd Joint Workshop on Electron Cyclotron Emission (ECE) and Electron cyclotron resonance heating (ECRH), Ramada Hotel, Daejeon, Korea, 2024.4.22-26

H. Igami, K. Nagasaki, S. Inagaki, S. Kobayashi, F. Kin, T. Tokuzawa, Y. Miyoshi and Y. Katoh and S. Murakami, Observation of bursty non-thermal electron cyclotron waves with fast frequency sweeping during ECRH/ECCD, 22nd Joint Workshop on Electron Cyclotron Emission (ECE) and Electron cyclotron resonance heating (ECRH), Ramada Hotel, Daejeon, Korea, 2024.4.22-26

R. Yamato, S. Kobayashi, T. Fujita, K. Nagaoka, K. Nagasaki, S. Inagaki, T. Kawate, H. Ohgaki, T. Kii, H. Zen, S. Kado, T. Minami, H. Okada, S. Ohshima, S. Konoshima, T. Mizuuchi, Y. Mototake, Measurement of X-ray bremsstrahlung radiation from high energy electrons by stochastic acceleration experiment in Heliotron J, 25th Topical Conference on High Temperature Plasma Diagnostics (HTPD 2024), Renaissance Asheville Downtown Hotel, 2024.4.22-26

S. Kado, G. Motojima, T. Shikama, M. Murakumo, H. Okada, T. Minami, S. Inagaki, F. Kin, S. Kobayashi, A. Ishizawa, Y. Nakamura, A. Matsuyama, S. Konoshima, T. Mizuuchi, K. Nagasaki, Measurement of the electron density and temperature in the ablation cloud of the small-size hydrogen pellet using the Paschen series spectra in Heliotron J, 26th International Conference on Spectral Line Shapes, 滋賀県立武道館, 2024.6.2-7

F. Kin, K. Itoh, T. Bando, K. Shinohara, N. Oyama, A. Terakado, M. Yoshida, S. Sumida, S. Inagaki, Impact of avalanche type of transport on the profile formation in tokamaks, 50th EPS Conference on Plasma Physics, Paracio de congresos, 2024.7.8-12

Y. Kondo, S. Ohshima, D. Kuwahara, K. Inoshita, T. Kuida, T. Minami, S. Kado, S. Kobayashi, S. Inagaki, F. Kin, S. Konoshima, T. Mizuuchi, H. Okada, K. Nagasaki, Measurement of Poloidal Flow Structure at Peripheral Magnetic Island Region Using Doppler Reflectometer in Heliotron J, 50th EPS Conference on Plasma Physics, Paracio de congresos, 2024.7.8-12

K. Nagasaki, S. Ohshima, A. Miyashita, Y. Kondo, Y. Zhong, S. Inagaki, S. Kobayashi, S. Kado, F. Kin, Y. Nakamura, A. Matsuyama, A. Ishizawa, T. Minami, T. Mizuuchi, S. Konoshima, J. Proll, R. Mackenbach, Configuration Effects on Confinement, Transport, and MHD Instabilities in Heliotron J, 24th International Stellarator-Heliotron Workshop, 広島国際会議場, 2024.9.9-13

F. Cai, S. Kado, G. Kawamura, R. Matoike, A. Miyashita, S. Ohshima, T. Minami, S. Inagaki, F. Kin, S. Kobayashi, A. Ishizawa, Y. Nakamura, H. Okada, S. Konoshima, T. Mizuuchi, Y. Feng, H. Frerichs, K. Nagasaki, Numerical Assessment of the Stochastic Region of Helical Confinement Plasmas by Magnetic Island Identification Method, 24th International Stellarator-Heliotron Workshop, 広島国際会議場, 2024.9.9-13

C. Feng, S. Kado, T. Oishi, S. Inagaki, F. Kin, S. Ohshima, A. Iwata, F. Cai, R. Matsutani, K. Nagasaki, S. Kobayashi, A. Ishizawa, Y. Nakamura, H. Okada, T. Minami, S. Konoshima, T. Mizuuchi, Spectroscopical determination of the electron temperature in Heliotron J from the spatial distribution of OV line ratio in EUV region, 24th International Stellarator-Heliotron Workshop, 広島国際会議場, 2024.9.9-13

S. Inagaki, S. Fukushima, F. Kin, S. Ohshima*, S. Kobayashi, S. Kado, T. Minami, S. Konoshima, H. Okada, R. Mizuuchi, K. Nagasaki, Event Time-Series Analysis of Bursting Electromagnetic Fluctuations in Heliotron J, 24th International Stellarator-Heliotron Workshop, 広島国際会議場, 2024.9.9-13

S. Kado, A. Mori, G. Motojima, A. Iwata, T. Kawamukai, K. Takeuchi, T. Shikama, C. Feng, F. Cai, R. Matsutani, S. Inagaki, F. Kin, S. Kobayashi, A. Matsuyama, Y. Nakamura, A. Ishizawa, T. Mizuuchi, S. Konoshima, S. Ohshima, H. Okada, T. Minami, and K. Nagasaki, Behavior of Small Pellet Ablation Cloud in Heliotron J Measured Using a Fast Imaging Spectroscopy for Balmer- β Line Broadening, 24th International Stellarator-Heliotron Workshop, 広島国際会議場, 2024.9.9-13

F. Kin, M. Sasaki, Y. Kondo, A. Miyashita, R. Ohshima, K. Ozawa, T. Kodahara, S. Kobayashi, T. Minami, S. Kado, S. Inagaki, K. Nagasaki, T. Mizuuchi, S. Konoshima, Spatio-temporal evolution of electron density and electron temperature fluctuations at L-H transition in Heliotron J, 24th International Stellarator-Heliotron Workshop, 広島国際会議場, 2024.9.9-13

S. Kobayashi, S. Inagaki, R. Yamato, K. Nagasaki, K. Nagaoka, T. Kawate, Y. Mototake, Y. Kovtun, A. Matsuyama, S. Kado, F. Kin, H. Ohgaki, T. Kii, H. Zen, Y. Nakamura, T. Mizuuchi, S. Konoshima, Investigation of Stochastic Acceleration Mechanism in Heliotron J toward Space Plasma Simulation in Laboratory, 24th International Stellarator-Heliotron Workshop, 広島国際会議場, 2024.9.9-13

永島芳彦, 藤澤彰英, 文賛鎬, 新谷一朗, 林李駆, 小林大輝, 西村大輝, 荒川弘之, 山田琢磨, 西澤敬之, 井戸毅, 小菅佑輔, 糟谷直弘, 小林達哉, 徳沢季彦, 清水昭博, 山崎広太郎, 河内裕一, 金史良, 稲垣滋, Maxime Lesur, PANTA におけるブラズマ遷移現象の観測, 日本物理学会第 79 回年次大会, 北海道大学, 2024.9.16-19

河内裕一, 佐々木真, 西澤敬之, 小菅佑輔, 寺坂健一郎, 稲垣滋, 山田琢磨, 糟谷直弘, 文賛鎬, 永島芳彦, 藤澤彰英, 部分磁化プラズマにおける高波数乱流の質量依存性, 日本物理学会第 79 回年次大会, 北海道大学, 2024.9.16-19

門信一郎, 森敦樹, 本島巖, 岩田晃拓, 川向泰生, 竹内航希, 四竈泰一, 馮超, 蔡福瑞, 松谷遼, 稲垣滋, 金史良, 小林進二, 松山顕之, 中村祐司, 石澤明宏, 水内亨, 木島滋, 大島慎介, 岡田浩之, 南貴司, 長崎百伸, 2 次元可視高速分光診断によるヘリオトロン J におけるペレット溶発雲パラメータの追跡, 日本物理学会第 79 回年次大会, 北海道大学, 2024.9.16-19

徳沢季彦, 那須達丈, 西村大輝, 居田克巳, 吉沼幹朗, 小林達哉, 田中謙治, 稲垣滋, 藤澤彰英, 山田一博, LHD プラズマにおける LH 遷移時の異スケール乱流の応答, 日本物理学会第 79 回年次大会, 北海道大学, 2024.9.16-19

長崎百伸, R. Mackenbach, J. Proll, 稲垣滋, 小林進二, 門信一郎, 金史良, 宮下顕, 中村祐司, 石澤明宏, 松山顕之, 木島滋, 水内亨, 南貴司, 大島慎介, Heliotron J における Available Energy とエネルギー閉じ込め, 日本物理学会第 79 回年次大会, 北海道大学, 2024.9.16-19

稲垣滋, 金史良, 大島慎介, 小林進二, 門信一郎, 南貴司, 木島滋, 水内亨, 長崎百伸, ヘリオトロン J における突発的磁場揺らぎバーストの内因分析, 日本物理学会第 79 回年次大会, 北海道大学, 2024.9.16-19

金史良, 佐々木真, 近藤恭斗, 宮下顕, 大島諒也, 小澤一隆, 古田原拓実, 小林進二, 南貴司, 門信一郎, 稲垣滋, 長崎百伸, 水内亨, 木島滋, ヘリオトロン J における L-H 遷移時の電子密度揺動と電子温度揺動の時間発展, 日本物理学会第 79 回年次大会, 北海道大学, 2024.9.16-19

小林進二, Wang Chenyu, 長崎百伸, 稲垣滋, 金史良, 門信一郎, 大島慎介, 吉川正志, 南貴司, 宮下顕, 近藤恭斗, Feng Chao, 木島滋, 水内亨, ヘリオトロン J における高強度ガスパフ法を用いた NBI プラズマ中の温度勾配制御, 日本物理学会第 79 回年次大会, 北海道大学, 2024.9.16-19

F. Kin, Impact of avalanche type of transport on the profile formation in toroidal plasmas, AAPPs-DPP2024, Grand Swiss-Bel hotel, Malasia, 2024.11.4-8

宮下顕, 大島慎介, 金史良, 小林進二, 門信一郎, 南貴司, 水内亨, 木島滋, 岡田浩之, 稲垣滋, 長崎百伸, ヘリオトロン J における自発的な周辺部磁場構造の変化 および振動現象の観測, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

徳沢季彦, 吉田麻衣子, 今澤良太, 中川翔, 稲垣滋, 金史良, 千葉真一, 鈴木直之, 那須達丈, 西村大輝, 藤澤彰英, 居田克巳, 垂直視線 ECE 計測による電子速度分布関数の歪み計測計画, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

小林進二, 本武陽一, 山戸瞭雅, 永岡賢一, 長崎百伸, 稲垣滋, 松山顕之, 川手朋子, 門信一郎, 中村祐司, 木島滋, 水内亨, ヘリオトロン J における非共鳴マイクロ波を用いた統計加速のモデル考察, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

川向泰生, 門信一郎, 本島巖, 岩田晃拓, 森敦樹, 竹内航希, 四竈泰一, 馮超, 蔡福瑞, 松谷遼, 荻原築, 稲垣滋, 金史良, 小林進二, 松山顕之, 中村祐司, 石澤明宏, 水内亨, 木島滋, 大島慎介, 岡田浩之, 南貴司, 長崎百伸, 高速可視分光システムを用いたヘリオトロン J における水素ペレット溶発雲密度 2 次元分布計測の自動化, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

松谷遼, 稲垣滋, 釦持尚輝, 本島巖, 荻原築, 門信一郎, 金史良, 小林進二, 木島滋, 岡田浩之, 長崎百伸, ヘリオトロン J におけるペレット溶発終了後の自発的密度ピーキングの観測, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

松山顕之, 中村祐司, 小林進二, 山下湧志朗, 長崎百伸, 稲垣滋, 門信一郎, 金史良, 向井清史, 立体磁気軸ヘリオトロンの XR 可視化とプラズマのモデル表現, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

小林大輝, 藤澤彰英, 永島芳彦, 文賛鎬, 西村大輝, 山崎広太郎, 稲垣滋, 清水昭博, 徳澤季彦, 井戸穀, トモグラフィを用いた直線磁化プラズマにおける揺動に与える 背景非対称性の非線形効果の発見, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

山戸瞭雅, 小林進二, 大垣英明, 全炳俊, 永岡賢一, 川手朋子, 稲垣滋, 岡田浩之, 南貴司, 門信一郎, 大島慎介, 水内亨, 木島滋, 長崎百伸, 金史良, 松山顕之, ヘリオトロン J 統計加速実験における放射線輸送シミュレーションを用いた高エネルギー X 線スペクトル計測, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

林李駆, 藤澤彰英, 永島芳彦, 文賛鎬, 小林大輝, 西村大輝, 山田琢磨, 山崎広太郎, 西澤敬之, 小菅佑輔, 糟谷直宏, 稲垣滋, 菊田航介, 黄志亮, D.Di Matteo, トモグラフィを用いた PANTA プラズマ特性のガス圧依存性の観測, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

稲垣滋, 金史良, 大島慎介, 小林進二, 門信一郎, 南貴司, 木島滋, 岡田浩之, 水内亨, 長崎百伸, 実験データからロトカボルテラ方程式のパラメータを推定する, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

金史良, 小林達哉, 徳沢季彦, 星健夫, 佐々木真, 長崎百伸, 稲垣滋, 電子サイクロトロン放射計測へのベイズ推定の適用, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

八島玲音, 稲垣滋, 金史良, 大島慎介, 小林進二, 門信一郎, 南貴司, 木島滋, 岡田浩之, 水内亨, 長崎百伸, Heliotron J における周波数コムマイクロ波ドップラー反射計の開発, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

杭田樹, 近藤恭斗, 内山拓音, 長崎百伸, 桑原大介, 小林進二, 稲垣滋, 南貴司, 門信一郎, 大島慎介, 金史良, 木島滋, 水内亨, 岡田浩之, ヘリオトロン J におけるドップラー反射計集光システムの改良, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

鳴戸滉太, 稲垣滋, 金史良, 大島慎介, 小林進二, 門信一郎, 南貴司, 木島滋, 岡田浩之, 水内亨, 長崎百伸, 密度微細構造計測のためのオフセット周波数掃引型周波数コムマイクロ波反射計の開発, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

西澤敬之, 永島芳彦, 西村大輝, 小林大輝, 井戸毅, 末継寅英, 文贊鎬, 徳沢 季彦, 山崎広太郎, 山田琢磨, 稲垣滋, 恩地拓己, 加藤修平, 村山真道, 小林達哉, 清水昭博, 菊田航介, 林李駆, D. Di Matteo, 藤澤彰英, PLATO トカマクの初期プラズマ, 第 41 回プラズマ・核融合学会, タワーホール船橋, 2024.11.17-20

荻原築, Dynamics of plasma reconfiguration after pellet injection in Heliotron J, 1st APDS, 核融合科学研究所, 2025.2.19-21

F. Chao, Evaluation of spatial distribution reconstruction method combined with boundary simulation revision using EMC3-EIRENE for EUV emission in Heliotron J, 1st APDS, 核融合科学研究所, 2025.2.19-21

小林進二, Wang Chenyu, Panith Adulsiriswad, 稲垣滋, 長崎百伸, 金史良, 門信一郎, 岩田晃拓, 大島慎介, 吉川正志, 南貴司, 宮下顕, 近藤恭斗, 松谷遼, Feng Chao, 木島滋, 水内亨, ヘリオトロン J 高密度 NBI プラズマにおける内部輸送障壁形成, 日本物理学会 2025 年春季大会, オンライン, 2025.3.18-21

稲垣滋, 八島玲音, 鳴戸滉太, 金史良, 小林進二, 門信一郎, 南貴司, 大島慎介, 木島滋, 岡田浩之, 水内亨, 長崎百伸, 周波数コム反射計によるヘリオトロン J の周辺乱流の同時多点観測, 日本物理学会 2025 年春季大会, オンライン, 2025.3.18-21

荻原築, 稲垣滋, 松谷遼, 門信一郎, 金史良, 南貴司, 大島慎介, 長崎百伸, 小林進二, 木島滋, ヘリオトロン J におけるペレット入射後のプラズマ再構成のダイナミクス, 日本物理学会 2025 年春季大会, オンライン, 2025.3.18-21

Y. Zhong, K. Nagasaki, J. Varela, Z. Wang, S. Kobayashi, Shigeru Inagaki, S. Kado, F. Kin, C. Wang, Y. Nakamura, S. Konoshima, T. Mizuuchi, N. Marushchenko, J. Chen, Impact of ECH on Energetic Particle-Driven Instabilities: Mitigation and Underlying Mechanisms in Heliotron J, 日本物理学会 2025 年春季大会, オンライン, 2025.3.18-21

小林進二, 本武陽一, 奥野彰文, 山戸瞭雅, 長崎百伸, 稲垣滋, 畑知秀, 中村祐司, 門信一郎, 金史良, 松山顕之, 木島滋, 水内亨, 宇宙統計加速の実験室模擬で観測されるベキ分布の形成要因に関する考察, 日本物理学会 2025 年春季大会, オンライン, 2025.3.18-21

河津智也, 今寺賢志, 稲垣滋, 門信一郎, 金史良, 石澤明宏, トカマクプラズマにおける捕捉電子モード乱流輸送の磁場形状効果とベータ値依存性, 日本物理学会 2025 年春季大会, オンライン, 2025.3.18-21

那須達丈, 徳沢季彦, 仲田資季, 前山伸也, 小林達哉, 永島芳彦, 居田克巳, 西村大輝, 稲垣滋, 西浦正樹, 吉村泰夫, 矢内亮馬, 佐竹真介, 吉沼幹朗, 田中謙治, 江尻晶, 渡邊清政, 山田一博, LHD 実験グループ, トロイダルプラズマの電子・イオンスケール乱流間相互作用研究, 日本物理学会 2025 年春季大会, オンライン, 2025.3.18-21

西村大輝, 徳沢季彦, 金史良, 稲垣滋, 桑原大介, 那須達丈, 小林達哉, 河内裕一, 井戸毅, 藤澤彰英, CHD における ECE 及び ECEI 計測計画, 日本物理学会 2025 年春季大会, オンライン, 2025.3.18-21