

The Papers Published by the Staff Members of the Institute from July 1982 to June 1983

Nuclear Chemistry

Approximate Correction Factors for Electronic Relativistic Effects in L-Shell Ionization. T. Mukoyama and L. Sarkadi. *Abst. Intern. Conf. on X-Ray and Atomic Inner-Shell Physics, Eugene, Oregon, 1982*, p. 114

Electronic Relativistic Effect in Inner-Shell Ionization Cross Sections. T. Mukoyama. *Abst. Physics of Highly Ionized Ions Produced in Heavy Ion Collisions, U.S.-Japan Seminar, Honolulu, 1983*, p. 34

Relativistic Hartree-Fock Calculations of X-Ray Emission Rates. T. Mukoyama and T. Kagawa. *Atomic Collision Research in Japan*, No. 8, p. 365 (1982) Review.

Search for a Radiation Detector using a Superconducting Tunnel Junction. M. Kurakado and H. Mazaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 243 (1982).

The effect of Choice of Wave Functions on the Binding-Energy Increase in Ion-Atom Collisions. T. Mukoyama. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 283 (1982).

Intershell Transition of Atomic Electrons during Inner-Shell Ionization by Heavy-Ion Impact. T. Mukoyama and L. Sarkadi. *Bull. Inst. Chem. Res., Kyoto Univ.*, **61**, 30 (1983).

Relativistic Hartree-Fock Calculations of K-Shell Ionization Probabilities in Beta Decay. T. Mukoyama and T. Kagawa. *Bull. Inst. Chem. Res., Kyoto Univ.*, **61**, 36 (1983).

Frequency Characteristics of the Hartshorn Bridge. T. Ishida, K. Kanoda, and H. Mazaki. *Bull. Inst. for Chem. Res., Kyoto Univ.*, **61**, 45 (1983).

Frequency-Dependent Properties of a Microbridge-Coupled Superconductor in a Magnetic Field of Two Frequency Components. T. Ishida and H. Mazaki. *Jap. J. Appl. Phys.*, **22**, L141 (1983), Letter.

Experiments on positron emission from superheavy quasiatoms. Y. Nakayama and S. Ito. *JAERI-M82-159*, 97, (1982), Review.

Superconductive Behavior of a Multiconnected Josephson Network in a Periodically Varying Magnetic Field of Two Frequency Components. T. Ishida and H. Mazaki. *J. Appl. Phys.*, **53**, 6927 (1982).

Approximate Relativistic Correction Factors in L-Shell Ionization. T. Mukoyama and L. Sarkadi. *J. Phys. B: Atom. Molec. Phys.*, **15**, L617 (1982), Letter.

Momentum Representation of the Relativistic Hydrogenic Wavefunctions for K- and L-Shell Electrons. T. Mukoyama. *J. Phys. B: Atom. Molec. Phys.*, **15**, L785 (1982), Letter.

A Proportional Counter for Resonance-Electron Mossbauer Spectroscopy at Low Temperatures down to 77.3 K. Y. Isozumi, M. Kurakado and R. Katano. *Nucl. Instr. Meth.*, **204**, 571 (1983).

L-Shell X-Ray Production Cross Sections by Low-Energy Protons. T. Mukoyama and L. Sarkadi. *Nucl. Instr. Meth.*, **205**, 341 (1983).

Helium-Induced L-Shell Ionization Cross Sections. T. Mukoyama and L. Sarkadi. *Nucl. Instr. Meth.*, **211**, 525 (1983).

Level Structure of $^{80,82}\text{Sr}$ via the $^{78,80}\text{Kr}(\alpha, 2n\gamma)$ Reactions. T. Higo, S. Matsuki and T. Yanabu. *Nucl. Phys.*, **A393**, 224 (1983).

Elastic and Inelastic Scattering of Vector Polarized Deuterons from the Even Samarium Isotopes at 56 MeV. K. Hatanaka, N. Matsuoka, T. Saito, K. Hosono, M. Kondo, S. Kato, T. Higo, S. Matsuki and K. Ogino. *Nucl. Phys.*, **A403**, 109 (1983).

Splitting of Low-lying Octupole Vibrational Strength in $^{76,78,80,82}\text{Kr}$. S. Matsuki, K. Ogino, Y. Kadota, N. Sakamoto, T. Tanabe, M. Yasue, A. Yokomizo, S. Kubono and Y. Okuma. *Phys. Lett.*, **113B**, 21 (1982).

Third-Harmonic Response of a Superconductor Against Small ac Magnetic Field: Lattice of Proximity-Coupled Fibers. T. Ishida and H. Mazaki. *Proc. of Int. Cryogenic Materials Conf.*, p. 430 (1982).

Sum-Rule Strengths of Low-lying 4^+ Levels in $^{74-82}\text{Se}$ Nuclei. K. Ogino, Y. Kadota, K. Haga, S. Matsuki, T. Higo, T. Shiba, N. Sakamoto and T. Yanabu. *Proceedings of the 1983 RCNP International Symposium on Light Ion Reaction Mechanism (May 16-20, Osaka)*, 260 (1983).

$(\vec{p}, p')$ Scattering at 56 MeV on ^{12}C , ^{24}Mg , ^{28}Si and ^{32}S . S. Kato, K. Okada, M. Kondo, K. Hosono, T. Saito, N. Matsuoka, K. Hatanaka, T. Noro, S. Nagamachi, H. Shimizu, K. Ogino, Y. Kadota, S. Matsuki and M. Wakai. *Proceedings of the 1983 RCNP International Symposium on Light Ion Reaction Mechanism (May 16-20, 1983, Osaka)*, 241 (1983).

Level Structure and Life-time Measurements in $^{80,82}\text{Sr}$ Nuclei from the $^{66,68}\text{Zn}(^{16}\text{O}, 2n\gamma)$ and the $^{78,80}\text{Kr}(\alpha, 2n\gamma)$ Reactions. S. Matsuki, T. Higo, T. Ohsawa, T. Yanabu, K. Ogino and T. Tanabe. *Proceedings of the 1982 INS International Symposium on Dynamics of Nuclear Collective Motion (at the foot of Mt. Fuji, July, 1982)*, 503 (1982).

Strong Effect of the Sign of the Hexadecapole Moment on the Polarized-Proton Inelastic Scattering to the 4_1^+ States in the Even $^{74-82}\text{Se}$. S. Matsuki, T. Higo, T. Ohsawa, T. Shiba, T. Yanabu, K. Ogino, Y. Kadota, K. Haga, N. Sakamoto, K. Kume and M. Matoba. *Proceedings of the 1983 RCNP International Symposium on Light Ion Reaction Mechanism* (May 16-20, Osaka), 265 (1983).

Energy Dependence of Analyzing Powers for the Isoscalar and Isovector Transitions in $(\bar{p}, p')$ Reaction. K. Hosono, N. Matsuoka, K. Hatanaka, M. Fujiwara, Y. Fujita, T. Saito, T. Noro, M. Kondo, S. Kato, K. Okada, K. Ogino, Y. Kadota and S. Matsuki. *Proceedings of the 1983 RCNP International Symposium on Light Ion Reaction Mechanism* (May 16-20, Osaka), 246 (1983).

Kinematics for Quasi-Free Scattering. S. Kakigi, K. Fukunaga, T. Ohsawa and A. Okihana. *Bull. Ins. Chem. Res. Kyoto Univ.*, **60**, 294 (1982).

RF Characteristics of Coupled Split Coaxial Linse for RFQ Structure. Y. Katayama and H. Takekoshi. *Bull. Inst. Chem. Res., Kyoto Univ.*, **61**, 1 (1983).

Multiple Scattering Correction on Quasi-Free Scattering. K. Fukunaga, S. Kakigi, T. Ohsawa and A. Okihana. *J. Phys. Soc. Japan*, **52**, 69 (1983).

Energy Spectra of Deuterons and Protons for the $d+d$ Reaction at 60 MeV. K. Fukunaga, T. Ohsawa, S. Kakigi and A. Okihana. *Nucl. Phys.*, **A390**, 19 (1982).

Proposal for a University Accelerator Facility for Physics and Medicine. H. Takekoshi. *Proceedings of the 4th symposium on Accelerator Science and Technology*, Nov. 24-26, 1982, 279.

Breakup Reaction of ^3He with Protons at 65 MeV. S. Kakigi, K. Fukunaga, T. Ohsawa, A. Okihana, H. Nakamura-Yokota, T. Sekioka, S. Tanaka and S. Kato. *Proceedings of the 1983 RCNP International Symposium on Light Ion Reaction Mechanism, Osaka* (1983)

Measurement of the P.M.Q.'s Field. Y. Ikeda, Y. Katayama and H. Takekoshi. *Proceedings of the 4th Symposium on Accelerator Science and Technology*, Nov. 24-26, 1982, 305, (1982).

Design for Split-Coaxial Structure. Y. Katayama, Y. Ikeda and H. Takekoshi. *Proceedings of the 4th Symposium on Accelerator Science and Technology*, Nov. 24-26, 1982, 263 (1982).

Analytical Chemistry

The Substituent Effect on the Synergic Extraction of Europium and Scandium with 1-Phenyl-3-Methyl-4-Acylpyrazol-5-One and Tri-*n*-Octylphosphine Oxide. K. Sasayama, S. Umetani and M. Matsui. *Anal. Chim. Acta.*, **149**, 253 (1983).

Solvent Extraction of Alkaline Earths with 1-Phenyl-3-Methyl-4-Stearoylpyrazol-5-one and TOPO. S. Iwasaki, S. Umetani, K. Sasayama and M. Matsui. *Anal. Lett.*, **15**, 1159 (1982).

Reaction of the Octahedral Bis(*o*-diketone dioximato) iron (II) Complexes with Carbon Monoxide and Benzyl Isocyanide. Y. Sasaki. *Bull. Chem. Soc. Japan*, **56**, 881 (1983).

The Solvent Extraction of Divalent Metals with 1-Phenyl-3-Methyl-4-Trifluoroacetylpyrazol-5-one and TOPO as the Group Separation and Concentration Methods of Trace Metals. S. Umetani, M. Matsui, T. Kuzunishi and Y. Nishikawa. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 254 (1982).

On 1-Phenyl-3-Methyl-4-Benzoylthiopyrazol-5-One As an Analytical Reagent. S. Umetani, K. Sasayama, and M. Matsui. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 276 (1982).

Atomic Absorption Spectrometry of Dysprosium by a Pyrolytic-graphitecoated Carbon Tube Atomizer. O. Fujino and M. Matsui. *Bunseki Kagaku (Japan analyst)*, **31**, 619 (1982). in Japanese.

Physical Chemistry

Resonance Raman Spectra and Micellization of a Surface-Active Azo Dye in Aqueous Solutions. H. Takahashi, J. Umemura and T. Takenaka. *J. Phys. Chem.*, **86**, 4660 (1982).

Structural Change of a Surface-Active Azo Dye on Adsorption at the Aqueous Solution-Carbon Tetrachloride Interface Studied by Resonance Raman Spectra. H. Takahashi, J. Umemura and T. Takenaka. *J. Phys. Chem.*, **87**, 739 (1983).

Surface Enhanced Raman Scattering of Citrate Ions Adsorbed on Gold Sol Particles. M. Mabuchi, T. Takenaka, Y. Fujiyoshi and N. Uyeda. *Surface Sci.*, **119**, 150 (1982).

Surface Pressure Dependence of Monolayer Structure of Poly- ϵ -Benzylloxycarbonyl-L-Lysine. F. Takeda, M. Matsumoto, T. Takenahak, Y. Fujiyoshi. and N. Uyeda. *J. Colloid Interface Sci.*, **91**, 267 (1983), Note.

Raman Spectroscopy on Surface and Interface Studies. I. Experiment. T. Takenaka. *Kagaku no Ryoiki Zokan (J. Japanese Chem. Extra Number)* No. 139 Infrared Raman Vibrations [I], 91 (1983), Review in Japanese.

The Thin Liquid Film between Glass and Mercury in an Aqueous Solution. M. Matsumoto and T. Takenaka. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 269 (1982).

Disorder of Protons in Carboxylic Acid Dimer. S. Hayashi. *Nippon Kessho Gakkaishi (J. Crystallogr. Soc. Japan)*, **24**, 432 (1983), Review in Japanese.

Fourier Transform Infrared (FTIR) Studies of Micelle Formation in Aqueous Surfactant Solutions. D.G. Cameron, J. Umemura, P.T. Wong and H.H. Mantsch. *Proc. Soc. Photo-Opt. Instrum. Eng.*, **289**, 166 (1981).

Raman Study of Vibrational and Rotational Dynamics of Thiocyanate Anion in Aqueous Solutions. T. Kato and T. Takenaka. *Molecular Phys.*, **46**, 257 (1982).

Homogeneous and Inhomogeneous Vibrational Dephasing Process in Aqueous Thiocyanate Solutions. T. Kato. *Molecular Phys.*, **48**, 1119 (1983).

Penetration of Leucine and Norleucine into Lecithin Monolayers from Underlying Aqueous Solutions. M. Nakagaki and E. Okamura. *Bull. Chem. Soc. Japan.*, **55**, 3381 (1982).

Penetration of Lysine Hydrochloride into Lecithin Monolayers from Underlying Aqueous Solutions. M. Nakagaki and E. Okamura. *Bull. Chem. Soc. Japan.*, **56**, 1607 (1983).

The Observation of Molecular Orientation: in Crystal Defects and the Growth Mechanism of thin Phthalocyanine Film. T. Kobayashi, Y. Fujiyoshi, and N. Uyeda. *Acta Crystallogr.*, **A38**, 356 (1982).

Improvement of Electron Microscope Images by the Direct Phasing Method. K. Ishizuka, M. Miyazaki, and N. Uyeda. *Acta Crystallogr.*, **A38**, 408 (1982).

Multislice Formula for Inclined Illumination. K. Ishizuka. *Acta Crystallogr.*, **A38**, 773 (1982).

Dynamic Properties of Powder. M. Arakawa. *J. Japan Soc. Colour Material*, **56**, 257 (1983), Review.

The Effect of Electron State on the Direct Imaging of Atoms. Y. Fujiyoshi, T. Kobayashi, M. Tsuji, and N. Uyeda. *Proc. 10th International Congress on Electron Microscopy, Hamburg*, Vol. 1, 217 (1983).

Atomic Resolution Images of Radiation Sensitive TCNQ-Metal Complexes. T. Kobayashi, Y. Fujiyoshi, and N. Uyeda. *Proc. 10th International Congress on Electron Microscopy, Hamburg*, 1983, Vol. 1, 405 (1983).

EELS Studies of Radiation Damage of Chlorinated Copper Phthalocyanine. T. Kobayashi, H. Kurata, and N. Uyeda. *Proc. 10th International Congress on Electron Microscopy, Hamburg*, 1983, Vol. 1, 461 (1983).

High Voltage High Resolution Electron Microscopy of N-Nb₂O₅ Crystal Containing Interstitial Atoms. N. Uyeda, Y. Fujiyoshi, and K. Ishizuka. *Proc. 10th International Congress on Electron Microscopy*, Vol. 2, 67 (1982).

Fluidity and Other Characteristics of Powders in a Vibrating Field. M. Arakawa. *J. Soc. Materials Sci., Japan*, **31**, 878 (1982).

Translation Symmetries in Convergent-beam Electron Diffraction. K. Ishizuka. *Ultramicroscopy*, **9**, 255 (1982).

Nonlinear High Resolution Image Processing of Conventional Transmission Electron Micrographs. II. Experiment. E.J. Karkland, B.M. Siegel, N. Uyeda, and Y. Fujiyoshi. *Ultramicroscopy*, **9**, 65 (1982).

Analysis of Dielectric Relaxations of W/O Emulsions in the Light of Theories of Interfacial Polarization. T. Hanai, T. Imakita, and N. Koizumi. *Colloid and Polymer Sci.*, **260**, 1029 (1982).

Dielectric Observations on Polystyrene Microcapsules and the theoretical Analysis with Reference to Interfacial Polarization. H.Z. Zhang, K. Sekine, T. Hanai and N. Koizumi. *Colloid and Polymer Sci.*, **261**, 381 (1983).

Dielectric Properties of Dextran Gel Sephadex G-25 Dispersed in Aqueous Phases. A. Ishikawa, T. Hanai and N. Koizumi. *Japanese J. Appl. Phys.*, **21**, 1762 (1982).

Dielectric Properties of Sulfopropyl Sephadex Gel Beads Dispersed in Aqueous Solutions. A. Ishikawa, T. Hanai and N. Koizumi. *Japanese J. Appl. Phys.*, **22**, 942 (1983).

Pyroelectricity in Polytrifluoroethylene. Y. Oka and N. Koizumi. *Japanese J. Appl. Phys.*, **22**, L281 (1983).

Magnetic Relaxation in the Spin Glass $\text{BaO} \cdot 2\text{TiO}_2 \cdot 2\text{Fe}_2\text{O}_3$. K. Iwauchi, Y. Ikeda, N. Koizumi and Y. Bando. *J. Magn. Magn. Mater.*, **31-34**, 1384 (1983).

Dielectric Properties of Underwater Polystyrene Films Related to Microcapsules. H.Z. Zhang, K. Sekine, T. Hanai and N. Koizumi. *Membrane*, **8**, 249 (1983).

Effects of Impurity Ions on Electrical Properties of Poly (vinylidene fluoride). Y. Oka and N. Koizumi. *Polym. J.*, **11**, 869 (1982).

Fixed Charge Characteristics as Applied to Membrane Potential. T. Hanai. in "Fundamentals in Membrane Technology", chap. 3, pp. 23-39 editor, Membrane Society of Japan, Kitami-Shobou, Tokyo, 1983. Review Treatise.

Inorganic Chemistry

Preparation of Grain-Oriented Ceramics of Layer-Structure Bismuth Compounds by Unidirectional Solidification of their Melts. T. Kokubo and N. Suzuki. *Asahigarasu-Kogyo-Gijutsushoreikai-Kenkyuhokoku (Rep. Asahi Glass Found. Ind. Technol.)*, **40**, 299 (1982), in Japanese.

Aptite- and Wollastonite-Containing Glass-Ceramics for Prosthetic Application. T. Kokubo, M. Shigematsu, Y. Nagashima, M. Tashiro, T. Nakamura, T. Yamamuro and S. Higashi. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 260 (1982).

Microstructure of Ceramics Fabricated by Unidirectional Solidification. T. Kokubo. *Ceramics*, **18**, 176 (1983), Review in Japanese.

Effects of Surface Conditions on Stress-Rate Dependence of Mechanical Strength of High Silica Glass. S. Ito and M. Tomozawa. *Fracture Mechanics of Ceramics*, **5**, 185 (1983).

Crack Blunting of High-Silica Glass. S. Ito and M. Tomozawa. *J. Amer. Ceram. Soc.*, **65**, 368 (1982).

Thermal Expansion of Substituted Copper Aluminosilicate Glasses. K. Matsumita, S. Sakka and T. Shouji. *J. Amer. Ceramic Soc.*, **66**, 33 (1982).

Incorporation of Copper into Glass by the Cu-Na Ion Exchange. S. Sakka, K. Kamiya and K. Kato. *J. Non-Crystalline Solids*, **52**, 77 (1982).

Thermal Expansion of TiO_2 - SiO_2 and TiO_2GeO_2 Glasses. K. Kamiya and S. Sakka. *J. Non-Crystalline Solids*, **52**, 357 (1982).

Alkaline Durability of $\text{BaO-TiO}_2\text{-SiO}_2$ Glasses. T. Kokubo, H. Takagi and M. Tashiro. *J. Non-Crystalline Solids*, **52**, 427 (1982).

Structure and Properties of $\text{TiO}_2\text{-SiO}_2$ and $\text{TiO}_2\text{-GeO}_2$ Glasses. S. Sakka and K. Kamiya. *J. Phys. (Paris)*, **43**, C:9-235 (1982).

Dynamic Fatigue of Sodium-Silicate Glasses with High Water Content. S. Ito and M. Tomozawa. *J. Phys. (Paris)*, **43**, C9-611 (1982).

An Investigation on Biocompatibility and Bonding Strength of Two Glass-Ceramics with Bone Tissues; Apatite-Wollastonite-Containing Glass-Ceramics and Wollastonite-Containing Glass-Ceramics. T. Nakamura, T. Yamamuro, S. Higashi and T. Kokubo. *Orthopaedic Ceramic Implants*, **1**, 19 (1981), in Japanese.

Diffusion of Copper Ions into Silicate Glasses by Ion Exchange. S. Sakka, K. Kamiya, T. Yoko and K. Kato. *Proceedings of the First International Symposium on Molten Salt Chemistry and Technology*, 137 (1983).

Properties and Structure of Alkaline Earth Germanate Glasses. K. Kamiya, S. Sakka and T. Yoko. *Research Reports of the Faculty of Engineering, Mie University*, **7**, 107 (1982).

Effects of a Small Amount of Water on Characteristics of Glasses. S. Sakka, K. Kamiya and Z.-J. Huang. *Research Reports of the Faculty of Engineering, Mie Univ.*, **7**, 137 (1982).

Study on Alkali-resistant Glass-ceramic Fibers. S. Sakka and K. Kamiya. *Report of the Research Laboratory of Engineering Materials, Tokyo Institute of Technology*, **8**, 219 (1983).

Fabrication of γ - $6\text{Bi}_2\text{O}_3 \cdot \text{SiO}_2$ and γ - $6\text{Bi}_2\text{O}_3 \cdot \text{GeO}_2$ Monocrystal by Temperature-Gradient Technique Using Double Crucibles. H. Kim, T. Kokubo, S. Ito and M. Tashiro. *Yogyo-Kyokai-Shi (J. Ceramic Soc. Japan)*, **90**, 348 (1982), in Japanese.

Interaction of E Glass with a Small Amount of Water. S. Sakka, T. Kamiya and K. Kamiya. *Yogyo-Kyokai-Shi (J. Ceramic Soc. Japan)*, **90**, 585 (1982), in Japanese.

Viscosity Change and Spinnability of $\text{Si}(\text{OC}_2\text{H}_5)_4$ - H_4O - $\text{C}_2\text{H}_5\text{OH}$ Solutions on Hydrolysis. S. Sakka, K. Kamiya and T. Kato. *Yogyo-Kyokai-Shi (J. Cer. Soc. Japan)*, **90**, 555 (1982), in Japanese.

Transparency and Photochromism of a Heat-Treated ZnO -Containing Na_2O - BaO - Al_2O_3 - TiO_2 Glass. T. Kokubo and T. Hirata. *Yogyo-Kyokai-Shi (J. Ceramic Soc. Japan)*, **90**, 593 (1982), in Japanese.

Preparation of Grain-Oriented Ceramics of Layer-Structure Bi Compounds by Unidirectional Solidification of Their Melts. T. Kokubo and N. Suzuki. *Yogyo-Kyokai-Shi (J. Ceramic Soc. Japan)*, **90**, 636 (1982), in Japanese.

Photochromism and Its Origin of Heat-Treated Na_2O - BaO - Al_2O_3 - TiO_2 Glasses. T. Kokubo and T. Hirata. *Yogyo-Kyokai-Shi (J. Ceramic Soc. Japan)*, **90**, 698 (1982), in Japanese.

Optical Absorption of Transition Element Oxide-Silica Coating Films Prepared by Sol-Gel Method. Y. Yamamoto, K. Makita, K. Kamiya and S. Sakka. *Yogyo-Kyokai-Shi (J. Cer. Soc. Japan)*, **91**, 222 (1983), in Japanese.

Effect of Water on the Crystallization of Li_2O - SiO_2 Glasses and Gels. Z.J. Huang, T. Yoko, K. Kamiya and S. Sakka. *Yogyo-Kyokai-Shi (J. Cer. Soc. Japan)*, **91**, 215 (1983), in Japanese.

Spectroscopic Studies on Bleomycin-Iron Complexes with Carbon monoxide, Nitric oxide, Isocyanide, Azide, and Cyanide and Comparison with Iron-Porphyrin Complexes. Y. Sugiura, T. Suzuki, H. Kawabe, H. Tanaka and K. Watanabe. *Biochim. Biophys. Acta*, **716**, 38 (1982).

The Formation of Needle-like Particles of $x\text{CoFe}_2\text{O}_4 \cdot (1-x)\text{Fe}_3\text{O}_4$ with $x \leq 0.2$. M. Kiyama and T. Takada. *Bull. Chem. Soc. Japan*, **56**, 888 (1983).

Particle Growth of $\text{Co}_x\text{Fe}_{3-x}\text{O}_4$ with $x \leq 0.2$ by Air Oxidation of Aqueous Suspensions. M. Kiyama. *Bull. Inst. Chem. Res. Kyoto Univ.*, **60**, 247 (1982).

Production of Fine Particles by Wet Methods. M. Kiyama. *Ceramic Data Book (Kogyo Seihin Gijutsu Kyokai)*, 137 (1983), Review in Japanese.

Magnetic Relaxation in the Spin glass BaO - 2TiO_2 - $2\text{Fe}_2\text{O}_3$. K. Iwauchi, Y. Ikeda, N. Koizumi and Y. Bando. *J. Mag. Mag. Materials*, **31-34**, 1384 (1983).

Surface Magnetism of α - Fe_2O_3 by Mössbauer Spectroscopy. T. Shinjo, M.

Kiyama, N. Sugita, K. Watanabe and T. Takada. *J. Mag. Mag. Materials*, **35**, 133 (1983).

Interface Magnetism in Fe-Sb Multilayer Films from ^{121}Sb and ^{57}Fe Mossbauer Spectroscopy. J.M. Friedt, N. Hosoito, K. Kawaguchi and T. Shinjo. *J. Mag. Mag. Materials*, **35**, 136 (1983).

Magnetism of Fe Interfaces Studied by Mössbauer Spectroscopy. T. Shinjo, N. Hosoito and T. Takada. *J. Mag. Mag. Materials*, **31-34**, 879 (1983).

Magnetism of Fe Interface studied by Neutron Diffraction. Y. Endho, H. Ono, N. Hosoito and T. Shinjo. *J. Mag. Mag. Materials*, **31-34**, 881 (1983).

Application of Neutron Diffraction to the Study of Interface Magnetization on Thin Films with Artificial Superlattices. Y. Endoh, N. Hosoito and T. Shinjo. *J. Mag. Mag. Materials*, **35**, 93 (1983).

Maonatomic Fe Layer Sandwiched in Sb Layers. N. Hosoito, K. Kawaguchi, T. Shinjo and T. Takada. *J. Phys. Soc. Japan*, **51**, 2701 (1982).

Observation of ^{51}V NMR in Multilayered Fe-V Film with Artificial Superstructure. K. Takanashi, H. Yasuoka, K. Kawaguchi, N. Hosoito and T. Shinjo. *J. Phys. Soc. Japan*, **51**, 3743 (1982).

Synthesis of Artificial Superstructure. T. Shinjo. *Kagaku (Science)*, **52**, 683 (1982), Review in Japanese.

Multilayered Films with Artificial Superstructure. T. Shinjo. *Kotai Butsuri (Solid States Physics)*, **18**, 271 (1983), Review in Japanese.

Magnetism of Surfaces and Interfaces by means of Mössbauer Spectroscopy. T. Shinjo. *Oyobutsuri (Appl. Phys.)*, **52**, 298 (1983), Review in Japanese.

Molecular Beam Photodissociation of Trimethylamine. M. Kawasaki, K. Kasatani, H. Sato, H. Shinohara, N. Nishi and T. Ibuki. *J. Chem. Phys.*, **77**, 258 (1982).

Kinetics on Rhodium-catalyzed Hydroformylation of Formaldehyde. T. Suzuki, K. Kudo and N. Sugita. *Nippon Kagaku Kaishi (J. Chem. Soc. Japan, Chemistry and Industrial Chemistry)*, 1357 (1982).

Organic Chemistry

NAD(P)⁺-NAD(P)H Model. 39. Asymmetric Reduction by 1,4-Dihydronicotinamide Derivative Bound to Protein. A. Ohno, S. Ushida and S. Oka. *Bull. Chem. Soc. Japan*, **56**, 564 (1983).

NAD(P)⁺-NAD(P)H Model. 43. Formation of 1,4-Dihydronicotinamide in the Reaction of Pyridinium Salt and Glyceraldehyde. A. Ohno, S. Ushida, and S.

Oka. *Bull. Chem. Soc. Japan*, **56**, 1822 (1983).

NAD(P)⁺-NAD(P)H Model. 38. Reduction of Aldehyde by 1,4-Dihydroquinoline Derivative. A. Ohno, Y. Ishihara, S. Ushida, and S. Oka. *Tetrahedron Lett.*, **23**, 3185 (1982), Letters.

NAD(P)⁺-NAD(P)H Model. 40. Effect of Water on the Rate of Reduction. A. Ohno, H. Kobayashi, K. Nakamura, and S. Oka. *Tetrahedron Lett.*, **24**, 1263 (1982), Letters.

NAD(P)⁺-NAD(P)H Model. 41. Reduction of Sulfonate by a Model of NAD(P)H. K. Nakamura, S. Yasui, A. Ohno, and S. Oka. *Tetrahedron Lett.*, **24**, 2001 (1983), Letters.

Seibutsu Yukikagaku (Bioorganic Chemistry). A. Ohno. "Monograph Series in Organic Chemistry", Vol. 4, Published by Maruzen Co., 1983, Monograph.

The Reaction of *O*-Silylated Enolates of Carboxylic Esters and of Lactones with Aminomethyl Ethers Catalyzed by ZnCl₂. T. Oida, S. Tanimoto, H. Ikehira, and M. Okano. *Bull. Chem. Soc. Japan*, **56**, 645 (1983), Note.

The Formation of Vinyl Sulfides by the Cleavage of the Carbon-Sulfur Bond in Dithioacetals with CuCl₂. T. Oida, S. Tanimoto, H. Ikehira, and M. Okano. *Bull. Chem. Soc. Japan*, **56**, 959 (1983), Note.

The Cycloaddition of *N,N*-Diethyl-1,3-butadienylamine with Some Diarhylnitrilimines. T. Oida, S. Tanimoto, H. Ikehira, and M. Okano. *Bull. Chem. Soc. Japan*, **56**, 1203 (1983).

The Generation of the Ethenethiolate Anion and Its Reaction with Several Chloromethyl Alkyl Ethers and Sulfides. S. Tanimoto, H. Ikehira, T. Oida and T. Kokubo. *Bull. Chem. Soc. Japan*, **56**, 1261 (1983), Note.

The Lithium Diisopropylamide-induced Fragmentation of 1,3-Dithiolane Derivatives of Several Ketones Having α -Hydrogen. H. Ikehira, S. Tanimoto and T. Oida. *Bull. Chem. Soc. Japan*, **56**, 2537 (1983), Note.

The Diels-Alder Reaction of *N,N*-Diethyl-1,3-butadienylamine with Several β -Substituted Styrenes and Use of the Reaction Products for the One-Pot Synthesis of 2-Substituted Biphenyls. T. Oida, S. Tanimoto, H. Ikehira, and M. Okano. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 336 (1982).

Rhodium (II) Acetate: An Effective Homogeneous Catalyst for Selective Allylic Oxidation and Carbon-Carbon Bond Fission of Olefins. S. Uemura and S.R. Patil. *Chem. Lett.*, 1743 (1982), Communication.

New Aspects of the Telluroxide Elimination: A Facile Elimination of *sec*-Alkyl Phenyl Telluroxide Leading to Olefins, Allylic Alcohols, and Allylic Ethers. S. Uemura and S. Fukuzawa. *J. Amer. Chem. Soc.*, **105**, 2748 (1983).

Synthesis of 1-Phenylselenobuta-1,3-diene and Its Methylsubstituted Homologues via Oxyselelenation of Conjugated Dienes. A. Toshimitsu, S. Uemura, and M. Okano. *J. Chem. Soc. Chem. Commun.*, 965 (1982), Communication.

Iodine Induced Formation of Bicyclo[3.3.0] octane Derivatives from 1,5-Cyclo-octadiene. S. Uemura, S. Fukuzawa, A. Toshimitsu, M. Okano, H. Tezuka, and S. Sawada. *J. Org. Chem.*, **48**, 270 (1983), Note.

Base-Induced Fragmentation of Ethanediyl *S,S*-Acetals Bearing Two Aromatic Substituents at C-2. H. Ikehira, S. Tanimoto, T. Oida and M. Okano. *J. Org. Chem.*, **48**, 1120 (1983), Note.

Phosphine-Nickel (II), -Cobalt (II), -Palladium (0) and -Palladium (II) Complexes as Catalysts in Cross-Coupling Reactions of Aryl- and Alkyl-Grignard Reagents with Organic Tellurides. S. Uemura, S. Fukuzawa, and S.R. Patil. *J. Organometal. Chem.*, **243**, 9 (1983).

Oxytelluration of Olefins to (β -Alkoxy- and β -hydroxyalkyl) aryltellurium Dihalides and Their Reactions with Reducing Agents and Aqueous NaOH. S. Uemura, S. Fukuzawa, and A. Toshimitsu. *J. Organometal. Chem.*, **250**, 203 (1983).

The Lithium Diisopropylamide-Induced Hydrolysis of Ethanediyl *S,S*-Acetals of Aryl Methyl Ketones. H. Ikehira, S. Tanimoto, T. Oida and M. Okano. *Synthesis*, 1087 (1982), Communication.

Thallium (III) Acetate and Trifluoroacetate. S. Uemura. "Synthetic Reagents" Vol. 5 ed. by J.S. Pizey, Ellis Horwood Ltd., Chichester, England. Review.

[Rh₃O(OAc)₆(H₂O)₃]OAc as a Homogeneous Catalyst for Selective Enone Formation by Allylic Oxidation of Olefins. S. Uemura and S.R. Patil. *Tetrahedron Lett.*, **23**, 4353 (1982), Communication.

Polymer Chemistry

Molecular Motions of Polymer Solids in Low Frequency Regions by Neutron Scattering. R. Kitamaru, K. Kaji, H. Urakawa, H. Yamaoka, T. Akiyoshi, M. Ono, T. Matsuyama, and F. Yoshida. *Kasen Koen-shu*, **39**, 45 (1982), Review in Japanese.

High-Resolution ¹³C NMR of Polymers in the Solid State. F. Horii. *Kobunshikako (Polym. Appl.)*, **30**, 560 (1982), Review in Japanese.

Molecular Mobilities of Individual Constituent Carbons of Solid Polyesters above *T_g* As Studied by Carbon-13 Nuclear Magnetic Resonance Spectroscopy. F. Horii, A. Hirai, K. Murayama, R. Kitamaru, and T. Suzuki. *Macromolecules*, **16**, 173 (1983).

Small Angle Neutron Scattering Studies of the Structure of Nucleosome Cores

at Low Ionic Strength. K. Mita, M. Zama, S. Ichimura, N. Niimura, K. Kaji, M. Hirai, and Y. Ishikawa. *Nucl. Acid Res., Symp. Series*, No. 11, 185 (1982).

Neutron Quasielastic Scattering Studies of Molecular Liquids and Polymers by Pulsed Cold Neutron Source. K. Inoue, Y. Kiyanagi, M. Kohgi, and K. Kaji. *Physica*, **120B**, 422 (1983).

Small Angle Neutron Scattering Studies of the Structure of Nucleosome Cores at Low Ionic Strength. K. Mita, M. Zama, S. Ichimura, N. Niimura, K. Kaji, M. Hirai, and Y. Ishikawa. *Physica*, **120B**, 436 (1983).

Noncrystalline Contents in Linear Polyethylene Samples, Crystallized from the Melt and Dilute Solution as Revealed by Proton Dipole Decoupled/Magic Angle Sample Spinning ^{13}C NMR. R. Kitamaru, F. Horii, and K. Murayama. *Polym. Bull.*, **7**, 583 (1982).

Solid-State High-Resolution ^{13}C -NMR Studies of Regenerated Cellulose Samples with Different Crystallinities. F. Horii, A. Hirai and R. Kitamaru. *Polym. Bull.*, **8**, 163 (1982).

Measurements of the Vibrational Modes of Polymer Side Groups by Neutron Inelastic Scattering. K. Kaji, T. Kanaya, H. Urakawa, R. Kitamaru, K. Inoue, and Y. Kiyanagi. *Reports of Symposium on the Application of Neutron Optics, KUR*, 53 (1983), Review in Japanese.

Light Scattering from Ternary Solutions Including Two Chemically Different Polymers. T. Fukuda and H. Inagaki. *Ann. Rep. Res. Inst. Chem. Fiber, Japan*, **39**, 13 (1982).

An Analysis of Excluded-Volume Effects in a Polystyrene-Cyclohexane System. H. Suzuki. *Brit. Polym. J.*, **14**, 137 (1982).

Direct Determinations of the Unperturbed Dimensions of Linear Polyethylene Molecules. Y. Muraoka, K. Kamide and H. Suzuki. *Brit. Polym. J.*, **15**, 107 (1983).

Upper and Lower Critical Solution Temperatures in 1-Octanol Solutions of Polyethylene. Y. Muraoka, H. Inagaki and H. Suzuki. *Brit. Polym. J.*, **15**, 110 (1983).

β -Structure from the Microfibrillar proteins of Merino Wool. T. Miyamoto, H. Sakabe, and H. Inagaki. *Int. J. Biol. Macromol.*, **5**, 188 (1983), 40c.

Stereocomplex of Poly (methylmethacrylate). Structure and Application. T. Miyamoto. *Kagaku Kogyo (Chem. Ind.)*, **34**, 425 (1983), in Japanese.

Preparation of Wool Powder by Explosive-Puffing Treatment. T. Miyamoto, T. Amiya and H. Inagaki. *Kobunshi Ronbunshu (Rep. Polym. Sci.)*, **39**, 679 (1982), in Japanese.

Free-Radical Copolymerization 1. Reactivity Ratios in Bulk-Copolymerization of *p*-Chlorostyrene and Methyl Acrylate. T. Fukuda, Y.-D. Ma and H. Inagaki. *Polym. J.*, **14**, 705 (1982).

Partial Volume of Copolymers in Mixed Solvents and Volume Contraction in Bulk-Copolymerization. T. Fukuda, Y.-D. Ma, M. Nagata and H. Inagaki. *Polym. J.*, **14**, 729 (1982).

Aqueous Gel-Permeation Chromatography of Electrolytes and Polyelectrolytes 1. Effect of Electrolytic Nature of Gel. S. Kadokura, T. Miyamoto and H. Inagaki. *Polym. J.*, **14**, 993 (1982).

The Failure of Terminal-Model Kinetics of Free-Radical Copolymerization. T. Fukuda, Y.-D. Ma and H. Inagaki. *Polym. Bull.*, **10**, 288 (1983).

Binding Mechanism of Divalent Metal Ions to Keratin Protein Derivatives. S. Kadokura, H. Ito, T. Miyamoto and H. Inagaki. *Sen-i Gakkaishi (J. Soc. Fiber Sci. Tech., Japan)*, **38**, 342 (1982), in Japanese.

Differential Thermal Analysis of Component Proteins from Wool. H. Sakabe, T. Miyamoto and H. Inagaki. *Sen-i Gakkaishi (J. Soc. Fiber Sci. Tech., Japan)*, **38**, 517 (1982), in Japanese.

Polymer Solutions. Quasi-elastic Light Scattering. N. Nemoto. *Experimental Methods for Polymer Research*, **11**, 446 (1982), Book in Japanese.

Rheology: On the Chain Entanglement and the Tube Model. K. Osaki. *High Polymers, Japan*, **31**, 947 (1982), Review in Japanese.

Experimental Consistency of the First Cumulants Estimated by Both Shape Function and Histogram Analyses in Dynamic Light Scattering. Y. Tsunashima and N. Nemoto. *J. Polym. Sci.: Polym. Lett. Ed.*, **21**, 531 (1983).

Material Time Constant Characterizing the Nonlinear Viscoelasticity of Entangled Polymeric Systems. K. Osaki, K. Nishizawa and M. Kurata. *Macromolecules*, **15**, 1068 (1982).

Dynamic Light Scattering Studies of Polymer Solutions. 1. Histogram Analysis of Internal Motions. Y. Tsunashima, N. Nemoto and M. Kurata. *Macromolecules*, **16**, 584 (1983).

Some Aspects of the Lattice Destruction of Polyethylene due to Electron Irradiation. A. Kawaguchi, S. Isoda, T. Haneda, M. Ohara and K. Katayama. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 1, (1982).

Polymorphism in Lamellar Single Crystals of Nylon 11. A. Kawaguchi, T. Ikawa, Y. Fujiwara, M. Tabuchi and K. Monobe. *J. Macromol. Sci.-Phys.*, **B20**, 1, (1982).

Lattice Imaging of High Modulus Poly (p-Phenylene Benzobisthiazole) Fibers. K. Shimamura, J.R. Minter and E.L. Thomas. *J. Material Sci.*, **2**, 54 (1983), Letters.

Crystal Structure of Pristine and Iodine Doped cis Polyacetylene. J. C.W. Chien, F.E. Karasz and K. Shimamura. *Macromolecules*, **15**, 1012 (1982).

An Estimate of Bond Length Alternation in trans Polyacetylene. J.C.W. Chien, F.E. Karasz and K. Shimamura. *Makromol. Chem., Rapid Commun.*, **3**, 655 (1982), Note.

Liquid Crystalline Structure of Aqueous Hydroxypropylcellulose. K. Shimamura. *Makromol. Chem., Rapid Commun.*, **4**, 107 (1983), Note.

Direct Observation of Dislocations in Polymer Single Crystals. S. Isoda, M. Tsuji, M. Ohara, A. Kawaguchi and K. Katayama. *Makromol. Chem. Rapid Commun.*, **4**, 141 (1982), Communication.

Direct Imaging of Molecular Chains in a Poly (p-xylylene) Single Crystal. M. Tsuji, S. Isoda, M. Ohara, A. Kawaguchi and K. Katayama. *Polymer*, **23**, 1568 (1982).

Polymer Crystallization in Melt Spinning. K. Katayama and M.G. Yoon. *Sen-i Gakkaishi (J. Soc. Fiber Sci. Tech. Japan)*, **38**, p-434 (1982), Review in Japanese.

Biochemistry

Regeneration of Ribonuclease A from the Reduced Protein. Rate-limiting Steps. Y. Konishi, T. Ooi, and H.A. Scheraga. *Biochemistry*, **21**, 4734 (1982).

Regeneration of Ribonuclease A from the Reduced Protein. Energetic Analysis. Y. Konishi, T. Ooi, and H.A. Scheraga. *Biochemistry*, **21**, 4741 (1982).

Fragments Responsible for the Low Solubility of Light Meromyosin Obtained by Limited Proteolysis. T. Akutagawa and T. Ooi. *J. Biochem.*, **92**, 999 (1982).

Isolation and Characterization of *Physarum* Profilin. K. Ozaki, H. Sugino, T. Hasegawa, S. Takahashi, and S. Hatano. *J. Biochem.*, **93**, 295 (1983).

Cross-linking Study on Skeletal Muscle Actin: Interaction of Suberimidate-treated Actin with Deoxyribonuclease I. O. Ohara, S. Takahashi, and T. Ooi. *J. Biochem.*, **93**, 1547 (1983).

Self-Organization of Protein Molecules. T. Ooi and H.A. Scheraga. *J. Protein Chem.*, **1**, 517 (1982).

Comparison of a leader sequence in messenger RNAs of Eukaryote and prokaryote. K. Miura, K. Yamaguchi, K. Kohno, and T. Ooi. *Nucleic Acids Res., Symposium Series*, **11**, 121 (1982).

Regeneration of RNase A from the Reduced Protein: Models of Regeneration Pathways. Y. Konishi, T. Ooi, and H.A. Scheraga. *Proc. Natl. Acad. Sci. USA*, **79**, 5734 (1982).

Asymmetric Reduction with Chiral NADH Model Compounds. Y. Inouye. "Asymmetric Reactions and Process in Chemistry" *A.C.S. Symposium Series (Amer. Chem. Soc.)*, **185**, 268 (1982), Short communication.

Asymmetric Reduction with Bis (NADH) Model Compounds. F. Hoshide, S. Ohi, N. Baba, J. Oda, and Y. Inouye. *Agric. Biol. Chem.*, **46**, 2173 (1982), Short communication.

Asymmetric Reductions with NADH Model Compounds. Y. Inouye, J. Oda, and N. Baba. *Kagaku no Ryoiki (J. Japanese Chem.)*, **36**, 585 (1982), Review in Japanese.

High Enantioselectivity in Reduction with a Chiral Polymethylene-Bridged Bis (NADH) Model Compound. M. Seki, N. Baba, J. Oda, and Y. Inouye. *J. Org. Chem.*, **48**, 1370 (1983), Note.

Spectrophotometric End Point Method for Assaying Serum Aminopeptidase. S. Takamiya, T. Ohshima, K. Tanizawa, and K. Soda. *Agric. Biol. Chem.*, **47**, 893 (1983).

Racemization of α -Amino- δ -val-erolactam Catalyzed ϵ -Amino- α -caprolactam Racemase from *Achromobacter obae*. S.A. Ahmed, N. Esaki, H. Tanaka and K. Soda. *Agric Biol. Chem.*, **47**, 1149 (1983).

A Spectrophotometric Method for the Determination of Aminopeptidase Activity with Leucine Dehydrogenase. S. Takamiya, T. Ohshima, K. Tanizawa, and K. Soda. *Anal. Biochem.*, **130**, 266 (1983).

L-Serine Binds to Arginine-148 of the β_2 Subunit of *Escherichia coli* Tryptophan Synthase. K. Tanizawa and W. Miles. *Biochemistry*, **22**, 3594 (1983).

Mechanism of Enzyme Reaction—Role of Coenzymes and Suicide Substrates. K. Soda and N. Esaki. *Biomimetic Chem.*, **1**, 3 (1982), Review in Japanese.

Results of Screening Test in Tocopherols in Microbial Realm. H. Tanaka, K. Soda, and G. Katsui. *Bitamin.*, **57**, 133 (1983), in Japanese.

Crystalline L-ornithins Transaminase from *Corynebacterium sepedonicum*: Identification of Reaction Product. M. Yasuda, S. Toyama, K. Yonaah, and K. Soda. *Bull. Col. Agric. Univ. of the Ryukyus*, **29**, 47 (1982), in Japanese.

Production and Stabilization of α -Amino- ϵ -caprolactam Racemase from *Achromobacter obae*. S.A. Ahmed, N. Esaki, H. Tanaka, and K. Soda. *Bull. Inst. Chem. Res., Kyoto Univ.*, **60**, 342 (1982).

Selenium: Anticancer Activity of Metal Ions. K. Soda, H. Tanaka, and N. Esaki. *Chemistry of Metallo Proteins*, I. II, **349**, 62 (1983), Review in Japanese.

Enzymatic Synthesis of Sulfur and Selenium Amino Acids. K. Soda, N. Esaki and H. Tanaka. *Enzyme Engineering*, **6**, 135 (1982), Review.

Purification and Properties of α -Amino- ϵ -caprolactam Racemase from *Achromobacter obae*. S.A. Ahmed, N. Esaki, H. Tanaka, and K. Soda. *FEBS Lett.*, **150**, 370 (1982), Letter.

Stereochemistry of an α,ϵ -Elimination Reaction by D-glucosaminase Dehydratase. R. Iwamoto, Y. Imanaga, S. Sawada, and K. Soda. *FEBS Lett.*, **156**, 33 (1983), Letter.

Distribution and Purification of Mammalian Selenocysteine Lyase. N. Esaki, T. Nakamura, H. Tanaka, and K. Soda. *Ganryuu Aminosan, (Sulfur Amino Acids)*, **5**, 203 (1982), in Japanese.

Determination of Hypotaurine with α -Amino Acid: Pyruvate Aminotransferase. K. Soda, T. Hirasawa, S. Toyama, and K. Yonaha. *Ganryuu Aminosan (Sulfur Amino Acids)*, **5**, 249 (1982), in Japanese.

Primary Structure of Yeast Tryptophan Synthase. K. Tanizawa. *Hakkokogaku Kaishi (J. Fermentation Technology, Japanese Ed.)*, **61**, 94 (1983), Letter in Japanese.

Fermentation and Enzymatic Synthesis of Methionine. K. Soda, N. Esaki, and H. Tanaka. *Hakko to Kougiyou (Fermentation and Industry)*, **40**, 917 (1982), Review in Japanese.

O-Acetyl serine, (thiol) lyase, O-Acetyl Homoserine (thiol) lyase, Amino acid Racemase (Low Substrate Specificity), Alanine Dehydrogenase, Cystathionine β -synthase, Cystathionine β -lyase, Cystathionine γ -lyase. K. Soda, N. Esaki, and K. Tanizawa. "Handbook of Clinical Enzymes", p. 32, 37, 70, 93, 369, (1982), Review in Japanese.

An Enzymic Cycling Method for the Determination of Free Fatty Acids with Acyl-CoA Synthetase and Acyl-CoA Hydrolase. A. Kawaguchi, K. Hosaka, T. Kikuchi, K. Soda, and S. Okuda. *J. Biochem.*, **94**, 487 (1983),

Mechanism of Pyridoxal Phosphate-dependent Enzymatic Amino-acid Racemization. S.J. Shen, H.G. Floss, H. Kumagai, H. Yamada, N. Esaki, K. Soda, S.A. Wasserman, and C. Walsh. *J. Chem. Soc., Chem. Commun.*, 81 (1983).

Stereochemistry of Vitamin B₆ Enzyme Reactions. T. Yoshimura and K. Soda. *Kagaku (Chemistry)*, **38**, 370 (1983).

Biochemistry of Selenium Amino Acids. N. Esaki and K. Soda. *Kagaku to Seibutu (Chemistry and Biology)*, **20**, 425 (1982), Review in Japanese.

Mechanism of Suicidal Inactivation of Pyridoxal Enzymes. T. Kimura and K. Soda. *Protein, Nucleic Acid and Enzyme*, **28**, 57 (1983), Letter in Japanese.

Techniques of Stable Isotope Usage for Life Science (XIII) Study Methods of Enzyme Reaction with the of Isotope Effects. K. Soda, T. Ohshima, and N. Esaki. *Radioisotopes*, **32**, 42 (1983), Review in Japanese.

Bacterial L-Methionine γ -lyase: Characterization and Application. H. Tanaka, N. Esaki, and K. Soda. *Sulfer Amino Acids: Biochemical and Clinical Aspects*, 365 (1983), Review.

Multifunctional Biocatalysis: Methionine γ -lyase. K. Soda, H. Tanaka, and N. Esaki. *TIBS*, **8**, 214 (1983), Review.

What is the Real Substrate of D-amino Acid Oxidase? H. Tanaka. *Vitamin*, **37**, 42 (1983), Letter in Japanese.

2-Nitropropane Dioxygenase: Reactions of Various Nitroalkanes. K. Soda, T. Kido, K. Tanizawa, K. Inagaki, and K. Asada. *Oxygenase and Oxygen Metabolism*, 173 (1982).

Properties of Leucine Dehydrogenase from *B. stearothermophilus* and Its Application to Determination of LAP Activity. T. Ohshima, K. Soda, K. Tomita, K. Motosugi, H. Okuno, and T. Shiraishi. *Proceedings of the 22nd Annual Meeting of Japan Society of Clinical Chemistry*, **22**, 158 (1982).

Amino Acids. K. Soda, H. Tanaka and N. Esaki. "Biotechnology", ed. by H.-J. Rehm and G. Reed. Chapter 3, 481 (1983), Review Monograph.

Oxidation of 2-Nitropropane by Various Enzymes. T. Kido, K. Asada, and K. Soda. "Oxy Radicals and Their Scavenger Systems", Ed. by G. Cohen and R.A. Greenwald, Vol. 1, 62 (1982), Monograph.

New Allylation Reaction Using Allylmetal (Group IVb) Compounds: Synthesis of N-Allylamides. M. Ochiai, S. Tada, M. Arimoto, and E. Fujita. *Chem. Pharm. Bull.*, **30**, 2836 (1982).

Umpolung of Reactivity of Allylsilane, Allylgermane, and Allylstannane: Allylation of Aromatic Compound with Allylmetal and Arylthallium Bis-(trifluoroacetate). M. Ochiai, E. Fujita, M. Arimoto, and H. Yamaguchi. *Chem. Pharm. Bull.*, **30**, 3994 (1982).

New Nonenzymatic Chiral Induction: A Highly Regioselective Differentiation between Two Identical Groups in meso 2,4-Dimethylglutaric Acid. Y. Nagao, T. Inoue, E. Fujita, S. Terada, and M. Shiro. *J. Org. Chem.*, **48**, 132 (1983), Communication.

Structure of *ent*-9,15-Dioxo-8,9-seco-14,16-kauradiene-3 α ,7 β -diol Diacetate (Shikoccin Monoacetate). T. Taga, K. Osaki, N. Ito, and E. Fujita. *Acta Crystallogr.*, **B38**, 2941 (1982), Communication.

X-Ray Crystal Structure of Rocaglamide, a Novel Antileukemic 1*H*-Cyclopenta-[*b*] benzofuran from *Aglaria elliptifolia*. M.L. King, C.-C. Chiang, H.-C. Ling, E. Fujita, M. Ochiai, and A.T. McPhail. *J. Chem. Soc., Chem. Comm.*, 1150 (1982), Communication.

Umpolung of Reactivity of Allylsilane, Allylgermane, and Allylstannane *via* Their Reaction with Thallium (III) Salt: A New Allylation Reaction for Aromatic Compound. M. Ochiai, E. Fujita, M. Arimoto, and H. Yamaguchi. *Chem. Pharm. %Bull.*, **31**, 86 (1983).

2-Lithio-2-Trimethylsilyl-1,3-oxathiane: A Possible Acyl Dianion Equivalent. K. Fuji, M. Ueda, and E. Fujita. *J. Chem. Soc., Chem. Comm.*, 49 (1983), Communication.

Reductive Displacement of the Nitro Group into Hydrogen in Primary α -Nitroketones. M. Node, T. Kawabata, M. Ueda, M. Fujimoto, K. Fuji, and E. Fujita. *Tetrahedron Lett.*, **23**, 4047 (1982), Communication.

Hypervalent Organoiodine Chemistry: A New Synthesis of β -Methylene Cyclic Ether. M. Ochiai, E. Fujita, M. Arimoto, and H. Yamaguchi. *J. Chem. Soc., Chem. Comm.*, 1108 (1982), Communication.

Hard Acid and Soft Nucleophile System. 6. A Convenient Synthesis of Alkyltiopoolycyclic Aromatics with Metal Halide and Thiol System. M. Node, K. Nishide, K. Ohta, K. Fuji, E. Fujita, H. Hori, and S. Inayama. *Chem. Pharm. Bull.*, **31**, 545 (1983).

Highly Selective Chiral Induction. E. Fujita. *Kagaku no Ryoiki (J. Japanese Chem.)*, **36**, 888 (1982), Review in Japanese.

A New Stereoselective Synthesis of 2-Substituted 1,3-Bis(trimethylsilyl)-propene Derivatives and Their Conversion to Cyclopentane and Cyclohexane Derivatives. M. Ochiai, K. Sumi, E. Fujita, and M. Shiro. *Tetrahedron Lett.*, **23**, 5419 (1982), Communication.

Three New Anti-tumor Diterpenoids. Trichorabdol A, C, and D. M. Node, M. Sai, K. Fuji, E. Fujita, T. Shingu, W.H. Watson, and D. Grossie. *Chemistry Lett.*, 2023 (1982), Communication.

Stereoselective Syntheses of *E*- and *Z*-9,11-Dodecadien-1-yl Acetates: The Major Sex Pheromones of the Red Bollworm Moth. M. Ochiai, T. Ukida, and E. Fujita. *Chem. Pharm. Bull.*, **31**, 1641 (1983).

A New Synthetic Strategy for the Biologically Active Compounds. E. Fujita. *Kagaku Zokan (Chemistry, Extra number)*, **99**, 85 (1983), Review in Japanese.

A New Desulphonylation of $\alpha\beta$ -Unsaturated Sylphones *via* Conjugated Addition of Tributylstannylolithium. M. Ochiai, T. Ukita, and E. Fujita. *J. Chem. Soc., Chem. Comm.*, 619 (1983), Communication.

Synthetic Studies on Virginiamycin M2: A Useful Model Experiment for Construction of the 1,3-Oxazole Moiety. Y. Nagao, S. Yamada, and E. Fujita. *Tetrahedron Lett.*, **24**, 2287 (1983), Communication.

Synthetic Studies on Virginiamycin M2: Functionalization at the Methyl Group of 4-*t*-Butoxycarbonyl-2-methyl-1,3-oxazole. Y. Nagao, S. Yamada, and E. Fujita. *Tetrahedron Lett.*, **24**, 2291 (1983), Communication.

Structure and Sequence of the Cellular Gene Homologous to the *src* Gene of Rous Sarcoma Virus and the Mechanism for the Generation of Viral Transforming Gene. T. Takeya and H. Hanafusa. *Cell*, **32**, 881 (1983).

DNA Sequence of the Viral and Cellular *src* Gene of Chickens. I. Complete Nucleotide Sequence of an *Eco*RI Fragment of Recovered Avian Sarcoma Virus Which Codes for gp37 and pp60—. T. Takeya, R. Feldman, and H. Hanafusa. *J. of Virol.*, **44**, 1 (1982).

DNA Sequence of the Viral and Cellular *src* Gene of Chickens. II. Comparison of the *src* Genes of Two Strains of Avian Sarcoma Virus and of the Cellular Homolog. T. Takeya and H. Hanafusa. *J. Virol.*, **44**, 12 (1982).

New Restriction Endonucleases from *Acetobacter aceti* and *Bacillus aneurinlyticus*. H. Sugisaki, Y. Maekawa, S. Kanazawa, and M. Takanami. *Nucleic Acids Research*, **10**, 5747 (1982).

The 245 Base-pair *oric* Sequence of the *E. coli* Chromosome Directs Bidirectional Replication at an Adjacent Region. S. Tabata, A. Oka, K. Sugimoto, M. Takanami, S. Yasuda, and Y. Hirota. *Nucleic Acids Research*, **11**, 2167 (1983).

Essential Structure of *E. coli* Promoter: Effect of Spacer Length between the Two Consensus Sequences. T. Aoyama, M. Takanami, E. Ohtsuka, Y. Taniyama, R. Marumoto, H. Sato, and M. Ikehara. *Nucleic Acids Research*, **11**, 5855 (1983).