

A RESULT OF DROSOPHILID SURVEY IN TANZANIA

Toyohi OKADA

Nobuhiko ASADA*

Kenji KAWANAKA*

*Faculty of Science, Okayama University of Science**

ABSTRACT Thirteen species of Drosophilidae were collected at the Mahale Mountains National Park, western Tanzania, in August to November, 1986. These species belong to two genera, *Zaprionus* and *Drosophila*. Ten of the 13 species are new records from Tanzania.

Key Words: Drosophilid fly; Mahale Mountains National Park; Drosophilidae; *Zaprionus*; *Drosophila*.

INTRODUCTION

The records of Drosophilidae from Tanzania have been rather poor: 10 species of *Leucophenga* by Bächli (1971); 2 unnamed species of *Drosophila* by Tsacas, Lachaise & David (1981) and 6 species of *Drosophila* and 2 species of *Zaprionus* by Takada & Uehara (1987), so far as known.

The present material involves about 280 specimens, classified into 13 species, of which 10 are newly found from Tanzania. Collection was made by one of the authors (K. K.) in the Mahale Mountains National Park, Kansyana, Kigoma District, Kigoma Region in August to November, 1986, by means of banana and lemon traps, sometimes soaked in wine. A lot of female specimens especially of the *melanogaster* species subgroup remain non-identified to species.

RESULTS

The following 13 species (including one unclassified taxon) were identified among the specimens. The data are summarized in Table 1.

Genus *Zaprionus* Coquillett

1. *Zaprionus tuberculatus* Malloch

Zaprionus tuberculatus Malloch, 1932. *Stylops* 1: 11.

Specimens examined: 25 males, 28 females, 24. VIII. 8:20-14:00 (lemon): 2 males, 30. X. 10:59-11:25 (banana wine): 1 male, 1 female, 1. X. 15:36-16:10 (banana, lemon).

This species is widely distributed in Afrotropical Region.

2. *Zaprionus indianus* Gupta

Zaprionus indianus Gupta, 1970. *Proc. Ind. Nat. Sci. Acad.* 36: 63 (India).

Table 1. Collection data of Drosophilidae in the Mahale Mountains National Park, Tanzania, 1986.*

	Date Time Bait	24.VIII Lemon	24.VIII Lemon	26.X 14:57 Lemon	26.X 17:23 Lemon	30.X 10:59 Banana & Wine M/F	30.X 11:25 Banana & Wine M/F	30.X 11:40 Lemon & Wine M/F	1.XI 15:36 Lemon M/F	1.XI 16:10 Banana M/F	Total M/F
Genus <i>Zaprionus</i>	Sex	M/F	M/F	M/F	M/F	M/F	M/F	M/F	M/F	M/F	
1. <i>Z. tuberculatus</i> Malloch		23/18	2/10	0/0	0/0	1/0	1/0	0/0	1/0	0/1	28/29
2. <i>Z. indianus</i> Gupta		1/0	0/0	0/0	0/0	11/6	2/1	3/1	0/3	1/0	18/11
3. <i>Z. ghesquierei</i> Collart		1/0	0/0	0/0	0/0	0/3	0/2	2/2	1/0	6/2	10/9
Genus <i>Drosophila</i>											
Subgenus <i>Sophophora</i>											
<i>melanogaster</i> sp. group											
<i>melanogaster</i> sp. subgroup											
4. <i>D. melanogaster</i> Meigen		0/0	14/0	0/0	0/0	3/0	0/0	0/0	0/0	14/0	31/0
5. <i>D. teissieri</i> Tsacas		0/0	0/0	0/0	0/0	1/0	1/0	1/0	2/0	2/0	7/0
6. <i>D. yakuba</i> Burla		0/0	0/0	0/0	0/0	16/0	3/0	2/0	1/0	11/0	33/0
<i>montium</i> sp. subgroup											
7. <i>D. vulcana</i> Graber		0/0	0/0	0/0	0/0	0/0	1/0	0/0	0/0	1/0	2/0
8. <i>D. tsacasi</i> Bock et Wheeler		0/0	0/0	0/0	0/0	1/0	0/0	0/0	0/0	1/0	2/0
9. <i>D. sp. A</i> of Peterson et Tsacas		0/0	0/0	0/0	0/0	6/0	0/0	0/0	0/0	0/0	6/0
<i>D. spp.</i> (Female)		0/4	0/9	0/7	0/2	0/22	0/14	0/8	0/11	0/11	0/88
<i>fina</i> sp. group											
10. <i>D. fina</i> Burla		0/0	0/0	0/0	0/0	1/0	1/0	0/0	0/0	0/0	2/0
Subgenus <i>Scaptodrosophila</i>											
11. <i>D. sp.</i>		0/0	0/0	0/0	0/0	1/0	1/0	0/0	0/0	0/0	2/0
Subgenus <i>Drosophila</i>											
12. <i>D. nasuta</i> Lamb		0/0	0/0	0/0	0/0	1/0	1/0	0/0	0/0	0/0	2/0
13. <i>D. hydei</i> Sturtevant		0/0	0/0	0/0	0/0	0/0	0/0	0/0	0/0	0/1	0/1
Total		25/22	16/19	0/7	0/2	42/31	11/17	8/11	5/14	36/15	143/138

*Number in each cell indicates the number of specimens of each sex examined.

Zaprionus collarti Tsacas. 1960. p. 684. in *Catalogue of Diptera of the Afrotropical Region.*, R. W. Crosskey ed., Brit. Mus.

Specimens examined: 1 male, 24. VIII, 8:20 (lemon); 13 males, 7 females, 30. X, 10:59–11:25 (banana wine); 1 male, 3 females, 1. XI, 15:36–16:10 (banana, lemon).

This species is widely distributed in India and Afrotropical Region, characterized by having 'collarete' of aedeagus basally narrowing (cf. Tsacas, 1980). It was recorded by Takada and Uehara (1987) from Tanzania.

3. *Zaprionus ghesquierei* Collart

Zaprionus ghesquierei Collart, 1937. *Bull. r. d'Hist. nat. Belg.* 13(9): 8.

Specimens examined: 1 male, 24. VIII, 8:20 (lemon); 2 males, 7 females, 30. X, 10:59–11:40 (banana wine, lemon wine); 7 males, 2 females, 1. XI, 15:36–16:10 (banana, lemon).

This species is widely distributed in central Africa.

Genus *Drosophila* Fallén

Subgenus *Sophophora* Sturtevant

melanogaster species group Sturtevant

melanogaster species subgroup Hsu

4. *Drosophila melanogaster* Meigen

Drosophila melanogaster Meigen. 1830. *Syst. Besch. bek. eur. zweifl. Ins.* 6: 85.

Specimens examined: 14 males, 24. VIII, 14:00 (lemon); 3 males, 30. X, 10:59 (banana wine); 14 males, 1. XI, 16:10 (banana).

5. *Drosophila teissieri* Tsacas

Drosophila teissieri Tsacas. 1971. *Bull. Soc. ent. Fr.* 76: 35.

Specimens examined: 3 males, 30. X, 10:59–11:40 (banana wine, lemon wine); 4 males, 1. XI, 15:36–16:10 (banana, lemon).

This species is common in central and west Africa.

6. *Drosophila yakuba* Burla

Drosophila yakuba Burla. 1954b. *Rev. Suis. Zool.* 55: 161.

Specimens examined: 21 males, 30. X, 10:59–11:40 (banana wine, lemon wine); 12 males, 1. XI, 15:36–16:10 (banana, lemon).

This species is common throughout Afrotropical Region.

montium species subgroup Hsu

7. *Drosophila vulcana* Graber

Drosophila vulcana Graber, 1957. *Zool. Jahrb. Abt. Syst.* 85: 309 (Uganda); Bock et Wheeler, 1972. *Univ. Texas Publ.* 7213: 81.

Specimens examined: 1 male, 30. X, 11:25 (banana wine); 1 male, 1. XI, 16:10 (banana).

This species is widely spread in southern Africa.

8. *Drosophila tsacasi* Bock et Wheeler

Drosophila tsacasi Bock et Wheeler, 1972. *Univ. Texas Publ.* 7213: 79 (Ivory Coast).

Drosophila seguyi of Burla, 1954a (part., figs. 3, 5) (Ivory Coast) (not Smart. 1945).

Specimens examined: 1 male, 30. X, 11:25 (banana wine); 1 male, 1. X, 16:10 (banana).

This species is distinguished from *D. seguyi* Smart (sp. B of Paterson et Tsacas, 1967) by having metatarsal sex combs in a straight line (last 2 teeth are displaced in *seguyi*) and median process of hypandrium longer. It is recorded by Takada and Uehara (1987) from Tanzania.

9. *Drosophila* sp. A of Paterson et Tsacas.

Drosophila sp. A, Paterson et Tsacas, 1967. *Dros. Inf. Serv.* 42: 73; Bock et Wheeler, 1972. *Univ. Texas Publ.* 7213: 81 (Ivory Coast).

Drosophila seguyi of Burla, 1954b, *Rev. Suis. Zool.* 61: 157 (part, fig. 162) (Ivory Coast).

Specimens examined: 6 males, 30. X, 10:59 (banana wine).

This species is characterized by having a row of small black teeth inside the marginal teeth on male surstylus (cf. fig. 162 of Burla, 1954b; fig. 139 of Bock et Wheeler, 1972).

fima species group Burla

10. *Drosophila fima* Burla

Drosophila fima Burla, 1954b, *Rev. Suis. Zool.* 61: 165 (Ivory Coast); Burla, 1957. *Jh. Ver. Vaterl. Naturk. Wuttenberg* 112: 37 (West Africa); Tsacas et Lachaise, 1981. *Annls. Soc. ent. Fr.* (N. S.), 17: 395.

Specimens examined: 2 males, 30. X, 10:59–11:25 (banana wine).

This species is unique among the *fima* species group in having no sex combs of male fore leg (Tsacas et Lachaise, 1981).

Subgenus *Scaptodrosophila* Duda

11. *Drosophila* sp.

Specimens examined: 2 males, 30. X, 10:59–11:25 (banana wine).

Subgenus *Drosophila* Fallén

12. *Drosophila nasuta* Lamb

Drosophila nasuta Lamb, 1914. *Trans. Linn. Soc. Lond. Ser 2 (Zool.)* 16: 346.

Specimens examined: 2 males, 30. X, 10:59–11:25 (banana wine).

This species is widely distributed in Afrotropical Region, Sri Lanka and India (Kitagawa et al., 1982), recorded by Takada et Uehara, 1987, from Tanzania.

13. *Drosophila hydei* Sturtevant

Drosophila hydei Sturtevant, 1921. *Carnegie Inst. Pub.* 301: 101.

Specimens examined: 1 female, 1. XI, 15: 36 (lemon).

This is a cosmopolitan species.

ACKNOWLEDGEMENTS The materials for this report were collected by K.K. while he was at the Mahale Mountains National Park for studying wild chimpanzees, which was financially supported by the Grant-in-Aid for Overseas Scientific Research (No. 61041071 to Dr. T. Kano of University of the Ryukyus) from the Ministry of Education, Science and

Culture, Japan. The Tanzania National Scientific Research Council and Serengeti Wildlife Research Institute permitted K.K. to make his field study at the Mahale Mountains National Park. The Director of the Mahale Mountains Wildlife Research Center, Mr. E. Massawe, and his staff kindly helped K.K.'s research work. Prof. O. Kitagawa of Tokyo Metropolitan University kindly arranged the material. To these people and institutions, we make grateful acknowledgement.

REFERENCES

- Bächli, G. 1971. *Leucophenga* und *Paraleucophenga* (Diptera Brachycera). Fam. Drosophilidae. *Exploration du Parc National de l'Upemba* 71: 7-192. Bruxelles.
- Bock, I. R. & M. R. Wheeler 1972. The *Drosophila melanogaster* group. *Univ. Texas Publ.* 7213: 1-102.
- Burla, H. 1954a. Distinction between four species of the "melanogaster" group, "*Drosophila seguyi*", "*D. montium*", "*D. kikkawai*" sp. n. and "*D. auraria*" (Drosophilidae, Diptera). *Rev. Brasil. Biol.* 14: 41-54.
- Burla, H. 1954b. Zur Kenntnis der Drosophiliden der Elfenbeinküste (Französisch West-Africa). *Rev. Suiss. Zool.* 61: 1-218.
- Kitagawa, O., K. Wakahama, Y. Fuyama, Y. Shimada, E. Takanashi, M. Hatsumi, M. Uwabo & H. Mita 1982. Genetic studies of the *Drosophila nasuta* subgroup, with notes on distribution and morphology, *Jap. J. Genet.* 57: 113-141.
- Paterson, H. E. & L. Tsacas 1967. The identification of *Drosophila seguyi* Smart. *Dros. Inf. Serv.* 42: 73.
- Takada, H. & S. Uehara 1987. Drosophilid flies (Diptera) in the Mahale Mountains National Park, Tanzania: A preliminary report. *Afr. Stud. Monogr.* 7: 15-19.
- Tsacas, L. 1980. L'identité de *Zaprionus vittiger* Coquillette et révision des espèces afrotropicales affines (Dipt. Drosophilidae). *Bull. Soc. ent. Fr.* 85: 141-153.
- Tsacas, L. & D. Lachaise 1981. Les espèces au second article tarsal modifié du group afrotropical *Drosophila fima* (Diptera, Drosophilidae). *Annls. Soc. ent. Fr. (N. S.)*, 17: 395-415.
- Tsacas, L., D. Lachaise & J. D. David 1981. Composition and biogeography of the Afrotropical Fauna. In (M. Ashburner, H. L. Carson & J. N. Thompson Jr., eds.) *The Genetics and Biology of Drosophila* Vol. 3a, pp. 197-259, Academic Press, London.

—Received September 9, 1987.

Authors' Names and Addresses: Toyohi OKADA, 2-30-18, Gotokuji, Setagaya-ku, Tokyo 154, Japan; Nobuhiko ASADA, Biological Laboratory, Faculty of Science, Okayama University of Science, 1-1, Ridai-cho, Okayama 700, Japan; Kenji KAWANAKA, Laboratory of Anthropology, Faculty of Science, Okayama University of Science, do.