

Depth Profiling of Magnetic Tape with the Aid of SIMS

Riichirô CHÛJÔ, Toshio NISHI*, Hiroyuki NAITOH**
and Tatsuya ADACHI**

Received September 12, 1988

Depth profiling was done for eight kinds of atomic ions such as $^{12}\text{C}^+$, $^{14}\text{N}^+$, $^{16}\text{O}^+$, $^{27}\text{Al}^+$, $^{35}\text{Cl}^+$, $^{52}\text{Cr}^+$, $^{56}\text{Fe}^+$, and $^{59}\text{Co}^+$ from magnetic tapes with the aid of SIMS. Data for four samples were compared with each other. Results were still qualitative, however, useful information was obtained; antistatic agent is more abundantly distributed near surface than inside of the samples, the amount of antistatic agent is negatively correlated with dynamic resistance, etc.

KEY WORDS: SIMS/ Depth profiling/ Magnetic tape/ Antistatic agent/

INTRODUCTION

Depth profiling technique is promising in the study of surface and interface in polymeric materials. Secondary Ion Mass Spectrometry (SIMS) is also applicable to the depth profiling of polymeric systems^{1),2)}, besides X-ray Photoelectron Spectroscopy (XPS).^{3)~8)} SIMS is more advantageous than XPS in two points; 1) the maximum detectable depth in XPS is limited to 5 nm due to the escape depth of photoelectron, while there is no limit in SIMS, and 2) the information is obtained for an arbitrary depth in SIMS, while it is obtained in the integral from the surface to the desired depth in XPS. The second point leads to better resolution in SIMS than in XPS. On the contrary, XPS depth profiling can be done nondestructively, while SIMS one is destructive. This is the advantage of XPS than of SIMS.

In this paper SIMS depth profiling of magnetic tapes will be reported. The profiling was done from one surface (magnetics) to the opposite surface (base); total thickness of the tapes is much larger than 5 nm. It means SIMS is exclusively applicable method to the purpose.

EXPERIMENTAL

1. Samples

Four samples were used for measurements. All of them were magnetic tapes of the grade of T-120 for video tape recorders. They were commercially available and were manufactured by four different companies. Base of these samples was polyester. Thickness of the samples were tabulated in Table I.

中條利一郎: Department of Biomolecular Engineering, Tokyo Institute of Technology, 12-1 Ookayama 2-chome, Meguro-ku Tokyo.

* 西 敏夫: Department of Physical Engineering, The University of Tokyo, 3-1 Hongo 7-chome, Bunkyo-ku, Tokyo.

** 内藤博之、足立達哉: Seiko Instruments & Electronics Ltd., 31-1 Kameido 6-chome, Koto-ku, Tokyo.

SIMS Depth Profing of Magnetic Tape

Table I. Thickness of the samples used in this paper/ μm

Sample	Total	Magnetic Layer
A	18.67	4.77
B	19.67	4.72
C	19.49	4.69
D	18.82	4.57

2. Instrument

Depth profiling was done with a SIMS A-DIDA-3000 equipped by Atomika Technische Physik GmbH. Ar^+ ions were bombarded from the primary ion gun. Ar^+ was used to prevent any chemical reaction. The primary ion beam was accelerated with a voltage of 3 kV and its beam current was 50 nA. Such a low current was used to prevent any change (thermal and chemical) of surface. Furthermore, the sample was covered with by electron shower compensating for the charge-up. During measurements the pressure in the sample chamber was kept at less than 4×10^{-7} Pa. Measurement was done from one side of surface (magnetics) to the oppssite side(base) for each sample. Arrival to the opposite side was confirmed by the formation of pin-hole after measurement.

RESULTS AND DISCUSSION

In Figures 1, 2, 3, and 4 are shown the time dependence of the intensities of secondary ions from the samples A, B, C, and D, respectively. In order to avoid the confusion due to crowdness of experimental points, each figure was devided into (a) and (b), in which the intensities of $^{35}\text{Cl}^+$, $^{52}\text{Cr}^+$, $^{56}\text{Fe}^+$, and $^{59}\text{Co}^+$ were compiled in (a),




Figure 1. Time dependence of the intensities of scndary ions, $^{35}\text{Cl}^+$, $^{52}\text{Cr}^+$, $^{56}\text{Fe}^+$, $^{59}\text{Co}^+$, $^{12}\text{C}^+$, $^{14}\text{N}^+$, and $^{27}\text{Al}^+$ from the sample A.




Figure 2. Time dependence of the intensities of secondary ions, ³⁵Cl⁺, ⁵²Cr⁺, ⁵⁶Fe⁺, ⁵⁹Co⁺, ¹²C⁺, ¹⁴N⁺, and ²⁷Al⁺ from the sample B.




Figure 3. Time dependence of the intensities of secondary ions, ³⁵Cl⁺, ⁵²Cr⁺, ⁵⁶Fe⁺, ⁵⁹Co⁺, ¹²C⁺, ¹⁴N⁺, and ²⁷Al⁺ from the sample C.

while ¹²C⁺, ¹⁴N⁺, ²⁷Al⁺, and ⁵⁶Fe⁺ were in (b). For the convenience of comparison, intensities of ⁵⁶Fe⁺ were compiled both in (a) and in (b). Intensities of secondary ions are much affected by the existence of oxygen.⁹⁾ This is recognized as oxygen effect. In order to remove this oxygen effect, all intensities of secondary ions were normalized by the intensities of ¹⁶O⁺ in this article.

Generally speaking, the samples A and D are close with each other, and B and C are, from the comparison of the depth profiling patterns of these four samples. More precisely,

1) Cl is more abundantly distributed in the region close to magnetics in the sample A. This trend is explainable with a term of the distribution of antistatic agent which includes Cl.

SIMS Depth Profiling of Magnetic Tape




Figure4 (a)




Figure4 (b)

Figure 4. Time dependence of the intensities of secondary ions, $^{35}\text{Cl}^+$, $^{52}\text{Cr}^+$, $^{56}\text{Fe}^+$, $^{59}\text{Co}^+$, $^{12}\text{C}^+$, $^{14}\text{N}^+$, and $^{27}\text{Al}^+$ from the sample D.

- 2) Cl is more abundantly distributed in the opposite side (base) in the samples B and C, while Cl is in both sides in the sample D.
- 3) The time required for depth profiling is the shortest in the sample A in spite of almost equal thickness in these four samples. This finding may be due to the effectiveness of the antistatic agent.
- 4) Metallic elements, Al, Fe, Cr, and Co are localized in the area close to the surface (magnetics) in the samples A and D, while they are almost equally distributed in the whole range of the samples B and C. A small amount of these elements is observed even in the inside of the samples A and D. It is still unclear whether these traces are due to actual migration to inside or poor resolution in the measurements.
- 5) An increase of N is observed corresponding to the decrease of the above metallic elements in the inside of the whole samples.
- 6) Among physical properties, both of static and dynamic friction constants are not correlated with any finding from this SIMS experiments.
- 7) Dynamic resistance is well correlated with the intensity of Cl close to surface.

ACKNOWLEDGEMENT

Three distinguished professors on polymer science retired from the Institute for Chemical Research, Kyoto University on March 31, 1988; they are Professors Hiroshi Inagaki, Ryoza Kitamaru, and Michio Kurata. On this occasion one (R.C.) of the present authors would like to express his sincere thanks to them for their warm-hearted guidance in his young days; especially on stereocomplex to Professor Inagaki, on NMR to Professor Kitamaru, and on excluded volume effect to Professor Kurata.

REFERENCES

- 1) R. Chūjō, T. Nishi, Y. Sumi, T. Adachi, H. Naitoh, and H. Frenzel, *J. Polym. Sci., Polym. Lett., Ed.*, **21**, 487 (1983)
- 2) R. Chūjō, T. Nishi, Y. Sumi, T. Adachi, H. Naitoh, and H. Frenzel, "Secondary Ion Mass spectrometry, SIMS IV" p. 389 (Ed. by A. Benninghoven, Springer-Verlag, 1984)
- 3) H. R. Thomas and J. J. O'Malley, *Macromolecules*, **12**, 323 (1979)
- 4) J. J. O'Malley, H. R. Thomas, and G. M. Lee, *Macromolecules*, **12**, 996 (1979)
- 5) H. R. Thomas and J. J. O'Malley, *Macromolecules*, **14**, 1316 (1981)
- 6) R. A. Dickie, J. S. Hammond, J. E. deVries, and J. W. Hobulka, *Anal. Chem.*, **54**, 2045 (1982)
- 7) S. C. Yoon and B. D. Ratner, *Macromolecules*, **19**, 1068 (1986)
- 8) N. Higashi, T. Kunitake, and T. Kajiyama, *Macromolecules*, **19**, 1362 (1986)
- 9) A. Benninghoven, *Surf. Sci.*, **53**, 596 (1975)